



4.6.2018 PRICE LIST

# CASEGOODS



**GENERAL INFORMATION**

Contact Information .....	4
Order Procedures .....	4
Order Confirmation .....	4
Changes and Cancellations .....	4
Terms and Pricing .....	4
Product Design .....	4
Shipping/Freight .....	4
Delivery .....	4
Claim Process .....	5
Quick Delivery Program .....	5
Sustainability Information .....	6
Asset Tag Locations .....	8
Life Cycle Management Program .....	9
Finishes and Materials .....	9
Intellectual Property .....	9
BIFMA and ANSI Testing .....	10
National Seating Upholstery .....	13
Alliance Program Textiles .....	18

**CASEGOODS**

Arrowood™ Laminate .....	21
Arrowood™ Veneer .....	39
Barrington® .....	63
Captivate® .....	87
Casbah® .....	109
Clever® .....	147
Escalade® .....	167
Flourish® .....	191
Renegade™ .....	203
Roosevelt™ .....	257
Tessera™ .....	271

**WALL RAIL SOLUTION**

Exhibit™ .....	351
----------------	-----

**OCCASIONAL TABLES**

Myriad™ .....	413
Pegos® .....	419
Staccato® .....	423
Universal .....	424

<b>BOOKCASES</b> .....	433
------------------------	-----

<b>FILES</b> .....	447
--------------------	-----

<b>TOSS™ ACCENT PILLOWS</b> .....	459
-----------------------------------	-----

<b>WEDGES AND CUSHIONS</b> .....	470
----------------------------------	-----

<b>ACCESSORIES</b> .....	489
--------------------------	-----

<b>COM YARDAGE REQUIREMENTS</b> .....	527
---------------------------------------	-----

<b>INDEX</b> .....	533
--------------------	-----

<b>WARRANTY</b> .....	558
-----------------------	-----

- DIMENSIONS REFLECTED IN THIS BOOK ARE NOMINAL
- NATIONAL RESERVES THE RIGHT TO CHANGE ANY PRODUCT SPECIFICATIONS CONTAINED IN THIS PRICE LIST

## GENERAL INFORMATION

---

### CONTACT INFORMATION

National Office Furniture  
1610 Royal Street  
Jasper, Indiana 47549

To order literature, check order status, and check lead times on-line, please visit us at [NationalOfficeFurniture.com](http://NationalOfficeFurniture.com).

**Telephone:** 800.482.1717  
**Fax:** 812.482.8800  
**E-mail customer service:** [Service@NationalOfficeFurniture.com](mailto:Service@NationalOfficeFurniture.com)

### ORDERING PROCEDURES

For prompt delivery, all orders **MUST** include:

1. Purchase Order Number (on each page of order)
2. Billing Address
3. "Ship To" Information
4. Special Shipping Instructions (requested ship or delivery dates, ship complete or split shipments, and tags if applicable)
5. Complete Model Numbers
6. Net Price

National does not accept orders verbally. Fax or e-mail orders directly to:

**Fax:** 812.482.8800  
**E-mail:** [Orders@NationalOfficeFurniture.com](mailto:Orders@NationalOfficeFurniture.com)

(This e-mail requires an attached PDF order. General correspondence should go through [Service@NationalOfficeFurniture.com](mailto:Service@NationalOfficeFurniture.com).)

### ORDER CONFIRMATION

All complete orders will be acknowledged with ship dates **upon entry of a clean, credit approved order** into our system. This acknowledgement is the final agreement between National and the customer superseding all previous communications regarding the order.

**NOTE: Please examine this acknowledgement carefully and advise National immediately of any discrepancies.**

### CHANGES AND CANCELLATIONS

We regret that changes and cancellations are not possible once your order is entered into our system. In order to support our lead time commitments, orders are scheduled into our production cycle immediately upon order entry.

This includes changes/cancellations to:

- Quick Delivery Casegoods
- Made-to-Order Casegoods
- Engineered-to-Order (ETO) Casegoods

Please contact customer service for assistance.

### TERMS AND PRICING

Prices are list prices for shipment within the continental United States; for Canadian pricing, please reference [NationalOfficeFurniture.com](http://NationalOfficeFurniture.com)

Price subject to change without prior notice.

Merchandise will be billed at prices prevailing at time of placing order.

Distribution of this price list does not itself constitute an offer to sell.

Orders can be received only from authorized National Dealers.

### PRODUCT DESIGN

National reserves the right to make changes in design, specifications, and construction and to discontinue products without prior notice. Dimensions referenced in this book are nominal.

### SHIPPING/FREIGHT

Products are priced and will be delivered C.P.T. one contiguous U.S. destination, one Canadian destination, or one port of exit, freight prepaid (Incoterms 2010). Title shall transfer with risk of loss.

National reserves the right to select the most appropriate shipping terms.

### DELIVERY HOURS

Pricing is based on standard delivery between 8am and 3pm Monday through Friday.

### SPECIAL DELIVERY SERVICES

Any charges incurred from failure to receive a shipment, rerouting while in transit, or carrier storage charges are not included in prices shown and will be billed to the "sold to" account number on the order. Detention charges may be incurred for untimely off-loading of product.

Any order requiring **Special Delivery Services will incur additional charges.**

All such requirements must be noted on the purchase order. These are services that are not included in the price of the product or require the usage of specialized carriers. Examples of such Special Delivery services include:

- **Inside Delivery**  
Minimum \$50 charge
- **Non-Standard Delivery Time (before 7:00am or after 5:00pm)**  
Contact customer service for charges and availability
- **Non-Dock Delivery**  
Minimum \$50 charge
- **JIT Delivery (specific day and/or time)**  
Orders under \$10,000 list will incur a minimum \$125 charge
- **Weekend Delivery (Friday after 5:00pm until 7:00am Monday morning)**  
Minimum \$500 charge per delivery
- **Residential Delivery**  
Customer service may assist you in determining your special delivery requirement and any additional charges that may apply

Contact customer service if you are not sure if your order requires one or more of the above services. We will make every attempt to avoid the additional charges by giving options on what we can do within our standard delivery price.

### CARRIER SELECTION

National reserves the right to select the most appropriate mode of shipment. National relinquishes all responsibility for the goods shipped upon a clean receipt from the carrier. Customer bears the risk of loss or damage during shipment.

### PACKAGING

National's standard method of shipping is to carton all items. Certain full truck load items may qualify for special consideration. Contact customer service for guidelines. International shipments can be crated at the customer's request. The expense of crating or specialized packaging will be the responsibility of the customer.

### LOSS, DAMAGE, OR DELAY

National shall not be liable for loss, damage, detention, or delay resulting from causes beyond its reasonable control including but not limited to fire, strike, weather, wreck, or delay in transportation. In the event of delay due to any such cause, the delivery date will be postponed by such length of time as may be reasonably necessary to compensate for the delay.



## CLAIM PROCESS FOR MERCHANDISE DAMAGE/SHORTAGE/CARRIER DELAY

All the products produced by National are carefully inspected and properly cartoned prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage, or delivery has been delayed by the transportation carrier, **the following steps must be taken:**

1. Before signing for merchandise, **make notation** of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
2. **Contact National customer service within 15 calendar days of goods receipt to report issue.** We will advise whether a freight claim will need to be filed based on the mode of transportation. Claims must be filed by dealer on Redistribution/LTL carrier shipments. Claim will be disputed if product is moved from original consignee location.
3. If claim must be filed, carrier must be contacted **within 15 calendar days of goods receipt.** Retain all shipping cartons for inspection by the carrier agent.
4. **Copy of Carrier Disposition Letter must be sent to National** to receive additional credit on concealed damage issues via Redistribution/LTL carrier shipments.

For Concealed Damage, follow steps 2 through 4.

## CLAIM PROCESS FOR WARRANTY ISSUES

If a warranty issue is discovered, contact customer service immediately. To file the warranty claim, the following information is required:

- Serial number and warranty number are **mandatory** (see chart on page 8 for asset tag locations)
- Dealer purchase order number or National acknowledgement number
- Detailed description of issue

Customer service must **pre-approve** all resolutions such as replacement units, service parts, labor, and repair charges. We reserve the right to resolve the issue in the most cost effective manner. All approved resolutions will be assigned an authorization number which must be included on all replacement orders or invoices for reimbursement. Any unauthorized charge will not be the responsibility of National.

Please see page 558 for a full description of our Lifetime Product Warranty.

## FINISH WARRANTY

Minor variations in finish color may occur due to the unique texture and grain of wood.

Finishes, when exposed to ultraviolet rays, may change color. Also, some desktop accessories with plastic or rubber feet can penetrate or burn the finish. These issues are not warranty defects and will not be the responsibility of National.

## RETURN MERCHANDISE

We discourage product returns due to the likelihood of damage during the return transportation. In the event a product return is necessary, we will make every attempt to help keep the product in the field. Please contact customer service for assistance.

If attempts to keep the product in the field are unsuccessful, National will allow **returns on stocking items only** with the following stipulations:

50% Restocking fee

Freight Charge prepaid by dealer

**Product NEVER removed from original carton**

Product must be returned within 30 days of RGA issue date

Credit will not be issued if product returned is damaged

**Please note most models in the Quick Delivery Program are produced on demand and cannot be returned.**

Freight damage, signs of usage, removal from original carton, or missing parts will result in no credit being issued. All returns require written authorization; any unauthorized return will not receive credit.

**National will not be responsible for resolving damage claims on returned product.**

## QUICK DELIVERY PROGRAM

Our most popular series and options are available to you on our "To You in 10 Days or Less" Quick Delivery program.



Need 10 offices in 10 business days or less? No problem, with our Quick Delivery program, we've got you covered. Need more than 10? Just give us a call, and we'll work with you to get what you need, when you need it. Once in a while, demand exceeds capacity. Then, orders are subject to availability.

*Specific models from the following series are available on Quick Delivery:*

Arrowood Laminate	Flourish
Arrowood Veneer	Roosevelt
Barrington	Universal Bookcases
Clever	Universal Files
Escalade	

## QUICK DELIVERY MODEL NUMBERS

Quick Delivery models are available in select National finishes and have predetermined options. The Quick Delivery finishes are shaded in grey at the top of each page and the model numbers are tagged with a "Q" and/or shaded in grey throughout the price list.

On the Product Specifications and Options page at the beginning of every series, there is a grey shaded box to show you what options are included with the Quick Delivery model numbers.

## QUICK DELIVERY ORDERING

Orders may not be changed or cancelled. Include only Quick Delivery models on your order. Create a separate order for any products that are not included in the Quick Delivery program. Remember that 10 business days does not include weekends or holidays. The day your order is placed with National counts as day zero.

## LARGE QUANTITY ORDERING

Large quantities of models on an order, or large dollar volume orders, may receive lead times greater than those posted on [www.NationalOfficeFurniture.com](http://www.NationalOfficeFurniture.com). Please work with your project management team to confirm availability on your specific project.

## EZ ARRANGEMENT MODEL NUMBERS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done. If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models.

## STANDARD MODIFICATIONS

Simple product modifications or "special products" are available. National Office Furniture offers product modifications, provided the change does not affect the form, fit or function of the current product (which may require additional testing). Product modifications are assigned a revised model number which references the standard model that includes a SIN code. A modest upcharge may be levied which can be based on product quantity ordered or other criteria. To confirm that a product modification will be handled as a contract item, please contact Government Customer Service at 800-482-1213.

## SUSTAINABILITY INFORMATION

### OUR STATEMENT ON SUSTAINABILITY

*We aim to create lasting stakeholder value through responsible growth and deep commitment to the well-being of future generations. We cherish the Earth's natural resources and hold sustainability and environmental protection as our key priorities.*

As our company fulfills its responsibilities to our customers, shareholders, employees, and the public, six commitments provide a framework for focusing our energies toward the greatest good:

- Product Stewardship
- Environmental Preservation
- Green Building Development
- Regulatory Compliance
- Social Accountability
- Economic Responsibility

### OUR PRODUCTS REFLECT STEWARDSHIP

National is committed to providing quality products that will improve indoor air quality for the health of building occupants and visitors. Our products have achieved certification to the Indoor Advantage Gold label from Scientific Certification Systems (SCS) by meeting the BIFMA Furniture Emissions Standard (FES) for office furniture, and the California 01350 Special Environmental Requirements and Collaborative for High Performance Schools (CHPS).



In addition, virtually all National manufactured products carry the level® 2 or 3 label for meeting the far-reaching ANSI/BIFMA e3 Sustainability Standard. This standard addresses the areas of material and energy use, greenhouse gas impacts, human and eco-system health considerations, and social responsibility. Modeled after the LEED® building rating system, furniture products are evaluated against a variety of credit criteria (after first meeting certain prerequisites), accumulating points toward increasing levels of recognition associated with reduced environmental impact. Purchasing products certified to level® gives you the assurance that the product was produced in an environmentally and socially responsible manner.



National products that meet the above specifications are identified with corresponding logos throughout this price list.

In further support of our commitment to indoor air quality, National utilizes IntegraClear®, an environmentally-friendly, ultra-violet finish. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards and is standard on all casegoods. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through.

National's casegoods include a recycled material content of at least 82 percent. A wide range of 100 percent recycled polyester choices are available for upholstered seating products. Our Corporate Recycling Center diverts over 4 million pounds of waste material per year from landfills by recycling 65 different types of materials.

What's more, National manufacturing facilities are registered to the ISO 14001:2015 standard. This management tool enables us to identify and control the environmental impact of our operations, continually improve our company's environmental performance, systematically set environmental objectives, and demonstrate their achievement.

At National, we realize that the environmental impact of a product throughout its entire life is important. Thus, we have conducted a Life Cycle Assessment (LCA) that is compliant to ISO 14040/14044 on a number of our products. LCA is a method of addressing the environmental aspects throughout a product's life cycle from raw material acquisition through production, use, end-of-life treatment and disposal. An LCA can help us establish targets for lessening the product's environmental impact.



### GROWING WITH GREEN BUILDINGS

National facilities testify to our belief in sustainable building practices. As a member of the U.S. Green Building Council (USGBC), we prioritize building practices that support the LEED® (Leadership in Energy and Environmental Design) Green Building Rating System.

LEED® Registered Projects

**Corporate Headquarters**, Jasper, IN – LEED pending  
**Showroom**, Atlanta, GA – LEED pending  
**Showroom**, Boston, MA – LEED Silver  
**Showroom**, Chicago, IL – LEED Silver  
**Showroom**, Dallas, TX – LEED Gold  
**Showroom**, Washington, DC – LEED Silver  
**Manufacturing Facility**, Santa Claus, IN – LEED Silver



Our ecoChecker tool provides 24/7 access to research and compare the sustainable attributes of our products, making the specification of green products easier. EcoChecker also does the calculations necessary for rating systems such as LEED®, the Well Building Program, and others. This web-based tool produces the product documentation necessary for inclusion in the submission process.

## SUSTAINABILITY INFORMATION

CASEGOODS	INDOOR ADVANTAGE GOLD	LEVEL® 2	LEVEL® 3	LCA	HHI	TAKE BACK
Arrowood™ Laminate	✓		✓	✓	✓	✓
Arrowood™ Veneer	✓	✓		✓	✓	✓
Barrington®	✓	✓		✓	✓	✓
Captivate®	✓	✓		✓	✓	✓
Casbah®	✓	✓		✓	✓	✓
Clever®	✓	✓			✓	✓
Escalade®	✓	✓		✓	✓	✓
Flourish®	✓	✓			✓	✓
Renegade™	✓	✓		✓	✓	✓
Roosevelt™	✓	✓			✓	✓
Tessera™ Laminate	✓		✓		✓	✓
Tessera™ Veneer	✓	✓			✓	✓
<b>WALL RAIL SOLUTION</b>						
Exhibit™	✓	✓			✓	✓



For comprehensive sustainability information that includes Green Building Rating System point contribution information, visit [NationalOfficeFurniture.com/ecoChecker](https://NationalOfficeFurniture.com/ecoChecker)

## GENERAL INFORMATION

Each National Unit has an asset tag. The matrix below indicates the location of these asset tags. The asset tag includes the model number as well as the serial number and warranty number. It is necessary to provide customer service with this information for warranty issues, replacement units, service parts, labor and repairs, etc.

ASSET TAG LOCATIONS	
Bookcases	Underside of the lowest shelf on the front edge
Bridges Corner Units Modular Worksurfaces Computer Support Furniture	Underneath the top surface
Component Modesty Panels	Top, center of the panel on the inside (kneespace area)
Conference and Occasional Tables	Underneath the top surface
Desks (Double and Single Pedestal) Returns Credenzas Lateral Files Modular Pedestals Mobile Pedestals	Underside of top drawer bottom, near the front edge; tag would be on the right pedestal unless a left pedestal, desk, return, etc
Dividers Toppers	Underneath the bottom frame
Highback Organizers	Back side of task light facade on the left-hand side
Horizontal Wire Manager	Underside of the bottom
Overhead Cabinets (wall mount or suspended)	Back side of task light facade on the left-hand side
P-Shaped U-Shaped Keyhole Shaped Desks	Underneath the top surface on the front edge (user's side)
Slat Zone Magna Zone	On the back
Tack Boards	Back of panel
Vertical Storage Cabinets with Drawers	Underside of top drawer bottom, near the front edge
Vertical Storage Cabinets with Shelves (no drawers)	Underside of the lowest shelf

## LIFE CYCLE MANAGEMENT PROGRAM

National offers a diverse collection of surface materials as well as a Life Cycle Management Program. This program includes our Essentials collection and Discontinuation Policy to help make informed planning decisions.

## DISCONTINUATION POLICY

National strives to give all business partners advanced notification of surface materials that are scheduled for deletion. Efforts will be made to support discontinued materials as specified in the deletion announcement. Extended lead times and minimum order requirements may apply. Pricing cannot be guaranteed.

## DISCLAIMER

National will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. National reserves the right to cancel or make changes to standard products and surface materials.

## FINISHES AND MATERIALS

### WOOD FINISH COLOR MATCHING

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. National carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

### FABRIC COLOR MATCHING

National will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

### SEATING FINISH

National's seating finishes can withstand cleaning solutions that include bleach, hydrogen peroxide (Virox), alcohol (CaviWipes, hand sanitizers), quaternary ammonium compounds (Virex, Ecolab A-456 II, Lysol,) and phenols (Wex-cide) when they are used in accordance with the manufacturer's label instructions.

## CUSTOMER SPECIFIED LAMINATE (CSL) PROGRAM

### PROGRAM DETAILS

- National understands that some orders have specialized needs regarding laminate specifications
- In order to better service our customers, National has partnered with suppliers to offer a CSL laminate program for **HPL worksurfaces only**
- A **10% upcharge** applies to all CSL laminate orders
- National orders and procures all CSL customer specified laminates
- CSL program is not available on all laminate products within our offering

### CSL ORDERING PROCESS

- Laminate sheen level not to exceed 60° for maximum durability of worksurfaces
- Send purchase order and quantities to customer service  
Please include:
  1. Manufacturer's Name
  2. Laminate Name/Laminate Number
- Lead times may vary for certain laminates and quantities, contact customer service for details

### CSL POLICY

- National reserves the right to decline a laminate which may not be suitable for application
- National assumes no responsibility for the durability, consistent coloration, or any other performance characteristic of a customer specified laminate

**For more information about our products and services or to find a certified National® dealer near you, please visit us at [NationalOfficeFurniture.com](http://NationalOfficeFurniture.com) or contact our customer service team at 800.482.1717.**

## INTELLECTUAL PROPERTY

Acquaint®, Admire®, Alloy™, Arlington™, Arrowood™, Aurora™, Barrington®, Captivate®, Casbah®, Cinch®, Clever®, Confide®, Davari®, Ditto™, Eloquence®, Epic®, Epicenter®, Escalade®, Essay®, Exhibit™, Farrah®, Flourish®, Fold™, Footings™, Fringe®, Fuel®, Gotcha™, Grin™, IntegraClear®, Jewel™, Jiminy®, Kozmic™, Lavoro®, Maneuver™, Mio™, Mix-it®, Monterrey™, Myriad™, Pegos®, Pennant™, Remedy®, Renegade™, Reno®, Respect®, Result®, Roosevelt™, Staccato®, Strassa™, Swift™, Tag®, Tessera™, Timberlane™, Triumph™, Toss™, WaveWorks®, Wander™, and Whimsy® are registered trademarks of National Office Furniture. Trademarks of other parties are identified wherever possible and National acknowledges their rights.

BLOCKaide™ and Terratex® are registered trademarks of Interface, Inc.

Brisa®, Brisa® Distressed, Promessa® and Ultraleather™ are registered trademarks of Ultrafabrics, LLC.

Byrne Interlink® is a registered trademark of Byrne Electrical Specialists, Inc.

Cradle to Cradle™ is a registered trademark of McDonough Braungart Design Chemistry, LLC.

Crypton®, Crypton® Green and INCASE™ are registered trademarks of Crypton, Inc.

Hi-Loft™, Hi-Loft2™, PERMABLOK3®, SILVERGUARD® and Silvertex™ are registered trademarks of Spradling Holdings, Inc.

Hilti® Toggler® is a registered trademark of Hilti Corporation.

Indoor Advantage™ is a trademark of Scientific Certification Systems.

Intercoupler™ is a trademark of Power Logic SA (Pty), Ltd.

LEED® is a registered trademark of the U.S. Green Building Council.

level® is a registered trademark of BIFMA International.

Post-it® and Scotchgard™ are registered trademarks of 3M.

Repreve® and U Trust™ are registered trademarks of UNIFI, Inc.

Silverguard® is a registered trademark of Life Bioscience USA, LLC.

Velcro® is a registered trademark of Velcro Industries B.V.

## BIFMA AND ANSI CASEGOODS TESTING


### ANSI/BIFMA X5.5-2008 DESK/TABLE PRODUCTS-TESTS

National products are designed and manufactured to meet or exceed BIFMA and American National Standards Institute (ANSI) standards. National is a member of the Business and Institutional Furniture Manufacturer's Association (BIFMA).




#### 5 of the 21 tests in the ANSI/BIFMA X5.5-2008 Desk/Table Products – Tests

##### Top Load Ease Cyclic Test




- Evaluates the durability of casegoods to withstand cyclic loading of the top worksurface
- 200-lb. bag raised until entire weight is off the top and then eased onto the top
- 10,000 cycles

##### Extendible Elements Cycle Test




- Evaluates the operation of casegood extendible member to ensure that suspension systems can support typical loads while being opened and closed
- Extendible member load – .017 lb./cubic inch of filing volume
- 30,000 cycles in center of pull area
- 10,000 cycles on each side of center pull

##### Desk/Table Unit Drop Test




- Evaluates how well casegoods withstand impact on closed bases
- Each end of the desk is picked up 4.7" or 7.1" (depending on unit weight) one end at a time and dropped

##### Leg Panel Strength Test



- Evaluates the ability of end panels to withstand typical static loads
- Horizontal inward force  
Functional load: 100 lbs.  
Proof load: 150 lbs.
- Outward force  
Functional load: 50 lbs.  
Proof load: 75 lbs.

##### Stability Test



- Evaluates the stability of casegoods
- Largest drawer in each pedestal is opened and loaded
- Opening and loading should not tip the unit

The table below lists operating load capacities of various casegoods components. Components meet or exceed the ANSI/BIFMA X5.5-2008 Desk/Table Products Test and X5.9-2012 Storage Units Test Functional and Proof loading requirements.

The Operating Load Capacities listed below represent the BIFMA Functional Loads which is equivalent to loads that can be expected in normal use of the component.

Contact National Customer Service if additional testing information is needed.

COMPONENT	OPERATING LOAD CAPACITY
Desk/Table Top Load (Primary Surface, less than or Equal to 45" Long)	Concentrated - 200 lb. over 12" Diameter Area
Desk/Table Top Load (Primary Surface, greater than 45" to Less than or Equal to 72" Long)	Concentrated - 200 lb. over a 12" Diameter Area Distributive - 1.5 lb. per Linear inch of Product Top Perimeter
Desk/Table Top Load (Primary Surface, greater than 72" Long)	Concentrated - Two - 200 lb. over two 12" Diameter Areas Distributive - 1.5 lb. per Linear Inch of Product Top Perimeter
Pedestal Drawer	.017 lb. per Cubic Inch of Drawer Interior Filing Space (File Drawers are to Support Hanging Files Only; File Drawers are not Intended for Bottom Loading)
Secondary, Transaction, and Shelf Load	.017 lb. per Cubic Inch Above Surface (Not More Than 12" in Height)
Adjustable Keyboard (less than or equal to 36" Width)	66 lb. Distributed Across the Keyboard Surface
Writing Shelf	25 lb. Distributed Across the Writing Shelf
Extendible Elements (Drawers, Shelves, etc.)	.017 lb. per Cubic Inch or Drawer Interior Filing Space Distributive Loading
Center/Pencil Drawers	5 lb. Distributive Loading
Unit Top (Storage/Bookcase, greater than 60" tall)	Distributive - .09 lb. per Square Inch of Surface Area
Unit Top (Storage/Bookcase, greater than 38" to less than 60" tall)	Distributive - .26 lb. per Square Inch of Surface Area
Unit Top (Storage/Bookcase, less than 38" tall)	Distributive - .26 lb. per Square Inch of Surface Area Concentrated - 200 lb.
Unit Bottom (Storage/Bookcase)	Distributive - .017 lb. per Cubic Inch Above Surface (Not More Than 18" in Height)

Square inches should be calculated using this formula:  
Surface Depth x Surface Width of Available Storage

Cubic inches should be calculated using this formula:  
Surface Length x Surface Depth x Height of Available Storage Above the Surface (limited to 18" above the surface)

## GENERAL INFORMATION

### CUT YARDAGE PROGRAM

All National textiles and leathers are available on a cut yardage basis. Cut yardage must be ordered in full yards. List prices include freight.

Fabric Price Grade		US List Price Per Yard
1		\$ 43
2		\$ 67
3		\$ 87
4		\$ 115
5		\$ 138
6		\$ 187
7		\$ 236
Leather Price Grade	US List Price Per Half Hide (25-28 sq ft)	US List Price Per Full Hide (50-57 sq ft)
L7	\$ 682	\$ 1399
L8	\$ 810	\$ 1666

#### How to specify cut yardage:

1. Model Number

NOFUPHCUTYDG = seating fabric  
NOFLTHRHIDE = leather (half hide)  
NOFLTRFHIDE = leather (full hide)

2. Upholstery grade

3. Upholstery number



Crypton® is a textile that is stain, water, odor and bacteria resistant.

Each fiber of a Crypton® Fabric is encapsulated to resist stains and bacteria, and Crypton's® moisture barrier is integrated into the fabric, ensuring permanent protection.

Crypton® is engineered to be extremely easy to clean, allowing spots and spills to be easily removed. Crypton® Care Stain Removers make cleaning upholstery simple and easy.

Crypton® Super Fabrics have ultra-low or non-detectable emissions.

Source: [www.cryptonfabric.com](http://www.cryptonfabric.com)

Crypton® Cleaners [www.cryptoncare.com](http://www.cryptoncare.com)



SILVERGUARD® is a natural environmentally friendly bacteria-fighting defense to inhibit odor and stain causing bacteria, plus the SILVERGUARD® technology is EPA registered and FDA approved. SILVERGUARD® stays fresh and lasts long due to the proprietary manufacturing process which promotes a controlled release of antibacterial properties. It continues to provide its bacteria-fighting protection after repetitive cleanings. The elemental protection of silver in SILVERGUARD® is an antibacterial agent. It is safe and efficient in diminishing odors, promoting freshness, and extending the life cycle of a product by attacking bacteria and other destructive organisms.



Reduced environmental impact due to recycled content, improved manufacturing process, no backing, rapidly renewable materials, PVC-free and/or chrome-free.



## AMERICAN GRAFFITI – GRADE 1

100% Polyester  
54" Wide  
No Finish; Acrylic Backing  
Repeat: 15" H x 7.5" V  
Cleaning Code: W  
96,000 Double Rubs

5304	Jeans	5318	Cruisin'	5379	Leather
5305	Honey Mustard	5336	Catsup	5392	Convertible
5312	Roller Skates	5375	Chrome	5395	Diner

## CALI – GRADE 1

79% Polyester, 21% Rayon  
54" Wide  
Livesmart Finish; Polyester Backing  
Repeat: None  
Cleaning Code: W  
70,000 Double Rubs  
Does not meet TB133

11601	Cactus	11605	Sunset	11609	Surf
11602	Beach	11606	Boardwalk	11610	Coast
11603	Sand	11607	Pier	11611	Boulder
11604	Desert	11608	Vineyard		

## PLUSH – GRADE 1

100% Polyester  
54" Wide  
Teflon Finish; Polyester Backing  
Repeat: None  
Cleaning Code: W  
100,000 Double Rubs

11701	Moss	11704	Sable	11707	Suede
11702	Down	11705	Kringle	11708	Snuggle
11703	Willow	11706	Fur	11709	Velvet

## RIDGE – GRADE 1

100% Polyester  
54" Wide  
Teflon Finish; Latex Backing  
Repeat: None  
Cleaning Code: W  
100,000 Double Rubs

12001	Meadow	12005	Crimson	12009	Sea Breeze
12002	Shine	12006	Driftwood	12010	Midnight
12003	Sunset	12007	Peak	12011	Sand
12004	Fog	12008	Pebble	12012	Dune

## STARDUST – GRADE 1

54% Polyester; 46% Repreve® Polyester  
(30% Pre-Consumer/16% Post-Consumer blend)  
54" Wide  
No Finish; Acrylic Backing  
Repeat: 5" H x 4.35" V  
Cleaning Code: W  
30,000 Double Rubs

10501	Lynx	10504	Hydra	10508	Vela
10502	Crux	10505	Carina	10509	Ara
10503	Draco	10506	Mensa		

## BLISS – GRADE 2

80% Polyester, 20% Acrylic  
54" Wide  
Livesmart Finish; Latex Backing  
Repeat: None  
Cleaning Code: W  
100,000 Double Rubs  
Does not meet TB133

21201	Jade	21205	Root	21209	Azure
21202	Shadow	21206	Hearth	21210	Icicle
21203	Spice	21207	Ink	21211	Slate
21204	Wool	21208	Stream		

## BRILLIANT – GRADE 2

56% Polyester, 32% Post-Consumer Recycled Polyester, 12% Pre-Consumer Recycled Polyester  
54" Wide  
Stain and Solid Repellant Finish; Acrylic Backing  
Repeat: None  
Cleaning Code: WS  
140,000 Double Rubs  
Can specify to meet TB133

22501	Parrot	22507	Ebony	22513	Almond
22502	Kiwi	22508	Elderberry	22514	Bluegrass
22503	Marigold	22509	Gravel	22515	Cobalt
22504	Azalea	22510	Indigo	22516	Currant
22505	Amaryllis	22511	Moss	22517	Coffee
22506	Cattail	22512	Cinder		

## COM – GRADE 2

## ORBIT – GRADE 2

100% Polyester  
54" Wide  
Teflon Finish; Acrylic Backing  
Repeat: 7" H x 6" V  
Cleaning Code: W  
40,000 Double Rubs

20401	Galaxy	20404	Moon	20407	Comet
20402	Nebula	20405	Star	20408	Asteroid
20403	Nova	20406	Planet	20409	Cosmic

## PIXIE – GRADE 2

100% Polyurethane  
54" Wide  
i-clean™ and Antimicrobial Finish; 85% Polyester, 15% Cotton Backing  
Repeat: None  
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.  
200,000 Double Rubs

20201	Lime	20206	Chocolate	20211	Malt
20202	Honey	20207	Blackberry	20212	Licorice
20203	Orange	20208	Vanilla	20213	Root Beer
20204	Caramel	20209	Blue Raspberry		
20205	Cinnamon	20210	Blueberry		

## NATIONAL SEATING FABRIC OFFERING

### SEDONA — GRADE 2

100% Vinyl  
54" Wide  
Napa Topcoat Finish: 100% Polyester Hi-Loft™ Backing  
Repeat: None  
Antifungal/Antibacterial  
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.  
100,000 Double Rubs

22115 Tumbleweed	22138 Botanical	22166 Sagebrush
22123 Sierra	22139 Midnight	22167 Fog
22126 Poppy	22140 Paradise	22168 Pewter
22129 Mirage	22141 Sand	22169 Putty
22131 Adobe	22142 Terra Cotta	22170 Storm
22132 Succulents	22143 Earth	22171 Fawn
22133 Sassafras	22145 Buckskin	22172 Ochre
22134 Zest	22147 Mesa	22173 Mahogany
22135 Brick Red	22151 Plateau	22174 Truffle
22136 Sunset	22157 Horizon	22177 Canyon
22137 Molten	22162 Indigo	22185 Nighthawk

### SHENANIGANS — GRADE 2

67% Pre-Consumer Recycled Polyester, 33% Nylon  
54" Wide  
BLOCKaide™ Finish; SBR Latex Backing  
Repeat: 4.5" H x 4.5" V  
Cleaning Code: WS  
50,000 Double Rubs

20300 Gimmick	20364 Stunt	20399 Mischievous
20317 Monkey Shine	20373 Ruse	
20360 Maneuver	20380 Tom Foolery	

### SPECTRUM — GRADE 2

100% Pre-Consumer Recycled Polyester  
54" Wide  
BLOCKaide™ Finish; SBR Latex Backing  
Repeat: None  
Cleaning Code: WS  
100,000 Double Rubs

20003 Lime	20062 Grey	20081 Charcoal
20020 Black	20067 Navy	20095 Red
20022 Burgundy	20072 Breeze	
20039 Cornflower	20079 Tangerine	

### STRAND — GRADE 2

100% Polyester  
54" Wide  
No Finish; Acrylic Backing  
Repeat: 15" H x 5" V  
Cleaning Code: W  
40,000 Double Rubs

20101 Charcoal	20105 Red Licorice	20109 Cumulus
20102 Mineral	20106 Wheat	20110 Coast
20103 Fudge	20107 Peacock	20111 Sand
20104 Blueberry	20108 Blaze	20112 Stone

### TWILIGHT — GRADE 2

100% Pre-Consumer Recycled Polyester  
54" Wide  
BLOCKaide™ Finish; No Backing  
Repeat: None  
Cleaning Code: WS  
50,000 Double Rubs

23101 Ocean	23109 Barley	23116 Cinder
23103 Nightshadow	23110 Espresso	23117 Vapor
23104 Gaze	23111 Bronze	

### BOARDWALK — GRADE 3

100% Pre-Consumer Recycled Polyester  
54" Wide  
BLOCKaide™ Finish; SBR Latex Backing  
Repeat: 5" V  
Cleaning Code: WS  
30,000 Double Rubs  
This pattern is railroaded, stripes run vertically

30501 Boulevard	30505 Alley	30508 Lane
30503 Footpath	30506 Trail	30509 Gateway
30504 Track	30507 Aisle	

### JACKS — GRADE 3

100% Eco Intelligent® Polyester  
54" Wide  
Soil and Stain Repellent Finish; No Backing  
Repeat: 7.18" H x 5.15" V  
Cleaning Code: WS  
100,000 Double Rubs

30701 Beanstalk	30705 Sprat	30709 Frost
30702 Flash	30706 Russell	30710 In The Box
30703 Olantern	30707 And Jill	
30704 Pot	30708 Be Nimble	

### POP ROCKS — GRADE 3

100% Eco Intelligent® Polyester  
54" Wide  
Soil and Stain Repellent Finish; No Backing  
Repeat: 1.2" H x 1.9" V  
Cleaning Code: WS  
100,000 Double Rubs

31301 Green Apple	31307 Cola	31311 Cream Soda
31303 Pumpkin Patch	31308 Malt	31312 Caramel
31305 Strawberry	31309 Wild Berry	
31306 Milk Chocolate	31310 Blue Razz	

### BUMBLE — GRADE 4

65% Pre-Consumer Recycled Polyester,  
35% Post-Consumer Recycled Polyester  
54" Wide  
BLOCKaide™ Finish; No Backing  
Repeat: 0.75" H x 1.1" V  
Cleaning Code: WS  
75,000 Double Rubs

41501 Pollen	41505 Honeycomb	41509 Scout
41502 Bee	41506 Hive	41510 Sting
41503 Nectar	41507 Swarm	41511 Worker
41504 Wax	41508 Queen	

## CONNECT FOUR – GRADE 4

100% Vinyl  
54" Wide  
PERMABLOK<sup>®</sup> Finish; 100% Recycled Hi-Loft<sup>2™</sup> Backing  
Repeat: 18" H x 18" V  
SILVERGUARD<sup>®</sup> Silver Ion Technology  
Antifungal/Antibacterial  
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.  
100,000 Double Rubs

42401 Lime	42404 Snickerdoodle	42407 Silver Dollar
42402 Butterscotch	42405 Penny	42408 Sea Glass
42403 Clementine	42406 Coffee Bean	42409 Blueberry

## ECHO – GRADE 4

100% Pre-Consumer Recycled Polyester  
54" Wide  
Polyester Binder Finish; No Backing  
Repeat: 6.75" H x 11.25" V  
Cleaning Code: WS  
100,000 Double Rubs

41101 Natural	41107 Limestone	41111 Cabochon
41104 Lichen	41108 Crystal	41112 Cedar
41105 Jute	41109 Oxide	41114 Henna
41106 Seaport	41110 Peppercorn	

## SILVERTEX™ – GRADE 4

100% Vinyl  
54" Wide  
PERMABLOK<sup>®</sup> Finish; 100% Polyester Hi-Loft<sup>™</sup> Backing  
Repeat: None  
SILVERGUARD<sup>®</sup> Silver Ion Technology  
Antifungal/Antibacterial  
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.  
100,000 Double Rubs

41301 Basil	41314 Cream	41327 Marsh
41302 Ice	41315 Chestnut	41328 Bronze
41303 Mandarin	41316 Luggage	41329 Creme de Menthe
41304 Raspberry	41317 Taupe	41330 Acid
41305 Sunkist	41318 Borscht	41331 Peat
41306 Mocha	41319 Lagoon	41332 Bazaar
41307 Carbon	41320 Turquoise	41333 Imperial
41308 Jet	41321 Marine Blue	41334 Plata
41309 Storm	41322 Umber	41335 Sterling
41310 Sapphire	41323 Blackberry	41336 Zest
41311 Champagne	41324 Sage	41337 Limoncello
41312 Celery	41325 Bottle	
41313 Meteor	41326 Neutra	

## MODE – GRADE 5

80% Post-Consumer Recycled Polyester, 20% Polyester  
54" Wide  
PFOA-Free Stain Resistant Finish; No Backing  
Repeat: None  
Cleaning Code: WS  
100,000 Double Rubs  
Can specify to meet TB133

51801 Lemon	51806 Talus	51811 Clavicle
51802 Henge	51807 Crush	51812 Billygoat
51803 Carotene	51808 Saltwater	51813 Sycamore
51804 Kermes	51809 Denim	51814 Hollow
51805 Marsh	51810 Intaglio	

## ESSENCE/ULTRALEATHER™ – GRADE 6

100% Polyurethane  
54" Wide  
No Finish; 100% Reinforced Rayon Backing  
Repeat: None  
Cleaning Code: WS  
400,000 Double Rubs

3612 Red	3636 Chamois	3667 Taupe
3613 Wheat	3640 Garnet	3679 Raven
3614 Stone	3647 Loden	3683 Pecan
3615 Dove Grey	3651 Green Tea	3690 Papyrus
3617 White		3692 Admiral
3628 Midnight Metallic	3663 Walnut	

## FLOCK – GRADE 6

100% Eco Intelligent<sup>®</sup> Wool  
54" Wide  
No Finish; No Backing  
Repeat: None  
Cleaning Code: WS  
40,000 Cycles

60400 Meadow	60404 Apple	60408 Sky
60401 Sun	60405 Lasso	60409 Pond
60402 Bonfire	60406 Black Sheep	60411 Heather Cloud
60403 Barn	60407 Heather Gravel	60412 Heather Gunmetal

## SCRIBE – GRADE 6

65% Pre-Consumer Recycled Polyester;  
35% Post-Consumer Recycled Polyester  
56" Wide  
Crypton<sup>®</sup> Green Finish; Moisture Barrier; Antimicrobial  
Repeat: None  
Cleaning Code: W, 10:1 Bleach Solution or Crypton<sup>®</sup> Cleaners  
210,000 Double Rubs

60201 Juniper	60204 Chianti	60207 Alloy
60202 Pool	60205 Atlantis	
60203 Flicker	60206 Nutmeg	

## BRISA® – GRADE 7

100% Polyurethane  
54" Wide  
No Finish; 100% Reinforced Rayon Backing  
Repeat: None  
Cleaning Code: WS  
200,000 Double Rubs

71001 Black Onyx	71006 Celery	71012 Sterling Blue
71002 Cambridge Blue	71007 Bark	71013 Canyon
71003 Salsa	71008 Truffle	
71005 Ash	71011 Desert Clay	

## BRISA® DISTRESSED – GRADE 7

100% Polyurethane  
54" Wide  
No Finish; 100% Reinforced Rayon Backing  
Repeat: None  
Cleaning Code: WS  
200,000 Double Rubs

72001 Buckskin	72003 Lasso	72006 Manila
72002 Prairie	72005 Iron	72007 Moccasin

## NATIONAL SEATING FABRIC OFFERING

### **PROMESSA® – GRADE 7**

100% Polyurethane  
54" Wide  
No Finish; 65% Polyester, 35% Rayon Backing  
Antimicrobial  
Repeat: None  
Cleaning Code: WS  
400,000 Double Rubs

73001 Briarwood	73007 Aquamarine	73016 Fields
73002 Horsehair	73008 Shale	
73006 Atlantic	73012 Woodpecker	

### **SILICA™ – GRADE 7**

100% Silicone  
54" Wide  
No Finish; Polyester Backing  
Repeat: None  
Cleaning Code: W or 4:1 Bleach Solution  
365,000 Double Rubs

70901 Appletini	70908 Skyward	70915 Quartz
70903 Marigold	70909 Cumulus	70916 Brownstone
70904 Garnet	70910 Gallant	70917 Alloy
70905 Bistro	70912 Ginger	70919 Haze
70906 Terra	70913 Coppercrest	70920 Tropic
70907 Nero	70914 Burnished	70921 Herbal

### **DAVENPORT – GRADE L7**

100% Leather  
Top grain leather  
Can specify to meet TB133

70102 Camel	70117 Smoke	70123 Berry
70105 Bark	70119 Spring	70124 Bay View
70111 Brown	70120 Porcellana	70125 Fog
70112 Atlantis	70121 Cream	
70115 Black	70122 Wet Sand	

### **SHOWCASE – GRADE L8**

100% Leather  
Chrome free full grain leather  
Can specify to meet TB133

80103 Cream	80105 Greige	80110 Jet
80104 Bonton	80109 Bittersweet	

### **CLEANING FABRICS:**

#### **CLEANING CODE S**

- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

#### **CLEANING CODE WS**

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

#### **CLEANING CODE W**

- Use water-based cleaning agents or foam.
- Cleaning by a professional furniture service is recommended.

#### **CRYPTON® CLEANERS**

- Cleaning solutions for Crypton® fabric maintenance available at [www.cryptoncare.com](http://www.cryptoncare.com)

### **FABRIC CHARACTERISTICS**

Different fabrics/constructions will respond better than others to specific seating applications. Certain fabrics/constructions are more prone to relaxing over time and can demonstrate characteristics such as wrinkling, pilling, fuzzing and puddling. Some upholsteries may experience dye transfer (clothing dyes transfer to the seating fabric). This does not mean that the fabric or application is deficient, but rather it is an inherent characteristic of that fabric or application and is considered normal behavior.

### **LEATHER CHARACTERISTICS**

Leather is a natural product. Healed scars, scratches, cuts and stretch marks are natural markings and are characteristics of leather. Leather may experience dye transfer (clothing dyes transfer to the leather). This does not mean that the leather or application is deficient, but rather it is an inherent characteristic of that leather or application and is considered normal behavior.

### **CLEANING LEATHER:**

#### **REGULAR CLEANING**

- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

#### **DEEP CLEANING**

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Pat dry.
- Reference leather card for more information.

## TEXTILE APPLICATION GUIDELINES

National has listed textile application guidelines for each seating series. These guidelines are intended to help educate you of certain fabric characteristics. **Please make a point to review these guidelines when ordering National seating with National fabrics.** Application of the upholstery will be depicted as on the swatch card unless otherwise instructed on the order.

## NATIONAL SEATING FABRICS

PATTERN	GRADE	FABRIC GUIDELINES	PATTERN MATCH	RESTRICTIONS
American Graffiti	1	none	non-matched	
Bliss	2	none	non-matched	
Boardwalk	3	1	non-matched	
Brilliant	2	none	non-matched	
Brisa®	7	none	non-matched	
Brisa® Distressed	7	none	non-matched	
Bumble	4	2	matched	
Cali	1	none	non-matched	
Connect Four	4	1	non-matched	
Davenport	L7	none	non-matched	Mobile Pedestal Cushion Tops
Echo	4	none	non-matched	
Essence/Ultraleather™	6	none	non-matched	
Flock	6	3	non-matched	
Jacks	3	none	non-matched	
Mode	5	none	non-matched	
Orbit	2	2	matched	
Pixie	2	none	non-matched	
Plush	1	none	non-matched	
Pop Rocks	3	none	non-matched	
Promessa®	7	none	non-matched	
Ridge	1	none	non-matched	
Scribe	6	1	non-matched	
Sedona	2	1	non-matched	
Shenanigans	2	1	non-matched	
Showcase	L8	none	non-matched	Mobile Pedestal Cushion Tops
Silica™	7	none	non-matched	
Silvertex™	4	1	non-matched	
Spectrum	2	none	non-matched	
Stardust	1	none	non-matched	
Strand	2	none	non-matched	
Twilight	2	none	non-matched	

## NATIONAL, ALLIANCE AND COM FABRIC APPLICATION GUIDELINES

CASEGOODS SERIES	TEXTILE APPLICATION GUIDELINES					
	1	2	3	4	5	6
Casbah, Clever and Renegade Mobile Pedestal Cushion Tops	✓		✓	✓		
Toss	✓		✓	✓		✓
Wedges and Cushions	✓	✓	✓	✓		✓

## TEXTILE APPEARANCE GUIDELINES

Please note that these guidelines are here to help you have the best looking product that National can provide to you. Guidelines 1–4 are simply explanations of what you may see on your product. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

- 1 Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours and certain seams.
- 2 Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams and seat to back on corner, wedge and diagonal units may not align due to pattern configuration.
- 3 Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
- 4 Mohair, velvet and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

## TEXTILE RESTRICTION GUIDELINES

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable models.

- 5 This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing or glue bleeding through the fabric.
- 6 Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.

# ALLIANCE PROGRAM TEXTILES

## ALLIANCE PROGRAM OVERVIEW

National has developed joint programs with Arc-Com, Maharam, Momentum, Stinson and Ultrafabrics to offer you quality office furniture with exciting lines of designer upholsteries. This program enables you to issue just one purchase order, providing simplified ordering and the most convenient, yet complete, furniture choices available from a single source. All Alliance patterns meet TB117-2013.

Fabric listing for “no added” fire retardant fabrics can be found at [www.nationalofficefurniture.com](http://www.nationalofficefurniture.com)

## APPLICATION

Application of the Alliance Program upholstery will be depicted as on the memo sample or website. If a different application is desired the pattern will need to be custom quoted.

Directional upholstery, such as stripes, patterns, and plaids may not be suitable for chairs with contoured shapes, tufting, or decorative stitching. Every effort is made to upholster all chairs as expertly as possible; however such orders are not subject to return.

Fabric that requires non-stock special treatments such as flame proofing, anti-microbial treatment, electrical conductive backing, water repellent, stain repellent, or acrylic backing are not part of this program. Such orders will need to be custom quoted.

## LEAD TIMES/AVAILABILITY

Models specified with Alliance Program fabrics will be acknowledged at standard lead times based on the supplier’s delivery schedule. Exceptions may occur when extended lead times apply. Each supplier reserves the right to discontinue patterns and colors. National will not be held responsible for suppliers discontinuing patterns/colors or when minimum order quantities apply. Contact customer service for availability before finalizing orders.

## WARRANTY

Alliance Program fabrics are non-standard materials and are **not** covered under our warranty.

Reference [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for the most up-to-date fabric guidelines, grades and additional pattern/color availability.

## PRICING

Alliance Program graded pricing includes the cost of material. Repeat is also accounted for and no additional upcharge is required.

## FABRIC AND SEATING CONSTRUCTION

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. Some upholsteries may experience dye transfer (clothing dyes transfer to the seating fabric.) This does not indicate that the fabric or application is deficient, but rather it is an inherent characteristic of that fabric or application and is considered normal behavior.

**Important:** The information provided was the most current information available at the time this price list was printed. Contact customer service for availability before finalizing orders.

## FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	<a href="http://www.arc-com.com">www.arc-com.com</a>
DesignTex	800.221.1540	<a href="http://www.designtex.com">www.designtex.com</a>
Maharam	800.645.3943	<a href="http://www.maharam.com">www.maharam.com</a>
Momentum	800.366.6839	<a href="http://www.memosamples.com">www.memosamples.com</a>
Stinson	800.841.6279	<a href="http://www.cfstinson.com">www.cfstinson.com</a>
Ultrafabrics	877.309.6648	<a href="http://www.ultrafabricsllc.com">www.ultrafabricsllc.com</a>

## COM (CUSTOMER'S OWN MATERIAL)

Select casegoods can be upholstered with appropriate material furnished by the customer. All COM/COL must meet applicable codes and regulations, including TB117-2013. By selecting COM/COL, customer certifies that the material meets such codes. Customer is solely responsible for compliance and may contact a) fabric manufacturer to confirm certification or b) assistance from National. National Office Furniture strives to create upholstered products with no added fire retardants, when allowed. Written confirmation is required from the fabric or leather manufacturer stating that the COM/COL provided by customer does not contain any added fire retardant chemicals. Without adequate confirmation, National will assume the COM/COL contains fire retardant chemicals and will label the product accordingly. Prices are listed under grade 2/B, depending upon product type.

Grade 2 seating fabric – mobile pedestal cushion tops and box/file height storage cushions

Grade B tack board fabric – Epicenter, Exhibit and tack boards

Customer's Own Leather (COL) is not available on casegoods.

COM is not available on Quick Delivery tack board models.

COM yardage requirements for mobile pedestal cushion tops and box/file height storage cushions in this price list are based on the use of 54" wide fabric and the fabric being cut "up the roll". If the COM fabric is to be railroaded, please contact customer service for revised yardage requirements.

COM yardage requirements for Epicenter, Exhibit and tack boards in this price list are based on the use of non-directional fabric 54" and 66" wide. The model number will determine if the fabric is cut "up the roll" or "railroad" with the exception of the TBRA Accessory Tack Boards; they are available as "railroad" only.

- When ordering 10 or more COM models, consult customer service for exact yardage requirements
- Reference pages 527-531 for COM yardage requirements
- Please refer to the textile application guidelines listed on page 17 or the COM Approval Search/listing on [www.NationalOfficeFurniture.com](http://www.NationalOfficeFurniture.com)

## COM DISPOSAL

- Leftover COM from an order is held for 6 weeks
- COM not tied to an order is held for 3 months

## COM DECORATIVE/DIRECTIONAL FABRICS

Mobile pedestal cushion tops and box/file height storage cushions (Exception: WaveWorks Metal Mobile Pedestal cushion top):

- Yardage requirements are greatly affected by not only size of repeats but also by the print or pattern
- National will cut patterns with aesthetic concerns in mind for high quality and consistency
- Some COM fabrics are considered directional that may not be considered directional by the fabric supplier, due to the upholstering process used by National
- Application of the COM upholstery will be depicted as on the COM supplier memo sample or website. If a different application is desired the pattern would need to be custom quoted.

Epicenter, Exhibit, Tack Boards and WaveWorks Metal Mobile Pedestal Cushion:

- Yardage requirements based upon roll width and tack board size. Pattern repeat is not taken into account. If the fabric pattern needs to be upholstered in a specific manner, a quote will be required to see if possible.
- Fabric will be wrapped on panel based upon the model number selected – standard or railroad
- Accessory tack boards will have railroaded fabric application

## FLAMMABILITY

- TB133 models are not available for mobile pedestal cushion tops and box/file height storage cushions. This request would need to be custom quoted.
- Tack boards meet Universal Building Code requirement of ASTM-E84 Class C when specifying fabric that is 100% polyester (recycled polyester allowed), light or no backing, no finish, weight less/equal to 12.96 oz./lin. yd.
- If ASTM-E84 Class A is requested, a quote will be required
- If a fabric is selected with specifications different from those listed above, the customer has the option of having it burn tested to see if meets the requirements. ASTM-E84 testing requested by the customer will require a custom quote. For cost estimates, contact customer service. The fabric/tack board burn test results will determine whether future orders can be entered as standard product or custom quotes. Each instance may vary.
- Letters of assurance are available upon request. A letter of assurance verifies that an ASTM E-84 test was conducted on a combination of tack board/fabric comparable to the requested tack board/fabric.

## COM EVALUATION

National reserves the right to inspect, approve or reject any COM. National approval signifies only that such textile can be applied to the products for which intended. Such approval does not constitute any responsibility, liability or warranty on the part of National as to appearance, behavior, durability, or tailoring of COM.

## CONFIRM COM APPLICATION

Visit [NationalOfficeFurniture.com](http://NationalOfficeFurniture.com) to see if your COM has already been evaluated for application.

If the COM has not been evaluated prior to placing an order, please send the memo and/or test fabric to the following locations depending upon model type.

Mobile pedestal cushion tops and box/file height storage cushions:

Send a memo sample to:

National Office Furniture  
Attn: COM Coordinator  
1610 Royal Street  
Jasper, IN 47549-1001

Epicenter, Exhibit, Fabric Privacy Screens, Tack Boards (all tackable fabrics):  
Test yardage needs to be sent to two locations:

2.25 yards  
Kimball - Jasper  
Attn: National COM Testing  
1037 E 15th Street  
Dock 21/22  
Jasper, IN 47549

2 yards  
National Office Furniture  
National COM - Tack  
340 E 11th Avenue  
Jasper, IN 47549

Rarely, but occasionally, really light colored fabrics may allow the tackable substrate to telegraph through the material. We do not approve/reject based upon color. If you are concerned about a light color, make sure you send in that color for application evaluation. If the pattern is already listed in the COM Approval Listing, ask customer service if that color was evaluated. If that color was not evaluated, a memo needs to be sent to the two addresses listed above for color-only evaluation.

ALL COM ORDERS MUST:

- 1. Include fabric supplier's name, fabric name/number and color name/number

To help expedite your order, we recommend the COM supplier to include the following information:

- 1. Dealer Name and Purchase Order Number
- 2. National Model Numbers
- 3. Ship Prepaid to

Mobile Pedestals with Cushion Tops and Cushions for Box/File Height Storage:

National Office Furniture  
Attn: COM Administrator  
340 East 11th Avenue  
Jasper, IN 47549-1001

Epicerter Tack Board and Slat with Tack Inserts, Exhibit Combo Slat/Tack Inserts (Exhibit Tack Board Inserts excluded), and WaveWorks Metal Tack Boards:

Kimball - Jasper  
Attn: National COM Department  
1037 E 15th Street  
Dock 21/22  
Jasper, IN 47549

Accessories and Casbah Reception Desk Tack Boards (WaveWorks Metal Tack Boards excluded) and Exhibit Tack Board Inserts (Exhibit Combo Slat/Tack Inserts excluded), Vertical Cable Managers and Fabric Wrapped Trim Channels, Exhibit TV Mount Inserts, and Edge Mount/Set-On Privacy Screen models:

National Office Furniture  
National COM - Tack  
340 E 11th Avenue  
Jasper, IN 47549

Without all necessary information listed above to properly match the fabric to the dealer's purchase order, extended lead times may apply.

HOW TO ORDER NATIONAL CASEGOODS WITH COM

Specify:

- 1. Model Number
- 2. Fabric Manufacturer
- 3. Pattern Name and/or Number
- 4. Color Name and/or Number

SAMPLE ORDER NUMBERS:

Following is a sample order number for a Model NAC6920TBRA

NAC6920TBRA—Accessory Tack Board upholstered in Designtex Circuit in 5121 101 Pebble color

NAC6920TBRA / COM / Designtex / Circuit / 5121 101 Pebble  
Model Grade Manufacturer Pattern Color



---

# ARROWOOD

## LAMINATE

## ARROWOOD - LAMINATE

### PRODUCT SPECIFICATIONS

#### WORKSURFACE

- 1 $\frac{3}{8}$ " TFL (thermally fused laminate)
- Mitered rim
- Grain direction runs left-to-right unless noted

#### CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- $\frac{3}{4}$  and full pedestal options
- $\frac{5}{8}$ " thick modesty panels
- Full height modesty panels on all full pedestal units, bridge units and arc top units
- $\frac{3}{4}$  height modesty panels on all  $\frac{3}{4}$  pedestal units
- 1" thick end panels
- Standard leveling glides
- Modesty panels have horizontal grain unless otherwise noted

#### DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are  $\frac{1}{2}$ " thick woodgrain vinyl wrapped
- See interior drawer dimensions below

#### DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below

#### CORD MANAGEMENT


- Grommets are available in predetermined locations
- Standard in highback organizers
- Optional wire managers are available (See accessory pages)

#### LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 500

#### EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models




DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Box Drawer—Desk	12 $\frac{1}{4}$ "	17"	3 $\frac{1}{2}$ "	N/A
File Drawer—Desk	12 $\frac{1}{4}$ "	17"	9 $\frac{1}{2}$ "	Letter
Box Drawer—Executive Return & Multi-File	12 $\frac{1}{4}$ "	17"	3 $\frac{1}{2}$ "	N/A
File Drawer—Executive Return & Multi-File	12 $\frac{1}{4}$ "	17"	9 $\frac{1}{2}$ "	Letter
Box Drawer—Credenza	15 $\frac{1}{4}$ "	17"	3 $\frac{1}{2}$ "	N/A
File Drawer—Credenza	15 $\frac{1}{4}$ "	17"	9 $\frac{1}{2}$ "	Legal
Lateral File Drawer—Lateral File & Multi-File	31 $\frac{1}{4}$ "	15"	9 $\frac{1}{2}$ "	Letter, Legal, EDP

- All file drawers file letter, legal and EDP side-to-side

LAMINATES

- AC2 Autumn 2
- AD Almond
- CL Caramel
- CW Cordovan
- DW Judicial
- HN2 Honey 2
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- PB Portobello
- SM Sonoma
- TF Truffle
- 791 Palisander
- 792 Sable
- 793 Acorn

RIM PROFILE




GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet,  
Black Plastic

- G13LR Left & Right
- G13C Center



Round Grommet  
Plastic

LOCKING

KEY RANDOM

- KRB Black
- KRS Silver

KEY SPECIFIC

- KS1B Black, 1 lock per unit
- KS1S Silver, 1 lock per unit
- KS2B Black, 2 locks per unit
- KS2S Silver, 2 locks per unit

Unit list price will be reduced by \$15 per lock when selecting Key Specific option. Must order specific lock cores separately (\$15 list each). See page 500 for Key Specific model numbers.

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

- Rim Profile: Mitered
- Grommets: Included on highbacks, bridges and returns
- Locking: Random black cores
- Finish: Must specify Amber (MC) or Cordovan (CW)

## ARROWOOD - LAMINATE L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:





- Center grommet in return
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC2 Autumn 2	IM Brighton	TF Truffle
AD Almond	MC Amber	791 Palisander
CL Caramel	MH Mocha	792 Sable
CW Cordovan	NM Natural	793 Acorn
DW Judicial	PB Portobello	
HN2 Honey 2	SM Sonoma	

**To You In 10 DAYS or Less**

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT L-CONFIGURATION FULL PEDESTAL</b> 	21N8572LLFL 84¾D x 71¾W	\$ 2484	<b>RIGHT L-CONFIGURATION FULL PEDESTAL</b> 	21N8572LRFL 84¾D x 71¾W	\$ 2484
	consists of			consists of	
	21N3672DRFL1 Right Pedestal Desk	1543		21N3672DLFL1 Left Pedestal Desk	1543
	21N2449RLEFL2 Left Pedestal Return	941		21N2449RREFL2 Right Pedestal Return	941
	21N7972LLFL 78¾D x 71¾W	\$ 2440		21N7972LRFL 78¾D x 71¾W	\$ 2440
	consists of			consists of	
	21N3672DRFL1 Right Pedestal Desk	1543		21N3672DLFL1 Left Pedestal Desk	1543
	21N2443RLEFL2 Left Pedestal Return	897		21N2443RREFL2 Right Pedestal Return	897
	21N7966LLFL 78¾D x 66W	\$ 2383		21N7966LRFL 78¾D x 66W	\$ 2383
	consists of			consists of	
<b>LEFT L-CONFIGURATION ¾ PEDESTAL</b> 	Q21N8572LLQL 84¾D x 71¾W	\$ 1924	<b>RIGHT L-CONFIGURATION ¾ PEDESTAL</b> 	Q21N8572LRQL 84¾D x 71¾W	\$ 1924
	21N8572LLQL 84¾D x 71¾W	\$ 1924		21N8572LRQL 84¾D x 71¾W	\$ 1924
	consists of			consists of	
	21N3672DRQL3 Right Pedestal Desk	1178		21N3672DLQL3 Left Pedestal Desk	1178
	21N2449RLEQL3 Left Pedestal Return	746		21N2449RREQL3 Right Pedestal Return	746
	Q21N7972LLQL 78¾D x 71¾W	\$ 1878		Q21N7972LRQL 78¾D x 71¾W	\$ 1878
	21N7972LLQL 78¾D x 71¾W	\$ 1878		21N7972LRQL 78¾D x 71¾W	\$ 1878
	consists of			consists of	
	21N3672DRQL3 Right Pedestal Desk	1178		21N3672DLQL3 Left Pedestal Desk	1178
	21N2443RLEQL3 Left Pedestal Return	700		21N2443RREQL3 Right Pedestal Return	700
	21N7966LLQL 78¾D x 66W	\$ 1826		21N7966LRQL 78¾D x 66W	\$ 1826
	consists of			consists of	
	21N3066DRQL3 Right Pedestal Desk	1080		21N3066DLQL3 Left Pedestal Desk	1080
	21N2449RLEQL3 Left Pedestal Return	746		21N2449RREQL3 Right Pedestal Return	746
	21N7366LLQL 72¾D x 66W	\$ 1780		21N7366LRQL 72¾D x 66W	\$ 1780
	consists of			consists of	
	21N3066DRQL3 Right Pedestal Desk	1080		21N3066DLQL3 Left Pedestal Desk	1080
	21N2443RLEQL3 Left Pedestal Return	700		21N2443RREQL3 Right Pedestal Return	700

## LAMINATE - ARROWOOD U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.





### ARRANGEMENTS INCLUDE:

- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC2 Autumn 2	IM Brighton	TF Truffle
AD Almond	MC Amber	791 Palisander
CL Caramel	MH Mocha	792 Sable
CW Cordovan	NM Natural	793 Acorn
DW Judicial	PB Portobello	
HN2 Honey 2	SM Sonoma	

**To You In 10 DAYS ...or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT U-CONFIGURATION FULL PEDESTAL</b> 	21N10872ULFL 107¼D x 71¾W	\$ 3251	<b>RIGHT U-CONFIGURATION FULL PEDESTAL</b> 	21N10872URFL 107¼D x 71¾W	\$ 3251
	consists of			consists of	
	21N3672DRFL1 Right Pedestal Desk	1543		21N3672DLFL1 Left Pedestal Desk	1543
	21N2448BEFL Bridge	409		21N2448BEFL Bridge	409
	21N2472CLFL2 Left Pedestal Credenza	1299		21N2472CRFL2 Right Pedestal Credenza	1299
	21N10472ULFL 104D x 71¾W	\$ 3229		21N10472URFL 104D x 71¾W	\$ 3229
	consists of			consists of	
	21N3672DRFL1 Right Pedestal Desk	1543		21N3672DLFL1 Left Pedestal Desk	1543
	21N2445BEFL Bridge	387		21N2445BEFL Bridge	387
	21N2472CLFL2 Left Pedestal Credenza	1299		21N2472CRFL2 Right Pedestal Credenza	1299
	21N10266ULFL 101¼D x 66W	\$ 3102		21N10266URFL 101¼D x 66W	\$ 3102
	consists of			consists of	
	21N3066DRFL1 Right Pedestal Desk	1442		21N3066DLFL1 Left Pedestal Desk	1442
	21N2448BEFL Bridge	409		21N2448BEFL Bridge	409
	21N2466CLFL2 Left Pedestal Credenza	1251		21N2466CRFL2 Right Pedestal Credenza	1251
	21N9866ULFL 98D x 66W	\$ 3080		21N9866URFL 98D x 66W	\$ 3080
	consists of			consists of	
	21N3066DRFL1 Right Pedestal Desk	1442		21N3066DLFL1 Left Pedestal Desk	1442
	21N2445BEFL Bridge	387		21N2445BEFL Bridge	387
	21N2466CLFL2 Left Pedestal Credenza	1251		21N2466CRFL2 Right Pedestal Credenza	1251
<b>LEFT U-CONFIGURATION ¾ PEDESTAL</b> 	Q21N10872ULQL 107¼D x 71¾W	\$ 2617	<b>RIGHT U-CONFIGURATION ¾ PEDESTAL</b> 	Q21N10872URQL 107¼D x 71¾W	\$ 2617
	21N10872ULQL 107¼D x 71¾W	\$ 2617		21N10872URQL 107¼D x 71¾W	\$ 2617
	consists of			consists of	
	21N3672DRQL3 Right Pedestal Desk	1178		21N3672DLQL3 Left Pedestal Desk	1178
	21N2448BEFL Bridge	409		21N2448BEFL Bridge	409
	21N2472CLQL3 Left Pedestal Credenza	1030		21N2472CRQL3 Right Pedestal Credenza	1030
	Q21N10472ULQL 104D x 71¾W	\$ 2595		Q21N10472URQL 104D x 71¾W	\$ 2595
	21N10472ULQL 104D x 71¾W	\$ 2595		21N10472URQL 104D x 71¾W	\$ 2595
	consists of			consists of	
	21N3672DRQL3 Right Pedestal Desk	1178		21N3672DLQL3 Left Pedestal Desk	1178
	21N10266ULQL 101¼D x 66W	\$ 2478		21N10266URQL 101¼D x 66W	\$ 2478
	consists of			consists of	
	21N3066DRQL3 Right Pedestal Desk	1080		21N3066DLQL3 Left Pedestal Desk	1080
	21N2448BEFL Bridge	409		21N2448BEFL Bridge	409
	21N2466CLQL3 Left Pedestal Credenza	989		21N2466CRQL3 Right Pedestal Credenza	989
	21N9866ULQL 98D x 66W	\$ 2456		21N9866URQL 98D x 66W	\$ 2456
	consists of			consists of	
	21N3066DRQL3 Right Pedestal Desk	1080		21N3066DLQL3 Left Pedestal Desk	1080
	21N2445BEFL Bridge	387		21N2445BEFL Bridge	387
	21N2466CLQL3 Left Pedestal Credenza	989		21N2466CRQL3 Right Pedestal Credenza	989

## ARROWOOD - LAMINATE

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBER:

21N3672DRFAL1 G13LR KRB AC2


To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our  
"To You in 10 Days or Less" Quick Delivery  
program and will be delivered within 10 days.

DOUBLE PEDESTAL DESK  
ARC TOP—FULL PEDESTAL

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
21N3672DDFAL8	\$ 2274	35¾	71¾	29½	12¾	39½	307 lbs.	57.4
21N3666DDFAL8	2200	35¾	66	29½	12¾	34¾	285 lbs.	52.3

- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK  
ARC TOP—¾ PEDESTAL


21N3672DDYAL3	\$ 1877	35¾	71¾	29½	12¾	39½	286 lbs.	57.4
21N3666DDYAL3	1815	35¾	66	29½	12¾	34¾	280 lbs.	52.3

- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK  
FULL PEDESTAL

21N3672DDFL8	\$ 1806	35¾	71¾	29½	12¾	39½	341 lbs.	57.4
21N3666DDFL8	1746	35¾	66	29½	12¾	34¾	285 lbs.	52.3
21N3066DDFL8	\$ 1663	29¾	66	29½	6¾	34¾	277 lbs.	47.0
21N3060DDFL8	1587	29¾	59¾	29½	6¾	27½	247 lbs.	41.5

- Unit has a full modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK  
¾ PEDESTAL

Q21N3672DDQL3	\$ 1414	35¾	71¾	29½	12¾	39½	320 lbs.	57.4
21N3672DDQL3	1414	35¾	71¾	29½	12¾	39½	320 lbs.	57.4
21N3666DDQL3	1369	35¾	66	29½	12¾	34¾	285 lbs.	52.3
21N3066DDQL3	\$ 1252	29¾	66	29½	5¾	34¾	277 lbs.	47.0
21N3060DDQL3	1196	29¾	59¾	29½	5¾	28	231 lbs.	41.5


- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Specify selections, left to right:

BASE MODEL	GROMMET OPTION	LOCKING	LAMINATE
21N3672DRFAL1	G13LR X Black, Left & Right No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello SM Sonoma TF Truffle 791 Palisander 792 Sable 793 Acorn
	G13LR	KRB	AC2

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
--	-----------------------	------------	---	---	---	---	----	-----------------	------------

**SINGLE PEDESTAL DESK  
ARC TOP—FULL PEDESTAL**




Left shown

**LEFT PEDESTAL RIGHT PEDESTAL**

21N3672DLFAL1	21N3672DRFAL1	\$ 2015	35¾	71¾	29½	12½	30¾	257 lbs.	57.4
---------------	---------------	---------	-----	-----	-----	-----	-----	----------	------

- Not recommended as a freestanding unit due to routing in the rim
- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**FREESTANDING  
SINGLE PEDESTAL DESK  
ARC TOP—FULL PEDESTAL**




Left shown

**LEFT PEDESTAL RIGHT PEDESTAL**

21N3672DLFFAL1	21N3672DRFFAL1	\$ 2015	35¾	71¾	29½	12½	55¾	257 lbs.	57.4
----------------	----------------	---------	-----	-----	-----	-----	-----	----------	------

- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

**SINGLE PEDESTAL DESK  
ARC TOP—¾ PEDESTAL**




Right shown

**LEFT PEDESTAL RIGHT PEDESTAL**

21N3672DLFAL3	21N3672DRFAL3	\$ 1648	35¾	71¾	29½	12½	30¾	242 lbs.	57.4
---------------	---------------	---------	-----	-----	-----	-----	-----	----------	------

- Not recommended as a freestanding unit due to routing in the rim
- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**FREESTANDING  
SINGLE PEDESTAL DESK  
ARC TOP—¾ PEDESTAL**



Right shown

**LEFT PEDESTAL RIGHT PEDESTAL**

21N3672DLFAL3	21N3672DRFAL3	\$ 1648	35¾	71¾	29½	12½	55¾	242 lbs.	57.4
---------------	---------------	---------	-----	-----	-----	-----	-----	----------	------

- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

## ARROWOOD - LAMINATE

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBER:

21N3672DULL HN2

To You In  
**10** DAYS  
...or Less

Shaded model numbers are available on our  
"To You in 10 Days or Less" Quick Delivery  
program and will be delivered within 10 days.

SINGLE PEDESTAL DESK  
FULL PEDESTAL

Left shown


## MODEL NO./DESCRIPTION

## LEFT PEDESTAL

## RIGHT PEDESTAL

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
21N3672DLFL1	\$ 1543	35¾	71¾	29½	12½	30¾	291 lbs.	57.4
21N3666DLFL1	1492	35¾	66	29½	12½	26¾	250 lbs.	52.3
21N3066DLFL1	\$ 1442	29¾	66	29½	6¾	25¾	230 lbs.	45.3

- Not recommended as a freestanding unit due to routing in the rim
- Unit has a full modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING  
SINGLE PEDESTAL DESK  
FULL PEDESTAL


Left shown

## LEFT PEDESTAL

## RIGHT PEDESTAL

21N3672DLFFL1	\$ 1543	35¾	71¾	29½	12½	55¾	291 lbs.	57.4
21N3666DLFFL1	1492	35¾	66	29½	12½	49¾	250 lbs.	52.3
21N3066DLFFL1	\$ 1442	29¾	66	29½	6¾	49¾	230 lbs.	45.3
21N3060DLFFL1	1394	29¾	59¾	29½	6¾	43¾	215 lbs.	42.0

- Unit has a full modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

SINGLE PEDESTAL DESK  
¾ PEDESTAL

Left shown

## LEFT PEDESTAL

## RIGHT PEDESTAL

Q21N3672DLQL3	\$ 1178	35¾	71¾	29½	12½	30¾	276 lbs.	57.4
21N3672DLQL3	1178	35¾	71¾	29½	12½	30¾	276 lbs.	57.4
21N3666DLQL3	1140	35¾	66	29½	12½	26¾	250 lbs.	52.3
21N3066DLQL3	\$ 1080	29¾	66	29½	6¾	25¾	218 lbs.	45.3


- Not recommended as a freestanding unit due to routing in the rim
- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available



Specify selections, left to right:

BASE MODEL	GROMMET OPTION	LOCKING	LAMINATE
21N3672DULL	G13LR Black, Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello SM Sonoma TF Truffle 791 Palisander 792 Sable 793 Acorn HN2

**FREESTANDING  
SINGLE PEDESTAL DESK  
¾ PEDESTAL**




Left shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H				
21N3672DLQFL3	21N3672DRQFL3	\$ 1178	35¾	71¾	29½	12½	55¾	276 lbs.	57.4
21N3666DLQFL3	21N3666DRQFL3	1140	35¾	66	29½	12½	49¾	250 lbs.	52.3
21N3066DLQFL3	21N3066DRQFL3	\$ 1080	29¾	66	29½	6¼	49¾	218 lbs.	45.3
21N3060DLQFL3	21N3060DRQFL3	1009	29¾	59¾	29½	6¼	43¾	215 lbs.	42.0

- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

**U-SHAPED DESK**




Left shown

LEFT U	RIGHT U	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
21N3672DULL	21N3672DURL	\$ 1101	35¾	71¾	29½	—	30¾	143 lbs.	5.3

- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base, see below for support base options
- Curved rim has flat edge detail
- Grommets not available

**U-SHAPED DESK  
WITH MODESTY**



Left shown

LEFT U	RIGHT U	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
21N3672DULFL	21N3672DURFL	\$ 1413	35¾	71¾	29½	—	30¾	152 lbs.	6.1

- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base, see below for support base options
- Curved rim has flat edge detail
- Grommets not available

**SUPPORT BASES**



			DI		H			
NAC0428SFRNB	Metal	\$ 190	4	—	27¾-29¼	—	10 lbs.	1.0

- Adjustable glide standard
- Specify paint colors: (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional upper and lower (CUL) wire management cutout
- For use with U-Shaped desks

## ARROWOOD - LAMINATE

## DIMENSION KEY






D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

## SAMPLE MODEL NUMBERS:

21N3737CFSL	G13C	HN2
21N2449RLEQL3	G13C	KS1B MH

To You In  
**10**  
DAYS  
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW					
<b>CORNER UNIT</b> 	21N3737CFSL	\$ 973	37¼	37¼	29½	—	17	135 lbs.	5.9	
	<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Some assembly required</li><li>• Unit can be attached to bridge, return or multi-file return only</li><li>• Grommet (G13C) available</li></ul>									
<b>TRANSACTION COUNTER DESK UNIT</b> 	21N1569TCL	\$ 471	14¾	69	15¾	—	—	61 lbs.	2.4	
	21N1563TCL	444	14¾	63	15¾	—	—	58 lbs.	2.2	
<ul style="list-style-type: none"><li>• Transaction surface spans over the desk only</li><li>• Some assembly required</li><li>• 1569 transaction counter to be used with 36 x 72 single ped desk</li><li>• 1563 transaction counter to be used with 30 x 66 single ped desk</li></ul>										
<b>TRANSACTION COUNTER L UNIT</b> 	21N6981TCL	\$ 700	80¾½	69	15¾	—	—	87 lbs.	3.3	
	21N6375TCL	668	74¾½	63	15¾	—	—	81 lbs.	3.0	
<ul style="list-style-type: none"><li>• Some assembly required</li><li>• 6981 transaction counter to be used with 36 x 72 single ped desk and 2449 return</li><li>• 6375 transaction counter to be used with 30 x 66 single ped desk and 2449 return</li></ul>										
<b>RETURN FULL PEDESTAL</b>  Left shown	<b>LEFT PEDESTAL</b>	<b>RIGHT PEDESTAL</b>								
	21N2464RLEFL2	21N2464RREFL2	\$ 988	23¾	64	29½	—	47¼	180 lbs.	30.0
	21N2449RLEFL2	21N2449RREFL2	941	23¾	49	29½	—	31¾½	160 lbs.	28.7
	21N2443RLEFL2	21N2443RREFL2	897	23¾	43	29½	—	26¾½	150 lbs.	25.9
	<ul style="list-style-type: none"><li>• Grain direction runs front-to-back on worksurface</li><li>• Grain direction runs vertical on modesty panel</li><li>• Unit has a full modesty panel</li><li>• Grommet (G13C) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>									
<b>RETURN ¾ PEDESTAL</b>  Left shown	<b>LEFT PEDESTAL</b>	<b>RIGHT PEDESTAL</b>								
	21N2464RLEQL3	21N2464RREQL3	\$ 784	23¾	64	29½	—	47¼	180 lbs.	30.0
	Q21N2449RLEQL3	Q21N2449RREQL3	746	23¾	49	29½	—	31¾½	142 lbs.	28.7
	21N2449RLEQL3	21N2449RREQL3	746	23¾	49	29½	—	31¾½	142 lbs.	28.7
	Q21N2443RLEQL3	Q21N2443RREQL3	700	23¾	43	29½	—	26¾½	133 lbs.	25.9
	21N2443RLEQL3	21N2443RREQL3	700	23¾	43	29½	—	26¾½	133 lbs.	25.9
<ul style="list-style-type: none"><li>• Grain direction runs front-to-back on worksurface</li><li>• Grain direction runs vertical on modesty panel</li><li>• Unit has a ¾ modesty panel</li><li>• Grommet (G13C) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>										

Specify selections, left to right:

BASE MODEL	GROMMET OPTION	LOCKING	LAMINATE
21N3737CFSL	G13LR Black, Left & Right G13C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello SM Sonoma TF Truffle 791 Palisander 792 Sable 793 Acorn HN2


	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>RETURN MULTI-FILE</b>	<b>LEFT PEDESTAL</b>								
	<b>RIGHT PEDESTAL</b>								
	21N2472RLEFL10 21N2472RREFL10	\$ 1494	23¾	71¾	29½	—	35 <sup>63</sup> / <sub>64</sub>	191 lbs.	40.6



Left shown


- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

<b>BRIDGE</b>	Q21N2448BEFL	\$ 409	23¾	47¾	29½	—	47¾	76 lbs.	3.9
	21N2448BEFL	409	23¾	47¾	29½	—	47¾	76 lbs.	3.9
	Q21N2445BEFL	387	23¾	44½	29½	—	44½	67 lbs.	3.5
	21N2445BEFL	387	23¾	44½	29½	—	44½	67 lbs.	3.5




- Some assembly required
- Grain direction runs front-to-back on worksurface
- Grain direction runs vertical on modesty panel
- Grommet (G13C) available

<b>STORAGE CREDENZA FULL PEDESTAL</b>	21N2472CSFL2	\$ 1838	23¾	71¾	29½	—	—	346 lbs.	40.6
	21N2466CSFL2	1800	23¾	66	29½	—	—	334 lbs.	37.5



- Features a standard adjustable shelf
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

<b>STORAGE CREDENZA ¾ PEDESTAL</b>	Q21N2472CSQL3	\$ 1444	23¾	71¾	29½	—	—	296 lbs.	40.6
	21N2472CSQL3	1444	23¾	71¾	29½	—	—	296 lbs.	40.6
	21N2466CSQL3	1406	23¾	66	29½	—	—	284 lbs.	37.5



- Features a standard adjustable shelf
- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

## ARROWOOD - LAMINATE

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBER:

21N2466CRQL3 G13LR KS1B CW


To You In  
**10**  
...or Less

Shaded model numbers are available on our  
"To You in 10 Days or Less" Quick Delivery  
program and will be delivered within 10 days.

**KNEESPACE CREDENZA  
FULL PEDESTAL**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H						
21N2472CKFL2	\$ 1612	23¾	71¾	29½	—			33½	279 lbs.	40.6
21N2466CKFL2	1569	23¾	66	29½	—			28¾	267 lbs.	37.5
21N2460CKFL2	1466	23¾	59¾	29½	—			28¾	256 lbs.	33.7

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

**KNEESPACE CREDENZA  
¾ PEDESTAL**


Q21N2472CKQL3	\$ 1217	23¾	71¾	29½	—			33½	239 lbs.	40.6
21N2472CKQL3	1217	23¾	71¾	29½	—			33½	239 lbs.	40.6
21N2466CKQL3	1178	23¾	66	29½	—			28¾	227 lbs.	37.5
21N2460CKQL3	1101	23¾	59¾	29½	—			28¾	220 lbs.	33.7


- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

**SINGLE PEDESTAL CREDENZA  
FULL PEDESTAL—FILE/FILE**


Left shown

LEFT PEDESTAL		RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
21N2472CLFL2	21N2472CRFL2			\$ 1299	23¾	71¾	29½	—	27¾	239 lbs.	40.6
21N2466CLFL2	21N2466CRFL2			1251	23¾	66	29½	—	22¾	227 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**FREESTANDING  
SINGLE PEDESTAL CREDENZA  
FULL PEDESTAL—FILE/FILE**


Left shown

LEFT PEDESTAL		RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
21N2472CLFFL2	21N2472CRFFL2			\$ 1299	23¾	71¾	29½	—	52¼	239 lbs.	40.6
21N2466CLFFL2	21N2466CRFFL2			1251	23¾	66	29½	—	46¾	227 lbs.	37.5
21N2460CLFFL2	21N2460CRFFL2			1214	23¾	59¾	29½	—	40¼	220 lbs.	33.7

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components



## ARROWOOD - LAMINATE

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBER:

21N2472CLFL10 G13LR KS2B AC2

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our  
"To You in 10 Days or Less" Quick Delivery  
program and will be delivered within 10 days.

**SINGLE PEDESTAL CREDENZA**  
**FULL PEDESTAL—MULTI-FILE**


Left shown


## MODEL NO./DESCRIPTION

## LEFT PEDESTAL

## RIGHT PEDESTAL

21N2472CLFL10	21N2472CRFL10	\$ 1507	23¾	71¾	29½	—	11¾	279 lbs.	40.6
---------------	---------------	---------	-----	-----	-----	---	-----	----------	------

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

**FREESTANDING**  
**SINGLE PEDESTAL CREDENZA**  
**FULL PEDESTAL—MULTI-FILE**


Left shown


## LEFT PEDESTAL

## RIGHT PEDESTAL

21N2472CLFFL10	21N2472CRFFL10	\$ 1507	23¾	71¾	29½	—	35¾	279 lbs.	40.6
----------------	----------------	---------	-----	-----	-----	---	-----	----------	------

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

## HIGHBACK ORGANIZER




## LAMINATE DOORS

21N8136HBHL	\$ 1213	14¾	80¾	36¾	—	—	240 lbs.	42.0
21N7536HBHL	1167	14¾	74¾	36¾	—	—	230 lbs.	38.0
Q21N6936HBHL	1123	14¾	69	36¾	—	—	220 lbs.	25.8
21N6936HBHL	1123	14¾	69	36¾	—	—	220 lbs.	25.8
21N6336HBHL	1080	14¾	63	36¾	—	—	173 lbs.	23.6
21N5736HBHL	1035	14¾	57¾	36¾	—	—	148 lbs.	22.0

- Highback organizer features (4) side hinged doors and full back panels with cord management
- For tack board models, see pages 520-525
- Not for use in open plan applications due to open pin holes in backs
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL	GROMMET OPTION	LOCKING	LAMINATE
21N2472CLFL10	G13LR X Black, Left & Right No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello SM Sonoma TF Truffle 791 Palisander 792 Sable 793 Acorn AC2

		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
MODEL NO./DESCRIPTION			D	W	H	A	KW			
<div>OVERHEAD CABINET WALL MOUNT</div> <div></div>	LAMINATE DOORS									
	21N3017SOHML	TFL	\$ 524	14¾	29¾	17	—	—	89 lbs.	8.3
	Q21N3617SOHML	TFL	579	14¾	35¾	17	—	—	100 lbs.	9.7
	21N3617SOHML	TFL	579	14¾	35¾	17	—	—	100 lbs.	9.7

- Flat edge detail
- Inside dimensions of 21N3017SOHML are 12¾" deep, 28¾" wide and 12¾" high
- Inside dimensions of 21N3617SOHML are 12¾" deep, 34¾" wide and 12¾" high
- Wall mount bracket, for attachment to wall, is included
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- For tack board models, see pages 520-525
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**SINGLE STORAGE CABINET/WARDROBE**



Left shown

LEFT HINGED		RIGHT HINGED			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
						D	W	H				
21N1866VSWHLL	21N1866VSWHRL	Laminate Top			\$ 1654	23¾	18	65¾	—	—	160 lbs.	23.6
Inside Dimensions						18½	16½	61½	—	—	—	—

- Single storage cabinet can be used as a wardrobe unit by removing the 4 adjustable shelves
- Removable coat rod is standard
- Unit has an unfinished back
- Specify laminate only

## ARROWOOD - LAMINATE

## DIMENSION KEY






D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

21N2436LFF4L	KRB	AC2
21N2430PTL	G13C	TF

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>LATERAL FILE TWO DRAWER</b> 	Q21N2436LFF2L	\$ 941	23¾	35¾	29½	—	—	184 lbs.	17.7
	21N2436LFF2L	941	23¾	35¾	29½	—	—	184 lbs.	17.7
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>LATERAL FILE THREE DRAWER</b> 	21N2436LFF3L	\$ 1535	23¾	35¾	44½	—	—	210 lbs.	30.0
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>LATERAL FILE FOUR DRAWER</b> 	21N2436LFF4L	\$ 2129	23¾	35¾	58¾	—	—	291 lbs.	40.2
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>BOOKCASE</b> 	Q21N3365BCOFL	\$ 849	13	33	65¾	—	—	135 lbs.	27.4
	21N3365BCOFL	849	13	33	65¾	—	—	135 lbs.	27.4
	<ul style="list-style-type: none"> <li>• Bookcase shelves hold 100 lbs. of evenly distributed weight</li> <li>• Shaded shelves are adjustable</li> <li>• Bookcase has an unfinished back</li> </ul>								
<b>BOOKCASE</b> 	21N3353BCOFL	\$ 735	13	33	53	—	—	92 lbs.	22.4
	<ul style="list-style-type: none"> <li>• Bookcase shelves hold 100 lbs. of evenly distributed weight</li> <li>• Bookcase has an unfinished back</li> <li>• Shaded shelves are adjustable</li> </ul>								



Specify selections, left to right:

BASE MODEL	GROMMET OPTION	LOCKING	LAMINATE
21N2436LFF4L	G13C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello SM Sonoma TF Truffle 791 Palisander 792 Sable 793 Acorn AC2

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>BOOKCASE SET-ON</b>	Q21N3336BCOL	\$ 597	13	33	36½	—	—	85 lbs.	15.8
	21N3336BCOL	597	13	33	36½	—	—	85 lbs.	15.8




- Bookcase shelves hold 100 lbs. of evenly distributed weight
- Shaded shelf is adjustable
- Bookcase has an unfinished back

<b>PRINTER/TELEPHONE STAND</b>	21N2430PTL	\$ 721	23¾	29¾	29½	—	—	91 lbs.	14.3
	MPK-4 Set of 4 Casters	69	For use as a mobile unit					1 lbs.	0.2



- Fixed shelf is 12" deep and 27¾" wide and ¾" thick
- Open back
- Grommet (G13C) available

<b>SQUARE TABLE TOP</b>	<b>30" SQUARE</b>	<b>1⅝" TOP THICKNESS</b>							
	21N3030SQL	Laminate	\$ 430	30	30	1⅝	—	—	33 lbs. 2.0



<b>36" SQUARE</b>	21N3636SQL		\$ 505	36	36	1⅝	—	—	42 lbs. 2.4
-------------------	------------	--	--------	----	----	----	---	---	-------------

<b>42" SQUARE</b>	21N4242SQL		\$ 723	42	42	1⅝	—	—	58 lbs. 3.2
-------------------	------------	--	--------	----	----	----	---	---	-------------

<b>48" SQUARE</b>	21N4848SQL		\$ 992	48	48	1⅝	—	—	76 lbs. 4.2
-------------------	------------	--	--------	----	----	----	---	---	-------------

- Reference Table Base Guide in the Tables Price List on pages 31-36 for applicable bases
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 57 for options and upcharge

## ARROWOOD - LAMINATE

---

---

# arrowood

## veneer

## PRODUCT SPECIFICATIONS

### WORKSURFACE

- 1½" slipmatched cherry and maple veneer, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Grain direction runs left-to-right unless noted
- Two sheen options available on most worksurfaces

### FINISH APPLICATION

- Arrowood Veneer series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

### CHASSIS CONSTRUCTION


- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full and ¾ pedestal options
- ¾ modesty panels on HPL top ¾ pedestal only. Other versions have full modesty panels
- ¾" thick modesty panels
- 1½" thick end panels
- Units feature semi-finished backs (stained with some exposed hardware) unless noted
- Standard leveling glides
- Grain direction runs vertical on all modesty panels

### DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

### DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



### CORD MANAGEMENT

- Grommets are available in predetermined locations
- Standard in highback organizers
- Optional wire managers are available (see accessory pages)

### LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 500

### EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS WIDTH	DEPTH	HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
Box Drawer—Desk	12½"	17"	3⅞"	N/A
File Drawer—Desk	12½"	17"	9½"	Letter
Box Drawer—Return	12½"	17"	3⅞"	N/A
File Drawer—Return	12½"	17"	9½"	Letter
Box Drawer—Credenza				
21 x 72	15⅞"	17"	3⅞"	N/A
21 x 66	15⅞"	17"	3⅞"	N/A
File Drawer—Credenza				
21 x 72	15⅞"	17"	9½"	Legal
21 x 66	15⅞"	17"	9½"	Legal
Lateral File Drawer—Lateral File	31⅞"	15"	9½"	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side


WOOD FINISHES

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

WORKSURFACE  
SHEEN OPTIONS

R	Standard
N	Matte/Satin

RIM PROFILE




GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

G13LR	Left & Right
G13C	Center



Round Grommet  
Plastic

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit

Unit list price will be reduced by \$15 per lock when selecting Key Specific option. Must order specific lock cores separately (\$15 list each). See page 500 for Key Specific model numbers.

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:	
Rim Profile:	Mitered
Grommets:	Included on bridges, returns and credenzas
Locking:	Random black cores
Sheen:	Standard
Finish:	Must specify Honey (HN), Amber (MC) or Cordovan (CW)

## ARROWOOD - VENEER L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.





### ARRANGEMENTS INCLUDE:

- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC Autumn	HN Honey	NM Natural
CL Caramel	IM Brighton	TF Truffle
CW Cordovan	MC Amber	
DW Judicial	MH Mocha	

**To You In 10 DAYS or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT L-CONFIGURATION FULL PEDESTAL WOOD TOP</b> 	Q31N8872LLFW 87½D x 71¾W	\$ 4308	<b>RIGHT L-CONFIGURATION FULL PEDESTAL WOOD TOP</b> 	Q31N8872LRFW 87½D x 71¾W	\$ 4308
	31N8872LLFW 87½D x 71¾W	\$ 4308		31N8872LRFW 87½D x 71¾W	\$ 4308
	consists of			consists of	
	31N3672DRFW1 Right Pedestal Desk	2515		31N3672DLFW1 Left Pedestal Desk	2515
	31N2452RLEFW2 Left Pedestal Return	1793		31N2452RREFW2 Right Pedestal Return	1793
	Q31N8072LLFW 79½D x 71¾W	\$ 4206		Q31N8072LRFW 79½D x 71¾W	\$ 4206
	31N8072LLFW 79½D x 71¾W	\$ 4206		31N8072LRFW 79½D x 71¾W	\$ 4206
	consists of			consists of	
	31N3672DRFW1 Right Pedestal Desk	2515		31N3672DLFW1 Left Pedestal Desk	2515
	31N2444RLEFW2 Left Pedestal Return	1691		31N2444RREFW2 Right Pedestal Return	1691
	31N8266LLFW 81½D x 66W	\$ 4090		31N8266LRFW 81½D x 66W	\$ 4090
	consists of			consists of	
	31N3066DRFW1 Right Pedestal Desk	2297		31N3066DLFW1 Left Pedestal Desk	2297
	31N2452RLEFW2 Left Pedestal Return	1793		31N2452RREFW2 Right Pedestal Return	1793
	31N7466LLFW 73½D x 66W	\$ 3988		31N7466LRFW 73½D x 66W	\$ 3988
	consists of			consists of	
	31N3066DRFW1 Right Pedestal Desk	2297		31N3066DLFW1 Left Pedestal Desk	2297
	31N2444RLEFW2 Left Pedestal Return	1691		31N2444RREFW2 Right Pedestal Return	1691
<b>LEFT L-CONFIGURATION FULL PEDESTAL LAMINATE TOP</b> 	31N8872LLFLW 87½D x 71¾W	\$ 3945	<b>RIGHT L-CONFIGURATION FULL PEDESTAL LAMINATE TOP</b> 	31N8872LRFLW 87½D x 71¾W	\$ 3945
	consists of			consists of	
	31N3672DRFLW1 Right Pedestal Desk	2333		31N3672DLFLW1 Left Pedestal Desk	2333
	31N2452RLEFLW2 Left Pedestal Return	1612		31N2452RREFLW2 Right Pedestal Return	1612
	31N8072LLFLW 79½D x 71¾W	\$ 3842		31N8072LRFLW 79½D x 71¾W	\$ 3842
	consists of			consists of	
	31N3672DRFLW1 Right Pedestal Desk	2333		31N3672DLFLW1 Left Pedestal Desk	2333
	31N2444RLEFLW2 Left Pedestal Return	1509		31N2444RREFLW2 Right Pedestal Return	1509
	31N8266LLFLW 81½D x 66W	\$ 3726		31N8266LRFLW 81½D x 66W	\$ 3726
	consists of			consists of	
	31N3066DRFLW1 Right Pedestal Desk	2114		31N3066DLFLW1 Left Pedestal Desk	2114
	31N2452RLEFLW2 Left Pedestal Return	1612		31N2452RREFLW2 Right Pedestal Return	1612
	31N7466LLFLW 73½D x 66W	\$ 3623		31N7466LRFLW 73½D x 66W	\$ 3623
	consists of			consists of	
	31N3066DRFLW1 Right Pedestal Desk	2114		31N3066DLFLW1 Left Pedestal Desk	2114
	31N2444RLEFLW2 Left Pedestal Return	1509		31N2444RREFLW2 Right Pedestal Return	1509

## VENEER - ARROWOOD U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.





### ARRANGEMENTS INCLUDE:

- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC Autumn	HN Honey	NM Natural
CL Caramel	IM Brighton	TF Truffle
CW Cordovan	MC Amber	
DW Judicial	MH Mocha	

**To You In 10 DAYS ...or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT U-CONFIGURATION FULL PEDESTAL WOOD TOP</b> 	<b>Q31N10872ULFW</b> 107¼D x 71¾W	\$ 5027	<b>RIGHT U-CONFIGURATION FULL PEDESTAL WOOD TOP</b> 	<b>Q31N10872URFW</b> 107¼D x 71¾W	\$ 5027
	31N10872ULFW 107¼D x 71¾W	\$ 5027		31N10872URFW 107¼D x 71¾W	\$ 5027
	consists of			consists of	
	31N3672DRFW1 Right Pedestal Desk	2515		31N3672DLFW1 Left Pedestal Desk	2515
	31N2451BEFW Bridge	534		31N2451BEFW Bridge	534
	31N2172CLFW2 Left Pedestal Credenza	1978		31N2172CRFW2 Right Pedestal Credenza	1978
	<b>Q31N10272ULFW</b> 101¼D x 71¾W	\$ 4984		<b>Q31N10272URFW</b> 101¼D x 71¾W	\$ 4984
	31N10272ULFW 101¼D x 71¾W	\$ 4984		31N10272URFW 101¼D x 71¾W	\$ 4984
	consists of			consists of	
	31N3672DRFW1 Right Pedestal Desk	2515		31N3672DLFW1 Left Pedestal Desk	2515
	31N2445BEFW Bridge	491		31N2445BEFW Bridge	491
	31N2172CLFW2 Left Pedestal Credenza	1978		31N2172CRFW2 Right Pedestal Credenza	1978
	<b>31N10266ULFW</b> 101¼D x 66W	\$ 4760		<b>31N10266URFW</b> 101¼D x 66W	\$ 4760
	consists of			consists of	
	31N3066DRFW1 Right Pedestal Desk	2297		31N3066DLFW1 Left Pedestal Desk	2297
	31N2451BEFW Bridge	534		31N2451BEFW Bridge	534
	31N2166CLFW2 Left Pedestal Credenza	1929		31N2166CRFW2 Right Pedestal Credenza	1929
	<b>31N9666ULFW</b> 95¼D x 66W	\$ 4717		<b>31N9666URFW</b> 95¼D x 66W	\$ 4717
	consists of			consists of	
	31N3066DRFW1 Right Pedestal Desk	2297		31N3066DLFW1 Left Pedestal Desk	2297
	31N2445BEFW Bridge	491		31N2445BEFW Bridge	491
	31N2166CLFW2 Left Pedestal Credenza	1929		31N2166CRFW2 Right Pedestal Credenza	1929
<b>LEFT U-CONFIGURATION FULL PEDESTAL LAMINATE TOP</b> 	<b>31N10872ULFLW</b> 107¼D x 71¾W	\$ 4587	<b>RIGHT U-CONFIGURATION FULL PEDESTAL LAMINATE TOP</b> 	<b>31N10872URFLW</b> 107¼D x 71¾W	\$ 4587
	consists of			consists of	
	31N3672DRFLW1 Right Pedestal Desk	2333		31N3672DLFLW1 Left Pedestal Desk	2333
	31N2451BEFLW Bridge	461		31N2451BEFLW Bridge	461
	31N2172CLFLW2 Left Pedestal Credenza	1793		31N2172CRFLW2 Right Pedestal Credenza	1793
	<b>31N10272ULFLW</b> 101¼D x 71¾W	\$ 4547		<b>31N10272URFLW</b> 101¼D x 71¾W	\$ 4547
	consists of			consists of	
	31N3672DRFLW1 Right Pedestal Desk	2333		31N3672DLFLW1 Left Pedestal Desk	2333
	31N2445BEFLW Bridge	421		31N2445BEFLW Bridge	421
	31N2172CLFLW2 Left Pedestal Credenza	1793		31N2172CRFLW2 Right Pedestal Credenza	1793
	<b>31N10266ULFLW</b> 101¼D x 66W	\$ 4329		<b>31N10266URFLW</b> 101¼D x 66W	\$ 4329
	consists of			consists of	
	31N3066DRFLW1 Right Pedestal Desk	2114		31N3066DLFLW1 Left Pedestal Desk	2114
	31N2451BEFLW Bridge	461		31N2451BEFLW Bridge	461
	31N2166CLFLW2 Left Pedestal Credenza	1754		31N2166CRFLW2 Right Pedestal Credenza	1754
	<b>31N9666ULFLW</b> 95¼D x 66W	\$ 4289		<b>31N9666URFLW</b> 95¼D x 66W	\$ 4289
	consists of			consists of	
	31N3066DRFLW1 Right Pedestal Desk	2114		31N3066DLFLW1 Left Pedestal Desk	2114
	31N2445BEFLW Bridge	421		31N2445BEFLW Bridge	421
	31N2166CLFLW2 Left Pedestal Credenza	1754		31N2166CRFLW2 Right Pedestal Credenza	1754

## ARROWOOD - VENEER L ARRANGEMENTS





Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:

- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC Autumn	HN Honey	NM Natural
CL Caramel	IM Brighton	TF Truffle
CW Cordovan	MC Amber	
DW Judicial	MH Mocha	

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT L-CONFIGURATION ¾ PEDESTAL WOOD TOP</b> 	31N8872LLYW 87½D x 71¾W	\$ 3945	<b>RIGHT L-CONFIGURATION ¾ PEDESTAL WOOD TOP</b> 	31N8872LRYW 87½D x 71¾W	\$ 3945
	consists of			consists of	
	31N3672DRYW3 Right Pedestal Desk	2333		31N3672DLYW3 Left Pedestal Desk	2333
	31N2452RLEYW3 Left Pedestal Return	1612		31N2452RREYW3 Right Pedestal Return	1612
	31N8072LLYW 79½D x 71¾W	\$ 3842		31N8072LRYW 79½D x 71¾W	\$ 3842
	consists of			consists of	
	31N3672DRYW3 Right Pedestal Desk	2333		31N3672DLYW3 Left Pedestal Desk	2333
	31N2444RLEYW3 Left Pedestal Return	1509		31N2444RREYW3 Right Pedestal Return	1509
	31N8266LLYW 81½D x 66W	\$ 3726		31N8266LRYW 81½D x 66W	\$ 3726
	consists of			consists of	
	31N3066DRYW3 Right Pedestal Desk	2114		31N3066DLYW3 Left Pedestal Desk	2114
	31N2452RLEYW3 Left Pedestal Return	1612		31N2452RREYW3 Right Pedestal Return	1612
	31N7466LLYW 73½D x 66W	\$ 3623		31N7466LRYW 73½D x 66W	\$ 3623
	consists of			consists of	
	31N3066DRYW3 Right Pedestal Desk	2114		31N3066DLYW3 Left Pedestal Desk	2114
	31N2444RLEYW3 Left Pedestal Return	1509		31N2444RREYW3 Right Pedestal Return	1509
<b>LEFT L-CONFIGURATION ¾ PEDESTAL LAMINATE TOP</b> 	31N8872LLQLW 87½D x 71¾W	\$ 3403	<b>RIGHT L-CONFIGURATION ¾ PEDESTAL LAMINATE TOP</b> 	31N8872LRQLW 87½D x 71¾W	\$ 3403
	consists of			consists of	
	31N3672DRQLW3 Right Pedestal Desk	1967		31N3672DLQLW3 Left Pedestal Desk	1967
	31N2452RLEQLW3 Left Pedestal Return	1436		31N2452RREQLW3 Right Pedestal Return	1436
	31N8072LLQLW 79½D x 71¾W	\$ 3299		31N8072LRQLW 79½D x 71¾W	\$ 3299
	consists of			consists of	
	31N3672DRQLW3 Right Pedestal Desk	1967		31N3672DLQLW3 Left Pedestal Desk	1967
	31N2444RLEQLW3 Left Pedestal Return	1332		31N2444RREQLW3 Right Pedestal Return	1332
	31N8266LLQLW 81½D x 66W	\$ 3196		31N8266LRQLW 81½D x 66W	\$ 3196
	consists of			consists of	
	31N3066DRQLW3 Right Pedestal Desk	1760		31N3066DLQLW3 Left Pedestal Desk	1760
	31N2452RLEQLW3 Left Pedestal Return	1436		31N2452RREQLW3 Right Pedestal Return	1436
	31N7466LLQLW 73½D x 66W	\$ 3092		31N7466LRQLW 73½D x 66W	\$ 3092
	consists of			consists of	
	31N3066DRQLW3 Right Pedestal Desk	1760		31N3066DLQLW3 Left Pedestal Desk	1760
	31N2444RLEQLW3 Left Pedestal Return	1332		31N2444RREQLW3 Right Pedestal Return	1332



## VENEER - ARROWOOD U ARRANGEMENTS





Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:

- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC Autum	HN Honey	NM Natural
CL Caramel	IM Brighton	TF Truffle
CW Cordovan	MC Amber	
DW Judicial	MH Mocha	

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT U-CONFIGURATION ¾ PEDESTAL WOOD TOP</b> 	31N10872ULYW 107¼D x 71¾W	\$ 4660	<b>RIGHT U-CONFIGURATION ¾ PEDESTAL WOOD TOP</b> 	31N10872URYW 107¼D x 71¾W	\$ 4660
	consists of			consists of	
	31N3672DRYW3 Right Pedestal Desk	2333		31N3672DLYW3 Left Pedestal Desk	2333
	31N2451BEFW Bridge	534		31N2451BEFW Bridge	534
	31N2172CLYW3 Left Pedestal Credenza	1793		31N2172CRYW3 Right Pedestal Credenza	1793
	31N10272ULYW 101¼D x 71¾W	\$ 4617		31N10272URYW 101¼D x 71¾W	\$ 4617
	consists of			consists of	
	31N3672DRYW3 Right Pedestal Desk	2333		31N3672DLYW3 Left Pedestal Desk	2333
	31N2445BEFW Bridge	491		31N2445BEFW Bridge	491
	31N2172CLYW3 Left Pedestal Credenza	1793		31N2172CRYW3 Right Pedestal Credenza	1793
	31N10266ULYW 101¼D x 66W	\$ 4402		31N10266URYW 101¼D x 66W	\$ 4402
	consists of			consists of	
	31N3066DRYW3 Right Pedestal Desk	2114		31N3066DLYW3 Left Pedestal Desk	2114
	31N2451BEFW Bridge	534		31N2451BEFW Bridge	534
	31N2166CLYW3 Left Pedestal Credenza	1754		31N2166CRYW3 Right Pedestal Credenza	1754
	31N9666ULYW 95¼D x 66W	\$ 4359		31N9666URYW 95¼D x 66W	\$ 4359
	consists of			consists of	
	31N3066DRYW3 Right Pedestal Desk	2114		31N3066DLYW3 Left Pedestal Desk	2114
	31N2445BEFW Bridge	491		31N2445BEFW Bridge	491
	31N2166CLYW3 Left Pedestal Credenza	1754		31N2166CRYW3 Right Pedestal Credenza	1754
<b>LEFT U-CONFIGURATION ¾ PEDESTAL LAMINATE TOP</b> 	31N10872ULQLW 107¼D x 71¾W	\$ 4031	<b>RIGHT U-CONFIGURATION ¾ PEDESTAL LAMINATE TOP</b> 	31N10872URQLW 107¼D x 71¾W	\$ 4031
	consists of			consists of	
	31N3672DRQLW3 Right Pedestal Desk	1967		31N3672DLQLW3 Left Pedestal Desk	1967
	31N2451BEFLW Bridge	461		31N2451BEFLW Bridge	461
	31N2172CLQLW3 Left Pedestal Credenza	1603		31N2172CRQLW3 Right Pedestal Credenza	1603
	31N10272ULQLW 101¼D x 71¾W	\$ 3991		31N10272URQLW 101¼D x 71¾W	\$ 3991
	consists of			consists of	
	31N3672DRQLW3 Right Pedestal Desk	1967		31N3672DLQLW3 Left Pedestal Desk	1967
	31N2445BEFLW Bridge	421		31N2445BEFLW Bridge	421
	31N2172CLQLW3 Left Pedestal Credenza	1603		31N2172CRQLW3 Right Pedestal Credenza	1603
	31N10266ULQLW 101¼D x 66W	\$ 3780		31N10266URQLW 101¼D x 66W	\$ 3780
	consists of			consists of	
	31N3066DRQLW3 Right Pedestal Desk	1760		31N3066DLQLW3 Left Pedestal Desk	1760
	31N2451BEFLW Bridge	461		31N2451BEFLW Bridge	461
	31N2166CLQLW3 Left Pedestal Credenza	1559		31N2166CRQLW3 Right Pedestal Credenza	1559
	31N9666ULQLW 95¼D x 66W	\$ 3740		31N9666URQLW 95¼D x 66W	\$ 3740
	consists of			consists of	
	31N3066DRQLW3 Right Pedestal Desk	1760		31N3066DLQLW3 Left Pedestal Desk	1760
	31N2445BEFLW Bridge	421		31N2445BEFLW Bridge	421
	31N2166CLQLW3 Left Pedestal Credenza	1559		31N2166CRQLW3 Right Pedestal Credenza	1559

## ARROWOOD - VENEER

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


### SAMPLE MODEL NUMBERS:

31N3672DDFW8	X	KRB	N	CW
31N3672DDFLW8	G13LR	KS2B	CW	

To You In  
**10**  
Days  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


### DOUBLE PEDESTAL DESK ARC TOP—FULL PEDESTAL



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
31N3672DDFAW8 Wood Top	\$ 3592	35¾	71¾	29½	10%	39½%	317 lbs.	57.4
31N3672DDFALW8 HPL Top	3286	35¾	71¾	29½	10%	39½%	317 lbs.	57.4
31N3666DDFAW8 Wood Top	\$ 3448	35¾	66	29½	10%	34¾	285 lbs.	52.3
31N3666DDFALW8 HPL Top	3154	35¾	66	29½	10%	34¾	285 lbs.	52.3

- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


### DOUBLE PEDESTAL DESK ARC TOP—¾ PEDESTAL



31N3672DDYAW3 Wood Top	\$ 3226	35¾	71¾	29½	10%	39½%	291 lbs.	57.4
31N3672DDQALW3 HPL Top	2942	35¾	71¾	29½	10%	39½%	291 lbs.	57.4
31N3666DDYAW3 Wood Top	\$ 3098	35¾	66	29½	10%	34¾	280 lbs.	52.3
31N3666DDQALW3 HPL Top	2823	35¾	66	29½	10%	34¾	280 lbs.	52.3

- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

### DOUBLE PEDESTAL DESK FULL PEDESTAL




Q31N3672DDFW8 Wood Top	\$ 2942	35¾	71¾	29½	10%	39½%	361 lbs.	57.4
31N3672DDFW8 Wood Top	2942	35¾	71¾	29½	10%	39½%	361 lbs.	57.4
31N3672DDFLW8 HPL Top	2573	35¾	71¾	29½	10%	39½%	361 lbs.	57.4
31N3666DDFW8 Wood Top	\$ 2823	35¾	66	29½	10%	34¾	285 lbs.	52.3
31N3666DDFLW8 HPL Top	2470	35¾	66	29½	10%	34¾	285 lbs.	52.3
31N3066DDFW8 Wood Top	\$ 2761	29¾	66	29½	4%	34¾	277 lbs.	47.0
31N3066DDFLW8 HPL Top	2382	29¾	66	29½	4%	34¾	277 lbs.	47.0
31N3060DDFW8 Wood Top	\$ 2655	29¾	59¾	29½	4%	27½%	261 lbs.	41.5
31N3060DDFLW8 HPL Top	2292	29¾	59¾	29½	4%	27½%	261 lbs.	41.5

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Specify selections, left to right:

BASE MODEL	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
31N3672DDFW8	G13LR X Black, Left & Right No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	X	KRB	N	CW


**DOUBLE PEDESTAL DESK  
¾ PEDESTAL**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
31N3672DDYW3	Wood Top	\$ 2573	35¾	71¾	29½	10%	39⅞	325 lbs.	57.4
31N3672DDQLW3	HPL Top	2211	35¾	71¾	29½	10%	39⅞	325 lbs.	57.4
31N3666DDYW3	Wood Top	\$ 2470	35¾	66	29½	10%	34¾	285 lbs.	52.3
31N3666DDQLW3	HPL Top	2123	35¾	66	29½	10%	34¾	285 lbs.	52.3
31N3066DDYW3	Wood Top	\$ 2382	29¾	66	29½	4%	34¾	277 lbs.	47.0
31N3066DDQLW3	HPL Top	2031	29¾	66	29½	4%	34¾	277 lbs.	47.0
31N3060DDYW3	Wood Top	\$ 2292	29¾	59¾	29½	4%	27⅞	235 lbs.	41.5
31N3060DDQLW3	HPL Top	1953	29¾	59¾	29½	4%	27⅞	235 lbs.	41.5

- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

**SINGLE PEDESTAL DESK  
ARC TOP—FULL PEDESTAL**




Left shown

LEFT PEDESTAL		RIGHT PEDESTAL									
31N3672DLFAW1	31N3672DRFAW1	Wood Top	\$ 3167	35¾	71¾	29½	10%	32⅞	267 lbs.	57.4	
31N3672DLFALW1	31N3672DRFALW1	HPL Top	3087	35¾	71¾	29½	10%	32⅞	267 lbs.	57.4	

- Not recommended as a freestanding unit due to routing in the rim
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**FREESTANDING  
SINGLE PEDESTAL DESK  
ARC TOP—FULL PEDESTAL**



Left shown

LEFT PEDESTAL		RIGHT PEDESTAL									
31N3672DLFFAW1	31N3672DRFFAW1	Wood Top	\$ 3167	35¾	71¾	29½	10%	54⅞	267 lbs.	57.4	
31N3672DLFFALW1	31N3672DRFFALW1	HPL Top	3087	35¾	71¾	29½	10%	54⅞	267 lbs.	57.4	

- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

## ARROWOOD - VENEER

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


### SAMPLE MODEL NUMBERS:

31N3672DRFW1	X	KS1B	R	CW
31N3672DRFLW1	G13LR	KRB	CW	

To You In  
**10**  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

#### SINGLE PEDESTAL DESK ARC TOP—¾ PEDESTAL



Right shown

#### MODEL NO./DESCRIPTION


##### LEFT PEDESTAL

##### RIGHT PEDESTAL

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N3672DLYAW3	\$ 2985	35¾	71¾	29½	10%	32½	247 lbs.	57.4
31N3672DLQALW3	2709	35¾	71¾	29½	10%	32½	247 lbs.	57.4

- Not recommended as a freestanding unit due to routing in the rim
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

#### FREESTANDING SINGLE PEDESTAL DESK ARC TOP—¾ PEDESTAL



Right shown


##### LEFT PEDESTAL

##### RIGHT PEDESTAL

31N3672DLYFAW3	\$ 2985	35¾	71¾	29½	10%	54¾	247 lbs.	57.4
31N3672DLQFALW3	2709	35¾	71¾	29½	10%	54¾	247 lbs.	57.4

- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

#### SINGLE PEDESTAL DESK FULL PEDESTAL



Left shown

##### LEFT PEDESTAL

##### RIGHT PEDESTAL


Q31N3672DLFW1	\$ 2515	35¾	71¾	29½	10%	32½	311 lbs.	57.4
31N3672DLFW1	2515	35¾	71¾	29½	10%	32½	311 lbs.	57.4
31N3672DLFLW1	2333	35¾	71¾	29½	10%	32½	311 lbs.	57.4
31N3666DLFW1	\$ 2414	35¾	66	29½	10%	26¾	250 lbs.	52.3
31N3666DLFLW1	2240	35¾	66	29½	10%	26¾	250 lbs.	52.3
31N3066DLFW1	\$ 2297	29¾	66	29½	4%	26¾	246 lbs.	45.3
31N3066DLFLW1	2114	29¾	66	29½	4%	26¾	246 lbs.	45.3

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
	G13LR Black, Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
31N3672DRFW1	X	KS1B	R	CW

**FREESTANDING  
SINGLE PEDESTAL DESK  
FULL PEDESTAL**




Left shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H				
31N3672DLFFW1	31N3672DRFFW1	Wood Top	\$ 2515	35¾	71¾	29½	10%	54¾	311 lbs. 57.4
31N3672DLFFLW1	31N3672DRFFLW1	HPL Top	2333	35¾	71¾	29½	10%	54¾	311 lbs. 57.4
31N3666DLFFW1	31N3666DRFFW1	Wood Top	\$ 2414	35¾	66	29½	10%	49¾	250 lbs. 52.3
31N3666DLFFLW1	31N3666DRFFLW1	HPL Top	2240	35¾	66	29½	10%	49¾	250 lbs. 52.3
31N3066DLFFW1	31N3066DRFFW1	Wood Top	\$ 2297	29¾	66	29½	4%	49¾	246 lbs. 45.3
31N3066DLFFLW1	31N3066DRFFLW1	HPL Top	2114	29¾	66	29½	4%	49¾	246 lbs. 45.3
31N3060DLFFW1	31N3060DRFFW1	Wood Top	\$ 2204	29¾	59¾	29½	4%	42¾	215 lbs. 42.0
31N3060DLFFLW1	31N3060DRFFLW1	HPL Top	2029	29¾	59¾	29½	4%	42¾	215 lbs. 42.0

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

**SINGLE PEDESTAL DESK  
¾ PEDESTAL**



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL								
31N3672DLYW3	31N3672DRYW3	Wood Top	\$ 2333	35¾	71¾	29½	10%	32¾	281 lbs. 57.4
31N3672DLQLW3	31N3672DRQLW3	HPL Top	1967	35¾	71¾	29½	10%	32¾	281 lbs. 57.4
31N3666DLYW3	31N3666DRYW3	Wood Top	\$ 2240	35¾	66	29½	10%	26¾	250 lbs. 52.3
31N3666DLQLW3	31N3666DRQLW3	HPL Top	1888	35¾	66	29½	10%	26¾	250 lbs. 52.3
31N3066DLYW3	31N3066DRYW3	Wood Top	\$ 2114	29¾	66	29½	4%	26¾	222 lbs. 45.3
31N3066DLQLW3	31N3066DRQLW3	HPL Top	1760	29¾	66	29½	4%	26¾	222 lbs. 45.3

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## ARROWOOD - VENEER

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


### SAMPLE MODEL NUMBERS:

31N3672DULW	R	CW
31N3672DULFW	R	CW

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### FREESTANDING SINGLE PEDESTAL DESK ¾ PEDESTAL




Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL		RIGHT PEDESTAL		D	W	H	A	KW		
31N3672DLYFW3	31N3672DRYFW3	Wood Top	\$ 2333	35¾	71¾	29½	10%	54¾	281 lbs.	57.4
31N3672DLQFLW3	31N3672DRQFLW3	HPL Top	1967	35¾	71¾	29½	10%	54¾	281 lbs.	57.4
31N3666DLYFW3	31N3666DRYFW3	Wood Top	\$ 2240	35¾	66	29½	10%	49¾	250 lbs.	52.3
31N3666DLQFLW3	31N3666DRQFLW3	HPL Top	1888	35¾	66	29½	10%	49¾	250 lbs.	52.3
31N3066DLYFW3	31N3066DRYFW3	Wood Top	\$ 2114	29¾	66	29½	4%	49¾	222 lbs.	45.3
31N3066DLQFLW3	31N3066DRQFLW3	HPL Top	1760	29¾	66	29½	4%	49¾	222 lbs.	45.3
31N3060DLYFW3	31N3060DRYFW3	Wood Top	\$ 2029	29¾	59¾	29½	4%	42¾	215 lbs.	42.0
31N3060DLQFLW3	31N3060DRQFLW3	HPL Top	1689	29¾	59¾	29½	4%	42¾	215 lbs.	42.0

- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

### U-SHAPED DESK




Left shown

LEFT U	RIGHT U			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N3672DULW	31N3672DURW	Wood Top	\$ 2116	35¾	71¾	29½	¾	30¾	139 lbs.	5.9
31N3672DULLW	31N3672DURLW	HPL Top	1952	35¾	71¾	29½	¾	30¾	143 lbs.	5.9

- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base; see below
- Grommets not available

### U-SHAPED DESK WITH MODESTY





Left shown

LEFT U	RIGHT U			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N3672DULFW	31N3672DURFW	Wood Top	\$ 2521	35¾	71¾	29½	½	30¾	161 lbs.	5.9
31N3672DULFLW	31N3672DURFLW	HPL Top	2361	35¾	71¾	29½	½	30¾	165 lbs.	5.9

- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base; see page 51
- Grommets not available


Specify selections, left to right:

BASE MODEL	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
31N3672DULW	G13LR Black, Left & Right G13C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle CW

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
	NAC0428SFRNB Metal	\$ 190	4	—	27¾-29¼	—	—	10 lbs.	1.0
	NAC2804SFBW Wood	516	4	—	27¾-29¼	—	—	6 lbs.	1.0
	NAC2812SHB Wood Half	\$ 645	6	11½	27¾	—	—	13 lbs.	2.6

• Adjustable glide standard  
 • Metal base, specify paint colors: (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic  
 • Metal base, optional upper and lower (CUL) wire management cutout  
 • Wood base, specify finish: Brighton (IM), Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn (AC), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH)

CORNER UNIT



31N3636CFSW	Wood Top	\$ 1625	36	36	29½	¾	17	122 lbs.	5.2
31N3636CFLW	HPL Top	1534	36	36	29½	¾	17	117 lbs.	5.2

- Not recommended as a freestanding unit due to routing in the rim
- Unit can be attached to bridge, return or multi-file return only
- Some assembly required
- Grain direction runs diagonal on worksurface
- Grommet (G13C) available

TRANSACTION COUNTER DESK UNIT	31N1569TCW Wood Top	\$ 797	14 <sup>25</sup> / <sub>32</sub>	69 <sup>1</sup> / <sub>2</sub>	15 <sup>3</sup> / <sub>16</sub>	—	—	73 lbs.	2.4
	31N1569TCLW HPL Top	732	14 <sup>25</sup> / <sub>32</sub>	69 <sup>1</sup> / <sub>2</sub>	15 <sup>3</sup> / <sub>16</sub>	—	—	73 lbs.	2.4
	31N1563TCW Wood Top	\$ 716	14 <sup>25</sup> / <sub>32</sub>	63 <sup>1</sup> / <sub>2</sub>	15 <sup>3</sup> / <sub>16</sub>	—	—	67 lbs.	2.2
	31N1563TCLW HPL Top	649	14 <sup>25</sup> / <sub>32</sub>	63 <sup>1</sup> / <sub>2</sub>	15 <sup>3</sup> / <sub>16</sub>	—	—	67 lbs.	2.2

• Transaction surface spans over the desk only  
 • Some assembly required  
 • 1569 transaction counter to be used with 36 x 72 single ped desk  
 • 1563 transaction counter to be used with 30 x 66 single ped desk

TRANSACTION COUNTER L UNIT	31N6983TCW Wood Top	\$ 1141	82½	69½	15¾	—	—	101 lbs.	3.3
	31N6983TCLW HPL Top	1042	82½	69½	15¾	—	—	101 lbs.	3.3
	31N6377TCW Wood Top	\$ 1057	76½	63½	15¾	—	—	84 lbs.	3.1
	31N6377TCLW HPL Top	960	76½	63½	15¾	—	—	84 lbs.	3.1

• Some assembly required  
 • 6983 transaction counter to be used with 36 x 72 single ped desk and 2452 return  
 • 6377 transaction counter to be used with 30 x 66 single ped desk and 2452 return

## ARROWOOD - VENEER

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter


### SAMPLE MODEL NUMBERS:

31N2452RLEFW2	X	KS1B	N	MC
31N2451BEFLW	X	MC		
31N2451BEFW	X	R	CL	

To You In  
**10**  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### RETURN FULL PEDESTAL




Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW		
31N2464RLEFW2	31N2464RREFW2	Wood Top	\$ 1865	23¾	63¾	29½	⅞	46%	180 lbs.	30.2
31N2464RLEFLW2	31N2464RREFLW2	HPL Top	1676	23¾	63¾	29½	⅞	46%	180 lbs.	30.2
Q31N2452RLEFW2	Q31N2452RREFW2	Wood Top	\$ 1793	23¾	51¾	29½	⅞	34%	169 lbs.	30.1
31N2452RLEFW2	31N2452RREFW2	Wood Top	1793	23¾	51¾	29½	⅞	34%	169 lbs.	30.1
31N2452RLEFLW2	31N2452RREFLW2	HPL Top	1612	23¾	51¾	29½	⅞	34%	169 lbs.	30.1
Q31N2444RLEFW2	Q31N2444RREFW2	Wood Top	\$ 1691	23¾	43¾	29½	⅞	26%	156 lbs.	25.9
31N2444RLEFW2	31N2444RREFW2	Wood Top	1691	23¾	43¾	29½	⅞	26%	156 lbs.	25.9
31N2444RLEFLW2	31N2444RREFLW2	HPL Top	1509	23¾	43¾	29½	⅞	26%	156 lbs.	25.9

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### RETURN ¾ PEDESTAL



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW		
31N2464RLEYW3	31N2464RREYW3	Wood Top	\$ 1676	23¾	63¾	29½	⅞	46%	180 lbs.	30.2
31N2464RLEQLW3	31N2464RREQLW3	HPL Top	1492	23¾	63¾	29½	⅞	46%	180 lbs.	30.2
31N2452RLEYW3	31N2452RREYW3	Wood Top	\$ 1612	23¾	51¾	29½	⅞	34%	151 lbs.	30.1
31N2452RLEQLW3	31N2452RREQLW3	HPL Top	1436	23¾	51¾	29½	⅞	34%	151 lbs.	30.1
31N2444RLEYW3	31N2444RREYW3	Wood Top	\$ 1509	23¾	43¾	29½	⅞	26%	139 lbs.	25.9
31N2444RLEQLW3	31N2444RREQLW3	HPL Top	1332	23¾	43¾	29½	⅞	26%	139 lbs.	25.9


- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available



Specify selections, left to right:

BASE MODEL	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
	G13LR Black, Left & Right G13C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
31N2452RLEFW2	X	KS1B	N	MC

### RETURN MULTI-FILE




Left shown

#### MODEL NO./DESCRIPTION

LEFT PEDESTAL		RIGHT PEDESTAL		LIST PRICE		DIMENSIONS				CARTONED WEIGHT		CUBIC FEET	
D	W	H	A	KW									
31N2472RLEFW10	31N2472RREFW10	Wood Top	\$ 2503	23¾	71¾	29½	¼	35	197 lbs.	40.6			
31N2472RLEFLW10	31N2472RREFLW10	HPL Top	2320	23¾	71¾	29½	¼	35	197 lbs.	40.6			

- Unit can be attached to corner unit, single pedestal desk or U-shaped desk only
- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


### BRIDGE



Q31N2451BEFW	Wood Top	\$ 534	23¾	50½	29½	¼	48	81 lbs.	3.1
31N2451BEFW	Wood Top	534	23¾	50½	29½	¼	48	81 lbs.	3.1
31N2451BEFLW	HPL Top	461	23¾	50½	29½	¼	48	79 lbs.	3.1
Q31N2445BEFW	Wood Top	\$ 491	23¾	44½	29½	¼	39½	71 lbs.	2.8
31N2445BEFW	Wood Top	491	23¾	44½	29½	¼	39½	71 lbs.	2.8
31N2445BEFLW	HPL Top	421	23¾	44½	29½	¼	39½	74 lbs.	2.8

- Some assembly required
- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available

### STORAGE CREDENZA FULL PEDESTAL



Q31N2172CSFW2	Wood Top	\$ 2782	21	71¾	29½	¼	—	309 lbs.	36.4
31N2172CSFW2	Wood Top	2782	21	71¾	29½	¼	—	309 lbs.	36.4
31N2172CSFLW2	HPL Top	2416	21	71¾	29½	¼	—	309 lbs.	36.4
31N2166CSFW2	Wood Top	\$ 2518	21	66	29½	¼	—	307 lbs.	33.6
31N2166CSFLW2	HPL Top	2154	21	66	29½	¼	—	307 lbs.	33.6

- 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick)
- 66" credenza features an adjustable shelf (12" deep, 27½" wide and 1" thick)
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

## ARROWOOD - VENEER

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


### SAMPLE MODEL NUMBER:

31N2172CLFW2 G13LR KRB R MH

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


### STORAGE CREDENZA ¾ PEDESTAL



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
31N2172CSYW3 Wood Top	\$ 2416	21	71¾	29½	¾	—	279 lbs.	36.4
31N2172CSQLW3 HPL Top	2237	21	71¾	29½	¾	—	279 lbs.	36.4
31N2166CSYW3 Wood Top	\$ 2154	21	66	29½	¾	—	257 lbs.	33.6
31N2166CSQLW3 HPL Top	1949	21	66	29½	¾	—	257 lbs.	33.6

- 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick)
- 66" credenza features an adjustable shelf (12" deep, 27½" wide and 1" thick)
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

### ENTERTAINMENT CREDENZA



31N2472CBVW Wood	\$ 3950	22¾	71¾	34¾	—	—	309 lbs.	36.4
31N2472CBVLW Laminate/Wood	3950	22¾	71¾	34¾	—	—	309 lbs.	36.4

- 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick)
- Inside dimension of each storage section is 21" deep x 34½" wide x 23¾" high
- Unfinished back panel
- Cutouts in back panel for venting
- Grommet (G13LR) available
- Rim on front and sides of model
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

### KNEESPACE CREDENZA FULL PEDESTAL




Q31N2172CKFW2 Wood Top	\$ 2720	21	71¾	29½	¾	34¾	252 lbs.	36.4
31N2172CKFW2 Wood Top	2720	21	71¾	29½	¾	34¾	252 lbs.	36.4
31N2172CKFLW2 HPL Top	2355	21	71¾	29½	¾	34¾	252 lbs.	36.4
31N2166CKFW2 Wood Top	\$ 2459	21	66	29½	¾	28¾	240 lbs.	33.6
31N2166CKFLW2 HPL Top	2093	21	66	29½	¾	28¾	240 lbs.	33.6
31N2160CKFW2 Wood Top	\$ 2360	21	59¾	29½	¾	27¾	256 lbs.	33.0
31N2160CKFLW2 HPL Top	2010	21	59¾	29½	¾	27¾	256 lbs.	33.0

- Standard wire management centered in the modesty panel and 1¾" from the top
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Specify selections, left to right:

BASE MODEL	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
	G13LR Black, Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
31N2172CLEW2	G13LR	KRB	R	MH


**KNEESPACE CREDENZA  
¾ PEDESTAL**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
D	W	H	A						
31N2172CKYW3	Wood Top	\$ 2355	21	71¾	29½	⅞	34¾	212 lbs.	36.4
31N2172CKQLW3	HPL Top	2170	21	71¾	29½	⅞	34¾	212 lbs.	36.4
31N2166CKYW3	Wood Top	\$ 2093	21	66	29½	⅞	28¾	200 lbs.	33.6
31N2166CKQLW3	HPL Top	1886	21	66	29½	⅞	28¾	200 lbs.	33.6
31N2160CKYW3	Wood Top	\$ 2010	21	59¾	29½	⅞	27¾	190 lbs.	33.0
31N2160CKQLW3	HPL Top	1810	21	59¾	29½	⅞	27¾	190 lbs.	33.0

- Standard wire management centered in the modesty panel and 1¼" from the top
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

**SINGLE PEDESTAL CREDENZA  
FULL PEDESTAL**




Left shown

LEFT PEDESTAL		RIGHT PEDESTAL							
MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q31N2172CLFW2	Q31N2172CRFW2	Wood Top	\$ 1978	21	71¾	29½	⅞	29¾	232 lbs.
31N2172CLFW2	31N2172CRFW2	Wood Top	1978	21	71¾	29½	⅞	29¾	232 lbs.
31N2172CLFLW2	31N2172CRFLW2	HPL Top	1793	21	71¾	29½	⅞	29¾	232 lbs.
31N2166CLFW2	31N2166CRFW2	Wood Top	\$ 1929	21	66	29½	⅞	23¾	200 lbs.
31N2166CLFLW2	31N2166CRFLW2	HPL Top	1754	21	66	29½	⅞	23¾	200 lbs.

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**FREESTANDING  
SINGLE PEDESTAL CREDENZA  
FULL PEDESTAL**



Left shown

LEFT PEDESTAL		RIGHT PEDESTAL							
MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N2172CLFFW2	31N2172CRFFW2	Wood Top	\$ 1978	21	71¾	29½	⅞	51¾	232 lbs.
31N2172CLFFLW2	31N2172CRFFLW2	HPL Top	1793	21	71¾	29½	⅞	51¾	232 lbs.
31N2166CLFFW2	31N2166CRFFW2	Wood Top	\$ 1929	21	66	29½	⅞	46¾	200 lbs.
31N2166CLFFLW2	31N2166CRFFLW2	HPL Top	1754	21	66	29½	⅞	46¾	200 lbs.
31N2160CLFFW2	31N2160CRFFW2	Wood Top	\$ 1852	21	59¾	29½	⅞	39¾	190 lbs.
31N2160CLFFLW2	31N2160CRFFLW2	HPL Top	1684	21	59¾	29½	⅞	39¾	190 lbs.

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

## ARROWOOD - VENEER

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


### SAMPLE MODEL NUMBER:

31N2172CRFW6 X KS2B N MH

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### SINGLE PEDESTAL CREDENZA ¾ PEDESTAL




Left shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW		
31N2172CLYW3	31N2172CRYW3	Wood Top \$ 1793	21	71¾	29½	⅞	29¾	192 lbs.	36.4
31N2172CLQLW3	31N2172CRQLW3	HPL Top 1603	21	71¾	29½	⅞	29¾	192 lbs.	36.4
31N2166CLYW3	31N2166CRYW3	Wood Top \$ 1754	21	66	29½	⅞	23⅞	180 lbs.	33.6
31N2166CLQLW3	31N2166CRQLW3	HPL Top 1559	21	66	29½	⅞	23⅞	180 lbs.	33.6

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### FREESTANDING SINGLE PEDESTAL CREDENZA ¾ PEDESTAL




Left shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
31N2172CLYFW3	31N2172CRYFW3	Wood Top \$ 1793	21	71¾	29½	⅞	51⅞	192 lbs.	36.4
31N2172CLQLFW3	31N2172CRQLFW3	HPL Top 1603	21	71¾	29½	⅞	51⅞	192 lbs.	36.4
31N2166CLYFW3	31N2166CRYFW3	Wood Top \$ 1754	21	66	29½	⅞	46⅞	180 lbs.	33.6
31N2166CLQLFW3	31N2166CRQLFW3	HPL Top 1559	21	66	29½	⅞	46⅞	180 lbs.	33.6
31N2160CLYFW3	31N2160CRYFW3	Wood Top \$ 1684	21	59¾	29½	⅞	39¾	175 lbs.	33.0
31N2160CLQLFW3	31N2160CRQLFW3	HPL Top 1496	21	59¾	29½	⅞	39¾	175 lbs.	33.0

- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

### SINGLE PEDESTAL CREDENZA LATERAL FILE



Left shown


LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
31N2172CLFW6	31N2172CRFW6	Wood Top \$ 2196	21	71¾	29½	⅞	127⅞	252 lbs.	36.4
31N2172CLFLW6	31N2172CRFLW6	HPL Top 2014	21	71¾	29½	⅞	127⅞	252 lbs.	36.4
31N2166CLFW6	31N2166CRFW6	Wood Top \$ 2069	21	66	29½	⅞	6¾	241 lbs.	33.6
31N2166CLFLW6	31N2166CRFLW6	HPL Top 1884	21	66	29½	⅞	6¾	241 lbs.	33.6

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Specify selections, left to right:

BASE MODEL	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
31N2172CRFW6	G13LR X Black, Left & Right No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	X	KS2B	N	MH

**FREESTANDING  
SINGLE PEDESTAL CREDENZA  
LATERAL FILE**




Left shown

**MODEL NO./DESCRIPTION**

LEFT PEDESTAL		RIGHT PEDESTAL				LIST PRICE		DIMENSIONS				CARTONED WEIGHT		CUBIC FEET	
D	W	H	A	KW											
31N2172CLFFW6	31N2172CRFFW6	Wood Top	\$ 2196	21	71¾	29½	⅞	35¾	252 lbs.	36.4					
31N2172CLFFLW6	31N2172CRFFLW6	HPL Top	2014	21	71¾	29½	⅞	35¾	252 lbs.	36.4					
31N2166CLFFW6	31N2166CRFFW6	Wood Top	\$ 2069	21	66	29½	⅞	29¾	241 lbs.	33.6					
31N2166CLFFLW6	31N2166CRFFLW6	HPL Top	1884	21	66	29½	⅞	29¾	241 lbs.	33.6					

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

**SINGLE PEDESTAL CREDENZA  
MULTI-FILE**




Left shown

LEFT PEDESTAL		RIGHT PEDESTAL				LIST PRICE		DIMENSIONS				CARTONED WEIGHT		CUBIC FEET	
D	W	H	A	KW											
31N2472CLFW10	31N2472CRFW10	Wood Top	\$ 2689	23¾	71¾	29½	⅞	12¾	279 lbs.	40.6					
31N2472CLFLW10	31N2472CRFLW10	HPL Top	2518	23¾	71¾	29½	⅞	12¾	279 lbs.	40.6					

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

**FREESTANDING  
SINGLE PEDESTAL CREDENZA  
MULTI-FILE**



Left shown

LEFT PEDESTAL		RIGHT PEDESTAL				LIST PRICE		DIMENSIONS				CARTONED WEIGHT		CUBIC FEET	
D	W	H	A	KW											
31N2472CLFFW10	31N2472CRFFW10	Wood Top	\$ 2689	23¾	71¾	29½	⅞	35¾	279 lbs.	40.6					
31N2472CLFFLW10	31N2472CRFFLW10	HPL Top	2518	23¾	71¾	29½	⅞	35¾	279 lbs.	40.6					

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


## SAMPLE MODEL NUMBERS:

31N7236HBHW	KRB	MC
31N2136LFF2W	KRB	N CW

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### HIGHBACK ORGANIZER




#### MODEL NO./DESCRIPTION

#### WOOD DOORS

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N8636HBHW	\$ 2243	14 3/4	83 1/2	36	1/16	—	250 lbs.	45.0
31N8036HBHW	2172	14 3/4	77 1/2	36	1/16	—	240 lbs.	42.0
31N7836HBHW	2105	14 3/4	75 1/2	36	1/16	—	230 lbs.	38.0
Q31N7236HBHW	2041	14 3/4	69	36	1/16	—	181 lbs.	34.9
31N7236HBHW	2041	14 3/4	69	36	1/16	—	181 lbs.	34.9
31N6636HBHW	1979	14 3/4	63	36	1/16	—	165 lbs.	32.1
31N6036HBHW	1915	14 3/4	57 3/4	36	1/16	—	148 lbs.	25.0

- Highback organizer features (4) side hinged doors, full back panels with cord management
- Features a laminate (LPL) top
- For tack board models, see pages 520-525
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Unit has an unfinished back

### OVERHEAD CABINET WALL MOUNT



#### WOOD DOORS

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q31N3618SOHMMW Wood Top	\$ 1002	14 3/4	35 3/4	17 1/2	—	—	101 lbs.	9.7
31N3618SOHMMW Wood Top	1002	14 3/4	35 3/4	17 1/2	—	—	101 lbs.	9.7
31N3018SOHMMW Wood Top	918	14 3/4	29 3/4	17 1/2	—	—	86 lbs.	7.9

- Cabinet has flat edge detail
- Wall mount bracket, for attachment to wall, is included
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- For tack board models, see pages 520-525
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL	LOCKING	SHEEN (wood tops only)	FINISH
	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
31N7236HBHW	KRB		MC

**SINGLE STORAGE CABINET/WARDROBE**



Left shown

**MODEL NO./DESCRIPTION**

**LEFT HINGED**

**RIGHT HINGED**

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N1866VSWHLW	31N1866VSWHRW Wood Top	\$ 2161	21	18½	65½	—	—	160 lbs.	23.6
Inside Dimensions			18½	16½	61½	—	—	—	—

- Single storage cabinet can be used as a wardrobe unit by removing the 4 adjustable shelves
- Removable coat rod is standard
- Specify finish only
- Unit features a semi-finished back

**LATERAL FILE TWO DRAWER**



Q31N2136LFF2W	Wood Top	\$ 1470	21	35½	29½	—	—	193 lbs.	15.6
31N2136LFF2W	Wood Top	1470	21	35½	29½	—	—	193 lbs.	15.6
31N2136LFF2LW	HPL Top	1413	21	35½	29½	—	—	201 lbs.	15.6

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Unit features a semi-finished back

**LATERAL FILE THREE DRAWER**



31N2136LFF3W	Wood Top	\$ 1908	21	36½	43%	—	—	210 lbs.	30.0
31N2136LFF3LW	HPL Top	1860	21	36½	43%	—	—	210 lbs.	30.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**LATERAL FILE FOUR DRAWER**



31N2136LFF4W	Wood Top	\$ 2402	21	36½	57%	—	—	291 lbs.	40.2
31N2136LFF4LW	HPL Top	2371	21	36½	57%	—	—	291 lbs.	40.2

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

DIMENSION KEY




- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

SAMPLE MODEL NUMBERS:

- 31N2040MGLW AC
- 31N2430PTLW G13C MH

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>BOOKCASE SET-ON</b> 	Q31N3238BCOW Wood Top	\$ 960	13	31½	38	—	—	85 lbs.	16.9
	31N3238BCOW Wood Top	960	13	31½	38	—	—	85 lbs.	16.9
<ul style="list-style-type: none"><li>• Bookcase shelves hold 100 lbs. of evenly distributed weight</li><li>• Bookcase has an unfinished back</li><li>• Shaded shelves are adjustable</li></ul>									
<b>BOOKCASE</b> 	Q31N3266BCOFW Wood Top	\$ 1387	13	31½	65¾	—	—	111 lbs.	27.2
	31N3266BCOFW Wood Top	1387	13	31½	65¾	—	—	111 lbs.	27.2
<ul style="list-style-type: none"><li>• Bookcase shelves hold 100 lbs. of evenly distributed weight</li><li>• Bookcase has an unfinished back</li><li>• Shaded shelves are adjustable</li></ul>									
<b>BOOKCASE</b> 	31N3253BCOFW Wood Top	\$ 1086	13	31½	53	—	—	92 lbs.	22.4
<ul style="list-style-type: none"><li>• Bookcase shelves hold 100 lbs. of evenly distributed weight</li><li>• Bookcase has an unfinished back</li><li>• Shaded shelves are adjustable</li></ul>									




Specify selections, left to right:

BASE MODEL	GROMMET OPTION	SHEEN (wood tops only)	FINISH
31N2040MGLW	G13C X Black, Center No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle AC

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
PRINTER/TELEPHONE STAND	31N2430PTLW	Laminate/Wood	\$ 1130	23¾	29½	29½	—	—	89 lbs.	18.7	
	MPK-4	Set of 4 Casters	69	For use as a mobile unit					1 lbs.	0.2	
	• Fixed shelf is 12" deep, 27¾" wide and ¾" thick										
	• Open back										
			• Grommet (G13C) available								
MAGAZINE TABLE PANEL LEGS	31N2040MGLW	HPL Top	\$ 711	19¾	39½	16	¼	—	67 lbs.	12.2	
END TABLE PANEL LEGS	31N2424ENLW	HPL Top	\$ 647	23¾	23½	19	¼	—	63 lbs.	11.0	
MAGAZINE TABLE TURNED LEGS	Q31N2040MGPLW	HPL Top	\$ 1030	19¾ <sub>32</sub>	39¾ <sub>32</sub>	17¾ <sub>16</sub>	—	—	42 lbs.	3.0	
	31N2040MGPLW	HPL Top	1030	19¾ <sub>32</sub>	39¾ <sub>32</sub>	17¾ <sub>16</sub>	—	—	42 lbs.	3.0	
	• Some assembly required										
END TABLE TURNED LEGS	Q31N2424ENPLW	HPL Top	\$ 964	23¾ <sub>32</sub>	23¾ <sub>32</sub>	20¾ <sub>16</sub>	—	—	33 lbs.	2.2	
	31N2424ENPLW	HPL Top	964	23¾ <sub>32</sub>	23¾ <sub>32</sub>	20¾ <sub>16</sub>	—	—	33 lbs.	2.2	
	• Some assembly required										


## DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

**SQUARE TABLE TOP**  
**1 $\frac{1}{16}$ " THICK**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE 1 $\frac{1}{16}$ " TOP THICKNESS			D	W	H				
31NN3030SQW	Wood	\$ 932	30	30	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
31NN3030SQLW	Laminate/Wood	932	30	30	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
36" SQUARE									
31NN3636SQW	Wood	\$ 1097	36	36	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
31NN3636SQLW	Laminate/Wood	1097	36	36	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
42" SQUARE									
31NN4242SQW	Wood	\$ 1230	42	42	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
31NN4242SQLW	Laminate/Wood	1230	42	42	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
48" SQUARE									
31NN4848SQW	Wood	\$ 1368	48	48	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
31NN4848SQLW	Laminate/Wood	1368	48	48	1 $\frac{1}{16}$	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 31-36 for applicable bases
- See Tables Price List pages 58-61 for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 57 for options and upcharge

**SQUARE TABLE TOP**  
**1 $\frac{1}{16}$ " THICK**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE 1 $\frac{1}{16}$ " TOP THICKNESS			D	W	H				
31N3030SQW	Wood	\$ 830	30	30	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
31N3030SQLW	Laminate/Wood	830	30	30	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
36" SQUARE									
31N3636SQW	Wood	\$ 977	36	36	1 $\frac{1}{16}$	—	—	42 lbs.	2.4
31N3636SQLW	Laminate/Wood	977	36	36	1 $\frac{1}{16}$	—	—	42 lbs.	2.4
42" SQUARE									
31N4242SQW	Wood	\$ 1111	42	42	1 $\frac{1}{16}$	—	—	58 lbs.	3.2
31N4242SQLW	Laminate/Wood	1111	42	42	1 $\frac{1}{16}$	—	—	58 lbs.	3.2
48" SQUARE									
31N4848SQW	Wood	\$ 1249	48	48	1 $\frac{1}{16}$	—	—	76 lbs.	4.2
31N4848SQLW	Laminate/Wood	1249	48	48	1 $\frac{1}{16}$	—	—	76 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 31-36 for applicable bases
- See Tables Price List pages 58-61 for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 57 for options and upcharge

---

# **BARRINGTON**

## PRODUCT SPECIFICATIONS

### WORKSURFACE

- 1½" bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered rim and base
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces

### FINISH APPLICATION

- Barrington series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

### CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- ¾" thick full modesty panels
- Grain direction runs vertical on all modesty panels
- ¾" thick end panels
- Standard leveling glides
- Units feature semi-finished backs (stained with some exposed hardware) unless noted

### MOLDING AND PULLS


- Solid wood, mitered, overlay moldings on modesty panel and end panels of desks
- Three pull styles available

### DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

### DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



### CORD MANAGEMENT

- Grommets available in predetermined locations
- Optional wire managers are available (see accessory pages)
- Standard in highback organizers

### LOCKING

- Black lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 500
- Highbacks, bookcases and wardrobes use a brass lock (keyed random 1-5) with a non-removable/changeable lock core when the Provincial or Classic pulls are ordered
- Highbacks, bookcases and wardrobes use a black lock (keyed random 1-5) with a non-removable/changeable lock core when Verona pull is ordered

### EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Dictation Slide	13⅞"	24¼"	¾"	N/A
Center Drawers				
3672DP, 3066DP	28½"	17"	2⅞"	N/A
3672LP, 3672RP	28½"	17"	2⅞"	N/A
3066LP, 3066RP	22¾"	17"	2⅞"	N/A
Box Drawer	12⅞"	17"	3⅞"	N/A
File Drawer – Desk	12⅞"	17"	9½"	Letter
File Drawer – Return and Credenza	15⅞"	17"	9½"	Legal
File Drawer – Lateral File	30⅞"	15"	9½"	Letter/Letter, Letter/Legal or Letter/EDP

- Dictation slide extends 17" from desk
- All file drawers file letter, legal and EDP side-to-side


WOOD FINISHES

- CW Cordovan
- DW Judicial
- MH Mocha
- TF Truffle


WORKSURFACE  
SHEEN OPTIONS

- R Standard
- N Matte/Satin


RIM PROFILE




PULLS/KNOBS



**Provincial (80)**  
80AB Antique Brass  
(Boring Pattern 76mm)



**Classic (81)**  
81AB Antique Brass  
(Boring Pattern 76mm)




**Verona (85)**  
85AB Antique Brass  
85CN Classic Nickel  
(Boring Pattern 160mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

- G13C Center



**Round Grommet  
Plastic**

LOCKING

KEY RANDOM

- KRB Black

KEY SPECIFIC

- KS1B Black, 1 lock per unit
- KS2B Black, 2 locks per unit
- KS3B Black, 3 locks per unit
- KS4B Black, 4 locks per unit

Unit list price will be reduced by \$15 per lock when selecting Key Specific option. Must order specific lock cores separately (\$15 list each). See page 500 for Key Specific model numbers.

**QUICK DELIVERY MODELS**

Models starting with a "Q" will have the following options in stock:

- Rim Profile: Traditional
- Pull: Classic 81AB Antique Brass
- Grommets: Included on bridges and returns
- Locking: Random black cores
- Sheen: Standard
- Finish: Cordovan (CW)

## BARRINGTON L ARRANGEMENTS


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:

- Classic, Antique Brass pulls
- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish





### TO ORDER, SPECIFY FINISH:

CW Cordovan    MH Mocha  
DW Judicial    TF Truffle



Classic, Antique Brass pulls

**To You In 10 DAYS ...or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT L-CONFIGURATION WOOD TOP</b> 	Q50N8672LLFW    85¾D x 71¾W	\$ 5307	<b>RIGHT L-CONFIGURATION WOOD TOP</b> 	Q50N8672LRFW    85¾D x 71¾W	\$ 5307
	50N8672LLFW    85¾D x 71¾W	\$ 5307		50N8672LRFW    85¾D x 71¾W	\$ 5307
	consists of			consists of	
	50N3672DRFW1    Right Pedestal Desk	3000		50N3672DLFW1    Left Pedestal Desk	3000
	50N2450RLEFW2    Left Pedestal Return	2307		50N2450RREFW2    Right Pedestal Return	2307
	50N8066LLFW    79¾D x 66W	\$ 5223		50N8066LRFW    79¾D x 66W	\$ 5223
	consists of			consists of	
	50N3066DRFW1    Right Pedestal Desk	2916		50N3066DLFW1    Left Pedestal Desk	2916
	50N2450RLEFW2    Left Pedestal Return	2307		50N2450RREFW2    Right Pedestal Return	2307
<b>LEFT L-CONFIGURATION LAMINATE TOP</b> 	50N8672LLFLW    85¾D x 71¾W	\$ 5307	<b>RIGHT L-CONFIGURATION LAMINATE TOP</b> 	50N8672LRFLW    85¾D x 71¾W	\$ 5307
	consists of			consists of	
	50N3672DRFLW1    Right Pedestal Desk	3000		50N3672DLFLW1    Left Pedestal Desk	3000
	50N2450RLEFLW2    Left Pedestal Return	2307		50N2450RREFLW2    Right Pedestal Return	2307
	50N8066LLFLW    79¾D x 66W	\$ 5223		50N8066LRFLW    79¾D x 66W	\$ 5223
	consists of			consists of	
	50N3066DRFLW1    Right Pedestal Desk	2916		50N3066DLFLW1    Left Pedestal Desk	2916
	50N2450RLEFLW2    Left Pedestal Return	2307		50N2450RREFLW2    Right Pedestal Return	2307

# BARRINGTON U ARRANGEMENTS


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

## ARRANGEMENTS INCLUDE:

- Classic, Antique Brass pulls
- Standard sheen
- Center grommet in bridge
- Random black lock cores
- Must specify finish


## TO ORDER, SPECIFY FINISH:


CW Cordovan MH Mocha  
DW Judicial TF Truffle





Classic, Antique Brass pulls

**To You In 10 DAYS ...or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT U-CONFIGURATION WOOD TOP</b> 	Q50N10772ULFW 106¾D x 71¾W	\$ 6142
	50N10772ULFW 106¾D x 71¾W	\$ 6142
	consists of	
	50N3672DRFW1 Right Pedestal Desk	3000
	50N2450BEFW Bridge	806
	50N2172CLFW2 Left Pedestal Credenza	2336
	Q50N9972ULFW 98¾D x 71¾W	\$ 6100
	50N9972ULFW 98¾D x 71¾W	\$ 6100
	consists of	
	50N3672DRFW1 Right Pedestal Desk	3000
	50N2442BEFW Bridge	764
	50N2172CLFW2 Left Pedestal Credenza	2336
	50N10266ULFW 101¾D x 66W	\$ 5739
	consists of	
	50N3066DRFW1 Right Pedestal Desk	2916
	50N2450BEFW Bridge	806
	50N2166CLFW2 Left Pedestal Credenza	2017
	50N9366ULFW 92¾D x 66W	\$ 5697
	consists of	
	50N3066DRFW1 Right Pedestal Desk	2916
	50N2442BEFW Bridge	764
	50N2166CLFW2 Left Pedestal Credenza	2017

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>RIGHT U-CONFIGURATION WOOD TOP</b> 	Q50N10772URFW 106¾D x 71¾W	\$ 6142
	50N10772URFW 106¾D x 71¾W	\$ 6142
	consists of	
	50N3672DLFW1 Left Pedestal Desk	3000
	50N2450BEFW Bridge	806
	50N2172CRFW2 Right Pedestal Credenza	2336
	Q50N9972URFW 98¾D x 71¾W	\$ 6100
	50N9972URFW 98¾D x 71¾W	\$ 6100
	consists of	
	50N3672DLFW1 Left Pedestal Desk	3000
	50N2442BEFW Bridge	764
	50N2172CRFW2 Right Pedestal Credenza	2336
	50N10266URFW 101¾D x 66W	\$ 5739
	consists of	
	50N3066DLFW1 Left Pedestal Desk	2916
	50N2450BEFW Bridge	806
	50N2166CRFW2 Right Pedestal Credenza	2017
	50N9366URFW 92¾D x 66W	\$ 5697
	consists of	
	50N3066DLFW1 Left Pedestal Desk	2916
	50N2442BEFW Bridge	764
	50N2166CRFW2 Right Pedestal Credenza	2017

<b>LEFT U-CONFIGURATION LAMINATE TOP</b> 	50N10772ULFLW 106¾D x 71¾W	\$ 6142
	consists of	
	50N3672DRFLW1 Right Pedestal Desk	3000
	50N2450BEFLW Bridge	806
	50N2172CLFLW2 Left Pedestal Credenza	2336
	50N9972ULFLW 98¾D x 71¾W	\$ 6100
	consists of	
	50N3672DRFLW1 Right Pedestal Desk	3000
	50N2442BEFLW Bridge	764
	50N2172CLFLW2 Left Pedestal Credenza	2336
	50N10266ULFLW 101¾D x 66W	\$ 5739
	consists of	
	50N3066DRFLW1 Right Pedestal Desk	2916
	50N2450BEFLW Bridge	806
	50N2166CLFLW2 Left Pedestal Credenza	2017
	50N9366ULFLW 92¾D x 66W	\$ 5697
	consists of	
	50N3066DRFLW1 Right Pedestal Desk	2916
	50N2442BEFLW Bridge	764
	50N2166CLFLW2 Left Pedestal Credenza	2017

<b>RIGHT U-CONFIGURATION LAMINATE TOP</b> 	50N10772URFLW 106¾D x 71¾W	\$ 6142
	consists of	
	50N3672DLFLW1 Left Pedestal Desk	3000
	50N2450BEFLW Bridge	806
	50N2172CRFLW2 Right Pedestal Credenza	2336
	50N9972URFLW 98¾D x 71¾W	\$ 6100
	consists of	
	50N3672DLFLW1 Left Pedestal Desk	3000
	50N2442BEFLW Bridge	764
	50N2172CRFLW2 Right Pedestal Credenza	2336
	50N10266URFLW 101¾D x 66W	\$ 5739
	consists of	
	50N3066DLFLW1 Left Pedestal Desk	2916
	50N2450BEFLW Bridge	806
	50N2166CRFLW2 Right Pedestal Credenza	2017
	50N9366URFLW 92¾D x 66W	\$ 5697
	consists of	
	50N3066DLFLW1 Left Pedestal Desk	2916
	50N2442BEFLW Bridge	764
	50N2166CRFLW2 Right Pedestal Credenza	2017

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

50N3672DDFW8	80AB	KRB	N	MH	
50N2450RLEFW2	81AB	X	KRB	R	MH

To You In  
**10**  
DAYS  
...or Less


Shaded model numbers are available on our  
"To You in 10 Days or Less" Quick Delivery  
program and will be delivered within 10 days.

## DOUBLE PEDESTAL DESK




MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW					
Q50N3672DDFW8	Wood Top	\$ 3524	35¾	71¾	29½	7¾	32¾	362 lbs.	57.4
50N3672DDFW8	Wood Top	3524	35¾	71¾	29½	7¾	32¾	362 lbs.	57.4
50N3672DDFLW8	HPL Top	3524	35¾	71¾	29½	7¾	32¾	362 lbs.	57.4
50N3066DDFW8	Wood Top	\$ 3284	29¾	66	29½	1¾	25¾	285 lbs.	45.3
50N3066DDFLW8	HPL Top	3284	29¾	66	29½	1¾	25¾	285 lbs.	45.3
<ul style="list-style-type: none"> <li>• Desk chassis measures 62¾"</li> <li>• The user side overhang is 1"</li> <li>• Comes with center drawer and dictation slide</li> <li>• Random lock core (KRB) and specified lock core (KS3B) available</li> </ul>									

## CHIPPENDALE TABLE DESK



50N3672DTW	Wood Top	\$ 2158	35¾	71¾	29½	—	—	129 lbs.	10.7
50N3672DTLW	HPL Top	2158	35¾	71¾	29½	—	—	129 lbs.	10.7
<ul style="list-style-type: none"> <li>• Comes with center drawer</li> <li>• Some assembly required</li> </ul>									

## QUEEN ANNE TABLE DESK



50N3672DTQW	Wood Top	\$ 2883	35¾	71¾	29½	—	—	130 lbs.	10.7
50N3672DTQLW	HPL Top	2883	35¾	71¾	29½	—	—	129 lbs.	10.7
<ul style="list-style-type: none"> <li>• Comes with center drawer</li> <li>• Some assembly required</li> </ul>									

## SINGLE PEDESTAL DESK



Left shown

LEFT PEDESTAL				RIGHT PEDESTAL							
Q50N3672DLFW1	Q50N3672DRFW1	Wood Top	\$ 3000	35¾	71¾	29½	7¾	31¾	311 lbs.	57.4	
50N3672DLFW1	50N3672DRFW1	Wood Top	3000	35¾	71¾	29½	7¾	31¾	311 lbs.	57.4	
50N3672DLFLW1	50N3672DRFLW1	HPL Top	3000	35¾	71¾	29½	7¾	31¾	311 lbs.	57.4	
50N3066DLFW1	50N3066DRFW1	Wood Top	\$ 2916	29¾	66	29½	1¾	25¾	245 lbs.	45.3	
50N3066DLFLW1	50N3066DRFLW1	HPL Top	2916	29¾	66	29½	1¾	25¾	245 lbs.	45.3	
<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Comes with center drawer and dictation slide</li><li>• Random lock core (KRB) and specified lock core (KS2B) available</li></ul>											




Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	G13C Black, Center X No Grommet	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black KS3B Key Specific, Black	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle
50N3672DDFW8	80AB		KRB	N	MH


## RECEPTION DESK/RETURN



Left shown



Right shown



## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW

CARTONED  
WEIGHT CUBIC  
FEET

## RECEPTION DESK

## LEFT PEDESTAL

## RIGHT PEDESTAL

50N3072DTLFW1	50N3072DTRFW1	Wood Top	\$ 4193	30 $\frac{3}{4}$	71 $\frac{3}{4}$	43 $\frac{3}{4}$	—	—	530 lbs.	69.9
50N3072DTLFLW1	50N3072DTRFLW1	HPL Top	4193	30 $\frac{3}{4}$	71 $\frac{3}{4}$	43 $\frac{3}{4}$	—	—	530 lbs.	69.9

- Must be used with reception return
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

## RECEPTION RETURN

## LEFT

## RIGHT

50N2451RTLW2	50N2451RTRW2	Wood Top	\$ 2673	23 $\frac{3}{4}$	50 $\frac{3}{4}$	42	—	—	300 lbs.	43.1
50N2451RTLLW2	50N2451RTRLW2	HPL Top	2673	23 $\frac{3}{4}$	50 $\frac{3}{4}$	42	—	—	300 lbs.	43.1

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

## RETURN



Left shown


## LEFT PEDESTAL

## RIGHT PEDESTAL

Q50N2450RLEFW2	Q50N2450RREFW2	Wood Top	\$ 2307	23 $\frac{3}{4}$	50	29 $\frac{1}{2}$	—	30 $\frac{3}{4}$	159 lbs.	29.7
50N2450RLEFW2	50N2450RREFW2	Wood Top	2307	23 $\frac{3}{4}$	50	29 $\frac{1}{2}$	—	30 $\frac{3}{4}$	159 lbs.	29.7
50N2450RLEFLW2	50N2450RREFLW2	HPL Top	2307	23 $\frac{3}{4}$	50	29 $\frac{1}{2}$	—	30 $\frac{3}{4}$	159 lbs.	29.7

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

## CORNER UNIT



50N3636CFSW	Wood Top	\$ 2013	36	36	29 $\frac{1}{2}$	—	—	104 lbs.	5.2
50N3636CFSW	HPL Top	2013	36	36	29 $\frac{1}{2}$	—	—	104 lbs.	5.2

- Not recommended as a freestanding unit due to routing in the rim
- Unit should be attached to bridge and return
- Some assembly required
- Grain direction runs diagonal on worksurface
- Grommet (G13C) available

# BARRINGTON

## PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


## SAMPLE MODEL NUMBERS:

50N2172CBW	80AB	KRB	N	MH
50N2172CBLW	80AB	KRB	MH	
50N2450BEFW	X	N	MH	
50N2172CLFW6	81AB	KRB	N	DW

To You In  
**10**  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### BRIDGE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
Q50N2450BEFW	Wood Top	\$ 806	23¾	50	29½	—	50	78 lbs.	3.0
50N2450BEFW	Wood Top	806	23¾	50	29½	—	50	78 lbs.	3.0
50N2450BEFLW	HPL Top	806	23¾	50	29½	—	50	72 lbs.	3.0
Q50N2442BEFW	Wood Top	\$ 764	23¾	42	29½	—	42	71 lbs.	2.6
50N2442BEFW	Wood Top	764	23¾	42	29½	—	42	71 lbs.	2.6
50N2442BEFLW	HPL Top	764	23¾	42	29½	—	42	65 lbs.	2.6

- Some assembly required
- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available


### STORAGE CREDENZA



Q50N2172CSFW2	Wood Top	\$ 3352	21	71¾	29½	—	—	340 lbs.	36.4
50N2172CSFW2	Wood Top	3352	21	71¾	29½	—	—	340 lbs.	36.4
50N2172CSFLW2	HPL Top	3352	21	71¾	29½	—	—	340 lbs.	36.4

- Storage credenza features an adjustable laminate shelf which measures 12" deep, 32¾" wide and 1" thick
- Random lock core (KRB) and specified lock core (KS2B) available

### STORAGE CREDENZA GANGING



50N2169CSFW2C	Wood Top	\$ 3352	21	69½	29½	—	—	269 lbs.	30.7
50N2169CSFLW2C	HPL Top	3352	21	69½	29½	—	—	269 lbs.	30.7

- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals
- Storage credenza features an adjustable laminate shelf which measures 12" deep, 32¾" wide and 1" thick
- Random lock core (KRB) and specified lock core (KS2B) available

### BUFFET CREDENZA



50N2172CBW	Wood	\$ 3884	21	71¾	34½	—	—	379 lbs.	42.9
50N2172CBLW	Laminate/Wood	3884	21	71¾	34½	—	—	379 lbs.	42.9

- Center storage section features an adjustable shelf
- Inside dimension of center storage section is 18½" deep x 32¾" wide x 30¼" high
- Locking featured on doors only
- Unfinished back panel
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS1B) available

### ENTERTAINMENT CREDENZA




50N2172CBVW	Wood	\$ 3884	21	71¾	34½	—	—	379 lbs.	42.9
50N2172CBVLW	Laminate/Wood	3884	21	71¾	34½	—	—	379 lbs.	42.9

- Center storage section features an adjustable shelf
- Inside dimension of center storage section is 18½" deep x 32¾" wide x 30¼" high
- Locking featured on doors only
- Cutouts in back panel for venting
- Unfinished back panel
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

Specify selections, left to right:


BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
50N2172CBW	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	G13C Black, Center X No Grommet	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black KS4B Key Specific, Black	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle
	80AB		KRB	N	MH

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>LATERAL FILE CREDENZA</b>	50N2172CFFW Wood Top	\$ 3352	21	71¾	29½	—	—	333 lbs.	36.4
	50N2172CFFLW HPL Top	3352	21	71¾	29½	—	—	333 lbs.	36.4




- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB) and specified lock core (KS4B) available

<b>KNEESPACE CREDENZA</b>	Q50N2172CKFW2 Wood Top	\$ 3241	21	71¾	29½	—	33%	234 lbs.	36.4
	50N2172CKFW2 Wood Top	3241	21	71¾	29½	—	33%	234 lbs.	36.4
	50N2172CKFLW2 HPL Top	3241	21	71¾	29½	—	33%	234 lbs.	36.4
	50N2166CKFW2 Wood Top	\$ 3016	21	65¾	29½	—	27%	175 lbs.	33.6
	50N2166CKFLW2 HPL Top	3016	21	65¾	29½	—	27%	175 lbs.	33.6




- Kneespace credenza features standard wire management centered in the modesty panel and 1¾" down from the top
- Random lock core (KRB) and specified lock core (KS2B) available

<b>KNEESPACE CREDENZA GANGING</b>	50N2169CKFW2C Wood Top	\$ 3241	21	69½	29½	—	33%	221 lbs.	30.7
	50N2169CKFLW2C HPL Top	3241	21	69½	29½	—	33%	221 lbs.	30.7
	50N2163CKFW2C Wood Top	\$ 3016	21	63½	29½	—	27%	175 lbs.	33.1
	50N2163CKFLW2C HPL Top	3016	21	63½	29½	—	27%	175 lbs.	33.1



- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals
- Kneespace credenza features standard wire management centered in the modesty panel and 1¾" down from the top
- Random lock core (KRB) and specified lock core (KS2B) available

<b>SINGLE PEDESTAL CREDENZA LATERAL FILE</b>	<b>LEFT PEDESTAL</b>	<b>RIGHT PEDESTAL</b>									
	50N2172CLFW6	50N2172CRFW6	Wood Top	\$ 2454	21	71¾	29½	—	10%	234 lbs.	36.4
	50N2172CLFLW6	50N2172CRFLW6	HPL Top	2454	21	71¾	29½	—	10%	234 lbs.	36.4




Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB) and specified lock core (KS2B) available

SINGLE PEDESTAL CREDENZA

FILE/FILE

LEFT PEDESTAL		RIGHT PEDESTAL									
Q50N2172CLFW2	Q50N2172CRFW2	Wood Top	\$ 2336	21	71¾	29½	—	28%	195 lbs.	36.4	
50N2172CLFW2	50N2172CRFW2	Wood Top	2336	21	71¾	29½	—	28%	195 lbs.	36.4	
50N2172CLFLW2	50N2172CRFLW2	HPL Top	2336	21	71¾	29½	—	28%	195 lbs.	36.4	
50N2166CLFW2	50N2166CRFW2	Wood Top	\$ 2017	21	65¾	29½	—	22%	155 lbs.	33.6	
50N2166CLFLW2	50N2166CRFLW2	HPL Top	2017	21	65¾	29½	—	22%	155 lbs.	33.6	



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Random lock core (KRB) and specified lock core (KS1B) available

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


## SAMPLE MODEL NUMBERS:

50N7236HBHW	80AB	MH
50N7129S0HMH	81AB	CW

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

## HIGHBACK ORGANIZER



## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW


CARTONED  
WEIGHTCUBIC  
FEET

## 36" HIGH

Q50N7236HBHW		\$ 2371	14¾	71¾	36	—	—	177 lbs.	36.2
50N7236HBHW		2371	14¾	71¾	36	—	—	177 lbs.	36.2
50N6636HBHW		2250	14¾	66	36	—	—	156 lbs.	29.6

- Highback organizer features (4) side hinged doors, full back panel with cord management
- Tack boards are available in accessories; see matrix on page 521
- For tack board models, see pages 520-525
- Random lock core is factory installed



## HIGHBACK ORGANIZER



## 49" HIGH

50N7149HBHRW	Grille Doors	\$ 4329	16	71¾	49¾	—	—	246 lbs.	49.0
50N7149HBHGW	Glass Doors	4329	16	71¾	49¾	—	—	246 lbs.	49.0
50N7149HBHW	Wood Doors	4329	16	71¾	49¾	—	—	246 lbs.	49.0
50N6649HBHRW	Grille Doors	\$ 4208	16	66	49¾	—	—	213 lbs.	42.0
50N6649HBHGW	Glass Doors	4208	16	66	49¾	—	—	213 lbs.	42.0
50N6649HBHW	Wood Doors	4208	16	66	49¾	—	—	213 lbs.	42.0


- Highback organizer features (4) side hinged doors, full back panel with cord management
- Tack boards are available in accessories; see matrix on page 521
- Unit features a veneer shelf inside each door
- Grille, glass and wood doors have a framed feature
- For tack board models, see pages 520-525
- Random lock core is factory installed



Specify selections, left to right:

BASE MODEL	PULL OPTION	SHEEN (wood tops only)	FINISH
	80AB Provincial, Antique Brass	R Standard	CW Cordovan
	81AB Classic, Antique Brass	N Matte/Satin	DW Judicial
	85AB Verona, Antique Brass		MH Mocha
	85CN Verona, Classic Nickel		TF Truffle
50N7236HBHW	80AB		IMH

### OVERHEAD CABINET WALL MOUNT






#### MODEL NO./DESCRIPTION

##### 18" HIGH

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q50N7218SOHMMW	Wood Door	\$ 2746	14¾	71¾	18	—	—	150 lbs.	25.1
50N7218SOHMMW	Wood Door	2746	14¾	71¾	18	—	—	150 lbs.	25.1
50N6618SOHMMW	Wood Door	2567	14¾	66	18	—	—	117 lbs.	16.2

- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Wall mount bracket is included with unit
- For tack board models, see pages 520-525
- Random lock core is factory installed
- Unit has an unfinished back

### OVERHEAD CABINET WALL MOUNT



##### 29" HIGH

50N7129SOHMMW	Wood Door	\$ 4110	16	71¾	29	—	—	182 lbs.	29.0
50N7129SOHMRW	Grille Door	4110	16	71¾	29	—	—	182 lbs.	29.0
50N7129SOHMGW	Glass Door	4110	16	71¾	29	—	—	182 lbs.	29.0
50N6629SOHMMW	Wood Door	\$ 3988	16	66	29	—	—	172 lbs.	27.0
50N6629SOHMRW	Grille Door	3988	16	66	29	—	—	172 lbs.	27.0
50N6629SOHMGW	Glass Door	3988	16	66	29	—	—	172 lbs.	27.0

- Unit features a veneer shelf inside each door
- Grille, glass and wood doors have a framed feature
- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Wall mount bracket is included with unit
- For tack board models, see pages 520-525
- Random lock core is factory installed
- Unit has an unfinished back

# BARRINGTON

## PRODUCT SPECIFICATION

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

50N2137LFF2W	81AB	KRB	R	CW
50N1974VSWHLW	81AB	MH		

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### LATERAL FILE TWO DRAWER



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H						
Q50N2137LFF2W Wood Top	\$ 1918	21	37¼	29½	—	—			158 lbs.	15.6
50N2137LFF2W Wood Top	1918	21	37¼	29½	—	—			158 lbs.	15.6
50N2137LFF2LW HPL Top	1918	21	37¼	29½	—	—			123 lbs.	15.6

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available

### LATERAL FILE THREE DRAWER



50N2137LFF3W Wood Top	\$ 2567	21½	37¼	43¼	—	—			190 lbs.	24.0
50N2137LFF3LW HPL Top	2567	21½	37¼	43¼	—	—			190 lbs.	24.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS1B) available


### LATERAL FILE FOUR DRAWER



50N2137LFF4W Wood Top	\$ 3216	21	37¼	55½	—	—			236 lbs.	29.4
-----------------------	---------	----	-----	-----	---	---	--	--	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS1B) available

### WARDROBE



50N3778VHHW Wood Doors	\$ 2899	23½	37	78	—	—			250 lbs.	48.6
------------------------	---------	-----	----	----	---	---	--	--	----------	------

- Wardrobe has unfinished back
- Removable coat rod is standard; positioned on left side of wardrobe
- Features three adjustable shelves and one fixed
- Random lock core is factory installed

### WARDROBE GANGING







50N3778VHHWC Wood Doors	\$ 2899	23½	37	78	—	—			250 lbs.	48.6
-------------------------	---------	-----	----	----	---	---	--	--	----------	------

- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals
- Wardrobe has unfinished back
- Removable coat rod is standard; positioned on left side of wardrobe
- Base molding on three sides of unit to allow for ganging
- Features three adjustable shelves and one fixed
- Random lock core is factory installed
- Ganging wardrobe can only be ganged with ganging bookcase listed on page 75

Specify selections, left to right:

BASE MODEL	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
50N2137LFF2W	80AB Provincial, Antique Brass 81AB <b>Classic, Antique Brass</b> 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black  KRB	R <b>Standard</b> N Matte/Satin  R	CW <b>Cordovan</b> DW Judicial MH Mocha TF Truffle  CW

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
	WARDROBE/STORAGE CABINET		LEFT HINGED	RIGHT HINGED								
	50N1974VSWHLW	50N1974VSWHRW	Wood Doors	\$ 2391	21	19½	74	—	—	160 lbs.	26.7	
	<ul style="list-style-type: none"><li>• Wardrobe has unfinished back</li><li>• Removable coat rod is standard</li><li>• Features three adjustable shelves and one fixed</li><li>• Random lock core is factory installed</li></ul>											
Left shown												
	WARDROBE/STORAGE CABINET GANGING		LEFT HINGED	RIGHT HINGED								
	50N1974VSWHLWC	50N1974VSWHRWC	Wood Doors	\$ 2391	21	18¾	74	—	—	160 lbs.	26.7	
	<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals</li><li>• Wardrobe has unfinished back</li><li>• Removable coat rod is standard</li><li>• Features three adjustable shelves and one fixed</li><li>• Base molding on two sides of unit to allow for ganging</li><li>• Random lock core is factory installed</li><li>• Ganging wardrobe/storage cabinet can only be used with ganging credenzas on pages 70-71, 49" highback organizers on page 72, and 29" overhead cabinets on page 73</li></ul>											
Left shown												
	BOOKCASE GANGING		LEFT GANGING	RIGHT GANGING								
	50N1974BCOLWC	50N1974BCORWC		\$ 1604	14½	18¾	74	—	—	150 lbs.	26.7	
	<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals</li><li>• Shaded shelves are adjustable</li><li>• Base molding on two sides of unit to allow for ganging</li><li>• Bookcase has an unfinished back</li></ul>											
Left shown												
	BOOKCASE		Q50N3436BCOW	Bookcase	\$ 1196	12¼	33½	35¾	—	—	76 lbs.	17.2
			50N3436BCOW	Bookcase	1196	12¼	33½	35¾	—	—	76 lbs.	17.2
			Q50N1436CPCFW	Cornice Frame	269	14¾	35¾	1½	—	—	18 lbs.	0.6
			50N1436CPCFW	Cornice Frame	269	14¾	35¾	1½	—	—	18 lbs.	0.6
			Q50N1435CPBW	Base	213	13¾	34¾	3¼	—	—	18 lbs.	1.6
			50N1435CPBW	Base	213	13¾	34¾	3¼	—	—	18 lbs.	1.6
	<ul style="list-style-type: none"><li>• Bookcase components are shipped separately</li><li>• Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight</li><li>• Shaded shelves are adjustable</li><li>• For set-on surface use, only the bookcase and the cornice frame need to be ordered</li></ul>											

# BARRINGTON

## PRODUCT SPECIFICATION

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

## DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width


## SAMPLE MODEL NUMBER:

50N3452BCHGW 80AB CW

To You In  
**10** DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

## BOOKCASE



### MODEL NO./DESCRIPTION

LIST  
PRICE

### DIMENSIONS

D

W

H

A

KW

CARTONED  
WEIGHT

CUBIC  
FEET

### DOUBLE BOOKCASE

\$ 3388

14½

69¼

56½

—

—

243 lbs.

39.4

Q50N3452BCOFW

Bookcase (each—order 2)

1267

12¼

33½

51¾

—

—

92 lbs.

17.6

50N3452BCOFW

Bookcase (each—order 2)

1267

12¼

33½

51¾

—

—

92 lbs.

17.6

50N1469CPCFW

Cornice Frame

536

14½

69¼

1¾

—

—

30 lbs.

1.2

50N1468CPBW

Base

318

13¾

68¼

3¼

—

—

29 lbs.

3.0

- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable

### SINGLE BOOKCASE

\$ 1749

14½

35¾

56½

—

—

128 lbs.

19.8

Q50N3452BCOFW

Bookcase

1267

12¼

33½

51¾

—

—

92 lbs.

17.6

50N3452BCOFW

Bookcase

1267

12¼

33½

51¾

—

—

92 lbs.

17.6

Q50N1436CPCFW

Cornice Frame

269

14½

35¾

1¾

—

—

18 lbs.

0.6

50N1436CPCFW

Cornice Frame

269

14½

35¾

1¾

—

—

18 lbs.

0.6

Q50N1435CPBW

Base

213

13¾

34¾

3¼

—

—

18 lbs.

1.6

50N1435CPBW

Base

213

13¾

34¾

3¼


—

—

18 lbs.

1.6

- Bookcase components are shipped separately
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable






Specify selections, left to right:

BASE MODEL	PULL OPTION	SHEEN (wood tops only)	FINISH
50N3452BCHGW	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel 80AB	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle CW

## BOOKCASE WITH GLASS DOORS



## MODEL NO./DESCRIPTION

LIST  
PRICE

## DIMENSIONS

D

W

H

A

KW

CARTONED  
WEIGHTCUBIC  
FEET

## DOUBLE BOOKCASE

\$ 4686

14½

69¼

56½

—

—

361 lbs.

39.4

50N3452BCHGW Bookcase (each—order 2)

1916

12¼

33½

51¾

—

—

151 lbs.

17.6

50N1469CPCFW Cornice Frame

536

14½

69¼

1¾

—

—

30 lbs.

1.2

50N1468CPBW Base

318

13¾

68¼

3¼

—

—

29 lbs.

3.0

- Must order (2) bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed

## SINGLE BOOKCASE

\$ 2398

14½

35¾

56½

—

—

187 lbs.

19.8

50N3452BCHGW Bookcase

1916

12¼

33½

51¾

—

—

151 lbs.

17.6

Q50N1436CPCFW Cornice Frame

269

14½

35¾

1¾

—

—

18 lbs.

0.6

50N1436CPCFW Cornice Frame

269

14½

35¾

1¾

—

—

18 lbs.

0.6

Q50N1435CPBW Base

213

13¾

34¼

3¼

—

—

18 lbs.

1.6

50N1435CPBW Base

213

13¾

34¼

3¼


—

—

18 lbs.

1.6

- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed



## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


## SAMPLE MODEL NUMBERS:

50N2430PTW	X	N	TF
50N2424ENW	N	MH	
50N2040MGQW	N	MH	

To You In  
**10**  
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
MODEL NO./DESCRIPTION			D	W	H	A	KW			
	BOOKCASE WITH GRILLE DOORS	DOUBLE BOOKCASE	\$ 4854	14%	69%	56½	—	—	361 lbs.	39.4
	50N3452BCHRW	Bookcase (each—order 2)	2000	12¼	33½	51¼	—	—	151 lbs.	17.6
	50N1469CPCFW	Cornice Frame	536	14½	69¼	1½	—	—	30 lbs.	1.2
	50N1468CPBW	Base	318	13¾	68¼	3¼	—	—	29 lbs.	3.0




- Must order (2) bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed

SINGLE BOOKCASE			\$ 2482	14%	35%	56½	—	—	187 lbs.	19.8
50N3452BCHRW	Bookcase	2000		12%	33½	51%	—	—	151 lbs.	17.6
Q50N1436CPCFW	Cornice Frame	269		14%	35%	1%	—	—	18 lbs.	0.6
50N1436CPCFW	Cornice Frame	269		14%	35%	1%	—	—	18 lbs.	0.6
Q50N1435CPBW	Base	213		13%	34%	3%	—	—	18 lbs.	1.6
50N1435CPBW	Base	213		13%	34%	3%	—	—	18 lbs.	1.6



- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed

<b>PRINTER/TELEPHONE STAND</b>	50N2430PTW	Wood	\$ 1464	23¾	29¾	30	—	—	81 lbs.	18.7
	50N2430PTLW	Laminate/Wood	1464	23¾	29¾	30	—	—	81 lbs.	12.3
	MPK-4	Set of 4 casters	69	For use as a mobile unit					1 lbs.	0.2



- Fixed shelf is 12" deep, 26½" wide and ¾" thick
- Height from top of shelf to bottom of top is 18¾"
- Open back
- Picture frame molding on sides
- Grommet (G13C) available







<b>TELEPHONE STAND</b>	50N2421PTHW	Wood	\$ 1374	23¾	20¾	29½	—	—	115 lbs.	13.9
	50N2421PTHLW	Laminate/Wood	1374	23¾	20¾	29½	—	—	115 lbs.	16.0



- Left-hinged door on unit
- Grommet option not available

Specify selections, left to right:

BASE MODEL	PULL OPTION	Grommet Option	SHEEN (wood tops only)	FINISH
50N2430PTW	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	G13C Black, Center X No Grommet	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>MAGAZINE TABLE</b> 	Q50N2040MGW Wood Top	\$ 993	19½	39½	18½	—	—	42 lbs.	3.0
	50N2040MGW Wood Top	993	19½	39½	18½	—	—	42 lbs.	3.0
	50N2040MGLW HPL Top	862	19½	39½	18½	—	—	46 lbs.	3.0
	<ul style="list-style-type: none"> <li>Some assembly required</li> <li>HPL top tables have veneer legs/bases</li> </ul>								
<b>END TABLE</b> 	Q50N2424ENW Wood Top	\$ 874	23½	23½	22½	—	—	38 lbs.	2.8
	50N2424ENW Wood Top	874	23½	23½	22½	—	—	38 lbs.	2.8
	50N2424ENLW HPL Top	767	23½	23½	22½	—	—	38 lbs.	2.8
	<ul style="list-style-type: none"> <li>Some assembly required</li> <li>HPL top tables have veneer legs/bases</li> </ul>								
<b>QUEEN ANNE MAGAZINE TABLE</b> 	50N2040MGQW Wood Top	\$ 1370	19½	39½	18½	—	—	36 lbs.	3.0
	<ul style="list-style-type: none"> <li>Some assembly required</li> </ul>								
<b>QUEEN ANNE END TABLE</b> 	50N2424ENQW Wood Top	\$ 1289	23½	23½	22½	—	—	32 lbs.	3.3
	<ul style="list-style-type: none"> <li>Some assembly required</li> </ul>								
<b>TRADITIONAL VISUAL BOARD</b> 	50N4240VBW	\$ 2370	5	41½	39½	—	—	72 lbs.	7.4
	<ul style="list-style-type: none"> <li>Tackable black fabric covers inside panels</li> <li>A set of 4 dry erase markers and an eraser are standard</li> <li>Frame of visual board is black</li> <li>Grommet option not available</li> </ul>								
<b>KEYBOARD DRAWER</b> 	Q50N1531KDFW	\$ 267	15	30½	4½	—	—	11 lbs.	1.1
	50N1531KDFW	267	15	30½	4½	—	—	11 lbs.	1.1
<ul style="list-style-type: none"> <li>Keyboard drawer features flip-down front for easy access to keyboard</li> </ul>									

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter


## SAMPLE MODEL NUMBERS:

50N3452BCOFW	MH
50N1931BEXW	N MH

To You In  
**10**  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	<b>30" ROUND</b>			<b>DI</b>		<b>H</b>				
	<b>1 1/4" TOP THICKNESS</b>									
	50NN30RDW	Wood	\$ 1228	30	—	1 1/4	—	—	33 lbs.	2.0
	50NN30RDLW	Laminate/Wood	1228	36	—	1 1/4	—	—	33 lbs.	2.0
	<b>36" ROUND</b>									
	50NN36RDW	Wood	\$ 1446	36	—	1 1/4	—	—	45 lbs.	2.4
	50NN36RDLW	Laminate/Wood	1446	36	—	1 1/4	—	—	45 lbs.	2.4
	<b>42" ROUND</b>									
	50NN42RDW	Wood	\$ 1580	42	—	1 1/4	—	—	61 lbs.	3.2
	50NN42RDLW	Laminate/Wood	1580	42	—	1 1/4	—	—	61 lbs.	3.2
	<b>48" ROUND</b>									
	50NN48RDW	Wood	\$ 1954	48	—	1 1/4	—	—	79 lbs.	4.2
	50NN48RDLW	Laminate/Wood	1954	48	—	1 1/4	—	—	79 lbs.	4.2
	<ul style="list-style-type: none"> <li>• Reference Table Base Guide in the Tables Price List on pages 31-36 for applicable bases</li> <li>• See Tables Price List pages 64-69 for coordinating conference table tops</li> <li>• Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 63 for options and upcharge</li> </ul>									

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	<b>30" SQUARE</b>									
	<b>1 1/4" TOP THICKNESS</b>									
	50NN3030SQW	Wood	\$ 1228	30	30	1 1/4	—	—	33 lbs.	2.0
	50NN3030SQLW	Laminate/Wood	1228	30	30	1 1/4	—	—	33 lbs.	2.0
	<b>36" SQUARE</b>									
	50NN3636SQW	Wood	\$ 1446	36	36	1 1/4	—	—	45 lbs.	2.4
	50NN3636SQLW	Laminate/Wood	1446	36	36	1 1/4	—	—	45 lbs.	2.4
	<b>42" SQUARE</b>									
	50NN4242SQW	Wood	\$ 1580	42	42	1 1/4	—	—	61 lbs.	3.2
	50NN4242SQLW	Laminate/Wood	1580	42	42	1 1/4	—	—	61 lbs.	3.2
	<b>48" SQUARE</b>									
	50NN4848SQW	Wood	\$ 1954	48	48	1 1/4	—	—	79 lbs.	4.2
	50NN4848SQLW	Laminate/Wood	1954	48	48	1 1/4	—	—	79 lbs.	4.2
	<ul style="list-style-type: none"> <li>• Reference Table Base Guide in the Tables Price List on pages 31-36 for applicable bases</li> <li>• See Tables Price List pages 64-69 for coordinating conference table tops</li> <li>• Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 63 for options and upcharge</li> </ul>									

Specify selections, left to right:

BASE MODEL	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
50N3452BCOFW	80AB Provincial, Antique Brass <b>81AB Classic, Antique Brass</b> 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	KRB Key Random, Black KS2B Key Specific, Black	<b>R Standard</b> N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle <b>MH</b>

## WALL UNIT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
WALL UNIT—WOOD TOP		\$ 8373	D	W	H	A	KW			
Q50N3452BCOFW	Bookcase (each-order 2)	1267	12¼	33½	51¾	32½	—		92 lbs.	17.6
50N3452BCOFW	Bookcase (each-order 2)	1267	12¼	33½	51¾	32½	—		92 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	1918	21	37¼	29½	32½	—		158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	1918	21	37¼	29½	32½	—		158 lbs.	15.6
50N14102CPCFW	Cornice Frame	754	14¾	101½	1¾	32½	—		45 lbs.	1.7
50N1931BEXW	Bridge	471	18¾	30½	1¾	32½	—		21 lbs.	1.1
50N3225SOOW	Open storage unit	778	12¼	32¼	24¾	32½	—		56 lbs.	9.5
WALL UNIT—HPL TOP		\$ 8373	21	101½	82¾	32½	—		552 lbs.	78.7
Q50N3452BCOFW	Bookcase (each-order 2)	1267	12¼	33½	51¾	32½	—		92 lbs.	17.6
50N3452BCOFW	Bookcase (each-order 2)	1267	12¼	33½	51¾	32½	—		92 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	1918	21	37¼	29½	32½	—		123 lbs.	15.6
50N14102CPCFW	Cornice Frame	754	14¾	101½	1¾	32½	—		45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	471	18¾	30½	1¾	32½	—		21 lbs.	1.1
50N3225SOOW	Open storage unit	778	12¼	32¼	24¾	32½	—		56 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width

## SAMPLE MODEL NUMBER:

50N1931BEXW N MH

To You In  
**10**  
 DAYS  
*...or Less*

Shaded model numbers are available on our  
 "To You in 10 Days or Less" Quick Delivery  
 program and will be delivered within 10 days.

## WALL UNIT WITH GLASS DOORS




MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>WALL UNIT—WOOD TOP</b>		<b>\$ 8893</b>	21	101½	82¾	32¾	—	612 lbs.	69.2
50N3452BCHGW	Bookcase (each-order 2)	1916	12¼	33½	51¾	32¾	—	115 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	1918	21	37¼	29½	32¾	—	158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	1918	21	37¼	29½	32¾	—	158 lbs.	15.6
50N14102CPCFW	Cornice Frame	754	14½	101½	1¾	32¾	—	45 lbs.	1.7
50N1931BEXW	Bridge	471	18¾	30½	1¾	32¾	—	21 lbs.	1.1
<b>WALL UNIT—HPL TOP</b>		<b>\$ 8893</b>	21	101½	82¾	32¾	—	614 lbs.	69.2
50N3452BCHGW	Bookcase (each-order 2)	1916	12¼	33½	51¾	32¾	—	151 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	1918	21	37¼	29½	32¾	—	123 lbs.	15.6
50N14102CPCFW	Cornice Frame	754	14½	101½	1¾	32¾	—	45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	471	18¾	30½	1¾	32¾	—	21 lbs.	1.1

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock core factory installed on bookcases

Specify selections, left to right:

BASE MODEL	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
50N1931BEXW	80AB Provincial, Antique Brass <b>81AB Classic, Antique Brass</b> 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	KRB Key Random, Black KS2B Key Specific, Black	<b>R Standard</b> N Matte/Satin	<b>CW Cordovan</b> DW Judicial MH Mocha TF Truffle <b>MH</b>

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A			
	<b>WALL UNIT—WOOD TOP</b>	<b>\$ 9061</b>	21	101½	82¾	32½	—	684 lbs.	69.2
	50N3452BCHRW Bookcase (each-order 2)	2000	12¼	33½	51¾	32½	—	151 lbs.	17.6
	Q50N2137LFF2W Lat. File/Wood (each-order 2)	1918	18¾	37¼	1¾	32½	—	158 lbs.	15.6
	50N2137LFF2W Lat. File/Wood (each-order 2)	1918	18¾	37¼	1¾	32½	—	158 lbs.	15.6
	50N14102CPCFW Cornice Frame	754	14¾	101½	1¾	32½	—	45 lbs.	1.7
	50N1931BEXW Bridge	471	18¾	30½	1¾	32½	—	21 lbs.	1.1
	<b>WALL UNIT—HPL TOP</b>	<b>\$ 9061</b>	21	101½	82¾	32½	—	614 lbs.	69.2
	50N3452BCHRW Bookcase (each-order 2)	2000	12¼	33½	51¾	32½	—	151 lbs.	17.6
	50N2137LFF2LW Lat. File/HPL (each-order 2)	1918	21	37¼	29½	32½	—	123 lbs.	15.6
	50N14102CPCFW Cornice Frame	754	14¾	101½	1¾	32½	—	45 lbs.	1.7
	50N1931BEXLW Bridge/HPL Top	471	18¾	30½	1¾	32½	—	21 lbs.	1.1

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock core factory installed on bookcases

## DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

## SAMPLE MODEL NUMBER:

50N3452BCHRW 80AB KRB DW

To You In  
**10** DAYS  
*...or Less*

Shaded model numbers are available on our  
*"To You in 10 Days or Less"* Quick Delivery  
program and will be delivered within 10 days.

WALL UNIT WITH GLASS DOORS  
AND CLOSED STORAGE UNITS

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
<b>WALL UNIT—WOOD TOP</b>	<b>\$ 10,306</b>	21	101½	82½	32½	—	751 lbs.	78.7
50N3452BCHGW Bookcase (each-order 2)	1916	12¼	33½	51¾	32½	—	151 lbs.	17.6
Q50N2137LFF2W Lat. File/Wood (each-order 2)	1918	21	37¼	29½	32½	—	158 lbs.	15.6
50N2137LFF2W Lat. File/Wood (each-order 2)	1918	21	37¼	29½	32½	—	158 lbs.	15.6
50N14102CPCFW Cornice Frame	754	14½	101½	1¾	32½	—	45 lbs.	1.7
50N1931BEXW Bridge	471	18¾	30½	1¾	32½	—	21 lbs.	1.1
50N3225SOHGW Storage Unit	1413	12¼	32¼	24¾	32½	—	67 lbs.	9.5
<b>WALL UNIT—HPL TOP</b>	<b>\$ 10,306</b>	21	101½	82½	32½	—	681 lbs.	78.7
50N3452BCHGW Bookcase (each-order 2)	1916	12¼	33½	51¾	32½	—	151 lbs.	17.6
50N2137LFF2LW Lat. File/HPL (each-order 2)	1918	21	37¼	29½	32½	—	123 lbs.	15.6
50N14102CPCFW Cornice Frame	754	14½	101½	1¾	32½	—	45 lbs.	1.7
50N1931BEXLW Bridge/HPL Top	471	18¾	30½	1¾	32½	—	21 lbs.	1.1
50N3225SOHGW Storage Unit	1413	12¼	32¼	24¾	32½	—	67 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock cores factory installed on bookcases and storage unit



Specify selections, left to right:

BASE MODEL	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
50N3452BCHRW	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel 80AB	KRB Key Random, Black KS2B Key Specific, Black  KRB	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle DW


### WALL UNIT WITH GRILLE DOORS AND CLOSED STORAGE UNITS




MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
WALL UNIT—WOOD TOP		\$ 10,531	D	W	H	A	KW		
50N3452BCHRW	Bookcase (each-order 2)	2000	12¼	33½	51¾	32½	—	151 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	1918	21	37¼	29½	32½	—	158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	1918	21	37¼	29½	32½	—	158 lbs.	15.6
50N14102CPCFW	Cornice Frame	754	14¾	101½	1¾	32½	—	45 lbs.	1.7
50N1931BEXW	Bridge	471	18¾	30½	1¾	32½	—	21 lbs.	1.1
50N3225SOHRW	Storage Unit	1470	12¼	32¼	24¾	32½	—	67 lbs.	9.5
WALL UNIT—HPL TOP		\$ 10,531	D	W	H	A	KW		
50N3452BCHRW	Bookcase (each-order 2)	2000	12¼	33½	51¾	32½	—	151 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	1918	21	37¼	29½	32½	—	123 lbs.	15.6
50N14102CPCFW	Cornice Frame	754	14¾	101½	1¾	32½	—	45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	471	18¾	30½	1¾	32½	—	21 lbs.	1.1
50N3225SOHRW	Storage Unit	1470	12¼	32¼	24¾	32½	—	67 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock cores factory installed on bookcases and storage unit


## BARRINGTON GANGING UNIT TYPICALS



MODEL NO.	DESCRIPTION	LIST PRICE
50N1974VSWHLWC	Single Wardrobe Left Ganging	\$ 2391
50N1974VSWHRWC	Single Wardrobe Right Ganging	2391
50N7149HBHW	Highback Organizer	4329
50N2169CSFW2C	Storage Credenza Ganging	3352
<b>TOTAL</b>		<b>\$ 12,463</b>



MODEL NO.	DESCRIPTION	LIST PRICE
50N1974VSWHLWC	Single Wardrobe Left Ganging	\$ 2391
50N1974VSWHRWC	Single Wardrobe Right Ganging	2391
50N2169CKFW2C	Kneespace Credenza Ganging	3241
50N7149HBHW	Highback Organizer	4329
<b>TOTAL</b>		<b>\$ 12,352</b>



MODEL NO.	DESCRIPTION	LIST PRICE
50N1974BCOLWC	Single Bookcase Left Ganging	\$ 1604
50N1974BCORWC	Single Bookcase Right Ganging	1604
50N3778VHHWC	Wardrobe Ganging	2899
<b>TOTAL</b>		<b>\$ 6107</b>

---

# CAPTIVATE

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1½" slipmatched cherry and maple veneer or HPL (high pressure laminate)
- Mitered wood rim
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces

FINISH APPLICATION

- Captivate series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- ¾" thick modesty panels
- 1½" thick end panels
- ¾" inside panels
- Leveling glides – 2 on end panels, 2 on inside panel
- All units feature fully finished backs unless noted; rim profile and base detail not featured on back of units
- Grain direction runs vertical on all modesty panels

PULLS


- Available in two pull styles: summit and spiral
- Available in three colors: Satin Nickel Metallic, Cinder and Platinum Metallic

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT—SEE PAGES 90-91

- Zinc racetrack grommet and aluminum channel are available in three colors: Satin Nickel Metallic, Cinder and Platinum Metallic
- Desks feature hinged access doors for cable routing
- End panel grommets are wood and are finished to match unit

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 500

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Box Drawer—Desk	15½"	16⅝"	2½"	N/A
File Drawer—Desk	15½"	17"	9⅞"	Legal
Box Drawer—Return	12¼"	17"	2½"	N/A
File Drawer—Return	12¼"	17"	9⅞"	Letter
Box Drawer—Credenza	15½"	16⅝"	2½"	N/A
File Drawer—Credenza	15½"	17"	9⅞"	Legal
File Drawer—Lateral File	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP



- All file drawers file letter, legal and EDP side-to-side

**WOOD FINISHES**

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

**WORKSURFACE SHEEN OPTIONS**

R	Standard
N	Matte/Satin

**RIM PROFILE OPTIONS****Oblique (TA)****Slide (TB)****PULL OPTIONS****Summit (70)**

70SN	Satin Nickel Metallic
70MB	Cinder
70PL	Platinum Metallic
(Boring Pattern 128mm)	

**Spiral (71)**

71SN	Satin Nickel Metallic
71MB	Cinder
71PL	Platinum Metallic
(Boring Pattern 128mm)	

**GROMMET OPTIONS**

If no grommet is desired, specify an X  
(No Grommet)

**Racetrack Grommet,  
Satin Nickel Metallic**

\$30 list for each grommet

G11SNLR	Left & Right
G11SNC	Center

**Racetrack Grommet,  
Cinder**

\$30 list for each grommet

G11MBLR	Left & Right
G11MBC	Center

**Racetrack Grommet,  
Platinum Metallic**


\$30 list for each grommet

G11PLLR	Left & Right
G11PLC	Center

**Channel Grommet**

\$180 list for channel grommet

CH11SN	Satin Nickel Metallic
CH11MB	Cinder
CH11PL	Platinum Metallic


**LOCKING****KEY RANDOM**

KRB	Black
KRS	Silver

**KEY SPECIFIC**


KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit

Unit list price will be reduced by \$15 per lock when selecting Key Specific option. Must order specific lock cores separately (\$15 list each). See page 500 for Key Specific model numbers.




## GROMMET SPECIFICATIONS


- Racetrack grommets are available as an option on desks, bridges, returns, credenzas, and corner unit for an additional upcharge
- Racetrack grommets are factory installed in the worksurface and end panels in predetermined locations as shown below
- Grommets on end panels are wood and are finished to match color of unit; end panels on ganging units do not feature grommets
- Inside end panels feature cable route in top corner of panel for cable management




**Single and Double Pedestal Arc Top Desks**  
Grommets on worksurface and end panels  
(36N3773DDFAW8 Shown)




**Single and Double Pedestal Desks**  
Grommets on worksurface and end panels  
(36N3773DDFW8 Shown)




**Storage Credenza and Single Pedestal Credenza**  
Grommets on worksurface and end panels  
(36N2473CSFW2 Shown)




**Kneespace Credenza**  
Grommets on worksurface and end panels  
(36N2473CKFW2 Shown)




**Executive Return (Box/Box/File or File/File)**  
Center grommet on worksurface and grommet on end panel  
(36N2553RLEFW1 Shown)




**Executive Return (Lateral File)**  
Center grommet on worksurface and grommet on end panel  
(36N2559RLEFW6 Shown)



**Bridge**  
Center grommet on worksurface  
(36N2551BEFW Shown)




**Corner Unit**  
Corner grommet on worksurface  
(36N3636CFSW Shown)




## CHANNEL SPECIFICATIONS

- The channel is an aluminum extrusion with black brushes, and includes a zinc "C" grommet on each end with a zinc lid
- The channel is available as an option on select models for an additional upcharge
- The channel is factory installed in the worksurface with racetrack grommets in the end panels in predetermined locations as shown below
- Grommets on end panels are wood and are finished to match color of unit; end panels on ganging units do not feature grommets
- Inside end panels feature cable route in top corner of panel for cable management




### Storage Credenza

Channel on worksurface and grommets on end panels  
(36N2473CSFW2 Shown)




### Kneespace Credenza and Single Pedestal Credenza

Channel on worksurface and grommets on end panels  
(36N2473CKFW2 Shown)




### Executive Return (Box/Box/File or File/File)

Channel on worksurface and grommet on end panel  
(36N2553RLEFW1 Shown)




### Executive Return (Lateral File)

Channel on worksurface and grommet on end panel  
(36N2559RLEFW6 Shown)



### Bridge

Channel on worksurface  
(36N2551BEFW Shown)



## CAPTIVATE L ARRANGEMENTS


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:

- Spiral, Satin Nickel pulls
- Oblique rim profile
- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		



L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT L-CONFIGURATION WOOD TOP</b> 	36N9073LLFW	89¾D x 73W \$ 6245	<b>RIGHT L-CONFIGURATION WOOD TOP</b> 	36N9073LRFW	89¾D x 73W \$ 6245
	consists of			consists of	
	36N3773DRFW1	Right Pedestal Desk 3509		36N3773DLFW1	Left Pedestal Desk 3509
	36N2553RLEFW2	Left Pedestal Return 2736		36N2553RREFW2	Right Pedestal Return 2736
	36N8273LLFW	81¾D x 73W \$ 5894		36N8273LRFW	81¾D x 73W \$ 5894
	consists of			consists of	
	36N3773DRFW1	Right Pedestal Desk 3509		36N3773DLFW1	Left Pedestal Desk 3509
	36N2545RLEFW2	Left Pedestal Return 2385		36N2545RREFW2	Right Pedestal Return 2385
	36N8468LLFW	83¾D x 67½W \$ 6150		36N8468LRFW	83¾D x 67½W \$ 6150
	consists of			consists of	
<b>LEFT L-CONFIGURATION LAMINATE TOP</b> 	36N3168DRFW1	Right Pedestal Desk 3414	<b>RIGHT L-CONFIGURATION LAMINATE TOP</b> 	36N3168DLFW1	Left Pedestal Desk 3414
	36N2553RLEFW2	Left Pedestal Return 2736		36N2553RREFW2	Right Pedestal Return 2736
	36N7668LLFW	75¾D x 67½W \$ 5799		36N7668LRFW	75¾D x 67½W \$ 5799
	consists of			consists of	
	36N3168DRFW1	Right Pedestal Desk 3414		36N3168DLFW1	Left Pedestal Desk 3414
	36N2545RLEFW2	Left Pedestal Return 2385		36N2545RREFW2	Right Pedestal Return 2385
	36N9073LLFLW	89¾D x 73W \$ 6245		36N9073LRFLW	89¾D x 73W \$ 6245
	consists of			consists of	
	36N3773DRFLW1	Right Pedestal Desk 3509		36N3773DLFLW1	Left Pedestal Desk 3509
	36N2553RLEFLW2	Left Pedestal Return 2736		36N2553RREFLW2	Right Pedestal Return 2736
	36N8273LLFLW	81¾D x 73W \$ 5894		36N8273LRFLW	81¾D x 73W \$ 5894
	consists of			consists of	
	36N3773DRFLW1	Right Pedestal Desk 3509		36N3773DLFLW1	Left Pedestal Desk 3509
	36N2545RLEFLW2	Left Pedestal Return 2385		36N2545RREFLW2	Right Pedestal Return 2385
	36N8468LLFLW	83¾D x 67½W \$ 6150		36N8468LRFLW	83¾D x 67½W \$ 6150
	consists of			consists of	
	36N3168DRFLW1	Right Pedestal Desk 3414		36N3168DLFLW1	Left Pedestal Desk 3414
	36N2553RLEFLW2	Left Pedestal Return 2736		36N2553RREFLW2	Right Pedestal Return 2736
	36N7668LLFLW	75¾D x 67½W \$ 5799		36N7668LRFLW	75¾D x 67½W \$ 5799
	consists of			consists of	
	36N3168DRFLW1	Right Pedestal Desk 3414		36N3168DLFLW1	Left Pedestal Desk 3414
	36N2545RLEFLW2	Left Pedestal Return 2385		36N2545RREFLW2	Right Pedestal Return 2385



## CAPTIVATE U ARRANGEMENTS


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:

- Spiral, Satin Nickel pulls
- Oblique rim profile
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	IM Brighton	TF	Truffle
CW	Cordovan	MC	MC Amber		
DW	Judicial	MH	Mocha		



U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT U-CONFIGURATION WOOD TOP</b> 	36N11273ULFW 111¾D x 73W	\$ 7741	<b>RIGHT U-CONFIGURATION WOOD TOP</b> 	36N11273URFW 111¾D x 73W	\$ 7741
	consists of			consists of	
	36N3773DRFW1 Right Pedestal Desk	3509		36N3773DLFW1 Left Pedestal Desk	3509
	36N2551BEFW Bridge	1250		36N2551BEFW Bridge	1250
	36N2473CLFW2 Left Pedestal Credenza	2982		36N2473CRFW2 Right Pedestal Credenza	2982
	36N10673ULFW 105¾D x 73W	\$ 7706		36N10673URFW 105¾D x 73W	\$ 7706
	consists of			consists of	
	36N3773DRFW1 Right Pedestal Desk	3509		36N3773DLFW1 Left Pedestal Desk	3509
	36N2545BEFW Bridge	1215		36N2545BEFW Bridge	1215
	36N2473CLFW2 Left Pedestal Credenza	2982		36N2473CRFW2 Right Pedestal Credenza	2982
<b>LEFT U-CONFIGURATION LAMINATE TOP</b> 	36N10668ULFW 105¾D x 67½W	\$ 7559	<b>RIGHT U-CONFIGURATION LAMINATE TOP</b> 	36N10668URFW 105¾D x 67½W	\$ 7559
	consists of			consists of	
	36N3168DRFW1 Right Pedestal Desk	3414		36N3168DLFW1 Left Pedestal Desk	3414
	36N2551BEFW Bridge	1250		36N2551BEFW Bridge	1250
	36N2468CLFW2 Left Pedestal Credenza	2895		36N2468CRFW2 Right Pedestal Credenza	2895
	36N10068ULFW 99¾D x 67½W	\$ 7524		36N10068URFW 99¾D x 67½W	\$ 7524
	consists of			consists of	
	36N3168DRFW1 Right Pedestal Desk	3414		36N3168DLFW1 Left Pedestal Desk	3414
	36N2545BEFW Bridge	1215		36N2545BEFW Bridge	1215
	36N2468CLFW2 Left Pedestal Credenza	2895		36N2468CRFW2 Right Pedestal Credenza	2895
<b>LEFT U-CONFIGURATION LAMINATE TOP</b> 	36N11273ULFLW 111¾D x 73W	\$ 7741	<b>RIGHT U-CONFIGURATION LAMINATE TOP</b> 	36N11273URFLW 111¾D x 73W	\$ 7741
	consists of			consists of	
	36N3773DRFLW1 Right Pedestal Desk	3509		36N3773DLFLW1 Left Pedestal Desk	3509
	36N2551BEFLW Bridge	1250		36N2551BEFLW Bridge	1250
	36N2473CLFLW2 Left Pedestal Credenza	2982		36N2473CRFLW2 Right Pedestal Credenza	2982
	36N10673ULFLW 105¾D x 73W	\$ 7706		36N10673URFLW 105¾D x 73W	\$ 7706
	consists of			consists of	
	36N3773DRFLW1 Right Pedestal Desk	3509		36N3773DLFLW1 Left Pedestal Desk	3509
	36N2545BEFLW Bridge	1215		36N2545BEFLW Bridge	1215
	36N2473CLFLW2 Left Pedestal Credenza	2982		36N2473CRFLW2 Right Pedestal Credenza	2982
<b>LEFT U-CONFIGURATION LAMINATE TOP</b> 	36N10668ULFLW 105¾D x 67½W	\$ 7559	<b>RIGHT U-CONFIGURATION LAMINATE TOP</b> 	36N10668URFLW 105¾D x 67½W	\$ 7559
	consists of			consists of	
	36N3168DRFLW1 Right Pedestal Desk	3414		36N3168DLFLW1 Left Pedestal Desk	3414
	36N2551BEFLW Bridge	1250		36N2551BEFLW Bridge	1250
	36N2468CLFLW2 Left Pedestal Credenza	2895		36N2468CRFLW2 Right Pedestal Credenza	2895
	36N10068ULFLW 99¾D x 67½W	\$ 7524		36N10068URFLW 99¾D x 67½W	\$ 7524
	consists of			consists of	
	36N3168DRFLW1 Right Pedestal Desk	3414		36N3168DLFLW1 Left Pedestal Desk	3414
	36N2545BEFLW Bridge	1215		36N2545BEFLW Bridge	1215
	36N2468CLFLW2 Left Pedestal Credenza	2895		36N2468CRFLW2 Right Pedestal Credenza	2895

# CAPTIVATE

## PRODUCT SPECIFICATIONS

- Specify same color for pull and grommet/channel
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 90-91 for grommet locations


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

## SAMPLE MODEL NUMBERS:

36N3773DDFW8	TA	70SN	G11SNLR	KRB	R	MH
36N3773DDFLW8	TA	71SN	G11SNLR	KRB	AC	
36N3773DFLW	TA	KRB	N	AC		
36N3773DFLW	TA	KRB	N	CW		


### DOUBLE PEDESTAL DESK ARC TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
36N3773DDFAW8	Wood Top	\$ 4693	37¼	73¼	29¾	11¾	34½	328 lbs.	60.0
36N3773DDFALW8	HPL Top	4693	37¼	73¼	29¾	11¾	34½	328 lbs.	60.0

- Depth of arc is 37¼" at its widest point
- Hinged doors located on the approach side allow for easy access to cable routing
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


### DOUBLE PEDESTAL DESK



36N3773DDFW8	Wood Top	\$ 3848	37¼	73¼	29¾	6¾	34½	348 lbs.	60.0
36N3773DDFLW8	HPL Top	3848	37¼	73¼	29¾	6¾	34½	348 lbs.	60.0
36N3168DDFW8	Wood Top	\$ 3704	31¼	67½	29¾	6¾	28½	302 lbs.	47.5
36N3168DDFLW8	HPL Top	3704	31¼	67½	29¾	6¾	28½	302 lbs.	47.5

- Hinged doors located on the approach side allow for easy access to cable routing
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


### TABLE DESK



36N3773DTW	Wood Top	\$ 3461	37¼	73¼	29¾	1¼	—	228 lbs.	60.0
36N3773DTLW	HPL Top	3461	37¼	73¼	29¾	1¼	—	228 lbs.	60.0

- Do not specify pull
- Some assembly required
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Center drawer included

### SINGLE PEDESTAL DESK ARC TOP



Left shown


LEFT PEDESTAL		RIGHT PEDESTAL									
36N3773DLFAW1	36N3773DRFAW1	Wood Top	\$ 4117	37¼	73¼	29¾	11¾	27¾	265 lbs.	60.0	
36N3773DLFALW1	36N3773DRFALW1	HPL Top	4117	37¼	73¼	29¾	11¾	27¾	265 lbs.	60.0	

- Not recommended as a freestanding unit due to routing in the rim
- Depth of arc is 37¼" at its widest point
- Hinged doors located on the approach side allow for easy access to cable routing
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
	TA Oblique TB Slide	70SN Summit, Sat. Nick. Met. 70MB Summit, Cinder 70PL Summit, Plat. Met. 71SN Spiral, Sat. Nick. Met. 71MB Spiral, Cinder 71PL Spiral, Plat. Met.	G11SNLR Sat. Nick. Met., Left & Right G11MBLR Cinder, Left & Right G11PLLR Plat. Met., Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
36N3773DDFW8	TA	70SN	G11SNLR	KRB	R	MH

## SINGLE PEDESTAL DESK



Left shown

## MODEL NO./DESCRIPTION


## LEFT PEDESTAL

## RIGHT PEDESTAL

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N3773DLFW1	36N3773DRFW1 Wood Top	\$ 3509	37¼	73¼	29%	6%	27%	284 lbs.	60.0
36N3773DLFLW1	36N3773DRFLW1 HPL Top	3509	37¼	73¼	29%	6%	27%	284 lbs.	60.0
36N3168DLFW1	36N3168DRFW1 Wood Top	\$ 3414	31¼	67½	29%	6%	21%	242 lbs.	47.5
36N3168DLFLW1	36N3168DRFLW1 HPL Top	3414	31¼	67½	29%	6%	21%	242 lbs.	47.5

- Not recommended as a freestanding unit due to routing in the rim
- Hinged doors located on the approach side allow for easy access to cable routing
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## FIN-SHAPED DESK



Left shown


## LEFT FIN

## RIGHT FIN

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N3773DFLW	36N3773DFRW Wood Top	\$ 2968	37¼	73¾	29%	—	33%	117 lbs.	7.4
36N3773DFLLW	36N3773DFRLW HPL Top	2968	37¼	73¾	29%	—	33%	117 lbs.	7.4

- Not recommended as a freestanding unit due to routing in the rim
- Do not specify metal color
- Support base must be ordered separately; see below for support base models
- Fin-shaped desk is 37¼" at the widest point
- Fin faces the approach side for conferencing
- Some assembly required

## FIN-SHAPED DESK WITH MODESTY



Left shown

LEFT FIN  
—WITH MODESTYRIGHT FIN  
—WITH MODESTY

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N3773DFLW	36N3773DFRW Wood Top	\$ 3170	37¼	73¾	29%	15¾	33%	137 lbs.	9.4
36N3773DFLW	36N3773DFRLW HPL Top	3170	37¼	73¾	29%	15¾	33%	137 lbs.	9.4

- Not recommended as a freestanding unit due to routing in the rim
- Support base must be ordered separately; see below for support base models
- Fin-shaped desk is 37¼" at the widest point
- Fin faces the approach side for conferencing
- Some assembly required

## SUPPORT BASE



MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC0428SFRNB	Metal	\$ 190	4	—	27¾-29¼	—	—	10 lbs.	1.0
NAC2804SFBW	Wood	516	4	—	27¾-29¼	—	—	6 lbs.	1.0
NAC2812SHB	Wood Half	\$ 645	6	11¾	27¾	—	—	13 lbs.	2.6

- Adjustable glide standard
- Metal base, specify paint colors: (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Metal base, optional upper and lower (CUL) wire management cutout
- Wood base, specify finish: Brighton (IM), Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn (AC), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH)

# CAPTIVATE

## PRODUCT SPECIFICATIONS

- Specify same color for pull and grommet/channel
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 90-91 for grommet and channel locations
- Channel grommet option (CH11) available for a \$180 list upcharge


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

36N3636CFSW	TA	G11SNC	N	MH			
36N3275DTLFW1	TB	71SN	G11SNLR	KRB	R	MC	
36N2452RTRW2	TB	71SN	CH11SN	KRB	R	MC	
36N2553RLEFW1	TA	70SN	CH11SN	KRB	N	HN	
36N2553RLEFLW1	TA	70SN	CH11SN	KRB	HN		
36N2551BEFW	TA	G11SNC	N	CW			

## CORNER UNIT




### MODEL NO./DESCRIPTION

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N3636CFSW Wood Top	\$ 2362	35%	35%	29%	—	—	125 lbs.	30.1
36N3636CFSW HPL Top	2362	35%	35%	29%	—	—	125 lbs.	30.1

- Not recommended as a freestanding unit due to routing in the rim
- Unit can attach to a bridge or return
- Grain direction runs diagonally on worksurface
- Channel grommet not available
- Grommet (G11SNC, G11MBC, G11PLC) available
- Rim front is 15¼" wide

## RECEPTION DESK/RETURN



Left shown

### RECEPTION DESK

#### LEFT PEDESTAL

#### RIGHT PEDESTAL

36N3275DTLFW1	36N3275DTRFW1	Wood Top	\$ 4792	32%	75	42%	—	33%	325 lbs.	71.4
36N3275DTLFW1	36N3275DTRFW1	HPL Top	4792	32%	75	42%	—	33%	325 lbs.	71.4

- Must be used with reception return
- Channel option (CH) available
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included

### RECEPTION RETURN


#### LEFT

#### RIGHT

36N2452RTLW2	36N2452RTRW2	Wood Top	\$ 3238	24%	51½	41¾	—	33¾%	185 lbs.	39.7
36N2452RTLW2	36N2452RTRW2	HPL Top	3238	24%	51½	41¾	—	33¾%	185 lbs.	39.7

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Channel option (CH) available
- Grommet (G11SNC, G11MBC, G11PLC) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## RETURN BOX/BOX/FILE



Left shown

### LEFT PEDESTAL

### RIGHT PEDESTAL


36N2553RLEFW1	36N2553RREFW1	Wood Top	\$ 2706	24%	52½	29%	—	34%	165 lbs.	31.0
36N2553RLEFW1	36N2553RREFW1	HPL Top	2706	24%	52½	29%	—	34%	165 lbs.	31.0

36N2545RLEFW1	36N2545RREFW1	Wood Top	\$ 2355	24%	44½	29%	—	26%	143 lbs.	26.8
36N2545RLEFW1	36N2545RREFW1	HPL Top	2355	24%	44½	29%	—	26%	143 lbs.	26.8

- Grain direction runs front-to-back on worksurface
- Channel option (CH) available
- Grommet (G11SNC, G11MBC, G11PLC) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
	TA Oblique TB Slide	70SN Summit, Sat. Nick. Met. 70MB Summit, Cinder 70PL Summit, Plat. Met. 71SN Spiral, Sat. Nick. Met. 71MB Spiral, Cinder 71PL Spiral, Plat. Met.	G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center CH11SN Channel, Sat. Nick. Met. CH11MB Channel, Cinder CH11PL Channel, Plat. Met. X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
36N3636CFSW	TA		G11SNC		N	MH


**RETURN  
FILE/FILE**

Left shown

**MODEL NO./DESCRIPTION****LEFT PEDESTAL****RIGHT PEDESTAL**

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N2553RLEFW2	\$ 2706	24%	52½	29%	—	34¼	165 lbs.	31.0
36N2553RLEFLW2	2706	24%	52½	29%	—	34¼	165 lbs.	31.0
36N2545RLEFW2	\$ 2355	24%	44½	29%	—	26¼	143 lbs.	26.8
36N2545RLEFLW2	2355	24%	44½	29%	—	26¼	143 lbs.	26.8

- Grain direction runs front-to-back on worksurface
- Channel option (CH) available
- Grommet (G11SNC, G11MBC, G11PLC) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


**RETURN  
LATERAL FILE**

Left shown

**LEFT PEDESTAL****RIGHT PEDESTAL**

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N2559RLEFW6	\$ 3103	24%	59¼	29%	—	21¾	218 lbs.	34.6
36N2559RLEFLW6	3103	24%	59¼	29%	—	21¾	218 lbs.	34.6

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grain direction runs front-to-back on worksurface
- Channel option (CH) available
- Grommet (G11SNC, G11MBC, G11PLC) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


**RETURN  
MULTI-FILE**

Left shown

**LEFT PEDESTAL****RIGHT PEDESTAL**

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N2559RLEFW10	\$ 3576	24%	59¼	29%	—	21¾	218 lbs.	34.6
36N2559RLEFLW10	3576	24%	59¼	29%	—	21¾	218 lbs.	34.6

- Grain direction runs front-to-back on worksurface
- Channel option (CH) available
- Grommet (G11SNC, G11MBC, G11PLC) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

**BRIDGE**

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N2551BEFW	\$ 1220	24%	50½	28%	—	—	72 lbs.	3.3
36N2551BEFLW	1220	24%	50½	28%	—	—	72 lbs.	3.3
36N2545BEFW	\$ 1185	24%	44½	28%	—	—	64 lbs.	2.9
36N2545BEFLW	1185	24%	44½	28%	—	—	64 lbs.	2.9

- Grain direction runs front-to-back on worksurface
- Some assembly required
- Channel option (CH) available
- Grommet (G11SNC, G11MBC, G11PLC) available

# CAPTIVATE

## PRODUCT SPECIFICATIONS

- Specify same color for pull and grommet/channel
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 90-91 for grommet and channel locations
- Channel grommet option (CH11) available for a \$180 list upcharge

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:


36N2473CBLW	TA	70SN	MC						
36N2469CSFW2C	TB	70SN	G11SNLR	KRB	N	MH			
36N2473CFFW	TA	70SN	G11SNLR	KRB	R	MC			
36N2473CKFW2	TA	71SN	CH11SN	KRB	R	MH			

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>BUFFET CREENZA</b>	36N2473CBW Wood	\$ 4607	24	73¼	35½	—	—	382 lbs.	49.6
	36N2473CBLW HPL Top	4607	24	73¼	35½	—	—	382 lbs.	49.6
<ul style="list-style-type: none"> <li>• Rim and base molding on front and sides of model</li> <li>• Credenza features an adjustable shelf (21¼" deep, 33¾" wide and 1" thick)</li> <li>• Inside dimension of each storage section is 21¼" deep x 34" wide x 25¾" high</li> <li>• Grommet option not available</li> <li>• Doors are non-locking</li> </ul>									
<b>ENTERTAINMENT CREENZA</b>	36N2473CBVW Wood	\$ 4607	24	73¼	35½	—	—	382 lbs.	49.6
	36N2473CBVLW HPL Top	4607	24	73¼	35½	—	—	382 lbs.	49.6
<ul style="list-style-type: none"> <li>• Rim and base molding on front and sides of model</li> <li>• Credenza features an adjustable shelf (21¼" deep, 33¾" wide and 1" thick)</li> <li>• Inside dimension of each storage section is 21¼" deep x 34" wide x 25¾" high</li> <li>• Cutouts in back panel for venting</li> <li>• Doors are non-locking</li> <li>• Grommets (G11SNLR, G11MBLR, G11PLLR) available \$60 list upcharge; if grommets are specified, corresponding end panel grommets will be included</li> <li>• Unfinished back panel</li> </ul>									
<b>STORAGE CREENZA</b>	36N2473CSFW2 Wood Top	\$ 3981	24	73¼	29%	—	—	373 lbs.	41.0
	36N2473CSFLW2 HPL Top	3981	24	73¼	29%	—	—	373 lbs.	41.0
	36N2468CSFW2 Wood Top	\$ 3718	24	67½	29%	—	—	365 lbs.	38.0
	36N2468CSFLW2 HPL Top	3718	24	67½	29%	—	—	365 lbs.	38.0
<ul style="list-style-type: none"> <li>• Rim and base molding on three sides of unit</li> <li>• 73" credenza features an adjustable shelf (12" deep, 33¾" wide and 1" thick)</li> <li>• 68" credenza features an adjustable shelf (12" deep, 28" wide and 1" thick)</li> <li>• Channel option (CH) available</li> <li>• Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>									
<b>STORAGE CREENZA GANGING</b>	36N2469CSFW2C Wood Top	\$ 3981	24	69¼	29%	—	—	368 lbs.	38.9
	36N2469CSFLW2C HPL Top	3981	24	69¼	29%	—	—	368 lbs.	38.9
	36N2464CSFW2C Wood Top	\$ 3718	24	63½	29%	—	—	360 lbs.	36.0
	36N2464CSFLW2C HPL Top	3718	24	63½	29%	—	—	360 lbs.	36.0
<ul style="list-style-type: none"> <li>• Rim and base molding on front edge only to allow for ganging</li> <li>• 69" credenza features an adjustable shelf (12" deep, 33¾" wide and 1" thick)</li> <li>• 64" credenza features an adjustable shelf (12" deep, 28" wide and 1" thick)</li> <li>• Channel option (CH) available</li> <li>• Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>									


Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
	TA Oblique TB Slide	70SN Summit, Sat. Nick. Met. 70MB Summit, Cinder 70PL Summit, Plat. Met. 71SN Spiral, Sat. Nick. Met. 71MB Spiral, Cinder 71PL Spiral, Plat. Met.	G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center CH11SN Channel, Sat. Nick. Met. CH11MB Channel, Cinder CH11PL Channel, Plat. Met. X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
36N2473CBLW	TA	70SN				MC


	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
--	-----------------------	------------	---	---	---	---	----	-----------------	------------

**LATERAL FILE CREDENZA**


36N2473CFFW	Wood Top	\$ 4607	24	73¼	29%	—	—	345 lbs.	41.0
36N2473CFFLW	HPL Top	4607	24	73¼	29%	—	—	345 lbs.	41.0
<ul style="list-style-type: none"> <li>Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>Rim and base molding on three sides of unit</li> <li>Channel option (CH) available</li> <li>Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included</li> <li>Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>									

**LATERAL FILE CREDENZA GANGING**

36N2469CFFWC	Wood Top	\$ 4607	24	69¾	29%	—	—	340 lbs.	38.9
36N2469CFFLWC	HPL Top	4607	24	69¾	29%	—	—	340 lbs.	38.9
<ul style="list-style-type: none"> <li>Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>Rim and base molding on front edge only to allow for ganging</li> <li>Channel option (CH) available</li> <li>Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included</li> <li>Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>									

**KNEESPACE CREDENZA**

36N2473CKFW2	Wood Top	\$ 3541	24	73¼	29%	—	34¾	267 lbs.	41.0
36N2473CKFLW2	HPL Top	3541	24	73¼	29%	—	34¾	267 lbs.	41.0
36N2468CKFW2	Wood Top	\$ 3327	24	67½	29%	—	29	259 lbs.	38.0
36N2468CKFLW2	HPL Top	3327	24	67½	29%	—	29	259 lbs.	38.0
<ul style="list-style-type: none"> <li>Rim and base molding on three sides of unit</li> <li>Channel option (CH) available</li> <li>Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included</li> <li>Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>									

**KNEESPACE CREDENZA GANGING**

36N2469CKFW2C	Wood Top	\$ 3541	24	69¾	29%	—	34¾	262 lbs.	38.9
36N2469CKFLW2C	HPL Top	3541	24	69¾	29%	—	34¾	262 lbs.	38.9
36N2464CKFW2C	Wood Top	\$ 3327	24	63½	29%	—	29	254 lbs.	36.0
36N2464CKFLW2C	HPL Top	3327	24	63½	29%	—	29	254 lbs.	36.0
<ul style="list-style-type: none"> <li>Rim and base molding on front edge only to allow for ganging</li> <li>Channel option (CH) available</li> <li>Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included</li> <li>Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>									

# CAPTIVATE

## PRODUCT SPECIFICATIONS

- Specify same color for pull and grommet/channel
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 90-91 for grommet and channel locations
- Channel grommet option (CH11) available for a \$180 list upcharge


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

36N2473CLFW1	TB	70SN	CH11SN	KRB	R	CW
36N2473CLFLW1	TB	70SN	CH11SN	KRB	CW	
36N2473CLFW6	TA	70SN	G11SNLR	KRB	R	HN
36N2473CLFW10	TB	71SN	X	KRB	R	MH

### SINGLE PEDESTAL CREDENZA BOX/BOX/FILE




Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H				
36N2473CLFW1	36N2473CRFW1	Wood Top	\$ 2922	24	73¼	29¾	—	27¾	215 lbs.	41.0
36N2473CLFLW1	36N2473CRFLW1	HPL Top	2922	24	73¼	29¾	—	27¾	215 lbs.	41.0
36N2468CLFW1	36N2468CRFW1	Wood Top	\$ 2835	24	67½	29¾	—	21¾	207 lbs.	38.0
36N2468CLFLW1	36N2468CRFLW1	HPL Top	2835	24	67½	29¾	—	21¾	207 lbs.	38.0

- Not recommended as a freestanding unit due to routing in the rim
- Channel option (CH) available
- Rim and base molding on three sides of unit
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### SINGLE PEDESTAL CREDENZA BOX/BOX/FILE GANGING




Left shown

LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N2471CLFW1C	36N2471CRFW1C	Wood Top	\$ 2922	24	71¼	29¾	—	27¾	210 lbs.	38.9
36N2471CLFLW1C	36N2471CRFLW1C	HPL Top	2922	24	71¼	29¾	—	27¾	210 lbs.	38.9
36N2466CLFW1C	36N2466CRFW1C	Wood Top	\$ 2835	24	65½	29¾	—	21¾	202 lbs.	36.0
36N2466CLFLW1C	36N2466CRFLW1C	HPL Top	2835	24	65½	29¾	—	21¾	202 lbs.	36.0

- Not recommended as a freestanding unit due to routing in the rim
- Channel option (CH) available
- Rim and base molding on two sides of unit to allow for ganging
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### SINGLE PEDESTAL CREDENZA FILE/FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N2473CLFW2	36N2473CRFW2	Wood Top	\$ 2922	24	73¼	29¾	—	27¾	215 lbs.	41.0
36N2473CLFLW2	36N2473CRFLW2	HPL Top	2922	24	73¼	29¾	—	27¾	215 lbs.	41.0
36N2468CLFW2	36N2468CRFW2	Wood Top	\$ 2835	24	67½	29¾	—	21¾	207 lbs.	38.0
36N2468CLFLW2	36N2468CRFLW2	HPL Top	2835	24	67½	29¾	—	21¾	207 lbs.	38.0


- Not recommended as a freestanding unit due to routing in the rim
- Channel option (CH) available
- Rim and base molding on three sides of unit
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available



Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
	TA Oblique TB Slide	70SN Summit, Sat. Nick. Met. 70MB Summit, Cinder 70PL Summit, Plat. Met. 71SN Spiral, Sat. Nick. Met. 71MB Spiral, Cinder 71PL Spiral, Plat. Met.	G11SNLR Sat. Nick. Met., Left & Right G11MBLR Cinder, Left & Right G11PLLR Plat. Met., Left & Right CH11SN Channel, Sat. Nick. Met. CH11MB Channel, Cinder CH11PL Channel, Plat. Met. X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
36N2473CLFW1	TB	70SN	CH11SN	KRB	R	CW

### SINGLE PEDESTAL CREDENZA FILE/FILE GANGING




Left shown

#### MODEL NO./DESCRIPTION

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N2471CLFW2C	36N2471CRFW2C	Wood Top	\$ 2922	24	71¼	29%	—	27%	210 lbs.	38.9
36N2471CLFLW2C	36N2471CRFLW2C	HPL Top	2922	24	71¼	29%	—	27%	210 lbs.	38.9
36N2466CLFW2C	36N2466CRFW2C	Wood Top	2835	24	65½	29%	—	21%	202 lbs.	36.0
36N2466CLFLW2C	36N2466CRFLW2C	HPL Top	2835	24	65½	29%	—	21%	202 lbs.	36.0

- Not recommended as a freestanding unit due to routing in the rim
- Channel option (CH) available
- Rim and base molding on two sides of unit to allow for ganging
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### SINGLE PEDESTAL CREDENZA LATERAL FILE




Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N2473CLFW6	36N2473CRFW6	Wood Top	\$ 3421	24	73¼	29%	—	10%	254 lbs.	41.0
36N2473CLFLW6	36N2473CRFLW6	HPL Top	3421	24	73¼	29%	—	10%	254 lbs.	41.0
36N2468CLFW6	36N2468CRFW6	Wood Top	3087	24	67½	29%	—	5%	246 lbs.	38.0
36N2468CLFLW6	36N2468CRFLW6	HPL Top	3087	24	67½	29%	—	5%	246 lbs.	38.0

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Channel option (CH) available
- Rim and base molding on three sides of unit
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### SINGLE PEDESTAL CREDENZA LATERAL FILE GANGING




Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N2471CLFW6C	36N2471CRFW6C	Wood Top	\$ 3421	24	71¼	29%	—	10%	249 lbs.	38.9
36N2471CLFLW6C	36N2471CRFLW6C	HPL Top	3421	24	71¼	29%	—	10%	249 lbs.	38.9
36N2466CLFW6C	36N2466CRFW6C	Wood Top	3087	24	65½	29%	—	5%	241 lbs.	36.0
36N2466CLFLW6C	36N2466CRFLW6C	HPL Top	3087	24	65½	29%	—	5%	241 lbs.	36.0

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Channel option (CH) available
- Rim and base molding on two sides of unit to allow for ganging
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### SINGLE PEDESTAL CREDENZA MULTI-FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N2473CLFW10	36N2473CRFW10	Wood Top	\$ 3580	24	73¼	29%	—	10%	254 lbs.	41.0
36N2473CLFLW10	36N2473CRFLW10	HPL Top	3580	24	73¼	29%	—	10%	254 lbs.	41.0

- Not recommended as a freestanding unit due to routing in the rim
- Channel option (CH) available
- Rim and base molding on three sides of unit
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

# CAPTIVATE

## PRODUCT SPECIFICATIONS

- Specify same color for pull and grommet/channel
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.
- Grommet option (G11) available for a \$30 list upcharge for EACH grommet
- Refer to pages 90-91 for grommet and channel locations
- Channel grommet option (CH11) available for a \$180 list upcharge


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

36N7245HBHW	KS1B	MH						
36N2437LFF2W	TA	70SN	KRB	R	CW			
36N2437LFF4W	TA	70SN	KRB	TF				

### SINGLE PEDESTAL CREENZA MULTI-FILE GANGING



Left shown

#### MODEL NO./DESCRIPTION



##### LEFT PEDESTAL

##### RIGHT PEDESTAL

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36N2471CLFW10C	\$ 3580	24	71½	29½	—	10%	249 lbs.	38.9
36N2471CLFLW10C	3580	24	71½	29½	—	10%	249 lbs.	38.9

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding on two sides of unit to allow for ganging
- Channel option (CH) available
- Grommet (G11SNLR, G11MBLR, G11PLLR) available; if grommets are specified, corresponding end panel grommets will be included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

### HIGHBACK ORGANIZER



#### WOOD DOORS

36N7245HBHW	\$ 3143	14½	71½	45½	—	—	229 lbs.	38.8
36N6645HBHW	\$ 3024	14½	66	45½	—	—	211 lbs.	35.8






#### GLASS DOORS

36N7245HBHGW	\$ 3287	14½	71½	45½	—	—	229 lbs.	38.8
36N6645HBHGW	\$ 3165	14½	66	45½	—	—	211 lbs.	35.8

- Center two wood doors lock
- Highback organizer features (4) side hinge doors, full back panels with cord management, and finished backs
- Standard round grommet is located in center of back panel
- Utilize 72" highback organizer on 73", 71" and 69" credenzas
- Utilize 66" highback organizer on 68", 66" and 64" credenzas
- Glass door units feature silk screened glass
- For tack board models, see pages 520-525
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
36N7245HBHW	TA Oblique TB Slide	70SN Summit, Sat. Nick. Met. 70MB Summit, Cinder 70PL Summit, Plat. Met. 71SN Spiral, Sat. Nick. Met. 71MB Spiral, Cinder 71PL Spiral, Plat. Met.	G11SNLR Sat. Nick. Met., Left & Right G11MBLR Cinder, Left & Right G11PLLR Plat. Met., Left & Right CH11SN Channel, Sat. Nick. Met. CH11MB Channel, Cinder CH11PL Channel, Plat. Met. X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
				KS1B		MH

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>WALL MOUNT CABINET</b>    	<b>WOOD DOORS</b>								
	36N7224SOHMMW	\$ 3414	14½	71¾	23%	—	—	134 lbs.	23.1
	36N6624SOHMMW	\$ 3247	14½	66	23%	—	—	124 lbs.	21.4
	<b>GLASS DOORS</b>								
	36N7224SOHMGW	\$ 3509	14½	71¾	23%	—	—	134 lbs.	23.1
	36N6624SOHMGW	\$ 3395	14½	66	23%	—	—	124 lbs.	21.4
	<ul style="list-style-type: none"> <li>Center two wood doors lock</li> <li>Glass door units feature silk screened glass</li> <li>Wall mount bracket is included with unit</li> <li>It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed</li> <li>For tack board models, see pages 520-525</li> <li>Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>Unit has an unfinished back</li> </ul>								
<b>LATERAL FILE TWO DRAWER</b>  	36N2437LFF2W Wood Top	\$ 2444	24	37¾	29%	—	—	162 lbs.	21.5
	36N2437LFF2LW HPL Top	2444	24	37¾	29%	—	—	162 lbs.	21.5
	<ul style="list-style-type: none"> <li>Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>Rim and base molding on three sides of unit</li> <li>Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>LATERAL FILE THREE DRAWER</b>  	36N2437LFF3W Wood Top	\$ 3045	24	37¾	43½	—	—	219 lbs.	31.2
	36N2437LFF3LW HPL Top	3045	24	37¾	43½	—	—	219 lbs.	31.2
	<ul style="list-style-type: none"> <li>Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>Rim and base molding on three sides of unit</li> <li>Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>LATERAL FILE FOUR DRAWER</b>  	36N2437LFF4W Wood Top	\$ 3644	24	37¾	56½	—	—	254 lbs.	38.0
	36N2437LFF4LW HPL Top	3644	24	37¾	56½	—	—	254 lbs.	38.0
	<ul style="list-style-type: none"> <li>Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>Rim and base molding on three sides of unit</li> <li>Do not specify sheen option; features standard sheen</li> <li>Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								

# CAPTIVATE

## PRODUCT SPECIFICATION

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

36N3773VVHW	70SN	KS2B	MH
36N3773VWHWC	KRB	HN	
36N1971VSWHLW	CW		
36N2071VHL2W	71SN	MC	

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
--	-----------------------	------------	---	---	---	---	----	-----------------	------------


### DOUBLE DOOR UNIT



36N2437PFHW	Wood Top	\$ 2268	24	37¼	29¾	—	—	136 lbs.	21.5
-------------	----------	---------	----	-----	-----	---	---	----------	------

- Rim and base molding on three sides of unit
- Features a single adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


### ENTERTAINMENT CABINET



36N3773VVHW	Wood	\$ 5143	23½	37	73	—	—	311 lbs.	52.1
-------------	------	---------	-----	----	----	---	---	----------	------

- Cornice and base molding on front and sides of model
- Interior dimensions 21¼" D, 34" W, upper storage 43¾" H, lower storage 25½" H
- Shaded shelves are adjustable
- Features standard sheen
- Includes grommets in back panel for wire access and venting
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


### ENTERTAINMENT CABINET GANGING



36N3773VWHWC		\$ 5143	23½	37	73	—	—	311 lbs.	52.1
--------------	--	---------	-----	----	----	---	---	----------	------

- Cornice on three sides of unit
- Base molding on front side of unit only to allow for ganging
- Must be used with right and left ganging bookcases (see below)
- Interior dimensions 21¼" D, 34" W, upper storage 43¾" H, lower storage 25½" H
- Shaded shelves are adjustable
- Pulls on bottom door, touch latch on top doors
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

### BOOKCASE - OPEN GANGING




Left shown

LEFT	RIGHT								
36N1971BCOLWC	36N1971BCORWC	\$ 1916	14½	18¾	71¾	—	—	91 lbs.	20.6

- Specify finish only
- Cornice and base molding on two sides of unit to allow for ganging
- Must be ganged to ganging entertainment cabinet or ganging double door wardrobe only
- Shaded shelves are adjustable

### DOUBLE DOOR WARDROBE




36N3773VVHW		\$ 4860	23½	37	73	—	—	281 lbs.	52.1
-------------	--	---------	-----	----	----	---	---	----------	------

- Removable coat rod is standard; positioned on left side of wardrobe
- Cornice and base molding on three sides of unit
- Shaded shelves are adjustable
- Touch latch doors
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
36N3773VVHW	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70MB Summit, Cinder 70PL Summit, Platinum Metallic 71SN Spiral, Satin Nickel Metallic 71MB Spiral, Cinder 71PL Spiral, Platinum Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
		70SN	KS2B		MH

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				

**DOUBLE DOOR WARDROBE GANGING**

36N3773VWHWC

\$ 4860

23½

37

73


—

—

281 lbs.

52.1

- Removable coat rod is standard; positioned on left side of wardrobe
- Cornice on three sides of unit
- Base molding on front side of unit only to allow for ganging
- Must be used with right and left ganging bookcases (see previous page)
- Shaded shelves are adjustable
- Touch latch doors
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**WARDROBE/STORAGE CABINET**

Right shown

**LEFT HINGED****RIGHT HINGED**

36N1971VSWHLW

36N1971VSWHRW

\$ 3023

23½

19½

71½


—

—

167 lbs.

30.2

- Cornice and base molding on three sides of unit
- Can be used as a wardrobe unit by removing the four adjustable shelves
- Removable coat rod standard
- Shaded shelves are adjustable
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**WARDROBE/STORAGE CABINET GANGING**

Right shown

**LEFT HINGED****RIGHT HINGED**

36N1971VSWHLWC

36N1971VSWHRWC

\$ 3023

23½

19½

71½


—

—

167 lbs.

30.2

- Cornice on three sides of unit
- Base molding on two sides of unit only to allow for ganging
- Can be used as a wardrobe unit by removing the four adjustable shelves
- Removable coat rod standard
- Shaded shelves are adjustable
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**STORAGE CABINET WITH FILE/FILE PEDESTAL**

Right shown

**LEFT HINGED****RIGHT HINGED**

36N2071VHL2W

36N2071VHR2W

\$ 3116

23½

20½

71½

—

—

187 lbs.

30.9

- Cornice and base molding on three sides of unit
- Shaded shelves are adjustable
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

CAPTIVATE

PRODUCT SPECIFICATION





- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping.

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

SAMPLE MODEL NUMBERS:


- 36N3571BCOHFW 71SN KRB MH
- 36N2448MGW TA N AC
- 36N2016PMBFW 71SN MC

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>STORAGE CABINET WITH FILE/FILE PEDESTAL GANGING</b> 	<b>LEFT HINGED</b>								
	<b>RIGHT HINGED</b>								
Right shown	36N2071VHL2WC	36N2071VHR2WC	\$ 3116	23½	20¼	71¼	—	—	187 lbs. 30.9
	<ul style="list-style-type: none"><li>Cornice on three sides of unit</li><li>Base molding on two sides of unit to allow for ganging</li><li>Shaded shelves are adjustable</li><li>Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li></ul>								
<b>BOOKCASE - OPEN</b> 	36N3571BCOFW	\$ 2497	14½	35	71¼	—	—	158 lbs.	33.7
	36N3557BCOFW	\$ 2258	14½	35	56%	—	—	134 lbs.	27.3
<b>BOOKCASE - STORAGE</b> 	36N3571BCOHFW	\$ 2983	14½	35	71¼	—	—	178 lbs.	33.7
	36N3557BCOHFW	\$ 2807	14½	35	56%	—	—	154 lbs.	27.3
<b>BOOKCASE SET-ON</b> 	<b>WOOD DOOR</b>								
	36N3544BCHW	\$ 2847	14½	35	43%	—	—	134 lbs.	20.0
	<b>GLASS DOOR</b>								
	36N3544BCHGW	\$ 2968	14½	35	43%	—	—	134 lbs.	20.0
	<ul style="list-style-type: none"><li>Cornice on top only</li><li>Shaded shelves are adjustable</li><li>Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>								

Specify selections, left to right:


BASE MODEL	RIM PROFILE	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
36N3571BCOHEW	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70MB Summit, Cinder 70PL Summit, Platinum Metallic 71SN Spiral, Satin Nickel Metallic 71MB Spiral, Cinder 71PL Spiral, Platinum Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
		71SN	KRB		MH

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
--	-----------------------	---------------	---	---	---	---	----	--------------------	---------------

**MAGAZINE TABLE**


36N2448MGW	Wood Top	\$ 1572	24	48	16	—	—	57 lbs.	5.5
------------	----------	---------	----	----	----	---	---	---------	-----

- Features a functional, non-locking center drawer without a pull
- Some assembly required

**END TABLE**


36N2424ENW	Wood Top	\$ 1440	24	24	20½	—	—	38 lbs.	3.5
------------	----------	---------	----	----	-----	---	---	---------	-----

- Some assembly required

**CONSOLE TABLE**

36N2048CSW	Wood Top	\$ 1888	20	48	28¾	—	—	66 lbs.	5.6
------------	----------	---------	----	----	-----	---	---	---------	-----

- Features a functional, non-locking center drawer without a pull
- Some assembly required

**MOBILE PEDESTAL**

36N2016PMBFW		\$ 1389	20	16¾	23	—	—	72 lbs.	8.1
--------------	--	---------	----	-----	----	---	---	---------	-----

- Four double wheel locking casters
- Maximum weight unit can hold is 300 lbs.
- Unit features a finished wood top


## DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

## SAMPLE MODEL NUMBERS:

36N3636SQ2W TB G10C N CL


**SQUARE TABLE TOP**  
**1 $\frac{1}{16}$ " THICK**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE 1 $\frac{1}{16}$ " TOP THICKNESS			D	W	H				
36N3030SQ2W	Wood	\$ 1639	30	30	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
36N3030SQ2LW	Laminate/Wood	1639	30	30	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
36" SQUARE									
36N3636SQ2W	Wood	\$ 1928	36	36	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
36N3636SQ2LW	Laminate/Wood	1928	36	36	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
42" SQUARE									
36N4242SQ2W	Wood	\$ 2078	42	42	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
36N4242SQ2LW	Laminate/Wood	2078	42	42	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
48" SQUARE									
36N4848SQ2W	Wood	\$ 2521	48	48	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
36N4848SQ2LW	Laminate/Wood	2521	48	48	1 $\frac{1}{16}$	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 31-36 for applicable bases
- See Tables Price List pages 72-75 for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 71 for options and upcharge

**SQUARE TABLE TOP**  
**1 $\frac{3}{16}$ " THICK**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE 1 $\frac{3}{16}$ " TOP THICKNESS			D	W	H				
36N3030SQW	Wood	\$ 1538	30	30	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
36N3030SQLW	Laminate/Wood	1538	30	30	1 $\frac{3}{16}$	—	—	33 lbs.	2.0
36" SQUARE									
36N3636SQW	Wood	\$ 1809	37 $\frac{1}{4}$	37 $\frac{1}{4}$	1 $\frac{3}{16}$	—	—	42 lbs.	2.4
36N3636SQLW	Laminate/Wood	1809	37 $\frac{1}{4}$	37 $\frac{1}{4}$	1 $\frac{3}{16}$	—	—	42 lbs.	2.4
42" SQUARE									
36N4242SQW	Wood	\$ 1957	42	42	1 $\frac{3}{16}$	—	—	58 lbs.	3.2
36N4242SQLW	Laminate/Wood	1957	42	42	1 $\frac{3}{16}$	—	—	58 lbs.	3.2
48" SQUARE									
36N4848SQW	Wood	\$ 2403	48	48	1 $\frac{3}{16}$	—	—	76 lbs.	4.2
36N4848SQLW	Laminate/Wood	2403	48	48	1 $\frac{3}{16}$	—	—	76 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 31-36 for applicable bases
- See Tables Price List pages 72-75 for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 71 for options and upcharge



---

# CASBAH



## PRODUCT SPECIFICATIONS

### WORKSURFACE

- 1 $\frac{3}{16}$ " slipmatched cherry and maple veneer
- Wood rim with softened edge profile
- Tops appear to be suspended with a recessed façade worksurface detail
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces

### RECESSED FAÇADE

- Available in reed\* (RE) or flat (FL) profile
  - \*Reed profile option is available with an upcharge
- Reed is available in wood finishes only
- Flat profile is available in wood finishes, Satin Nickel Metallic, Cinder or Platinum Metallic painted MDF
- Flat veneer profile features quarter cut cherry or maple veneer
- Recessed façade is  $\frac{3}{4}$ " thick x 1 $\frac{1}{2}$ " tall, and is 26 $\frac{3}{16}$ " from bottom of façade to floor
- Grain direction runs horizontal on all recessed façades
- Keyboard trays and center drawers cannot be used on any Casbah models due to recessed façade

### FINISH APPLICATION

- Casbah series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

### CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- $\frac{3}{4}$ " thick modesty panels and end panels
- Desk modesty panels feature a straight or arc shape; grain direction runs horizontal
- Arc modesty available on desks only
- All units feature fully finished backs unless noted
- Adjustable leveling glides (2 on end panels, 2 on side panels) compensate for uneven floors

### PULLS

- Available in three options: Groove, Sweep and Balance
- Available in three colors: Satin Nickel Metallic, Cinder and Platinum Metallic

### DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are  $\frac{1}{2}$ " thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- Reference page 114 for interior drawer dimensions

### DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers

### CORD MANAGEMENT—SEE PAGE 115


- Zinc racetrack grommets are available in three colors: Satin Nickel Metallic, Cinder and Platinum Metallic
- Tambour modesty panel is available on credenzas, bridges, and returns to allow for easy access to fixed wall electrical and data connections
- End panel grommets are solid wood and are finished to match unit

### LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 500

### EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models



WOOD FINISHES

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

PULL OPTIONS



Balance (72)

- 72SN Satin Nickel Metallic
- 72MB Cinder
- 72PL Platinum Metallic (Boring Pattern 128mm)

WORKSURFACE SHEEN OPTIONS

- R Standard
- N Matte/Satin

PAINT COLORS

- 462 Cinder
- 501 Platinum Metallic
- 503 Satin Nickel Metallic

FAÇADE PROFILES

- FL Flat
- RE Reed (+10% upcharge)



Sweep (73)

- 73SN Satin Nickel Metallic
- 73MB Cinder
- 73PL Platinum Metallic (Boring Pattern 128mm)



Groove (74)

- 74SN Satin Nickel Metallic
- 74MB Cinder
- 74PL Platinum Metallic (Boring Pattern 128mm)


GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Racetrack Grommet, Satin Nickel Metallic

\$30 list for each grommet


- G11SNL Left
- G11SNR Right
- G11SNLR Left & Right
- G11SNC Center
- G11SNA Left, Right & Center



Racetrack Grommet, Cinder

\$30 list for each grommet


- G11MBL Left
- G11MBR Right
- G11MBLR Left & Right
- G11MBC Center
- G11MBA Left, Right & Center



Racetrack Grommet, Platinum Metallic

\$30 list for each grommet

- G11PLL Left
- G11PLR Right
- G11PLLR Left & Right
- G11PLC Center
- G11PLA Left, Right & Center



LOCKING


KEY RANDOM

- KRB Black
- KRS Silver

KEY SPECIFIC


- KS1B Black, 1 lock per unit
- KS1S Silver, 1 lock per unit
- KS2B Black, 2 locks per unit
- KS2S Silver, 2 locks per unit
- KS3B Black, 3 locks per unit
- KS3S Silver, 3 locks per unit
- KS4B Black, 4 locks per unit
- KS4S Silver, 4 locks per unit

Unit list price will be reduced by \$15 per lock when selecting Key Specific option. Must order specific lock cores separately (\$15 list each). See page 500 for Key Specific model numbers.




**Arc Modesty Desks**  
**Wood Flat Profile or**  
**Painted**

- Shaded area represents the wood flat (FL) modesty/façade profile from the approach side; wood flat features 1/4 cut horizontal grain pattern
- Shaded area represents the painted flat (FL) modesty/façade profile from the approach side




**Straight Modesty Desks**  
**Wood Flat Profile or**  
**Painted**



**Arc Modesty Desks**  
**Wood Reed Profile**

- Striped area represents the wood reed (RE) modesty/façade profile from the approach side
- Reed (RE) profile is available on wood finish units only; not available on painted units



**Straight Modesty Desks**  
**Wood Reed Profile**


## DRAWER SPECIFICATIONS

DESCRIPTION	INTERIOR DIMENSIONS			FILING CAPABILITIES	
	Drawer	Inside Width	Inside Depth	Inside Height	
Desk—Recessed Modesty Panel 36 x 72, 30 x 66	Box File	14 $\frac{1}{16}$ " 15 $\frac{1}{16}$ "	17" 17"	3 $\frac{3}{16}$ " 8 $\frac{7}{8}$ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Desk—Recessed Modesty Panel 30 x 60	Box File	11 $\frac{1}{16}$ " 12 $\frac{1}{16}$ "	17" 17"	3 $\frac{3}{16}$ " 8 $\frac{7}{8}$ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Single Pedestal Desk 36 x 72, 30 x 66	Box File	14 $\frac{1}{16}$ " 15 $\frac{1}{16}$ "	17" 17"	3 $\frac{3}{16}$ " 8 $\frac{7}{8}$ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Executive Return 24 x 60, 24 x 48, 24 x 42	Box File	11 $\frac{1}{16}$ " 12 $\frac{1}{16}$ "	17" 17"	3 $\frac{3}{16}$ " 8 $\frac{7}{8}$ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Credenzas 24 x 72, 24 x 66	Box File	14 $\frac{1}{16}$ " 15 $\frac{1}{16}$ "	17" 17"	3 $\frac{3}{16}$ " 8 $\frac{7}{8}$ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Credenzas 24 x 60	Box File	11 $\frac{1}{16}$ " 12 $\frac{1}{16}$ "	17" 17"	3 $\frac{3}{16}$ " 8 $\frac{7}{8}$ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Credenzas 24 x 72	Lateral File	32 $\frac{3}{8}$ "	15"	8 $\frac{7}{8}$ "	Letter, legal and EDP filing front-to-back or side-to-side
Single Pedestal Credenzas 24 x 72, 24 x 66	Box File	14 $\frac{1}{16}$ " 15 $\frac{1}{16}$ "	17" 17"	3 $\frac{3}{16}$ " 8 $\frac{7}{8}$ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Single Pedestal Credenzas 24 x 60	Box File	11 $\frac{1}{16}$ " 12 $\frac{1}{16}$ "	17" 17"	3 $\frac{3}{16}$ " 8 $\frac{7}{8}$ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Single Pedestal Credenzas 24 x 72	Lateral File	32 $\frac{3}{8}$ "	15"	8 $\frac{7}{8}$ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File 36" width	Lateral File	32 $\frac{3}{8}$ "	15"	8 $\frac{7}{8}$ "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File 30" width	Lateral File	26 $\frac{3}{8}$ "	15"	8 $\frac{7}{8}$ "	Letter, legal and EDP filing front-to-back or side-to-side
Vertical Storage Cabinet 18 x 68	Box File	14 $\frac{1}{16}$ " 15 $\frac{1}{16}$ "	17" 17"	3 $\frac{3}{16}$ " 8 $\frac{7}{8}$ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Component Pedestals 23 x 18, 29 x 18	Box File	14 $\frac{1}{16}$ " 15 $\frac{1}{16}$ "	17" 17"	3 $\frac{3}{16}$ " 8 $\frac{7}{8}$ "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Component Pedestals 23 x 15, 29 x 15	Box File	11 $\frac{1}{16}$ " 12 $\frac{1}{16}$ "	17" 17"	5 $\frac{1}{2}$ " 8 $\frac{7}{8}$ "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Mobile Pedestals 23 x 15	Box File	11 $\frac{1}{16}$ " 12 $\frac{1}{16}$ "	17" 17"	5 $\frac{1}{2}$ " 8 $\frac{7}{8}$ "	Letter filing front-to-back or side-to-side EDP and legal filing side-to-side

• Exterior dimension of legal width pedestal is 18". Letter width is 15"


## GROMMET SPECIFICATIONS

- Racetrack grommets are available as an option on desks, bridges, returns, credenzas, and corner unit for an additional upcharge
- Racetrack grommets are factory installed in the worksurface and end panels in predetermined locations as shown below
- Grommets on end panels are wood and are finished to match color of unit
- Inside end panels feature oval grommet in top corner of panel for cable management




### Single and Double Pedestal Desks

Left and right grommets on worksurface and end panels  
(38N3672DDFW8 Shown)




### Credenzas

Left and right grommets on worksurface and end panels  
(38N2478CSFW1 Shown)





### Executive Returns

Left and right grommets on worksurface and grommet on end panel  
(38N2448RLEFW1 Shown)




### Bridges

Left and right grommets on worksurface  
(38N2448BEFW Shown)




### P-Shaped and U-Shaped Desks

Grommet on worksurface  
(38N307242DPLFEW Shown)




### Credenzas

Center grommet on worksurface and end panels  
(38N2478CSFW1 Shown)



### Executive Returns

Center grommet on worksurface and grommet on end panel  
(38N2448RLEFW1 Shown)



### Corner Units

Corner grommet on worksurface  
(38N3636CFSW Shown)

## CASBAH L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:



- Balance, Satin Nickel pulls
- Flat façade profile
- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		



Balance, Satin Nickel pulls

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
<b>LEFT L-CONFIGURATION WOOD FAÇADE</b> 	38N8572LLFW	84½D x 71½W	\$ 6489	<b>RIGHT L-CONFIGURATION WOOD FAÇADE</b> 	38N8572LRFW	84½D x 71½W	\$ 6489
	consists of				consists of		
	38N3672DRFW1	Right Pedestal Desk	3647		38N3672DLFW1	Left Pedestal Desk	3647
	38N2448RLEFW2	Left Pedestal Return	2842		38N2448RREFW2	Right Pedestal Return	2842
	38N7972LLFW	78½D x 71½W	\$ 6395		38N7972LRFW	78½D x 71½W	\$ 6395
	consists of				consists of		
	38N3672DRFW1	Right Pedestal Desk	3647		38N3672DLFW1	Left Pedestal Desk	3647
	38N2442RLEFW2	Left Pedestal Return	2748		38N2442RREFW2	Right Pedestal Return	2748
	38N7966LLFW	78½D x 66W	\$ 6392		38N7966LRFW	78½D x 66W	\$ 6392
	consists of				consists of		
	38N3066DRFW1	Right Pedestal Desk	3550		38N3066DLFW1	Left Pedestal Desk	3550
	38N2448RLEFW2	Left Pedestal Return	2842		38N2448RREFW2	Right Pedestal Return	2842
	38N7366LLFW	72½D x 66W	\$ 6298		38N7366LRFW	72½D x 66W	\$ 6298
	consists of				consists of		
	38N3066DRFW1	Right Pedestal Desk	3550		38N3066DLFW1	Left Pedestal Desk	3550
	38N2442RLEFW2	Left Pedestal Return	2748		38N2442RREFW2	Right Pedestal Return	2748



## CASBAH U ARRANGEMENTS


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:



- Balance, Satin Nickel pulls
- Flat façade profile
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		



Balance, Satin Nickel pulls

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT U-CONFIGURATION WOOD FAÇADE</b> 	38N10972ULFW 108½D x 71½W	\$ 8039	<b>RIGHT U-CONFIGURATION WOOD FAÇADE</b> 	38N10972URFW 108½D x 71½W	\$ 8039
	consists of			consists of	
	38N3672DRFW1 Right Pedestal Desk	3647		38N3672DLFW1 Left Pedestal Desk	3647
	38N2448BEFW Bridge	1296		38N2448BEFW Bridge	1296
	38N2472CLFW2 Left Pedestal Credenza	3096		38N2472CRFW2 Right Pedestal Credenza	3096
	38N10372ULFW 102½D x 71½W	\$ 8003		38N10372URFW 102½D x 71½W	\$ 8003
	consists of			consists of	
	38N3672DRFW1 Right Pedestal Desk	3647		38N3672DLFW1 Left Pedestal Desk	3647
	38N2442BEFW Bridge	1260		38N2442BEFW Bridge	1260
	38N2472CLFW2 Left Pedestal Credenza	3096		38N2472CRFW2 Right Pedestal Credenza	3096
	38N10366ULFW 102½D x 66W	\$ 7853		38N10366URFW 102½D x 66W	\$ 7853
	consists of			consists of	
	38N3066DRFW1 Right Pedestal Desk	3550		38N3066DLFW1 Left Pedestal Desk	3550
	38N2448BEFW Bridge	1296		38N2448BEFW Bridge	1296
	38N2466CLFW2 Left Pedestal Credenza	3007		38N2466CRFW2 Right Pedestal Credenza	3007
	38N9766ULFW 96½D x 66W	\$ 7817		38N9766URFW 96½D x 66W	\$ 7817
	consists of			consists of	
	38N3066DRFW1 Right Pedestal Desk	3550		38N3066DLFW1 Left Pedestal Desk	3550
	38N2442BEFW Bridge	1260		38N2442BEFW Bridge	1260
	38N2466CLFW2 Left Pedestal Credenza	3007		38N2466CRFW2 Right Pedestal Credenza	3007

## PRODUCT SPECIFICATIONS


- Refer to pages 489-526 for accessories
- Refer to page 111 for recessed façade details
- Refer to page 115 for grommet locations
- Due to recessed façade, keyboard trays and center drawers cannot be used
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 494
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang:
	Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N3684DDFCW8	FL	72SN	G11SNLR	KRB	R	MH
38N3684DDFCWP8	72SN	G11SNL	KRB	R	MH	503
38N3684DTWP	G11SNL	N	AC	503		
38N3684DTW	RE	G11SNLR	N	HN		
38N3672DLFW1	RE	72SN	G11SNL	KRB	R	AC
38N3672DLFWP1	72SN	G11SNL	KRB	R	AC	503

DOUBLE PEDESTAL DESK  
WITH ARC MODESTY

Box/Box/File—File/File



File/File—Box/Box/File

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW

CARTONED  
WEIGHTCUBIC  
FEET


## DESK—WOOD MODESTY/FAÇADE

38N3684DDFCW8	Box/Box/File—File/File	\$ 5624	36 $\frac{1}{2}$ "	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	47 $\frac{3}{4}$ "	374 lbs.	65.8
38N3672DDFCW8	Box/Box/File—File/File	4881	36 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{3}{4}$ "	349 lbs.	57.0
38N3684DDFCW9	File/File—Box/Box/File	\$ 5624	36 $\frac{1}{2}$ "	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	47 $\frac{3}{4}$ "	374 lbs.	65.8
38N3672DDFCW9	File/File—Box/Box/File	4881	36 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{3}{4}$ "	349 lbs.	57.0


## DESK—PAINTED MODESTY/FAÇADE

38N3684DDFCWP8	Box/Box/File—File/File	\$ 5624	36 $\frac{1}{2}$ "	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	47 $\frac{3}{4}$ "	374 lbs.	65.8
38N3672DDFCWP8	Box/Box/File—File/File	4881	36 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{3}{4}$ "	349 lbs.	57.0
38N3684DDFCWP9	File/File—Box/Box/File	\$ 5624	36 $\frac{1}{2}$ "	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	47 $\frac{3}{4}$ "	374 lbs.	65.8
38N3672DDFCWP9	File/File—Box/Box/File	4881	36 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{3}{4}$ "	349 lbs.	57.0

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK  
WITH STRAIGHT MODESTY

Box/Box/File—File/File



File/File—Box/Box/File

## DESK—WOOD MODESTY/FAÇADE

38N3684DDFW8	Box/Box/File—File/File	\$ 4827	36 $\frac{1}{2}$ "	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	47 $\frac{3}{4}$ "	374 lbs.	65.8
38N3672DDFW8	Box/Box/File—File/File	4001	36 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{3}{4}$ "	349 lbs.	57.0
38N3066DDFW8	Box/Box/File—File/File	3850	30 $\frac{1}{2}$ "	66"	29 $\frac{1}{4}$ "	—	29 $\frac{3}{4}$ "	285 lbs.	44.9
38N3684DDFW9	File/File—Box/Box/File	\$ 4827	36 $\frac{1}{2}$ "	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	47 $\frac{3}{4}$ "	374 lbs.	65.8
38N3672DDFW9	File/File—Box/Box/File	4001	36 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{3}{4}$ "	349 lbs.	57.0
38N3066DDFW9	File/File—Box/Box/File	3850	30 $\frac{1}{2}$ "	66"	29 $\frac{1}{4}$ "	—	29 $\frac{3}{4}$ "	285 lbs.	44.9


## DESK—PAINTED MODESTY/FAÇADE

38N3684DDFWP8	Box/Box/File—File/File	\$ 4827	36 $\frac{1}{2}$ "	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	47 $\frac{3}{4}$ "	374 lbs.	65.8
38N3672DDFWP8	Box/Box/File—File/File	4001	36 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{3}{4}$ "	349 lbs.	57.0
38N3066DDFWP8	Box/Box/File—File/File	3850	30 $\frac{1}{2}$ "	66"	29 $\frac{1}{4}$ "	—	29 $\frac{3}{4}$ "	285 lbs.	44.9
38N3684DDFWP9	File/File—Box/Box/File	\$ 4827	36 $\frac{1}{2}$ "	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	47 $\frac{3}{4}$ "	374 lbs.	65.8
38N3672DDFWP9	File/File—Box/Box/File	4001	36 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{3}{4}$ "	349 lbs.	57.0
38N3066DDFWP9	File/File—Box/Box/File	3850	30 $\frac{1}{2}$ "	66"	29 $\frac{1}{4}$ "	—	29 $\frac{3}{4}$ "	285 lbs.	44.9


- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N3684DDFCW8	FL	72SN	G11SNLR	KRB	R	MH	

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>TABLE DESK</b> 	<b>DESK—WOOD FAÇADE</b>								
	38N3684DTW	\$ 4346	36 1/2	83 1/2	29 1/4	—	66%	202 lbs.	64.4
	38N3672DTW	3601	36 1/2	71 1/2	29 1/4	—	54%	185 lbs.	20.9
	<b>DESK—PAINTED FAÇADE</b>								
	38N3684DTWP	\$ 4346	36 1/2	83 1/2	29 1/4	—	66%	202 lbs.	64.4
	38N3672DTWP	3601	36 1/2	71 1/2	29 1/4	—	54%	185 lbs.	20.9
	<ul style="list-style-type: none"> <li>• Do not specify a pull</li> <li>• Some assembly required</li> </ul>								

**SINGLE PEDESTAL DESK WITH ARC MODESTY**



Left shown

**WOOD MODESTY/FAÇADE**

**LEFT PEDESTAL RIGHT PEDESTAL**

38N3684DLFCW1	38N3684DRFCW1	Box/Box/File	\$ 4881	36 1/2	83 1/2	29 1/4	—	41%	334 lbs.	65.8
38N3672DLFCW1	38N3672DRFCW1	Box/Box/File	4280	36 1/2	71 1/2	29 1/4	—	29%	309 lbs.	57.0


**PAINTED MODESTY/FAÇADE**

**LEFT PEDESTAL RIGHT PEDESTAL**

38N3684DLFCWP1	38N3684DRFCWP1	Box/Box/File	\$ 4881	36 1/2	83 1/2	29 1/4	—	41%	334 lbs.	65.8
38N3672DLFCWP1	38N3672DRFCWP1	Box/Box/File	4280	36 1/2	71 1/2	29 1/4	—	29%	309 lbs.	57.0

- Not recommended as a freestanding unit due to routing in the rim
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**SINGLE PEDESTAL DESK WITH STRAIGHT MODESTY**



Left shown

**WOOD MODESTY/FAÇADE**

**LEFT PEDESTAL RIGHT PEDESTAL**

38N3684DLFW1	38N3684DRFW1	Box/Box/File	\$ 4174	36 1/2	83 1/2	29 1/4	—	41%	334 lbs.	65.8
38N3672DLFW1	38N3672DRFW1	Box/Box/File	3647	36 1/2	71 1/2	29 1/4	—	29%	309 lbs.	57.0
38N3066DLFW1	38N3066DRFW1	Box/Box/File	3550	30 1/2	66	29 1/4	—	23 1/2%	245 lbs.	44.9

**PAINTED MODESTY/FAÇADE**

**LEFT PEDESTAL RIGHT PEDESTAL**

38N3684DLFWP1	38N3684DRFWP1	Box/Box/File	\$ 4174	36 1/2	83 1/2	29 1/4	—	41%	334 lbs.	65.8
38N3672DLFWP1	38N3672DRFWP1	Box/Box/File	3647	36 1/2	71 1/2	29 1/4	—	29%	309 lbs.	57.0
38N3066DLFWP1	38N3066DRFWP1	Box/Box/File	3550	30 1/2	66	29 1/4	—	23 1/2%	245 lbs.	44.9

- Not recommended as a freestanding unit due to routing in the rim
- Keyboard kits cannot be used on 38N3066 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## PRODUCT SPECIFICATIONS


- Refer to pages 489-526 for accessories
- Refer to page 111 for recessed façade details
- Refer to page 115 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 494
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang:
	Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N367248DLFECW1	FL	72SN	G11SNLR	KRB	R	AC
38N367248DLFECWP1	72SN	G11SNLR	KRB	R	AC	503
38N3672DULW	RE	G11SN	R	CW		503
38N3672DULWP	G11SN	R	CW			503
38N3072DPLW	FL	G11SN	R	AC		503
38N3072DPLFW	G11SN	R	AC			503

SINGLE PEDESTAL DESK  
EXTENDED CORNER  
WITH ARC MODESTY

Left shown

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW

CARTONED  
WEIGHTCUBIC  
FEET

## WOOD MODESTY/FAÇADE

## LEFT PEDESTAL

## RIGHT PEDESTAL

38N367248DLFECW1	38N367248DRFECW1	Box/Box/File	\$ 4451	48½"	71½"	29¼"	—	29%	344 lbs.	73.9
------------------	------------------	--------------	---------	------	------	------	---	-----	----------	------


## PAINTED MODESTY/FAÇADE

## LEFT PEDESTAL

## RIGHT PEDESTAL

38N367248DLFECWP1	38N367248DRFECWP1	Box/Box/File	\$ 4451	48½"	71½"	29¼"	—	29%	344 lbs.	73.9
-------------------	-------------------	--------------	---------	------	------	------	---	-----	----------	------

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SNL, G11SNR, G11SNLR, G11MBL, G11MBR, G11MBLR, G11PLL, G11PLR, G11PLLR available
- Keyboard kits cannot be placed in the radius corner of extended corner desks
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL DESK  
EXTENDED CORNER  
WITH STRAIGHT MODESTY

Left shown

## WOOD MODESTY/FAÇADE

## LEFT PEDESTAL

## RIGHT PEDESTAL

38N367248DLFEW1	38N367248DRFEW1	Box/Box/File	\$ 3793	48½"	71½"	29¼"	—	29%	344 lbs.	73.9
-----------------	-----------------	--------------	---------	------	------	------	---	-----	----------	------

38N306642DLFEW1	38N306642DRFEW1	Box/Box/File	3719	42½"	66"	29¼"	—	23½%	278 lbs.	73.9
-----------------	-----------------	--------------	------	------	-----	------	---	------	----------	------

## PAINTED MODESTY/FAÇADE


## LEFT PEDESTAL

## RIGHT PEDESTAL

38N367248DLFEWP1	38N367248DRFEWP1	Box/Box/File	\$ 3793	48½"	71½"	29¼"	—	29%	344 lbs.	73.9
------------------	------------------	--------------	---------	------	------	------	---	-----	----------	------

38N306642DLFEWP1	38N306642DRFEWP1	Box/Box/File	3719	42½"	66"	29¼"	—	23½%	278 lbs.	73.9
------------------	------------------	--------------	------	------	-----	------	---	------	----------	------

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SNL, G11SNR, G11SNLR, G11MBL, G11MBR, G11MBLR, G11PLL, G11PLR, G11PLLR available
- Keyboard kits cannot be placed in the radius corner of extended corner desks
- Keyboard kits cannot be used on 38N306642 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

U-SHAPED DESK  
WITH SUPPORT BASE

Left shown


## LEFT U

## RIGHT U

38N3672DULW	38N3672DURW	Wood Façade	\$ 3088	36½"	71½"	29¼"	—	30½"	234 lbs.	57.0
-------------	-------------	-------------	---------	------	------	------	---	------	----------	------

38N3672DULWP	38N3672DURWP	Painted Façade	3088	36½"	71½"	29¼"	—	30½"	234 lbs.	57.0
--------------	--------------	----------------	------	------	------	------	---	------	----------	------

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

U-SHAPED DESK  
WITH MODESTY PANEL  
AND SUPPORT BASE

Left shown

## LEFT U

## RIGHT U

38N3672DULFW	38N3672DURFW	Wood Façade	\$ 4122	36½"	71½"	29¼"	—	30½"	252 lbs.	57.0
--------------	--------------	-------------	---------	------	------	------	---	------	----------	------


38N3672DULFWP	38N3672DURFWP	Painted Façade	4122	36½"	71½"	29¼"	—	30½"	252 lbs.	57.0
---------------	---------------	----------------	------	------	------	------	---	------	----------	------

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base and wood modesty included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SN Sat. Nick. Met. G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11MB Cinder G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11PL Plat. Met. G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N367248DLFECW1	FL	72SN	G11SNLR	KRB	R	AC	

#### U-SHAPED EXTENDED CORNER DESK WITH SUPPORT BASE




Left shown

#### MODEL NO./DESCRIPTION

LEFT U	RIGHT U		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N367248DULEW	38N367248DUREW	Wood Façade	\$ 3212	48 1/4	71 1/4	29 1/4	—	30 1/4	270 lbs.	73.9
38N367248DULEWP	38N367248DUREWP	Painted Façade	3212	48 1/4	71 1/4	29 1/4	—	30 1/4	270 lbs.	73.9

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

#### U-SHAPED EXTENDED CORNER DESK WITH MODESTY PANEL AND SUPPORT BASE




Left shown

LEFT U	RIGHT U		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N367248DULFEW	38N367248DURFEW	Wood Façade	\$ 4230	48 1/4	71 1/4	29 1/4	—	30 1/4	288 lbs.	73.9
38N367248DULFEWP	38N367248DURFEWP	Painted Façade	4230	48 1/4	71 1/4	29 1/4	—	30 1/4	288 lbs.	73.9

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base and wood modesty included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

#### P-SHAPED DESK WITH SUPPORT BASE




Left shown

LEFT P	RIGHT P		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N3072DPLW	38N3072DPRW	Wood Façade	\$ 3245	36 1/4	71 1/4	29 1/4	—	30 1/4	209 lbs.	57.0
38N3072DPLWP	38N3072DPRWP	Painted Façade	3245	36 1/4	71 1/4	29 1/4	—	30 1/4	209 lbs.	57.0

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

#### P-SHAPED DESK WITH MODESTY PANEL AND SUPPORT BASE



Left shown

LEFT P	RIGHT P		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N3072DPLFW	38N3072DPRFW	Wood Façade	\$ 4264	36 1/4	71 1/4	29 1/4	—	30 1/4	230 lbs.	57.0
38N3072DPLFWP	38N3072DPRFWP	Painted Façade	4264	36 1/4	71 1/4	29 1/4	—	30 1/4	230 lbs.	57.0

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base and wood modesty included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

## PRODUCT SPECIFICATIONS


- Refer to pages 489-526 for accessories
- Refer to page 111 for recessed façade details
- Refer to page 115 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 494
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang:
	Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N3672DTLFCW1	RE	74SN	G11SNLR	KRB	A	8610	R	MH
38N3672DTLFCWP1	74SN	G11SNLR	KRB	A	8610	R	MH	503
38N2460RLEFW1	FL	73SN	G11SNA	KRB	R	MC		
38N2460RLEFWP1	73SN	G11SNA	KRB	R	MC	503		

P-SHAPED  
EXTENDED CORNER DESK  
WITH SUPPORT BASE

Left shown

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW


CARTONED  
WEIGHTCUBIC  
FEET

## LEFT P

## RIGHT P

38N307242DPLEW	38N307242DPREW	Wood Façade	\$ 3404	36 1/2	71 1/2	29 1/4	—	30 1/2	272 lbs.	73.9
38N307242DPLEWP	38N307242DPREWP	Painted Façade	3404	36 1/2	71 1/2	29 1/4	—	30 1/2	272 lbs.	73.9

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

P-SHAPED  
EXTENDED CORNER DESK  
WITH MODESTY PANEL  
AND SUPPORT BASE

Left shown


## LEFT P

## RIGHT P

38N307242DPLFEW	38N307242DPRFEW	Wood Façade	\$ 4437	36 1/2	71 1/2	29 1/4	—	30 1/2	290 lbs.	73.9
38N307242DPLFEWP	38N307242DPRFEWP	Painted Façade	4437	36 1/2	71 1/2	29 1/4	—	30 1/2	290 lbs.	73.9


- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Wood half cylinder support base and wood modesty included with desk
- Keyboard kits cannot be used
- Unit shipped assembled

## CORNER UNIT



38N3636CFSW	Wood Façade	\$ 2457	36 1/2	36 1/2	29 1/4	—	17 3/2	144 lbs.	26.6
38N3636CFSWP	Painted Façade	2457	36 1/2	36 1/2	29 1/4	—	17 3/2	144 lbs.	26.6

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SN, G11MB, G11PL available
- Grain direction runs diagonally on worksurface
- Keyboard kits cannot be used

SINGLE PEDESTAL  
RECEPTION DESK  
WITH ARC MODESTY

Left shown

## WOOD MODESTY/FAÇADE

## LEFT PEDESTAL

## RIGHT PEDESTAL

## GRADE A

## GRADE B

38N3672DTLFCW1	38N3672DTRFCW1	\$ 5419	\$ 5487	36 1/2	71 1/2	42	—	30 1/2	363 lbs.	92.3
----------------	----------------	---------	---------	--------	--------	----	---	--------	----------	------

## PAINTED MODESTY/FAÇADE

## LEFT PEDESTAL

## RIGHT PEDESTAL


38N3672DTLFCWP1	38N3672DTRFCWP1	\$ 5419	\$ 5487	36 1/2	71 1/2	42	—	30 1/2	363 lbs.	92.3
-----------------	-----------------	---------	---------	--------	--------	----	---	--------	----------	------

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SNL, G11SNR, G11SNLR, G11MBL, G11MBR, G11MBLR, G11PLL, G11PLR, G11PLLR available
- Unit will have a tack board panel included; must specify grade and tack board fabric color immediately following the grommet option; see page 523 for fabric options
- To make a U reception station, specify a left pedestal reception desk, right pedestal reception desk, and a reception bridge
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Casbah tack board fabrics are always railroaded


Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
38N3672DTLECW1	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SN Sat. Nick. Met. G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MB Cinder G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PL Plat. Met. G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
	RE	74SN	G11SNLR	KRB	R	MH	

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
-----------------------	------------	---	---	---	---	----	-----------------	------------

**RECEPTION RETURN  
WITH STRAIGHT MODESTY**

Left—Box/Box/File shown



Left—File/File shown


**WOOD MODESTY/FAÇADE  
LEFT RETURN RIGHT RETURN**

38N2442RTLW1	38N2442RTRW1	Box/Box/File	\$ 3599	23 $\frac{1}{2}$ "	41 $\frac{1}{2}$ "	40 $\frac{3}{4}$ "	—	—	184 lbs.	34.8
38N2442RTLW2	38N2442RTRW2	File/File	3599	23 $\frac{1}{2}$ "	41 $\frac{1}{2}$ "	40 $\frac{3}{4}$ "	—	—	184 lbs.	34.8

**PAINTED FAÇADE  
LEFT RETURN RIGHT RETURN**


38N2442RTLWP1	38N2442RTRWP1	Box/Box/File	\$ 3599	23 $\frac{1}{2}$ "	41 $\frac{1}{2}$ "	40 $\frac{3}{4}$ "	—	—	184 lbs.	34.8
38N2442RTLWP2	38N2442RTRWP2	File/File	3599	23 $\frac{1}{2}$ "	41 $\frac{1}{2}$ "	40 $\frac{3}{4}$ "	—	—	184 lbs.	34.8

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**RECEPTION BRIDGE  
ARC MODESTY**

38N2886BTCW	Wood Modesty/Façade	\$ 2682	26 $\frac{1}{2}$ "	85 $\frac{1}{2}$ "	41 $\frac{1}{2}$ "	—	—	—	134 lbs.	12.4
38N2886BTCWP	Painted Modesty/Façade	2682	26 $\frac{1}{2}$ "	85 $\frac{1}{2}$ "	41 $\frac{1}{2}$ "	—	—	—	134 lbs.	12.4

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC2208KK1) cannot be used
- Some assembly required
- Bridge width is 48", Reception counter is 85 $\frac{1}{2}$ " wide

**RETURN  
BOX/BOX/FILE**

Left shown

**WOOD FAÇADE  
LEFT RETURN RIGHT RETURN**

38N2460RLEFW1	38N2460RREFW1	\$ 3011	24	60	29 $\frac{1}{4}$ "	—	41 $\frac{1}{2}$ "	199 lbs.	33.7
38N2448RLEFW1	38N2448RREFW1	2812	24	48 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	30	175 lbs.	28.1
38N2442RLEFW1	38N2442RREFW1	2718	24	42 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	24	166 lbs.	25.0

**PAINTED FAÇADE  
LEFT RETURN RIGHT RETURN**

38N2460RLEFWP1	38N2460RREFWP1	\$ 3011	24	60	29 $\frac{1}{4}$ "	—	41 $\frac{1}{2}$ "	199 lbs.	33.7
38N2448RLEFWP1	38N2448RREFWP1	2812	24	48 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	30	175 lbs.	28.1
38N2442RLEFWP1	38N2442RREFWP1	2718	24	42 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	24	166 lbs.	25.0

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC2208KK1) cannot be used
- Keyboard kits cannot be used on 38N2442 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## PRODUCT SPECIFICATIONS


- Refer to pages 489-526 for accessories
- Refer to page 111 for recessed façade details
- Refer to page 115 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 494
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang:
	Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N2460RLEFW2	FL	73SN	G11SNC	KRB	N	CW
38N2460RLEFWP2	73SN	G11SNC	KRB	N	CW	503

RETURN  
BOX/BOX/FILE  
WITH TAMBOUR MODESTY

Left shown

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW


CARTONED  
WEIGHTCUBIC  
FEETWOOD FAÇADE—TAMBOUR MODESTY  
LEFT RETURN RIGHT RETURN

38N2460RLEFTW1	38N2460RREFTW1	\$ 3143	24	60	29¼	—	41½	199 lbs.	33.7
38N2448RLEFTW1	38N2448RREFTW1	2944	24	48½	29¼	—	30	175 lbs.	28.1
38N2442RLEFTW1	38N2442RREFTW1	2849	24	42½	29¼	—	24	166 lbs.	25.0

PAINTED FAÇADE—TAMBOUR MODESTY  
LEFT RETURN RIGHT RETURN

38N2460RLEFTWP1	38N2460RREFTWP1	\$ 3143	24	60	29¼	—	41½	199 lbs.	33.7
38N2448RLEFTWP1	38N2448RREFTWP1	2944	24	48½	29¼	—	30	175 lbs.	28.1
38N2442RLEFTWP1	38N2442RREFTWP1	2849	24	42½	29¼	—	24	166 lbs.	25.0

- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty returns for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used on 38N2448 and 38N2460 models
- Keyboard kits cannot be used on 38N2442 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RETURN  
FILE/FILE

Left shown

WOOD FAÇADE  
LEFT RETURN RIGHT RETURN

38N2460RLEFW2	38N2460RREFW2	\$ 3011	24	60	29¼	—	41½	199 lbs.	33.7
38N2448RLEFW2	38N2448RREFW2	2812	24	48½	29¼	—	30	175 lbs.	28.1
38N2442RLEFW2	38N2442RREFW2	2718	24	42½	29¼	—	24	166 lbs.	25.0

PAINTED FAÇADE  
LEFT RETURN RIGHT RETURN

38N2460RLEFWP2	38N2460RREFWP2	\$ 3011	24	60	29¼	—	41½	199 lbs.	33.7
38N2448RLEFWP2	38N2448RREFWP2	2812	24	48½	29¼	—	30	175 lbs.	28.1
38N2442RLEFWP2	38N2442RREFWP2	2718	24	42½	29¼	—	24	166 lbs.	25.0


- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC2208KK1) cannot be used
- Keyboard kits cannot be used on 38N2442 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available



Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
38N2460RLEFW2	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
	FL	73SN	G11SNC	KRB	N	CW	

### RETURN FILE/FILE WITH TAMBOUR MODESTY



Left shown

#### MODEL NO./DESCRIPTION

#### WOOD FAÇADE—TAMBOUR MODESTY LEFT RETURN RIGHT RETURN


MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2460RLEFTW2	38N2460RREFTW2	\$ 3143	24	60	29½	—	41½%	199 lbs.	33.7
38N2448RLEFTW2	38N2448RREFTW2	2944	24	48½	29½	—	30	175 lbs.	28.1
38N2442RLEFTW2	38N2442RREFTW2	2849	24	42½	29½	—	24	166 lbs.	25.0

#### PAINTED FAÇADE—TAMBOUR MODESTY LEFT RETURN RIGHT RETURN

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2460RLEFTWP2	38N2460RREFTWP2	\$ 3143	24	60	29½	—	41½%	199 lbs.	33.7
38N2448RLEFTWP2	38N2448RREFTWP2	2944	24	48½	29½	—	30	175 lbs.	28.1
38N2442RLEFTWP2	38N2442RREFTWP2	2849	24	42½	29½	—	24	166 lbs.	25.0

- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty returns for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used on 38N2448 and 38N2460 models
- Keyboard kits cannot be used on 38N2442 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### RETURN LATERAL FILE




Left shown

#### LEFT RETURN RIGHT RETURN

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2460RLEFW6	38N2460RREFW6 Wood Façade	\$ 3227	24	60	29½	—	24%	218 lbs.	33.7
38N2460RLEFWP6	38N2460RREFWP6 Painted Façade	3227	24	60	29½	—	24%	218 lbs.	33.7

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### RETURN LATERAL FILE WITH TAMBOUR MODESTY



Left shown

#### TAMBOUR MODESTY LEFT RETURN RIGHT RETURN

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2460RLEFTW6	38N2460RREFTW6 Wood Façade	\$ 3359	24	60	29½	—	24%	218 lbs.	33.7
38N2460RLEFTWP6	38N2460RREFTWP6 Painted Façade	3359	24	60	29½	—	24%	218 lbs.	33.7

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty returns for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## PRODUCT SPECIFICATIONS


- Refer to pages 489-526 for accessories
- Refer to page 111 for recessed façade details
- Refer to page 115 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 494
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang:
	Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N2460RLEFW12	RE	72SN	G11SNA	KRB	N	HN
38N2460RLEFWP12	72SN	G11SNA	KRB	N	HN	503
38N2448BEFWP	G11SNA	R	MH	503		
38N2448BEFW	RE	G11SNA	R	MH		


	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
					D	W	H				
<div>RETURN BOX/BOX/FILE—FILE/FILE</div> <div></div>	LEFT RETURN	RIGHT RETURN									
	38N2460RLEFW12	38N2460RREFW12	Wood Façade	\$ 3601	24	60	29¼	—	24¼	218 lbs.	33.7
	38N2460RLEFWP12	38N2460RREFWP12	Painted Façade	3601	24	60	29¼	—	24¼	218 lbs.	33.7



Left shown

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

## RETURN BOX/BOX/FILE—FILE/FILE WITH TAMBOUR MODESTY




Left shown

## TAMBOUR MODESTY

LEFT RETURN	RIGHT RETURN									
38N2460RLEFTW12	38N2460RREFTW12	Wood Façade	\$ 3731	24	60	29¼	—	24¼	218 lbs.	33.7
38N2460RLEFTWP12	38N2460RREFWP12	Painted Façade	3731	24	60	29¼	—	24¼	218 lbs.	33.7

- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty returns for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

## BRIDGE



## WOOD FAÇADE

38N2448BEFW	\$ 1266	24	48¼	29¼	—	—	72 lbs.	4.6
38N2442BEFW	1230	24	42¼	29¼	—	—	64 lbs.	4.1
38N2436BEFW	1193	24	36¼	29¼	—	—	52 lbs.	3.6
38N2430BEFW	1159	24	30¼	29¼	—	—	43 lbs.	3.1

## PAINTED FAÇADE


38N2448BEFWP	\$ 1266	24	48¼	29¼	—	—	72 lbs.	4.6
38N2442BEFWP	1230	24	42¼	29¼	—	—	64 lbs.	4.1
38N2436BEFWP	1193	24	36¼	29¼	—	—	52 lbs.	3.6
38N2430BEFWP	1159	24	30¼	29¼	—	—	43 lbs.	3.1

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Some assembly required

Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
38N2460RLEFW12	RE Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver KS3B Key Specific, Black KS3S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2460RLEFW12	RE	72SN	G11SNA	KRB	N	HN	

### BRIDGE WITH TAMBOUR MODESTY



#### MODEL NO./DESCRIPTION

#### WOOD FAÇADE—TAMBOUR MODESTY


MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2448BEFTW	\$ 1400	24	48 $\frac{1}{2}$	29 $\frac{1}{4}$	—	—	95 lbs.	10.4
38N2442BEFTW	1364	24	42 $\frac{1}{2}$	29 $\frac{1}{4}$	—	—	85 lbs.	9.2
38N2436BEFTW	1324	24	36 $\frac{1}{2}$	29 $\frac{1}{4}$	—	—	73 lbs.	8.1
38N2430BEFTW	1291	24	30 $\frac{1}{2}$	29 $\frac{1}{4}$	—	—	63 lbs.	6.9

#### PAINTED FAÇADE—TAMBOUR MODESTY

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2448BEFTWP	\$ 1400	24	48 $\frac{1}{2}$	29 $\frac{1}{4}$	—	—	95 lbs.	10.4
38N2442BEFTWP	1364	24	42 $\frac{1}{2}$	29 $\frac{1}{4}$	—	—	85 lbs.	9.2
38N2436BEFTWP	1324	24	36 $\frac{1}{2}$	29 $\frac{1}{4}$	—	—	73 lbs.	8.1
38N2430BEFTWP	1291	24	30 $\frac{1}{2}$	29 $\frac{1}{4}$	—	—	63 lbs.	6.9

- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty bridges for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used

### BUFFET CREDENZA



#### WOOD FAÇADE

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2490CBW Wood	\$ 5782	24	89 $\frac{1}{2}$	34 $\frac{1}{2}$	—	—	469 lbs.	56.9
38N2472CBW Wood	4792	24	71 $\frac{1}{2}$	34 $\frac{1}{2}$	—	—	381 lbs.	46.7

#### PAINTED FAÇADE

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2490CBWP Wood	\$ 5782	24	89 $\frac{1}{2}$	34 $\frac{1}{2}$	—	—	469 lbs.	56.9
38N2472CBWP Wood	4792	24	71 $\frac{1}{2}$	34 $\frac{1}{2}$	—	—	381 lbs.	46.7

- Drawers are in the recessed façade detail
- Locking standard on doors
- Credenza features an adjustable laminate shelf (1" thick and 21 $\frac{1}{2}$ " deep)
- (3) shelves in 90" cabinet are each 28 $\frac{1}{2}$ " wide
- (2) shelves in 72" cabinet are each 34 $\frac{1}{2}$ " wide
- Grommet option not available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72" units or specified lock core (KS3B, KS3S) available on 90" units

## PRODUCT SPECIFICATIONS

- Refer to pages 489-526 for accessories
- Refer to page 111 for recessed façade details
- Refer to page 115 for grommet locations
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang:
	Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N2496CSFW7	RE	72SN	G11SNC	KRB	R	MH	
38N2496CSFWP7	72SN	G11SNC	KRB	R	MH	503	
38N2496CSFW1	FL	73SN	X	KRB	R	MH	
38N2496CSFWP1	73SN	X	KRB	R	MH	503	

## ENTERTAINMENT CREDENZA



## MODEL NO./DESCRIPTION


## WOOD FAÇADE

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2490CBVW	\$ 5782	24	89 $\frac{1}{8}$ "	34 $\frac{1}{8}$ "	—	—	469 lbs.	56.9
38N2472CBVW	4792	24	71 $\frac{1}{8}$ "	34 $\frac{1}{8}$ "	—	—	381 lbs.	46.7


## PAINTED FAÇADE

38N2490CBVWP	\$ 5782	24	89 $\frac{1}{8}$ "	34 $\frac{1}{8}$ "	—	—	469 lbs.	56.9
38N2472CBVWP	4792	24	71 $\frac{1}{8}$ "	34 $\frac{1}{8}$ "	—	—	381 lbs.	46.7

- Drawers are in the recessed façade detail
- Locking standard on doors
- Credenza features an adjustable shelf (1" thick and 21 $\frac{1}{8}$ " deep)
- (3) shelves in 90" cabinet are each 28 $\frac{1}{8}$ " wide
- (2) shelves in 72" cabinet are each 34 $\frac{1}{8}$ " wide
- Cutouts in back panel for venting
- Grommets available for \$30 list upcharge per grommet; 72" unit (G11SNLR, G11MBLR, G11PLLR), 90" unit (G11SNLR, G11MBLR, G11PLLR, G11SNC, G11MBC, G11PLC)
- Unfinished back panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72" units or specified lock core (KS3B, KS3S) available on 90" units

STORAGE CREDENZA  
DOUBLE DOOR

90" and 96"



72" and 84"

## WOOD FAÇADE

38N2496CSFW7	\$ 5833	24	95 $\frac{7}{8}$ "	29 $\frac{1}{4}$ "	—	—	468 lbs.	52.5
38N2490CSFW7	5665	24	89 $\frac{1}{8}$ "	29 $\frac{1}{4}$ "	—	—	446 lbs.	49.5
38N2484CSFW7	5135	24	83 $\frac{1}{8}$ "	29 $\frac{1}{4}$ "	—	—	425 lbs.	46.4
38N2472CSFW7	4182	24	71 $\frac{1}{8}$ "	29 $\frac{1}{4}$ "	—	—	346 lbs.	40.6

## PAINTED FAÇADE


38N2496CSFWP7	\$ 5833	24	95 $\frac{7}{8}$ "	29 $\frac{1}{4}$ "	—	—	468 lbs.	52.5
38N2490CSFWP7	5665	24	89 $\frac{1}{8}$ "	29 $\frac{1}{4}$ "	—	—	446 lbs.	49.5
38N2484CSFWP7	5135	24	83 $\frac{1}{8}$ "	29 $\frac{1}{4}$ "	—	—	425 lbs.	46.4
38N2472CSFWP7	4182	24	71 $\frac{1}{8}$ "	29 $\frac{1}{4}$ "	—	—	346 lbs.	40.6

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Storage credenza features an adjustable laminate shelf (1" thick and 21 $\frac{1}{8}$ " deep)
- (3) shelves in 96" cabinet are 34 $\frac{1}{8}$ " wide in the center section and 28 $\frac{1}{8}$ " wide in the side sections
- (3) shelves in 90" cabinet are each 28 $\frac{1}{8}$ " wide
- (2) shelves in 84" cabinet are each 40 $\frac{1}{8}$ " wide
- (2) shelves in 72" cabinet are each 34 $\frac{1}{8}$ " wide
- For 72" and 84" random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- For 90" and 96" random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available


Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
38N2496CSFW7	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver KS3B Key Specific, Black KS3S Key Specific, Silver KS4B Key Specific, Black KS4S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2496CSFW7	RE	72SN	G11SNC	KRB	R	MH	

**STORAGE CREDENZA  
FILE/FILE—DOUBLE DOOR**



96"



66" to 78"

**MODEL NO./DESCRIPTION**

**WOOD FAÇADE**


MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2496CSFW2	\$ 5833	24	95 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	—	468 lbs.	52.5
38N2478CSFW2	4550	24	77 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	—	403 lbs.	43.3
38N2472CSFW2	4182	24	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	—	346 lbs.	40.6
38N2466CSFW2	3905	24	66"	29 $\frac{1}{4}$ "	—	—	334 lbs.	37.5

**PAINTED FAÇADE**


MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2496CSFWP2	\$ 5833	24	95 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	—	468 lbs.	52.5
38N2478CSFWP2	4550	24	77 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	—	403 lbs.	43.3
38N2472CSFWP2	4182	24	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	—	346 lbs.	40.6
38N2466CSFWP2	3905	24	66"	29 $\frac{1}{4}$ "	—	—	334 lbs.	37.5

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Storage credenza features an adjustable laminate shelf (1" thick and 21 $\frac{1}{2}$ " deep)
- (2) shelves in 96" cabinet are each 28 $\frac{1}{2}$ " wide
- Shelf in 78" cabinet is 40 $\frac{1}{2}$ " wide
- Shelf in 72" cabinet is 34 $\frac{1}{2}$ " wide
- Shelf in 66" cabinet is 28 $\frac{1}{2}$ " wide
- For 66", 72" and 78" random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- For 96" random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available

**STORAGE CREDENZA  
BOX/BOX/FILE—DOUBLE DOOR**



96"



66" to 78"

**WOOD FAÇADE**

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2496CSFW1	\$ 5833	24	95 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	—	468 lbs.	52.5
38N2478CSFW1	4550	24	77 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	—	403 lbs.	43.3
38N2472CSFW1	4182	24	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	—	346 lbs.	40.6
38N2466CSFW1	3905	24	66"	29 $\frac{1}{4}$ "	—	—	334 lbs.	37.5

**PAINTED FAÇADE**

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2496CSFWP1	\$ 5833	24	95 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	—	468 lbs.	52.5
38N2478CSFWP1	4550	24	77 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	—	403 lbs.	43.3
38N2472CSFWP1	4182	24	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	—	346 lbs.	40.6
38N2466CSFWP1	3905	24	66"	29 $\frac{1}{4}$ "	—	—	334 lbs.	37.5

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Storage credenza features an adjustable laminate shelf (1" thick and 21 $\frac{1}{2}$ " deep)
- (2) shelves in 96" cabinet are each 28 $\frac{1}{2}$ " wide
- Shelf in 78" cabinet is 40 $\frac{1}{2}$ " wide
- Shelf in 72" cabinet is 34 $\frac{1}{2}$ " wide
- Shelf in 66" cabinet is 28 $\frac{1}{2}$ " wide
- For 66", 72" and 78" random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- For 96" random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available

## PRODUCT SPECIFICATIONS


- Refer to pages 489-526 for accessories
- Refer to page 111 for recessed façade details
- Refer to page 115 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 494
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang:
	Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N2496CKFTW2	RE	73SN	G11SNC	KRB	R	MH
38N2496CKFTWP2	73SN	G11SNC	KRB	R	MH	503

STORAGE CREDENZA  
LATERAL FILE—DOUBLE DOOR

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW

CARTONED  
WEIGHTCUBIC  
FEET

## WOOD FAÇADE


38N2496CSFW6	\$ 5833	24	95 $\frac{7}{8}$ "	29 $\frac{1}{4}$ "	—	—	508 lbs.	52.5
38N2490CSFW6	5665	24	89 $\frac{15}{16}$ "	29 $\frac{1}{4}$ "	—	—	486 lbs.	49.5

## PAINTED FAÇADE


38N2496CSFWP6	\$ 5833	24	95 $\frac{7}{8}$ "	29 $\frac{1}{4}$ "	—	—	508 lbs.	52.5
38N2490CSFWP6	5665	24	89 $\frac{15}{16}$ "	29 $\frac{1}{4}$ "	—	—	486 lbs.	49.5

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Storage credenza features an adjustable laminate shelf (1" thick and 21 $\frac{1}{2}$ " deep)
- Shelf in 96" cabinet is 34 $\frac{1}{8}$ " wide
- Shelf in 90" cabinet is 28 $\frac{7}{8}$ " wide
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

## LATERAL FILE CREDENZA



90" and 96"



72"

## WOOD FAÇADE

38N2496CFFW6	\$ 6496	24	95 $\frac{7}{8}$ "	29 $\frac{1}{4}$ "	—	—	528 lbs.	52.5
38N2490CFFW6	5890	24	89 $\frac{15}{16}$ "	29 $\frac{1}{4}$ "	—	—	506 lbs.	49.5
38N2472CFFW6	4841	24	71 $\frac{15}{16}$ "	29 $\frac{1}{4}$ "	—	—	346 lbs.	40.6

## PAINTED FAÇADE


38N2496CFFWP6	\$ 6496	24	95 $\frac{7}{8}$ "	29 $\frac{1}{4}$ "	—	—	528 lbs.	52.5
38N2490CFFWP6	5890	24	89 $\frac{15}{16}$ "	29 $\frac{1}{4}$ "	—	—	506 lbs.	49.5
38N2472CFFWP6	4841	24	71 $\frac{15}{16}$ "	29 $\frac{1}{4}$ "	—	—	346 lbs.	40.6

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- For 72" random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- For 90" and 96" random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
38N2496CKFTW2	RE Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver KS3B Key Specific, Black KS3S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
		73SN	G11SNC	KRB	R	MH	

### KNEESPACE CREDENZA FILE/FILE



#### MODEL NO./DESCRIPTION

##### WOOD FAÇADE


MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2496CKFW2	\$ 5439	24	95 $\frac{1}{2}$	29 $\frac{1}{4}$	—	59 $\frac{1}{2}$	322 lbs.	52.5
38N2490CKFW2	4932	24	89 $\frac{1}{2}$	29 $\frac{1}{4}$	—	53 $\frac{1}{2}$	318 lbs.	49.5
38N2484CKFW2	4488	24	83 $\frac{1}{2}$	29 $\frac{1}{4}$	—	47 $\frac{1}{2}$	309 lbs.	46.4
38N2478CKFW2	4070	24	77 $\frac{1}{2}$	29 $\frac{1}{4}$	—	41 $\frac{1}{2}$	299 lbs.	43.3
38N2472CKFW2	3689	24	71 $\frac{1}{2}$	29 $\frac{1}{4}$	—	35 $\frac{1}{2}$	279 lbs.	40.6
38N2466CKFW2	3312	24	66	29 $\frac{1}{4}$	—	29 $\frac{1}{2}$	267 lbs.	37.5

##### PAINTED FAÇADE

38N2496CKFWP2	\$ 5439	24	95 $\frac{1}{2}$	29 $\frac{1}{4}$	—	59 $\frac{1}{2}$	322 lbs.	52.5
38N2490CKFWP2	4932	24	89 $\frac{1}{2}$	29 $\frac{1}{4}$	—	53 $\frac{1}{2}$	318 lbs.	49.5
38N2484CKFWP2	4488	24	83 $\frac{1}{2}$	29 $\frac{1}{4}$	—	47 $\frac{1}{2}$	309 lbs.	46.4
38N2478CKFWP2	4070	24	77 $\frac{1}{2}$	29 $\frac{1}{4}$	—	41 $\frac{1}{2}$	299 lbs.	43.3
38N2472CKFWP2	3689	24	71 $\frac{1}{2}$	29 $\frac{1}{4}$	—	35 $\frac{1}{2}$	279 lbs.	40.6
38N2466CKFWP2	3312	24	66	29 $\frac{1}{4}$	—	29 $\frac{1}{2}$	267 lbs.	37.5

- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC2208KK1) cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

### KNEESPACE CREDENZA FILE/FILE WITH TAMBOUR MODESTY



#### WOOD FAÇADE—TAMBOUR MODESTY

38N2496CKFTW2	\$ 5571	24	95 $\frac{1}{2}$	29 $\frac{1}{4}$	—	59 $\frac{1}{2}$	322 lbs.	52.5
38N2490CKFTW2	5061	24	89 $\frac{1}{2}$	29 $\frac{1}{4}$	—	53 $\frac{1}{2}$	318 lbs.	49.5
38N2484CKFTW2	4621	24	83 $\frac{1}{2}$	29 $\frac{1}{4}$	—	47 $\frac{1}{2}$	309 lbs.	46.4
38N2478CKFTW2	4200	24	77 $\frac{1}{2}$	29 $\frac{1}{4}$	—	41 $\frac{1}{2}$	299 lbs.	43.3
38N2472CKFTW2	3951	24	71 $\frac{1}{2}$	29 $\frac{1}{4}$	—	35 $\frac{1}{2}$	279 lbs.	40.6
38N2466CKFTW2	3442	24	66	29 $\frac{1}{4}$	—	29 $\frac{1}{2}$	267 lbs.	37.5

#### PAINTED FAÇADE—TAMBOUR MODESTY

38N2496CKFTWP2	\$ 5571	24	95 $\frac{1}{2}$	29 $\frac{1}{4}$	—	59 $\frac{1}{2}$	322 lbs.	52.5
38N2490CKFTWP2	5061	24	89 $\frac{1}{2}$	29 $\frac{1}{4}$	—	53 $\frac{1}{2}$	318 lbs.	49.5
38N2484CKFTWP2	4621	24	83 $\frac{1}{2}$	29 $\frac{1}{4}$	—	47 $\frac{1}{2}$	309 lbs.	46.4
38N2478CKFTWP2	4200	24	77 $\frac{1}{2}$	29 $\frac{1}{4}$	—	41 $\frac{1}{2}$	299 lbs.	43.3
38N2472CKFTWP2	3951	24	71 $\frac{1}{2}$	29 $\frac{1}{4}$	—	35 $\frac{1}{2}$	279 lbs.	40.6
38N2466CKFTWP2	3442	24	66	29 $\frac{1}{4}$	—	29 $\frac{1}{2}$	267 lbs.	37.5

- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty credenzas for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

## PRODUCT SPECIFICATIONS


- Refer to pages 489-526 for accessories
- Refer to page 111 for recessed façade details
- Refer to page 115 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 494
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N2472CLFW1	FL	72SN	X	KRB	R	MC
38N2472CLFWP1	72SN	X	KRB	R	MC	503
38N2472CLFTW1	FL	72SN	X	KRB	R	MC
38N2472CLFTWP1	72SN	X	KRB	R	MC	503

SINGLE PEDESTAL CREDENZA  
BOX/BOX/FILE

Left shown

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

## A

## KW

CARTONED  
WEIGHTCUBIC  
FEETWOOD FAÇADE  
LEFT PEDESTAL

## RIGHT PEDESTAL

38N2484CLFW1	38N2484CRFW1	\$ 3693	24	83 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	41 <sup>1</sup> / <sub>2</sub>	263 lbs.	46.4
38N2478CLFW1	38N2478CRFW1	3350	24	77 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	35 <sup>1</sup> / <sub>2</sub>	254 lbs.	43.3
38N2472CLFW1	38N2472CRFW1	3036	24	71 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	29 <sup>1</sup> / <sub>2</sub>	239 lbs.	40.6
38N2466CLFW1	38N2466CRFW1	2947	24	66	29 <sup>1</sup> / <sub>4</sub>	—	23 <sup>1</sup> / <sub>2</sub>	227 lbs.	37.5

PAINTED FAÇADE  
LEFT PEDESTAL

## RIGHT PEDESTAL


38N2484CLFWP1	38N2484CRFWP1	\$ 3693	24	83 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	41 <sup>1</sup> / <sub>2</sub>	263 lbs.	46.4
38N2478CLFWP1	38N2478CRFWP1	3350	24	77 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	35 <sup>1</sup> / <sub>2</sub>	254 lbs.	43.3
38N2472CLFWP1	38N2472CRFWP1	3036	24	71 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	29 <sup>1</sup> / <sub>2</sub>	239 lbs.	40.6
38N2466CLFWP1	38N2466CRFWP1	2947	24	66	29 <sup>1</sup> / <sub>4</sub>	—	23 <sup>1</sup> / <sub>2</sub>	227 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC2208KK1) cannot be used
- Keyboard kits cannot be used on 38N2466 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available



Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2472CLFW1	FL	72SN	X	KRB	R	MC	

**SINGLE PEDESTAL CREDENZA  
BOX/BOX/FILE  
WITH TAMBOUR MODESTY**


Left shown

**MODEL NO./DESCRIPTION**
**WOOD FAÇADE—TAMBOUR MODESTY  
LEFT PEDESTAL RIGHT PEDESTAL**

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2484CLFTW1	38N2484CRFTW1	\$ 3823	24	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	41 $\frac{1}{2}$ "	263 lbs.	46.4
38N2478CLFTW1	38N2478CRFTW1	3521	24	77 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{1}{2}$ "	254 lbs.	43.3
38N2472CLFTW1	38N2472CRFTW1	3167	24	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	29 $\frac{1}{2}$ "	239 lbs.	40.6
38N2466CLFTW1	38N2466CRFTW1	3078	24	66"	29 $\frac{1}{4}$ "	—	23 $\frac{1}{2}$ "	227 lbs.	37.5

**PAINTED FAÇADE—TAMBOUR MODESTY  
LEFT PEDESTAL RIGHT PEDESTAL**

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2484CLFTWP1	38N2484CRFTWP1	\$ 3823	24	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	41 $\frac{1}{2}$ "	263 lbs.	46.4
38N2478CLFTWP1	38N2478CRFTWP1	3521	24	77 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{1}{2}$ "	254 lbs.	43.3
38N2472CLFTWP1	38N2472CRFTWP1	3167	24	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	29 $\frac{1}{2}$ "	239 lbs.	40.6
38N2466CLFTWP1	38N2466CRFTWP1	3078	24	66"	29 $\frac{1}{4}$ "	—	23 $\frac{1}{2}$ "	227 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Tambour modesty is not fully finished on back
- Grommet option is required on all tambour modesty credenzas for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Keyboard kits cannot be used on 38N2466 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## PRODUCT SPECIFICATIONS


- Refer to pages 489-526 for accessories
- Refer to page 111 for recessed façade details
- Refer to page 115 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 494
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang:
	Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N2484CLFW2	FL	72SN	X	KRB	N	TF
38N2484CLFW6	RE	73SN	G11SNR	KRB	R	NM
38N2484CLFTWP6	73SN	X	KRB	N	CL	503

SINGLE PEDESTAL CREDENZA  
FILE/FILE

Left shown

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW

CARTONED  
WEIGHTCUBIC  
FEET

## WOOD FAÇADE

## LEFT PEDESTAL

## RIGHT PEDESTAL

38N2484CLFW2	38N2484CRFW2	\$ 3693	24	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	41 $\frac{1}{2}$ "	263 lbs.	46.4
38N2478CLFW2	38N2478CRFW2	3350	24	77 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{1}{2}$ "	254 lbs.	43.3
38N2472CLFW2	38N2472CRFW2	3036	24	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	29 $\frac{1}{2}$ "	239 lbs.	40.6
38N2466CLFW2	38N2466CRFW2	2947	24	66"	29 $\frac{1}{4}$ "	—	23 $\frac{1}{2}$ "	227 lbs.	37.5


## PAINTED FAÇADE

## LEFT PEDESTAL

## RIGHT PEDESTAL

38N2484CLFWP2	38N2484CRFWP2	\$ 3693	24	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	41 $\frac{1}{2}$ "	263 lbs.	46.4
38N2478CLFWP2	38N2478CRFWP2	3350	24	77 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{1}{2}$ "	254 lbs.	43.3
38N2472CLFWP2	38N2472CRFWP2	3036	24	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	29 $\frac{1}{2}$ "	239 lbs.	40.6
38N2466CLFWP2	38N2466CRFWP2	2947	24	66"	29 $\frac{1}{4}$ "	—	23 $\frac{1}{2}$ "	227 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC2208KK1) cannot be used
- Keyboard kits cannot be used on 38N2466 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL CREDENZA  
FILE/FILE  
WITH TAMBOUR MODESTY

Left shown

WOOD FAÇADE—TAMBOUR MODESTY  
LEFT PEDESTAL

## RIGHT PEDESTAL

38N2484CLFTW2	38N2484CRFTW2	\$ 3823	24	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	41 $\frac{1}{2}$ "	263 lbs.	46.4
38N2478CLFTW2	38N2478CRFTW2	3521	24	77 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{1}{2}$ "	254 lbs.	43.3
38N2472CLFTW2	38N2472CRFTW2	3167	24	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	29 $\frac{1}{2}$ "	239 lbs.	40.6
38N2466CLFTW2	38N2466CRFTW2	3078	24	66"	29 $\frac{1}{4}$ "	—	23 $\frac{1}{2}$ "	227 lbs.	37.5

PAINTED FAÇADE—TAMBOUR MODESTY  
LEFT PEDESTAL

## RIGHT PEDESTAL


38N2484CLFTWP2	38N2484CRFTWP2	\$ 3823	24	83 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	41 $\frac{1}{2}$ "	263 lbs.	46.4
38N2478CLFTWP2	38N2478CRFTWP2	3521	24	77 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	35 $\frac{1}{2}$ "	254 lbs.	43.3
38N2472CLFTWP2	38N2472CRFTWP2	3167	24	71 $\frac{1}{2}$ "	29 $\frac{1}{4}$ "	—	29 $\frac{1}{2}$ "	239 lbs.	40.6
38N2466CLFTWP2	38N2466CRFTWP2	3078	24	66"	29 $\frac{1}{4}$ "	—	23 $\frac{1}{2}$ "	227 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty credenzas for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Keyboard kits cannot be used on 38N2466 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
38N2484CLFW2	FL RE Flat Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
	FL	72SN	X	KRB	N	TF	

### SINGLE PEDESTAL CREDENZA LATERAL FILE



Left shown

#### MODEL NO./DESCRIPTION

##### WOOD FAÇADE

##### LEFT PEDESTAL

##### RIGHT PEDESTAL

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2484CLFW6	38N2484CRFW6	\$ 4505	24	83 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	23 <sup>1</sup> / <sub>2</sub>	343 lbs.	46.4
38N2478CLFW6	38N2478CRFW6	4001	24	77 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	17 <sup>1</sup> / <sub>2</sub>	333 lbs.	43.3
38N2472CLFW6	38N2472CRFW6	3601	24	71 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	11 <sup>1</sup> / <sub>2</sub>	279 lbs.	40.6
38N2466CLFW6	38N2466CRFW6	3232	24	66	29 <sup>1</sup> / <sub>4</sub>	—	12	267 lbs.	37.5

##### PAINTED FAÇADE


##### LEFT PEDESTAL

##### RIGHT PEDESTAL

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2484CLFWP6	38N2484CRFWP6	\$ 4505	24	83 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	23 <sup>1</sup> / <sub>2</sub>	343 lbs.	46.4
38N2478CLFWP6	38N2478CRFWP6	4001	24	77 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	17 <sup>1</sup> / <sub>2</sub>	333 lbs.	43.3
38N2472CLFWP6	38N2472CRFWP6	3601	24	71 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	11 <sup>1</sup> / <sub>2</sub>	279 lbs.	40.6
38N2466CLFWP6	38N2466CRFWP6	3232	24	66	29 <sup>1</sup> / <sub>4</sub>	—	12	267 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC2208KK1) cannot be used
- Keyboard kits cannot be used on 38N2466, 38N2472, 38N2478, or 38N2484 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### SINGLE PEDESTAL CREDENZA LATERAL FILE WITH TAMBOUR MODESTY



Left shown

#### WOOD FAÇADE—TAMBOUR MODESTY

##### LEFT PEDESTAL

##### RIGHT PEDESTAL

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2484CLFTW6	38N2484CRFTW6	\$ 4636	24	83 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	23 <sup>1</sup> / <sub>2</sub>	343 lbs.	46.4
38N2478CLFTW6	38N2478CRFTW6	4129	24	77 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	17 <sup>1</sup> / <sub>2</sub>	333 lbs.	43.3
38N2472CLFTW6	38N2472CRFTW6	3731	24	71 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	11 <sup>1</sup> / <sub>2</sub>	279 lbs.	40.6
38N2466CLFTW6	38N2466CRFTW6	3364	24	66	29 <sup>1</sup> / <sub>4</sub>	—	12	267 lbs.	37.5

##### PAINTED FAÇADE—TAMBOUR MODESTY

##### LEFT PEDESTAL

##### RIGHT PEDESTAL

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2484CLFTWP6	38N2484CRFTWP6	\$ 4636	24	83 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	23 <sup>1</sup> / <sub>2</sub>	343 lbs.	46.4
38N2478CLFTWP6	38N2478CRFTWP6	4129	24	77 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	17 <sup>1</sup> / <sub>2</sub>	333 lbs.	43.3
38N2472CLFTWP6	38N2472CRFTWP6	3731	24	71 <sup>1</sup> / <sub>2</sub>	29 <sup>1</sup> / <sub>4</sub>	—	11 <sup>1</sup> / <sub>2</sub>	279 lbs.	40.6
38N2466CLFTWP6	38N2466CRFTWP6	3364	24	66	29 <sup>1</sup> / <sub>4</sub>	—	12	267 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty credenzas for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Keyboard kits cannot be used on 38N2466, 38N2472, 38N2478, or 38N2484 models
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## PRODUCT SPECIFICATIONS


- Refer to pages 489-526 for accessories
- Refer to page 111 for recessed façade details
- Refer to page 115 for grommet locations
- Keyboard kits can be used unless noted
- When using a keyboard kit, must also specify keyboard mounting kit for proper clearance; reference page 494
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang:
	Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N2496CLFW30	FL	73SN	G11SNC	KRB	R	HN
38N2496CLFWP30	73SN	G11SNC	KRB	R	HN	503

SINGLE PEDESTAL CREDENZA  
BOX/BOX/FILE—FILE/FILE

Left shown

## MODEL NO./DESCRIPTION

LIST PRICE      DIMENSIONS      A      KW      CARTONED WEIGHT      CUBIC FEET

D      W      H

## WOOD FAÇADE

## LEFT PEDESTAL

## RIGHT PEDESTAL

38N2484CLFW12	38N2484CRFW12	\$ 4387	24	83 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>4</sub>	—	23 <sup>1</sup> / <sub>16</sub>	343 lbs.	46.4
38N2478CLFW12	38N2478CRFW12	4085	24	77 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>4</sub>	—	17 <sup>1</sup> / <sub>16</sub>	333 lbs.	43.3
38N2472CLFW12	38N2472CRFW12	3723	24	71 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>4</sub>	—	11 <sup>1</sup> / <sub>16</sub>	279 lbs.	40.6


## PAINTED FAÇADE

## LEFT PEDESTAL

## RIGHT PEDESTAL

38N2484CLFWP12	38N2484CRFWP12	\$ 4387	24	83 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>4</sub>	—	23 <sup>1</sup> / <sub>16</sub>	343 lbs.	46.4
38N2478CLFWP12	38N2478CRFWP12	4085	24	77 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>4</sub>	—	17 <sup>1</sup> / <sub>16</sub>	333 lbs.	43.3
38N2472CLFWP12	38N2472CRFWP12	3723	24	71 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>4</sub>	—	11 <sup>1</sup> / <sub>16</sub>	279 lbs.	40.6

- Not recommended as a freestanding unit due to routing in the rim
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC2208KK1) cannot be used
- Keyboard kits cannot be used on 38N2472, 38N2478, or 38N2484 models
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

SINGLE PEDESTAL CREDENZA  
BOX/BOX/FILE—FILE/FILE  
WITH TAMBOUR MODESTY

Left shown

## WOOD FAÇADE—TAMBOUR MODESTY

## LEFT PEDESTAL

## RIGHT PEDESTAL

38N2484CLFTW12	38N2484CRFTW12	\$ 4517	24	83 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>4</sub>	—	23 <sup>1</sup> / <sub>16</sub>	343 lbs.	46.4
38N2478CLFTW12	38N2478CRFTW12	4214	24	77 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>4</sub>	—	17 <sup>1</sup> / <sub>16</sub>	333 lbs.	43.3
38N2472CLFTW12	38N2472CRFTW12	3854	24	71 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>4</sub>	—	11 <sup>1</sup> / <sub>16</sub>	279 lbs.	40.6

## PAINTED FAÇADE—TAMBOUR MODESTY

## LEFT PEDESTAL

## RIGHT PEDESTAL


38N2484CLFTWP12	38N2484CRFTWP12	\$ 4517	24	83 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>4</sub>	—	23 <sup>1</sup> / <sub>16</sub>	343 lbs.	46.4
38N2478CLFTWP12	38N2478CRFTWP12	4214	24	77 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>4</sub>	—	17 <sup>1</sup> / <sub>16</sub>	333 lbs.	43.3
38N2472CLFTWP12	38N2472CRFTWP12	3854	24	71 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>4</sub>	—	11 <sup>1</sup> / <sub>16</sub>	279 lbs.	40.6

- Not recommended as a freestanding unit due to routing in the rim
- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty credenzas for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kit (NAC1406KK4) is the only kit that can be used
- Keyboard kits cannot be used on 38N2472, 38N2478, or 38N2484 models
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNL Sat. Nick. Met., Left G11SNR Sat. Nick. Met., Right G11SNLR Sat. Nick. Met., Left & Right G11SNC Sat. Nick. Met., Center G11SNA Sat. Nick. Met., Left, Right & Center G11MBL Cinder, Left G11MBR Cinder, Right G11MBLR Cinder, Left & Right G11MBC Cinder, Center G11MBA Cinder, Left, Right & Center G11PLL Plat. Met., Left G11PLR Plat. Met., Right G11PLLR Plat. Met., Left & Right G11PLC Plat. Met., Center G11PLA Plat. Met., Left, Right & Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2496CLFW30	FL	73SN	G11SNC	KRB	R	HN	

### SINGLE PEDESTAL CREDENZA BOX/BOX/FILE—LATERAL FILE



Left shown

#### MODEL NO./DESCRIPTION

##### WOOD FAÇADE

##### LEFT PEDESTAL RIGHT PEDESTAL

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2496CLFW30	38N2496CRFW30	\$ 5484	24	95 $\frac{1}{8}$	29 $\frac{1}{4}$	—	17 $\frac{1}{2}$	387 lbs.	52.5
38N2490CLFW30	38N2490CRFW30	4969	24	89 $\frac{1}{2}$	29 $\frac{1}{4}$	—	12	377 lbs.	49.5
38N2484CLFW30	38N2484CRFW30	4505	24	83 $\frac{3}{4}$	29 $\frac{1}{4}$	—	12	368 lbs.	46.4


##### PAINTED FAÇADE

##### LEFT PEDESTAL RIGHT PEDESTAL

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2496CLFWP30	38N2496CRFWP30	\$ 5484	24	95 $\frac{1}{8}$	29 $\frac{1}{4}$	—	17 $\frac{1}{2}$	387 lbs.	52.5
38N2490CLFWP30	38N2490CRFWP30	4969	24	89 $\frac{1}{2}$	29 $\frac{1}{4}$	—	12	377 lbs.	49.5
38N2484CLFWP30	38N2484CRFWP30	4505	24	83 $\frac{3}{4}$	29 $\frac{1}{4}$	—	12	368 lbs.	46.4

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

### SINGLE PEDESTAL CREDENZA BOX/BOX/FILE—LATERAL FILE WITH TAMBOUR MODESTY



Left shown

#### WOOD FAÇADE—TAMBOUR MODESTY

##### LEFT PEDESTAL RIGHT PEDESTAL

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2496CLFTW30	38N2496CRFTW30	\$ 5616	24	95 $\frac{1}{8}$	29 $\frac{1}{4}$	—	17 $\frac{1}{2}$	387 lbs.	52.5
38N2490CLFTW30	38N2490CRFTW30	5099	24	89 $\frac{1}{2}$	29 $\frac{1}{4}$	—	12	377 lbs.	49.5
38N2484CLFTW30	38N2484CRFTW30	4636	24	83 $\frac{3}{4}$	29 $\frac{1}{4}$	—	12	368 lbs.	46.4

##### PAINTED FAÇADE—TAMBOUR MODESTY

##### LEFT PEDESTAL RIGHT PEDESTAL

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38N2496CLFTWP30	38N2496CRFTWP30	\$ 5616	24	95 $\frac{1}{8}$	29 $\frac{1}{4}$	—	17 $\frac{1}{2}$	387 lbs.	52.5
38N2490CLFTWP30	38N2490CRFTWP30	5099	24	89 $\frac{1}{2}$	29 $\frac{1}{4}$	—	12	377 lbs.	49.5
38N2484CLFTWP30	38N2484CRFTWP30	4636	24	83 $\frac{3}{4}$	29 $\frac{1}{4}$	—	12	368 lbs.	46.4

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Tambour modesty is not fully finished on back
- Grommet option is recommended on all tambour modesty credenzas for tambour modesty function
- Grommets G11SNL, G11SNR, G11SNLR, G11SNC, G11SNA, G11MBL, G11MBR, G11MBLR, G11MBC, G11MBA, G11PLL, G11PLR, G11PLLR, G11PLC, G11PLA available
- Keyboard kits cannot be used
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

## PRODUCT SPECIFICATIONS

- Refer to pages 489-526 for accessories
- Tack boards are available; reference page 520


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


## SAMPLE MODEL NUMBERS:

38N10838HBHW	KS4B	AC
38N10838HBHGW	AC	


## HIGHBACK ORGANIZER




90" to 108"



60" to 84"



90" to 108"



60" to 84"

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW

CARTONED  
WEIGHTCUBIC  
FEET

## 38" HIGH—WOOD DOORS

38N10838HBHW	2 Pieces	\$ 4261	14¾	107⅞	38⅞	—	—	278 lbs.	58.7
38N10238HBHW	2 Pieces	4105	14¾	101¾	38⅞	—	—	266 lbs.	54.1
38N9638HBHW	2 Pieces	3946	14¾	95¾	38⅞	—	—	254 lbs.	52.8
38N9038HBHW		3789	14¾	89¾	38⅞	—	—	235 lbs.	46.8
38N8438HBHW		3634	14¾	83¾	38⅞	—	—	212 lbs.	43.9
38N7838HBHW		3475	14¾	77⅞	38⅞	—	—	196 lbs.	41.0
38N7238HBHW		3324	14¾	71⅞	38⅞	—	—	181 lbs.	38.0
38N6638HBHW		3167	14¾	65⅞	38⅞	—	—	166 lbs.	35.1
38N6038HBHW		3017	14¾	59⅞	38⅞	—	—	150 lbs.	32.9
38N4838HBHW		2887	14¾	47⅞	38⅞	—	—	127 lbs.	26.9

## 38" HIGH—GLASS DOORS


38N10838HBHGW	2 Pieces	\$ 4379	14¾	107⅞	38⅞	—	—	278 lbs.	58.7
38N10238HBHGW	2 Pieces	4230	14¾	101¾	38⅞	—	—	266 lbs.	54.1
38N9638HBHGW	2 Pieces	4072	14¾	95¾	38⅞	—	—	254 lbs.	52.8
38N9038HBHGW		3915	14¾	89¾	38⅞	—	—	235 lbs.	46.8
38N8438HBHGW		3757	14¾	83¾	38⅞	—	—	212 lbs.	43.9
38N7838HBHGW		3601	14¾	77⅞	38⅞	—	—	196 lbs.	41.0
38N7238HBHGW		3443	14¾	71⅞	38⅞	—	—	181 lbs.	38.0
38N6638HBHGW		3292	14¾	65⅞	38⅞	—	—	166 lbs.	35.1
38N6038HBHGW		3143	14¾	59⅞	38⅞	—	—	150 lbs.	32.9
38N4838HBHGW		3011	14¾	47⅞	38⅞	—	—	127 lbs.	26.9

- Wood doors lock
- Glass door units feature silk screened glass
- Highback organizers feature full, finished back panel with cord management
- 90" to 108" highback organizers feature (6) side hinged doors
- 60" to 84" highback organizers feature (4) side hinged doors
- 48" highback organizers feature (3) side hinged doors
- For tack board models, see pages 520-525
- For 48", 60", 66", 72", 78" and 84" random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- For 90" random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- For 96", 102" and 108" random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available


Specify selections, left to right:

BASE MODEL	LOCKING	FINISH
	KRB Key Random, Black	AC Autumn
	KRS Key Random, Silver	CL Caramel
	KS2B Key Specific, Black	CW Cordovan
	KS2S Key Specific, Silver	DW Judicial
	KS3B Key Specific, Black	HN Honey
	KS3S Key Specific, Silver	IM Brighton
	KS4B Key Specific, Black	MC Amber
	KS4S Key Specific, Silver	MH Mocha
		NM Natural
		TF Truffle
38N10838HBHW	KS4B	AC


## HIGHBACK ORGANIZER




90" to 108"



60" to 84"



90" to 108"



60" to 84"

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW

CARTONED  
WEIGHTCUBIC  
FEET

## 50" HIGH—WOOD DOORS

38N10850HBHW	2 Pieces	\$ 4915	14¾	107⅞	49⅞	—	—	382 lbs.	74.8
38N10250HBHW	2 Pieces	4759	14¾	101¾	49⅞	—	—	366 lbs.	71.0
38N9650HBHW	2 Pieces	4616	14¾	95¾	49⅞	—	—	350 lbs.	67.3
38N9050HBHW		4445	14¾	89¾	49⅞	—	—	316 lbs.	59.7
38N8450HBHW		4289	14¾	83¾	49⅞	—	—	283 lbs.	55.9
38N7850HBHW		4129	14¾	77¾	49⅞	—	—	264 lbs.	52.2
38N7250HBHW		3992	14¾	71¾	49⅞	—	—	244 lbs.	48.5
38N6650HBHW		3863	14¾	65¾	49⅞	—	—	225 lbs.	45.7
38N6050HBHW		3673	14¾	59¾	49⅞	—	—	205 lbs.	41.7
38N4850HBHW		3365	14¾	47¾	49⅞	—	—	175 lbs.	34.1

## 50" HIGH—GLASS DOORS

38N10850HBHGW	2 Pieces	\$ 5036	14¾	107⅞	49⅞	—	—	382 lbs.	74.8
38N10250HBHGW	2 Pieces	4883	14¾	101¾	49⅞	—	—	366 lbs.	71.0
38N9650HBHGW	2 Pieces	4725	14¾	95¾	49⅞	—	—	350 lbs.	67.3
38N9050HBHGW		4569	14¾	89¾	49⅞	—	—	316 lbs.	59.7
38N8450HBHGW		4411	14¾	83¾	49⅞	—	—	283 lbs.	55.9
38N7850HBHGW		4256	14¾	77¾	49⅞	—	—	264 lbs.	52.2
38N7250HBHGW		4097	14¾	71¾	49⅞	—	—	244 lbs.	48.5
38N6650HBHGW		3952	14¾	65¾	49⅞	—	—	225 lbs.	45.7
38N6050HBHGW		3796	14¾	59¾	49⅞	—	—	205 lbs.	41.7
38N4850HBHGW		3534	14¾	47¾	49⅞	—	—	175 lbs.	34.1

- Wood doors lock
- Glass door units feature silk screened glass, some assembly required
- Highback organizers feature full, finished back panel with cord management
- 90" to 108" highback organizers feature (6) side hinged doors
- 60" to 84" highback organizers feature (4) side hinged doors
- 48" highback organizers feature (3) side hinged doors
- Shaded shelves are adjustable
- For tack board models, see pages 520-525
- For 48", 60", 66", 72", 78" and 84" random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- For 90" random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- For 96", 102" and 108" random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available

## PRODUCT SPECIFICATIONS



- Refer to pages 489-526 for accessories
- Reed profile is available on wood façade models only for a 10% list upcharge

## DIMENSION KEY



D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N2436LFF2W	RE	73SN	G11SN	KRB	R	CW
38N2436LFF4W	FL	72SN	KRB	MH		
38N2436PFHW	RE	72SN	G11SN	KRB	R	MC

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>OVERHEAD CABINET WALL MOUNT</b>    	<b>18" HIGH—WOOD DOORS</b>								
	38N4818SOHMMW	\$ 2231	14 $\frac{3}{4}$	47 $\frac{7}{8}$	18 $\frac{1}{2}$	—	—	102 lbs.	14.8
	38N4218SOHMMW	2115	14 $\frac{3}{4}$	41 $\frac{7}{8}$	18 $\frac{1}{2}$	—	—	91 lbs.	13.2
	38N3618SOHMMW	1997	14 $\frac{3}{4}$	35 $\frac{7}{8}$	18 $\frac{1}{2}$	—	—	75 lbs.	11.5
	38N3018SOHMMW	1885	14 $\frac{3}{4}$	29 $\frac{5}{8}$	18 $\frac{1}{2}$	—	—	65 lbs.	9.9
	<b>18" HIGH—GLASS DOORS</b>								
	38N4818SOHMGW	\$ 2338	14 $\frac{3}{4}$	47 $\frac{7}{8}$	18 $\frac{1}{2}$	—	—	102 lbs.	14.8
	38N4218SOHMGW	2220	14 $\frac{3}{4}$	41 $\frac{7}{8}$	18 $\frac{1}{2}$	—	—	91 lbs.	13.2
	38N3618SOHMGW	2101	14 $\frac{3}{4}$	35 $\frac{7}{8}$	18 $\frac{1}{2}$	—	—	75 lbs.	11.5
	38N3018SOHMGW	1990	14 $\frac{3}{4}$	29 $\frac{5}{8}$	18 $\frac{1}{2}$	—	—	65 lbs.	9.9
	<ul style="list-style-type: none"> <li>Specify finish only for glass door units</li> <li>Wood doors lock</li> <li>Glass door units feature silk screened glass, some assembly required</li> <li>42" and 48" units feature (3) side hinged doors; 30" and 36" units feature (2) side hinged doors</li> <li>Wall mount bracket is included with unit</li> <li>It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed</li> <li>For tack board models, see pages 520-525</li> <li>For 30" and 36" random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>For 42" and 48" random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								

## OVERHEAD CABINET WALL MOUNT



## 30" HIGH—WOOD DOORS

38N4830SOHMMW	\$ 2802	14 $\frac{3}{4}$	47 $\frac{7}{8}$	29 $\frac{5}{8}$	—	—	144 lbs.	22.1
38N4230SOHMMW	2605	14 $\frac{3}{4}$	41 $\frac{7}{8}$	29 $\frac{5}{8}$	—	—	131 lbs.	19.6
38N3630SOHMMW	2410	14 $\frac{3}{4}$	35 $\frac{7}{8}$	29 $\frac{5}{8}$	—	—	103 lbs.	17.2
38N3030SOHMMW	2212	14 $\frac{3}{4}$	29 $\frac{5}{8}$	29 $\frac{5}{8}$	—	—	90 lbs.	14.7

## 30" HIGH—GLASS DOORS

38N4830SOHMGW	\$ 2906	14 $\frac{3}{4}$	47 $\frac{7}{8}$	29 $\frac{5}{8}$	—	—	144 lbs.	22.1
38N4230SOHMGW	2710	14 $\frac{3}{4}$	41 $\frac{7}{8}$	29 $\frac{5}{8}$	—	—	131 lbs.	19.6
38N3630SOHMGW	2514	14 $\frac{3}{4}$	35 $\frac{7}{8}$	29 $\frac{5}{8}$	—	—	103 lbs.	17.2
38N3030SOHMGW	2316	14 $\frac{3}{4}$	29 $\frac{5}{8}$	29 $\frac{5}{8}$	—	—	90 lbs.	14.7


- Specify finish only for glass door units
- Wood doors lock
- Shaded shelves are adjustable
- Glass door units feature silk screened glass, some assembly required
- 42" and 48" units feature (3) side hinged doors; 30" and 36" units feature (2) side hinged doors
- Wall mount bracket is included with unit
- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- For tack board models, see pages 520-525
- For 30" and 36" random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- For 42" and 48" random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available



Specify selections, left to right:


BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
	FL Flat RE Reed	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SN Sat. Nick. Met. G11MB Cinder G11PL Plat. Met. X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2436LFF2W	RE	73SN	G11SN	KS4B	R	CW	

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>VERTICAL PIGEON HOLE STORAGE</b>	NAC1420SMCW Wood	\$ 723	12	14	19%	—	—	13 lbs.	0.9
	NAC1420SMCL Laminate	342	12	14	19%	—	—	13 lbs.	0.9



- Assembly required
- Three fixed shelves on unit
- Specify chassis laminate or finish only
- Utilize under highback organizer; sits on worksurface
- When using with tack board, see page 520 for applicable tack board that will properly fit in space

<b>LATERAL FILE TWO DRAWER</b>	38N2436LFF2W Wood Façade	\$ 2538	24	36%	29%	—	—	201 lbs.	21.6
	38N2436LFF2WP Painted Façade	2538	24	36%	29%	—	—	201 lbs.	21.6



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommets G11SN, G11MB, G11PL available in predetermined location
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

<b>LATERAL FILE THREE DRAWER</b>	38N2436LFF3W Wood Façade	\$ 3164	24	36%	41 <sup>1</sup> / <sub>2</sub> %	—	—	248 lbs.	31.9
	38N2436LFF3WP Painted Façade	3164	24	36%	41 <sup>1</sup> / <sub>2</sub> %	—	—	248 lbs.	31.9




- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommet option not available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

<b>LATERAL FILE FOUR DRAWER</b>	38N2436LFF4W Wood Façade	\$ 3789	24	36%	54%	—	—	291 lbs.	40.2
	38N2436LFF4WP Painted Façade	3789	24	36%	54%	—	—	291 lbs.	40.2



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen
- Grommet option not available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

<b>DOUBLE DOOR UNIT</b>	38N2436PFHW Wood Façade	\$ 2357	24	36%	29%	—	—	171 lbs.	21.6
	38N2436PFHWP Painted Façade	2357	24	36%	29%	—	—	171 lbs.	21.6



- Grommets G11SN, G11MB, G11PL available in predetermined location
- Features a single adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## PRODUCT SPECIFICATIONS

- Refer to pages 489-526 for accessories
- Refer to page 111 for recessed façade details
- Refer to page 115 for grommet locations
- Specify and add \$30 list for EACH grommet
- Reed profile is available on wood façade models only for a 10% list upcharge

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N3680BCOFW	MC
38N3680BCOHFW	72SN KRB MC
38N3680VVHW	72SN KRB MC

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				


## ENTERTAINMENT CABINET



38N3680VVHW	\$ 5987	23 $\frac{3}{16}$ "	35 $\frac{7}{16}$ "	79 $\frac{1}{4}$ "	—	—	345 lbs.	56.5
38N3668VVHW	5347	23 $\frac{3}{16}$ "	35 $\frac{7}{16}$ "	67 $\frac{7}{16}$ "	—	—	299 lbs.	48.6

- Features standard sheen
- Interior dimensions for 80" unit:  
22" D, 34 $\frac{1}{16}$ " W, upper storage from the fixed shelf 45 $\frac{1}{2}$ " H, lower storage 23 $\frac{3}{16}$ " H
- Interior dimensions for 68" unit:  
22" D, 34 $\frac{1}{16}$ " W, upper storage from the fixed shelf 33 $\frac{1}{16}$ " H, lower storage 23 $\frac{3}{16}$ " H
- Features an adjustable shelf in lower storage
- Includes grommets in back panel for wire access and venting
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

## DOUBLE DOOR WARDROBE




38N3680VHHW	\$ 5825	23 $\frac{3}{16}$ "	35 $\frac{7}{16}$ "	79 $\frac{1}{4}$ "	—	—	350 lbs.	59.8
38N3668VHHW	5051	23 $\frac{3}{16}$ "	35 $\frac{7}{16}$ "	67 $\frac{7}{16}$ "	—	—	304 lbs.	51.5

- 80" unit features (3) adjustable shelves and (2) fixed shelves
- 68" unit features (3) adjustable shelves and (1) fixed shelf
- Removable coat rod is standard; positioned on left side of wardrobe
- Touch latch doors
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

68"

## WARDROBE STORAGE CABINET


## LEFT HINGED RIGHT HINGED



38N1880VSWHLW	38N1880VSWHRW	\$ 3601	23 $\frac{3}{16}$ "	17 $\frac{1}{16}$ "	79 $\frac{1}{4}$ "	—	—	202 lbs.	34.4
38N1868VSWHLW	38N1868VSWHRW	3144	23 $\frac{3}{16}$ "	17 $\frac{1}{16}$ "	67 $\frac{7}{16}$ "	—	—	170 lbs.	29.6

- Do not specify sheen option; features standard sheen
- Can be used as a wardrobe unit by removing the adjustable shelves
- Shaded shelves are adjustable
- Touch latch doors
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

80"




68"


Specify selections, left to right:

BASE MODEL	PULL OPTION	LOCKING	FINISH
38N3680BCOFW	72SN Balance, Satin Nickel Metallic	KRB Key Random, Black	AC Autumn
	72MB Balance, Cinder	KRS Key Random, Silver	CL Caramel
	72PL Balance, Platinum Metallic	KS1B Key Specific, Black	CW Cordovan
	73SN Sweep, Satin Nickel Metallic	KS1S Key Specific, Silver	DW Judicial
	73MB Sweep, Cinder	KS2B Key Specific, Black	HN Honey
	73PL Sweep, Platinum Metallic	KS2S Key Specific, Silver	IM Brighton
	74SN Groove, Satin Nickel Metallic		MC Amber
	74MB Groove, Cinder		MH Mocha
	74PL Groove, Platinum Metallic		NM Natural
			TF Truffle
		MC	

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT HINGED	RIGHT HINGED	D	W	H				

**STORAGE CABINET WITH FILE/FILE PEDESTAL**


80"



68"


38N1880VHL2W	38N1880VHR2W	\$ 3724	23 <sup>3</sup> / <sub>16</sub>	17 <sup>1</sup> / <sub>16</sub>	79 <sup>1</sup> / <sub>4</sub>	—	—	212 lbs.	34.4
38N1868VHL2W	38N1868VHR2W	3256	23 <sup>3</sup> / <sub>16</sub>	17 <sup>1</sup> / <sub>16</sub>	67 <sup>7</sup> / <sub>16</sub>	—	—	180 lbs.	29.6

- Do not specify sheen option; features standard sheen
- Shaded shelves are adjustable
- Touch latch doors
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

**BOOKCASE**


38N3680BCOFW	\$ 2906	13 <sup>1</sup> / <sub>16</sub>	35 <sup>1</sup> / <sub>16</sub>	79 <sup>1</sup> / <sub>4</sub>	—	—	184 lbs.	38.3
38N3668BCOFW	2599	13 <sup>1</sup> / <sub>16</sub>	35 <sup>1</sup> / <sub>16</sub>	67 <sup>7</sup> / <sub>16</sub>	—	—	157 lbs.	33.0
38N3653BCOFW	2347	13 <sup>1</sup> / <sub>16</sub>	35 <sup>1</sup> / <sub>16</sub>	52 <sup>1</sup> / <sub>16</sub>	—	—	137 lbs.	26.4

- Specify finish only
- Shaded shelves are adjustable

**BOOKCASE - STORAGE**

38N3680BCOHFW	\$ 3602	14 <sup>3</sup> / <sub>16</sub>	35 <sup>1</sup> / <sub>16</sub>	79 <sup>1</sup> / <sub>4</sub>	—	—	207 lbs.	40.6
38N3668BCOHFW	3101	14 <sup>3</sup> / <sub>16</sub>	35 <sup>1</sup> / <sub>16</sub>	67 <sup>7</sup> / <sub>16</sub>	—	—	186 lbs.	35.0

- Shaded shelf is adjustable
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**BOOKCASE SET-ON**

38N3650BCOW	\$ 2381	13 <sup>1</sup> / <sub>16</sub>	35 <sup>1</sup> / <sub>16</sub>	49 <sup>1</sup> / <sub>16</sub>	—	—	109 lbs.	25.5
38N3050BCOW	2055	13 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>16</sub>	49 <sup>1</sup> / <sub>16</sub>	—	—	97 lbs.	21.9
38N1850BCOW	1059	13 <sup>1</sup> / <sub>16</sub>	17 <sup>1</sup> / <sub>16</sub>	49 <sup>1</sup> / <sub>16</sub>	—	—	81 lbs.	14.7
38N3638BCOW	1945	13 <sup>1</sup> / <sub>16</sub>	35 <sup>1</sup> / <sub>16</sub>	38 <sup>1</sup> / <sub>16</sub>	—	—	84 lbs.	19.9
38N3038BCOW	1767	13 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>16</sub>	38 <sup>1</sup> / <sub>16</sub>	—	—	72 lbs.	17.1
38N1838BCOW	942	13 <sup>1</sup> / <sub>16</sub>	17 <sup>1</sup> / <sub>16</sub>	38 <sup>1</sup> / <sub>16</sub>	—	—	64 lbs.	11.4

- Specify finish only
- Shaded shelves are adjustable

## PRODUCT SPECIFICATIONS



- Reed profile available on wood façade models for a 10% list upcharge
- Refer to pages 489-526 for accessories

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

38N2448MGW	RE	R	AC
38N2448MGWP	R	AC	503
38N2315PMBFW	72SN	KRB	MH
38N2315PMBFCW	72SN	KRB	20022 MH

BOOKCASE - WITH DOORS  
SET-ON

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW

CARTONED  
WEIGHTCUBIC  
FEET

## 50" HIGH—WOOD DOORS

38N3650BCHW	\$ 3317	14¾	35¾	49½	—	—	150 lbs.	26.7
38N3050BCHW	3015	14¾	29½	49½	—	—	131 lbs.	22.9

## 50" HIGH—GLASS DOORS

38N3650BCHGW	\$ 3458	14¾	35¾	49½	—	—	144 lbs.	25.5
38N3050BCHGW	3143	14¾	29½	49½	—	—	126 lbs.	21.9



## 38" HIGH—WOOD DOORS

38N3638BCHW	\$ 2960	14¾	35¾	38½	—	—	110 lbs.	19.9
38N3038BCHW	2689	14¾	29½	38½	—	—	98 lbs.	18.0

## 38" HIGH—GLASS DOORS

38N3638BCHGW	\$ 3087	14¾	35¾	38½	—	—	110 lbs.	19.9
38N3038BCHGW	2802	14¾	29½	38½	—	—	94 lbs.	17.1

- Specify finish only for glass door units
- Shaded shelves are adjustable
- 50" high models have three adjustable shelves; 38" high models have two adjustable shelves
- Wood doors lock and have touch latch
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

BOOKCASE - WITH DOORS  
SET-ON

## WOOD DOORS

## LEFT HINGED

## RIGHT HINGED

38N1850BCHLW	38N1850BCHRW	\$ 2741	14¾	17½	49½	—	—	103 lbs.	15.4
38N1838BCHLW	38N1838BCHRW	1728	14¾	17½	38½	—	—	81 lbs.	12.0

## GLASS DOORS


## LEFT HINGED

## RIGHT HINGED

38N1850BCHLGW	38N1850BCHRGW	\$ 2857	14¾	17½	49½	—	—	98 lbs.	14.7
38N1838BCHLGW	38N1838BCHRGW	1832	14¾	17½	38½	—	—	77 lbs.	11.4

- Specify finish only for glass door units
- Shaded shelves are adjustable
- 50" high models have three adjustable shelves; 38" high models have two adjustable shelves
- Wood door locks and has touch latch
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## MAGAZINE TABLE





38N2448MGW	Wood Façade	\$ 1553	24	48½	16½	—	—	77 lbs.	19.1
38N2448MGWP	Painted Façade	1553	24	48½	16½	—	—	77 lbs.	19.1

- Some assembly required

Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	LOCKING	SHEEN	FINISH	Paint Color (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72MB Balance, Cinder 72PL Balance, Platinum Metallic 73SN Sweep, Satin Nickel Metallic 73MB Sweep, Cinder 73PL Sweep, Platinum Metallic 74SN Groove, Satin Nickel Metallic 74MB Groove, Cinder 74PL Groove, Platinum Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Platinum Metallic 503 Satin Nickel Metallic
38N2448MGW	RE			R	AC	

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>END TABLE</b> 	38N2424ENW Wood Façade	\$ 1410	24	24	21	—	—	55 lbs.	12.6
	38N2424ENWP Painted Façade	1410	24	24	21	—	—	55 lbs.	12.6
	• Some assembly required								

<b>CONSOLE TABLE</b> 	38N1848CSW Wood Façade	\$ 1964	18%	48%	29%	—	—	74 lbs.	24.1
	38N1848CSWP Painted Façade	1964	18%	48%	29%	—	—	74 lbs.	24.1
	• Some assembly required								

<b>MOBILE PEDESTAL</b> 	38N2315PMBFW Veneer Top	\$ 1447	22%	15%	22%	—	—	76 lbs.	8.7
---	-------------------------	---------	-----	-----	-----	---	---	---------	-----

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7
38N2315PMBFCW	Cushion Top	\$ 1428	1448	1457	1471	1486	1513	1548

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	1460	1480	1497	1514	1533	1553	1567	1587	1608	1627
	K	L	M	N	O	P	Q	R	S	T
\$	1659	1723	1762	1782	1803	1823	1844	1863	1884	1904

DIMENSIONS (CUSHION TOP)


Depth	22%	Height	23%	Weight	78
Width	15%			Cubic Ft.	9.2

- Non-locking pedestal
- Four double wheel locking casters
- Maximum weight unit can hold is 300 lbs.
- Specify fabric grade and color for cushion top pedestal; refer to pages 13-20 for specifications and colors
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## DELUXE DRAWER ORGANIZER



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H						

NAC1211DO Black

\$ 130

11 $\frac{3}{4}$ 10 $\frac{3}{4}$ 1 $\frac{3}{4}$ 

—

—

3 lbs.

0.6

- Black plastic
- Features compartments for storing post-its, paper clips, pens, pencils, etc.
- Shipped standard in each Casbah top box desk drawer
- Drawer expands to 16" wide

## SQUARE TABLE TOP



42" SQUARE		1 $\frac{3}{8}$ " TOP THICKNESS								
38N4242SQW	Wood Façade	\$ 2034	42 $\frac{1}{8}$	42 $\frac{1}{8}$	2 $\frac{1}{8}$	—	—	—	104 lbs.	6.9
38N4242SQWP	Painted Façade	2034	42 $\frac{1}{8}$	42 $\frac{1}{8}$	2 $\frac{1}{8}$	—	—	—	104 lbs.	6.9
48" SQUARE										
38N4848SQW	Wood Façade	\$ 2498	48 $\frac{1}{8}$	48 $\frac{1}{8}$	2 $\frac{1}{8}$	—	—	—	131 lbs.	8.7
38N4848SQWP	Painted Façade	2498	48 $\frac{1}{8}$	48 $\frac{1}{8}$	2 $\frac{1}{8}$	—	—	—	131 lbs.	8.7

- Reference Table Base Guide in the Tables Price List on pages 34-36 for applicable bases
- See Tables Price List pages 78-79 for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List page 77 for options and upcharge

---

# CLEVER

## PRODUCT SPECIFICATIONS

### WORKSURFACE

- 1½" slipmatched cherry and maple veneer, bookmatched walnut veneer or TFL (thermally fused laminate)
- Medium density fiberboard profiled knife edge
- Grain direction runs left-to-right unless otherwise noted
- Worksurfaces attach with a factory installed quick-fastener
- Two sheen options available on most worksurfaces

### FINISH APPLICATION

- Clever series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

### CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- ¾" thick full modesty panels
- 1½" thick end panels
- Standard leveling glides
- All units feature fully finished backs unless noted
- Grain direction runs vertical on all modesty panels

### PULLS


- Satin Nickel pulls

### DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

### DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



### CORD MANAGEMENT

- Grommets are available in predetermined locations
- Optional wire managers are available (See accessory pages)

### LOCKING

- Black lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 500

### EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Box Drawer—Desk	12½"	17"	3½"	N/A
File Drawer—Desk	12½"	17"	9½"	Letter
Box Drawer—Return	12½"	17"	3½"	N/A
File Drawer—Return	12½"	17"	9½"	Letter
Box Drawer—Credenza	12½"	17"	3½"	N/A
File Drawer—Credenza	12½"	17"	9½"	Letter
File Drawer—Lateral File	31½"	15"	9½"	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side




## WOOD FINISHES

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

## WORKSURFACE SHEEN OPTIONS

R	Standard
N	Matte/Satin

## RIM PROFILE



## PULL



### Keen


77SN Satin Nickel  
(Boring Pattern 96mm)

## GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

### Round Flex Grommet, Black

G14L	Left
G14R	Right
G14LR	Left & Right
G14C	Center
G14A	All



## LOCKING

### KEY RANDOM

KRB Black

### KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS2B	Black, 2 locks per unit
KS3B	Black, 3 locks per unit

Unit list price will be reduced by \$15 per lock when selecting Key Specific option. Must order specific lock cores separately (\$15 list each). See page 500 for Key Specific model numbers.

### QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Knife
Pull:	Keen
Grommets:	Included on bridges, returns and credenzas
Locking:	Random black cores
Sheen:	Standard
Finish:	Must specify Amber (MC) or Cordovan (CW)

## CLEVER L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:

- Keen, Satin Nickel pulls
- Standard sheen
- Left or right grommet in return
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:





AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		

To You In  
**10 DAYS**  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Keen, Satin Nickel pulls

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
<b>LEFT L-CONFIGURATION WOOD TOP</b> 	CLN8072LLFW	79½D x 71¾W	\$ 4070	<b>RIGHT L-CONFIGURATION WOOD TOP</b> 	CLN8072LRFW	79½D x 71¾W	\$ 4070
	consists of				consists of		
	CLN3672DRFW1	Right Pedestal Desk	2236		CLN3672DLFW1	Left Pedestal Desk	2236
	CLN2544RLEFW2	Left Pedestal Return	1834		CLN2544RREFW2	Right Pedestal Return	1834
<b>LEFT L-CONFIGURATION LAMINATE TOP</b> 	QCLN8072LLFLW	79½D x 71¾W	\$ 3828	<b>RIGHT L-CONFIGURATION LAMINATE TOP</b> 	QCLN8072LRFLW	79½D x 71¾W	\$ 3828
	CLN8072LLFLW	79½D x 71¾W	\$ 3828		CLN8072LRFLW	79½D x 71¾W	\$ 3828
	consists of				consists of		
	CLN3672DRFLW1	Right Pedestal Desk	2101		CLN3672DLFLW1	Left Pedestal Desk	2101
	CLN2544RLEFLW2	Left Pedestal Return	1727		CLN2544RREFLW2	Right Pedestal Return	1727

## CLEVER U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:

- Keen, Satin Nickel pulls
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		

**To You In 10 DAYS ...or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT U-CONFIGURATION WOOD TOP</b> 	CLN10672ULFW	105 $\frac{1}{16}$ "D x 71 $\frac{3}{4}$ "W \$ 5186	<b>RIGHT U-CONFIGURATION WOOD TOP</b> 	CLN10672URFW	105 $\frac{1}{16}$ "D x 71 $\frac{3}{4}$ "W \$ 5186
	consists of			consists of	
	CLN3672DRFW1	Right Pedestal Desk 2236		CLN3672DLFW1	Left Pedestal Desk 2236
	CLN2648BEFHSW	Serpentine Bridge 818		CLN2648BEFHSW	Serpentine Bridge 818
	CLN2272CLFW2	Left Pedestal Credenza 2132		CLN2272CRFW2	Right Pedestal Credenza 2132
	CLN9472ULFW	93 $\frac{1}{16}$ "D x 71 $\frac{3}{4}$ "W \$ 5095		CLN9472URFW	93 $\frac{1}{16}$ "D x 71 $\frac{3}{4}$ "W \$ 5095
	consists of			consists of	
	CLN3672DRFW1	Right Pedestal Desk 2236		CLN3672DLFW1	Left Pedestal Desk 2236
	CLN2636BEFW	Bridge 727		CLN2636BEFW	Bridge 727
	CLN2272CLFW2	Left Pedestal Credenza 2132		CLN2272CRFW2	Right Pedestal Credenza 2132
<b>LEFT U-CONFIGURATION LAMINATE TOP</b> 	QCLN10672ULFLW	105 $\frac{1}{16}$ "D x 71 $\frac{3}{4}$ "W \$ 4874	<b>RIGHT U-CONFIGURATION LAMINATE TOP</b> 	QCLN10672URFLW	105 $\frac{1}{16}$ "D x 71 $\frac{3}{4}$ "W \$ 4874
	CLN10672ULFLW	105 $\frac{1}{16}$ "D x 71 $\frac{3}{4}$ "W \$ 4874		CLN10672URFLW	105 $\frac{1}{16}$ "D x 71 $\frac{3}{4}$ "W \$ 4874
	consists of			consists of	
	CLN3672DRFLW1	Right Pedestal Desk 2101		CLN3672DLFLW1	Left Pedestal Desk 2101
	CLN2648BEFHSLW	Serpentine Bridge 770		CLN2648BEFHSLW	Serpentine Bridge 770
	CLN2272CLFLW2	Left Pedestal Credenza 2003		CLN2272CRFLW2	Right Pedestal Credenza 2003
	QCLN9472ULFLW	93 $\frac{1}{16}$ "D x 71 $\frac{3}{4}$ "W \$ 4789		QCLN9472URFLW	93 $\frac{1}{16}$ "D x 71 $\frac{3}{4}$ "W \$ 4789
	CLN9472ULFLW	93 $\frac{1}{16}$ "D x 71 $\frac{3}{4}$ "W \$ 4789		CLN9472URFLW	93 $\frac{1}{16}$ "D x 71 $\frac{3}{4}$ "W \$ 4789
	consists of			consists of	
	CLN3672DRFLW1	Right Pedestal Desk 2101		CLN3672DLFLW1	Left Pedestal Desk 2101
	CLN2636BEFHLW	Bridge 685		CLN2636BEFHLW	Bridge 685
	CLN2272CLFLW2	Left Pedestal Credenza 2003		CLN2272CRFLW2	Right Pedestal Credenza 2003

## CLEVER

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

CLN3672DDFAW8	77SN	G14LR	KRB	N	MH
CLN3672DRFALW1	77SN	X	KRB	MH	

To You In  
**10**  
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

DOUBLE PEDESTAL DESK  
ARC TOP

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
CLN3672DDFAW8 Wood Top	\$ 3147	35¾	71¾	29½	—	38%	317 lbs.	57.4
CLN3672DDFALW8 Laminate Top	2950	35¾	71¾	29½	—	38%	317 lbs.	57.4
CLN3666DDFAW8 Wood Top	\$ 2845	35¾	66	29½	—	32%	305 lbs.	53.0
CLN3666DDFALW8 Laminate Top	2674	35¾	66	29½	—	32%	305 lbs.	53.0

• Depth of arc is 35¾" at its widest point  
 • Grommet (G14LR) available  
 • Random lock core (KRB) and specified lock core (KS2B) available

## DOUBLE PEDESTAL DESK




CLN3672DDFW8 Wood Top	\$ 2614	35¾	71¾	29½	—	38%	317 lbs.	57.4
QCLN3672DDFLW8 Laminate Top	2446	35¾	71¾	29½	—	38%	317 lbs.	57.4
CLN3672DDFLW8 Laminate Top	2446	35¾	71¾	29½	—	38%	317 lbs.	57.4
CLN3666DDFW8 Wood Top	\$ 2361	35¾	66	29½	—	32%	305 lbs.	53.0
CLN3666DDFLW8 Laminate Top	2220	35¾	66	29½	—	32%	305 lbs.	53.0
CLN3066DDFW8 Wood Top	\$ 2100	30	66	29½	—	32%	290 lbs.	50.0
CLN3066DDFLW8 Laminate Top	1976	30	66	29½	—	32%	290 lbs.	50.0
CLN3060DDFW8 Wood Top	\$ 1864	30	60	29½	—	26¾	280 lbs.	48.0
CLN3060DDFLW8 Laminate Top	1753	30	60	29½	—	26¾	280 lbs.	48.0


• Grommet (G14LR) available  
 • Random lock core (KRB) and specified lock core (KS2B) available

Specify selections, left to right:


BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
CLN3672DDFAW8	77SN Keen, Satin Nickel	G14LR Black, Left & Right X No Grommet	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	77SN	G14LR	KRB	N	MH

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H				
<b>SINGLE PEDESTAL DESK ARC TOP</b> 	CLN3672DLFAW1	CLN3672DRFAW1	Wood Top	\$ 2693	35¾	71¾	29½	—	27½½	267 lbs. 57.4
	CLN3672DLFALW1	CLN3672DRFALW1	Laminate Top	2535	35¾	71¾	29½	—	27½½	267 lbs. 57.4
	<ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit due to routing in the rim</li> <li>• Depth of arc is 35¾" at its widest point</li> <li>• Grommet (G14LR) available</li> <li>• Random lock core (KRB) and specified lock core (KS1B) available</li> </ul>									

Left shown

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H				
<b>FREESTANDING SINGLE PEDESTAL DESK ARC TOP</b> 	CLN3672DLFFAW1	CLN3672DRFFAW1	Wood Top	\$ 2693	35¾	71¾	29½	—	52¾½	267 lbs. 57.4
	CLN3672DLFFALW1	CLN3672DRFFALW1	Laminate Top	2535	35¾	71¾	29½	—	52¾½	267 lbs. 57.4
	<ul style="list-style-type: none"> <li>• Depth of arc is 35¾" at its widest point</li> <li>• Grommet (G14LR) available</li> <li>• Random lock core (KRB) and specified lock core (KS1B) available</li> <li>• Freestanding use only; cannot be used with a bridge or other connecting components</li> </ul>									

Left shown

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H				
<b>SINGLE PEDESTAL DESK</b> 	CLN3672DLFW1	CLN3672DRFW1	Wood Top	\$ 2236	35¾	71¾	29½	—	27½½	267 lbs. 57.4
	QCLN3672DLFLW1	QCLN3672DRFLW1	Laminate Top	2101	35¾	71¾	29½	—	27½½	267 lbs. 57.4
	CLN3672DLFLW1	CLN3672DRFLW1	Laminate Top	2101	35¾	71¾	29½	—	27½½	267 lbs. 57.4
	CLN3666DLFW1	CLN3666DRFW1	Wood Top	\$ 1991	35¾	66	29½	—	23¾½	253 lbs. 53.0
	CLN3666DLFLW1	CLN3666DRFLW1	Laminate Top	1869	35¾	66	29½	—	23¾½	253 lbs. 53.0
	CLN3066DLFW1	CLN3066DRFW1	Wood Top	\$ 1767	30	66	29½	—	23¾½	245 lbs. 50.0
	CLN3066DLFLW1	CLN3066DRFLW1	Laminate Top	1660	30	66	29½	—	23¾½	245 lbs. 50.0
	<ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit due to routing in the rim</li> <li>• Grommet (G14LR) available</li> <li>• Random lock core (KRB) and specified lock core (KS1B) available</li> </ul>									

Left shown

## CLEVER

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

CLN3672DULW	X	N	MH
CLN3672DURFLW	X	MH	

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


FREESTANDING  
SINGLE PEDESTAL DESK

Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H				
CLN3672DLFFW1	CLN3672DRFFW1	Wood Top	\$ 2236	35¾	71¾	29½	—	52¾	267 lbs.	57.4
CLN3672DLFFLW1	CLN3672DRFFLW1	Laminate Top	2101	35¾	71¾	29½	—	52¾	267 lbs.	57.4
CLN3666DLFFW1	CLN3666DRFFW1	Wood Top	\$ 1991	35¾	66	29½	—	47	253 lbs.	53.0
CLN3666DLFFLW1	CLN3666DRFFLW1	Laminate Top	1869	35¾	66	29½	—	47	253 lbs.	53.0
CLN3066DLFFW1	CLN3066DRFFW1	Wood Top	\$ 1767	30	66	29½	—	47	245 lbs.	50.0
CLN3066DLFFLW1	CLN3066DRFFLW1	Laminate Top	1660	30	66	29½	—	47	245 lbs.	50.0
CLN3060DLFFW1	CLN3060DRFFW1	Wood Top	\$ 1626	30	60	29½	—	41	238 lbs.	47.0
CLN3060DLFFLW1	CLN3060DRFFLW1	Laminate Top	1527	30	60	29½	—	41	238 lbs.	47.0

- Grommet (G14LR) available
- Random lock core (KRB) and specified lock core (KS1B) available
- Freestanding use only; cannot be used with a bridge or other connecting components


## U-SHAPED DESK



Left shown

LEFT U	RIGHT U			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CLN3672DULW	CLN3672DURW	Wood Top	\$ 2266	35¾	71¾	29½	—	—	150 lbs.	7.8
CLN3672DULLW	CLN3672DURLW	Laminate Top	2129	35¾	71¾	29½	—	—	150 lbs.	7.8

- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base; see page 155 for support base models
- Some assembly required
- Grommet (G14L for left U) and (G14R for right U) available

U-SHAPED DESK  
WITH MODESTY



Left shown

LEFT U	RIGHT U			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CLN3672DULFW	CLN3672DURFW	Wood Top	\$ 2703	35¾	71¾	29½	—	—	172 lbs.	7.8
CLN3672DULFLW	CLN3672DURFLW	Laminate Top	2542	35¾	71¾	29½	—	—	172 lbs.	7.8

- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base; see page 155 for support base models
- Some assembly required
- Grommet (G14L for left U) and (G14R for right U) available


Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
CLN3672DULW	77SN Keen, Satin Nickel	G14L Black, Left G14R Black, Right G14LR Black, Left & Right X No Grommet	KRB Key Random, Black KS1B Key Specific, Black	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle MH

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
SUPPORT BASE			D	W	H				
	NAC0428SFRNB Metal	\$ 190	4	—	27¾-29¼	—	—	10 lbs.	1.0
	NAC2804SFBW Wood	516	4	—	27¾-29¼	—	—	6 lbs.	1.0
			D	W	H	A	KW		
	NAC2812SHB Wood Half	\$ 645	6	11¾	27¾	—	—	13 lbs.	2.6

- Adjustable glide standard
- Metal base, specify paint colors: (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Metal base, optional upper and lower (CUL) wire management cutout
- Wood base, specify finish: Brighton (IM), Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn (AC), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH)

## RECEPTION DESK/RETURN



### RECEPTION DESK

LEFT PEDESTAL	RIGHT PEDESTAL										
CLN3672DTLFW1	CLN3672DTRFW1	Wood Top	\$ 3867	35¾	71¾	42	—	27¾	480 lbs.	80.1	
CLN3672DTLFLW1	CLN3672DTRFLW1	Laminate Top	3637	35¾	71¾	42	—	27¾	480 lbs.	80.1	

- Must be used with reception return
- Grommet (G14LR) available

### RECEPTION RETURN

LEFT	RIGHT										
CLN2542RTLW2	CLN2542RTRW2	Wood Top	\$ 2078	24¾	42	42	—	27¾	260 lbs.	36.3	
CLN2542RTLW2	CLN2542RTRLW2	Laminate Top	1954	24¾	42	42	—	27¾	260 lbs.	36.3	

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Grommet (G14L for left return) and (G14R for right return) available
- Random lock core (KRB) and specified lock core (KS1B) available

## CLEVER

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

CLN2648BEFHSW	G14C	N	MH
CLN2560RLEFLW10	77SN	KRB	X MH
CLN2272CKFLW2	77SN	KRB	X MH

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

RETURN  
FILE/FILE

Left shown

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW


CARTONED  
WEIGHTCUBIC  
FEET

## LEFT PEDESTAL

## RIGHT PEDESTAL

CLN2544RLEFW2	CLN2544RREFW2	Wood Top	\$ 1834	25 $\frac{1}{2}$	43 $\frac{3}{4}$	29 $\frac{1}{2}$	—	27 $\frac{3}{16}$	140 lbs.	27.6
QCLN2544RLEFLW2	QCLN2544RREFLW2	Laminate Top	1727	25 $\frac{1}{2}$	43 $\frac{3}{4}$	29 $\frac{1}{2}$	—	27 $\frac{3}{16}$	140 lbs.	27.6
CLN2544RLEFLW2	CLN2544RREFLW2	Laminate Top	1727	25 $\frac{1}{2}$	43 $\frac{3}{4}$	29 $\frac{1}{2}$	—	27 $\frac{3}{16}$	140 lbs.	27.6

- Grain direction runs front-to-back on worksurface
- Grommet (G14L for left return) and (G14R for right return) available
- Random lock core (KRB) and specified lock core (KS1B) available

RETURN  
LATERAL FILE


Right shown

## LEFT PEDESTAL

## RIGHT PEDESTAL

CLN2560RLEFW6	CLN2560RREFW6	Wood Top	\$ 2178	25 $\frac{1}{2}$	59 $\frac{3}{4}$	29 $\frac{1}{2}$	—	23 $\frac{3}{16}$	214 lbs.	36.4
CLN2560RLEFLW6	CLN2560RREFLW6	Laminate Top	2047	25 $\frac{1}{2}$	59 $\frac{3}{4}$	29 $\frac{1}{2}$	—	23 $\frac{3}{16}$	214 lbs.	36.4

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grain direction runs front-to-back on worksurface
- Grommet (G14LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

RETURN  
MULTI-FILE

Left shown


## LEFT PEDESTAL

## RIGHT PEDESTAL

CLN2560RLEFW10	CLN2560RREFW10	Wood Top	\$ 2678	25 $\frac{1}{2}$	59 $\frac{3}{4}$	29 $\frac{1}{2}$	—	23 $\frac{3}{16}$	214 lbs.	36.4
CLN2560RLEFLW10	CLN2560RREFLW10	Laminate Top	2518	25 $\frac{1}{2}$	59 $\frac{3}{4}$	29 $\frac{1}{2}$	—	23 $\frac{3}{16}$	214 lbs.	36.4

- Grain direction runs front-to-back on worksurface
- Grommet (G14LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

## BRIDGE




CLN2636BEFHW	Wood Top	\$ 727	25 $\frac{1}{2}$	36	29 $\frac{1}{2}$	—	36	50 lbs.	3.7
QCLN2636BEFHLW	Laminate Top	685	25 $\frac{1}{2}$	36	29 $\frac{1}{2}$	—	36	50 lbs.	3.7
CLN2636BEFHLW	Laminate Top	685	25 $\frac{1}{2}$	36	29 $\frac{1}{2}$	—	36	50 lbs.	3.7

- Hinged modesty panel; one-way hinge allows modesty to hinge toward user only
- Grain direction runs front-to-back on worksurface
- Grommet (G14C) available
- Pulls not available




Specify selections, left to right:


BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
CLN2648BEFHSW	77SN Keen, Satin Nickel	G14L Black, Left G14R Black, Right G14LR Black, Left & Right G14C Black, Center X No Grommet	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
		G14C		N	MH

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>SERPENTINE BRIDGE</b> 	CLN2648BEFHSW Wood Top	\$ 818	25½	48	29½	—	48	82 lbs.	4.7
	QCLN2648BEFHSLW Laminate Top	770	25½	48	29½	—	48	82 lbs.	4.7
	CLN2648BEFHSLW Laminate Top	770	25½	48	29½	—	48	82 lbs.	4.7

- Hinged modesty panel; one-way hinge allows modesty to hinge toward user only
- Grain direction runs front-to-back on worksurface
- Grommet (G14C) available


<b>ENTERTAINMENT CREDENZA</b> 	CLN2472CBVW Wood	\$ 5358	25½	73¾	34¾	—	—	275 lbs.	37.8
	CLN2472CBVLW Laminate/Wood	5358	25½	73¾	34¾	—	—	275 lbs.	37.8

- Cutouts in back panel for venting
- Unit features a semi-finished back
- Features an adjustable shelf behind each set of doors
- Grommet (G14LR) available
- Inside dimension of each storage section is 22" deep x 34½" wide x 24½" high
- Random lock core (KRB) and specified lock core (KS2B) available

<b>KNEESPACE CREDENZA</b> 	CLN2272CKFW2 Wood Top	\$ 2913	22½	71¾	29½	—	38%	238 lbs.	37.8
	QCLN2272CKFLW2 Laminate Top	2737	22½	71¾	29½	—	38%	238 lbs.	37.8
	CLN2272CKFLW2 Laminate Top	2737	22½	71¾	29½	—	38%	238 lbs.	37.8

CLN2266CKFW2 Wood Top	\$ 2634	22½	66	29½	—	32%	229 lbs.	34.9
CLN2266CKFLW2 Laminate Top	2475	22½	66	29½	—	32%	229 lbs.	34.9
CLN2260CKFW2 Wood Top	\$ 2593	22½	60	29½	—	26¼	220 lbs.	31.0
CLN2260CKFLW2 Laminate Top	2436	22½	60	29½	—	26¼	220 lbs.	31.0

- Only adjustable keyboard mechanism NAC1406KK4 can be used
- Grommet (G14LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

SINGLE PEDESTAL CREDENZA FILE/FILE	LEFT PEDESTAL	RIGHT PEDESTAL								
	CLN2272CLFW2	CLN2272CRFW2	Wood Top	\$ 2132	22½	71¾	29½	—	27¾	188 lbs. 37.8
	QCLN2272CLFLW2	QCLN2272CRFLW2	Laminate Top	2003	22½	71¾	29½	—	27¾	188 lbs. 37.8
	CLN2272CLFLW2	CLN2272CRFLW2	Laminate Top	2003	22½	71¾	29½	—	27¾	188 lbs. 37.8
	CLN2266CLFW2	CLN2266CRFW2	Wood Top	\$ 1897	22½	66	29½	—	23¾	175 lbs. 34.9
	CLN2266CLFLW2	CLN2266CRFLW2	Laminate Top	1782	22½	66	29½	—	23¾	175 lbs. 34.9

Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G14LR) available
- Random lock core (KRB) and specified lock core (KS1B) available

## CLEVER

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


## SAMPLE MODEL NUMBERS:

CLN2288CLFW6	77SN	G14A	KRB	R	MH
CLN2288CLFW10	77SN	G14A	KRB	R	MH

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### FREESTANDING SINGLE PEDESTAL CREDENZA FILE/FILE




Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H				
CLN2272CLFFW2	CLN2272CRFFW2	Wood Top	\$ 2132	22½	71¾	29½	—	52¾	188 lbs.	37.8
CLN2272CLFFLW2	CLN2272CRFFLW2	Laminate Top	2003	22½	71¾	29½	—	52¾	188 lbs.	37.8
CLN2266CLFFW2	CLN2266CRFFW2	Wood Top	\$ 1897	22½	66	29½	—	47	175 lbs.	34.9
CLN2266CLFFLW2	CLN2266CRFFLW2	Laminate Top	1782	22½	66	29½	—	47	175 lbs.	34.9
CLN2260CLFFW2	CLN2260CRFFW2	Wood Top	\$ 1684	22½	60	29½	—	41	168 lbs.	31.5
CLN2260CLFFLW2	CLN2260CRFFLW2	Laminate Top	1582	22½	60	29½	—	41	168 lbs.	31.5

- Grommet (G14LR) available
- Random lock core (KRB) and specified lock core (KS1B) available
- Freestanding use only; cannot be used with a bridge or other connecting components

### SINGLE PEDESTAL CREDENZA LATERAL FILE



Left shown


LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CLN2288CLFW6	CLN2288CRFW6	Wood Top	\$ 2854	22½	88	29½	—	24½	261 lbs.	45.5
CLN2288CLFLW6	CLN2288CRFLW6	Laminate Top	2682	22½	88	29½	—	24½	261 lbs.	45.5
CLN2272CLFW6	CLN2272CRFW6	Wood Top	\$ 2340	22½	71¾	29½	—	6½	238 lbs.	37.8
CLN2272CLFLW6	CLN2272CRFLW6	Laminate Top	2198	22½	71¾	29½	—	6½	238 lbs.	37.8
CLN2266CLFW6	CLN2266CRFW6	Wood Top	\$ 2083	22½	66	29½	—	5¼	225 lbs.	34.9
CLN2266CLFLW6	CLN2266CRFLW6	Laminate Top	1957	22½	66	29½	—	5¼	225 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- 72"/66" credenza features straight surface on user and approach side
- Grommet (2288 = G14A, 2272 = G14LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
CLN2288CLFW6	77SN Keen, Satin Nickel	G14LR Black, Left & Right G14A Black, All X No Grommet	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	77SN	G14A	KRB	R	MH

### FREESTANDING SINGLE PEDESTAL CREDENZA LATERAL FILE




Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW		
CLN2288CLFFW6	CLN2288CRFFW6	Wood Top	\$ 2854	22½	88	29½	—	49½	261 lbs.	45.5
CLN2288CLFFLW6	CLN2288CRFFLW6	Laminate Top	2682	22½	88	29½	—	49½	261 lbs.	45.5
CLN2272CLFFW6	CLN2272CRFFW6	Wood Top	\$ 2340	22½	71¾	29½	—	33¾	238 lbs.	37.8
CLN2272CLFFLW6	CLN2272CRFFLW6	Laminate Top	2198	22½	71¾	29½	—	33¾	238 lbs.	37.8
CLN2266CLFFW6	CLN2266CRFFW6	Wood Top	\$ 2083	22½	66	29½	—	27¾	225 lbs.	34.9
CLN2266CLFFLW6	CLN2266CRFFLW6	Laminate Top	1957	22½	66	29½	—	27¾	225 lbs.	34.9

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- 72"/66" credenza features straight surface on user and approach side
- Grommet (2288 = G14A, 2272 = G14LR) available
- Random lock core (KRB) and specified lock core (KS2B) available
- Freestanding use only; cannot be used with a bridge or other connecting components

### SINGLE PEDESTAL CREDENZA MULTI-FILE




Left shown

LEFT PEDESTAL	RIGHT PEDESTAL									
CLN2288CLFW10	CLN2288CRFW10	Wood Top	\$ 3055	22 $\frac{1}{2}$ "	88"	29 $\frac{1}{2}$ "	—	24 $\frac{1}{2}$ "	261 lbs.	45.5
CLN2288CLFLW10	CLN2288CRFLW10	Laminate Top	2873	22 $\frac{1}{2}$ "	88"	29 $\frac{1}{2}$ "	—	24 $\frac{1}{2}$ "	261 lbs.	45.5
CLN2272CLFW10	CLN2272CRFW10	Wood Top	\$ 2881	22 $\frac{1}{2}$ "	71 $\frac{3}{4}$ "	29 $\frac{1}{2}$ "	—	6 $\frac{1}{2}$ "	238 lbs.	37.8
CLN2272CLFLW10	CLN2272CRFLW10	Laminate Top	2700	22 $\frac{1}{2}$ "	71 $\frac{3}{4}$ "	29 $\frac{1}{2}$ "	—	6 $\frac{1}{2}$ "	238 lbs.	37.8

- Not recommended as a freestanding unit due to routing in the rim
- 72" credenza features straight surface on user and approach side
- Grommet (2288 = G14A, 2272 = G14LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

### FREESTANDING SINGLE PEDESTAL CREDENZA MULTI-FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL									
CLN2288CLFFW10	CLN2288CRFFW10	Wood Top	\$ 3055	22 $\frac{1}{2}$ "	88"	29 $\frac{1}{2}$ "	—	49 $\frac{1}{2}$ "	261 lbs.	45.5
CLN2288CLFFLW10	CLN2288CRFFLW10	Laminate Top	2873	22 $\frac{1}{2}$ "	88"	29 $\frac{1}{2}$ "	—	49 $\frac{1}{2}$ "	261 lbs.	45.5
CLN2272CLFFW10	CLN2272CRFFW10	Wood Top	\$ 2881	22 $\frac{1}{2}$ "	71 $\frac{3}{4}$ "	29 $\frac{1}{2}$ "	—	33 $\frac{3}{4}$ "	238 lbs.	37.8
CLN2272CLFFLW10	CLN2272CRFFLW10	Laminate Top	2700	22 $\frac{1}{2}$ "	71 $\frac{3}{4}$ "	29 $\frac{1}{2}$ "	—	33 $\frac{3}{4}$ "	238 lbs.	37.8

- 72" credenza features straight surface on user and approach side
- Grommet (2288 = G14A, 2272 = G14LR) available
- Random lock core (KRB) and specified lock core (KS2B) available
- Freestanding use only; cannot be used with a bridge or other connecting components

## CLEVER

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


## SAMPLE MODEL NUMBERS:

CLN3618SOHMAW	KRB	MH
CLN2016PMBFC	77SN	20003 MH

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our  
"To You in 10 Days or Less" Quick Delivery  
program and will be delivered within 10 days.

## HIGHBACK ORGANIZER




MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
CLN8836HBBHAW	\$ 2554	16 3/4	88	36 1/2	—	—	205 lbs.	46.8
CLN7836HBBHAW	2363	16 3/4	79 1/2	36 1/2	—	—	200 lbs.	45.0
QCLN7136HBBHAW	2238	16 3/4	71	36 1/2	—	—	184 lbs.	39.4
CLN7136HBBHAW	2238	16 3/4	71	36 1/2	—	—	184 lbs.	39.4
CLN6536HBBHAW	2121	16 3/4	65	36 1/2	—	—	172 lbs.	36.3
CLN5936HBBHAW	2004	16 3/4	60	36 1/2	—	—	148 lbs.	25.0

- Units feature full back panels with cord management
- Center doors lock
- Units have a semi-finished back (fully stained with exposed hardware)
- Units feature a fluted resin insert panel on doors
- Rail is arched
- For tack board models, see pages 520-525
- For 65" and 71" random lock core (KRB) and specified lock core (KS1B) available
- For 88" random lock core (KRB) and specified lock core (KS3B) available

Specify selections, left to right:

BASE MODEL	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
CLN3618SOHMAW	77SN Keen, Satin Nickel	KRB Key Random, Black KS1B Key Specific, Black KS3B Key Specific, Black	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle MH

### OVERHEAD CABINET WALL MOUNT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
QCLN3618SOHMAW	\$ 1206	14 $\frac{1}{2}$	35 $\frac{7}{8}$	17 $\frac{1}{2}$	—	—	62 lbs.	9.7
CLN3618SOHMAW	1206	14 $\frac{1}{2}$	35 $\frac{7}{8}$	17 $\frac{1}{2}$	—	—	62 lbs.	9.7
CLN3018SOHMAW	1101	14 $\frac{1}{2}$	29 $\frac{1}{2}$	17 $\frac{1}{2}$	—	—	56 lbs.	8.2

- Wall mount bracket, for attachment to wall, is included
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs). National will not be liable for wall mount cabinets that are not properly installed
- Wall mount cabinets rimmed on front side only to allow for flush side by side mounting
- For tack board models, see pages 520-525
- Random lock core (KRB) and specified lock core (KS1B) available
- Unit has an unfinished back

### MOBILE PEDESTAL CUSHION TOP



	GRADE / LIST PRICE						
	1	2/COM	3/COL	4	5	6	7
CLN2016PMBFC	\$ 1075	1095	1104	1118	1133	1160	1195

ALLIANCE GRADE / LIST PRICE										
	A	B	C	D	E	F	G	H	I	J
\$	1107	1127	1144	1161	1180	1200	1214	1234	1255	1274
	K	L	M	N	O	P	Q	R	S	T
\$	1306	1370	1409	1429	1450	1470	1491	1510	1531	1551

#### DIMENSIONS

Depth	20	Height	22 $\frac{1}{4}$	Weight	74
Width	16 $\frac{1}{2}$			Cubic Ft.	7.9

- Four double wheel locking casters
- Maximum weight unit can hold is 300 pounds
- Non-locking pedestal
- Specify fabric grade and color for cushion top pedestal; refer to pages 13-20 for specification and colors

## CLEVER

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

CLN2237LFF2W	77SN	KRB	N	MH
CLN3564BCOFW	MH			
CLN2040MGW	R	TF		


To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our  
"To You in 10 Days or Less" Quick Delivery  
program and will be delivered within 10 days.

LATERAL FILE  
TWO DRAWER


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
CLN2237LFF2W Wood Top	\$ 1635	22½"	37½"	29½"	—	—	145 lbs.	18.2
QCLN2237LFF2LW Laminate Top	1549	22½"	37½"	29½"	—	—	145 lbs.	18.2
CLN2237LFF2LW Laminate Top	1549	22½"	37½"	29½"	—	—	145 lbs.	18.2

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)
- Random lock core (KRB) and specified lock core (KS2B) available

LATERAL FILE  
THREE DRAWER

CLN2237LFF3W Wood Top	\$ 2237	22½"	37½"	43½"	—	—	210 lbs.	30.0
CLN2237LFF3LW Laminate Top	2107	22½"	37½"	43½"	—	—	210 lbs.	30.0


- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)
- Random lock core (KRB) and specified lock core (KS1B) available

LATERAL FILE  
FOUR DRAWER

CLN2237LFF4W Wood Top	\$ 2839	22½"	37½"	55½"	—	—	252 lbs.	34.4
CLN2237LFF4LW Laminate Top	2666	22½"	37½"	55½"	—	—	252 lbs.	34.4

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)
- Do not specify sheen option; features standard sheen
- Random lock core (KRB) and specified lock core (KS1B) available

## WARDROBE/STORAGE CABINET





CLN3765VWHAW	\$ 3832	22½"	37½"	64½"	—	—	320 lbs.	36.6
--------------	---------	------	------	------	---	---	----------	------

- Shaded shelves are adjustable
- Removable coat rod is standard under top shelf
- Semi-finished back panel (fully stained with exposed hardware)
- Unit features a fluted resin insert panel on doors
- Unit has no center divider
- Random lock core (KRB) and specified lock core (KS1B) available



Specify selections, left to right:

BASE MODEL	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
CLN2237LFF2W	77SN Keen, Satin Nickel	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	77SN	KRB	N	MH

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>BOOKCASE DOUBLE</b> 		<b>\$ 3578</b>	14	73 $\frac{1}{16}$	64 $\frac{1}{2}$	—	—	304 lbs.	58.0
	QCLN3564BCOFW Bookcase (each—order 2)	1513	12	35 $\frac{3}{32}$	63 $\frac{1}{2}$	—	—	115 lbs.	27.6
	CLN3564BCOFW Bookcase (each—order 2)	1513	12	35 $\frac{3}{32}$	63 $\frac{1}{2}$	—	—	115 lbs.	27.6
	CLN1473CPCFW Cornice Frame (wood)	552	14	73 $\frac{1}{16}$	1	—	—	74 lbs.	2.8
	<ul style="list-style-type: none"> <li>• Must order (2) bookcases and a cornice frame for double unit</li> <li>• Shaded shelves are adjustable</li> <li>• Units have semi-finished back panels (fully stained with exposed hardware)</li> </ul>								

<b>BOOKCASE SINGLE</b> 		<b>\$ 1812</b>	14	37 $\frac{3}{32}$	64 $\frac{1}{2}$	—	—	132 lbs.	29.2
	QCLN3564BCOFW Bookcase	1513	12	35 $\frac{3}{32}$	63 $\frac{1}{2}$	—	—	115 lbs.	27.6
	CLN3564BCOFW Bookcase	1513	12	35 $\frac{3}{32}$	63 $\frac{1}{2}$	—	—	115 lbs.	27.6
	QCLN1438CPCFW Cornice Frame (wood)	299	14	37 $\frac{3}{32}$	1	—	—	17 lbs.	1.6
	CLN1438CPCFW Cornice Frame (wood)	299	14	37 $\frac{3}{32}$	1	—	—	17 lbs.	1.6

- Must order a cornice frame for bookcase
- Shaded shelves are adjustable
- Unit has semi-finished back panel (fully stained with exposed hardware)

<b>BOOKCASE SET-ON</b>  	QCLN3836BCOW Open	\$ 1090	16 $\frac{3}{4}$	37 $\frac{1}{2}$	36 $\frac{1}{16}$	—	—	92 lbs.	21.8
	CLN3836BCOW Open	1090	16 $\frac{3}{4}$	37 $\frac{1}{2}$	36 $\frac{1}{16}$	—	—	92 lbs.	21.8
	CLN3836BCHAW Hinged Doors	1250	16 $\frac{3}{4}$	37 $\frac{1}{2}$	36 $\frac{1}{16}$	—	—	92 lbs.	21.8

- Shaded shelves are adjustable
- Unit has semi-finished back panel (fully stained with exposed hardware)
- Unit features a fluted resin insert panel on doors
- Random lock core (KRB) and specified lock core (KS1B) available

## CLEVER


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBERS:

CLN2424SQW	N	MH
CLNN3636SQW	X	R CW


## MAGAZINE TABLE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
QCLN2040MGW	Wood Top	\$ 1092	20	40	17½	—	—	40 lbs.	2.4
CLN2040MGW	Wood Top	1092	20	40	17½	—	—	40 lbs.	2.4

- Some assembly required


## END TABLE



QCLN2424ENW	Wood Top	\$ 1025	24	24	20½	—	—	29 lbs.	1.9
CLN2424ENW	Wood Top	1025	24	24	20½	—	—	29 lbs.	1.9

- Some assembly required


## SQUARE NESTING TABLE TOP



CLN2424SQW	Wood Top	\$ 587	24	24	1½	—	—	21 lbs.	0.7
CLN2424SQLW	Laminate Top	552	24	24	1½	—	—	21 lbs.	0.7

- For use with 22" disc base

## SQUARE TABLE TOP




30" SQUARE 1½" TOP THICKNESS									
CLNN3030SQW	Wood	\$ 1200	30	30	1½	—	—	33 lbs.	2.0
36" SQUARE									
CLNN3636SQW	Wood	\$ 1413	36	36	1½	—	—	45 lbs.	2.4
42" SQUARE									
CLNN4242SQW	Wood	\$ 1716	42	42	1½	—	—	61 lbs.	3.2
48" SQUARE									
CLNN4848SQW	Wood	\$ 2019	48	48	1½	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List on pages 31-36 for applicable bases
- See Tables Price List pages 82-89 for coordinating conference table tops
- Grommet options available on 1½" round and square tops are G10C and CUT-G15C, reference Tables Price List page 81 for grommet options and upcharge



Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH
CLN2424SQW	G10C Center CUT-G15C Center X No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
		N	MH

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND TABLE TOP	30" ROUND	1 1/8" TOP THICKNESS	D	W	H				
	CLNN30RDW	Wood	\$ 1200	30	—	1 1/8	—	—	33 lbs. 2.0
	<b>36" ROUND</b>								
	CLNN36RDW	Wood	\$ 1413	36	—	1 1/8	—	—	45 lbs. 2.4
	<b>42" ROUND</b>								
	CLNN42RDW	Wood	\$ 1716	42	—	1 1/8	—	—	61 lbs. 3.2
	<b>48" ROUND</b>								
	CLNN48RDW	Wood	\$ 2019	48	—	1 1/8	—	—	79 lbs. 4.2
	<b>30" ROUND</b>	<b>1 1/8" TOP THICKNESS</b>							
	CLN30RDW	Wood	\$ 1097	30	—	1 1/8	—	—	33 lbs. 2.0
	<b>36" ROUND</b>								
	CLN36RDW	Wood	\$ 1290	36	—	1 1/8	—	—	42 lbs. 2.4
	<b>42" ROUND</b>								
	CLN42RDW	Wood	\$ 1595	42	—	1 1/8	—	—	58 lbs. 3.2
	<b>48" ROUND</b>								
	CLN48RDW	Wood	\$ 1899	48	—	1 1/8	—	—	76 lbs. 4.2
	<b>30" ROUND</b>	<b>1" TOP THICKNESS</b>							
	CLN30RDLW	Laminate	\$ 1029	30	—	1	—	—	33 lbs. 2.0
	<b>36" ROUND</b>								
	CLN36RDLW	Laminate	\$ 1210	36	—	1	—	—	42 lbs. 2.4
	<b>42" ROUND</b>								
	CLN42RDLW	Laminate	\$ 1498	42	—	1	—	—	58 lbs. 3.2
	<b>48" ROUND</b>								
	CLN48RDLW	Laminate	\$ 1783	48	—	1	—	—	76 lbs. 4.2

- Reference Table Base Guide in the Tables Price List on pages 31-36 for applicable bases
- See Tables Price List pages 82-89 for coordinating conference table tops
- Grommet options available on 1 1/8" round and square tops are G10C and CUT-G15C, reference Tables Price List page 81 for grommet options and upcharge
- Grommet option available on 1 1/8" round tops is G10C, reference Tables Price List page 81 for grommet options and upcharge



---

# ESCALADE

## PRODUCT SPECIFICATIONS

### WORKSURFACE

- 1½" combined worksurface and mitered wood rim
- Slipmatched cherry and maple veneer, bookmatched walnut veneer
- Grain direction runs left-to-right unless noted
- Mitered wood rim detail
- Two sheen options available on most worksurfaces

### FINISH APPLICATION

- Escalade series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

### CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable floor levelers are standard on all casegoods
- ¾" thick full height modesty panels
- 1½" thick end panels and support panels
- Vertical grain direction on all modesty panels
- Units feature semi-finished backs (stained with some exposed hardware) unless noted
- Mitered wood base detail

### DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

### DRAWER SUSPENSION


- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- Heavy-duty file rods in file drawers

### DRAWER PULLS

- Satin Nickel drawer pulls and knobs

### CORD MANAGEMENT

- Grommets are available in predetermined locations
- Optional wire managers are available (see accessory pages)



### LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 500

### ABOVE SURFACE DOORS

- Wood or crackled silkscreen glass

### EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Box Drawer - 30x66 Single Ped Desks	12¼"	17"	3⅞"	N/A
File Drawer - 30x66 Single Ped Desks	12¼"	17"	9⅞"	Letter
Box Drawer - All Other Desks	15¼"	17"	3⅞"	N/A
File Drawer - All Other Desks	15¼"	17"	9⅞"	Legal
Box Drawer - Return	12¼"	17"	3⅞"	N/A
File Drawer - Return	12¼"	17"	9⅞"	Letter
Lateral Drawer - Return	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
Box Drawer - Credenza	15¼"	15"	3⅞"	N/A
File Drawer - Credenza	15¼"	15"	9⅞"	Legal
Lateral Drawer - Credenza	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
Lateral File Drawer	31⅞"	15"	9⅞"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
30" Center Drawer	20⅞"	15"	1½"	N/A
36" Center Drawer	26⅞"	15"	1½"	N/A
Keyboard Drawer	26"	15¼"	2¼"	N/A

- All file drawers, with the exception of 30x66 single pedestal desks, file letter, legal and EDP side-to-side

## WOOD FINISHES

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle


## WORKSURFACE SHEEN OPTIONS

R	Standard
N	Matte/Satin

## METAL COLORS


462	Cinder
503	Satin Nickel Metallic

## RIM PROFILE



**Tribeca**

## PULL



**Fluid (79)**


79SN Satin Nickel  
(Boring Pattern 64mm)

## GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

### Round Grommet, Black Plastic

G1LR	Left & Right
G1C	Center



**Round Grommet  
Plastic**

## LOCKING

### KEY RANDOM

KRB	Black
KRS	Silver

### KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit

Unit list price will be reduced by \$15 per lock when selecting Key Specific option. Must order specific lock cores separately (\$15 list each). See page 500 for Key Specific model numbers.

### QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Tribeca
Pull:	Fluid (79)
Grommets:	Included on bridges, returns and credenzas (does not include storage credenza)
Locking:	Random black cores
Sheen:	Standard
Finish:	Must specify Amber (MC) or Cordovan (CW)

## ESCALADE L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


### ARRANGEMENTS INCLUDE:

- Fluid, Satin Nickel pulls
- Standard sheen
- Left and right grommets in return
- Random black lock cores
- Must specify finish



### TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		

**To You In 10 DAYS ...or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Fluid, Satin Nickel pulls

L-CONFIGURATIONS		MODEL NO./DESCRIPTION		LIST PRICE	L-CONFIGURATIONS		MODEL NO./DESCRIPTION		LIST PRICE
<b>LEFT L-CONFIGURATION WOOD TOP</b> 		QECN8573LLFW	84½D x 72½W	\$ 5900	<b>RIGHT L-CONFIGURATION WOOD TOP</b> 		QECN8573LRFW	84½D x 72½W	\$ 5900
		ECN8573LLFW	84½D x 72½W	\$ 5900			ECN8573LRFW	84½D x 72½W	\$ 5900
		consists of					consists of		
		ECN3673DRFBW1	Right Pedestal Desk	3360			ECN3673DLFBW1	Left Pedestal Desk	3360
		ECN2548RLEFW2	Left Pedestal Return	2540			ECN2548RREFW2	Right Pedestal Return	2540
		QECN7973LLFW	78½D x 72½W	\$ 5853			QECN7973LRFW	78½D x 72½W	\$ 5853
		ECN7973LLFW	78½D x 72½W	\$ 5853			ECN7973LRFW	78½D x 72½W	\$ 5853
		consists of					consists of		
		ECN3673DRFBW1	Right Pedestal Desk	3360			ECN3673DLFBW1	Left Pedestal Desk	3360
		ECN2542RLEFW2	Left Pedestal Return	2493			ECN2542RREFW2	Right Pedestal Return	2493
		ECN7967LLFW	78½D x 66½W	\$ 5773			ECN7967LRFW	78½D x 66½W	\$ 5773
		consists of					consists of		
		ECN3067DRFBW1	Right Pedestal Desk	3233			ECN3067DLFBW1	Left Pedestal Desk	3233
		ECN2548RLEFW2	Left Pedestal Return	2540			ECN2548RREFW2	Right Pedestal Return	2540
		ECN7367LLFW	72½D x 66½W	\$ 5726			ECN7367LRFW	72½D x 66½W	\$ 5726
		consists of					consists of		
		ECN3067DRFBW1	Right Pedestal Desk	3233			ECN3067DLFBW1	Left Pedestal Desk	3233
		ECN2542RLEFW2	Left Pedestal Return	2493			ECN2542RREFW2	Right Pedestal Return	2493

## ESCALADE U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:


- Fluid, Satin Nickel pulls
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC Autumn	HN Honey	NM Natural
CL Caramel	IM Brighton	TF Truffle
CW Cordovan	MC Amber	
DW Judicial	MH Mocha	

**To You In 10 DAYS ...or Less**

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



Fluid, Satin Nickel pulls

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT U-CONFIGURATION WOOD TOP</b> 	QECN10773ULFW 106%D x 72½W	\$ 7324	<b>RIGHT U-CONFIGURATION WOOD TOP</b> 	QECN10773URFW 106%D x 72½W	\$ 7324
	ECN10773ULFW 106%D x 72½W	\$ 7324		ECN10773URFW 106%D x 72½W	\$ 7324
	consists of			consists of	
	ECN3673DRFBW1 Right Pedestal Desk	3360		ECN3673DLFBW1 Left Pedestal Desk	3360
	ECN2548BEFW Bridge	1144		ECN2548BEFW Bridge	1144
	ECN2273CLFW2 Left Pedestal Credenza	2820		ECN2273CRFW2 Right Pedestal Credenza	2820
	QECN10173ULFW 100%D x 72½W	\$ 7291		QECN10173URFW 100%D x 72½W	\$ 7291
	ECN10173ULFW 100%D x 72½W	\$ 7291		ECN10173URFW 100%D x 72½W	\$ 7291
	consists of			consists of	
	ECN3673DRFBW1 Right Pedestal Desk	3360		ECN3673DLFBW1 Left Pedestal Desk	3360
	ECN2542BEFW Bridge	1111		ECN2542BEFW Bridge	1111
	ECN2273CLFW2 Left Pedestal Credenza	2820		ECN2273CRFW2 Right Pedestal Credenza	2820
	ECN10167ULFW 100%D x 66½W	\$ 7157		ECN10167URFW 100%D x 66½W	\$ 7157
	consists of			consists of	
	ECN3067DRFBW1 Right Pedestal Desk	3233		ECN3067DLFBW1 Left Pedestal Desk	3233
	ECN2548BEFW Bridge	1144		ECN2548BEFW Bridge	1144
	ECN2267CLFW2 Left Pedestal Credenza	2780		ECN2267CRFW2 Right Pedestal Credenza	2780
	ECN9567ULFW 94%D x 66½W	\$ 7124		ECN9567URFW 94%D x 66½W	\$ 7124
	consists of			consists of	
	ECN3067DRFBW1 Right Pedestal Desk	3233		ECN3067DLFBW1 Left Pedestal Desk	3233
	ECN2542BEFW Bridge	1111		ECN2542BEFW Bridge	1111
	ECN2267CLFW2 Left Pedestal Credenza	2780		ECN2267CRFW2 Right Pedestal Credenza	2780

# ESCALADE

## PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim

## DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width


## SAMPLE MODEL NUMBER:

ECN3673DDFBW8 79SN X KRB N MH

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


### DOUBLE PEDESTAL DESK ARC TOP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H						
ECN3673DDFBW8	\$ 4530	35½"	72½"	29½"	6"	34½"	320 lbs.	57.4
ECN3667DDFBW8	4439	35½"	66½"	29½"	6"	25½"	305 lbs.	53.0

- Depth of arc top is 35½" at its widest point
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


### DOUBLE PEDESTAL DESK



QECN3673DDFBW8	\$ 3713	36¼"	72½"	29½"	—	34½"	361 lbs.	57.4
ECN3673DDFBW8	3713	36¼"	72½"	29½"	—	34½"	361 lbs.	57.4
ECN3667DDFBW8	3638	35½"	66½"	29½"	—	25½"	325 lbs.	53.0
ECN3067DDFBW8	\$ 3574	30¼"	66½"	29½"	—	25½"	285 lbs.	45.3
ECN3061DDFBW8	3503	30¼"	60½"	29½"	—	25½"	270 lbs.	42.0

- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


### TABLE DESK ARC TOP



ECN3673DTAW	\$ 3341	35½"	72½"	29½"	6"	—	140 lbs.	13.9
-------------	---------	------	------	------	----	---	----------	------

- Unit features a functional, non-locking drawer
- Height to the bottom of the rail from the floor is 25"
- Some assembly required
- Grommets not available

### SINGLE PEDESTAL DESK ARC TOP



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL							
ECN3673DLFBW1	ECN3673DRFBW1	\$ 3896	35½"	72½"	29½"	6"	27¾"	267 lbs.


- Not recommended as a freestanding unit due to routing in the rim
- Depth of arc top is 35½" at its widest point
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available



Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	Metal Color
ECN3673DDEBAW8	79SN Fluid, Satin Nickel	G1LR Black, Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 503 Satin Nickel Metallic
	79SN	X	KRB	N	MH	

## FREESTANDING SINGLE PEDESTAL DESK ARC TOP




Right shown

### MODEL NO./DESCRIPTION

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN3673DLFFBW1	ECN3673DRFFBW1	\$ 3896	35½"	72½"	29½"	6"	50½"	267 lbs.	57.4

- Depth of arc top is 35½" at its widest point
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

## SINGLE PEDESTAL DESK




Left shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
QECN3673DLFBW1	QECN3673DRFBW1	\$ 3360	36¼"	72½"	29½"	—	27¾"	311 lbs.	57.4
ECN3673DLFBW1	ECN3673DRFBW1	3360	36¼"	72½"	29½"	—	27¾"	311 lbs.	57.4
ECN3667DLFBW1	ECN3667DRFBW1	3293	36¼"	66½"	29½"	—	24¾"	290 lbs.	49.0

ECN3067DLFBW1	ECN3067DRFBW1	\$ 3233	30¼"	66½"	29½"	—	24¾"	245 lbs.	45.3
---------------	---------------	---------	------	------	------	---	------	----------	------

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## FREESTANDING SINGLE PEDESTAL DESK



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN3673DLFFBW1	ECN3673DRFFBW1	\$ 3360	36¼"	72½"	29½"	—	50½"	311 lbs.	57.4
ECN3667DLFFBW1	ECN3667DRFFBW1	3293	36¼"	66½"	29½"	—	50½"	290 lbs.	49.0
ECN3067DLFFBW1	ECN3067DRFFBW1	\$ 3233	30¼"	66½"	29½"	—	47"	245 lbs.	45.3
ECN3061DLFFBW1	ECN3061DRFFBW1	3167	30¼"	60½"	29½"	—	41½"	230 lbs.	42.0

- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

# ESCALADE

## PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim

## DIMENSION KEY







D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

## SAMPLE MODEL NUMBERS:

ECN3672DULW 79SN R MH  
ECN3672DULFW 79SN R MH 462  
ECN2548RLEFW1 79SN G1LR KRB R NM

To You In  
**10**  
DAYS  
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
<b>U-SHAPED DESK</b>  Left shown	<b>LEFT U</b>	<b>RIGHT U</b>								
	ECN3672DULW	ECN3672DURW	\$ 2742	36	72¼	29½	17%	27¾	155 lbs.	13.9
	ECN3672DULFW	ECN3672DURFW w/modesty	3076	36	72¼	29½	17%	27¾	175 lbs.	13.9
	<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Support base must be specified separately; see below for support base options</li><li>• Some assembly required</li><li>• Specify metal color option for modesty panel attachment brackets (specify same color as support base ordered)</li><li>• Grommets not available</li></ul>									
<b>P-SHAPED DESK</b>  Left shown  Right shown w/modesty	<b>LEFT P</b>	<b>RIGHT P</b>								
	ECN3672DPLW	ECN3672DPRW	\$ 2890	36	72¼	29½	11%	27¾	145 lbs.	13.9
	ECN3672DPLFW	ECN3672DPRFW w/modesty	3260	36	72¼	29½	11%	27¾	165 lbs.	13.9
	<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Support base must be specified separately; see below for support base options</li><li>• "P" faces approach side for conferencing use</li><li>• Some assembly required</li><li>• Specify metal color option for modesty panel attachment brackets (specify same color as support base ordered)</li><li>• Grommets not available</li></ul>									
<b>SUPPORT BASE</b>  				<b>DI</b>	<b>H</b>					
	NAC0428SFRNB	Metal	\$ 190	4	—	27¾-29¼		—	10 lbs.	1.0
	NAC2804SFBW	Wood	516	4	—	27¾-29¼		—	10 lbs.	1.0
					<b>D</b>	<b>W</b>	<b>H</b>	<b>A</b>	<b>KW</b>	
	NAC2812SHB	Wood Half	\$ 645	6	11%	27¾	—	—	13 lbs.	2.6
	<ul style="list-style-type: none"><li>• Adjustable glide standard</li><li>• Metal base, specify paint colors: (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li><li>• Metal base, optional upper and lower (CUL) wire management cutout</li><li>• Wood base, specify finish: Brighton (IM), Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn (AC), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH)</li></ul>									
<b>CORNER UNIT</b> 	ECN3636CFSW		\$ 2158	36%	36%	29½	—	—	75 lbs.	29.5
	<ul style="list-style-type: none"><li>• Not recommended as a freestanding unit due to routing in the rim</li><li>• Unit can be attached to bridge and return</li><li>• Front edge is 16½"</li><li>• Grain direction runs diagonally</li><li>• Grommet (G1C) available</li></ul>									

Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	Metal Color
ECN3672DULW	79SN Fluid, Satin Nickel	G1LR Black, Left & Right G1C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 503 Satin Nickel Metallic
	79SN			R	MH	

## RECEPTION DESK/RETURN



### MODEL NO./DESCRIPTION

RECEPTION DESK										
LEFT PEDESTAL		RIGHT PEDESTAL								
ECN3276DTLFW1	ECN3276DTRFW1	\$ 4624	32¼	75½	43¼	—	28%	325 lbs.	67.0	


- Must be used with reception return
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### RECEPTION RETURN

LEFT		RIGHT								
ECN2550RTLW2	ECN2550RTRW2	\$ 3078	25%	49%	41%	—	29%	195 lbs.	37.4	

- Not recommended as a freestanding unit due to routing in the rim
- Must be used with reception desk
- Grommet (G1C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## RETURN BOX/BOX/FILE




Right shown

LEFT PEDESTAL		RIGHT PEDESTAL								
ECN2548RLEFW1	ECN2548RREFW1	\$ 2540	25¼	48¼	29½	—	28%	147 lbs.	29.0	
ECN2542RLEFW1	ECN2542RREFW1	2493	25¼	42¼	29½	—	22%	137 lbs.	25.9	

- Grain direction on worksurface runs front-to-back
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## RETURN FILE/FILE




Left shown

LEFT PEDESTAL	RIGHT PEDESTAL									
QECN2548RLEFW2	QECN2548RREFW2	\$ 2540	25¼	48¼	29½	—	28%	147 lbs.	29.0	
ECN2548RLEFW2	ECN2548RREFW2	2540	25¼	48¼	29½	—	28%	147 lbs.	29.0	
QECN2542RLEFW2	QECN2542RREFW2	2493	25¼	42¼	29½	—	22%	137 lbs.	25.9	
ECN2542RLEFW2	ECN2542RREFW2	2493	25¼	42¼	29½	—	22%	137 lbs.	25.9	

- Grain direction on worksurface runs front-to-back
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## RETURN MULTI-FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL									
ECN2572RLEFW10	ECN2572RREFW10	\$ 3375	25¼	72¼	29½	—	33%	197 lbs.	41.7	

- Grain direction on worksurface runs front-to-back
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

# ESCALADE

## PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 188 for ganging examples

## DIMENSION KEY






- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

## SAMPLE MODEL NUMBERS:

- ECN2273CBW 79SN R TF
- ECN2273CSFW2 79SN KRB N CL
- ECN2271CFFWC 79SN KRB N CL





To You In  
**10**  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>BRIDGE</b> 	QECN2548BEFW	\$ 1144	24 $\frac{1}{16}$ "	48 $\frac{1}{16}$ "	29 $\frac{1}{2}$ "	—	—	85 lbs.	3.4
	ECN2548BEFW	1144	24 $\frac{1}{16}$ "	48 $\frac{1}{16}$ "	29 $\frac{1}{2}$ "	—	—	85 lbs.	3.4
	QECN2542BEFW	1111	24 $\frac{1}{16}$ "	42 $\frac{1}{16}$ "	29 $\frac{1}{2}$ "	—	—	75 lbs.	3.0
	ECN2542BEFW	1111	24 $\frac{1}{16}$ "	42 $\frac{1}{16}$ "	29 $\frac{1}{2}$ "	—	—	75 lbs.	3.0
	<ul style="list-style-type: none"> <li>• Some assembly required</li> <li>• Grain direction on worksurface runs front-to-back</li> <li>• Grommet (G1C) available</li> </ul>								
<b>BUFFET CREDENZA</b> 	ECN2273CBW	\$ 4449	22 $\frac{1}{4}$ "	72 $\frac{1}{2}$ "	35 $\frac{1}{16}$ "	—	—	380 lbs.	45.2
	<ul style="list-style-type: none"> <li>• Rim and base molding on front and sides of model</li> <li>• Center two doors lock</li> <li>• Unit features three standard adjustable shelves</li> <li>• Unit features a functional, non-locking drawer</li> <li>• Grommet option not available</li> <li>• Inside dimension of center storage section is 19<math>\frac{3}{4}</math>" deep x 33<math>\frac{3}{4}</math>" wide x 25<math>\frac{1}{4}</math>" high</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>ENTERTAINMENT CREDENZA</b> 	ECN2273CBVW	\$ 4449	22 $\frac{1}{4}$ "	72 $\frac{1}{2}$ "	35 $\frac{1}{16}$ "	—	—	380 lbs.	45.2
	<ul style="list-style-type: none"> <li>• Rim and base molding on front and sides of model</li> <li>• Center two doors lock</li> <li>• Unit features three standard adjustable shelves</li> <li>• Unit features a functional, non-locking drawer</li> <li>• Cutouts in back panel for venting</li> <li>• Grommet (G1C) available</li> <li>• Inside dimension of center storage section is 19<math>\frac{3}{4}</math>" deep x 33<math>\frac{3}{4}</math>" wide x 25<math>\frac{1}{4}</math>" high</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>STORAGE CREDENZA</b> 	QECN2273CSFW2	\$ 3847	22 $\frac{1}{16}$ "	72 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	—	—	340 lbs.	37.8
	ECN2273CSFW2	3847	22 $\frac{1}{16}$ "	72 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	—	—	340 lbs.	37.8
	ECN2267CSFW2	3592	22 $\frac{1}{16}$ "	66 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	—	—	329 lbs.	34.9
	<ul style="list-style-type: none"> <li>• Storage credenza features a standard adjustable shelf</li> <li>• Standard center drawer, non-locking</li> <li>• Rim and base molding detail on three sides of unit</li> <li>• Grommets not available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>STORAGE CREDENZA GANGING</b> 	ECN2271CSFW2C	\$ 3847	22 $\frac{1}{4}$ "	70 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	—	—	340 lbs.	37.8
	ECN2265CSFW2C	3592	22 $\frac{1}{4}$ "	64 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	—	—	329 lbs.	34.9
	<ul style="list-style-type: none"> <li>• Storage credenza features a standard adjustable shelf</li> <li>• Standard center drawer, non-locking</li> <li>• Rim and base molding detail on front edge only to allow for ganging</li> <li>• Grommets not available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								

Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH
ECN2273CBW	79SN Fluid, Satin Nickel	G1LR Black, Left & Right G1C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle TE

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>LATERAL FILE CREDENZA</b> 	ECN2273CFFW	\$ 4021	22¼	72½	29½	—	—	334 lbs.	37.8
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>• Rim and base molding on three sides of unit</li> <li>• Grommets not available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>LATERAL FILE CREDENZA GANGING</b> 	ECN2271CFFWC	\$ 4021	22¼	70½	29½	—	—	334 lbs.	37.8
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>• Rim and base molding detail on front edge only to allow for ganging</li> <li>• Grommets not available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>KNEESPACE CREDENZA</b> 	QECN2273CKFW2	\$ 3420	22¼	72½	29½	—	34¾	234 lbs.	37.8
	ECN2273CKFW2	3420	22¼	72½	29½	—	34¾	234 lbs.	37.8
	ECN2267CKFW2	3216	22¼	66½	29½	—	28¾	223 lbs.	34.9
	ECN2261CKFW2	3010	22¼	60¾	29½	—	27¾	215 lbs.	31.0
	<ul style="list-style-type: none"> <li>• Rim and base molding on three sides of unit</li> <li>• Grommet (G1LR) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>KNEESPACE CREDENZA GANGING</b> 	ECN2271CKFW2C	\$ 3420	22¼	70½	29½	—	34¾	234 lbs.	37.8
	ECN2265CKFW2C	3216	22¼	64½	29½	—	28¾	223 lbs.	34.9
	ECN2259CKFW2C	3010	22¼	58½	29½	—	27¾	215 lbs.	31.0
	<ul style="list-style-type: none"> <li>• Rim and base molding on front and inside kneespace only to allow for ganging</li> <li>• Grommet (G1LR) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								

# ESCALADE

## PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 188 for ganging examples

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width


## SAMPLE MODEL NUMBERS:

ECN2272CLFW1C 79SN G1LR KRB N CL  
ECN2266CLFW2C 79SN X KRB N CL

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### SINGLE PEDESTAL CREDENZA BOX/BOX/FILE



Right shown


#### MODEL NO./DESCRIPTION

#### LEFT PEDESTAL RIGHT PEDESTAL

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN2273CLFW1	ECN2273CRFW1	\$ 2820	22½	72½	29½	—	27¾	195 lbs.	37.8
ECN2267CLFW1	ECN2267CRFW1	2780	22½	66½	29½	—	21¾	184 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on three sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### FREESTANDING SINGLE PEDESTAL CREDENZA BOX/BOX/FILE




Right shown

#### LEFT PEDESTAL RIGHT PEDESTAL

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN2273CLFFW1	ECN2273CRFFW1	\$ 2820	22½	72½	29½	—	50	195 lbs.	37.8
ECN2267CLFFW1	ECN2267CRFFW1	2780	22½	66½	29½	—	44	184 lbs.	34.9
ECN2261CLFFW1	ECN2261CRFFW1	2725	22½	60½	29½	—	38	175 lbs.	30.0

- Rim and base molding detail on three sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

### SINGLE PEDESTAL CREDENZA BOX/BOX/FILE GANGING




Left shown

#### LEFT PEDESTAL RIGHT PEDESTAL

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN2272CLFW1C	ECN2272CRFW1C	\$ 2820	22½	71½	29½	—	27¾	195 lbs.	37.8
ECN2266CLFW1C	ECN2266CRFW1C	2780	22½	65½	29½	—	21¾	184 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on two sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### SINGLE PEDESTAL CREDENZA FILE/FILE



Right shown


#### LEFT PEDESTAL RIGHT PEDESTAL


MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
QECN2273CLFW2	QECN2273CRFW2	\$ 2820	22½	72½	29½	—	27¾	195 lbs.	37.8
ECN2273CLFW2	ECN2273CRFW2	2820	22½	72½	29½	—	27¾	195 lbs.	37.8
ECN2267CLFW2	ECN2267CRFW2	2780	22½	66½	29½	—	21¾	184 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on three sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH
ECN2272CLFW1C	79SN Fluid, Satin Nickel	G1LR X Black, Left & Right No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	79SN	G1LR	KRB	N	CL


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	LEFT PEDESTAL	RIGHT PEDESTAL								
	ECN2273CLFFW2	ECN2273CRFFW2	\$ 2820	22¼	72½	29½	—	50	195 lbs.	37.8
	ECN2267CLFFW2	ECN2267CRFFW2	2780	22¼	66½	29½	—	44	184 lbs.	34.9
	ECN2261CLFFW2	ECN2261CRFFW2	2725	22¼	60¾	29½	—	38	175 lbs.	30.0



Right shown


- Rim and base molding detail on three sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components


SINGLE PEDESTAL CREDENZA FILE/FILE GANGING	LEFT PEDESTAL	RIGHT PEDESTAL								
	ECN2272CLFW2C	ECN2272CRFW2C	\$ 2820	22¼	71½	29½	—	27¾	195 lbs.	37.8
	ECN2266CLFW2C	ECN2266CRFW2C	2780	22¼	65½	29½	—	21¾	184 lbs.	34.9



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on two sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


<b>SINGLE PEDESTAL CREDENZA LATERAL FILE</b> 	<b>LEFT PEDESTAL</b>	<b>RIGHT PEDESTAL</b>								
	ECN2273CLFW6	ECN2273CRFW6	\$ 3304	22¼	72½	29½	—	9¾	235 lbs.	37.8
	ECN2267CLFW6	ECN2267CRFW6	3074	22¼	66½	29½	—	3¾	224 lbs.	34.9



Right shown

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Rim and base molding detail on three sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING SINGLE PEDESTAL CREDENZA LATERAL FILE	LEFT PEDESTAL	RIGHT PEDESTAL									
	ECN2273CLFFW6	ECN2273CRFFW6	\$ 3304	22¼	72½	29½	—	32¾	235 lbs.	37.8	
	ECN2267CLFFW6	ECN2267CRFFW6	3074	22¼	66½	29½	—	26¾	224 lbs.	34.9	



Right shown

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Rim and base molding detail on three sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

# ESCALADE

## PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 188 for ganging examples

## DIMENSION KEY





- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

## SAMPLE MODEL NUMBERS:

ECN2273CLFW10 79SN X KRB N CL  
ECN2272CLFW10C 79SN X KRB N CW

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT PEDESTAL	RIGHT PEDESTAL	D	W	H				
<b>SINGLE PEDESTAL CREDENZA LATERAL FILE GANGING</b>  Left shown	ECN2272CLFW6C	ECN2272CRFW6C	\$ 3304	22½	71½	29½	—	9¾	235 lbs. 37.8
	ECN2266CLFW6C	ECN2266CRFW6C	3074	22½	65½	29½	—	3¾	224 lbs. 34.9
	<ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit due to routing in the rim</li> <li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>• Rim and base molding detail on two sides of unit to allow for ganging</li> <li>• Modesty panel of joining unit will attach above the base molding detail</li> <li>• Grommet (G1LR) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>SINGLE PEDESTAL CREDENZA MULTI-FILE</b>  Right shown	ECN2273CLFW10	ECN2273CRFW10	\$ 3458	22½	72½	29%	—	9¾	235 lbs. 37.8
	<ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit due to routing in the rim</li> <li>• Rim and base molding detail on three sides of unit</li> <li>• Modesty panel of joining unit will attach above the base molding detail</li> <li>• Grommet (G1LR) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>FREESTANDING SINGLE PEDESTAL CREDENZA MULTI-FILE</b>  Right shown	ECN2273CLFFW10	ECN2273CRFFW10	\$ 3458	22½	72½	29%	—	32½	235 lbs. 37.8
	<ul style="list-style-type: none"> <li>• Rim and base molding detail on three sides of unit</li> <li>• Grommet (G1LR) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> <li>• Freestanding use only; cannot be used with a bridge or other connecting components</li> </ul>								
<b>SINGLE PEDESTAL CREDENZA MULTI-FILE GANGING</b>  Left shown	ECN2272CLFFW10C	ECN2272CRFFW10C	\$ 3458	22½	71½	29½	—	9¾	235 lbs. 37.8
	<ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit due to routing in the rim</li> <li>• Rim and base molding detail on two sides of unit to allow for ganging</li> <li>• Modesty panel of joining unit will attach above the base molding detail</li> <li>• Grommet (G1LR) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								



Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH
ECN2273CLEW10	79SN Fluid, Satin Nickel	G1LR Black, Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	79SN	X	KRB	N	CL

## HIGHBACK ORGANIZER



### MODEL NO./DESCRIPTION

#### WOOD DOORS


MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN8450HBHPW	\$ 3806	15½	83¾	50¾	—	—	250 lbs.	55.0
ECN7850HBHPW	3660	15½	77¾	50¾	—	—	225 lbs.	50.0
QECN7250HBHPW	3520	15½	72	50¾	—	—	200 lbs.	41.7
ECN7250HBHPW	3520	15½	72	50¾	—	—	200 lbs.	41.7
ECN6650HBHPW	3385	15½	66	50¾	—	—	180 lbs.	38.5
ECN6050HBHPW	3250	15½	60	50¾	—	—	170 lbs.	35.0

#### GLASS DOORS

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN8450HBHPGW	\$ 3973	15½	83¾	50¾	—	—	250 lbs.	55.0
ECN7850HBHPGW	3820	15½	77¾	50¾	—	—	225 lbs.	50.0
ECN7250HBHPGW	3673	15½	72	50¾	—	—	200 lbs.	41.7
ECN6650HBHPGW	3535	15½	66	50¾	—	—	180 lbs.	38.5
ECN6050HBHPGW	3423	15½	60	50¾	—	—	170 lbs.	35.0

- Highback organizers feature (4) side hinged doors, full back panels with a grommet for cord management
- Under shelf clearance is 20¾"
- Center two doors lock
- For tack board models, see pages 520-525
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## SMALL OFFICE HIGHBACK ORGANIZER



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN8442HBHPGW	\$ 3225	15½	83¾	41¾	—	—	245 lbs.	53.0
ECN7842HBHPGW	3101	15½	77¾	41¾	—	—	220 lbs.	48.0
ECN7242HBHPGW	2983	15½	72	41¾	—	—	190 lbs.	35.9
ECN6642HBHPGW	2852	15½	66	41¾	—	—	170 lbs.	32.1
ECN6042HBHPGW	2739	15½	60	41¾	—	—	165 lbs.	30.0

- Unit features (2) side hinged doors, full back panel with a grommet for cord management
- 84"/78" models feature a divider panel in the center of the open shelves
- Center shelf is fixed; upper shelf is adjustable
- Small office highback organizer cannot be used in a ganging application
- Under door clearance is 12½"
- Under shelf clearance is 20¾"
- Both doors lock
- For tack board models, see pages 520-525
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

# ESCALADE

## PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 188 for ganging examples

## DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width



## SAMPLE MODEL NUMBER:

ECN2238PFHW 79SN KRB R CW

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### OVERHEAD CABINET WALL MOUNT



#### MODEL NO./DESCRIPTION

#### WOOD DOORS

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
QECN7230SOHMMW	\$ 3299	15½	72	29%	—	—	150 lbs.	25.1
ECN7230SOHMMW	3299	15½	72	29%	—	—	150 lbs.	25.1
ECN6630SOHMMW	3170	15½	66	29%	—	—	140 lbs.	23.2

#### GLASS DOORS

ECN7230SOHMGW	\$ 3453	15½	72	29%	—	—	150 lbs.	25.1
ECN6630SOHMGW	3322	15½	66	29%	—	—	140 lbs.	23.2

- Wall mount cabinets must be secured by a minimum of two solid attachment points on a load bearing wall
- Wall mount bracket is included with unit
- Center two doors lock
- For tack board models, see pages 520-525
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### LATERAL FILE TWO DRAWER



QECN2238LFF2W	\$ 2323	22¼	38¾	29½	—	—	155 lbs.	17.8
ECN2238LFF2W	2323	22¼	38¾	29½	—	—	155 lbs.	17.8

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### LATERAL FILE THREE DRAWER



ECN2238LFF3W	\$ 2924	22¼	38¾	41¼	—	—	210 lbs.	30.0
--------------	---------	-----	-----	-----	---	---	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### LATERAL FILE FOUR DRAWER



ECN2238LFF4W	\$ 3527	22¼	38¾	54½	—	—	265 lbs.	32.9
--------------	---------	-----	-----	-----	---	---	----------	------


- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file has an unfinished back
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL	PULL OPTION	LOCKING	SHEEN	FINISH
ECN2238PFHW	79SN Fluid, Satin Nickel	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	79SN	KRB	R	CW

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
--	-----------------------	------------	---	---	---	---	----	-----------------	------------

#### DOUBLE DOOR UNIT



ECN2238PFHW

\$ 2198

22½

38¾

29½

—


—

140 lbs.

17.8

- Unit features a single adjustable shelf
- Unit features a functional, non-locking drawer
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

#### ENTERTAINMENT CABINET



ECN3879VVHW

Wood

\$ 5013

23½

38¾

78½

—


—

340 lbs.

48.9

- Unit features 170° hinges on top two doors
- Back of unit has standard grommets for cord management and for ventilation
- Unit features an adjustable shelf in both the upper and lower sections
- Interior dimensions for upper section 20¼" D, 34¾" W, 47½" H
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

#### ENTERTAINMENT CABINET GANGING



ECN3879VVHWC

\$ 5013

23½

38¾

78½

—


—

340 lbs.

48.9

- For use with side open bookcase - ganging only
- Unit features 170° hinges on top two doors
- Back of unit has standard grommets for cord management and for ventilation
- Unit features an adjustable shelf in both the upper and lower sections
- Interior dimensions for upper section 20¼" D, 34¾" W, 47½" H
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

#### SIDE BOOKCASE - OPEN GANGING



Left shown

LEFT

RIGHT

ECN2071BCOLWC

ECN2071BCORWC

\$ 1671

15¾

19½

70¼

—


—

155 lbs.

17.7

- For use with entertainment cabinet - ganging only
- Shaded shelves are adjustable
- Specify finish only

#### DOUBLE WARDROBE



ECN3879VHHW

\$ 4661

23½

38¾

78½

—

—

340 lbs.

48.9

- Shaded shelves are adjustable
- Removable coat rod is standard, positioned on left side of wardrobe
- Cornice and base detail on three sides of unit
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

# ESCALADE

## PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 188 for ganging examples

## DIMENSION KEY





- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

## SAMPLE MODEL NUMBERS:

ECN3871BCOFW CW  
ECN3871BCOHFW 79SN KRB MH

To You In  
**10**  
Days  
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT HINGED	RIGHT HINGED	D	W	H				
<b>STORAGE - FILE/FILE CABINET GANGING</b>									
	ECN2071VHL2WC	ECN2071VHR2WC	\$ 3023	23 $\frac{7}{16}$ "	20 $\frac{1}{16}$ "	70 $\frac{1}{16}$ "	—	—	200 lbs. 23.8
	<ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit due to routing in the rim</li> <li>• Shaded shelves are adjustable</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>WARDROBE/STORAGE CABINET GANGING</b>									
	ECN2071VSWHLWC	ECN2071VSWHRWC	\$ 2922	23 $\frac{7}{16}$ "	20 $\frac{1}{16}$ "	70 $\frac{1}{16}$ "	—	—	175 lbs. 23.8
	<ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit due to routing in the rim</li> <li>• Shaded shelves are adjustable</li> <li>• Removable coat rod is standard</li> <li>• Single door cabinet can be used as a wardrobe unit by removing the adjustable shelves</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>BOOKCASE - OPEN</b>	QECN3871BCOFW		\$ 2413	15 $\frac{3}{4}$ "	38 $\frac{3}{16}$ "	70 $\frac{1}{16}$ "	—	—	190 lbs. 31.3
	ECN3871BCOFW		2413	15 $\frac{3}{4}$ "	38 $\frac{3}{16}$ "	70 $\frac{1}{16}$ "	—	—	190 lbs. 31.3
	ECN3857BCOFW		2176	15 $\frac{3}{4}$ "	38 $\frac{3}{16}$ "	57 $\frac{1}{16}$ "	—	—	150 lbs. 25.4
	<ul style="list-style-type: none"> <li>• Shaded shelves are adjustable</li> <li>• Cornice and base detail on three sides of unit</li> <li>• 58" bookcase has two adjustable shelves and a finished top panel</li> <li>• Specify finish only</li> </ul>								
<b>BOOKCASE - OPEN GANGING</b>									
	ECN3771BCOLWC	ECN3771BCORWC	\$ 2413	15 $\frac{3}{4}$ "	37 $\frac{1}{16}$ "	70 $\frac{1}{16}$ "	—	—	190 lbs. 31.3
	ECN3757BCOLWC	ECN3757BCORWC	2176	15 $\frac{3}{4}$ "	37 $\frac{1}{16}$ "	57 $\frac{1}{16}$ "	—	—	150 lbs. 25.4
	<ul style="list-style-type: none"> <li>• Shaded shelves are adjustable</li> <li>• User can gang two 36" right and left open or storage bookcases or a combination of a 36" open and storage bookcase</li> <li>• Cornice and base detail on two sides of unit</li> <li>• 58" bookcase has two adjustable shelves and a finished top panel</li> <li>• Specify finish only</li> </ul>								

Specify selections, left to right:


BASE MODEL	PULL OPTION	LOCKING	FINISH
ECN3871BCQFW	79SN Fluid, Satin Nickel	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle CW

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>BOOKCASE - STORAGE</b>	ECN3871BCOHFW	\$ 2894	15½	38¾	70¼	—	—	210 lbs.	31.3
	ECN3857BCOHFW	2690	15½	38¾	57½	—	—	170 lbs.	25.4



- Shaded shelves are adjustable
- Bookcase has an unfinished back
- Cornice and base detail on three sides of unit
- 58" bookcase has one adjustable shelf and a finished top panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available



	LEFT	RIGHT	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>BOOKCASE - STORAGE GANGING</b>	ECN3771BCOHFLWC	ECN3771BCOHFRWC	\$ 2894	15½	37¾	70¼	—	—	210 lbs.	31.3
	ECN3757BCOHFLWC	ECN3757BCOHFRWC	2690	15½	37¾	57½	—	—	170 lbs.	25.4



Left shown

- Shaded shelves are adjustable
- User can gang two 36" right and left open or storage bookcases or a combination of a 36" open and storage bookcase
- Cornice and base detail on two sides of unit
- 58" bookcase has one adjustable shelf and a finished top panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

	WOOD DOORS	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>BOOKCASE - SET ON</b>	QECN3750BCHW	\$ 2750	15½	37¾	50¾	—	—	130 lbs.	22.5
	ECN3750BCHW	2750	15½	37¾	50¾	—	—	130 lbs.	22.5




#### GLASS DOORS

ECN3750BCHGW	\$ 2870	15½	37¾	50¾	—	—	130 lbs.	22.5
--------------	---------	-----	-----	-----	---	---	----------	------

- Shaded shelves are adjustable
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

	DOUBLE BOOKCASE - SET ON GLASS DOORS	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>DOUBLE BOOKCASE - SET ON GLASS DOORS</b>	ECN7250BCHGW	\$ 5013	15½	72	50¾	—	—	260 lbs.	41.7
	ECN6650BCHGW	4827	15½	66	50¾	—	—	250 lbs.	38.5



- Shaded shelves are adjustable
- Center doors lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

# ESCALADE

## DIMENSION KEY






D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

## SAMPLE MODEL NUMBERS:

ECN2040MGW N MH  
NAC3639VBL TF





To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>MOBILE UTILITY CART</b> 	ECN2238MUCW Wood	\$ 2236	22½	38½	35½	—	—	145 lbs.	24.7
	<ul style="list-style-type: none"> <li>• Can function as a service cart, overhead projector stand or TV cabinet</li> <li>• Unit features a single adjustable shelf</li> <li>• Four dual wheel non-locking casters are standard</li> <li>• Grommet (G1C) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>MAGAZINE TABLE</b> 	QECN2040MGW	\$ 1397	19½	39½	18	—	—	70 lbs.	4.3
	ECN2040MGW	1397	19½	39½	18	—	—	70 lbs.	4.3
<b>END TABLE</b> 	QECN2424ENW	\$ 1311	23½	23½	24	—	—	40 lbs.	3.9
	ECN2424ENW	1311	23½	23½	24	—	—	40 lbs.	3.9
<b>CONSOLE TABLE</b> 	ECN1948CSW	\$ 1561	18½	48	28½	—	—	85 lbs.	4.9
	• Rim detail on three sides of unit								
<b>VISUAL BOARD TOP</b> 	ECN0637CPCFW	\$ 497	5¼	37½	3½	—	—	35 lbs.	1.1
	ECN0643CPCFW	575	5¼	43½	3½	—	—	40 lbs.	1.3
	<ul style="list-style-type: none"> <li>• ECN0637CPCFW fits on top of NAC3639VBW</li> <li>• ECN0643CPCFW fits on top of NAC4239VBW</li> </ul>								

Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH
ECN2040MGW	79SN Fluid, Satin Nickel	G1LR Black, Left & Right G1C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle MH

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>VISUAL BOARD</b> 	<b>WOOD</b>								
	NAC3639VBW 36"	\$ 1806	4 <sup>1</sup> / <sub>16</sub>	35 <sup>7</sup> / <sub>8</sub>	39 <sup>1</sup> / <sub>16</sub>	—	—	65 lbs.	5.9
	NAC4239VBW 42"	2324	4 <sup>1</sup> / <sub>16</sub>	41 <sup>1</sup> / <sub>16</sub>	39 <sup>1</sup> / <sub>16</sub>	—	—	82 lbs.	7.1
	<b>LAMINATE</b>								
	NAC3639VBL 36"	\$ 1490	4 <sup>1</sup> / <sub>16</sub>	35 <sup>7</sup> / <sub>8</sub>	39 <sup>1</sup> / <sub>16</sub>	—	—	65 lbs.	5.9
	NAC4239VBL 42"	1727	4 <sup>1</sup> / <sub>16</sub>	41 <sup>1</sup> / <sub>16</sub>	39 <sup>1</sup> / <sub>16</sub>	—	—	82 lbs.	7.1
<ul style="list-style-type: none"> <li>• All installation hardware included</li> <li>• Frame of visual board is black</li> <li>• Tackable black fabric covers inside door panels</li> <li>• A set of four dry erase markers and an eraser are standard</li> <li>• Marker board is not magnetic</li> <li>• Doors only open to 165°, not flat</li> </ul>									
<b>KEYBOARD DRAWER</b> 	QECN1733KDFW	\$ 430	16 <sup>25</sup> / <sub>32</sub>	33 <sup>3</sup> / <sub>8</sub>	3 <sup>3</sup> / <sub>16</sub>	—	—	20 lbs.	2.1
	ECN1733KDFW	430	16 <sup>25</sup> / <sub>32</sub>	33 <sup>3</sup> / <sub>8</sub>	3 <sup>3</sup> / <sub>16</sub>	—	—	20 lbs.	2.1
	<ul style="list-style-type: none"> <li>• Use on 72" double pedestal desk, 72" kneespace credenza, and bridge</li> <li>• When using a wood keyboard drawer, must also specify keyboard/drawer mounting kit; see NAC0802KMK</li> <li>• Specify finish only</li> </ul>								
<b>CENTER DRAWER</b> 	QECN1733CDW	\$ 356	16 <sup>25</sup> / <sub>32</sub>	33 <sup>3</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>2</sub>	—	—	20 lbs.	2.1
	ECN1733CDW	356	16 <sup>25</sup> / <sub>32</sub>	33 <sup>3</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>2</sub>	—	—	20 lbs.	2.1
	QECN1727CDW	337	16 <sup>25</sup> / <sub>32</sub>	27 <sup>1</sup> / <sub>16</sub>	2 <sup>1</sup> / <sub>2</sub>	—	—	15 lbs.	1.9
	ECN1727CDW	337	16 <sup>25</sup> / <sub>32</sub>	27 <sup>1</sup> / <sub>16</sub>	2 <sup>1</sup> / <sub>2</sub>	—	—	15 lbs.	1.9
	ECN1724CDW	330	16 <sup>25</sup> / <sub>32</sub>	24	2 <sup>1</sup> / <sub>2</sub>	—	—	13 lbs.	1.0
	<ul style="list-style-type: none"> <li>• Use ECN1733CDW on 72" double pedestal desk and 72" kneespace credenza</li> <li>• Use ECN1727CDW on 66" double pedestal desk and 36" x 72" single pedestal desk</li> <li>• Use ECN1724CDW on 30" x 66" single pedestal desk</li> <li>• When using a wood center drawer, must also specify keyboard/drawer mounting kit; see NAC0802KMK</li> <li>• Specify finish only</li> </ul>								
<b>KEYBOARD/DRAWER MOUNTING KIT</b> 	NAC0802KMK	\$ 64	8	2	¾	—	—	3 lbs.	0.3
<ul style="list-style-type: none"> <li>• Must be used with keyboard kits, Escalade keyboard drawer or Escalade center drawer when attaching to Escalade unit</li> <li>• Specify model number only</li> </ul>									

# ESCALADE

## PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping


## DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

## SAMPLE MODEL NUMBER:


ECN2271CKFW2C 79SN G1LR KRB R TF

### WALL UNIT GANGING




MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
GANGING WALL UNIT		\$ 12,937	D	W	H				
ECN2271CKFW2C	Kneespace Cred.—Ganging	3420	22½	72½	29½	—	—	234 lbs.	37.8
ECN2071VSWHLWC	Wardrobe Right—Ganging	2922	23¾	20¾	70¾	—	—	175 lbs.	23.8
ECN2071VSWHRWC	Wardrobe Left—Ganging	2922	23¾	20¾	70¾	—	—	175 lbs.	23.8
ECN7250HBHPGW	Highback Organizer—Glass Doors	3673	15½	72	29¾	—	—	200 lbs.	41.7

### EXECUTIVE UNIT GANGING



GANGING EXECUTIVE UNIT		\$ 13,646	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
ECN3673DLFBW1	Single Pedestal Desk	3360	36¾	72½	29½	—	49¾	311 lbs.	57.4
ECN2548BEFW	48" Bridge	1144	24¾	48¾	29½	—	48¾	85 lbs.	3.4
ECN2272CRFW1C	Single Ped. Cred.—Ganging	2820	22½	71½	29½	—	49¾	195 lbs.	37.8
ECN7230SOHMMW	Wall Mount Cabinet—Wood Doors	3299	15½	72	29¾	—	—	150 lbs.	25.1
ECN2071VHR2WC	Storage Cabinet—Ganging	3023	23¾	20¾	70¾	—	—	200 lbs.	23.8

### ENTERTAINMENT WALL UNIT GANGING





GANGING ENTERTAINMENT WALL UNIT		\$ 8355	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
ECN3879VVHWC	TV/VCR Cabinet—Ganging	5013	23¾	38¾	78½	—	—	340 lbs.	48.9
ECN2071BCORWC	Open Bookcase—Ganging	1671	15¾	19½	70¾	—	—	155 lbs.	17.7
ECN2071BCOLWC	Open Bookcase—Ganging	1671	15¾	19½	70¾	—	—	155 lbs.	17.7



Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH
ECN2271CKFW2C	79SN Fluid, Satin Nickel	G1LR Black, Left & Right G1C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	79SN	G1LR	KRB	R	TF

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND TABLE TOP	30" ROUND 1 $\frac{1}{16}$ " TOP THICKNESS		D	W	H				
	ECN30RDW Wood	\$ 1382	30 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	36" ROUND								
	ECN36RDW Wood	\$ 1628	36 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
	42" ROUND								
	ECN42RDW Wood	\$ 1834	42 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	74 lbs.	4.0
	48" ROUND								
	ECN48RDW Wood	\$ 2252	48 $\frac{1}{16}$	—	1 $\frac{1}{16}$	—	—	94 lbs.	5.1
	<ul style="list-style-type: none"> <li>• Reference Table Base Guide in the Tables Price List on pages 31-36 for applicable bases</li> <li>• See Tables Price List pages 114-119 for coordinating conference table tops</li> <li>• Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 113 for options and upcharge</li> </ul>								

SQUARE TABLE TOP	30" SQUARE 1 $\frac{1}{16}$ " TOP THICKNESS		D	W	H	A	KW		
	ECN3030SQW Wood	\$ 1382	30 $\frac{1}{16}$	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	2.0
	36" SQUARE								
	ECN3636SQW Wood	\$ 1628	36 $\frac{1}{16}$	36 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	45 lbs.	2.4
	42" SQUARE								
	ECN4242SQW Wood	\$ 1834	42 $\frac{1}{16}$	42 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	61 lbs.	3.2
	48" SQUARE								
	ECN4848SQW Wood	\$ 2252	48 $\frac{1}{16}$	48 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	79 lbs.	4.2
	<ul style="list-style-type: none"> <li>• Reference Table Base Guide in the Tables Price List on pages 31-36 for applicable bases</li> <li>• See Tables Price List pages 114-119 for coordinating conference table tops</li> <li>• Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List page 113 for options and upcharge</li> </ul>								



---

# FLOURISH

FLOURISH

PRODUCT SPECIFICATIONS

WORKSURFACE

- 1½" slipmatched cherry and maple veneer or 1" TFL (thermally fused laminate)
- Medium density fiberboard shaped profile
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most worksurfaces

FINISH APPLICATION

- Flourish series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- ¾" thick modesty panels
- 1½" thick end panels
- ¾" inside panels
- Leveling glides – 2 on end panels, 1 on inside panel
- Units feature semi-finished backs (stained with some exposed hardware) unless noted
- Grain direction runs vertical on all modesty panels

PULLS


- Two pull styles: Curved and Elongated
- Available in two colors: Black and Platinum Metallic

DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



CORD MANAGEMENT

- Grommets are available in predetermined locations for an additional upcharge

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 500

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS		HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
	WIDTH	DEPTH		
Box Drawer—Desk, Return, Credenza	12½"	17"	3¾"	N/A
File Drawer—Desk	12½"	17"	9½"	Letter
File Drawer—Return	12½"	17"	9½"	Letter
File Drawer—Credenza	12½"	17"	9½"	Letter
File Drawer—Lateral File	31⅞"	15"	9½"	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side


WOOD FINISHES

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle


WORKSURFACE  
SHEEN OPTIONS

- R Standard
- N Matte/Satin

RIM PROFILES




Fluted (TC)




Eased (TD)

PULL OPTIONS



Curved (83)

- 83MB Black
  - 83PL Platinum Metallic
- (Boring Pattern 128mm)



Elongated (84)

- 84MB Black
  - 84PL Platinum Metallic
- (Boring Pattern 128mm)


GROMMET OPTIONS

If no grommet is desired, specify an X  
(No Grommet)

Round Grommet, Black Plastic

\$25 list for each grommet

- G13LR Left & Right
- G13C Center



Round Grommet  
Plastic

LOCKING

KEY RANDOM

- KRB Black
- KRS Silver

KEY SPECIFIC

- KS1B Black, 1 lock per unit
- KS1S Silver, 1 lock per unit
- KS2B Black, 2 locks per unit
- KS2S Silver, 2 locks per unit

Unit list price will be reduced by \$15 per lock when selecting Key Specific option. Must order specific lock cores separately (\$15 list each). See page 500 for Key Specific model numbers.

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Q models include grommet(s) upcharge

Rim Profile: Fluted

Pull: Curved, Black

Grommets: Included on bridges, returns and credenzas

Locking: Random black cores

Sheen: Standard

Finish: Must specify Amber (MC) or Cordovan (CW)

## FLOURISH L ARRANGEMENTS


Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:


- Curved, Black pulls
- Fluted rim profile
- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		



Curved, Black pulls



Fluted rim profile

**To You In 10 DAYS ...or Less**

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT L-CONFIGURATION WOOD TOP</b> 	Q19N8772LLFW 86 <sup>1</sup> / <sub>2</sub> "D x 72W	\$ 3900	<b>RIGHT L-CONFIGURATION WOOD TOP</b> 	Q19N8772LRFW 86 <sup>1</sup> / <sub>2</sub> "D x 72W	\$ 3900
	19N8772LLFW 86 <sup>1</sup> / <sub>2</sub> "D x 72W	\$ 3900		19N8772LRFW 86 <sup>1</sup> / <sub>2</sub> "D x 72W	\$ 3900
	consists of			consists of	
	19N3672DRFW1 Right Pedestal Desk	2239		19N3672DLFW1 Left Pedestal Desk	2239
	19N2451RLEFW2 Left Pedestal Return	1661		19N2451RREFW2 Right Pedestal Return	1661
	19N8067LLFW 79 <sup>7</sup> / <sub>8</sub> "D x 66 <sup>1</sup> / <sub>2</sub> "W	\$ 3768		19N8067LRFW 79 <sup>7</sup> / <sub>8</sub> "D x 66 <sup>1</sup> / <sub>2</sub> "W	\$ 3768
	consists of			consists of	
	19N3067DRFW1 Right Pedestal Desk	2107		19N3067DLFW1 Left Pedestal Desk	2107
	19N2451RLEFW2 Left Pedestal Return	1661		19N2451RREFW2 Right Pedestal Return	1661
<b>LEFT L-CONFIGURATION LAMINATE TOP</b> 	19N8772LLFLW 86 <sup>1</sup> / <sub>2</sub> "D x 72W	\$ 3703	<b>RIGHT L-CONFIGURATION LAMINATE TOP</b> 	19N8772LRFLW 86 <sup>1</sup> / <sub>2</sub> "D x 72W	\$ 3703
	consists of			consists of	
	19N3672DRFLW1 Right Pedestal Desk	2125		19N3672DLFLW1 Left Pedestal Desk	2125
	19N2451RLEFLW2 Left Pedestal Return	1578		19N2451RREFLW2 Right Pedestal Return	1578
	19N8067LLFLW 79 <sup>7</sup> / <sub>8</sub> "D x 66 <sup>1</sup> / <sub>2</sub> "W	\$ 3577		19N8067LRFLW 79 <sup>7</sup> / <sub>8</sub> "D x 66 <sup>1</sup> / <sub>2</sub> "W	\$ 3577
	consists of			consists of	
	19N3067DRFLW1 Right Pedestal Desk	1999		19N3067DLFLW1 Left Pedestal Desk	1999
	19N2451RLEFLW2 Left Pedestal Return	1578		19N2451RREFLW2 Right Pedestal Return	1578

## FLOURISH U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.


### ARRANGEMENTS INCLUDE:


- Curved, Black pulls
- Fluted rim profile
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish


### TO ORDER, SPECIFY FINISH:


AC Autumn	HN Honey	NM Natural
CL Caramel	IM Brighton	TF Truffle
CW Cordovan	MC Amber	
DW Judicial	MH Mocha	


**To You In 10 DAYS ...or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT U-CONFIGURATION WOOD TOP</b> 	Q19N11172ULFW 110½D x 72W	\$ 4576
	19N11172ULFW 110½D x 72W	\$ 4576
	consists of	
	19N3672DRFW1 Right Pedestal Desk	2239
	19N2451BEFW Bridge	556
	19N2472CLFW2 Left Pedestal Credenza	1781
	Q19N10572ULFW 104¾D x 72W	\$ 4571
	19N10572ULFW 104¾D x 72W	\$ 4571
	consists of	
	19N3672DRFW1 Right Pedestal Desk	2239
	19N2445BEFW Bridge	551
	19N2472CLFW2 Left Pedestal Credenza	1781
	19N10467ULFW 103¼D x 66½W	\$ 4313
	consists of	
	19N3067DRFW1 Right Pedestal Desk	2107
	19N2451BEFW Bridge	556
	19N2467CLFW2 Left Pedestal Credenza	1650
	19N9867ULFW 97¾D x 66½W	\$ 4308
	consists of	
	19N3067DRFW1 Right Pedestal Desk	2107
	19N2445BEFW Bridge	551
	19N2467CLFW2 Left Pedestal Credenza	1650

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>RIGHT U-CONFIGURATION WOOD TOP</b> 	Q19N11172URFW 110½D x 72W	\$ 4576
	19N11172URFW 110½D x 72W	\$ 4576
	consists of	
	19N3672DLFW1 Left Pedestal Desk	2239
	19N2451BEFW Bridge	556
	19N2472CRFW2 Right Pedestal Credenza	1781
	Q19N10572URFW 104¾D x 72W	\$ 4571
	19N10572URFW 104¾D x 72W	\$ 4571
	consists of	
	19N3672DLFW1 Left Pedestal Desk	2239
	19N2445BEFW Bridge	551
	19N2472CRFW2 Right Pedestal Credenza	1781
	19N10467URFW 103¼D x 66½W	\$ 4313
	consists of	
	19N3067DLFW1 Left Pedestal Desk	2107
	19N2451BEFW Bridge	556
	19N2467CRFW2 Right Pedestal Credenza	1650
	19N9867URFW 97¾D x 66½W	\$ 4308
	consists of	
	19N3067DLFW1 Left Pedestal Desk	2107
	19N2445BEFW Bridge	551
	19N2467CRFW2 Right Pedestal Credenza	1650

<b>LEFT U-CONFIGURATION LAMINATE TOP</b> 	19N11172ULFLW 110½D x 72W	\$ 4284
	consists of	
	19N3672DRFLW1 Right Pedestal Desk	2125
	19N2451BEFLW Bridge	502
	19N2472CLFLW2 Left Pedestal Credenza	1657
	19N10572ULFLW 104¾D x 72W	\$ 4279
	consists of	
	19N3672DRFLW1 Right Pedestal Desk	2125
	19N2445BEFLW Bridge	497
	19N2472CLFLW2 Left Pedestal Credenza	1657
	19N10467ULFLW 103¼D x 66½W	\$ 4037
	consists of	
	19N3067DRFLW1 Right Pedestal Desk	1999
	19N2451BEFLW Bridge	502
	19N2467CLFLW2 Left Pedestal Credenza	1536
	19N9867ULFLW 97¾D x 66½W	\$ 4032
	consists of	
	19N3067DRFLW1 Right Pedestal Desk	1999
	19N2445BEFLW Bridge	497
	19N2467CLFLW2 Left Pedestal Credenza	1536

<b>RIGHT U-CONFIGURATION LAMINATE TOP</b> 	19N11172URFLW 110½D x 72W	\$ 4284
	consists of	
	19N3672DLFLW1 Left Pedestal Desk	2125
	19N2451BEFLW Bridge	502
	19N2472CRFLW2 Right Pedestal Credenza	1657
	19N10572URFLW 104¾D x 72W	\$ 4279
	consists of	
	19N3672DLFLW1 Left Pedestal Desk	2125
	19N2445BEFLW Bridge	497
	19N2472CRFLW2 Right Pedestal Credenza	1657
	19N10467URFLW 103¼D x 66½W	\$ 4037
	consists of	
	19N3067DLFLW1 Left Pedestal Desk	1999
	19N2451BEFLW Bridge	502
	19N2467CRFLW2 Right Pedestal Credenza	1536
	19N9867URFLW 97¾D x 66½W	\$ 4032
	consists of	
	19N3067DLFLW1 Left Pedestal Desk	1999
	19N2445BEFLW Bridge	497
	19N2467CRFLW2 Right Pedestal Credenza	1536

# FLOURISH

## PRODUCT SPECIFICATIONS

- Specify and add \$25 list for EACH grommet

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter


## SAMPLE MODEL NUMBERS:

19N3672DLFW1	TC	83MB	G13LR	KRB	R	MC
19N3672DLFLW1	TC	83MB	G13LR	KRB	MC	
19N2451RLEFW2	TC	83PL	G13C	KRB	R	MH
19N2451RLEFLW2	TC	83PL	G13C	KRB	MH	
NAC2804SFBW	AC					

To You In  
**10**  
Days  
...or Less


Shaded model numbers are available on our  
"To You in 10 Days or Less" Quick Delivery  
program and will be delivered within 10 days.


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>DOUBLE PEDESTAL DESK ARC TOP</b>	19N3672DDFAW8 Wood Top	\$ 2711	35¾	72¼	29	10½	40%	385 lbs.	50.3
	19N3672DDFALW8 TFL Top	2597	35¾	72¼	29	10½	40%	385 lbs.	50.3




- Depth of arc is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

<b>DOUBLE PEDESTAL DESK</b>	Q19N3672DDFW8 Wood Top	\$ 2631	36¼	72¼	29	5¾	40%	385 lbs.	50.3
	19N3672DDFW8 Wood Top	2631	36¼	72¼	29	5¾	40%	385 lbs.	50.3
	19N3672DDFLW8 TFL Top	2524	36¼	72¼	29	5¾	40%	385 lbs.	50.3
	19N3067DDFW8 Wood Top	\$ 2509	29	66½	29	3¼	34%	287 lbs.	39.2
	19N3067DDFLW8 TFL Top	2401	29	66½	29	3¼	34%	287 lbs.	39.2
	<ul style="list-style-type: none"> <li>• Grommet (G13LR) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								





 <b>SINGLE PEDESTAL DESK ARC TOP</b>	LEFT PEDESTAL		RIGHT PEDESTAL									
	19N3672DLFAW1	19N3672DRFAW1	Wood Top	\$ 2304	35%	72%	29	10%	55%	277 lbs.	50.3	
	19N3672DLFALW1	19N3672DRFALW1	TFL Top	2191	35%	72%	29	10%	55%	277 lbs.	50.3	



Left shown

- Depth of arc is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

 Left shown	LEFT PEDESTAL		RIGHT PEDESTAL								
	Q19N3672DLFW1	Q19N3672DRFW1	Wood Top	\$ 2239	36¼	72¼	29	5¾	55%	267 lbs.	50.3
	19N3672DLFW1	19N3672DRFW1	Wood Top	2239	36¼	72¼	29	5¾	55%	267 lbs.	50.3
	19N3672DLFLW1	19N3672DRFLW1	TFL Top	2125	36¼	72¼	29	5¾	55%	267 lbs.	50.3
	19N3067DLFW1	19N3067DRFW1	Wood Top	\$ 2107	29	66½	29	3¾	49%	236 lbs.	39.2
	19N3067DLFLW1	19N3067DRFLW1	TFL Top	1999	29	66½	29	3¾	49%	236 lbs.	39.2





Left shown





Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
19N3672DLEW1	TC Fluted TD Eased	83MB Curved, Black 83PL Curved, Platinum Metallic 84MB Elongated, Black 84PL Elongated, Platinum Metallic	G13LR Left & Right G13C Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	TC	83MB	G13LR	KRB	R	MC


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>U-SHAPED DESK</b> 	19N3672DUW Wood Top	\$ 1667	36%	72¼	29	17½	—	139 lbs.	5.9
	19N3672DULW TFL Top	1553	36%	72¼	29	17½	—	139 lbs.	5.9
<ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Support base must be ordered separately, see below for support base options</li> <li>• Some assembly required</li> </ul>									

<b>U-SHAPED DESK WITH MODESTY</b> 	19N3672DUFW Wood Top	\$ 1941	36%	72¼	29	17½	—	161 lbs.	5.9
	19N3672DUFLW TFL Top	1827	36%	72¼	29	17½	—	161 lbs.	5.9
<ul style="list-style-type: none"> <li>• Not recommended as a freestanding unit</li> <li>• Must specify support base; see below for support base options</li> <li>• Some assembly required</li> </ul>									

SUPPORT BASES

			DI		H						
NAC0428SFRNB	Metal	\$ 190	4	—	27¾-29¼	—	10 lbs.	1.0			
NAC2804SFBW	Wood	516	4	—	27¾-29¼	—	6 lbs.	1.0			
			D	W	H	A	KW				
NAC2812SHB	Wood Half	\$ 645	6	11%	27¾	—	—	35 lbs.	2.6		
<ul style="list-style-type: none"> <li>• Adjustable glide standard</li> <li>• Metal base, specify paint colors: (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Metal base, optional upper and lower (CUL) wire management cutout</li> <li>• Wood base, specify finish: Brighton (IM), Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn (AC), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH)</li> </ul>											

<b>RETURN FILE/FILE</b> 	LEFT PEDESTAL		RIGHT PEDESTAL								
	Q19N2451RLEFW2	Q19N2451RREFW2	Wood Top	\$ 1661							
Left shown	19N2451RLEFW2	19N2451RREFW2	Wood Top	1636	23%	50%	29	¼	33%	163 lbs.	24.9
	19N2451RLEFLW2	19N2451RREFLW2	TFL Top	1553	23%	50%	29	¼	33%	163 lbs.	24.9
<ul style="list-style-type: none"> <li>• Grain direction runs front-to-back on worksurface</li> <li>• Grommet (G13C) available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>											

# FLOURISH

## PRODUCT SPECIFICATIONS

- Specify and add \$25 list for EACH grommet

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter


## SAMPLE MODEL NUMBERS:

19N2451BEFW	TC	G13C	N	MC
19N2451BEFLW	TC	G13C	MC	
19N2472CLFW2	TD	84MB	X	KRB N MC
19N2472CLFLW2	TD	84MB	X	KRB MC
19N7236HBHW	TC	KRB	CL	

To You In  
**10**  
Days  
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### BRIDGE




MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
Q19N2451BEFW	Wood Top	\$ 556	23%	50 1/4"	29	1/4	48%	78 lbs.	3.3
19N2451BEFW	Wood Top	531	23%	50 1/4"	29	1/4	48%	78 lbs.	3.3
19N2451BEFLW	TFL Top	477	23%	50 1/4"	29	1/4	48%	78 lbs.	3.3
Q19N2445BEFW	Wood Top	\$ 551	23%	44 1/2"	29	1/4	42%	64 lbs.	3.0
19N2445BEFW	Wood Top	526	23%	44 1/2"	29	1/4	42%	64 lbs.	3.0
19N2445BEFLW	TFL Top	472	23%	44 1/2"	29	1/4	42%	64 lbs.	3.0
<ul style="list-style-type: none"> <li>Some assembly required</li> <li>Grain direction runs front-to-back on worksurface</li> <li>Grommet (G13C) available</li> </ul>									

### STORAGE CREDENZA




Q19N2472CSFW2	Wood Top	\$ 2692	23%	72 1/4"	29	7/8	—	320 lbs.	34.4
19N2472CSFW2	Wood Top	2642	23%	72 1/4"	29	7/8	—	320 lbs.	34.4
19N2472CSFLW2	TFL Top	2417	23%	72 1/4"	29	7/8	—	320 lbs.	34.4
Q19N2467CSFW2	Wood Top	\$ 2516	23%	66 1/2"	29	7/8	—	299 lbs.	31.1
19N2467CSFLW2	TFL Top	2294	23%	66 1/2"	29	7/8	—	299 lbs.	31.1
<ul style="list-style-type: none"> <li>Features an adjustable shelf measuring 12" deep, 32 3/4" wide, and 1" thick</li> <li>Grommet (G13LR) available</li> <li>Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>									

### KNEESPACE CREDENZA



Q19N2472CKFW2	Wood Top	\$ 2401	23%	72 1/4"	29	7/8	40%	270 lbs.	34.4
19N2472CKFW2	Wood Top	2376	23%	72 1/4"	29	7/8	40%	270 lbs.	34.4
19N2472CKFLW2	TFL Top	2263	23%	72 1/4"	29	7/8	40%	270 lbs.	34.4
Q19N2467CKFW2	Wood Top	\$ 2221	23%	66 1/2"	29	7/8	34%	257 lbs.	31.1
19N2467CKFLW2	TFL Top	2090	23%	66 1/2"	29	7/8	34%	257 lbs.	31.1
<ul style="list-style-type: none"> <li>Grommet (G13C) available</li> <li>Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>									

### SINGLE PEDESTAL CREDENZA FILE/FILE





Left shown


LEFT PEDESTAL		RIGHT PEDESTAL							
Q19N2472CLFW2	Q19N2472CRFW2	Wood Top	\$ 1781	23%	72 1/4"	29	7/8	55%	234 lbs.
19N2472CLFW2	19N2472CRFW2	Wood Top	1731	23%	72 1/4"	29	7/8	55%	234 lbs.
19N2472CLFLW2	19N2472CRFLW2	TFL Top	1607	23%	72 1/4"	29	7/8	55%	234 lbs.
Q19N2467CLFW2	Q19N2467CRFW2	Wood Top	\$ 1600	23%	66 1/2"	29	7/8	49%	212 lbs.
19N2467CLFLW2	19N2467CRFLW2	TFL Top	1486	23%	66 1/2"	29	7/8	49%	212 lbs.
<ul style="list-style-type: none"> <li>Grommet (G13LR) available</li> <li>Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>									

Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
19N2451BEEW	TC Fluted TD Eased	83MB Curved, Black 83PL Curved, Platinum Metallic 84MB Elongated, Black 84PL Elongated, Platinum Metallic	G13LR Left & Right G13C Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	TC		G13C		N	MC

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
<div></div> <div>Left shown</div>	LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW			
	19N2472CLFW6	19N2472CRFW6	Wood Top	\$ 2119	23¾	72¼	29	7½	35½	246 lbs.	34.4	
	19N2472CLFLW6	19N2472CRFLW6	TFL Top	2005	23¾	72¼	29	7½	35½	246 lbs.	34.4	
	19N2467CLFW6	19N2467CRFW6	Wood Top	\$ 1994	23¾	66½	29	7½	29¾	236 lbs.	31.1	
	19N2467CLFLW6	19N2467CRFLW6	TFL Top	1886	23¾	66½	29	7½	29¾	236 lbs.	31.1	
<ul style="list-style-type: none"><li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li><li>• Grommet (G13LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li></ul>												

<b>HIGHBACK ORGANIZER</b> 	Q19N7236HBHW	\$ 1791	14 $\frac{1}{2}$ "	72 $\frac{1}{4}$ "	35 $\frac{1}{2}$ "	—	—	182 lbs.	25.6
	19N7236HBHW	1791	14 $\frac{1}{2}$ "	72 $\frac{1}{4}$ "	35 $\frac{1}{2}$ "	—	—	182 lbs.	25.6
	19N6636HBHW	\$ 1701	14 $\frac{1}{2}$ "	66 $\frac{1}{2}$ "	35 $\frac{1}{2}$ "	—	—	171 lbs.	23.5
<ul style="list-style-type: none"> <li>• Highback organizer features (4) side hinge doors, full back panels with cord management</li> <li>• Standard round grommet is located in center of back panel</li> <li>• For tack board models, see pages 520-525</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>									

<b>OVERHEAD CABINET WALL MOUNT</b> 	Q19N3618SOHWW	\$ 955	14 $\frac{1}{2}$ "	35 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	—	—	68 lbs.	9.9
	19N3618SOHWW	955	14 $\frac{1}{2}$ "	35 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	—	—	68 lbs.	9.9
	19N3018SOHWW	\$ 885	14 $\frac{1}{2}$ "	29 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	—	—	60 lbs.	8.5
<ul style="list-style-type: none"> <li>• Wall mount bracket, for attachment to wall, is included</li> <li>• It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed</li> <li>• Rim detail is on front edge of cabinet only</li> <li>• For tack board models, see pages 520-525</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>									

**DIMENSION KEY**

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter


**SAMPLE MODEL NUMBERS:**

19N2436LFF2W	TC	83PL	KRB	R	CL
19N2436PFHW	TD	84PL	KRB	R	DW
19N1865VSWHLW	TD	DW			
19N42RDW	TD	G10C	R	AC	
19N42RDLW	TD	X	AC		

To You In  
**10**  
Days  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


**LATERAL FILE  
TWO DRAWER**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
Q19N2436LFF2W Wood Top	\$ 1456	23%	36	29	—	—	160 lbs.	17.0
19N2436LFF2W Wood Top	1456	23%	36	29	—	—	160 lbs.	17.0
19N2436LFF2LW TFL Top	1399	23%	36	29	—	—	160 lbs.	17.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


**LATERAL FILE  
THREE DRAWER**



19N2436LFF3W Wood Top	\$ 1899	23%	36	43%	—	—	248 lbs.	31.9
19N2436LFF3LW TFL Top	1840	23%	36	43%	—	—	248 lbs.	31.9

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


**LATERAL FILE  
FOUR DRAWER**



19N2436LFF4W Wood Top	\$ 2376	23%	36	56%	—	—	282 lbs.	32.0
-----------------------	---------	-----	----	-----	---	---	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


**DOUBLE DOOR UNIT**



19N2436PFHW Wood Top	\$ 1463	23%	36	29	—	—	156 lbs.	17.0
19N2436PFHLW TFL Top	1404	23%	36	29	—	—	156 lbs.	17.0

- Unit features an adjustable shelf
- Grommets not available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**SINGLE STORAGE  
WARDROBE CABINET**



Left shown

LEFT HINGED	RIGHT HINGED							
19N1865VSWHLW	19N1865VSWHRW	\$ 2079	20 <sup>3</sup> / <sub>2</sub>	18 <sup>1</sup> / <sub>2</sub>	65	—	—	197 lbs. 17.9

- Can be used as a wardrobe unit by removing the 4 adjustable shelves
- Removable coat rod is standard





---

# RENEGADE





## PRODUCT SPECIFICATIONS

### WORKSURFACE

- Worksurfaces are 1½" TFL (thermally fused laminate) or 1¾" HPL (high pressure laminate)
- Worksurfaces feature a 3mm softened PVC rim that matches the worksurface laminate
- Grain direction runs left-to-right unless noted (assembled bridges and returns woodgrain runs front-to-back)

### CHASSIS CONSTRUCTION

- TFL (thermally fused laminate) chassis fastened by screws, quick assembly fasteners and hardwood cleats
- ¾" thick full modesty panels
- 1½" thick end panels
- Standard leveling glides
- Vertical grain direction unless noted (any modesty of 60" wide or wider will have horizontal grain direction)
- Laminate with horizontal grain (Palisander Horizontal 791H, Sable Horizontal 792H, Designer White Linear Horizontal 491H, Cinder Linear Horizontal 492H) will always have horizontal grain direction
- Shell based units will be shipped unassembled, units are shipped with quick assembly fasteners for easy assembly in the field
- Shell chassis available in worksurface and box/file heights
- Back panels are fully finished unless noted

### LINKABLE SHELLS AND FREESTANDING SHELLS

- Freestanding shells have two full end panels; pedestals can be added
- Freestanding shells can also be attached to a return or linkable shell to create a size or shape to fit your workspace
- Linkable shells come with either one full end panel and one narrow end panel or two narrow end panels
- Linkable shells with one full end panel and one narrow end panel allow you to attach additional linkables to the narrow end panel side and run the length you need to fit your workspace
- Linkable shells with two narrow panels allow you to attach to both ends of your linkable shell and run the length you need to fit your workspace
- Support panels are required for any worksurface span over 48" that is not supported
- All shells are shipped KD (knock down)

### HIGHBACK ORGANIZERS, WALL MOUNTS AND SET-ON BOOKCASE DOORS

- Laminate, frosted resin or no doors
- Resin doors have aluminum frames available in Cinder or Platinum Metallic
- Resin is ½" thick, one-sided

### PEDESTALS

- Full, three-quarter lower height and mobile pedestal options
- Mobile pedestals available with and without cushion
- Standard wire management on pedestal ends allow for routing wires

### DRAWERS


- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- For interior drawer dimensions, reference page 208

### DRAWER PULLS

- Three pull styles: Integrated, Level and Beam
- Level and Beam pulls available in Platinum Metallic and Cinder

### DRAWER SUSPENSIONS

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensure long lasting operation
- All suspensions have a lifetime warranty



### FILING

- Drawers are equipped with black metal filing hardware that accommodates various filing requirements
- No-tool, easy installation allows for quick interchangeable filing capabilities
- Refer to page 208 for complete filing details

### CORD MANAGEMENT

- Round black grommets are optional in worksurface and end panels
- Standard in highback organizers
- When worksurface grommets are ordered, half-moon grommets will come standard on the modesty of all bridges, credenzas, returns and shells
- Grommet cutouts are available in worksurface for power option that is ordered separately
- Refer to page 209 for grommet locations

### LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 500

### EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you are done

## RENEGADE - CONFIGURATION OPTIONS

### WORKSURFACE LAMINATES

#### WOODGRAIN LAMINATES

AC2	Autumn 2	NM	Natural
AD	Almond	PB	Portobello
CL	Caramel	PT	Portico
CW	Cordovan	SK	Skyline
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	791	Palisander
MC	Amber	792	Sable
MH	Mocha	793	Acorn

• CSL not available

#### SOLID LAMINATES

405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

#### PATTERN LAMINATES

809	Tungsten Evolv
874	Bronze Legacy

### CHASSIS LAMINATES

#### WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
ADH	Almond Horizontal
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PBH	Portobello Horizontal
PT	Portico
PTH	Portico Horizontal
SK	Skyline
SKH	Skyline Horizontal
SM	Sonoma
SMH	Sonoma Horizontal
TF	Truffle
791	Palisander
791H	Palisander Horizontal
792	Sable
792H	Sable Horizontal
793	Acorn


#### SOLID LAMINATE

405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
491H	Designer White Linear Horizontal
492	Cinder Linear
492H	Cinder Linear Horizontal

### METAL COLORS


462	Cinder
501	Platinum Metallic

### RIM PROFILE




Softened PVC

### PULL OPTIONS




Integrated (86)



Beam (87)

87PL	Platinum Metallic
87MB	Cinder
(Boring Pattern 128mm)	



Level (88)

88PL	Platinum Metallic
88MB	Cinder
(Boring Pattern 128mm)	

### LOCKING

#### KEY RANDOM

KRB	Black
KRS	Silver

#### KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit
KS3B	Black, 3 locks per unit
KS3S	Silver, 3 locks per unit
KS4B	Black, 4 locks per unit
KS4S	Silver, 4 locks per unit

Unit list price will be reduced by \$15 per lock when selecting Key Specific option. Must order specific lock cores separately (\$15 list each). See page 500 for Key Specific model numbers.

GROMMET AND CUTOUT OPTIONS

If no grommet or cutout is desired, specify an X (No Grommet)

Round Worksurface Grommet, Black Plastic

\$25 list for each grommet

- G1L Left
- G1R Right
- G1LR Left & Right
- G1C Center
- G1A Left, Right & Center



- Reference page 209 for grommet locations

Round End Panel Grommet, Black Plastic

\$25 list for each grommet


- GE1L Left
- GE1R Right
- GE1LR Left & Right




Cutout Option for One Touch Pivoting Power Grommet

\$25 list upcharge per cutout location

- CUT-G17L Left
- CUT-G17R Right
- CUT-G17LR Left & Right
- CUT-G17C Center
- CUT-G17A All




- Reference page 209 for cutout locations of CUT-G17




NACG17ELB (Sold Separately)  
NACG17ELS (Sold Separately)

- Reference page 508-509 for pricing and details



NACG172ELB (Sold Separately)  
NACG172ELS (Sold Separately)

- Reference page 508-509 for pricing and details



NACG173ELB (Sold Separately)  
NACG173ELS (Sold Separately)

- Reference page 508-509 for pricing and details

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Q models include grommet(s) upcharge

Pull: Integrated pull (86)

Grommets: Returns, bridges and kneespace credenzas have center grommets on worksurface. Storage and single pedestal credenzas will have left and right grommets on worksurface.

Locking: Random black cores

Finish: Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

## RENEGADE - GUIDELINES/GENERAL INFORMATION

### DRAWER SPECIFICATIONS

DESCRIPTION	INTERIOR DIMENSIONS			FILING CAPABILITIES	
	DRAWER	INSIDE WIDTH	INSIDE DEPTH	INSIDE HEIGHT	
Desks	Box	11 <sup>15</sup> / <sub>16</sub> "	17"	2"	Letter filing front-to-back or side-to-side
All double and single pedestals, all sizes	File	11 <sup>15</sup> / <sub>16</sub> "	17"	9 <sup>3</sup> / <sub>8</sub> "	Legal and EDP filing side-to-side
Returns	Box	11 <sup>15</sup> / <sub>16</sub> "	17"	2"	Letter filing front-to-back or side-to-side
All returns	File	11 <sup>15</sup> / <sub>16</sub> "	17"	9 <sup>3</sup> / <sub>8</sub> "	Legal and EDP filing side-to-side
Credenzas	Box	14 <sup>15</sup> / <sub>16</sub> "	17"	2"	Letter, legal and EDP side-to-side filing
All double and single pedestals, all sizes	File	14 <sup>15</sup> / <sub>16</sub> "	17"	9 <sup>3</sup> / <sub>8</sub> "	Legal filing front-to-back
Single pedestal lateral file credenza	Lateral File	32 <sup>15</sup> / <sub>16</sub> "	17"	9 <sup>3</sup> / <sub>8</sub> "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral Files	Lateral File	32 <sup>15</sup> / <sub>16</sub> "	17"	9 <sup>3</sup> / <sub>8</sub> "	Letter, legal and EDP filing front-to-back or side-to-side
Vertical Storage Cabinet	Box	14 <sup>15</sup> / <sub>16</sub> "	17"	2"	Letter, legal and EDP side-to-side filing
	File	14 <sup>15</sup> / <sub>16</sub> "	17"	9 <sup>3</sup> / <sub>8</sub> "	Legal filing front-to-back
Component Pedestals	Box	14 <sup>15</sup> / <sub>16</sub> "	17"	2"	Letter, legal and EDP side-to-side filing
20 x 18, 23 x 18, 29 x 18	File	14 <sup>15</sup> / <sub>16</sub> "	17"	9 <sup>3</sup> / <sub>8</sub> "	Legal filing front-to-back
Component Pedestals	Box	11 <sup>15</sup> / <sub>16</sub> "	17"	2"	Letter filing front-to-back or side-to-side
20 x 15, 23 x 15, 29 x 15	File	11 <sup>15</sup> / <sub>16</sub> "	17"	9 <sup>3</sup> / <sub>8</sub> "	Legal and EDP filing side-to-side
Mobile Pedestals	Box	11 <sup>15</sup> / <sub>16</sub> "	17"	2"	Letter filing front-to-back or side-to-side
23 x 15	File	11 <sup>15</sup> / <sub>16</sub> "	17"	9 <sup>3</sup> / <sub>8</sub> "	Legal and EDP filing side-to-side


## GROMMET AND GROMMET CUTOUT LOCATION OPTIONS

Grommets are available for factory installation in worksurfaces in predetermined locations as shown below. Simply specify the desired grommet style and location in the model number sequence. Refer to page 207 for grommet options.


Grommets are also available for field installation; see page 207.

- If specifying a grommet in the center location of a shell unit, be sure there is clearance under the grommet opening so as not to conflict with undersurface components.  $\frac{7}{16}$ " clearance required on TFL tops and  $\frac{13}{16}$ " clearance required on HPL tops.
- When worksurface grommets are ordered, half-moon grommets will come standard on the modesty of all bridges, credenzas, returns and shells.
- Half-moon grommet is centered at top of modesty panel.

End panel grommet location:



Desk




Credenzas, Shells and Returns


### Worksurface grommet locations:

Excluding the J-Desk, distance to the center of the grommet is the same for the G1 round grommet or the CUT-G17 option.


Excluding the J-Desk, the same locations are available for the round grommet and the cutout option.




Arc Desk




30" and 36" Desks




Corner Units




P-Desk (left desk shown)



U-Desk




J-Desk (right desk shown)



Corner Extended Unit (right unit shown)



Credenzas, Bridges, Shells, Linkable Shells and Returns



Round Grommet


RENEGADE LINKABLES – THOUGHT STARTERS

• Configurations feature one size only; additional sizes available


Create "L" Unit – then add undersurface pedestals or support panels as needed




75N3072DSFL – Shell Freestanding



75N3072DSFL – Shell Freestanding  
75N2448RSRL – Return Shell




75N3072DSFL – Shell Freestanding  
75N2448RSRL – Return Shell  
75N1228SSL – Support Panel




• Configurations feature one size only; additional sizes available


Create "U" Unit – then add undersurface pedestals or support panels as needed




75N3072DSFL – Shell Freestanding



75N3072DSFL – Shell Freestanding  
75N2448BSFJL – Linkable Shell




75N3072DSFL – Shell Freestanding  
75N2448BSFJL – Linkable Shell  
75N2472CSHF29L – Shell Freestanding




• Configurations feature one size only; additional sizes available


Create Extended Corner "L" Unit with Linkable – then add undersurface pedestals or support panels as needed



75N3672CFEL2L – Extended Corner



75N3672CFEL2L – Extended Corner  
75N2472RSRFJL – Linkable Shell




• Configurations feature one size only; additional sizes available

Create “L” Unit with Overlapping Surfaces – then add undersurface pedestals or support panels as needed




75N2472CSHF22L – Box/File Height Freestanding Shell



75N2472CSHF22L – Box/File Height Freestanding Shell

75N2472CSHHL29L – Freestanding Shell with Box/File Height End Panel




• Configurations feature one size only; additional sizes available

Create “L” Unit with Overlapping U-Shaped Desk Worksurface – then add undersurface pedestals or support panels as needed




75N2472CSHF22L – Box/File Height Freestanding Shell



75N2472CSHF22L – Box/File Height Freestanding Shell

75N3672DUHL – U-Shaped Desk with Box/File Height End Panel



## RENEGADE L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

To You In  
**10 DAYS**  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

### ARRANGEMENTS INCLUDE:

- Integrated pulls
- Random black lock cores
- Center grommet in return
- No end panel grommet
- Must specify laminate(s)
- Models feature TFL tops


### TO ORDER, SPECIFY LAMINATE(S):


#### WORKSURFACE LAMINATE

AC2	Autumn 2	418	Mouse
AD	Almond	419	Wallaby
CL	Caramel	425	Shadow
CW	Cordovan	440	Cloud
DW	Judicial	461	Graphite
HN2	Honey 2	462	Cinder
IM	Brighton	478	Platinum Grey
MC	Amber	488	Frosty White
MH	Mocha	491	Designer White
NM	Natural		Linear
PB	Portobello	492	Cinder Linear
PT	Portico	791	Palisander
SK	Skyline	792	Sable
SM	Sonoma	793	Acorn
TF	Truffle	809	Tungsten Evolv
405	Designer White	874	Bronze Legacy
417	Mojave		

#### CHASSIS LAMINATE

AC2	Autumn 2	405	Designer White
AD	Almond	417	Mojave
ADH	Almond	418	Mouse
	Horizontal	419	Wallaby
CL	Caramel	425	Shadow
CW	Cordovan	440	Cloud
DW	Judicial	461	Graphite
HN2	Honey 2	462	Cinder
IM	Brighton	478	Platinum Grey
MC	Amber	488	Frosty White
MH	Mocha	491	Designer White
NM	Natural		Linear
PB	Portobello	491H	Designer White
PB	Portobello		Linear
	Horizontal		Horizontal
PT	Portico	492	Cinder Linear
PTH	Portico	492H	Cinder Linear
	Horizontal		Horizontal
SK	Skyline	791	Palisander
SKH	Skyline	791H	Palisander
	Horizontal		Horizontal
SM	Sonoma	792	Sable
SMH	Sonoma	792H	Sable
	Horizontal		Horizontal
TF	Truffle	793	Acorn

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT</b> <b>L-CONFIGURATION</b> <b>FULL PEDESTAL</b> 	Q75N8572LLFL 84%D x 72W	\$ 2415
	75N8572LLFL 84%D x 72W	\$ 2415
	consists of	
	75N3672DRF1L Right Pedestal Desk	1384
	75N2448RLF2L Left Pedestal Return	1031
	Q75N7972LLFL 78%D x 72W	\$ 2373
	75N7972LLFL 78%D x 72W	\$ 2373
	consists of	
	75N3672DRF1L Right Pedestal Desk	1384
	75N2442RLF2L Left Pedestal Return	989
	75N7966LLFL 78%D x 66W	\$ 2372
	consists of	
	75N3066DRF1L Right Pedestal Desk	1341
	75N2448RLF2L Left Pedestal Return	1031
	75N7366LLFL 72%D x 66W	\$ 2330
	consists of	
	75N3066DRF1L Right Pedestal Desk	1341
	75N2442RLF2L Left Pedestal Return	989

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>RIGHT</b> <b>L-CONFIGURATION</b> <b>FULL PEDESTAL</b> 	Q75N8572LRFL 84%D x 72W	\$ 2415
	75N8572LRFL 84%D x 72W	\$ 2415
	consists of	
	75N3672DLF1L Left Pedestal Desk	1384
	75N2448RRF2L Right Pedestal Return	1031
	Q75N7972LRFL 78%D x 72W	\$ 2373
	75N7972LRFL 78%D x 72W	\$ 2373
	consists of	
	75N3672DLF1L Left Pedestal Desk	1384
	75N2442RRF2L Right Pedestal Return	989
	75N7966LRFL 78%D x 66W	\$ 2372
	consists of	
	75N3066DLF1L Left Pedestal Desk	1341
	75N2448RRF2L Right Pedestal Return	1031
	75N7366LRFL 72%D x 66W	\$ 2330
	consists of	
	75N3066DLF1L Left Pedestal Desk	1341
	75N2442RRF2L Right Pedestal Return	989



## RENEGADE L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

To You In  
**10 DAYS**  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

### ARRANGEMENTS INCLUDE:

- Integrated pulls
- Random black lock cores
- Center grommet in return
- No end panel grommet
- Must specify laminate(s)
- Models feature TFL tops


### TO ORDER, SPECIFY LAMINATE(S):


#### WORKSURFACE LAMINATE


AC2	Autumn 2	418	Mouse
AD	Almond	419	Wallaby
CL	Caramel	425	Shadow
CW	Cordovan	440	Cloud
DW	Judicial	461	Graphite
HN2	Honey 2	462	Cinder
IM	Brighton	478	Platinum Grey
MC	Amber	488	Frosty White
MH	Mocha	491	Designer White
NM	Natural		Linear
PB	Portobello	492	Cinder Linear
PT	Portico	791	Palisander
SK	Skyline	792	Sable
SM	Sonoma	793	Acorn
TF	Truffle	809	Tungsten Evolv
405	Designer White	874	Bronze Legacy
417	Mojave		

#### CHASSIS LAMINATE

AC2	Autumn 2	405	Designer White
AD	Almond	417	Mojave
ADH	Almond	418	Mouse
	Horizontal	419	Wallaby
CL	Caramel	425	Shadow
CW	Cordovan	440	Cloud
DW	Judicial	461	Graphite
HN2	Honey 2	462	Cinder
IM	Brighton	478	Platinum Grey
MC	Amber	488	Frosty White
MH	Mocha	491	Designer White
NM	Natural		Linear
PB	Portobello	491H	Designer White
PB	Portobello		Linear
	Horizontal		Horizontal
PT	Portico	492	Cinder Linear
PTH	Portico	492H	Cinder Linear
	Horizontal		Horizontal
SK	Skyline	791	Palisander
SKH	Skyline	791H	Palisander
	Horizontal		Horizontal
SM	Sonoma	792	Sable
SMH	Sonoma	792H	Sable
	Horizontal		Horizontal
TF	Truffle	793	Acorn

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT L-CONFIGURATION ¾ PEDESTAL</b> 	Q75N8572LLYL 84%D x 72W	\$ 2083
	75N8572LLYL 84%D x 72W	\$ 2083
	consists of	
	75N3672DRY3L Right Pedestal Desk	1190
	75N2448RLY3L Left Pedestal Return	893
	Q75N7972LLYL 78%D x 72W	\$ 2040
	75N7972LLYL 78%D x 72W	\$ 2040
	consists of	
	75N3672DRY3L Right Pedestal Desk	1190
	75N2442RLY3L Left Pedestal Return	850
	75N7966LLYL 78%D x 66W	\$ 1922
	consists of	
	75N3066DRY3L Right Pedestal Desk	1029
	75N2448RLY3L Left Pedestal Return	893
	75N7366LLYL 72%D x 66W	\$ 1879
	consists of	
	75N3066DRY3L Right Pedestal Desk	1029
	75N2442RLY3L Left Pedestal Return	850

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>RIGHT L-CONFIGURATION ¾ PEDESTAL</b> 	Q75N8572LRYL 84%D x 72W	\$ 2083
	75N8572LRYL 84%D x 72W	\$ 2083
	consists of	
	75N3672DLY3L Left Pedestal Desk	1190
	75N2448RRY3L Right Pedestal Return	893
	Q75N7972LRYL 78%D x 72W	\$ 2040
	75N7972LRYL 78%D x 72W	\$ 2040
	consists of	
	75N3672DLY3L Left Pedestal Desk	1190
	75N2442RRY3L Right Pedestal Return	850
	75N7966LRYL 78%D x 66W	\$ 1922
	consists of	
	75N3066DLY3L Left Pedestal Desk	1029
	75N2448RRY3L Right Pedestal Return	893
	75N7366LRYL 72%D x 66W	\$ 1879
	consists of	
	75N3066DLY3L Left Pedestal Desk	1029
	75N2442RRY3L Right Pedestal Return	850

L-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>U-SHAPED DESK WITH BOX/FILE HEIGHT CREDENZA</b> 	75N11072LHL 110D x 71½W	\$ 2763
	consists of	
	75N3072DUHL U Desk w/B/F Panel	724
	75N24110CSHF22L Credenza	988
	75N233622PUBL B/F Pedestal	855
	NAC0428SFRNB Support Base	190
	• Unit can be assembled in left or right configuration	

## RENEGADE U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

To You In  
**10 DAYS**  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

### ARRANGEMENTS INCLUDE:

- Integrated pulls
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- No end panel grommet
- Must specify laminate(s)
- Models feature TFL tops

### TO ORDER, SPECIFY LAMINATE(S):

#### WORKSURFACE LAMINATE


AC2	Autumn 2	418	Mouse
AD	Almond	419	Wallaby
CL	Caramel	425	Shadow
CW	Cordovan	440	Cloud
DW	Judicial	461	Graphite
HN2	Honey 2	462	Cinder
IM	Brighton	478	Platinum Grey
MC	Amber	488	Frosty White
MH	Mocha	491	Designer White
NM	Natural		Linear
PB	Portobello	492	Cinder Linear
PT	Portico	791	Palisander
SK	Skyline	792	Sable
SM	Sonoma	793	Acorn
TF	Truffle	809	Tungsten Evolv
405	Designer White	874	Bronze Legacy
417	Mojave		

#### CHASSIS LAMINATE

AC2	Autumn 2	405	Designer White
AD	Almond	417	Mojave
ADH	Almond	418	Mouse
	Horizontal	419	Wallaby
CL	Caramel	425	Shadow
CW	Cordovan	440	Cloud
DW	Judicial	461	Graphite
HN2	Honey 2	462	Cinder
IM	Brighton	478	Platinum Grey
MC	Amber	488	Frosty White
MH	Mocha	491	Designer White
NM	Natural		Linear
PB	Portobello	491H	Designer White
PB	Portobello		Horizontal
PT	Portico	492	Cinder Linear
PTH	Portico	492H	Cinder Linear
	Horizontal		Linear
SK	Skyline	791	Palisander
SKH	Skyline	791H	Palisander
	Horizontal		Horizontal
SM	Sonoma	792	Sable
SMH	Sonoma	792H	Sable
	Horizontal		Horizontal
TF	Truffle	793	Acorn

#### U-CONFIGURATIONS


##### LEFT U-CONFIGURATION FULL PEDESTAL



MODEL NO./DESCRIPTION	LIST PRICE
Q75N10972ULFL 108%D x 72W	\$ 3301
75N10972ULFL 108%D x 72W	\$ 3301
consists of	
75N3672DRF1L Right Pedestal Desk	1384
75N2448BEFL Bridge	483
75N2472CLF2L Left Pedestal Credenza	1434
Q75N10372ULFL 102%D x 72W	\$ 3265
75N10372ULFL 102%D x 72W	\$ 3265
consists of	
75N3672DRF1L Right Pedestal Desk	1384
75N2442BEFL Bridge	447
75N2472CLF2L Left Pedestal Credenza	1434
75N10366ULFL 102%D x 66W	\$ 3215
consists of	
75N3066DRF1L Right Pedestal Desk	1341
75N2448BEFL Bridge	483
75N2466CLF2L Left Pedestal Credenza	1391
75N9766ULFL 96%D x 66W	\$ 3179
consists of	
75N3066DRF1L Right Pedestal Desk	1341
75N2442BEFL Bridge	447
75N2466CLF2L Left Pedestal Credenza	1391

#### U-CONFIGURATIONS

##### RIGHT U-CONFIGURATION FULL PEDESTAL



MODEL NO./DESCRIPTION	LIST PRICE
Q75N10972URFL 108%D x 72W	\$ 3301
75N10972URFL 108%D x 72W	\$ 3301
consists of	
75N3672DLF1L Left Pedestal Desk	1384
75N2448BEFL Bridge	483
75N2472CRF2L Right Pedestal Credenza	1434
Q75N10372URFL 102%D x 72W	\$ 3265
75N10372URFL 102%D x 72W	\$ 3265
consists of	
75N3672DLF1L Left Pedestal Desk	1384
75N2442BEFL Bridge	447
75N2472CRF2L Right Pedestal Credenza	1434
75N10366URFL 102%D x 66W	\$ 3215
consists of	
75N3066DLF1L Left Pedestal Desk	1341
75N2448BEFL Bridge	483
75N2466CRF2L Right Pedestal Credenza	1391
75N9766URFL 96%D x 66W	\$ 3179
consists of	
75N3066DLF1L Left Pedestal Desk	1341
75N2442BEFL Bridge	447
75N2466CRF2L Right Pedestal Credenza	1391

## RENEGADE U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

To You In  
**10 DAYS**  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

### ARRANGEMENTS INCLUDE:

- Integrated pulls
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- No end panel grommet
- Must specify laminate(s)
- Models feature TFL tops


### TO ORDER, SPECIFY LAMINATE(S):


#### WORKSURFACE LAMINATE

AC2	Autumn 2	418	Mouse
AD	Almond	419	Wallaby
CL	Caramel	425	Shadow
CW	Cordovan	440	Cloud
DW	Judicial	461	Graphite
HN2	Honey 2	462	Cinder
IM	Brighton	478	Platinum Grey
MC	Amber	488	Frosty White
MH	Mocha	491	Designer White
NM	Natural		Linear
PB	Portobello	492	Cinder Linear
PT	Portico	791	Palisander
SK	Skyline	792	Sable
SM	Sonoma	793	Acorn
TF	Truffle	809	Tungsten Evolv
405	Designer White	874	Bronze Legacy
417	Mojave		

#### CHASSIS LAMINATE

AC2	Autumn 2	405	Designer White
AD	Almond	417	Mojave
ADH	Almond	418	Mouse
	Horizontal	419	Wallaby
CL	Caramel	425	Shadow
CW	Cordovan	440	Cloud
DW	Judicial	461	Graphite
HN2	Honey 2	462	Cinder
IM	Brighton	478	Platinum Grey
MC	Amber	488	Frosty White
MH	Mocha	491	Designer White
NM	Natural		Linear
PB	Portobello	491H	Designer White
PB	Portobello		Horizontal
	Horizontal	492	Cinder Linear
PT	Portico	492H	Cinder Linear
PTH	Portico		Horizontal
	Horizontal	791	Palisander
SK	Skyline	791H	Palisander
SKH	Skyline		Horizontal
	Horizontal	792	Sable
SM	Sonoma	792H	Sable
SMH	Sonoma		Horizontal
	Horizontal	793	Acorn
TF	Truffle		

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT U-CONFIGURATION ¾ PEDESTAL</b>	Q75N10972ULYL 108%D x 72W	\$ 2934
	75N10972ULYL 108%D x 72W	\$ 2934
	consists of	
	75N3672DRY3L Right Pedestal Desk	1190
	75N2448BEFL Bridge	483
	75N2472CLY3L Left Pedestal Credenza	1261
	Q75N10372ULYL 102%D x 72W	\$ 2898
	75N10372ULYL 102%D x 72W	\$ 2898
	consists of	
	75N3672DRY3L Right Pedestal Desk	1190
	75N2442BEFL Bridge	447
	75N2472CLY3L Left Pedestal Credenza	1261
	75N10366ULYL 102%D x 66W	\$ 2733
	consists of	
	75N3066DRY3L Right Pedestal Desk	1029
	75N2448BEFL Bridge	483
	75N2466CLY3L Left Pedestal Credenza	1221
	75N9766ULYL 96%D x 66W	\$ 2697
	consists of	
	75N3066DRY3L Right Pedestal Desk	1029
	75N2442BEFL Bridge	447
	75N2466CLY3L Left Pedestal Credenza	1221

U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>RIGHT U-CONFIGURATION ¾ PEDESTAL</b>	Q75N10972URYL 108%D x 72W	\$ 2934
	75N10972URYL 108%D x 72W	\$ 2934
	consists of	
	75N3672DLY3L Left Pedestal Desk	1190
	75N2448BEFL Bridge	483
	75N2472CRY3L Right Pedestal Credenza	1261
	Q75N10372URYL 102%D x 72W	\$ 2898
	75N10372URYL 102%D x 72W	\$ 2898
	consists of	
	75N3672DLY3L Left Pedestal Desk	1190
	75N2442BEFL Bridge	447
	75N2472CRY3L Right Pedestal Credenza	1261
	75N10366URYL 102%D x 66W	\$ 2733
	consists of	
	75N3066DLY3L Left Pedestal Desk	1029
	75N2448BEFL Bridge	483
	75N2466CRY3L Right Pedestal Credenza	1221
	75N9766URYL 96%D x 66W	\$ 2697
	consists of	
	75N3066DLY3L Left Pedestal Desk	1029
	75N2442BEFL Bridge	447
	75N2466CRY3L Right Pedestal Credenza	1221

# RENEGADE

## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List




## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

**To You In 10 DAYS ...or Less**

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>DOUBLE PEDESTAL DESK ARC TOP—FULL PEDESTAL</b> 	75N3672DDFA8L TFL Top	\$ 2086	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{7}{8}$ "	6 $\frac{3}{16}$ "	33 $\frac{3}{4}$ "	317 lbs.	56.3
	75N3672DDFA8P HPL Top	2504	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{2}$ "	6 $\frac{3}{16}$ "	33 $\frac{3}{4}$ "	317 lbs.	56.3
	<ul style="list-style-type: none"> <li>• Arc top desk is 30" deep at ends and 36" deep from the middle of the arc to the user side</li> <li>• Top overhangs 6" at center</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>DOUBLE PEDESTAL DESK ARC TOP—<math>\frac{3}{4}</math> PEDESTAL</b> 	75N3672DDYA3L TFL Top	\$ 1696	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{7}{8}$ "	6 $\frac{3}{16}$ "	33 $\frac{3}{4}$ "	317 lbs.	56.3
	75N3672DDYA3P HPL Top	2036	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{2}$ "	6 $\frac{3}{16}$ "	33 $\frac{3}{4}$ "	317 lbs.	56.3
	<ul style="list-style-type: none"> <li>• Arc top desk is 30" deep at ends and 36" deep from the middle of the arc to the user side</li> <li>• Top overhangs 6" at center</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								
<b>DOUBLE PEDESTAL DESK FULL PEDESTAL</b> 	Q75N3672DDF8L TFL Top	\$ 1813	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{7}{8}$ "	6 $\frac{3}{16}$ "	33 $\frac{3}{4}$ "	361 lbs.	56.3
	75N3672DDF8L TFL Top	1813	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{7}{8}$ "	6 $\frac{3}{16}$ "	33 $\frac{3}{4}$ "	361 lbs.	56.3
	75N3672DDF8P HPL Top	2176	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{2}$ "	6 $\frac{3}{16}$ "	33 $\frac{3}{4}$ "	361 lbs.	56.3
	75N3066DDF8L TFL Top	\$ 1775	30 $\frac{3}{16}$ "	66"	28 $\frac{7}{8}$ "	6 $\frac{3}{16}$ "	33 $\frac{3}{4}$ "	285 lbs.	44.4
	75N3066DDF8P HPL Top	2129	30 $\frac{3}{16}$ "	66"	28 $\frac{1}{2}$ "	6 $\frac{3}{16}$ "	33 $\frac{3}{4}$ "	285 lbs.	44.4
	75N3060DDF8L TFL Top	\$ 1654	30 $\frac{3}{16}$ "	60"	28 $\frac{7}{8}$ "	6 $\frac{3}{16}$ "	27 $\frac{7}{8}$ "	261 lbs.	40.7
	75N3060DDF8P HPL Top	1984	30 $\frac{3}{16}$ "	60"	28 $\frac{1}{2}$ "	6 $\frac{3}{16}$ "	27 $\frac{7}{8}$ "	261 lbs.	40.7
	<ul style="list-style-type: none"> <li>• 3672 desk has 30" deep pedestals</li> <li>• 3066 and 3060 desks have 24" deep pedestals</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li> </ul>								


**TO ORDER, SPECIFY:**

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate


• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

Q75N3672DDY3L MC  
 75N3672DDF8L 86 X X KRB MC MC  
 75N3672DDY3L 87PL G1L GE1L KRB MC MC

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>DOUBLE PEDESTAL DESK ¾ PEDESTAL</b> 	Q75N3672DDY3L TFL Top	\$ 1424	36 <sup>1</sup> / <sub>16</sub>	71 <sup>15</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	33 <sup>3</sup> / <sub>4</sub>	361 lbs.	56.3
	75N3672DDY3L TFL Top	1424	36 <sup>1</sup> / <sub>16</sub>	71 <sup>15</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	33 <sup>3</sup> / <sub>4</sub>	361 lbs.	56.3
	75N3672DDY3P HPL Top	1710	36 <sup>1</sup> / <sub>16</sub>	71 <sup>15</sup> / <sub>16</sub>	28 <sup>15</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	33 <sup>3</sup> / <sub>4</sub>	361 lbs.	56.3
	75N3066DDY3L TFL Top	\$ 1385	30 <sup>3</sup> / <sub>16</sub>	66	28 <sup>7</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	33 <sup>3</sup> / <sub>4</sub>	285 lbs.	44.4
	75N3066DDY3P HPL Top	1662	30 <sup>3</sup> / <sub>16</sub>	66	28 <sup>15</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	33 <sup>3</sup> / <sub>4</sub>	285 lbs.	44.4
	75N3060DDY3L TFL Top	\$ 1267	30 <sup>3</sup> / <sub>16</sub>	60	28 <sup>7</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	27 <sup>7</sup> / <sub>16</sub>	261 lbs.	40.7
	75N3060DDY3P HPL Top	1518	30 <sup>3</sup> / <sub>16</sub>	60	28 <sup>15</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	27 <sup>7</sup> / <sub>16</sub>	261 lbs.	40.7
	• 3672 desk has 30" deep pedestals • 3066 and 3060 desks have 24" deep pedestals • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

**SINGLE PEDESTAL DESK  
ARC TOP—FULL PEDESTAL**




Left shown

LEFT PEDESTAL	RIGHT PEDESTAL								
75N3672DLFA1L	75N3672DRFA1L	TFL Top	\$ 1660	36 <sup>1</sup> / <sub>16</sub>	71 <sup>15</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	51 <sup>1</sup> / <sub>2</sub>	267 lbs.
75N3672DLFA1P	75N3672DRFA1P	HPL Top	1992	36 <sup>1</sup> / <sub>16</sub>	71 <sup>15</sup> / <sub>16</sub>	28 <sup>15</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	51 <sup>1</sup> / <sub>2</sub>	267 lbs.

- Arc top desk is 30" deep at ends and 36" deep from the middle of the arc to the user side
- Top overhangs 6" at center
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**SINGLE PEDESTAL DESK  
ARC TOP—¾ PEDESTAL**



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL								
75N3672DLYA3L	75N3672DRYA3L	TFL Top	\$ 1454	36 <sup>1</sup> / <sub>16</sub>	71 <sup>15</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	51 <sup>1</sup> / <sub>2</sub>	267 lbs.
75N3672DLYA3P	75N3672DRYA3P	HPL Top	1745	36 <sup>1</sup> / <sub>16</sub>	71 <sup>15</sup> / <sub>16</sub>	28 <sup>15</sup> / <sub>16</sub>	6 <sup>3</sup> / <sub>16</sub>	51 <sup>1</sup> / <sub>2</sub>	267 lbs.

- Arc top desk is 30" deep at ends and 36" deep from the middle of the arc to the user side
- Top overhangs 6" at center
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

# RENEGADE

## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

**To You In 10 Days or Less**

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

### SINGLE PEDESTAL DESK FULL PEDESTAL




Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW		
Q75N3672DLF1L	Q75N3672DRF1L	TFL Top	\$ 1384	36½	71½	28½	6¾	51½	311 lbs.	56.3
75N3672DLF1L	75N3672DRF1L	TFL Top	1384	36½	71½	28½	6¾	51½	311 lbs.	56.3
75N3672DLF1P	75N3672DRF1P	HPL Top	1661	36½	71½	28½	6¾	51½	311 lbs.	56.3
75N3066DLF1L	75N3066DRF1L	TFL Top	\$ 1341	30½	66	28½	6¾	48½	245 lbs.	44.4
75N3066DLF1P	75N3066DRF1P	HPL Top	1608	30½	66	28½	6¾	48½	245 lbs.	44.4
75N3060DLF1L	75N3060DRF1L	TFL Top	\$ 1214	30½	60	28½	6¾	42½	221 lbs.	40.7
75N3060DLF1P	75N3060DRF1P	HPL Top	1460	30½	60	28½	6¾	42½	221 lbs.	40.7
75N3048DLF1L	75N3048DRF1L	TFL Top	\$ 1072	30½	48	28½	6¾	30½	191 lbs.	29.5
75N3048DLF1P	75N3048DRF1P	HPL Top	1285	30½	48	28½	6¾	30½	191 lbs.	29.5

- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### SINGLE PEDESTAL DESK ¾ PEDESTAL



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q75N3672DLY3L	Q75N3672DRY3L	TFL Top	\$ 1190	36½	71½	28½	6¾	51½	311 lbs.	56.3
75N3672DLY3L	75N3672DRY3L	TFL Top	1190	36½	71½	28½	6¾	51½	311 lbs.	56.3
75N3672DLY3P	75N3672DRY3P	HPL Top	1426	36½	71½	28½	6¾	51½	311 lbs.	56.3
75N3066DLY3L	75N3066DRY3L	TFL Top	\$ 1029	30½	66	28½	6¾	48½	245 lbs.	44.4
75N3066DLY3P	75N3066DRY3P	HPL Top	1236	30½	66	28½	6¾	48½	245 lbs.	44.4
75N3060DLY3L	75N3060DRY3L	TFL Top	\$ 1025	30½	60	28½	6¾	42½	221 lbs.	40.7
75N3060DLY3P	75N3060DRY3P	HPL Top	1231	30½	60	28½	6¾	42½	221 lbs.	40.7
75N3048DLY3L	75N3048DRY3L	TFL Top	\$ 921	30½	48	28½	6¾	30½	191 lbs.	29.5
75N3048DLY3P	75N3048DRY3P	HPL Top	1104	30½	48	28½	6¾	30½	191 lbs.	29.5

- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**TO ORDER, SPECIFY:**


1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

Q75N3672DLF1L MC  
 75N3672DLF1L 87PL G1R GE1R KRB 480 480  
 75N3672DUL G1L MH MH

**U-SHAPED DESK  
WORKSURFACE HEIGHT END  
PANEL**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW						
75N3672DUL	TFL Top	\$ 755	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	135 lbs.	8.7	
75N3672DUP	HPL Top	905	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{4}$	—	—	135 lbs.	8.7	
75N3072DUL	TFL Top	\$ 724	30 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	130 lbs.	8.5	
75N3072DUP	HPL Top	870	30 $\frac{3}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{4}$	—	—	130 lbs.	8.5	
75N3066DUL	TFL Top	\$ 687	30 $\frac{3}{16}$	66	28 $\frac{7}{8}$	—	—	100 lbs.	6.3	
75N3066DUP	HPL Top	824	30 $\frac{3}{16}$	66	28 $\frac{1}{4}$	—	—	100 lbs.	6.3	
75N3060DUL	TFL Top	\$ 658	30 $\frac{3}{16}$	60	28 $\frac{7}{8}$	—	—	95 lbs.	6.3	
75N3060DUP	HPL Top	788	30 $\frac{3}{16}$	60	28 $\frac{1}{4}$	—	—	95 lbs.	6.3	
75N2466DUL	TFL Top	\$ 609	24	66	28 $\frac{7}{8}$	—	—	95 lbs.	6.3	
75N2466DUP	HPL Top	730	24	66	28 $\frac{1}{4}$	—	—	95 lbs.	6.3	
75N2460DUL	TFL Top	\$ 578	24	60	28 $\frac{7}{8}$	—	—	90 lbs.	6.3	
75N2460DUP	HPL Top	695	24	60	28 $\frac{1}{4}$	—	—	90 lbs.	6.3	
75N2448DUL	TFL Top	\$ 549	24	48	28 $\frac{7}{8}$	—	—	85 lbs.	6.0	
75N2448DUP	HPL Top	659	24	48	28 $\frac{1}{4}$	—	—	85 lbs.	6.0	

- Not recommended as a freestanding unit
- Support base must be ordered separately; see page 256 for models
- Some assembly required
- Do not specify pull option or end panel grommet

# RENEGADE


## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### U-SHAPED DESK BOX/FILE HEIGHT END PANEL



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
75N3672DUHL	TFL Top	\$ 755	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{7}{8}$ "	—	—	135 lbs.	8.7
75N3672DUHP	HPL Top	905	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{4}$ "	—	—	135 lbs.	8.7
75N3072DUHL	TFL Top	\$ 724	30 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{7}{8}$ "	—	—	130 lbs.	8.5
75N3072DUHP	HPL Top	870	30 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{4}$ "	—	—	130 lbs.	8.5
75N3066DUHL	TFL Top	\$ 687	30 $\frac{1}{16}$ "	66"	28 $\frac{7}{8}$ "	—	—	100 lbs.	6.3
75N3066DUHP	HPL Top	824	30 $\frac{1}{16}$ "	66"	28 $\frac{1}{4}$ "	—	—	100 lbs.	6.3
75N3060DUHL	TFL Top	\$ 658	30 $\frac{1}{16}$ "	60"	28 $\frac{7}{8}$ "	—	—	95 lbs.	6.3
75N3060DUHP	HPL Top	788	30 $\frac{1}{16}$ "	60"	28 $\frac{1}{4}$ "	—	—	95 lbs.	6.3
75N2466DUHL	TFL Top	\$ 609	24"	66"	28 $\frac{7}{8}$ "	—	—	95 lbs.	6.3
75N2466DUHP	HPL Top	730	24"	66"	28 $\frac{1}{4}$ "	—	—	95 lbs.	6.3
75N2460DUHL	TFL Top	\$ 578	24"	60"	28 $\frac{7}{8}$ "	—	—	90 lbs.	6.3
75N2460DUHP	HPL Top	695	24"	60"	28 $\frac{1}{4}$ "	—	—	90 lbs.	6.3

- Unit is not freestanding and must be used with any Box/File Height Freestanding Shell or Box/File Height Credenza Shell
- Box/File height end panel is 5 $\frac{3}{8}$ " H
- Support base must be ordered separately; see page 256 for models
- Some assembly required



**TO ORDER, SPECIFY:**


1. Model Number
2. Grommet
3. Worksurface Laminate
4. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

75N3672DUFL X MH MH  
75N3072DPLL X 405 MH


**U-SHAPED DESK  
WITH MODESTY PANEL**



MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H									
75N3672DUFL	TFL Top	\$	898	36 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{7}{16}$	14 $\frac{11}{16}$	—	—	155 lbs.	8.6
75N3672DUFP	HPL Top		1079	36 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{15}{16}$	14 $\frac{11}{16}$	—	—	155 lbs.	8.6
75N3066DUFL	TFL Top	\$	868	30 $\frac{3}{16}$	66	28 $\frac{7}{16}$	14 $\frac{11}{16}$	—	—	120 lbs.	6.5
75N3066DUFP	HPL Top		1042	30 $\frac{3}{16}$	66	28 $\frac{15}{16}$	14 $\frac{11}{16}$	—	—	120 lbs.	6.5
75N3060DUFL	TFL Top	\$	824	30 $\frac{3}{16}$	60	28 $\frac{7}{16}$	14 $\frac{11}{16}$	—	—	115 lbs.	6.5
75N3060DUFP	HPL Top		990	30 $\frac{3}{16}$	60	28 $\frac{15}{16}$	14 $\frac{11}{16}$	—	—	115 lbs.	6.5

- Not recommended as a freestanding unit
- Support base must be ordered separately; see page 256 for models
- Some assembly required

**P-SHAPED DESK  
WORKSURFACE HEIGHT END  
PANEL**



Left shown

LEFT P		RIGHT P									
75N3072DPLL	75N3072DPRL	TFL Top	\$	880	30 $\frac{3}{16}$	71 $\frac{15}{16}$	28 $\frac{7}{16}$	—	—	110 lbs.	9.3
75N3072DPLP	75N3072DPRP	HPL Top		1056	30 $\frac{3}{16}$	71 $\frac{15}{16}$	28 $\frac{15}{16}$	—	—	110 lbs.	9.3
75N3066DPLL	75N3066DPRL	TFL Top	\$	850	30 $\frac{3}{16}$	66	28 $\frac{7}{16}$	—	—	100 lbs.	8.8
75N3066DPLP	75N3066DPRP	HPL Top		1020	30 $\frac{3}{16}$	66	28 $\frac{15}{16}$	—	—	100 lbs.	8.8
75N3060DPLL	75N3060DPRL	TFL Top	\$	814	30 $\frac{3}{16}$	60	28 $\frac{7}{16}$	—	—	94 lbs.	8.0
75N3060DPLP	75N3060DPRP	HPL Top		976	30 $\frac{3}{16}$	60	28 $\frac{15}{16}$	—	—	94 lbs.	8.0

- Not recommended as a freestanding unit
- Support base must be ordered separately; see page 256 for models
- Some assembly required
- Only grommet options (G1R and CUT-G17R) available on left P
- Only grommet options (G1L and CUT-G17L) available on right P

# RENEGADE


## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### P-SHAPED DESK BOX/FILE HEIGHT END PANEL




Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT P	RIGHT P			D	W	H				
75N3072DPHLL	75N3072DPHRL	TFL Top	\$ 880	30 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{7}{16}$ "	—	—	110 lbs.	9.3
75N3072DPHLP	75N3072DPHRP	HPL Top	1056	30 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	—	—	110 lbs.	9.3
75N3066DPHLL	75N3066DPHRL	TFL Top	\$ 850	30 $\frac{1}{16}$ "	66"	28 $\frac{7}{16}$ "	—	—	100 lbs.	8.8
75N3066DPHLP	75N3066DPHRP	HPL Top	1020	30 $\frac{1}{16}$ "	66"	28 $\frac{1}{16}$ "	—	—	100 lbs.	8.8
75N3060DPHLL	75N3060DPHRL	TFL Top	\$ 814	30 $\frac{1}{16}$ "	60"	28 $\frac{7}{16}$ "	—	—	94 lbs.	8.0
75N3060DPHLP	75N3060DPHRP	HPL Top	976	30 $\frac{1}{16}$ "	60"	28 $\frac{1}{16}$ "	—	—	94 lbs.	8.0

- Unit is not freestanding and must be used with any Box/File Height Freestanding Shell or Box/File Height Credenza Shell
- Box/File height end panel is 5 $\frac{1}{2}$ " H
- Support base must be ordered separately; see page 256 for models
- Some assembly required
- Only grommet options (G1R and CUT-G17R) available on left P
- Only grommet options (G1L and CUT-G17L) available on right P

### P-SHAPED DESK WITH MODESTY PANEL



Left shown

LEFT P	RIGHT P			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N3072DPLFL	75N3072DPRFL	TFL Top	\$ 939	30 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{7}{16}$ "	14 $\frac{1}{16}$ "	—	130 lbs.	8.8
75N3072DPLFP	75N3072DPRFP	HPL Top	1127	30 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	14 $\frac{1}{16}$ "	—	130 lbs.	8.8
75N3066DPLFL	75N3066DPRFL	TFL Top	\$ 909	30 $\frac{1}{16}$ "	66"	28 $\frac{7}{16}$ "	14 $\frac{1}{16}$ "	—	125 lbs.	8.5
75N3066DPLFP	75N3066DPRFP	HPL Top	1091	30 $\frac{1}{16}$ "	66"	28 $\frac{1}{16}$ "	14 $\frac{1}{16}$ "	—	125 lbs.	8.5
75N3060DPLFL	75N3060DPRFL	TFL Top	\$ 873	30 $\frac{1}{16}$ "	60"	28 $\frac{7}{16}$ "	14 $\frac{1}{16}$ "	—	115 lbs.	8.0
75N3060DPLFP	75N3060DPRFP	HPL Top	1049	30 $\frac{1}{16}$ "	60"	28 $\frac{1}{16}$ "	14 $\frac{1}{16}$ "	—	115 lbs.	8.0

- Not recommended as a freestanding unit
- Support base must be ordered separately; see page 256 for models
- Some assembly required
- Only grommet options (G1R and CUT-G17R) available on left P
- Only grommet options (G1L and CUT-G17L) available on right P

TO ORDER, SPECIFY:


- 1. Model Number
- 2. Grommet
- 3. Worksurface Laminate
- 4. Chassis Laminate

SAMPLE MODEL NUMBERS:

75N3072DPLFL G1R 419 MC  
75N4272DJLEL X 461 MC

• See page 206 for all options available in Renegade

J-SHAPED DESK  
WORKSURFACE HEIGHT  
END PANEL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT J	RIGHT J			D	W	H					
75N4272DJLEL	75N4272DJREL	TFL Top	\$ 916	42	71 <sup>1</sup> / <sub>8</sub>	28 <sup>7</sup> / <sub>8</sub>	—	—	—	104 lbs.	11.5
75N4272DJLEP	75N4272DJREP	HPL Top	1098	42	71 <sup>1</sup> / <sub>8</sub>	28 <sup>7</sup> / <sub>8</sub>	—	—	—	104 lbs.	11.5

- Not recommended as a freestanding unit
- Support base must be ordered separately; see page 256 for models
- Some assembly required
- Only grommet options (G1R and CUT-G17R) available on left J
- Only grommet options (G1L and CUT-G17L) available on right J
- Intended to hook up to a 21" deep unit

# RENEGADE


## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### CORNER UNIT



MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS					CARTONED WEIGHT		CUBIC FEET
				D	W	H	A	KW			
75N4242CFS2L	TFL Top	\$	845	42 $\frac{1}{2}$ "	42 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	145 lbs.		6.0
75N4242CFS2P	HPL Top		1014	42 $\frac{1}{2}$ "	42 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	145 lbs.		6.0
<ul style="list-style-type: none"> <li>• Intended to hook up to a 24" deep worksurface</li> <li>• Not intended to be used as a freestanding unit</li> <li>• Only grommet options (G1C and CUT-G17C) available</li> <li>• End panel grommets not available</li> <li>• 25<math>\frac{1}{2}</math>" from point-to-point on user side</li> <li>• Assembly required</li> </ul>											
75N4242CFS1L	TFL Top	\$	820	42 $\frac{1}{2}$ "	42 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	145 lbs.		6.0
75N4242CFS1P	HPL Top		984	42 $\frac{1}{2}$ "	42 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	145 lbs.		6.0
75N3636CFS1L	TFL Top	\$	726	36 $\frac{1}{2}$ "	36 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	125 lbs.		5.5
75N3636CFS1P	HPL Top		872	36 $\frac{1}{2}$ "	36 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	125 lbs.		5.5
<ul style="list-style-type: none"> <li>• Intended to hook up to a 21" deep worksurface</li> <li>• Not intended to be used as a freestanding unit</li> <li>• Only grommet options (G1C and CUT-G17C) available</li> <li>• End panel grommets not available</li> <li>• 29<math>\frac{3}{4}</math>" from point-to-point on user side of 4242</li> <li>• 21<math>\frac{1}{2}</math>" from point-to-point on user side of 3636</li> <li>• Assembly required</li> </ul>											

**TO ORDER, SPECIFY:**


1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

75N4242CFS2L G1C TF 462  
75N3666CFEL2P G1A GE1L TF TF

**EXTENDED CORNER UNIT  
FULL END PANEL/  
NARROW END PANEL**



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT EXTENDED		RIGHT EXTENDED		D	W	H					
75N3672CFEL2L	75N3672CFER2L	TFL Top	\$ 1009	35 $\frac{3}{4}$ "	72	28 $\frac{1}{2}$ "	—	—	—	165 lbs.	8.0
75N3672CFEL2P	75N3672CFER2P	HPL Top	1209	35 $\frac{3}{4}$ "	72	28 $\frac{1}{2}$ "	—	—	—	165 lbs.	8.0
75N3666CFEL2L	75N3666CFER2L	TFL Top	\$ 988	35 $\frac{3}{4}$ "	66	28 $\frac{1}{2}$ "	—	—	—	158 lbs.	7.0
75N3666CFEL2P	75N3666CFER2P	HPL Top	1187	35 $\frac{3}{4}$ "	66	28 $\frac{1}{2}$ "	—	—	—	158 lbs.	7.0
<ul style="list-style-type: none"> <li>• Intended to hook up to a 24" deep worksurface</li> <li>• Not intended to be used as a freestanding unit</li> <li>• End panel grommet GE1L available on left extended corner units and GE1R available on right extended corner units</li> <li>• Unit features one full end panel on the extended side and one narrow support panel on the corner unit side</li> <li>• Unit features undersurface corner shelf for added storage</li> <li>• Assembly required</li> </ul>											
75N3672CFEL1L	75N3672CFER1L	TFL Top	\$ 961	35 $\frac{3}{4}$ "	72	28 $\frac{1}{2}$ "	—	—	—	165 lbs.	8.0
75N3672CFEL1P	75N3672CFER1P	HPL Top	1154	35 $\frac{3}{4}$ "	72	28 $\frac{1}{2}$ "	—	—	—	165 lbs.	8.0
75N3666CFEL1L	75N3666CFER1L	TFL Top	\$ 939	35 $\frac{3}{4}$ "	66	28 $\frac{1}{2}$ "	—	—	—	158 lbs.	7.0
75N3666CFEL1P	75N3666CFER1P	HPL Top	1127	35 $\frac{3}{4}$ "	66	28 $\frac{1}{2}$ "	—	—	—	158 lbs.	7.0
<ul style="list-style-type: none"> <li>• Intended to hook up to a 21" deep worksurface</li> <li>• Not intended to be used as a freestanding unit</li> <li>• End panel grommet GE1L available on left extended corner units and GE1R available on right extended corner units</li> <li>• Unit features one full end panel on the extended side and one narrow support panel on the corner unit side</li> <li>• Unit features undersurface corner shelf for added storage</li> <li>• Assembly required</li> </ul>											

# RENEGADE

## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

**To You In 10 DAYS ...or Less**

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations


### EXTENDED CORNER UNIT NARROW END PANEL/ NARROW END PANEL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT EXTENDED	RIGHT EXTENDED			D	W	H				
75N3672CFENL2L	75N3672CFENR2L	TFL Top	\$ 975	35 $\frac{3}{4}$ "	72	28 $\frac{7}{8}$ "	—	—	165 lbs.	8.0
75N3672CFENL2P	75N3672CFENR2P	HPL Top	1170	35 $\frac{3}{4}$ "	72	28 $\frac{7}{8}$ "	—	—	165 lbs.	8.0
75N3666CFENL2L	75N3666CFENR2L	TFL Top	\$ 954	35 $\frac{3}{4}$ "	66	28 $\frac{7}{8}$ "	—	—	158 lbs.	7.0
75N3666CFENL2P	75N3666CFENR2P	HPL Top	1144	35 $\frac{3}{4}$ "	66	28 $\frac{7}{8}$ "	—	—	158 lbs.	7.0
<ul style="list-style-type: none"> <li>• Intended to hook up to a 24" deep worksurface</li> <li>• Not intended to be used as a freestanding unit; must have linkable shell attached to both sides</li> <li>• Unit comes with two narrow support panels</li> <li>• End panel grommets not available</li> <li>• Unit features undersurface corner shelf for added storage</li> <li>• Assembly required</li> </ul>										
75N3672CFENL1L	75N3672CFENR1L	TFL Top	\$ 949	35 $\frac{3}{4}$ "	72	28 $\frac{7}{8}$ "	—	—	165 lbs.	8.0
75N3672CFENL1P	75N3672CFENR1P	HPL Top	1137	35 $\frac{3}{4}$ "	72	28 $\frac{7}{8}$ "	—	—	165 lbs.	8.0
75N3666CFENL1L	75N3666CFENR1L	TFL Top	\$ 927	35 $\frac{3}{4}$ "	66	28 $\frac{7}{8}$ "	—	—	158 lbs.	7.0
75N3666CFENL1P	75N3666CFENR1P	HPL Top	1114	35 $\frac{3}{4}$ "	66	28 $\frac{7}{8}$ "	—	—	158 lbs.	7.0
<ul style="list-style-type: none"> <li>• Intended to hook up to a 21" deep worksurface</li> <li>• Not intended to be used as a freestanding unit; must have linkable shell attached to both sides</li> <li>• Unit comes with two narrow support panels</li> <li>• End panel grommets not available</li> <li>• Unit features undersurface corner shelf for added storage</li> <li>• Assembly required</li> </ul>										


### RECEPTION MAIN SHELL



75N2573DSTFL	TFL Top	\$ 1388	25½"	73¾"	41½"	—	69½"	230 lbs.	8.0
75N2573DSTFP	HPL Top	1666	25½"	73¾"	41½"	—	69½"	230 lbs.	8.0

- Includes reception counter; counter is 15¾" D
- Do not specify pull
- Only grommet options (G1L, G1R, G1LR, CUT-G17L, CUT-G17R, and CUT-G17LR) available
- End panel grommets not available
- Unit is non handed; can be used left or right to configure as a reception desk L-station or as a desk and credenza on a reception U-station
- 23" deep undersurface shell pedestals can be ordered for storage; see pages 246-247
- Assembly required
- Worksurface dimensions 24¼" D, 69½" W
- For tack board options, see pages 520-525

### RECEPTION BRIDGE



75N2568BSTFL	TFL Top	\$ 552	24%	67%	41½	—	48	260 lbs.	7.0
75N2568BSTFP	HPL Top	662	24%	67%	41½	—	48	260 lbs.	7.0

- Includes reception counter; counter is 15¾" D
- Specify reception bridge with two reception main shells to configure a U-station
- Do not specify pull
- Only grommet options (G1C and CUT-G17C) available
- Assembly required
- Worksurface dimensions 23¾" D, 48" W
- Woodgrain on worksurfaces runs front-to-back
- For tack board options, see pages 520-525

**TO ORDER, SPECIFY:**


1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

Q75N2448RLF2L	MC							
75N3672CFENL2L	G1L	TF	TF					
75N2448RLF2L	88MB	X	X	KRB	405	TF		


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT RETURN	RIGHT RETURN		D	W	H					
<b>RECEPTION RETURN SHELL</b>	75N2550RSTFLL	75N2550RSTFRL	TFL Top	\$ 872	24"	50"	40"	—	48	175 lbs.	6.0
	75N2550RSTFLP	75N2550RSTFRP	HPL Top	1048	24"	50"	40"	—	48	175 lbs.	6.0



Left shown

- Do not specify pull
- Use with reception main shell to configure a reception L-station
- 23" deep undersurface shell pedestals can be ordered for storage; see pages 246-247
- End panel grommets not available
- Assembly required
- Woodgrain on worksurfaces runs front-to-back

**RETURN FILE/FILE FULL PEDESTAL**



Left shown

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT RETURN	RIGHT RETURN		D	W	H					
<b>RETURN FILE/FILE FULL PEDESTAL</b>	Q75N2448RLF2L	Q75N2448RRF2L	TFL Top	\$ 1031	24	48 <sup>1</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>8</sub>	—	31 <sup>13</sup> / <sub>16</sub>	175 lbs.	27.6
	75N2448RLF2L	75N2448RRF2L	TFL Top	1006	24	48 <sup>1</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>8</sub>	—	31 <sup>13</sup> / <sub>16</sub>	175 lbs.	27.6
	75N2448RLF2P	75N2448RRF2P	HPL Top	1207	24	48 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	31 <sup>13</sup> / <sub>16</sub>	175 lbs.	27.6
	Q75N2442RLF2L	Q75N2442RRF2L	TFL Top	\$ 989	24	42 <sup>1</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>8</sub>	—	25 <sup>13</sup> / <sub>16</sub>	166 lbs.	24.5
	75N2442RLF2L	75N2442RRF2L	TFL Top	964	24	42 <sup>1</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>8</sub>	—	25 <sup>13</sup> / <sub>16</sub>	166 lbs.	24.5
	75N2442RLF2P	75N2442RRF2P	HPL Top	1158	24	42 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	25 <sup>13</sup> / <sub>16</sub>	166 lbs.	24.5
	75N2148RLF2L	75N2148RRF2L	TFL Top	\$ 959	21	48 <sup>1</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>8</sub>	—	31 <sup>13</sup> / <sub>16</sub>	175 lbs.	27.6
	75N2148RLF2P	75N2148RRF2P	HPL Top	1152	21	48 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	31 <sup>13</sup> / <sub>16</sub>	175 lbs.	27.6
	75N2142RLF2L	75N2142RRF2L	TFL Top	\$ 934	21	42 <sup>1</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>8</sub>	—	25 <sup>13</sup> / <sub>16</sub>	166 lbs.	24.5
	75N2142RLF2P	75N2142RRF2P	HPL Top	1122	21	42 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	25 <sup>13</sup> / <sub>16</sub>	166 lbs.	24.5

- End panel grommet GE1L available on left pedestal units and GE1R available on right pedestal units
- Woodgrain on worksurfaces runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

# RENEGADE

## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List


## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

**To You In 10 Days or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

### RETURN BOX/FILE ¾ PEDESTAL




Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT RETURN	RIGHT RETURN			D	W	H				
Q75N2448RLY3L	Q75N2448RRY3L	TFL Top	\$ 893	24	48 $\frac{1}{2}$	28 $\frac{3}{4}$	—	31 $\frac{1}{2}$	175 lbs.	27.6
75N2448RLY3L	75N2448RRY3L	TFL Top	868	24	48 $\frac{1}{2}$	28 $\frac{3}{4}$	—	31 $\frac{1}{2}$	175 lbs.	27.6
75N2448RLY3P	75N2448RRY3P	HPL Top	1042	24	48 $\frac{1}{2}$	28 $\frac{3}{4}$	—	31 $\frac{1}{2}$	175 lbs.	27.6
Q75N2442RLY3L	Q75N2442RRY3L	TFL Top	\$ 850	24	42 $\frac{1}{2}$	28 $\frac{3}{4}$	—	25 $\frac{3}{4}$	166 lbs.	24.5
75N2442RLY3L	75N2442RRY3L	TFL Top	825	24	42 $\frac{1}{2}$	28 $\frac{3}{4}$	—	25 $\frac{3}{4}$	166 lbs.	24.5
75N2442RLY3P	75N2442RRY3P	HPL Top	991	24	42 $\frac{1}{2}$	28 $\frac{3}{4}$	—	25 $\frac{3}{4}$	166 lbs.	24.5
75N2148RLY3L	75N2148RRY3L	TFL Top	\$ 820	21	48 $\frac{1}{2}$	28 $\frac{3}{4}$	—	31 $\frac{1}{2}$	175 lbs.	27.6
75N2148RLY3P	75N2148RRY3P	HPL Top	984	21	48 $\frac{1}{2}$	28 $\frac{3}{4}$	—	31 $\frac{1}{2}$	175 lbs.	27.6
75N2142RLY3L	75N2142RRY3L	TFL Top	\$ 796	21	42 $\frac{1}{2}$	28 $\frac{3}{4}$	—	25 $\frac{3}{4}$	166 lbs.	24.5
75N2142RLY3P	75N2142RRY3P	HPL Top	955	21	42 $\frac{1}{2}$	28 $\frac{3}{4}$	—	25 $\frac{3}{4}$	166 lbs.	24.5

- End panel grommet GE1L available on left pedestal units and GE1R available on right pedestal units
- Woodgrain on worksurfaces runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### RETURN SHELL



Left shown

LEFT RETURN	RIGHT RETURN			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N2448RSLL	75N2448RSRL	TFL Top	\$ 604	24	48 $\frac{1}{2}$	28 $\frac{3}{4}$	—	—	92 lbs.	4.3
75N2448RSLP	75N2448RSRP	HPL Top	723	24	48 $\frac{1}{2}$	28 $\frac{3}{4}$	—	—	92 lbs.	4.3
75N2442RSLL	75N2442RSRL	TFL Top	\$ 551	24	42 $\frac{1}{2}$	28 $\frac{3}{4}$	—	—	82 lbs.	3.8
75N2442RSLP	75N2442RSRP	HPL Top	661	24	42 $\frac{1}{2}$	28 $\frac{3}{4}$	—	—	82 lbs.	3.8
75N2148RSLL	75N2148RSRL	TFL Top	\$ 542	21	48 $\frac{1}{2}$	28 $\frac{3}{4}$	—	—	86 lbs.	4.3
75N2148RSLP	75N2148RSRP	HPL Top	651	21	48 $\frac{1}{2}$	28 $\frac{3}{4}$	—	—	86 lbs.	4.3
75N2142RSLL	75N2142RSRL	TFL Top	\$ 500	21	42 $\frac{1}{2}$	28 $\frac{3}{4}$	—	—	75 lbs.	3.8
75N2142RSLP	75N2142RSRP	HPL Top	599	21	42 $\frac{1}{2}$	28 $\frac{3}{4}$	—	—	75 lbs.	3.8

- Assembly required
- End panel grommet GE1L available on left units and GE1R available on right units
- Woodgrain on worksurfaces runs front-to-back
- Do not specify pull



**TO ORDER, SPECIFY:**


1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

Q75N2448RLY3L	MC						
75N2448RLY3L	88MB	G1L	GE1L	KS1B	MC	MC	
75N2448RSLL	G1C	GE1L	MH	MH			
Q75N2448BEFL	MC						

**BRIDGE**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
Q75N2448BEFL	TFL Top	\$ 483	24	48½	28½	—	—		80 lbs.	4.1
75N2448BEFL	TFL Top	458	24	48½	28½	—	—		80 lbs.	4.1
75N2448BEFP	HPL Top	550	24	48½	28½	—	—		80 lbs.	4.1
Q75N2442BEFL	TFL Top	\$ 447	24	42½	28½	—	—		72 lbs.	3.7
75N2442BEFL	TFL Top	422	24	42½	28½	—	—		72 lbs.	3.7
75N2442BEFP	HPL Top	507	24	42½	28½	—	—		72 lbs.	3.7
75N2436BEFL	TFL Top	\$ 374	24	36	28½	—	—		69 lbs.	3.5
75N2436BEFP	HPL Top	449	24	36	28½	—	—		69 lbs.	3.5
75N2148BEFL	TFL Top	\$ 413	21	48½	28½	—	—		80 lbs.	4.1
75N2148BEFP	HPL Top	494	21	48½	28½	—	—		80 lbs.	4.1
75N2142BEFL	TFL Top	\$ 369	21	42½	28½	—	—		72 lbs.	3.7
75N2142BEFP	HPL Top	443	21	42½	28½	—	—		72 lbs.	3.7
75N2136BEFL	TFL Top	\$ 361	21	36	28½	—	—		69 lbs.	3.5
75N2136BEFP	HPL Top	433	21	36	28½	—	—		69 lbs.	3.5

- Assembly required
- Only grommet options (G1C and CUT-G17C) available
- Woodgrain on worksurfaces runs front-to-back
- Do not specify pull or end panel grommet

# RENEGADE

## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

**To You In 10 DAYS...or Less**

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations


### STORAGE CREDENZA FULL PEDESTAL



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW						
Q75N2472CSF2L	TFL Top	\$ 1937	24	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	—	346 lbs.	39.8
75N2472CSF2L	TFL Top	1887	24	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	—	346 lbs.	39.8
75N2472CSF2P	HPL Top	2336	24	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	—	346 lbs.	39.8
75N2466CSF2L	TFL Top	\$ 1843	24	66"	28 $\frac{7}{8}$ "	—	—	—	334 lbs.	32.7
75N2466CSF2P	HPL Top	2211	24	66"	28 $\frac{1}{2}$ "	—	—	—	334 lbs.	32.7
75N2172CSF2L	TFL Top	\$ 1830	21	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	—	346 lbs.	39.8
75N2172CSF2P	HPL Top	2197	21	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	—	346 lbs.	39.8
75N2166CSF2L	TFL Top	\$ 1678	21	66"	28 $\frac{7}{8}$ "	—	—	—	334 lbs.	32.7
75N2166CSF2P	HPL Top	2014	21	66"	28 $\frac{1}{2}$ "	—	—	—	334 lbs.	32.7

- 72" unit features an adjustable shelf (14" deep, 33 $\frac{3}{8}$ " wide, and  $\frac{3}{4}$ " thick)
- 66" unit features an adjustable shelf (14" deep, 27 $\frac{3}{8}$ " wide, and  $\frac{3}{4}$ " thick)
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

### STORAGE CREDENZA $\frac{3}{4}$ PEDESTAL



Q75N2472CSY3L	TFL Top	\$ 1814	24	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	—	346 lbs.	39.8
75N2472CSY3L	TFL Top	1764	24	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	—	346 lbs.	39.8
75N2472CSY3P	HPL Top	2190	24	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	—	346 lbs.	39.8
75N2466CSY3L	TFL Top	\$ 1654	24	66"	28 $\frac{7}{8}$ "	—	—	—	334 lbs.	32.7
75N2466CSY3P	HPL Top	1984	24	66"	28 $\frac{1}{2}$ "	—	—	—	334 lbs.	32.7
75N2172CSY3L	TFL Top	\$ 1646	21	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	—	346 lbs.	39.8
75N2172CSY3P	HPL Top	1973	21	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	—	346 lbs.	39.8
75N2166CSY3L	TFL Top	\$ 1544	21	66"	28 $\frac{7}{8}$ "	—	—	—	334 lbs.	32.7
75N2166CSY3P	HPL Top	1852	21	66"	28 $\frac{1}{2}$ "	—	—	—	334 lbs.	32.7

- 72" unit features an adjustable shelf (14" deep, 33 $\frac{3}{8}$ " wide, and  $\frac{3}{4}$ " thick)
- 66" unit features an adjustable shelf (14" deep, 27 $\frac{3}{8}$ " wide, and  $\frac{3}{4}$ " thick)
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available




**TO ORDER, SPECIFY:**

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBER:**

75N2472CSF2L 86 G1C G1LR KS3B MH MH

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	75N2472CBL	TFL Top	\$ 2451	24	71 <sup>15</sup> / <sub>16</sub>	35	—	—	346 lbs.	39.8
	75N2472CBP	HPL Top	2944	24	71 <sup>15</sup> / <sub>16</sub>	35 <sup>15</sup> / <sub>16</sub>	—	—	346 lbs.	39.8
	<ul style="list-style-type: none"><li>• Grommet not available</li><li>• Interior dimensions of each storage section are 21¼" D, 34½" W, 24¾" H</li><li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li><li>• Storage doors feature a standard pull with the integrated pull option</li></ul>									
	75N2474CFF6L	TFL Top	\$ 2046	24	74	28 <sup>7</sup> / <sub>8</sub>	—	—	346 lbs.	39.8
	75N2474CFF6P	HPL Top	2451	24	74	28 <sup>15</sup> / <sub>16</sub>	—	—	346 lbs.	39.8
	75N2174CFF6L	TFL Top	\$ 2003	21	74	28 <sup>7</sup> / <sub>8</sub>	—	—	346 lbs.	39.8
	75N2174CFF6P	HPL Top	2405	21	74	28 <sup>15</sup> / <sub>16</sub>	—	—	346 lbs.	39.8
	<ul style="list-style-type: none"><li>• Only grommet options (G1L, G1R, G1LR, CUT-G17L, CUT-G17R, and CUT-G17LR) available</li><li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li></ul>									
	75N2474CSF6L	TFL Top	\$ 1872	24	74	28 <sup>7</sup> / <sub>8</sub>	—	—	346 lbs.	39.8
	75N2474CSF6P	HPL Top	2248	24	74	28 <sup>15</sup> / <sub>16</sub>	—	—	346 lbs.	39.8
	75N2174CSF6L	TFL Top	\$ 1830	21	74	28 <sup>7</sup> / <sub>8</sub>	—	—	346 lbs.	39.8
	75N2174CSF6P	HPL Top	2197	21	74	28 <sup>15</sup> / <sub>16</sub>	—	—	346 lbs.	39.8
<ul style="list-style-type: none"><li>• Only grommet options (G1L, G1R, G1LR, CUT-G17L, CUT-G17R, and CUT-G17LR) available</li><li>• Features one adjustable shelf</li><li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li></ul>										

# RENEGADE

## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List


## DIMENSION KEY

- D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

**To You In 10 Days or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

### KNEESPACE CREENZA FULL PEDESTAL



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
Q75N2472CKF2L TFL Top	\$ 1773	24	71 <sup>15</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>8</sub>	—	33 <sup>1</sup> / <sub>2</sub>	279 lbs.	39.8
75N2472CKF2L TFL Top	1748	24	71 <sup>15</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>8</sub>	—	33 <sup>1</sup> / <sub>2</sub>	279 lbs.	39.8
75N2472CKF2P HPL Top	2134	24	71 <sup>15</sup> / <sub>16</sub>	28 <sup>15</sup> / <sub>16</sub>	—	33 <sup>1</sup> / <sub>2</sub>	279 lbs.	39.8
75N2466CKF2L TFL Top	\$ 1706	24	66	28 <sup>7</sup> / <sub>8</sub>	—	33 <sup>1</sup> / <sub>2</sub>	267 lbs.	32.7
75N2466CKF2P HPL Top	2048	24	66	28 <sup>15</sup> / <sub>16</sub>	—	33 <sup>1</sup> / <sub>2</sub>	267 lbs.	32.7
75N2460CKF2L TFL Top	\$ 1700	24	60	28 <sup>7</sup> / <sub>8</sub>	—	27 <sup>9</sup> / <sub>16</sub>	256 lbs.	33.7
75N2460CKF2P HPL Top	2040	24	60	28 <sup>15</sup> / <sub>16</sub>	—	27 <sup>9</sup> / <sub>16</sub>	256 lbs.	33.7
75N2172CKF2L TFL Top	\$ 1696	21	71 <sup>15</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>8</sub>	—	33 <sup>1</sup> / <sub>2</sub>	279 lbs.	39.8
75N2172CKF2P HPL Top	2036	21	71 <sup>15</sup> / <sub>16</sub>	28 <sup>15</sup> / <sub>16</sub>	—	33 <sup>1</sup> / <sub>2</sub>	279 lbs.	39.8
75N2166CKF2L TFL Top	\$ 1679	21	66	28 <sup>7</sup> / <sub>8</sub>	—	33 <sup>1</sup> / <sub>2</sub>	267 lbs.	32.7
75N2166CKF2P HPL Top	2016	21	66	28 <sup>15</sup> / <sub>16</sub>	—	33 <sup>1</sup> / <sub>2</sub>	267 lbs.	32.7
75N2160CKF2L TFL Top	\$ 1671	21	60	28 <sup>7</sup> / <sub>8</sub>	—	27 <sup>9</sup> / <sub>16</sub>	256 lbs.	33.7
75N2160CKF2P HPL Top	2005	21	60	28 <sup>15</sup> / <sub>16</sub>	—	27 <sup>9</sup> / <sub>16</sub>	256 lbs.	33.7

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

**TO ORDER, SPECIFY:**


1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

Q75N2472CKF2L MC  
75N2472CKY3L 86 X X KRS 874 MC

**KNEESPACE CREDENZA  
¾ PEDESTAL**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H	A			
Q75N2472CKY3L TFL Top	\$ 1455	24	71 <sup>15</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>8</sub>	—	33 <sup>1</sup> / <sub>2</sub>	279 lbs.	39.8
75N2472CKY3L TFL Top	1430	24	71 <sup>15</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>8</sub>	—	33 <sup>1</sup> / <sub>2</sub>	279 lbs.	39.8
75N2472CKY3P HPL Top	1753	24	71 <sup>15</sup> / <sub>16</sub>	28 <sup>15</sup> / <sub>16</sub>	—	33 <sup>1</sup> / <sub>2</sub>	279 lbs.	39.8
75N2466CKY3L TFL Top	\$ 1388	24	66	28 <sup>7</sup> / <sub>8</sub>	—	33 <sup>1</sup> / <sub>2</sub>	267 lbs.	32.7
75N2466CKY3P HPL Top	1667	24	66	28 <sup>15</sup> / <sub>16</sub>	—	33 <sup>1</sup> / <sub>2</sub>	267 lbs.	32.7
75N2460CKY3L TFL Top	\$ 1332	24	60	28 <sup>7</sup> / <sub>8</sub>	—	27 <sup>9</sup> / <sub>16</sub>	256 lbs.	33.7
75N2460CKY3P HPL Top	1599	24	60	28 <sup>15</sup> / <sub>16</sub>	—	27 <sup>9</sup> / <sub>16</sub>	256 lbs.	33.7
75N2172CKY3L TFL Top	\$ 1308	21	71 <sup>15</sup> / <sub>16</sub>	28 <sup>7</sup> / <sub>8</sub>	—	33 <sup>1</sup> / <sub>2</sub>	279 lbs.	39.8
75N2172CKY3P HPL Top	1570	21	71 <sup>15</sup> / <sub>16</sub>	28 <sup>15</sup> / <sub>16</sub>	—	33 <sup>1</sup> / <sub>2</sub>	279 lbs.	39.8
75N2166CKY3L TFL Top	\$ 1288	21	66	28 <sup>7</sup> / <sub>8</sub>	—	33 <sup>1</sup> / <sub>2</sub>	267 lbs.	32.7
75N2166CKY3P HPL Top	1546	21	66	28 <sup>15</sup> / <sub>16</sub>	—	33 <sup>1</sup> / <sub>2</sub>	267 lbs.	32.7
75N2160CKY3L TFL Top	\$ 1259	21	60	28 <sup>7</sup> / <sub>8</sub>	—	27 <sup>9</sup> / <sub>16</sub>	256 lbs.	33.7
75N2160CKY3P HPL Top	1507	21	60	28 <sup>15</sup> / <sub>16</sub>	—	27 <sup>9</sup> / <sub>16</sub>	256 lbs.	33.7

• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

# RENEGADE

## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY


- D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

**To You In 10 DAYS ...or Less**

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

### SINGLE PEDESTAL CREDENZA FILE/FILE FULL PEDESTAL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW		
Q75N2472CLF2L	Q75N2472CRF2L	TFL Top	\$ 1434	24	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	51 $\frac{1}{2}$ "	239 lbs.	39.8
75N2472CLF2L	75N2472CRF2L	TFL Top	1384	24	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	51 $\frac{1}{2}$ "	239 lbs.	39.8
75N2472CLF2P	75N2472CRF2P	HPL Top	1735	24	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	51 $\frac{1}{2}$ "	239 lbs.	39.8
75N2466CLF2L	75N2466CRF2L	TFL Top	\$ 1341	24	66"	28 $\frac{7}{8}$ "	—	48 $\frac{1}{2}$ "	227 lbs.	32.7
75N2466CLF2P	75N2466CRF2P	HPL Top	1608	24	66"	28 $\frac{1}{2}$ "	—	48 $\frac{1}{2}$ "	227 lbs.	32.7
75N2460CLF2L	75N2460CRF2L	TFL Top	\$ 1313	24	60"	28 $\frac{7}{8}$ "	—	42 $\frac{1}{2}$ "	216 lbs.	33.7
75N2460CLF2P	75N2460CRF2P	HPL Top	1576	24	60"	28 $\frac{1}{2}$ "	—	42 $\frac{1}{2}$ "	216 lbs.	33.7
75N2172CLF2L	75N2172CRF2L	TFL Top	\$ 1214	21	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	51 $\frac{1}{2}$ "	239 lbs.	39.8
75N2172CLF2P	75N2172CRF2P	HPL Top	1460	21	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	51 $\frac{1}{2}$ "	239 lbs.	39.8
75N2166CLF2L	75N2166CRF2L	TFL Top	\$ 1195	21	66"	28 $\frac{7}{8}$ "	—	48 $\frac{1}{2}$ "	227 lbs.	32.7
75N2166CLF2P	75N2166CRF2P	HPL Top	1433	21	66"	28 $\frac{1}{2}$ "	—	48 $\frac{1}{2}$ "	227 lbs.	32.7
75N2160CLF2L	75N2160CRF2L	TFL Top	\$ 1164	21	60"	28 $\frac{7}{8}$ "	—	42 $\frac{1}{2}$ "	216 lbs.	33.7
75N2160CLF2P	75N2160CRF2P	HPL Top	1395	21	60"	28 $\frac{1}{2}$ "	—	42 $\frac{1}{2}$ "	216 lbs.	33.7

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**TO ORDER, SPECIFY:**


1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

Q75N2472CLF2L	MC						
75N2472CLF2L	88PL	X	X	KRB	MH	MH	
75N2472CLY3L	87MB	G1C	X	KRB	MH	MH	

**SINGLE PEDESTAL CREDENZA  
BOX/FILE  
¾ PEDESTAL**




Left shown

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL				D	W	H	A	KW		
Q75N2472CLY3L	Q75N2472CRY3L	TFL Top	\$ 1261	24	71½	28½	—	51½	239 lbs.	39.8	
75N2472CLY3L	75N2472CRY3L	TFL Top	1211	24	71½	28½	—	51½	239 lbs.	39.8	
75N2472CLY3P	75N2472CRY3P	HPL Top	1529	24	71½	28½	—	51½	239 lbs.	39.8	
75N2466CLY3L	75N2466CRY3L	TFL Top	\$ 1171	24	66	28½	—	48½	227 lbs.	32.7	
75N2466CLY3P	75N2466CRY3P	HPL Top	1406	24	66	28½	—	48½	227 lbs.	32.7	
75N2460CLY3L	75N2460CRY3L	TFL Top	\$ 1145	24	60	28½	—	42½	216 lbs.	33.7	
75N2460CLY3P	75N2460CRY3P	HPL Top	1376	24	60	28½	—	42½	216 lbs.	33.7	
75N2172CLY3L	75N2172CRY3L	TFL Top	\$ 1092	21	71½	28½	—	51½	239 lbs.	39.8	
75N2172CLY3P	75N2172CRY3P	HPL Top	1310	21	71½	28½	—	51½	239 lbs.	39.8	
75N2166CLY3L	75N2166CRY3L	TFL Top	\$ 1077	21	66	28½	—	48½	227 lbs.	32.7	
75N2166CLY3P	75N2166CRY3P	HPL Top	1292	21	66	28½	—	48½	227 lbs.	32.7	
75N2160CLY3L	75N2160CRY3L	TFL Top	\$ 1041	21	60	28½	—	42½	216 lbs.	33.7	
75N2160CLY3P	75N2160CRY3P	HPL Top	1247	21	60	28½	—	42½	216 lbs.	33.7	

• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

**SINGLE PEDESTAL CREDENZA  
LATERAL FILE**



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL									
75N2472CLF6L	75N2472CRF6L	TFL Top	\$ 1641	24	71½	28½	—	33½	279 lbs.	39.8
75N2472CLF6P	75N2472CRF6P	HPL Top	1970	24	71½	28½	—	33½	279 lbs.	39.8
75N2466CLF6L	75N2466CRF6L	TFL Top	\$ 1616	24	66	28½	—	31¼	267 lbs.	32.7
75N2466CLF6P	75N2466CRF6P	HPL Top	1938	24	66	28½	—	31¼	267 lbs.	32.7
75N2172CLF6L	75N2172CRF6L	TFL Top	\$ 1601	21	71½	28½	—	33½	279 lbs.	39.8
75N2172CLF6P	75N2172CRF6P	HPL Top	1922	21	71½	28½	—	33½	279 lbs.	39.8
75N2166CLF6L	75N2166CRF6L	TFL Top	\$ 1491	21	66	28½	—	31¼	267 lbs.	32.7
75N2166CLF6P	75N2166CRF6P	HPL Top	1789	21	66	28½	—	31¼	267 lbs.	32.7

• Only grommet options (G1L, G1R, G1LR, CUT-G17L, CUT-G17R, and CUT-G17LR) available  
 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

# RENEGADE


## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Refer to pages 210-211 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### SHELL FREESTANDING WORKSURFACE HEIGHT FULL END PANELS



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
75N3072DSFL TFL Top	\$ 800	30 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	150 lbs.	4.7
75N3072DSFP HPL Top	960	30 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	150 lbs.	4.7
75N3066DSFL TFL Top	\$ 774	30 $\frac{1}{2}$ "	66"	28 $\frac{7}{8}$ "	—	—	138 lbs.	4.3
75N3066DSFP HPL Top	927	30 $\frac{1}{2}$ "	66"	28 $\frac{1}{2}$ "	—	—	138 lbs.	4.3
75N3060DSFL TFL Top	\$ 729	30 $\frac{1}{2}$ "	60"	28 $\frac{7}{8}$ "	—	—	126 lbs.	4.0
75N3060DSFP HPL Top	876	30 $\frac{1}{2}$ "	60"	28 $\frac{1}{2}$ "	—	—	126 lbs.	4.0
75N3048DSFL TFL Top	\$ 661	30 $\frac{1}{2}$ "	48"	28 $\frac{7}{8}$ "	—	—	111 lbs.	3.3
75N3048DSFP HPL Top	793	30 $\frac{1}{2}$ "	48"	28 $\frac{1}{2}$ "	—	—	111 lbs.	3.3
75N3042DSFL TFL Top	\$ 636	30 $\frac{1}{2}$ "	42"	28 $\frac{7}{8}$ "	—	—	101 lbs.	3.0
75N3042DSFP HPL Top	764	30 $\frac{1}{2}$ "	42"	28 $\frac{1}{2}$ "	—	—	101 lbs.	3.0
75N3036DSFL TFL Top	\$ 592	30 $\frac{1}{2}$ "	36"	28 $\frac{7}{8}$ "	—	—	92 lbs.	2.8
75N3036DSFP HPL Top	711	30 $\frac{1}{2}$ "	36"	28 $\frac{1}{2}$ "	—	—	92 lbs.	2.8
75N2472CSHF29L TFL Top	\$ 728	24"	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	130 lbs.	4.7
75N2472CSHF29P HPL Top	874	24"	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	130 lbs.	4.7
75N2466CSHF29L TFL Top	\$ 712	24"	66"	28 $\frac{7}{8}$ "	—	—	118 lbs.	4.3
75N2466CSHF29P HPL Top	853	24"	66"	28 $\frac{1}{2}$ "	—	—	118 lbs.	4.3
75N2460CSHF29L TFL Top	\$ 661	24"	60"	28 $\frac{7}{8}$ "	—	—	106 lbs.	4.0
75N2460CSHF29P HPL Top	793	24"	60"	28 $\frac{1}{2}$ "	—	—	106 lbs.	4.0

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- When assembling 2-36" undersurface units under a shell, you must specify shells on pages 244-245



**TO ORDER, SPECIFY:**


1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBER:**

75N2472CSHF29L X X MH MH

**SHELL FREESTANDING  
WORKSURFACE HEIGHT  
FULL END PANELS (CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE		DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H	A					
75N2448CSHF29L TFL Top	\$	592	24	48	28%	—	—	91 lbs.	3.3
75N2448CSHF29P HPL Top		711	24	48	28 <sup>1</sup> / <sub>6</sub>	—	—	91 lbs.	3.3
75N2442CSHF29L TFL Top	\$	569	24	42	28%	—	—	81 lbs.	3.0
75N2442CSHF29P HPL Top		682	24	42	28 <sup>1</sup> / <sub>6</sub>	—	—	81 lbs.	3.0
75N2436CSHF29L TFL Top	\$	524	24	36	28%	—	—	72 lbs.	2.8
75N2436CSHF29P HPL Top		629	24	36	28 <sup>1</sup> / <sub>6</sub>	—	—	72 lbs.	2.8
75N2172CSHF29L TFL Top	\$	681	21	71 <sup>1</sup> / <sub>6</sub>	28%	—	—	130 lbs.	4.7
75N2172CSHF29P HPL Top		816	21	71 <sup>1</sup> / <sub>6</sub>	28 <sup>1</sup> / <sub>6</sub>	—	—	130 lbs.	4.7
75N2166CSHF29L TFL Top	\$	663	21	66	28%	—	—	118 lbs.	4.3
75N2166CSHF29P HPL Top		796	21	66	28 <sup>1</sup> / <sub>6</sub>	—	—	118 lbs.	4.3
75N2160CSHF29L TFL Top	\$	612	21	60	28%	—	—	106 lbs.	4.0
75N2160CSHF29P HPL Top		735	21	60	28 <sup>1</sup> / <sub>6</sub>	—	—	106 lbs.	4.0
75N2148CSHF29L TFL Top	\$	543	21	48	28%	—	—	91 lbs.	3.3
75N2148CSHF29P HPL Top		652	21	48	28 <sup>1</sup> / <sub>6</sub>	—	—	91 lbs.	3.3
75N2142CSHF29L TFL Top	\$	519	21	42	28%	—	—	81 lbs.	3.0
75N2142CSHF29P HPL Top		624	21	42	28 <sup>1</sup> / <sub>6</sub>	—	—	81 lbs.	3.0
75N2136CSHF29L TFL Top	\$	476	21	36	28%	—	—	72 lbs.	2.8
75N2136CSHF29P HPL Top		572	21	36	28 <sup>1</sup> / <sub>6</sub>	—	—	72 lbs.	2.8

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- When assembling 2-36" undersurface units under a shell, you must specify shells on pages 244-245

# RENEGADE


## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Refer to pages 210-211 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### SHELL FREESTANDING WORKSURFACE HEIGHT BOX/FILE HEIGHT END PANEL



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT	RIGHT			D	W	H				
75N2472CSHHL29L	75N2472CSHHR29L	TFL Top	\$ 728	24	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	120 lbs.	4.7
75N2472CSHHL29P	75N2472CSHHR29P	HPL Top	874	24	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	120 lbs.	4.7
75N2466CSHHL29L	75N2466CSHHR29L	TFL Top	\$ 712	24	66	28 $\frac{7}{8}$ "	—	—	108 lbs.	4.3
75N2466CSHHL29P	75N2466CSHHR29P	HPL Top	853	24	66	28 $\frac{1}{2}$ "	—	—	108 lbs.	4.3
75N2460CSHHL29L	75N2460CSHHR29L	TFL Top	\$ 661	24	60	28 $\frac{7}{8}$ "	—	—	96 lbs.	4.0
75N2460CSHHL29P	75N2460CSHHR29P	HPL Top	793	24	60	28 $\frac{1}{2}$ "	—	—	96 lbs.	4.0
75N2172CSHHL29L	75N2172CSHHR29L	TFL Top	\$ 681	21	71 $\frac{1}{2}$ "	28 $\frac{7}{8}$ "	—	—	120 lbs.	4.7
75N2172CSHHL29P	75N2172CSHHR29P	HPL Top	816	21	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	120 lbs.	4.7
75N2166CSHHL29L	75N2166CSHHR29L	TFL Top	\$ 663	21	66	28 $\frac{7}{8}$ "	—	—	108 lbs.	4.3
75N2166CSHHL29P	75N2166CSHHR29P	HPL Top	796	21	66	28 $\frac{1}{2}$ "	—	—	108 lbs.	4.3
75N2160CSHHL29L	75N2160CSHHR29L	TFL Top	\$ 612	21	60	28 $\frac{7}{8}$ "	—	—	96 lbs.	4.0
75N2160CSHHL29P	75N2160CSHHR29P	HPL Top	735	21	60	28 $\frac{1}{2}$ "	—	—	96 lbs.	4.0

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- Unit is not freestanding and must be used with any box/file height freestanding shell or credenza shell
- Box/file height end panel is 5 $\frac{1}{2}$ " H

**TO ORDER, SPECIFY:**


1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

75N2472CSHF22L X X 480 HN  
75N2472CSHHL29L G1L GE1L TF TF

**SHELL FREESTANDING  
BOX/FILE HEIGHT**



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
75N2472CSHF22L	TFL Top	\$ 608	24	71 $\frac{1}{16}$	22 $\frac{1}{16}$	—	—		120 lbs.	4.7
75N2472CSHF22P	HPL Top	729	24	71 $\frac{1}{16}$	22 $\frac{1}{16}$	—	—		120 lbs.	4.7
75N2466CSHF22L	TFL Top	\$ 591	24	66	22 $\frac{1}{16}$	—	—		108 lbs.	4.3
75N2466CSHF22P	HPL Top	709	24	66	22 $\frac{1}{16}$	—	—		108 lbs.	4.3
75N2460CSHF22L	TFL Top	\$ 540	24	60	22 $\frac{1}{16}$	—	—		96 lbs.	4.0
75N2460CSHF22P	HPL Top	649	24	60	22 $\frac{1}{16}$	—	—		96 lbs.	4.0
75N2172CSHF22L	TFL Top	\$ 559	21	71 $\frac{1}{16}$	22 $\frac{1}{16}$	—	—		120 lbs.	4.7
75N2172CSHF22P	HPL Top	671	21	71 $\frac{1}{16}$	22 $\frac{1}{16}$	—	—		120 lbs.	4.7
75N2166CSHF22L	TFL Top	\$ 542	21	66	22 $\frac{1}{16}$	—	—		108 lbs.	4.3
75N2166CSHF22P	HPL Top	651	21	66	22 $\frac{1}{16}$	—	—		108 lbs.	4.3
75N2160CSHF22L	TFL Top	\$ 492	21	60	22 $\frac{1}{16}$	—	—		96 lbs.	4.0
75N2160CSHF22P	HPL Top	591	21	60	22 $\frac{1}{16}$	—	—		96 lbs.	4.0

- Assembly required; support panel (75N1221SSL) required when kneespace area is greater than 48"
- Box/file height is 22 $\frac{1}{16}$ " H or 22 $\frac{1}{2}$ " H
- When assembling 2-36" undersurface units under a shell, you must specify shells on pages 244-245

# RENEGADE


## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Refer to pages 210-211 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### LINKABLE SHELL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT SHELL	RIGHT SHELL			D	W	H	A	KW		
75N2472RSLFJL	75N2472RSRFJL	TFL Top	\$ 702	24	71 <sup>1</sup> / <sub>2</sub>	28 <sup>7</sup> / <sub>8</sub>	—	—	130 lbs.	4.7
75N2472RSLFJP	75N2472RSRFJP	HPL Top	845	24	71 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	130 lbs.	4.7
75N2466RSLFJL	75N2466RSRFJL	TFL Top	\$ 686	24	66	28 <sup>7</sup> / <sub>8</sub>	—	—	118 lbs.	4.3
75N2466RSLFJP	75N2466RSRFJP	HPL Top	823	24	66	28 <sup>1</sup> / <sub>2</sub>	—	—	118 lbs.	4.3
75N2460RSLFJL	75N2460RSRFJL	TFL Top	\$ 633	24	60	28 <sup>7</sup> / <sub>8</sub>	—	—	106 lbs.	4.0
75N2460RSLFJP	75N2460RSRFJP	HPL Top	761	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	106 lbs.	4.0
75N2448RSLFJL	75N2448RSRFJL	TFL Top	\$ 567	24	48	28 <sup>7</sup> / <sub>8</sub>	—	—	91 lbs.	3.3
75N2448RSLFJP	75N2448RSRFJP	HPL Top	680	24	48	28 <sup>1</sup> / <sub>2</sub>	—	—	91 lbs.	3.3
75N2442RSLFJL	75N2442RSRFJL	TFL Top	\$ 541	24	42	28 <sup>7</sup> / <sub>8</sub>	—	—	81 lbs.	3.0
75N2442RSLFJP	75N2442RSRFJP	HPL Top	650	24	42	28 <sup>1</sup> / <sub>2</sub>	—	—	81 lbs.	3.0
75N2436RSLFJL	75N2436RSRFJL	TFL Top	\$ 499	24	36	28 <sup>7</sup> / <sub>8</sub>	—	—	72 lbs.	2.8
75N2436RSLFJP	75N2436RSRFJP	HPL Top	596	24	36	28 <sup>1</sup> / <sub>2</sub>	—	—	72 lbs.	2.8
75N2430RSLFJL	75N2430RSRFJL	TFL Top	\$ 462	24	30	28 <sup>7</sup> / <sub>8</sub>	—	—	66 lbs.	2.6
75N2430RSLFJP	75N2430RSRFJP	HPL Top	554	24	30	28 <sup>1</sup> / <sub>2</sub>	—	—	66 lbs.	2.6
75N2172RSLFJL	75N2172RSRFJL	TFL Top	\$ 653	21	71 <sup>1</sup> / <sub>2</sub>	28 <sup>7</sup> / <sub>8</sub>	—	—	130 lbs.	4.7
75N2172RSLFJP	75N2172RSRFJP	HPL Top	784	21	71 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	130 lbs.	4.7
75N2166RSLFJL	75N2166RSRFJL	TFL Top	\$ 650	21	66	28 <sup>7</sup> / <sub>8</sub>	—	—	118 lbs.	4.3
75N2166RSLFJP	75N2166RSRFJP	HPL Top	780	21	66	28 <sup>1</sup> / <sub>2</sub>	—	—	118 lbs.	4.3

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- End panel grommet GE1L available on left shell units and GE1R available on right shell units
- Linkable shell comes with one full panel and one narrow panel. Unit can be reconfigured to left or right in the field.
- Not a freestanding unit

**TO ORDER, SPECIFY:**


1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBER:**

75N2160RSLFJL X X 403 403

**LINKABLE SHELL (CONTINUED)**



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT SHELL	RIGHT SHELL			D	W	H					
75N2160RSLFJL	75N2160RSRFJL	TFL Top	\$ 586	21	60	28 $\frac{3}{4}$ "	—	—	—	106 lbs.	4.0
75N2160RSLFJP	75N2160RSRFJP	HPL Top	702	21	60	28 $\frac{3}{4}$ "	—	—	—	106 lbs.	4.0
75N2148RSLFJL	75N2148RSRFJL	TFL Top	\$ 517	21	48	28 $\frac{3}{4}$ "	—	—	—	91 lbs.	3.3
75N2148RSLFJP	75N2148RSRFJP	HPL Top	622	21	48	28 $\frac{3}{4}$ "	—	—	—	91 lbs.	3.3
75N2142RSLFJL	75N2142RSRFJL	TFL Top	\$ 493	21	42	28 $\frac{3}{4}$ "	—	—	—	81 lbs.	3.0
75N2142RSLFJP	75N2142RSRFJP	HPL Top	592	21	42	28 $\frac{3}{4}$ "	—	—	—	81 lbs.	3.0
75N2136RSLFJL	75N2136RSRFJL	TFL Top	\$ 450	21	36	28 $\frac{3}{4}$ "	—	—	—	72 lbs.	2.8
75N2136RSLFJP	75N2136RSRFJP	HPL Top	540	21	36	28 $\frac{3}{4}$ "	—	—	—	72 lbs.	2.8
75N2130RSLFJL	75N2130RSRFJL	TFL Top	\$ 415	21	30	28 $\frac{3}{4}$ "	—	—	—	66 lbs.	2.6
75N2130RSLFJP	75N2130RSRFJP	HPL Top	499	21	30	28 $\frac{3}{4}$ "	—	—	—	66 lbs.	2.6

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- End panel grommet GE1L available on left shell units and GE1R available on right shell units
- Linkable shell comes with one full panel and one narrow panel. Unit can be reconfigured to left or right in the field.
- Not a freestanding unit

# RENEGADE


## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Refer to pages 210-211 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### LINKABLE SHELL WITH NARROW/NARROW PANELS



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
75N2472BSFJL TFL Top	\$ 676	24	71 <sup>1</sup> / <sub>2</sub>	28 <sup>7</sup> / <sub>8</sub>	—	—	130 lbs.	4.7
75N2472BSFJP HPL Top	812	24	71 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	130 lbs.	4.7
75N2466BSFJL TFL Top	\$ 660	24	66	28 <sup>7</sup> / <sub>8</sub>	—	—	118 lbs.	4.3
75N2466BSFJP HPL Top	790	24	66	28 <sup>1</sup> / <sub>2</sub>	—	—	118 lbs.	4.3
75N2460BSFJL TFL Top	\$ 608	24	60	28 <sup>7</sup> / <sub>8</sub>	—	—	106 lbs.	4.0
75N2460BSFJP HPL Top	729	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	106 lbs.	4.0
75N2448BSFJL TFL Top	\$ 540	24	48	28 <sup>7</sup> / <sub>8</sub>	—	—	91 lbs.	3.3
75N2448BSFJP HPL Top	647	24	48	28 <sup>1</sup> / <sub>2</sub>	—	—	91 lbs.	3.3
75N2442BSFJL TFL Top	\$ 516	24	42	28 <sup>7</sup> / <sub>8</sub>	—	—	81 lbs.	3.0
75N2442BSFJP HPL Top	621	24	42	28 <sup>1</sup> / <sub>2</sub>	—	—	81 lbs.	3.0
75N2436BSFJL TFL Top	\$ 471	24	36	28 <sup>7</sup> / <sub>8</sub>	—	—	72 lbs.	2.8
75N2436BSFJP HPL Top	565	24	36	28 <sup>1</sup> / <sub>2</sub>	—	—	72 lbs.	2.8
75N2172BSFJL TFL Top	\$ 628	21	71 <sup>1</sup> / <sub>2</sub>	28 <sup>7</sup> / <sub>8</sub>	—	—	130 lbs.	4.7
75N2172BSFJP HPL Top	754	21	71 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	130 lbs.	4.7
75N2166BSFJL TFL Top	\$ 611	21	66	28 <sup>7</sup> / <sub>8</sub>	—	—	118 lbs.	4.3
75N2166BSFJP HPL Top	733	21	66	28 <sup>1</sup> / <sub>2</sub>	—	—	118 lbs.	4.3
75N2160BSFJL TFL Top	\$ 559	21	60	28 <sup>7</sup> / <sub>8</sub>	—	—	106 lbs.	4.0
75N2160BSFJP HPL Top	671	21	60	28 <sup>1</sup> / <sub>2</sub>	—	—	106 lbs.	4.0

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- Linkable shell features two narrow support panels
- Not a freestanding unit

**TO ORDER, SPECIFY:**


1. Model Number
2. Grommet
3. Worksurface Laminate
4. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBER:**

75N2148BSFJL G1C 440 462

**LINKABLE SHELL WITH  
NARROW/NARROW PANELS  
(CONTINUED)**



MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H	A			
75N2148BSFJL	TFL Top	\$	492	21	48	28 $\frac{1}{2}$	—	—	91 lbs.	3.3
75N2148BSFJP	HPL Top		591	21	48	28 $\frac{1}{2}$	—	—	91 lbs.	3.3
75N2142BSFJL	TFL Top	\$	444	21	42	28 $\frac{1}{2}$	—	—	81 lbs.	3.0
75N2142BSFJP	HPL Top		534	21	42	28 $\frac{1}{2}$	—	—	81 lbs.	3.0
75N2136BSFJL	TFL Top	\$	422	21	36	28 $\frac{1}{2}$	—	—	72 lbs.	2.8
75N2136BSFJP	HPL Top		507	21	36	28 $\frac{1}{2}$	—	—	72 lbs.	2.8

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- Linkable shell features two narrow support panels
- Not a freestanding unit

# RENEGADE


## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Refer to pages 210-211 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### CREDENZA SHELL WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
75N24110CSHF29L TFL Top	\$ 1109	24	110	28 $\frac{7}{8}$	—	—	260 lbs.	7.8
75N24110CSHF29P HPL Top	1331	24	110	28 $\frac{1}{4}$	—	—	260 lbs.	7.8
75N21110CSHF29L TFL Top	\$ 1059	21	110	28 $\frac{7}{8}$	—	—	260 lbs.	7.8
75N21110CSHF29P HPL Top	1271	21	110	28 $\frac{1}{4}$	—	—	260 lbs.	7.8
75N2474CSHF29L TFL Top	\$ 759	24	74	28 $\frac{7}{8}$	—	—	130 lbs.	4.7
75N2474CSHF29P HPL Top	912	24	74	28 $\frac{1}{4}$	—	—	130 lbs.	4.7
75N2174CSHF29L TFL Top	\$ 711	21	74	28 $\frac{7}{8}$	—	—	130 lbs.	4.7
75N2174CSHF29P HPL Top	852	21	74	28 $\frac{1}{4}$	—	—	130 lbs.	4.7

- 74" credenza shell accommodates 2-36" wide undersurface units, 1-36" and 2-18" wide undersurface units, or 4-18" wide undersurface units
- 110" credenza shell accommodates 3-36" wide undersurface units, 1-36" and 4-18" wide undersurface units, 4-18" wide undersurface units, or 2-36" and 2-18" wide undersurface units
- Use with worksurface height units
- Assembly required



**TO ORDER, SPECIFY:**


1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

75N2474CSHF29L X X 461 461  
75N1228SSL MH


**CREENZA SHELL  
BOX/FILE HEIGHT**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H					
75N24110CSHF22L TFL Top	\$ 988	24	110	22 $\frac{1}{16}$	—	—	—	260 lbs.	7.8
75N24110CSHF22P HPL Top	1187	24	110	22 $\frac{1}{16}$	—	—	—	260 lbs.	7.8
75N21110CSHF22L TFL Top	\$ 939	21	110	22 $\frac{1}{16}$	—	—	—	260 lbs.	7.8
75N21110CSHF22P HPL Top	1127	21	110	22 $\frac{1}{16}$	—	—	—	260 lbs.	7.8
75N2474CSHF22L TFL Top	\$ 639	24	74	22 $\frac{1}{16}$	—	—	—	130 lbs.	4.7
75N2474CSHF22P HPL Top	765	24	74	22 $\frac{1}{16}$	—	—	—	130 lbs.	4.7
75N2174CSHF22L TFL Top	\$ 590	21	74	22 $\frac{1}{16}$	—	—	—	130 lbs.	4.7
75N2174CSHF22P HPL Top	707	21	74	22 $\frac{1}{16}$	—	—	—	130 lbs.	4.7

- 74" credenza shell accommodates 2-36" wide undersurface units
- 110" credenza shell accommodates 3-36" wide undersurface units
- Use with box/file height units
- Assembly required

**SUPPORT PANEL**



75N1228SSL	\$ 112	11 $\frac{7}{16}$	1 $\frac{3}{16}$	27 $\frac{3}{4}$	—	—	15 lbs.	0.8
75N1221SSL	97	11 $\frac{7}{16}$	1 $\frac{3}{16}$	21 $\frac{7}{16}$	—	—	15 lbs.	0.8

- To be used on any shell that has over 48" of unsupported worksurface
- Specify chassis laminate only





# RENEGADE

## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Units do not feature finished surface or back; must be utilized with shell
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>SHELL PEDESTAL UNDERSURFACE BOX/BOX/FILE</b> 	75N291829PUBBF	\$ 803	28 $\frac{7}{8}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	95 lbs.	10.6
	75N231829PUBBF	751	22 $\frac{3}{4}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	75 lbs.	10.0
	75N201829PUBBF	703	19 $\frac{7}{8}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	65 lbs.	9.6
	75N291529PUBBF	\$ 761	28 $\frac{7}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	95 lbs.	10.6
	75N231529PUBBF	709	22 $\frac{3}{4}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	75 lbs.	10.0
	75N201529PUBBF	658	19 $\frac{7}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	65 lbs.	9.6
	<ul style="list-style-type: none"> <li>• Tops and backs are open; to be used with shells or credenza shells</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
	75N291829PUFF	\$ 803	28 $\frac{7}{8}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	95 lbs.	10.6
	75N231829PUFF	751	22 $\frac{3}{4}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	75 lbs.	10.0
<b>SHELL PEDESTAL UNDERSURFACE FILE/FILE</b> 	75N201829PUFF	703	19 $\frac{7}{8}$	17 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	65 lbs.	9.6
	75N291529PUFF	\$ 761	28 $\frac{7}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	95 lbs.	10.6
	75N231529PUFF	709	22 $\frac{3}{4}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	75 lbs.	10.0
	75N201529PUFF	658	19 $\frac{7}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	65 lbs.	9.6
	<ul style="list-style-type: none"> <li>• Tops and backs are open; to be used with shells or credenza shells</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
	75N2918PUBF	\$ 640	28 $\frac{7}{8}$	17 $\frac{1}{2}$	19 $\frac{3}{4}$	—	—	70 lbs.	7.8
	75N2318PUBF	584	22 $\frac{3}{4}$	17 $\frac{1}{2}$	19 $\frac{3}{4}$	—	—	50 lbs.	7.0
	75N2018PUBF	562	19 $\frac{7}{8}$	17 $\frac{1}{2}$	19 $\frac{3}{4}$	—	—	40 lbs.	6.5
<b>SHELL PEDESTAL UNDERSURFACE BOX/FILE SUSPENDED</b> 	75N2915PUBF	\$ 592	28 $\frac{7}{8}$	14 $\frac{1}{2}$	19 $\frac{3}{4}$	—	—	70 lbs.	7.8
	75N2315PUBF	537	22 $\frac{3}{4}$	14 $\frac{1}{2}$	19 $\frac{3}{4}$	—	—	50 lbs.	7.0
	75N2015PUBF	515	19 $\frac{7}{8}$	14 $\frac{1}{2}$	19 $\frac{3}{4}$	—	—	40 lbs.	6.5
	<ul style="list-style-type: none"> <li>• Tops and backs are open; to be suspended in freestanding or linkable shells</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
	75N233629LFM2	\$ 902	22 $\frac{3}{4}$	35 $\frac{7}{8}$	27 $\frac{3}{4}$	—	—	120 lbs.	20.4
	75N203629LFM2	878	19 $\frac{7}{8}$	35 $\frac{7}{8}$	27 $\frac{3}{4}$	—	—	100 lbs.	19.5
	<ul style="list-style-type: none"> <li>• Tops and backs are open; to be used with shells or credenza shells</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>TWO DRAWER LATERAL FILE UNDERSURFACE</b> 									







**TO ORDER, SPECIFY:**

1. Model Number
2. Pull
3. Locking
4. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

75N291829PUBBF 86 KS1B 480  
75N233629PUOS TF

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
			D	W	H						
	SHELL PEDESTAL BOX/LATERAL FILE	75N233622PUBL	\$ 855	22 <sup>3</sup> / <sub>4</sub>	35 <sup>7</sup> / <sub>8</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	120 lbs.	20.4	
		75N203622PUBL	832	19 <sup>7</sup> / <sub>8</sub>	35 <sup>7</sup> / <sub>8</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	100 lbs.	19.5	
	<ul style="list-style-type: none"><li>• Tops and backs are open; to be used with box/file height shells or box/file height credenza shells</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>										
	MULTI-FILE STORAGE CABINET UNDERSURFACE	FILE DRAWER ON LEFT	FILE DRAWER ON RIGHT								
		75N233629PU11	75N233629PU10	\$ 1637	22 <sup>3</sup> / <sub>4</sub>	35 <sup>7</sup> / <sub>8</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	120 lbs.	20.4
		75N203629PU11	75N203629PU10	1611	19 <sup>7</sup> / <sub>8</sub>	35 <sup>7</sup> / <sub>8</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	100 lbs.	19.5
<ul style="list-style-type: none"><li>• To be used with shells or credenza shells</li><li>• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available</li></ul>											
Left shown											
	MIXED STORAGE CABINET UNDERSURFACE	OPEN STORAGE ON LEFT	OPEN STORAGE ON RIGHT								
		75N233629PU33	75N233629PU32	\$ 1203	22 <sup>3</sup> / <sub>4</sub>	35 <sup>7</sup> / <sub>8</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	120 lbs.	20.4
		75N203629PU33	75N203629PU32	1109	19 <sup>7</sup> / <sub>8</sub>	35 <sup>7</sup> / <sub>8</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	100 lbs.	19.5
<ul style="list-style-type: none"><li>• To be used with shells or credenza shells</li><li>• Interior dimensions of open storage are 16<sup>3</sup>/<sub>4</sub>" W, 12" H</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>											
Left shown											
	SHELL PEDESTAL DOUBLE DOOR UNIT	75N233629PUH	\$ 673	22 <sup>3</sup> / <sub>4</sub>	35 <sup>7</sup> / <sub>8</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	110 lbs.	20.4	
		75N203629PUH	650	19 <sup>7</sup> / <sub>8</sub>	35 <sup>7</sup> / <sub>8</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	90 lbs.	19.5	
	<ul style="list-style-type: none"><li>• Tops and backs are open; to be used with shells or credenza shells</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>										
	OPEN UNDERSURFACE BOOKCASE WORKSURFACE HEIGHT	75N233629PUOS	\$ 604	22 <sup>3</sup> / <sub>4</sub>	35 <sup>7</sup> / <sub>8</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	90 lbs.	20.4	
		75N203629PUOS	576	19 <sup>7</sup> / <sub>8</sub>	35 <sup>7</sup> / <sub>8</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	70 lbs.	19.5	
	<ul style="list-style-type: none"><li>• Shelf is adjustable</li><li>• To be used with shells or credenza shells</li><li>• Do not specify pull</li></ul>										
	OPEN UNDERSURFACE BOOKCASE BOX/FILE HEIGHT	75N233622PUOS	\$ 604	22 <sup>3</sup> / <sub>4</sub>	35 <sup>7</sup> / <sub>8</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	90 lbs.	20.4	
		75N203622PUOS	576	19 <sup>7</sup> / <sub>8</sub>	35 <sup>7</sup> / <sub>8</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	70 lbs.	19.5	
	<ul style="list-style-type: none"><li>• Shelf is adjustable</li><li>• To be used with box/file height shells or box/file height credenza shells</li><li>• Do not specify pull</li></ul>										

# RENEGADE

## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

**To You In 10 Days or Less**

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations


### HIGHBACK ORGANIZER LAMINATE DOORS



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H						
Q75N7238HBH	\$ 1188	14¾	71⅞	38⅞	—	—	179 lbs.	37.0
75N7238HBH	1188	14¾	71⅞	38⅞	—	—	179 lbs.	37.0
75N6638HBH	1119	14¾	65⅞	38⅞	—	—	164 lbs.	34.1
75N6038HBH	1039	14¾	59⅞	38⅞	—	—	148 lbs.	31.3
75N4838HBH	893	14¾	47⅞	38⅞	—	—	126 lbs.	25.6

- Highback organizers feature 3 side-hinged doors on 48" and 4 side-hinged doors on anything over 48"
- Full back panels with cord management
- An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support
- For tack board options, see pages 520-525
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available


### HIGHBACK ORGANIZER FROSTED RESIN DOORS



75N7238HBHG	\$ 1499	14¾	71⅞	38⅞	—	—	179 lbs.	37.0
75N6638HBHG	1429	14¾	65⅞	38⅞	—	—	164 lbs.	34.1
75N6038HBHG	1351	14¾	59⅞	38⅞	—	—	148 lbs.	31.3
75N4838HBHG	1204	14¾	47⅞	38⅞	—	—	126 lbs.	25.6

- Highback organizers feature 3 side-hinged doors on 48" and 4 side-hinged doors on anything over 48"
- Full back panels with cord management
- An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support
- For tack board options, see pages 520-525


### HIGHBACK ORGANIZER NO DOORS



75N7238HBE	\$ 935	14	71⅞	38⅞	—	—	179 lbs.	37.0
75N6638HBE	894	14	65⅞	38⅞	—	—	164 lbs.	34.1
75N6038HBE	824	14	59⅞	38⅞	—	—	148 lbs.	31.3
75N4838HBE	653	14	47⅞	38⅞	—	—	126 lbs.	25.6

- Full back panels with cord management
- An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support
- For tack board options, see pages 520-525

### OVERHEAD STORAGE CABINET LAMINATE DOORS - WALL MOUNT



75N4818SOHM	\$ 754	14¾	47⅞	18⅞	—	—	120 lbs.	13.4
75N4218SOHM	722	14¾	41⅞	18⅞	—	—	100 lbs.	11.1
Q75N3618SOHM	667	14¾	35⅞	18⅞	—	—	76 lbs.	7.7
75N3618SOHM	667	14¾	35⅞	18⅞	—	—	76 lbs.	7.7
75N3018SOHM	610	14¾	29⅞	18⅞	—	—	64 lbs.	6.4

- Wall mount bracket is included
- Cabinets have a full height back panel
- 30" and 36" units have two doors; 42" and 48" have three doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Specify chassis laminate only
- For tack board options, see pages 520-525
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Wall mount overheads can be utilized with DIRT antler extrusion; see page 249


**TO ORDER, SPECIFY:**


1. Model Number
2. Locking
3. Door Frame Color
4. Chassis Laminate

**SAMPLE MODEL NUMBERS:**

Q75N7238HBH MC  
75N7238HBH KRB MC  
75N3018SOHMG KRB 462 HN


• See page 206 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
 <b>OVERHEAD STORAGE CABINET FROSTED RESIN DOORS - WALL MOUNT</b>	75N4818SOHMG	\$ 1065	14¾	47⅞	18½	—	—	120 lbs.	13.4	
	75N4218SOHMG	1034	14¾	41⅞	18½	—	—	100 lbs.	11.1	
	75N3618SOHMG	981	14¾	35⅞	18½	—	—	76 lbs.	7.7	
	75N3018SOHMG	923	14¾	29⅞	18½	—	—	64 lbs.	6.4	




- Wall mount bracket is included
- Cabinets have a full height back panel
- 30" and 36" units have two doors; 42" and 48" have three doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Aluminum door frames
- For tack board options, see pages 520-525
- Wall mount overheads can be utilized with DIRT antler extrusion; see below

**OVERHEAD STORAGE CABINET  
NO DOORS - WALL MOUNT**



Center Divider Panel shown



No Divider Panel shown

**CENTER DIVIDER PANEL**


75N4818SOEM	\$ 533	14	47 $\frac{7}{8}$	18 $\frac{1}{2}$	—	—	120 lbs.	13.4
75N4218SOEM	524	14	41 $\frac{7}{8}$	18 $\frac{1}{2}$	—	—	100 lbs.	11.1

**NO DIVIDER PANEL**

75N3618SOEM	\$ 462	14	35 $\frac{7}{8}$	18 $\frac{1}{2}$	—	—	76 lbs.	7.7
75N3018SOEM	431	14	29 $\frac{7}{8}$	18 $\frac{1}{2}$	—	—	64 lbs.	6.4

- Wall mount bracket is included
- Cabinets have a full height back panel
- Cabinets are open and do not have doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Specify chassis laminate only
- For tack board options, see pages 520-525
- Wall mount overheads can be utilized with DIRT antler extrusion; see below

**DIRTT OVERHEAD MOUNTING  
KITS**



NAC48OK	For 48" Overhead	\$ 171	1	6	1 $\frac{1}{8}$	—	—	8 lbs.	2.0
NAC42OK	For 42" Overhead	165	1	6	1 $\frac{1}{8}$	—	—	8 lbs.	2.0
NAC36OK	For 36" Overhead	158	1	6	1 $\frac{1}{8}$	—	—	8 lbs.	2.0
NAC30OK	For 30" Overhead	146	1	6	1 $\frac{1}{8}$	—	—	5 lbs.	1.5

- Available in black only
- For use with Epic, Renegade, and WaveWorks wall mount cabinets
- Bracket designed to interact with the DIRT antler extrusion
- Can be used with 13", 18", and 30" high cabinets
- 30" comes with two brackets; 36"-48" comes with three brackets; each kit also includes a mounting extrusion strip that matches the size of the overhead

# RENEGADE

## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY


- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

**To You In 10 Days or Less**

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations


### TWO DRAWER LATERAL FILE FREESTANDING



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
Q75N2436LFF2L TFL Top	\$ 1020	24	36 $\frac{1}{2}$	28 $\frac{7}{8}$	—	—	155 lbs.	22.2
75N2436LFF2L TFL Top	1020	24	36 $\frac{1}{2}$	28 $\frac{7}{8}$	—	—	155 lbs.	22.2
75N2436LFF2P HPL Top	1226	24	36 $\frac{1}{2}$	28 $\frac{1}{2}$	—	—	155 lbs.	22.2
75N2136LFF2L TFL Top	\$ 995	21	36 $\frac{1}{2}$	28 $\frac{7}{8}$	—	—	155 lbs.	22.2
75N2136LFF2P HPL Top	1195	21	36 $\frac{1}{2}$	28 $\frac{1}{2}$	—	—	155 lbs.	22.2

- Interlock mechanism allows only one drawer to be open at a time
- Top of unit is finished with softened PVC rim
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


### THREE DRAWER LATERAL FILE FREESTANDING



75N2436LFM3	\$ 1814	24	36 $\frac{1}{2}$	40 $\frac{1}{2}$	—	—	210 lbs.	30.0
75N2136LFM3	1778	21	36 $\frac{1}{2}$	40 $\frac{1}{2}$	—	—	210 lbs.	30.0

- Interlock mechanism allows only one drawer to be open at a time
- Top of unit is finished with flat edge detail
- Can be used with components tops to complete the unit or bank two or three files together
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available


### FOUR DRAWER LATERAL FILE FREESTANDING



Q75N2436LFM4	\$ 2116	24	36 $\frac{1}{2}$	52 $\frac{1}{2}$	—	—	265 lbs.	33.4
75N2436LFM4	2116	24	36 $\frac{1}{2}$	52 $\frac{1}{2}$	—	—	265 lbs.	33.4
75N2136LFM4	2080	21	36 $\frac{1}{2}$	52 $\frac{1}{2}$	—	—	265 lbs.	33.4

- Interlock mechanism allows only one drawer to be open at a time
- Top of unit is finished with flat edge detail
- Can be used with components tops to complete the unit or bank two or three files together
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

### COMPONENT TOPS FOR THREE AND FOUR DRAWER LATERAL FILES



75N24108CPTL TFL Top	\$ 561	24	108	1 $\frac{1}{2}$	—	—	96 lbs.	4.1
75N24108CPTP HPL Top	672	24	108	1 $\frac{1}{2}$	—	—	96 lbs.	4.1
75N21108CPTL TFL Top	\$ 520	21	108	1 $\frac{1}{2}$	—	—	96 lbs.	4.1
75N21108CPTP HPL Top	625	21	108	1 $\frac{1}{2}$	—	—	96 lbs.	4.1
75N2472CPTL TFL Top	\$ 348	24	71 $\frac{1}{2}$	1 $\frac{1}{2}$	—	—	81 lbs.	3.3
75N2472CPTP HPL Top	417	24	71 $\frac{1}{2}$	1 $\frac{1}{2}$	—	—	81 lbs.	3.3
75N2172CPTL TFL Top	\$ 325	21	71 $\frac{1}{2}$	1 $\frac{1}{2}$	—	—	81 lbs.	3.3
75N2172CPTP HPL Top	390	21	71 $\frac{1}{2}$	1 $\frac{1}{2}$	—	—	81 lbs.	3.3

- Component tops to be used on three or four high lateral files to complete a single unit or bank two to three units together





**TO ORDER, SPECIFY:**

1. Model Number
2. Pull
3. Locking
4. Worksurface Laminate
5. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

Q75N2436LFF2L MC  
75N2436LFF2L 86 KS1B TF TF  
75N2436LFM4 86 KS1B TF

	MODEL NO./DESCRIPTION			LIST PRICE		DIMENSIONS				CARTONED WEIGHT	CUBIC FEET	
						D	W	H	A	KW		
<b>COMPONENT TOPS FOR THREE AND FOUR DRAWER LATERAL FILES (CONTINUED)</b> 	75N2436CPTL	TFL Top		\$	202	24	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	45 lbs.	1.8
	75N2436CPTP	HPL Top			241	24	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	45 lbs.	1.8
	75N2136CPTL	TFL Top		\$	181	21	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	45 lbs.	1.8
	75N2136CPTP	HPL Top			217	21	36 $\frac{1}{16}$	1 $\frac{1}{8}$	—	—	45 lbs.	1.8
	• Component tops to be used on three or four high lateral files to complete a single unit or bank two to three units together											
<b>DOUBLE DOOR UNIT FREESTANDING</b> 	75N2436PFHL	TFL Top		\$	805	24	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	130 lbs.	22.2
	75N2436PFHP	HPL Top			967	24	36 $\frac{1}{16}$	28 $\frac{1}{2}$	—	—	130 lbs.	22.2
	75N2136PFHL	TFL Top		\$	780	21	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	130 lbs.	22.2
	75N2136PFHP	HPL Top			935	21	36 $\frac{1}{16}$	28 $\frac{1}{2}$	—	—	130 lbs.	22.2
	• Features an adjustable shelf • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
<b>MIXED STORAGE CABINET FREESTANDING</b>  Left shown	<b>OPEN STORAGE ON LEFT</b>	<b>OPEN STORAGE ON RIGHT</b>										
	75N2436PF33L	75N2436PF32L	TFL Top	\$	1234	24	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	155 lbs.	22.2
	75N2436PF33P	75N2436PF32P	HPL Top		1480	24	36 $\frac{1}{16}$	28 $\frac{1}{2}$	—	—	155 lbs.	22.2
	75N2136PF33L	75N2136PF32L	TFL Top	\$	1140	21	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	155 lbs.	22.2
	75N2136PF33P	75N2136PF32P	HPL Top		1368	21	36 $\frac{1}{16}$	28 $\frac{1}{2}$	—	—	155 lbs.	22.2
	• Interior dimensions of open storage are 16 $\frac{3}{4}$ " W, 12" H • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available											
<b>MULTI-FILE STORAGE CABINET FREESTANDING</b>  Left shown	<b>FILE DRAWER ON LEFT</b>	<b>FILE DRAWER ON RIGHT</b>										
	75N2436PF11L	75N2436PF10L	TFL Top	\$	1677	24	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	155 lbs.	22.2
	75N2436PF11P	75N2436PF10P	HPL Top		2013	24	36 $\frac{1}{16}$	28 $\frac{1}{2}$	—	—	155 lbs.	22.2
	75N2136PF11L	75N2136PF10L	TFL Top	\$	1652	21	36 $\frac{1}{16}$	28 $\frac{7}{8}$	—	—	155 lbs.	22.2
	75N2136PF11P	75N2136PF10P	HPL Top		1982	21	36 $\frac{1}{16}$	28 $\frac{1}{2}$	—	—	155 lbs.	22.2
• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available												

# RENEGADE

## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List


## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

**To You In 10 Days or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

### STORAGE/WARDROBE WITH FILE/FILE PEDESTAL



Left shown

#### MODEL NO./DESCRIPTION


##### LEFT HINGED

##### RIGHT HINGED

75N242468VHHL2	75N242468VHHR2	\$ 1658	23%	24	66%	—	—	213 lbs.	27.0
75N212468VHHL2	75N212468VHHR2	1561	20%	24	66%	—	—	193 lbs.	22.3

- Removable coat rod is standard
- Storage cabinet contains two adjustable shelves
- Interior dimensions of wardrobe are 5" W, 19" D, 64½" H
- Interior dimensions of storage are 16¼" W, 19" D, 38¾" H
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less

### STORAGE BOOKCASE/WARDROBE WITH FILE/FILE PEDESTAL



Left shown


##### LEFT HINGED

##### RIGHT HINGED

75N242468VBWHL2	75N242468VBWHR2	\$ 1839	23%	24	66%	—	—	213 lbs.	27.0
75N212468VBWHL2	75N212468VBWHR2	1742	20%	24	66%	—	—	193 lbs.	22.3

- Removable coat rod is standard
- Bookcase contains two adjustable shelves
- Interior dimensions of wardrobe are 5" W, 19" D, 64½" H
- Interior dimensions of storage are 16¼" W, 19" D, 38¾" H
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Wardrobe door features a standard pull
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less


### STORAGE/LATERAL FILE CABINET



75N243668VHF2	\$ 2022	23%	35%	66%	—	—	273 lbs.	33.0
75N213668VHF2	1901	20%	35%	66%	—	—	250 lbs.	29.0

- Two adjustable shelves are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less

### DOUBLE DOOR WARDROBE



75N243668VHH	\$ 2240	23%	35%	66%	—	—	160 lbs.	48.6
75N213668VHH	1938	20%	35%	66%	—	—	150 lbs.	43.0

- Coat rod standard
- Specify chassis laminate only
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less



**TO ORDER, SPECIFY:**

1. Model Number
2. Pull
3. Locking
4. Chassis Laminate


**SAMPLE MODEL NUMBERS:**

Q75N3668BCOF MC  
75N243668VHH KS1B 462  
75N3638BCO HN

• See page 206 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			


**DOUBLE DOOR STORAGE CABINET**



75N243668VSH	\$ 2070	23 $\frac{3}{4}$ "	35 $\frac{1}{2}$ "	66 $\frac{1}{2}$ "	—	—	160 lbs.	48.6
75N213668VSH	1814	20 $\frac{7}{8}$ "	35 $\frac{1}{2}$ "	66 $\frac{1}{2}$ "	—	—	150 lbs.	43.0

- Shaded shelves are adjustable
- Specify chassis laminate only
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less

**WARDROBE/STORAGE CABINET**




Left shown

LEFT HINGED	RIGHT HINGED								
75N241868VSWHL	75N241868VSWHR	\$ 1134	23 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	66 $\frac{1}{2}$ "	—	—	160 lbs.	26.7
75N211868VSWHL	75N211868VSWHR	997	20 $\frac{7}{8}$ "	17 $\frac{1}{2}$ "	66 $\frac{1}{2}$ "	—	—	160 lbs.	26.7

- Shaded shelves are adjustable
- Can be used as a wardrobe unit by removing adjustable shelves
- Removable coat rod is standard
- Specify chassis laminate only
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less


**FREESTANDING BOOKCASE**



Q75N3668BCOF	\$ 784	13 $\frac{3}{4}$ "	35 $\frac{1}{2}$ "	66 $\frac{1}{2}$ "	—	—	188 lbs.	31.6
75N3668BCOF	784	13 $\frac{3}{4}$ "	35 $\frac{1}{2}$ "	66 $\frac{1}{2}$ "	—	—	188 lbs.	31.6
75N3653BCOF	691	13 $\frac{3}{4}$ "	35 $\frac{1}{2}$ "	52 $\frac{1}{2}$ "	—	—	140 lbs.	26.7
75N3640BCOF	596	13 $\frac{3}{4}$ "	35 $\frac{1}{2}$ "	40 $\frac{1}{2}$ "	—	—	112 lbs.	20.6

- Specify chassis laminate only
- Shaded shelves are adjustable
- Not intended for use as set-on surface storage
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less

**SET-ON BOOKCASE**



Q75N3638BCO	\$ 520	13 $\frac{3}{4}$ "	35 $\frac{1}{2}$ "	38	—	—	100 lbs.	20.6
75N3638BCO	520	13 $\frac{3}{4}$ "	35 $\frac{1}{2}$ "	38	—	—	100 lbs.	20.6

- Specify chassis laminate only
- Shaded shelves are adjustable




# RENEGADE

## PRODUCT SPECIFICATIONS

- Refer to page 209 for grommet locations and page 207 for grommet options and upcharges
- Refer to pages 489-526 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>SET-ON BOOKCASE FROSTED RESIN DOORS</b>  	75N3638BCHG	\$ 1080	13 <sup>3</sup> / <sub>8</sub> "	35 <sup>7</sup> / <sub>8</sub> "	38"	—	—	100 lbs.	20.6
	<ul style="list-style-type: none"> <li>• Shaded shelves are adjustable</li> <li>• Specify door frame color and chassis laminate only</li> <li>• Aluminum door frames</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>SET-ON BOOKCASE LAMINATE DOORS</b>  	75N3638BCH	\$ 563	13 <sup>3</sup> / <sub>8</sub> "	35 <sup>7</sup> / <sub>8</sub> "	38"	—	—	100 lbs.	20.6
	<ul style="list-style-type: none"> <li>• Shaded shelves are adjustable</li> <li>• Specify chassis laminate only</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								
<b>MOBILE PEDESTAL</b>  	75N2315PMBF	\$ 718	22 <sup>1</sup> / <sub>8</sub> "	15 <sup>1</sup> / <sub>8</sub> "	21 <sup>1</sup> / <sub>8</sub> "	—	—	76 lbs.	8.7
	<ul style="list-style-type: none"> <li>• Four double wheel non-locking casters standard</li> <li>• Maximum weight unit can hold is 300 pounds</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> </ul>								

**TO ORDER, SPECIFY:**


1. Model Number
2. Pull
3. Grommet
4. Locking
5. Door Frame Color
6. Worksurface Laminate
7. Chassis Laminate

• See page 206 for all options available in Renegade

**SAMPLE MODEL NUMBERS:**

75N2315PMBFC 87MB KS1B 2 20101 405  
75N3638BCHG 87MB KRB

**MOBILE PEDESTAL  
CUSHION TOP**



MODEL NO./DESCRIPTION	LIST PRICE		DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
	D	W	H							
GRADE / LIST PRICE										
	1	2/COM	3/COL	4	5	6	7			
75N2315PMBFC	\$ 718	738	747	761	776	803	838			
ALLIANCE GRADE / LIST PRICE										
	A	B	C	D	E	F	G	H	I	J
\$	750	770	787	804	823	843	857	877	898	917
	K	L	M	N	O	P	Q	R	S	T
\$	949	1013	1052	1072	1093	1113	1134	1153	1174	1194
DIMENSIONS										
Depth	22 <sup>1</sup> / <sub>4</sub>	Height		23				Weight	78	
Width	15 <sup>1</sup> / <sub>8</sub>							Cubic Ft.	9.2	
<ul style="list-style-type: none"><li>• Four double wheel non-locking casters standard</li><li>• Refer to pages 13-20 and <a href="http://www.NationalOfficeFurniture.com/Alliance">www.NationalOfficeFurniture.com/Alliance</a> for available fabric options</li><li>• Maximum weight unit can hold is 300 pounds</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li></ul>										


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

## SAMPLE MODEL NUMBERS:

75N2430PTL G1C 860 461

			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
	MODEL NO./DESCRIPTION			D	W	H	A	KW			
	PRINTER/TELEPHONE STAND	75N2430PTL	TFL Top	\$ 663	23¾	29¾	29½	—	—	91 lbs.	3.0
		75N2430PTP	HPL Top	796	23¾	29¾	29½	—	—	91 lbs.	3.0
MPK-4		Set of 4 casters	69	For use as a mobile unit					1 lbs.	0.2	

	75N60WSHRL TFL Top	\$ 340	30	60	1¾	—	—		69 lbs.	2.8
	75N60WSHRP HPL Top	409	30	60	1¾	—	—		69 lbs.	2.8
	75N48WSHRL TFL Top	\$ 284	24	48¾	1¾	—	—		57 lbs.	2.3
	75N48WSHRP HPL Top	341	24	48¾	1¾	—	—		57 lbs.	2.3
	75N42WSHRL TFL Top	\$ 249	24	42	1¾	—	—		50 lbs.	2.0
	75N42WSHRP HPL Top	299	24	42	1¾	—	—		50 lbs.	2.0

- Specify grommet and worksurface laminate only
- Support base must be ordered separately; see below for support base options

SUPPORT BASE			DI	H					
	NAC0428SFRNB Metal	\$ 190	4	—	27¾-29¼	—		10 lbs.	1.0

- Adjustable glide standard
- Specify paint colors: (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional upper and lower (CUL) wire management cutout

---

# ROOSEVELT

## PRODUCT SPECIFICATIONS

### WORKSURFACE

- 1½" bookmatched walnut veneer or 1" TFL (thermally fused laminate) work surface
- Mitered rim and base
- Grain direction runs left-to-right unless otherwise noted
- Two sheen options available on most work surfaces

### FINISH APPLICATION

- Roosevelt series finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Work surfaces feature a full fill finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

### CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- ¾" thick full modesty panels
- Grain direction runs vertical on all modesty panels
- ¾" thick end panels
- Standard leveling glides
- Units feature semi-finished backs (stained with some exposed hardware) unless noted

### MOLDING

- Solid wood, mitered, overlay moldings optional on modesty panels of desks only (excluding reception desk)

### PULLS


- Available with one pull: Scroll with matching knob for highbacks and wardrobes
- Available in two colors: Antique Brass or Classic Nickel

### DRAWERS

- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

### DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below



### CORD MANAGEMENT

- Grommets available in predetermined locations for an additional upcharge
- Optional wire managers are available (see accessory pages)
- Standard in highback organizers
- Wire management cutout included on inside pedestal panel for routing of wires from pedestal to kneespace area when grommet is featured on surface

### LOCKING

- Black lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked at the factory and factory installed in unit
- Key Specific means you can pick any number (1-200) lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 500

### EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS WIDTH	DEPTH	HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
Dictation Slide	13⅞"	24¼"	¾"	N/A
Center Drawers				
3672DP, 3066DP	28½"	17"	2⅞"	N/A
3672LP, 3672RP	28½"	17"	2⅞"	N/A
3066LP, 3066RP	22¾"	17"	2⅞"	N/A
Box Drawer	12⅞"	17"	3⅞"	N/A
File Drawer – Desk	12⅞"	17"	9½"	Letter
File Drawer – Return and Credenza	15⅞"	17"	9½"	Legal
File Drawer – Lateral File	30⅞"	15"	9½"	Letter/Letter, Letter/Legal or Letter/EDP

- Dictation slide extends 17" from desk
- All file drawers file letter, legal and EDP side-to-side

**WOOD FINISHES**


CW Cordovan  
 DW Judicial  
 MH Mocha  
 TF Truffle

**WORKSURFACE  
SHEEN OPTIONS**

R Standard  
 N Matte/Satin

**MOLDING (DESKS ONLY)**

M Molding  
 X No molding

**RIM PROFILE****PULL/KNOB****Scroll (82)**

82AB Antique Brass  
 82CN Classic Nickel  
 (Boring Pattern 102mm)


**GROMMET OPTIONS**

If no grommet is desired, specify an X (No Grommet)

**Round Grommet, Black Plastic**

\$25 list for each grommet

G13C Center  
 G13LR Left & Right



**Round Grommet  
Plastic**

**LOCKING****KEY RANDOM**

KRB Black

**KEY SPECIFIC**

KS1B Black, 1 lock per unit  
 KS2B Black, 2 locks per unit  
 KS3B Black, 3 locks per unit  
 KS4B Black, 4 locks per unit

Unit list price will be reduced by \$15 per lock when selecting Key Specific option. Must order specific lock cores separately (\$15 list each). See page 500 for Key Specific model numbers.

**QUICK DELIVERY MODELS**

Models starting with a "Q" will have the following options in stock:

Q models include grommet(s) upcharge

Rim Profile: Traditional

Molding: Included on desks only

Pull: Scroll 82AB Antique Brass

Grommets: Included on bridges, returns and credenzas

Locking: Random black cores

Sheen: Standard

Finish: Cordovan (CW)

## ROOSEVELT L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:

- Scroll, Antique Brass pulls
- Standard sheen
- Center grommet in return
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

CW Cordovan    MH Mocha  
DW Judicial    TF Truffle

**To You In 10 DAYS ...or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
<b>LEFT L-CONFIGURATION WOOD TOP</b> 	51N8672LLFW	85¾D x 71¾W	\$ 4361
	consists of		
	51N3672DRFW1	Right Pedestal Desk	2515
	51N2450RLEFW2	Left Pedestal Return	1846
	51N8066LLFW	79¾D x 66W	\$ 4104
	consists of		
	51N3066DRFW1	Right Pedestal Desk	2258
	51N2450RLEFW2	Left Pedestal Return	1846

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
<b>RIGHT L-CONFIGURATION WOOD TOP</b> 	51N8672LRFW	85¾D x 71¾W	\$ 4361
	consists of		
	51N3672DLFW1	Left Pedestal Desk	2515
	51N2450RREFW2	Right Pedestal Return	1846
	51N8066LRFW	79¾D x 66W	\$ 4104
	consists of		
	51N3066DLFW1	Left Pedestal Desk	2258
	51N2450RREFW2	Right Pedestal Return	1846

<b>LEFT L-CONFIGURATION LAMINATE TOP</b> 	Q51N8672LLFLW	85¾D x 71¾W	\$ 4051
	51N8672LLFLW	85¾D x 71¾W	\$ 4051
	consists of		
	51N3672DRFLW1	Right Pedestal Desk	2330
	51N2450RLEFLW2	Left Pedestal Return	1721
	51N8066LLFLW	79¾D x 66W	\$ 3804
	consists of		
	51N3066DRFLW1	Right Pedestal Desk	2083
	51N2450RLEFLW2	Left Pedestal Return	1721

<b>RIGHT L-CONFIGURATION LAMINATE TOP</b> 	Q51N8672LRFLW	85¾D x 71¾W	\$ 4051
	51N8672LRFLW	85¾D x 71¾W	\$ 4051
	consists of		
	51N3672DLFLW1	Left Pedestal Desk	2330
	51N2450RREFLW2	Right Pedestal Return	1721
	51N8066LRFLW	79¾D x 66W	\$ 3804
	consists of		
	51N3066DLFLW1	Left Pedestal Desk	2083
	51N2450RREFLW2	Right Pedestal Return	1721



## ROOSEVELT U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

### ARRANGEMENTS INCLUDE:

- Scroll, Antique Brass pulls
- Standard sheen
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

### TO ORDER, SPECIFY FINISH:

CW Cordovan MH Mocha  
DW Judicial TF Truffle

**To You In 10 DAYS or Less**  
Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE	U-CONFIGURATIONS	MODEL NO./DESCRIPTION	LIST PRICE
<b>LEFT U-CONFIGURATION WOOD TOP</b> 	51N10772ULFW	106¾D x 71¾W \$ 5598	<b>RIGHT U-CONFIGURATION WOOD TOP</b> 	51N10772URFW	106¾D x 71¾W \$ 5598
	consists of			consists of	
	51N3672DRFW1	Right Pedestal Desk 2515		51N3672DLFW1	Left Pedestal Desk 2515
	51N2450BEFW	Bridge 827		51N2450BEFW	Bridge 827
	51N2172CLFW2	Left Pedestal Credenza 2256		51N2172CRFW2	Right Pedestal Credenza 2256
	51N9972ULFW	98¾D x 71¾W \$ 5551		51N9972URFW	98¾D x 71¾W \$ 5551
	consists of			consists of	
	51N3672DRFW1	Right Pedestal Desk 2515		51N3672DLFW1	Left Pedestal Desk 2515
	51N2442BEFW	Bridge 780		51N2442BEFW	Bridge 780
	51N2172CLFW2	Left Pedestal Credenza 2256		51N2172CRFW2	Right Pedestal Credenza 2256
	51N10166ULFW	100¾D x 66W \$ 5021		51N10166URFW	100¾D x 66W \$ 5021
	consists of			consists of	
	51N3066DRFW1	Right Pedestal Desk 2258		51N3066DLFW1	Left Pedestal Desk 2258
	51N2450BEFW	Bridge 827		51N2450BEFW	Bridge 827
	51N2166CLFW2	Left Pedestal Credenza 1936		51N2166CRFW2	Right Pedestal Credenza 1936
	51N9366ULFW	92¾D x 66W \$ 4974		51N9366URFW	92¾D x 66W \$ 4974
	consists of			consists of	
	51N3066DRFW1	Right Pedestal Desk 2258		51N3066DLFW1	Left Pedestal Desk 2258
	51N2442BEFW	Bridge 780		51N2442BEFW	Bridge 780
	51N2166CLFW2	Left Pedestal Credenza 1936		51N2166CRFW2	Right Pedestal Credenza 1936
<b>LEFT U-CONFIGURATION LAMINATE TOP</b> 	Q51N10772ULFLW	106¾D x 71¾W \$ 5197	<b>RIGHT U-CONFIGURATION LAMINATE TOP</b> 	Q51N10772URFLW	106¾D x 71¾W \$ 5197
	51N10772ULFLW	106¾D x 71¾W \$ 5197		51N10772URFLW	106¾D x 71¾W \$ 5197
	consists of			consists of	
	51N3672DRFLW1	Right Pedestal Desk 2330		51N3672DLFLW1	Left Pedestal Desk 2330
	51N2450BEFLW	Bridge 796		51N2450BEFLW	Bridge 796
	51N2172CLFLW2	Left Pedestal Credenza 2071		51N2172CRFLW2	Right Pedestal Credenza 2071
	Q51N9972ULFLW	98¾D x 71¾W \$ 5151		Q51N9972URFLW	98¾D x 71¾W \$ 5151
	51N9972ULFLW	98¾D x 71¾W \$ 5151		51N9972URFLW	98¾D x 71¾W \$ 5151
	consists of			consists of	
	51N3672DRFLW1	Right Pedestal Desk 2330		51N3672DLFLW1	Left Pedestal Desk 2330
	51N2442BEFLW	Bridge 750		51N2442BEFLW	Bridge 750
	51N2172CLFLW2	Left Pedestal Credenza 2071		51N2172CRFLW2	Right Pedestal Credenza 2071
	51N10166ULFLW	100¾D x 66W \$ 4607		51N10166URFLW	100¾D x 66W \$ 4607
	consists of			consists of	
	51N3066DRFLW1	Right Pedestal Desk 2083		51N3066DLFLW1	Left Pedestal Desk 2083
	51N2450BEFLW	Bridge 796		51N2450BEFLW	Bridge 796
	51N2166CLFLW2	Left Pedestal Credenza 1728		51N2166CRFLW2	Right Pedestal Credenza 1728
	51N9366ULFLW	92¾D x 66W \$ 4561		51N9366URFLW	92¾D x 66W \$ 4561
	consists of			consists of	
	51N3066DRFLW1	Right Pedestal Desk 2083		51N3066DLFLW1	Left Pedestal Desk 2083
	51N2442BEFLW	Bridge 750		51N2442BEFLW	Bridge 750
	51N2166CLFLW2	Left Pedestal Credenza 1728		51N2166CRFLW2	Right Pedestal Credenza 1728

# ROOSEVELT

## PRODUCT SPECIFICATIONS

- Specify and add \$25 list for EACH grommet

## DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width



## SAMPLE MODEL NUMBERS:

51N3672DDFW8 M 82AB G13LR KS3B N MH  
51N3672DTW 82AB R MH  
51N2450RLEFW2 82AB X KRB R MH

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### DOUBLE PEDESTAL DESK




Desk with optional molding

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
51N3672DDFW8 Wood Top	\$ 2683	35¾	71¾	29½	7¾	32¾	362 lbs.	57.4
Q51N3672DDFLW8 Laminate Top	2573	35¾	71¾	29½	7¾	32¾	362 lbs.	57.4
51N3672DDFLW8 Laminate Top	2573	35¾	71¾	29½	7¾	32¾	362 lbs.	57.4
51N3066DDFW8 Wood Top	\$ 2623	29¾	66	29½	1¾	25¾	285 lbs.	45.3
51N3066DDFLW8 Laminate Top	2509	29¾	66	29½	1¾	25¾	285 lbs.	45.3

- The user side overhang is 1"
- Locking center drawer and dictation slide included with unit
- Grommet (G13LR) available
- Optional molding on approach side
- Line art shown with optional molding
- Quick Delivery model includes molding
- Random lock core (KRB) and specified lock core (KS3B) available


### CHIPPENDALE TABLE DESK



51N3672DTW Wood Top	\$ 2005	35¾	71¾	29½	—	—	129 lbs.	10.7
51N3672DTLW Laminate Top	1881	35¾	71¾	29½	—	—	129 lbs.	10.7

- Do not specify molding or grommet options
- Non-locking center drawer included with unit
- Some assembly required

### SINGLE PEDESTAL DESK



Right shown

LEFT PEDESTAL		RIGHT PEDESTAL							CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
51N3672DLFW1	51N3672DRFW1	Wood Top	\$ 2515	35¾	71¾	29½	7¾	31¾	311 lbs.	57.4
Q51N3672DLFLW1	Q51N3672DRFLW1	Laminate Top	2330	35¾	71¾	29½	7¾	31¾	311 lbs.	57.4
51N3672DLFLW1	51N3672DRFLW1	Laminate Top	2330	35¾	71¾	29½	7¾	31¾	311 lbs.	57.4
51N3066DLFW1	51N3066DRFW1	Wood Top	\$ 2258	29¾	66	29½	1¾	25¾	245 lbs.	45.3
51N3066DLFLW1	51N3066DRFLW1	Laminate Top	2083	29¾	66	29½	1¾	25¾	245 lbs.	45.3


- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Optional molding on approach side
- Quick Delivery model includes molding
- Random lock core (KRB) and specified lock core (KS2B) available

Specify selections, left to right:


BASE MODEL	MOLDING	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
51N3672DDFW8	M Molding X No molding M	82AB Antique Brass 82CN Classic Nickel 82AB	G13LR Left & Right G13C Center X No Grommet G13LR	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black KS3B Key Specific, Black KS3B	R Standard N Matte/Satin N	CW Cordovan DW Judicial MH Mocha TF Truffle MH

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
-----------------------	------------	---	---	---	---	----	-----------------	------------


## RECEPTION DESK/RETURN



Left Reception Desk



Right Reception Return



## RECEPTION DESK

## LEFT PEDESTAL RIGHT PEDESTAL

51N3072DTLFW1	51N3072DTRFW1	Wood Top	\$ 3702	30 $\frac{1}{2}$	71 $\frac{1}{4}$	43 $\frac{1}{2}$	—	—	530 lbs.	69.9
51N3072DTLFLW1	51N3072DTRFLW1	Laminate Top	3523	30 $\frac{1}{2}$	71 $\frac{1}{4}$	43 $\frac{1}{2}$	—	—	530 lbs.	69.9

- Must be used with reception return
- Grommet (G13C) available
- Molding option not available
- Random lock core (KRB) and specified lock core (KS1B) available


## RECEPTION RETURN

## LEFT RIGHT

51N2451RTLW2	51N2451RTRW2	Wood Top	\$ 2473	23 $\frac{3}{8}$	50 $\frac{3}{4}$	42	—	—	300 lbs.	43.1
51N2451RTLLW2	51N2451RTRLW2	Laminate Top	2381	23 $\frac{3}{8}$	50 $\frac{3}{4}$	42	—	—	300 lbs.	43.1

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

## RETURN




Right shown

## LEFT PEDESTAL RIGHT PEDESTAL

51N2450RLEFW2	51N2450RREFW2	Wood Top	\$ 1821	23 $\frac{3}{4}$	50	29 $\frac{1}{2}$	—	30 $\frac{3}{4}$	159 lbs.	29.7
Q51N2450RLEFLW2	Q51N2450RREFLW2	Laminate Top	1721	23 $\frac{3}{4}$	50	29 $\frac{1}{2}$	—	30 $\frac{3}{4}$	159 lbs.	29.7
51N2450RLEFLW2	51N2450RREFLW2	Laminate Top	1696	23 $\frac{3}{4}$	50	29 $\frac{1}{2}$	—	30 $\frac{3}{4}$	159 lbs.	29.7

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

## CORNER UNIT



51N3636CFSW	Wood Top	\$ 1414	36	36	29 $\frac{1}{2}$	—	—	104 lbs.	5.2
51N3636CFSLW	Laminate Top	1296	36	36	29 $\frac{1}{2}$	—	—	104 lbs.	5.2

- Not recommended as a freestanding unit due to routing in the rim
- Unit must be attached to bridge and/or return
- Some assembly required
- Grain direction runs diagonal on worksurface
- Grommet (G13C) available

# ROOSEVELT

## PRODUCT SPECIFICATIONS

- Specify and add \$25 list for EACH grommet

## DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width


## SAMPLE MODEL NUMBERS:

51N2172CFFW 82AB G13LR KRB N DW  
51N2172CLFW6 82CN X KRB N DW  
51N7236HBHW 82CN KRB DW

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


### BRIDGE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
51N2450BEFW	Wood Top	\$ 802	23¾	50	29½	—	50	78 lbs.	3.0
Q51N2450BEFLW	Laminate Top	796	23¾	50	29½	—	50	72 lbs.	3.0
51N2450BEFLW	Laminate Top	771	23¾	50	29½	—	50	72 lbs.	3.0
51N2442BEFW	Wood Top	\$ 755	23¾	42	29½	—	42	71 lbs.	2.6
Q51N2442BEFLW	Laminate Top	750	23¾	42	29½	—	42	65 lbs.	2.6
51N2442BEFLW	Laminate Top	725	23¾	42	29½	—	42	65 lbs.	2.6

- Do not specify pull
- Grommet (G13C) available
- Some assembly required
- Grain direction runs front-to-back on worksurface


### STORAGE CREDENZA



51N2172CSFW2	Wood Top	\$ 2715	21	71¾	29½	—	—	340 lbs.	36.4
Q51N2172CSFLW2	Laminate Top	2565	21	71¾	29½	—	—	340 lbs.	36.4
51N2172CSFLW2	Laminate Top	2515	21	71¾	29½	—	—	340 lbs.	36.4

- Features an adjustable laminate shelf which measures 12" deep, 32¾" wide and 1" thick
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS2B) available


### LATERAL FILE CREDENZA



51N2172CFFW	Wood Top	\$ 2715	21	71¾	29½	—	—	333 lbs.	36.4
51N2172CFFLW	Laminate Top	2515	21	71¾	29½	—	—	333 lbs.	36.4

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS4B) available

### KNEESPACE CREDENZA




51N2172CKFW2	Wood Top	\$ 2452	21	71¾	29½	—	33¾	234 lbs.	36.4
Q51N2172CKFLW2	Laminate Top	2277	21	71¾	29½	—	33¾	234 lbs.	36.4
51N2172CKFLW2	Laminate Top	2252	21	71¾	29½	—	33¾	234 lbs.	36.4
51N2166CKFW2	Wood Top	\$ 2228	21	65¾	29½	—	27¾	175 lbs.	24.5
51N2166CKFLW2	Laminate Top	2125	21	65¾	29½	—	27¾	175 lbs.	24.5

- Features standard wire management centered in the modesty panel and 1¾" down from the top
- Grommet (G13LR, G13C) available
- Quick Delivery model includes G13C center grommet
- Random lock core (KRB) and specified lock core (KS2B) available

Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
51N2172CFFW	82AB Antique Brass 82CN Classic Nickel	G13LR Left & Right G13C Center X No Grommet	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black KS4B Key Specific, Black	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle
	82AB	G13LR	KRB	N	DW

### SINGLE PEDESTAL CREDENZA LATERAL FILE




Left shown

#### MODEL NO./DESCRIPTION

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
51N2172CLFW6	51N2172CRFW6	Wood Top	\$ 2268	21	71¾	29½	—	10%	234 lbs.	36.4
51N2172CLFLW6	51N2172CRFLW6	Laminate Top	2144	21	71¾	29½	—	10%	234 lbs.	36.4

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

### SINGLE PEDESTAL CREDENZA FILE/FILE




Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
51N2172CLFW2	51N2172CRFW2	Wood Top	\$ 2206	21	71¾	29½	—	28%	195 lbs.	36.4
Q51N2172CLFLW2	Q51N2172CRFLW2	Laminate Top	2071	21	71¾	29½	—	28%	195 lbs.	36.4
51N2172CLFLW2	51N2172CRFLW2	Laminate Top	2021	21	71¾	29½	—	28%	195 lbs.	36.4
51N2166CLFW2	51N2166CRFW2	Wood Top	\$ 1886	21	65¾	29½	—	22%	155 lbs.	24.5
51N2166CLFLW2	51N2166CRFLW2	Laminate Top	1678	21	65¾	29½	—	22%	155 lbs.	24.5

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR, G13C) available
- Quick Delivery model includes G13LR left and right grommets
- Random lock core (KRB) and specified lock core (KS1B) available

### HIGHBACK ORGANIZER



36" HIGH										
Q51N7236HBHW	Wood Doors	\$ 2330	14¾	71¾	36	—	—	—	177 lbs.	36.2
51N7236HBHW	Wood Doors	2330	14¾	71¾	36	—	—	—	177 lbs.	36.2
51N6636HBHW	Wood Doors	\$ 2207	14¾	65¾	36	—	—	—	150 lbs.	30.1

- Specify pull and finish only
- Highback organizer features (4) side hinged doors, full back panel with cord management
- For tack board models, see pages 520-525
- Random lock core (KRB) and specified lock core (KS1B) available

# ROOSEVELT

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


## SAMPLE MODEL NUMBERS:

51N3778VHHW	82CN	KRB	CW
51N3618SOHMMW	82CN	KRB	CW

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### OVERHEAD CABINET WALL MOUNT




#### MODEL NO./DESCRIPTION

#### 18" HIGH

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q51N3618SOHMMW	Wood Doors	\$ 1135	14½	35¾	17¾	—	—	76 lbs.	7.7
51N3618SOHMMW	Wood Doors	1135	14½	35¾	17¾	—	—	76 lbs.	7.7
51N3018SOHMMW	Wood Doors	1056	14½	29¾	17¾	—	—	64 lbs.	6.4

- Units feature (2) side hinged doors
- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Wall mount bracket, for attachment to wall, is included
- For tack board models, see pages 520-525
- Random lock core (KRB) and specified lock core (KS1B) available

### LATERAL FILE TWO DRAWER



51N2137LFF2W	Wood Top	\$ 1795	21	37¼	29½	—	—	158 lbs.	15.6
Q51N2137LFF2LW	Laminate Top	1733	21	37¼	29½	—	—	123 lbs.	15.6
51N2137LFF2LW	Laminate Top	1733	21	37¼	29½	—	—	123 lbs.	15.6

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB) and specified lock core (KS2B) available

### LATERAL FILE THREE DRAWER



51N2137LFF3W	Wood Top	\$ 2468	21½	37¼	43¾	—	—	190 lbs.	24.0
51N2137LFF3LW	Laminate Top	2407	21½	37¼	43¾	—	—	190 lbs.	24.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available

### LATERAL FILE FOUR DRAWER



51N2137LFF4W	Wood Top	\$ 3054	21	37¼	55¾	—	—	236 lbs.	29.4
--------------	----------	---------	----	-----	-----	---	---	----------	------


- Do not specify sheen option; features standard sheen
- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available

Specify selections, left to right:

BASE MODEL	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
	82AB Antique Brass 82CN Classic Nickel	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle
51N3778VHHW	82CN	KRB		CW

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				


## WARDROBE



51N3778VHHW	Wood Doors	\$ 2806	23½	37	78	—	—	250 lbs.	48.6
-------------	------------	---------	-----	----	----	---	---	----------	------

- Removable coat rod is standard; positioned on left side of wardrobe
- Features four adjustable laminate shelves
- Random lock core (KRB) and specified lock core (KS2B) available

## DOUBLE BOOKCASE



DOUBLE BOOKCASE		\$ 3316	14½	69½	56½	—	—	243 lbs.	39.4
Q51N3452BCOFW	Bookcase (each—order 2)	1246	12¼	33½	51¼	—	—	92 lbs.	17.6
51N3452BCOFW	Bookcase (each—order 2)	1246	12¼	33½	51¼	—	—	92 lbs.	17.6
51N1469CPCFW	Cornice Frame	519	14½	69½	1½	—	—	30 lbs.	1.2
51N1468CPBW	Base	305	13½	68½	3¼	—	—	29 lbs.	3.0

- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable

# ROOSEVELT

## PRODUCT SPECIFICATIONS

- Specify and add \$25 list for EACH grommet

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


## SAMPLE MODEL NUMBERS:

51N3452BCOFW	MH
51N1436CPCFW	MH
51N1435CPBW	MH
51N2424ENW	N MH
51N2430PTW	G13C N MH

To You In  
**10**  
...or Less


Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### SINGLE BOOKCASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
SINGLE BOOKCASE		\$ 1706	D	W	H	A	KW		
Q51N3452BCOFW	Bookcase	1246	14½	35¾	56½	—	—	128 lbs.	19.8
51N3452BCOFW	Bookcase	1246	12¼	33½	51¾	—	—	92 lbs.	17.6
Q51N1436CPCFW	Cornice Frame	259	14½	35¾	1¾	—	—	18 lbs.	0.6
51N1436CPCFW	Cornice Frame	259	14½	35¾	1¾	—	—	18 lbs.	0.6
Q51N1435CPBW	Base	201	13¾	34¾	3¼	—	—	18 lbs.	1.6
51N1435CPBW	Base	201	13¾	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable



SINGLE BOOKCASE		\$ 1633	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q51N3436BCOFW	Bookcase	1173	14½	35¾	40½	—	—	112 lbs.	19.4
51N3436BCOFW	Bookcase	1173	12¼	33½	35¾	—	—	76 lbs.	17.2
Q51N1436CPCFW	Cornice Frame	259	14½	35¾	1¾	—	—	18 lbs.	0.6
51N1436CPCFW	Cornice Frame	259	14½	35¾	1¾	—	—	18 lbs.	0.6
Q51N1435CPBW	Base	201	13¾	34¾	3¼	—	—	18 lbs.	1.6
51N1435CPBW	Base	201	13¾	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable


### PRINTER/TELEPHONE STAND



51N2430PTW	Wood Top	\$ 1450	23¾	29¾	30	—	—	81 lbs.	18.7
51N2430PTLW	Laminate Top	1420	23¾	29¾	30	—	—	81 lbs.	12.3
MPK-4	Set of 4 casters	69	For use as a mobile unit					4 lbs.	0.2

- Grommet (G13C) available
- Fixed shelf is 12" deep, 26½" wide and ¾" thick
- Height between shelves is 18¾"
- Open back

### MAGAZINE TABLE



51N2040MGW	Wood Top	\$ 972	19¾	39¾	18¾	—	—	42 lbs.	3.0
Q51N2040MGLW	Laminate Top	836	19¾	39¾	18¾	—	—	42 lbs.	3.0
51N2040MGLW	Laminate Top	836	19¾	39¾	18¾	—	—	46 lbs.	3.0


- Some assembly required
- Laminate top tables have veneer legs/base



Specify selections, left to right:

BASE MODEL	GROMMET OPTION	SHEEN (wood tops only)	FINISH
51N3452BCOFW	G13C Center X No Grommet	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle MH


## END TABLE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
51N2424ENW	Wood Top	\$ 836	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{1}{2}$	—	—	38 lbs.	2.8
Q51N2424ENLW	Laminate Top	743	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{1}{2}$	—	—	38 lbs.	2.8
51N2424ENLW	Laminate Top	743	23 $\frac{3}{4}$	23 $\frac{3}{4}$	22 $\frac{1}{2}$	—	—	38 lbs.	2.8

- Some assembly required
- Laminate top tables have veneer legs/base

## KEYBOARD DRAWER



Q51N1531KDFW	\$ 263	15	30 $\frac{1}{2}$	4 $\frac{1}{2}$	—	—	11 lbs.	1.1
51N1531KDFW	263	15	30 $\frac{1}{2}$	4 $\frac{1}{2}$	—	—	11 lbs.	1.1

- Specify finish only
- Keyboard drawer features flip-down front for easy access to keyboard



---

# TESSERA

# TESSERA

## TESSERA PRODUCT SPECIFICATIONS

### ADJUSTABLE HEIGHT TABLE DESK

- Height adjustable customer range: 29½"-44"
- Duty cycle: 2 minutes ON/18 minutes OFF
- Maximum load should not exceed 85 lbs. on the surface
- Power cord: Type A plug, max 10 A, 125 V; 78¾" length

### WORKSURFACE

- Veneer surfaces are 1¾" plain sliced slipmatched cherry (Amber, Autumn, Cordovan, Judicial, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural) or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer component surfaces feature a 3mm wood rim
- Laminate surfaces are 1¾" HPL (high pressure laminate)
- Rims are available in 3mm softened profile
- Grain direction runs left-to-right unless otherwise noted

### PEDESTAL RECESSED FAÇADE

- Flat profile in veneer or laminate that matches the chassis material
- Recessed façade is 1¾" thick on top of pedestal

### FINISH APPLICATION

- Tessa products finished using IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Worksurfaces feature a full finish in standard or matte/satin sheen
- Vertical surfaces feature an open pore matte finish

### CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- End panels and support panels are 1½" thick, modesty panels are ¾" thick
- Wood modesty panels have vertical grain direction unless otherwise noted
- Laminate modesty panels have vertical grain direction unless noted
- Any laminate modesty over 60" will be horizontal
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options will always have horizontal grain direction
- Back panels are fully finished unless noted

### SHELVES

- Shelves are ¾" thick
- Shelves are available without or with LED recessed lighting
- Shelf weight limits:
 

24"	45 lbs.
30"	55 lbs.
36"	65 lbs.
42"	75 lbs.
48"	85 lbs.
54"	95 lbs.
60"	105 lbs.
66"	115 lbs.
72"	125 lbs.
78"	135 lbs.
84"	145 lbs.
90"	155 lbs.
96"	165 lbs.
102"	175 lbs.
108"	185 lbs.
114"	195 lbs.
120"	205 lbs.

### PEDESTALS/UNDERSURFACE STORAGE

- Full height options available
- Unfinished backs; can be finished with full overlay modesty panels, ped back panels or if a ped is against a wall and a back panel is not used, a filler strip can be used

### CREDENZA FOOT

- Maple veneer foot available in finish or paint options

### SLIDING ACCENT DOORS

- Available in veneer, laminate, and white back painted glass

### DRAWERS

- Drawer interiors come standard in Designer White
- Drawers feature five-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick white vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- For interior drawer dimensions, reference page 276

### DRAWER PULLS

- Available in 1 pull style, refer to page 273 for pull style and colors

### DRAWER SUSPENSION

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- All suspensions have a lifetime warranty

### FILING

- Drawers are equipped with black metal filing hardware that accommodates various filing requirements
- No-tool, easy installation allows for quick interchangeable filing capabilities
- Refer to page 276 for complete filing details

### CORD MANAGEMENT

- Round grommets and racetrack grommets are optional on worksurfaces
- Refer to page 275 for complete grommet locations and details
- Undersurface wire managers are available for additional cable management requirements
- Cords can be routed out the bottom side of the pedestal

### LOCKING

- Optional locking
- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 500
- Locking for sliding doors is located on the side of the unit

### PLANNING TIPS

- Wall panels can be mounted at any height but reference page 277 for Application Guidelines
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from one surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations

## PULL OPTIONS



### Mosaic (92)

92SN Satin Nickel Metallic  
92MB Cinder  
92PL Platinum Metallic  
92WH Designer White


## GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

### Round Grommet, Nylon Plastic

\$25 list for each grommet


G1L Left  
G1R Right  
G1LR Left & Right  
G1C Center  
G1A Left, Right & Center



### Racetrack Grommet, Satin Nickel Metallic

\$30 list for each grommet


G11SNL Left  
G11SNR Right  
G11SNLR Left & Right  
G11SNC Center  
G11SNA Left, Right & Center



### Racetrack Grommet, Platinum Metallic

\$30 list for each grommet


G11PLL Left  
G11PLR Right  
G11PLLR Left & Right  
G11PLC Center  
G11PLA Left, Right & Center



### Racetrack Grommet, Cinder

\$30 list for each grommet


G11MBL Left  
G11MBR Right  
G11MBLR Left & Right  
G11MBC Center  
G11MBA Left, Right & Center




### Cutout Option for One Touch Pivoting Power Grommet

\$25 list upcharge per cutout location

CUT-G17L Left  
CUT-G17R Right  
CUT-G17LR Left & Right  
CUT-G17C Center  
CUT-G17A Left, Right & Center




• Reference page 275 for cutout locations of CUT-G17




**NACG17ELB (Sold Separately)**  
**NACG17ELS (Sold Separately)**

• Reference page 508-509 for pricing and details



**NACG172ELB (Sold Separately)**  
**NACG172ELS (Sold Separately)**

• Reference page 508-509 for pricing and details



**NACG173ELB (Sold Separately)**  
**NACG173ELS (Sold Separately)**

• Reference page 508-509 for pricing and details

## TESSERA - CONFIGURATION OPTIONS

### LOCKING

#### KEY RANDOM

KRB	Black
KRS	Silver

#### KEY SPECIFIC

X	No locking
KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit
KS3B	Black, 3 locks per unit
KS3S	Silver, 3 locks per unit
KS4B	Black, 4 locks per unit
KS4S	Silver, 4 locks per unit
KS5B	Black, 5 locks per unit
KS5S	Silver, 5 locks per unit

Unit list price will be reduced by \$15 per lock when selecting Key Specific option. Must order specific lock cores separately (\$15 list each). See page 500 for Key Specific model numbers.

### LEG FINISH/ PAINT OPTIONS

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
TF	Truffle
792	Sable
405	Designer White
462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

### WORKSURFACE SHEEN OPTIONS

R	Standard
N	Matte/Satin

### WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
TF	Truffle
792	Sable

### LAMINATES

#### WOODGRAIN LAMINATE\*

AC2	Autumn 2
AD	Almond
ADH	Almond Horizontal
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PBH	Portobello Horizontal
PT	Portico
PTH	Portico Horizontal
SK	Skyline
SKH	Skyline Horizontal
SM	Sonoma
SMH	Sonoma Horizontal
TF	Truffle
791	Palisander
791H	Palisander Horizontal
792	Sable
792H	Sable Horizontal
793	Acorn

\*Not available on the accent sliding door of the laminate/wood models

#### SOLID LAMINATE

405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
491H	Designer White Linear Horizontal
492	Cinder Linear
492H	Cinder Linear Horizontal
• CSL not available	

## GROMMET LOCATION OPTIONS


Grommets are available for factory installation in worksurfaces in predetermined locations as shown below. Simply specify the desired grommet style and location in the model number sequence. Refer to page 273 for options.

- If specifying a grommet in the center location of a component worksurface, be sure there is clearance under the grommet opening so as not to conflict with undersurface components
- Center grommet not recommended with breakfront modesty
- 24" pedestals not to be used with a 30" worksurface when specifying grommets

### Worksurface grommet locations:


The distance to the center of the grommet is the same for the G1 round grommet, G11 racetrack grommet or the CUT-G17 option.

The same locations are available for the round or racetrack grommet.




#### 36" deep Worksurfaces

- G17 cut is 11 1/4" off the back surface




#### 30", 24" and 20" deep Worksurfaces


- G17 cut is 6" off the back surface



**Round Grommet**  
Plastic



**Racetrack Grommet**  
Zinc



**G17 Cutout Option**

## TESSERA - GUIDELINES/GENERAL INFORMATION

### DRAWER SPECIFICATIONS

DESCRIPTION	INTERIOR DIMENSIONS			FILING CAPABILITIES	
	Drawer	Inside Width	Inside Depth	Inside Height	
Double Pedestal Desk 36 x 72	Box File	14 <sup>15</sup> / <sub>16</sub> " 14 <sup>15</sup> / <sub>16</sub> "	17" 17"	2 <sup>1</sup> / <sub>2</sub> " 9 <sup>3</sup> / <sub>8</sub> "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Double Pedestal Desk 30 x 66, 30 x 60	Box File	11 <sup>15</sup> / <sub>16</sub> " 11 <sup>15</sup> / <sub>16</sub> "	17" 17"	2 <sup>1</sup> / <sub>2</sub> " 9 <sup>3</sup> / <sub>8</sub> "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Single Pedestal Desk 36 x 72	Box File	14 <sup>15</sup> / <sub>16</sub> " 14 <sup>15</sup> / <sub>16</sub> "	17" 17"	2 <sup>1</sup> / <sub>2</sub> " 9 <sup>3</sup> / <sub>8</sub> "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Single Pedestal Desk 30 x 66	Box File	11 <sup>15</sup> / <sub>16</sub> " 11 <sup>15</sup> / <sub>16</sub> "	17" 17"	2 <sup>1</sup> / <sub>2</sub> " 9 <sup>3</sup> / <sub>8</sub> "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Executive Return 24 x 60, 24 x 48, 24 x 42	Box File	11 <sup>15</sup> / <sub>16</sub> " 11 <sup>15</sup> / <sub>16</sub> "	17" 17"	2 <sup>1</sup> / <sub>2</sub> " 9 <sup>3</sup> / <sub>8</sub> "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Single Pedestal Credenzas 24 x 72	Box File	14 <sup>15</sup> / <sub>16</sub> " 14 <sup>15</sup> / <sub>16</sub> "	17" 17"	2 <sup>1</sup> / <sub>2</sub> " 9 <sup>3</sup> / <sub>8</sub> "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Single Pedestal Credenzas 24 x 66, 24 x 60	Box File	11 <sup>15</sup> / <sub>16</sub> " 11 <sup>15</sup> / <sub>16</sub> "	17" 17"	2 <sup>1</sup> / <sub>2</sub> " 9 <sup>3</sup> / <sub>8</sub> "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Lateral File (23" depth) 36" width	Lateral File	32 <sup>15</sup> / <sub>16</sub> "	17"	9 <sup>3</sup> / <sub>8</sub> "	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (23" depth) 30" width	Lateral File	26 <sup>15</sup> / <sub>16</sub> "	15"	9 <sup>3</sup> / <sub>8</sub> "	Letter, legal and EDP filing front-to-back or side-to-side
Component Pedestals 23 x 18, 29 x 18	Box File	14 <sup>15</sup> / <sub>16</sub> " 14 <sup>15</sup> / <sub>16</sub> "	17" 17"	2 <sup>1</sup> / <sub>2</sub> " 9 <sup>3</sup> / <sub>8</sub> "	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Component Pedestals 23 x 15, 29 x 15	Box File	11 <sup>15</sup> / <sub>16</sub> " 11 <sup>15</sup> / <sub>16</sub> "	17" 17"	2 <sup>1</sup> / <sub>2</sub> " 9 <sup>3</sup> / <sub>8</sub> "	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side

- All file drawers will accommodate A4 and British fools cap filing
- Exterior dimension of legal width pedestal is 18". Letter width is 15"



## WALL PANEL AND OVERHEAD MOUNTING APPLICATION GUIDELINES

### FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Tessera wall panels and overheads. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

### MINIMUM REQUIREMENTS

- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/240 of the span for walls with brittle finishes and 1/200 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Minimum width of attachment to a wall is 16" mounted to studs 16" apart




### RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer



Type and Size	Description
<i>Steel Studs</i> (1/2" to 3/4" drywall)	
Hilti® Toggler® anchor toggle bolts, 1/4"–20 x 2" grade 5 bolts	
<i>Wood Studs</i> (1/4" to 1/2" drywall)	
Meets or exceeds ANSI/ASME B18.6.4 and SAE J933.	
Pan head sheet metal screw	10-2 PHPMS
<i>Solid Masonry</i>	
Crown Bolt lag shields 1/4" x 1 1/2"	
Buildex Tapcon concrete anchor screw 1/4" x 2 3/4"	
<i>Masonry Block</i>	
Hilti Toggler anchor toggle bolts, 1/4"–20 x 2" grade 5 bolts	
Crown Bolt lag shields 1/4" x 1 1/2"	
Buildex Tapcon concrete anchor screw 1/4" x 2 3/4"	

- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered
- Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical
- Dimensional loss should be considered when space planning for components
- In fixed wall applications, choose your insert height based on your specific application or height of corresponding vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface


## TESSERA - THOUGHT STARTERS



- Vertical storage units are available in 2 heights: 75" and 53" high
- Overheads are available in 3 heights: 24", 18", and 12" and can be mounted to the wall panels or directly to the architectural wall



- Wall panels can be mounted as a stand alone model, shelves added, or wall mounted overheads hung on the panels



- Credenzas are available in 2 different heights
- Wall panels are available in 2 different heights (52" and 46") and widths of 48"-24" in 6" increments
- 52" high wall panels allow 3 rows of shelves max and the 46" wall panels allow 2 rows of shelves
- Shelves are available in lengths of 120"-24" in 6" increments
- Different lengths of shelves can be mounted on the wall panel in 12" increments
- Wall panels and shelves are sold separately
- Shelves are shipped with brackets to hang shelves on the wall panels


## TESSERA

## PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 273-274 for options
- Refer to pages 489-526 for accessories
- Refer to page 276 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 275 for grommet locations and page 273 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

ADJUSTABLE HEIGHT  
TABLE DESK

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
59N3672DSFAW	Wood	\$ 6438	36 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	347 lbs.	55.2
59N3672DSFALW	Wood/Laminate Modesty	6631	36 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	347 lbs.	55.2
59N3672DSFAL	Laminate	5511	36 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	347 lbs.	55.2
59N3072DSFAW	Wood	\$ 6360	30 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	300 lbs.	47.1
59N3072DSFALW	Wood/Laminate Modesty	6554	30 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	300 lbs.	47.1
59N3072DSFAL	Laminate	5433	30 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	300 lbs.	47.1
59N3066DSFAW	Wood	\$ 5562	30 $\frac{1}{8}$ "	66"	28 $\frac{1}{8}$ "	—	—	277 lbs.	43.5
59N3066DSFALW	Wood/Laminate Modesty	5729	30 $\frac{1}{8}$ "	66"	28 $\frac{1}{8}$ "	—	—	277 lbs.	43.5
59N3066DSFAL	Laminate	4738	30 $\frac{1}{8}$ "	66"	28 $\frac{1}{8}$ "	—	—	277 lbs.	43.5
59N3060DSFAW	Wood	\$ 5485	30 $\frac{1}{8}$ "	60"	28 $\frac{1}{8}$ "	—	—	263 lbs.	39.9
59N3060DSFALW	Wood/Laminate Modesty	5650	30 $\frac{1}{8}$ "	60"	28 $\frac{1}{8}$ "	—	—	263 lbs.	39.9
59N3060DSFAL	Laminate	4661	30 $\frac{1}{8}$ "	60"	28 $\frac{1}{8}$ "	—	—	263 lbs.	39.9

- Reference page 272 for product specifications
- Wood/laminate modesty units feature a laminate interior leg shroud (only visible when the desk is in the up position) and modesty; modesty and leg shroud will be the same color. The laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and the interior leg shroud
- The outer shrouds on the height adjustable desks will always have horizontal grain on laminate units and vertical on veneer units
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- Do not specify pull or locking options
- Ships assembled
- Control pad can be moved to RH or LH by the customer



## TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Laminate Color (laminate models)
6. Worksurface Sheen (wood models)
7. Veneer Finish (wood models)

• See pages 273-274 for all options available in Tessera

## SAMPLE MODEL NUMBER:

59N3672DSFALW G11MBLR 461 R TF

**ADJUSTABLE HEIGHT  
DESK SHELL  
BREAKFRONT  
FULL MODESTY**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H					
59N3672DSFBAW Wood	\$ 6438	36 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	—	347 lbs.	55.2
59N3672DSFBALW Wood/Laminate Modesty	6631	36 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	—	347 lbs.	55.2
59N3672DSFBAL Laminate	5511	36 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	—	347 lbs.	55.2
59N3072DSFBAW Wood	\$ 6360	30 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	—	300 lbs.	47.1
59N3072DSFBALW Wood/Laminate Modesty	6554	30 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	—	300 lbs.	47.1
59N3072DSFBAL Laminate	5433	30 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	—	300 lbs.	47.1
59N3066DSFBAW Wood	\$ 5562	30 $\frac{1}{8}$ "	66"	28 $\frac{1}{8}$ "	—	—	—	277 lbs.	43.5
59N3066DSFBALW Wood/Laminate Modesty	5729	30 $\frac{1}{8}$ "	66"	28 $\frac{1}{8}$ "	—	—	—	277 lbs.	43.5
59N3066DSFBAL Laminate	4738	30 $\frac{1}{8}$ "	66"	28 $\frac{1}{8}$ "	—	—	—	277 lbs.	43.5
59N3060DSFBAW Wood	\$ 5485	30 $\frac{1}{8}$ "	60"	28 $\frac{1}{8}$ "	—	—	—	263 lbs.	29.8
59N3060DSFBALW Wood/Laminate Modesty	5650	30 $\frac{1}{8}$ "	60"	28 $\frac{1}{8}$ "	—	—	—	263 lbs.	29.8
59N3060DSFBAL Laminate	4661	30 $\frac{1}{8}$ "	60"	28 $\frac{1}{8}$ "	—	—	—	263 lbs.	29.8

- Reference page 272 for product specifications
- Wood/laminate modesty units feature a laminate interior leg shroud (only visible when the desk is in the up position) and modesty; modesty and leg shroud will be the same color. The laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and the interior leg shroud
- The outer shrouds on the height adjustable desks will always have horizontal grain on laminate units and vertical on veneer units
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- Do not specify pull or locking options
- Ships assembled
- Control pad can be moved to RH or LH by the customer


## PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 273-274 for options
- Refer to pages 489-526 for accessories
- Refer to page 276 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 275 for grommet locations and page 273 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### ADJUSTABLE HEIGHT DESK SHELL ½ HEIGHT FLUSH MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW						
59N3672DS3AW	Wood	\$ 6324	36½	71½	28½	—	—		347 lbs.	55.2
59N3672DS3ALW	Wood/Laminate Modesty	6518	36½	71½	28½	—	—		347 lbs.	55.2
59N3672DS3AL	Laminate	5397	36½	71½	28½	—	—		347 lbs.	55.2
59N3072DS3AW	Wood	\$ 6247	30½	71½	28½	—	—		300 lbs.	47.1
59N3072DS3ALW	Wood/Laminate Modesty	6441	30½	71½	28½	—	—		300 lbs.	47.1
59N3072DS3AL	Laminate	5320	30½	71½	28½	—	—		300 lbs.	47.1
59N3066DS3AW	Wood	\$ 5449	30½	66	28½	—	—		277 lbs.	43.5
59N3066DS3ALW	Wood/Laminate Modesty	5616	30½	66	28½	—	—		277 lbs.	43.5
59N3066DS3AL	Laminate	4625	30½	66	28½	—	—		277 lbs.	43.5
59N3060DS3AW	Wood	\$ 5371	30½	60	28½	—	—		263 lbs.	29.8
59N3060DS3ALW	Wood/Laminate Modesty	5536	30½	60	28½	—	—		263 lbs.	29.8
59N3060DS3AL	Laminate	4547	30½	60	28½	—	—		263 lbs.	29.8


- Reference page 272 for product specifications
- Wood/laminate modesty units feature a laminate interior leg shroud (only visible when the desk is in the up position) and modesty; modesty and leg shroud will be the same color. The laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and the interior leg shroud
- The outer shrouds on the height adjustable desks will always have horizontal grain on laminate units and vertical on veneer units
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- Do not specify pull or locking options
- Ships assembled
- Control pad can be moved to RH or LH by the customer

**TO ORDER, SPECIFY:**

1. Model Number
  2. Pull
  3. Grommet
  4. Locking
  5. Laminate Color (laminate models)
  6. Worksurface Sheen (wood models)
  7. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBER:**

59N3672DS3BALW G11MBLR 461 R TF

**ADJUSTABLE HEIGHT  
DESK SHELL  
½ HEIGHT  
BREAKFRONT MODESTY**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW						
59N3672DS3BAW	Wood	\$ 6324	36 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{15}{16}$	—	—	—	347 lbs.	55.2
59N3672DS3BALW	Wood/Laminate Modesty	6518	36 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{15}{16}$	—	—	—	347 lbs.	55.2
59N3672DS3BAL	Laminate	5397	36 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{15}{16}$	—	—	—	347 lbs.	55.2
59N3072DS3BAW	Wood	\$ 6247	30 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{15}{16}$	—	—	—	300 lbs.	47.1
59N3072DS3BALW	Wood/Laminate Modesty	6441	30 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{15}{16}$	—	—	—	300 lbs.	47.1
59N3072DS3BAL	Laminate	5320	30 $\frac{1}{16}$	71 $\frac{15}{16}$	28 $\frac{15}{16}$	—	—	—	300 lbs.	47.1
59N3066DS3BAW	Wood	\$ 5449	30 $\frac{1}{16}$	66	28 $\frac{15}{16}$	—	—	—	277 lbs.	43.5
59N3066DS3BALW	Wood/Laminate Modesty	5616	30 $\frac{1}{16}$	66	28 $\frac{15}{16}$	—	—	—	277 lbs.	43.5
59N3066DS3BAL	Laminate	4625	30 $\frac{1}{16}$	66	28 $\frac{15}{16}$	—	—	—	277 lbs.	43.5
59N3060DS3BAW	Wood	\$ 5371	30 $\frac{1}{16}$	60	28 $\frac{15}{16}$	—	—	—	263 lbs.	29.8
59N3060DS3BALW	Wood/Laminate Modesty	5536	30 $\frac{1}{16}$	60	28 $\frac{15}{16}$	—	—	—	263 lbs.	29.8
59N3060DS3BAL	Laminate	4547	30 $\frac{1}{16}$	60	28 $\frac{15}{16}$	—	—	—	263 lbs.	29.8

- Reference page 272 for product specifications
- Wood/laminate modesty units feature a laminate interior leg shroud (only visible when the desk is in the up position) and modesty; modesty and leg shroud will be the same color. The laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and the interior leg shroud
- The outer shrouds on the height adjustable desks will always have horizontal grain on laminate units and vertical on veneer units
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- Do not specify pull or locking options
- Ships assembled
- Control pad can be moved to RH or LH by the customer


## TESSERA

## PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 273-274 for options
- Refer to pages 489-526 for accessories
- Refer to page 276 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 275 for grommet locations and page 273 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

DOUBLE PEDESTAL DESK  
RECESSED MODESTY

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
59N3684DDFFW8 Wood	\$ 4106	36 $\frac{1}{8}$ "	83 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	6 $\frac{1}{8}$ "	47 $\frac{3}{8}$ "	374 lbs.	60.0
59N3684DDFFL8 Laminate	2481	36 $\frac{1}{8}$ "	83 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	6 $\frac{1}{8}$ "	47 $\frac{3}{8}$ "	374 lbs.	60.0
59N3672DDFFW8 Wood	\$ 3900	36 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	6 $\frac{1}{8}$ "	35 $\frac{7}{8}$ "	347 lbs.	55.2
59N3672DDFFL8 Laminate	2294	36 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	6 $\frac{1}{8}$ "	35 $\frac{7}{8}$ "	347 lbs.	55.2
59N3072DDFFW8 Wood	\$ 3819	30 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	300 lbs.	47.1
59N3072DDFFL8 Laminate	2280	30 $\frac{1}{8}$ "	71 $\frac{1}{8}$ "	28 $\frac{1}{8}$ "	—	—	300 lbs.	47.1
59N3066DDFFW8 Wood	\$ 3742	30 $\frac{1}{8}$ "	66"	28 $\frac{1}{8}$ "	6 $\frac{1}{8}$ "	35 $\frac{7}{8}$ "	277 lbs.	43.5
59N3066DDFFL8 Laminate	2203	30 $\frac{1}{8}$ "	66"	28 $\frac{1}{8}$ "	6 $\frac{1}{8}$ "	35 $\frac{7}{8}$ "	277 lbs.	43.5
59N3060DDFFW8 Wood	\$ 3562	30 $\frac{1}{8}$ "	60"	28 $\frac{1}{8}$ "	6 $\frac{1}{8}$ "	29 $\frac{1}{8}$ "	263 lbs.	39.9
59N3060DDFFL8 Laminate	2120	30 $\frac{1}{8}$ "	60"	28 $\frac{1}{8}$ "	6 $\frac{1}{8}$ "	29 $\frac{1}{8}$ "	263 lbs.	39.9

- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Recessed façade on pedestals creates a 1 $\frac{1}{8}$ " gap between the worksurface and modesty panel to show the recessed façade on the pedestals
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal





## TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Laminate Color (laminate models)
6. Worksurface Sheen (wood models)
7. Veneer Finish (wood models)

• See pages 273-274 for all options available in Tessera


## SAMPLE MODEL NUMBER:

59N3684DDFBFW8 92MB X KRB R TF


DOUBLE PEDESTAL DESK  
BREAKFRONT MODESTY

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
59N3684DDFBFW8	Wood	\$ 4209	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{3}{16}$	47 $\frac{3}{16}$	374 lbs.	60.0
59N3684DDFBFL8	Laminate	2575	36 $\frac{1}{16}$	83 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{3}{16}$	47 $\frac{3}{16}$	374 lbs.	60.0
59N3672DDFBFW8	Wood	\$ 4003	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{3}{16}$	35 $\frac{7}{8}$	347 lbs.	55.2
59N3672DDFBFL8	Laminate	2388	36 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	6 $\frac{3}{16}$	35 $\frac{7}{8}$	347 lbs.	55.2
59N3072DDFBFW8	Wood	\$ 3922	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	300 lbs.	47.1
59N3072DDFBFL8	Laminate	2374	30 $\frac{1}{16}$	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	300 lbs.	47.1
59N3066DDFBFW8	Wood	\$ 3845	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	6 $\frac{3}{16}$	35 $\frac{7}{8}$	277 lbs.	43.5
59N3066DDFBFL8	Laminate	2297	30 $\frac{1}{16}$	66	28 $\frac{1}{16}$	6 $\frac{3}{16}$	35 $\frac{7}{8}$	277 lbs.	43.5
59N3060DDFBFW8	Wood	\$ 3665	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	6 $\frac{3}{16}$	29 $\frac{1}{16}$	263 lbs.	39.9
59N3060DDFBFL8	Laminate	2213	30 $\frac{1}{16}$	60	28 $\frac{1}{16}$	6 $\frac{3}{16}$	29 $\frac{1}{16}$	263 lbs.	39.9

- 3684 and 3672 desks have 35" deep pedestals
- 3066 and 3060 desks have 30" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Modesty inset
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal

SINGLE PEDESTAL DESK  
RECESSED MODESTY

Left shown



LEFT PEDESTAL		RIGHT PEDESTAL								
59N3684DLFFW1	59N3684DRFFW1	Wood	\$ 3546	36 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	—	314 lbs.	60.0
59N3684DLFFL1	59N3684DRFFL1	Laminate	2192	36 $\frac{1}{16}$ "	83 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	—	314 lbs.	60.0
59N3672DLFFW1	59N3672DRFFW1	Wood	\$ 3340	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	—	287 lbs.	55.2
59N3672DLFFL1	59N3672DRFFL1	Laminate	2004	36 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	—	287 lbs.	55.2
59N3072DLFFW1	59N3072DRFFW1	Wood	\$ 3209	30 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	—	—	251 lbs.	47.1
59N3072DLFFL1	59N3072DRFFL1	Laminate	1996	30 $\frac{1}{16}$ "	71 $\frac{1}{16}$ "	28 $\frac{1}{16}$ "	—	—	251 lbs.	47.1
59N3066DLFFW1	59N3066DRFFW1	Wood	\$ 3132	30 $\frac{1}{16}$ "	66"	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	—	232 lbs.	43.5
59N3066DLFFL1	59N3066DRFFL1	Laminate	1919	30 $\frac{1}{16}$ "	66"	28 $\frac{1}{16}$ "	6 $\frac{3}{16}$ "	—	232 lbs.	43.5

- 3684 and 3672 desks have 30" deep pedestal
- 3066 desk has 24" deep pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Recessed façade on pedestals creates a 1 $\frac{1}{16}$ " gap between the worksurface and modesty panel to show the recessed façade on the pedestal
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal


## TESSERA

## PRODUCT SPECIFICATIONS


- Wood and laminate tops and chassis available; refer to pages 273-274 for options
- Refer to pages 489-526 for accessories
- Refer to page 276 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 275 for grommet locations and page 273 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width



SINGLE PEDESTAL DESK  
BREAKFRONT MODESTY

Left shown



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL		RIGHT PEDESTAL		D	W	H				
59N3684DLFBFW1	59N3684DRFBFW1	Wood	\$ 3649	36 $\frac{1}{2}$ "	83 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	314 lbs.	60.0
59N3684DLFBFL1	59N3684DRFBFL1	Laminate	2286	36 $\frac{1}{2}$ "	83 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	314 lbs.	60.0
59N3672DLFBFW1	59N3672DRFBFW1	Wood	\$ 3340	36 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	287 lbs.	55.2
59N3672DLFBFL1	59N3672DRFBFL1	Laminate	2004	36 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	287 lbs.	55.2
59N3072DLFBFW1	59N3072DRFBFW1	Wood	\$ 3209	30 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	251 lbs.	47.1
59N3072DLFBFL1	59N3072DRFBFL1	Laminate	1996	30 $\frac{1}{2}$ "	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	251 lbs.	47.1
59N3066DLFBFW1	59N3066DRFBFW1	Wood	\$ 3132	30 $\frac{1}{2}$ "	66"	28 $\frac{1}{2}$ "	—	—	232 lbs.	43.5
59N3066DLFBFL1	59N3066DRFBFL1	Laminate	1919	30 $\frac{1}{2}$ "	66"	28 $\frac{1}{2}$ "	—	—	232 lbs.	43.5

• 3684 and 3672 desks have 35" deep pedestal  
 • 3066 desk has 30" deep pedestal  
 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available  
 • Modesty inset  
 • Recessed façade on pedestals creates a 1 $\frac{1}{2}$ " gap between the worksurface and modesty panel to show the recessed façade on the pedestals  
 • Modesty panel on laminate or veneer units will be vertical unless horizontal is specified  
 • Any laminate modesty over 60" will be horizontal

RECEPTION DESK  
MAIN SHELL

59N3696DSTFW	Wood	\$ 3507	36"	95 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	332 lbs.	72.2
59N3696DSTFL	Laminate	2568	36"	95 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	332 lbs.	72.2
59N3690DSTFW	Wood	\$ 3420	36"	89 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	313 lbs.	68.0
59N3690DSTFL	Laminate	2507	36"	89 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	313 lbs.	68.0
59N3684DSTFW	Wood	\$ 3332	36"	83 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	293 lbs.	63.7
59N3684DSTFL	Laminate	2446	36"	83 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	293 lbs.	63.7
59N3672DSTFW	Wood	\$ 3158	36"	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	254 lbs.	55.2
59N3672DSTFL	Laminate	2326	36"	71 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	254 lbs.	55.2
59N3096DSTFW	Wood	\$ 3421	30 $\frac{1}{2}$ "	95 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	284 lbs.	61.7
59N3096DSTFL	Laminate	2491	30 $\frac{1}{2}$ "	95 $\frac{1}{2}$ "	28 $\frac{1}{2}$ "	—	—	284 lbs.	61.7




- Do not specify pull or locking option
- Unit is non-handed; can be used left or right to configure a U-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 330-334
- Main shell can be used with the reception return or reception bridge to create U and L configurations
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal

## TO ORDER, SPECIFY:

1. Model Number
  2. Pull
  3. Grommet
  4. Locking
  5. Accent Laminate Color (sliding doors)
  6. Laminate Color (laminated models)
  7. Worksurface Sheen (wood models)
  8. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessaera

## SAMPLE MODEL NUMBERS:

59N3684DRFBFW1 92MB X KRB R TF  
59N2472DSTFW G11MBLR R TF

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
<div>RECEPTION DESK MAIN SHELL (CONTINUED)</div>  	59N3090DSTFW	Wood	\$ 3333	30½	89½	28½	—	—	267 lbs.	58.0	
	59N3090DSTFL	Laminate	2430	30½	89½	28½	—	—	267 lbs.	58.0	
	59N3084DSTFW	Wood	\$ 3246	30½	83½	28½	—	—	250 lbs.	54.4	
	59N3084DSTFL	Laminate	2369	30½	83½	28½	—	—	250 lbs.	54.4	
	59N3072DSTFW	Wood	\$ 3071	30½	71½	28½	—	—	217 lbs.	47.1	
	59N3072DSTFL	Laminate	2248	30½	71½	28½	—	—	217 lbs.	47.1	
	59N2496DSTFW	Wood	\$ 3334	24	95½	28½	—	—	236 lbs.	51.2	
	59N2496DSTFL	Laminate	2413	24	95½	28½	—	—	236 lbs.	51.2	
	59N2490DSTFW	Wood	\$ 3247	24	89½	28½	—	—	221 lbs.	48.1	
	59N2490DSTFL	Laminate	2353	24	89½	28½	—	—	221 lbs.	48.1	
	59N2484DSTFW	Wood	\$ 3159	24	83½	28½	—	—	208 lbs.	45.1	
	59N2484DSTFL	Laminate	2292	24	83½	28½	—	—	208 lbs.	45.1	
	59N2472DSTFW	Wood	\$ 2985	24	71½	28½	—	69½	180 lbs.	39.1	
	59N2472DSTFL	Laminate	2171	24	71½	28½	—	69½	180 lbs.	39.1	
	<ul style="list-style-type: none"><li>• Do not specify pull or locking option</li><li>• Unit is non-handed; can be used left or right to configure a U-station</li><li>• 23" deep undersurface pedestals can be ordered for storage; see pages 330-334</li><li>• Main shell can be used with the reception return or reception bridge to create U and L configurations</li><li>• Modesty panel on laminate or veneer units will be vertical unless horizontal is specified</li><li>• Any laminate modesty over 60" will be horizontal</li></ul>										
<div>RECEPTION BRIDGE</div> 	59N2460BSTFW	Wood	\$ 921	24	60	28½	—	—	82 lbs.	4.2	
	59N2460BSTFL	Laminate	641	24	60	28½	—	—	82 lbs.	4.2	
	59N2448BSTFW	Wood	\$ 801	24	48½	28½	—	—	80 lbs.	3.4	
	59N2448BSTFL	Laminate	458	24	48½	28½	—	—	80 lbs.	3.4	
	59N2442BSTFW	Wood	\$ 765	24	42½	28½	—	—	72 lbs.	3.1	
	59N2442BSTFL	Laminate	422	24	42½	28½	—	—	72 lbs.	3.1	
	<ul style="list-style-type: none"><li>• Do not specify pull or locking option</li><li>• Grain direction runs front-to-back on worksurface</li><li>• Modesty panel on laminate or veneer units will be vertical unless horizontal is specified</li></ul>										


## TESSERA

## PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 273-274 for options
- Refer to pages 489-526 for accessories
- Refer to page 276 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 275 for grommet locations and page 273 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	LEFT RETURN	RIGHT RETURN		D	W	H				
 Left shown	59N2460RSTFLW	59N2460RSTFRW	Wood	\$ 1451	24	60	28 <sup>1</sup> / <sub>2</sub>	—	175 lbs.	33.0
	59N2460RSTFLL	59N2460RSTFRL	Laminate	1360	24	60	28 <sup>1</sup> / <sub>2</sub>	—	175 lbs.	33.0
	59N2448RSTFLW	59N2448RSTFRW	Wood	\$ 1373	24	48 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	100 lbs.	19.0
	59N2448RSTFLL	59N2448RSTFRL	Laminate	1308	24	48 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	100 lbs.	19.0

- Use with a main shell to make a reception L-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 330-334
- Grain direction runs front-to-back on worksurface


## RECEPTION SET-ON SLIDING DOOR




Left reception/double doors



Left reception/left door



Center/left door



Right reception/left door

## WOOD UNIT

59N8436SMTSLDW	Left Reception/Double Doors	\$ 2824	15%	83 <sup>1</sup> / <sub>2</sub>	36	—	—	419 lbs.	38.7
59N8436SMTSRDW	Right Reception/Double Doors	2824	15%	83 <sup>1</sup> / <sub>2</sub>	36	—	—	419 lbs.	38.7
59N8436SMTSCDW	Center Reception/Double Doors	2824	15%	83 <sup>1</sup> / <sub>2</sub>	36	—	—	419 lbs.	38.7
59N7836SMTSLDW	Left Reception/Double Doors	\$ 2747	15%	77 <sup>1</sup> / <sub>2</sub>	36	—	—	391 lbs.	36.1
59N7836SMTSRDW	Right Reception/Double Doors	2747	15%	77 <sup>1</sup> / <sub>2</sub>	36	—	—	391 lbs.	36.1
59N7836SMTSCDW	Center Reception/Double Doors	2747	15%	77 <sup>1</sup> / <sub>2</sub>	36	—	—	391 lbs.	36.1
59N7236SMTSLDW	Left Reception/Double Doors	\$ 2670	15%	71 <sup>1</sup> / <sub>2</sub>	36	—	—	363 lbs.	33.5
59N7236SMTSRDW	Right Reception/Double Doors	2670	15%	71 <sup>1</sup> / <sub>2</sub>	36	—	—	363 lbs.	33.5
59N7236SMTSCDW	Center Reception/Double Doors	2670	15%	71 <sup>1</sup> / <sub>2</sub>	36	—	—	363 lbs.	33.5
59N6036SMTSLLW	Left Reception/Left Door	\$ 2510	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSLRW	Left Reception/Right Door	2510	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSRLW	Right Reception/Left Door	2510	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSRRW	Right Reception/Right Door	2510	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSCLW	Center, Left Door	2510	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSCRW	Center, Right Door	2510	15%	60	36	—	—	306 lbs.	28.3


- Accent panel can be attached to set-on sliding door unit
- 1<sup>1</sup>/<sub>2</sub>" thick top
- Features one accent sliding door
- No pull on glass doors
- For tack board options, see pages 520-525

## TO ORDER, SPECIFY:


1. Model Number
  2. Pull
  3. Grommet
  4. Locking
  5. Accent Laminate Color (sliding doors)
  6. Laminate Color (laminated models)
  7. Worksurface Sheen (wood models)
  8. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessa

## SAMPLE MODEL NUMBER:


59N6036SMTSLRLW 92MB KRB 488 R TF

RECEPTION SET-ON  
SLIDING DOOR (CONTINUED)


Left reception/double doors



Left reception/left door



Center/left door



Right reception/left door

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

A

KW

CARTONED  
WEIGHTCUBIC  
FEET

## WOOD UNIT (CONTINUED)

59N4836SMTSLW	Left Reception/Left Door	\$ 2356	15%	48 1/2"	36"	—	—	250 lbs.	23.1
59N4836SMTSLRW	Left Reception/Right Door	2356	15%	48 1/2"	36"	—	—	250 lbs.	23.1
59N4836SMTSRLW	Right Reception/Left Door	2356	15%	48 1/2"	36"	—	—	250 lbs.	23.1
59N4836SMTSRRW	Right Reception/Right Door	2356	15%	48 1/2"	36"	—	—	250 lbs.	23.1
59N4836SMTSCLW	Center, Left Door	2356	15%	48 1/2"	36"	—	—	250 lbs.	23.1
59N4836SMTSCRW	Center, Right Door	2356	15%	48 1/2"	36"	—	—	250 lbs.	23.1

## LAMINATE DOORS/WOOD CHASSIS

59N8436SMTSLDLW	Left Reception/Double Doors	\$ 2899	15%	83 1/2"	36"	—	—	419 lbs.	38.7
59N8436SMTSRDLW	Right Reception/Double Doors	2899	15%	83 1/2"	36"	—	—	419 lbs.	38.7
59N8436SMTSCDLW	Center Reception/Double Doors	2899	15%	83 1/2"	36"	—	—	419 lbs.	38.7

59N7836SMTSLDLW	Left Reception/Double Doors	\$ 2822	15%	77 1/2"	36"	—	—	391 lbs.	36.1
59N7836SMTSRDLW	Right Reception/Double Doors	2822	15%	77 1/2"	36"	—	—	391 lbs.	36.1
59N7836SMTSCDLW	Center Reception/Double Doors	2822	15%	77 1/2"	36"	—	—	391 lbs.	36.1

59N7236SMTSLDLW	Left Reception/Double Doors	\$ 2745	15%	71 1/2"	36"	—	—	363 lbs.	33.5
59N7236SMTSRDLW	Right Reception/Double Doors	2745	15%	71 1/2"	36"	—	—	363 lbs.	33.5
59N7236SMTSCDLW	Center Reception/Double Doors	2745	15%	71 1/2"	36"	—	—	363 lbs.	33.5

59N6036SMTSLLLW	Left Reception/Left Door	\$ 2585	15%	60"	36"	—	—	306 lbs.	28.3
59N6036SMTSLRLW	Left Reception/Right Door	2585	15%	60"	36"	—	—	306 lbs.	28.3
59N6036SMTSRLW	Right Reception/Left Door	2585	15%	60"	36"	—	—	306 lbs.	28.3
59N6036SMTSRRW	Right Reception/Right Door	2585	15%	60"	36"	—	—	306 lbs.	28.3
59N6036SMTSCLW	Center, Left Door	2585	15%	60"	36"	—	—	306 lbs.	28.3
59N6036SMTSCRLW	Center, Right Door	2585	15%	60"	36"	—	—	306 lbs.	28.3


59N4836SMTSLLLW	Left Reception/Left Door	\$ 2431	15%	48 1/2"	36"	—	—	250 lbs.	23.1
59N4836SMTSLRLW	Left Reception/Right Door	2431	15%	48 1/2"	36"	—	—	250 lbs.	23.1
59N4836SMTSRLW	Right Reception/Left Door	2431	15%	48 1/2"	36"	—	—	250 lbs.	23.1
59N4836SMTSRRW	Right Reception/Right Door	2431	15%	48 1/2"	36"	—	—	250 lbs.	23.1
59N4836SMTSCLW	Center, Left Door	2431	15%	48 1/2"	36"	—	—	250 lbs.	23.1
59N4836SMTSCRLW	Center, Right Door	2431	15%	48 1/2"	36"	—	—	250 lbs.	23.1

- Accent panel can be attached to set-on sliding door unit
- 1 1/2" thick top
- Features one accent sliding door
- No pull on glass doors
- For tack board options, see pages 520-525


## TESSERA

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

RECEPTION SET-ON  
SLIDING DOOR (CONTINUED)


Left reception/double doors



Left reception/left door



Center/left door



Right reception/left door

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

## A

## KW

CARTONED  
WEIGHTCUBIC  
FEET

## LAMINATE UNIT

59N8436SMTSLDL	Left Reception/Double Doors	\$ 1921	15%	83 $\frac{1}{2}$ %	36	—	—	419 lbs.	38.7
59N8436SMTSRDL	Right Reception/Double Doors	1921	15%	83 $\frac{1}{2}$ %	36	—	—	419 lbs.	38.7
59N8436SMTSCDL	Center Reception/Double Doors	1921	15%	83 $\frac{1}{2}$ %	36	—	—	419 lbs.	38.7
59N7836SMTSLDL	Left Reception/Double Doors	\$ 1844	15%	77 $\frac{1}{2}$ %	36	—	—	391 lbs.	36.1
59N7836SMTSRDL	Right Reception/Double Doors	1844	15%	77 $\frac{1}{2}$ %	36	—	—	391 lbs.	36.1
59N7836SMTSCDL	Center Reception/Double Doors	1844	15%	77 $\frac{1}{2}$ %	36	—	—	391 lbs.	36.1
59N7236SMTSLDL	Left Reception/Double Doors	\$ 1766	15%	71 $\frac{1}{2}$ %	36	—	—	363 lbs.	33.5
59N7236SMTSRDL	Right Reception/Double Doors	1766	15%	71 $\frac{1}{2}$ %	36	—	—	363 lbs.	33.5
59N7236SMTSCDL	Center Reception/Double Doors	1766	15%	71 $\frac{1}{2}$ %	36	—	—	363 lbs.	33.5
59N6036SMTSLLL	Left Reception/Left Door	\$ 1607	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSLRL	Left Reception/Right Door	1607	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSRLL	Right Reception/Left Door	1607	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSRRL	Right Reception/Right Door	1607	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSCLL	Center, Left Door	1607	15%	60	36	—	—	306 lbs.	28.3
59N6036SMTSCRL	Center, Right Door	1607	15%	60	36	—	—	306 lbs.	28.3
59N4836SMTSLLL	Left Reception/Left Door	\$ 1452	15%	48 $\frac{1}{2}$ %	36	—	—	250 lbs.	23.1
59N4836SMTSLRL	Left Reception/Right Door	1452	15%	48 $\frac{1}{2}$ %	36	—	—	250 lbs.	23.1
59N4836SMTSRLL	Right Reception/Left Door	1452	15%	48 $\frac{1}{2}$ %	36	—	—	250 lbs.	23.1
59N4836SMTSRRL	Right Reception/Right Door	1452	15%	48 $\frac{1}{2}$ %	36	—	—	250 lbs.	23.1
59N4836SMTSCLL	Center, Left Door	1452	15%	48 $\frac{1}{2}$ %	36	—	—	250 lbs.	23.1
59N4836SMTSCRL	Center, Right Door	1452	15%	48 $\frac{1}{2}$ %	36	—	—	250 lbs.	23.1





- Accent panel can be attached to set-on sliding door unit
- 1 $\frac{1}{2}$ " thick top
- Features one accent sliding door
- No pull on glass doors
- For tack board options, see pages 520-525

**TO ORDER, SPECIFY:**

1. Model Number
  2. Pull
  3. Grommet
  4. Locking
  5. Accent Laminate Color (sliding doors)
  6. Laminate Color (laminated models)
  7. Worksurface Sheen (wood models)
  8. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBER:**

59N84366SMTSLRLW 92MB KRB 488 R TF


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>RECEPTION SET-ON SLIDING DOOR (CONTINUED)</b>  Left reception/double doors	<b>GLASS DOORS/WOOD CHASSIS</b>								
	59N8436SMTSLDGW Left Reception/Double Doors	\$ 3389	15½	83½	36	—	—	419 lbs.	38.7
	59N8436SMTSRDGW Right Reception/Double Doors	3389	15½	83½	36	—	—	419 lbs.	38.7
	59N8436SMTSCDGW Center Reception/Double Doors	3389	15½	83½	36	—	—	419 lbs.	38.7
 Left reception/left door	59N7836SMTSLDGW Left Reception/Double Doors	\$ 3296	15½	77½	36	—	—	391 lbs.	36.1
	59N7836SMTSRDGW Right Reception/Double Doors	3296	15½	77½	36	—	—	391 lbs.	36.1
	59N7836SMTSCDGW Center Reception/Double Doors	3296	15½	77½	36	—	—	391 lbs.	36.1
 Center/left door	59N7236SMTSLDGW Left Reception/Double Doors	\$ 3203	15½	71½	36	—	—	363 lbs.	33.5
	59N7236SMTSRDGW Right Reception/Double Doors	3203	15½	71½	36	—	—	363 lbs.	33.5
	59N7236SMTSCDGW Center Reception/Double Doors	3203	15½	71½	36	—	—	363 lbs.	33.5
 Right reception/left door	59N6036SMTSLLGW Left Reception/Left Door	\$ 3012	14¾	60	36	—	—	306 lbs.	28.3
	59N6036SMTSLRGW Left Reception/Right Door	3012	14¾	60	36	—	—	306 lbs.	28.3
	59N6036SMTSRLGW Right Reception/Left Door	3012	14¾	60	36	—	—	306 lbs.	28.3
	59N6036SMTSRRGW Right Reception/Right Door	3012	14¾	60	36	—	—	306 lbs.	28.3
	59N6036SMTSCLGW Center, Left Door	3012	14¾	60	36	—	—	306 lbs.	28.3
	59N6036SMTSCRGW Center, Right Door	3012	14¾	60	36	—	—	306 lbs.	28.3
	59N4836SMTSLLGW Left Reception/Left Door	\$ 2826	15½	48½	36	—	—	250 lbs.	23.1
	59N4836SMTSLRGW Left Reception/Right Door	2826	15½	48½	36	—	—	250 lbs.	23.1
	59N4836SMTSRLGW Right Reception/Left Door	2826	15½	48½	36	—	—	250 lbs.	23.1
	59N4836SMTSRRGW Right Reception/Right Door	2826	15½	48½	36	—	—	250 lbs.	23.1
	59N4836SMTSCLGW Center, Left Door	2826	15½	48½	36	—	—	250 lbs.	23.1
	59N4836SMTSCRGW Center, Right Door	2826	15½	48½	36	—	—	250 lbs.	23.1

- Accent panel can be attached to set-on sliding door unit
- 1½" thick top
- Features one accent sliding door
- No pull on glass doors
- For tack board options, see pages 520-525


## TESSERA

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

RECEPTION SET-ON  
SLIDING DOOR (CONTINUED)


Left reception/double doors



Left reception/left door



Center/left door



Right reception/left door

## MODEL NO./DESCRIPTION

LIST  
PRICEDIMENSIONS  
D W H

## A

## KW

CARTONED  
WEIGHTCUBIC  
FEET

## GLASS DOORS/LAMINATE CHASSIS

59N8436SMTSLDGL	Left Reception/Double Doors	\$ 2498	15%	83 $\frac{1}{2}$ %	36	—	—	419 lbs.	38.7
59N8436SMTSRDGL	Right Reception/Double Doors	2498	15%	83 $\frac{1}{2}$ %	36	—	—	419 lbs.	38.7
59N8436SMTSCDGL	Center Reception/Double Doors	2498	15%	83 $\frac{1}{2}$ %	36	—	—	419 lbs.	38.7
59N7836SMTSLDGL	Left Reception/Double Doors	\$ 2397	15%	77 $\frac{1}{2}$ %	36	—	—	391 lbs.	36.1
59N7836SMTSRDGL	Right Reception/Double Doors	2397	15%	77 $\frac{1}{2}$ %	36	—	—	391 lbs.	36.1
59N7836SMTSCDGL	Center Reception/Double Doors	2397	15%	77 $\frac{1}{2}$ %	36	—	—	391 lbs.	36.1
59N7236SMTSLDGL	Left Reception/Double Doors	\$ 2297	15%	71 $\frac{1}{2}$ %	36	—	—	363 lbs.	33.5
59N7236SMTSRDGL	Right Reception/Double Doors	2297	15%	71 $\frac{1}{2}$ %	36	—	—	363 lbs.	33.5
59N7236SMTSCDGL	Center Reception/Double Doors	2297	15%	71 $\frac{1}{2}$ %	36	—	—	363 lbs.	33.5
59N6036SMTSLLGL	Left Reception/Left Door	\$ 2089	14%	60	36	—	—	306 lbs.	28.3
59N6036SMTSLRGL	Left Reception/Right Door	2089	14%	60	36	—	—	306 lbs.	28.3
59N6036SMTSRLGL	Right Reception/Left Door	2089	14%	60	36	—	—	306 lbs.	28.3
59N6036SMTSRRGL	Right Reception/Right Door	2089	14%	60	36	—	—	306 lbs.	28.3
59N6036SMTSCLGL	Center, Left Door	2089	14%	60	36	—	—	306 lbs.	28.3
59N6036SMTSCRGL	Center, Right Door	2089	14%	60	36	—	—	306 lbs.	28.3
59N4836SMTSLLGL	Left Reception/Left Door	\$ 1888	15%	48 $\frac{1}{2}$ %	36	—	—	250 lbs.	23.1
59N4836SMTSLRGL	Left Reception/Right Door	1888	15%	48 $\frac{1}{2}$ %	36	—	—	250 lbs.	23.1
59N4836SMTSRLGL	Right Reception/Left Door	1888	15%	48 $\frac{1}{2}$ %	36	—	—	250 lbs.	23.1
59N4836SMTSRRGL	Right Reception/Right Door	1888	15%	48 $\frac{1}{2}$ %	36	—	—	250 lbs.	23.1
59N4836SMTSCLGL	Center, Left Door	1888	15%	48 $\frac{1}{2}$ %	36	—	—	250 lbs.	23.1
59N4836SMTSCRGL	Center, Right Door	1888	15%	48 $\frac{1}{2}$ %	36	—	—	250 lbs.	23.1

- Accent panel can be attached to set-on sliding door unit
- 1 $\frac{1}{2}$ " thick top
- Features one accent sliding door
- No pull on glass doors
- For tack board options, see pages 520-525




**TO ORDER, SPECIFY:**

1. Model Number
  2. Laminate Color (laminate models)
  3. Worksurface Sheen (wood models)
  4. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBER:**


59N4825SMTAL 488

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A			
<b>RECEPTION ACCENT PANEL</b> 	59N7225SMTAW Wood	\$ 1107	12	71 $\frac{1}{2}$ "	26 $\frac{3}{4}$ "	—	—	133 lbs.	7.4
	59N7225SMTAL Laminate	901	12	71 $\frac{1}{2}$ "	26 $\frac{3}{4}$ "	—	—	133 lbs.	7.4
	59N6625SMTAW Wood	\$ 1082	12	66	26 $\frac{3}{4}$ "	—	—	124 lbs.	6.9
	59N6625SMTAL Laminate	876	12	66	26 $\frac{3}{4}$ "	—	—	124 lbs.	6.9
	59N6025SMTAW Wood	\$ 1056	12	60	26 $\frac{3}{4}$ "	—	—	113 lbs.	6.3
	59N6025SMTAL Laminate	850	12	60	26 $\frac{3}{4}$ "	—	—	113 lbs.	6.3
	59N3625SMTAW Wood	\$ 953	12	36 $\frac{1}{2}$ "	26 $\frac{3}{4}$ "	—	—	72 lbs.	4.0
	59N3625SMTAL Laminate	747	12	36 $\frac{1}{2}$ "	26 $\frac{3}{4}$ "	—	—	72 lbs.	4.0
	59N4825SMTAW Wood	\$ 1004	12	48	26 $\frac{3}{4}$ "	—	—	92 lbs.	5.1
	59N4825SMTAL Laminate	798	12	48	26 $\frac{3}{4}$ "	—	—	92 lbs.	5.1
	<ul style="list-style-type: none"> <li>• 1<math>\frac{1}{2}</math>" thick top</li> <li>• Accent panel can be used on top of the reception set-on sliding door unit</li> <li>• 1<math>\frac{1}{2}</math>" spacer under the accent panel</li> <li>• Modesty panel on laminate or veneer units will be vertical unless horizontal is specified</li> <li>• Any laminate modesty over 60" will be horizontal</li> </ul>								

## TESSERA

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

RETURN  
BOX/BOX/FILE

Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
LEFT RETURN	RIGHT RETURN			D	W	H	A	KW		
59N2460RLEFFW1	59N2460RREFFW1	Wood	\$ 2290	24	60	28 $\frac{1}{4}$ "	$\frac{1}{4}$ "	44	180 lbs.	33.0
59N2460RLEFFL1	59N2460RREFFL1	Laminate	1280	24	60	28 $\frac{1}{4}$ "	$\frac{1}{4}$ "	44	180 lbs.	33.0
59N2448RLEFFW1	59N2448RREFFW1	Wood	\$ 2264	24	48 $\frac{1}{4}$ "	28 $\frac{1}{4}$ "	$\frac{1}{4}$ "	33	160 lbs.	27.0
59N2448RLEFFL1	59N2448RREFFL1	Laminate	1257	24	48 $\frac{1}{4}$ "	28 $\frac{1}{4}$ "	$\frac{1}{4}$ "	33	160 lbs.	27.0
59N2442RLEFFW1	59N2442RREFFW1	Wood	\$ 2174	24	42 $\frac{1}{4}$ "	28 $\frac{1}{4}$ "	$\frac{1}{4}$ "	27	140 lbs.	24.0
59N2442RLEFFL1	59N2442RREFFL1	Laminate	1204	24	42 $\frac{1}{4}$ "	28 $\frac{1}{4}$ "	$\frac{1}{4}$ "	27	140 lbs.	24.0

- Grain direction runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Recessed façade on pedestals creates a  $\frac{1}{4}$ " gap between the worksurface and modesty panel to show the recessed façade on the pedestal
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified



## TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Laminate Color (laminate models)
6. Worksurface Sheen (wood models)
7. Veneer Finish (wood models)

• See pages 273-274 for all options available in Tessera

## SAMPLE MODEL NUMBERS:

59N2460RLEFFW1 92PL G11PLC KRS N MH



	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
<div>RETURN FILE/FILE</div> <div></div> <div>Left shown</div>	LEFT RETURN	RIGHT RETURN			D	W	H	A	KW			
	59N2460RLEFFW2	59N2460RREFFW2	Wood	\$ 2290	24	60	28 <sup>1</sup> / <sub>16</sub>	<sup>1</sup> / <sub>16</sub>	44	180 lbs.	33.0	
	59N2460RLEFFL2	59N2460RREFFL2	Laminate	1280	24	60	28 <sup>1</sup> / <sub>16</sub>	<sup>1</sup> / <sub>16</sub>	44	180 lbs.	33.0	
	59N2448RLEFFW2	59N2448RREFFW2	Wood	\$ 2264	24	48 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	<sup>1</sup> / <sub>16</sub>	33	160 lbs.	27.0	
	59N2448RLEFFL2	59N2448RREFFL2	Laminate	1257	24	48 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	<sup>1</sup> / <sub>16</sub>	33	160 lbs.	27.0	
	59N2442RLEFFW2	59N2442RREFFW2	Wood	\$ 2174	24	42 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	<sup>1</sup> / <sub>16</sub>	27	140 lbs.	24.0	
	59N2442RLEFFL2	59N2442RREFFL2	Laminate	1204	24	42 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	<sup>1</sup> / <sub>16</sub>	27	140 lbs.	24.0	
	<ul style="list-style-type: none"><li>• Grain direction runs front-to-back</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Recessed façade on pedestals creates a 1<sup>1</sup>/<sub>16</sub>" gap between the worksurface and modesty panel to show the recessed façade on the pedestal</li><li>• Modesty panel on laminate or veneer units will be vertical unless horizontal is specified</li></ul>											
	BRIDGE	59N2448BEFFW	Wood	\$ 850	24	48 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	<sup>1</sup> / <sub>16</sub>	—	80 lbs.	3.4	
<div></div>	59N2448BEFFL	Laminate	470	24	48 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	<sup>1</sup> / <sub>16</sub>	—	80 lbs.	3.4		
	59N2442BEFFW	Wood	\$ 801	24	42 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	<sup>1</sup> / <sub>16</sub>	—	72 lbs.	3.1		
	59N2442BEFFL	Laminate	424	24	42 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	<sup>1</sup> / <sub>16</sub>	—	72 lbs.	3.1		
	<ul style="list-style-type: none"><li>• Some assembly required</li><li>• Grain direction runs front-to-back</li><li>• 1<sup>1</sup>/<sub>16</sub>" gap between the modesty and worksurface</li><li>• Modesty panel on laminate or veneer units will be vertical unless horizontal is specified</li></ul>											

## TESSERA

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## FULL CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
59N2490CSS3GW34	Glass/Wood	\$ 5121	24	89 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—	261 lbs.	48.3
59N2490CSS3GL34	Glass/Laminate	4550	24	89 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—	261 lbs.	48.3
59N2490CSS3W34	Wood	4267	24	89 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—	261 lbs.	48.3
59N2490CSS3LW34	Laminate/Wood	4395	24	89 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—	261 lbs.	48.3
59N2490CSS3L34	Laminate	3500	24	89 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—	261 lbs.	48.3
59N2472CSS3GW34	Glass/Wood	\$ 4874	24	71 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—	211 lbs.	39.2
59N2472CSS3GL34	Glass/Laminate	4282	24	71 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—	211 lbs.	39.2
59N2472CSS3W34	Wood	4061	24	71 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—	211 lbs.	39.2
59N2472CSS3LW34	Laminate/Wood	4183	24	71 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—	211 lbs.	39.2
59N2472CSS3L34	Laminate	3294	24	71 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—	211 lbs.	39.2
59N2460CSS3GW34	Glass/Wood	\$ 4812	24	60	28 <sup>1</sup> / <sub>16</sub>	—	—	225 lbs.	33.2
59N2460CSS3GL34	Glass/Laminate	4215	24	60	28 <sup>1</sup> / <sub>16</sub>	—	—	225 lbs.	33.2
59N2460CSS3W34	Wood	4010	24	60	28 <sup>1</sup> / <sub>16</sub>	—	—	225 lbs.	33.2
59N2460CSS3LW34	Laminate/Wood	4130	24	60	28 <sup>1</sup> / <sub>16</sub>	—	—	225 lbs.	33.2
59N2460CSS3L34	Laminate	3242	24	60	28 <sup>1</sup> / <sub>16</sub>	—	—	225 lbs.	33.2



- Random lock core (KRB, KRS) and specified lock core (KS5B, KS5S) available
- Features two accent sliding doors
- No pull on glass doors
- Bottom drawer features letter or legal, side-to-side, or front-to-back filing

## TO ORDER, SPECIFY:

1. Model Number
  2. Pull
  3. Grommet
  4. Locking
  5. Accent Laminate Color (sliding doors)
  6. Laminate Color (laminated models)
  7. Worksurface Sheen (wood models)
  8. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessa

## SAMPLE MODEL NUMBERS:



59N2490CSS3LW34 92PL G11PLC KR5S 488 N MH  
 59N2430CS1L34 92PL G11PLC KR1S 488

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
<div></div> <div>Right shown</div>	SLIDING DOOR ON LEFT	SLIDING DOOR ON RIGHT									
	59N2460CSSL2GW34	59N2460CSSR2GW34	Glass/Wood	\$ 4812	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	225 lbs.	33.2
	59N2460CSSL2GL34	59N2460CSSR2GL34	Glass/Lam	4215	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	225 lbs.	33.2
	59N2460CSSL2W34	59N2460CSSR2W34	Wood	4010	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	225 lbs.	33.2
	59N2460CSSL2LW34	59N2460CSSR2LW34	Lam/Wood	4130	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	225 lbs.	33.2
	59N2460CSSL2L34	59N2460CSSR2L34	Laminate	3242	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	225 lbs.	33.2
	59N2448CSSL2GW34	59N2448CSSR2GW34	Glass/Wood	\$ 4689	24	48 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	185 lbs.	27.1
	59N2448CSSL2GL34	59N2448CSSR2GL34	Glass/Lam	4081	24	48 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	185 lbs.	27.1
	59N2448CSSL2W34	59N2448CSSR2W34	Wood	3907	24	48 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	185 lbs.	27.1
	59N2448CSSL2LW34	59N2448CSSR2LW34	Lam/Wood	4024	24	48 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	185 lbs.	27.1
	59N2448CSSL2L34	59N2448CSSR2L34	Laminate	3139	24	48 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	185 lbs.	27.1
	<ul style="list-style-type: none"><li>• Center grommet location not available</li><li>• Random lock core (KS3B, KS3S) available</li><li>• Features one accent sliding door</li><li>• No pull on glass doors</li><li>• Bottom drawer features letter or legal, side-to-side, or front-to-back filing</li></ul>										
	<div></div>	59N2430CS1W34	Wood	\$ 2391	24	30 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	90 lbs.	18.0
59N2430CS1L34		Laminate	1475	24	30 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	90 lbs.	18.0	
59N2424CS1W34		Wood	\$ 2360	24	24	28 <sup>1</sup> / <sub>2</sub>	—	—	75 lbs.	15.0	
59N2424CS1L34		Laminate	1444	24	24	28 <sup>1</sup> / <sub>2</sub>	—	—	75 lbs.	15.0	
59N2420CS1W34		Wood	\$ 2339	24	20	28 <sup>1</sup> / <sub>2</sub>	—	—	65 lbs.	12.9	
59N2420CS1L34		Laminate	1423	24	20	28 <sup>1</sup> / <sub>2</sub>	—	—	65 lbs.	12.9	
<ul style="list-style-type: none"><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Bottom drawer features letter or legal, side-to-side, or front-to-back filing</li></ul>											

## TESSERA

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

MID-CREDENZA  
FOOTED BASE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H						
59N2490CSLS3GW34	Glass/Wood	\$ 5216	24	89 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—			261 lbs.	38.7
59N2490CSLS3GL34	Glass/Laminate	4634	24	89 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—			261 lbs.	38.7
59N2490CSLS3W34	Wood	4347	24	89 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—			261 lbs.	38.7
59N2490CSLS3LW34	Laminate/Wood	4476	24	89 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—			261 lbs.	38.7
59N2490CSLS3L34	Laminate	3565	24	89 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—			261 lbs.	38.7
59N2472CSLS3GW34	Glass/Wood	\$ 4964	24	71 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—			169 lbs.	31.4
59N2472CSLS3GL34	Glass/Laminate	4361	24	71 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—			169 lbs.	31.4
59N2472CSLS3W34	Wood	4136	24	71 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—			169 lbs.	31.4
59N2472CSLS3LW34	Laminate/Wood	4260	24	71 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—			169 lbs.	31.4
59N2472CSLS3L34	Laminate	3355	24	71 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—			169 lbs.	31.4
59N2460CSLS3GW34	Glass/Wood	\$ 4901	24	60	28 <sup>1</sup> / <sub>16</sub>	—	—			179 lbs.	26.5
59N2460CSLS3GL34	Glass/Laminate	4293	24	60	28 <sup>1</sup> / <sub>16</sub>	—	—			179 lbs.	26.5
59N2460CSLS3W34	Wood	4084	24	60	28 <sup>1</sup> / <sub>16</sub>	—	—			179 lbs.	26.5
59N2460CSLS3LW34	Laminate/Wood	4207	24	60	28 <sup>1</sup> / <sub>16</sub>	—	—			179 lbs.	26.5
59N2460CSLS3L34	Laminate	3302	24	60	28 <sup>1</sup> / <sub>16</sub>	—	—			179 lbs.	26.5



- Random lock core (KRB, KRS) and specified lock core (KS5B, KS5S) available
- Features two accent sliding doors
- No pull on glass doors
- Bottom drawers do not include filing hardware

## TO ORDER, SPECIFY:

1. Model Number
  2. Pull
  3. Grommet
  4. Locking
  5. Leg Finish
  6. Accent Laminate Color (sliding doors)
  7. Laminate Color (laminated models)
  8. Worksurface Sheen (wood models)
  9. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera

## SAMPLE MODEL NUMBERS:

59N2490CSLS3W34 92PL G1A KRS 501 N 792  
 59N2460CSLSR2L34 92PL G1LR KRS 501 792 792


	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	SLIDING DOOR ON LEFT	SLIDING DOOR ON RIGHT			D	W	H	A	KW		
<div></div> <div>Right shown</div>	59N2460CSLSL2GW34	59N2460CSLSR2GW34	Glass/Wood	\$ 4901	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	179 lbs.	26.5
	59N2460CSLSL2GL34	59N2460CSLSR2GL34	Glass/Lam	4293	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	179 lbs.	26.5
	59N2460CSLSL2W34	59N2460CSLSR2W34	Wood	4084	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	179 lbs.	26.5
	59N2460CSLSL2LW34	59N2460CSLSR2LW34	Lam/Wood	4207	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	179 lbs.	26.5
	59N2460CSLSL2L34	59N2460CSLSR2L34	Laminate	3302	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	179 lbs.	26.5
	59N2448CSLSL2GW34	59N2448CSLSR2GW34	Glass/Wood	\$ 4775	24	48 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	147 lbs.	21.7
	59N2448CSLSL2GL34	59N2448CSLSR2GL34	Glass/Lam	4157	24	48 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	147 lbs.	21.7
	59N2448CSLSL2W34	59N2448CSLSR2W34	Wood	3979	24	48 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	147 lbs.	21.7
	59N2448CSLSL2LW34	59N2448CSLSR2LW34	Lam/Wood	4098	24	48 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	147 lbs.	21.7
	59N2448CSLSL2L34	59N2448CSLSR2L34	Laminate	3197	24	48 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	147 lbs.	21.7
	<ul style="list-style-type: none"><li>• Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available</li><li>• Features one accent sliding door</li><li>• No pull on glass doors</li><li>• Bottom drawers do not include filing hardware</li></ul>										
<div></div>	59N2430CSL1W34	Wood	\$ 2462	24	30 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	72 lbs.	14.4	
	59N2430CSL1L34	Laminate	1532	24	30 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	72 lbs.	14.4	
	59N2424CSL1W34	Wood	\$ 2430	24	24	28 <sup>1</sup> / <sub>2</sub>	—	—	60 lbs.	12.0	
	59N2424CSL1L34	Laminate	1500	24	24	28 <sup>1</sup> / <sub>2</sub>	—	—	60 lbs.	12.0	
	59N2420CSL1W34	Wood	\$ 2409	24	20	28 <sup>1</sup> / <sub>2</sub>	—	—	52 lbs.	10.3	
	59N2420CSL1L34	Laminate	1479	24	20	28 <sup>1</sup> / <sub>2</sub>	—	—	52 lbs.	10.3	
	<ul style="list-style-type: none"><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Bottom drawers do not include filing hardware</li></ul>										

## TESSERA

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## MID-CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
59N249023CSS3GW34	Glass/Wood	\$ 4967	24	89 <sup>15</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	209 lbs.	38.7
59N249023CSS3GL34	Glass/Laminate	4414	24	89 <sup>15</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	209 lbs.	38.7
59N249023CSS3W34	Wood	4140	24	89 <sup>15</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	209 lbs.	38.7
59N249023CSS3LW34	Laminate/Wood	4263	24	89 <sup>15</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	209 lbs.	38.7
59N249023CSS3L34	Laminate	3395	24	89 <sup>15</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	209 lbs.	38.7
59N247223CSS3GW34	Glass/Wood	\$ 4728	24	71 <sup>15</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	169 lbs.	31.4
59N247223CSS3GL34	Glass/Laminate	4154	24	71 <sup>15</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	169 lbs.	31.4
59N247223CSS3W34	Wood	3940	24	71 <sup>15</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	169 lbs.	31.4
59N247223CSS3LW34	Laminate/Wood	4057	24	71 <sup>15</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	169 lbs.	31.4
59N247223CSS3L34	Laminate	3195	24	71 <sup>15</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	169 lbs.	31.4
59N246023CSS3GW34	Glass/Wood	\$ 4667	24	60	22 <sup>3</sup> / <sub>4</sub>	—	—	143 lbs.	26.5
59N246023CSS3GL34	Glass/Laminate	4089	24	60	22 <sup>3</sup> / <sub>4</sub>	—	—	143 lbs.	26.5
59N246023CSS3W34	Wood	3889	24	60	22 <sup>3</sup> / <sub>4</sub>	—	—	143 lbs.	26.5
59N246023CSS3LW34	Laminate/Wood	4006	24	60	22 <sup>3</sup> / <sub>4</sub>	—	—	143 lbs.	26.5
59N246023CSS3L34	Laminate	3146	24	60	22 <sup>3</sup> / <sub>4</sub>	—	—	143 lbs.	26.5

- Random lock core (KRB, KRS) and specified lock core (KS5B, KS5S) available
- Features two accent sliding doors
- No pull on glass doors
- Bottom drawers do not include filing hardware





## TO ORDER, SPECIFY:

1. Model Number
  2. Pull
  3. Grommet
  4. Locking
  5. Accent Laminate Color (sliding doors)
  6. Laminate Color (laminated models)
  7. Worksurface Sheen (wood models)
  8. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera

## SAMPLE MODEL NUMBERS:

59N249023CSS3W34 92PL X KRS N 792  
 59N243023CS1W34 92PL X KRS N 792



MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW			
<div>MID-CREDENZA</div> <div></div> <div>Right shown</div>	SLIDING DOOR ON LEFT	SLIDING DOOR ON RIGHT										
	59N246023CSSL2GW34	59N246023CSSR2GW34	Glass/Wood	\$ 4667	24	60	22¾	—	—	143 lbs.	26.5	
	59N246023CSSL2GL34	59N246023CSSR2GL34	Glass/Lam	4089	24	60	22¾	—	—	143 lbs.	26.5	
	59N246023CSSL2W34	59N246023CSSR2W34	Wood	3889	24	60	22¾	—	—	143 lbs.	26.5	
	59N246023CSSL2LW34	59N246023CSSR2LW34	Lam/Wood	4006	24	60	22¾	—	—	143 lbs.	26.5	
	59N246023CSSL2L34	59N246023CSSR2L34	Laminate	3146	24	60	22¾	—	—	143 lbs.	26.5	
	59N244823CSSL2GW34	59N244823CSSR2GW34	Glass/Wood	\$ 4547	24	48¾	22¾	—	—	117 lbs.	21.7	
	59N244823CSSL2GL34	59N244823CSSR2GL34	Glass/Lam	3959	24	48¾	22¾	—	—	117 lbs.	21.7	
	59N244823CSSL2W34	59N244823CSSR2W34	Wood	3789	24	48¾	22¾	—	—	117 lbs.	21.7	
	59N244823CSSL2LW34	59N244823CSSR2LW34	Lam/Wood	3904	24	48¾	22¾	—	—	117 lbs.	21.7	
59N244823CSSL2L34	59N244823CSSR2L34	Laminate	3046	24	48¾	22¾	—	—	117 lbs.	21.7		
<ul style="list-style-type: none"><li>• Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available</li><li>• Features one accent sliding door</li><li>• No pull on glass doors</li><li>• Bottom drawers do not include filing hardware</li></ul>												

<div>MID-CREDENZA</div> <div></div>	59N243023CS1W34	Wood	\$ 2275	24	30¾	22¾	—	—	72 lbs.	14.4
	59N243023CS1L34	Laminate	1383	24	30¾	22¾	—	—	72 lbs.	14.4
	59N242423CS1W34	Wood	\$ 2245	24	24	22¾	—	—	60 lbs.	12.0
	59N242423CS1L34	Laminate	1353	24	24	22¾	—	—	60 lbs.	12.0
	59N242023CS1W34	Wood	\$ 2225	24	20	22¾	—	—	52 lbs.	10.3
	59N242023CS1L34	Laminate	1333	24	20	22¾	—	—	52 lbs.	10.3
<ul style="list-style-type: none"><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Bottom drawers do not include filing hardware</li></ul>										


## TESSERA

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>FULL CREDENZA - FULL DRAWER FRONT (BOX/BOX/FILE)</b>    	59N2490CS3W36 Wood	\$ 4481	24	89 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	261 lbs.	48.5
	59N2490CS3L36 Laminate	3675	24	89 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	261 lbs.	48.5
	59N2472CS3W36 Wood	\$ 4264	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	211 lbs.	39.2
	59N2472CS3L36 Laminate	3459	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	211 lbs.	39.2
	59N2460CS3W36 Wood	\$ 4211	24	60	28 $\frac{1}{16}$	—	—	179 lbs.	33.2
	59N2460CS3L36 Laminate	3404	24	60	28 $\frac{1}{16}$	—	—	179 lbs.	33.2

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available on 3 section unit
- Full drawer front units feature a box/box/file drawer configuration behind the full front

<b>FULL CREDENZA - FULL DRAWER FRONT (BOX/BOX/FILE)</b>  	59N2460CS2W36 Wood	\$ 4211	24	60	28 $\frac{1}{16}$	—	—	179 lbs.	33.2
	59N2460CS2L36 Laminate	3404	24	60	28 $\frac{1}{16}$	—	—	179 lbs.	33.2
	59N2448CS2W36 Wood	\$ 4102	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	185 lbs.	27.1
	59N2448CS2L36 Laminate	3296	24	48 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	185 lbs.	27.1

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 2 section unit
- Full drawer front units feature a box/box/file drawer configuration behind the full front

<b>MID-CREDENZA FOOTED BASE - FULL DRAWER FRONT (BOX/FILE)</b>    	59N2490CSL3W38 Wood	\$ 4564	24	89 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	261 lbs.	38.7
	59N2490CSL3L38 Laminate	3743	24	89 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	261 lbs.	38.7
	59N2472CSL3W38 Wood	\$ 4344	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	212 lbs.	31.4
	59N2472CSL3L38 Laminate	3523	24	71 $\frac{1}{16}$	28 $\frac{1}{16}$	—	—	212 lbs.	31.4
	59N2460CSL3W38 Wood	\$ 4288	24	60	28 $\frac{1}{16}$	—	—	179 lbs.	26.5
	59N2460CSL3L38 Laminate	3468	24	60	28 $\frac{1}{16}$	—	—	179 lbs.	26.5

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available on 3 section unit
- Full drawer front units feature a box/file drawer configuration behind the full front





## TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Leg Finish
6. Laminate Color (laminate models)
7. Worksurface Sheen (wood models)
8. Veneer Finish (wood models)

• See pages 273-274 for all options available in Tessera

## SAMPLE MODEL NUMBER:


59N2490CS3W36 92PL G1LR KRB N CW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
<b>MID-CREDENZA FOOTED BASE - FULL DRAWER FRONT (BOX/FILE)</b>  	59N2460CSL2W38	Wood	\$ 4288	24	60	28 <sup>1</sup> / <sub>16</sub>	—	—	179 lbs.	26.5	
	59N2460CSL2L38	Laminate	3468	24	60	28 <sup>1</sup> / <sub>16</sub>	—	—	179 lbs.	26.5	
	59N2448CSL2W38	Wood	\$ 4178	24	48 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—	147 lbs.	21.7	
	59N2448CSL2L38	Laminate	3358	24	48 <sup>1</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>16</sub>	—	—	147 lbs.	21.7	
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 2 section unit										
	• Full drawer front units feature a box/file drawer configuration behind the full front										
<b>MID-CREDENZA - FULL DRAWER FRONT (BOX/FILE)</b>   	59N249023CS3W38	Wood	\$ 4347	24	89 <sup>1</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	209 lbs.	38.7	
	59N249023CS3L38	Laminate	3565	24	89 <sup>1</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	209 lbs.	38.7	
	59N247223CS3W38	Wood	\$ 4136	24	71 <sup>1</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	169 lbs.	31.4	
	59N247223CS3L38	Laminate	3355	24	71 <sup>1</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	169 lbs.	31.4	
	59N246023CS3W38	Wood	\$ 4084	24	60	22 <sup>3</sup> / <sub>4</sub>	—	—	143 lbs.	26.5	
	59N246023CS3L38	Laminate	3302	24	60	22 <sup>3</sup> / <sub>4</sub>	—	—	143 lbs.	26.5	
	• Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available on 3 section unit										
• Full drawer front units feature a box/file drawer configuration behind the full front											
<b>MID-CREDENZA - FULL DRAWER FRONT (BOX/FILE)</b>  	59N246023CS2W38	Wood	\$ 4084	24	60	22 <sup>3</sup> / <sub>4</sub>	—	—	143 lbs.	26.5	
	59N246023CS2L38	Laminate	3302	24	60	22 <sup>3</sup> / <sub>4</sub>	—	—	143 lbs.	26.5	
	59N244823CS2W38	Wood	\$ 3979	24	48 <sup>1</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	117 lbs.	21.7	
	59N244823CS2L38	Laminate	3197	24	48 <sup>1</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>4</sub>	—	—	117 lbs.	21.7	
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 2 section unit										
• Full drawer front units feature a box/file drawer configuration behind the full front											

## TESSERA


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

BENCH CREDENZA  
(CUBBY STORAGE)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
59N2490BNOF3W	Wood	\$ 3518	24	89 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>4</sub>	—	—	243 lbs.	27.4
59N2490BNOF3L	Laminate	2716	24	89 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>4</sub>	—	—	243 lbs.	27.4
59N2472BNOF3W	Wood	\$ 3436	24	71 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>4</sub>	—	—	200 lbs.	22.3
59N2472BNOF3L	Laminate	2634	24	71 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>4</sub>	—	—	200 lbs.	22.3
59N2460BNOF3W	Wood	\$ 3385	24	60	15 <sup>3</sup> / <sub>4</sub>	—	—	169 lbs.	18.8
59N2460BNOF3L	Laminate	2582	24	60	15 <sup>3</sup> / <sub>4</sub>	—	—	169 lbs.	18.8

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Bottom drawer features letter or legal, side-to-side, or front-to-back filing

BENCH CREDENZA  
(OPEN CUBBY STORAGE)

59N1890BNO3W	Wood	\$ 3292	18	89 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>4</sub>	—	—	197 lbs.	21.9
59N1890BNO3L	Laminate	2593	18	89 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>4</sub>	—	—	197 lbs.	21.9
59N1872BNO3W	Wood	\$ 3209	18	71 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>4</sub>	—	—	160 lbs.	17.8
59N1872BNO3L	Laminate	2510	18	71 <sup>15</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>4</sub>	—	—	160 lbs.	17.8
59N1860BNO3W	Wood	\$ 3158	18	60	15 <sup>3</sup> / <sub>4</sub>	—	—	135 lbs.	15.0
59N1860BNO3L	Laminate	2459	18	60	15 <sup>3</sup> / <sub>4</sub>	—	—	135 lbs.	15.0



## TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Laminate Color (laminate models)
6. Worksurface Sheen (wood models)
7. Veneer Finish (wood models)

• See pages 273-274 for all options available in Tessera

## SAMPLE MODEL NUMBERS:

59N2490BNOF3W 92MB KS2B N CW  
59N2430BNF1L 92MB KS1B 417

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
<b>BENCH CREDENZA (FILE STORAGE/ CUBBY STORAGE)</b>   Left shown	<b>DRAWER ON LEFT</b>	<b>DRAWER ON RIGHT</b>									
	59N2460BNOFL2W	59N2460BNOFR2W	Wood	\$ 3385	24	60	15¾	—	—	169 lbs.	18.8
	59N2460BNOFL2L	59N2460BNOFR2L	Laminate	2582	24	60	15¾	—	—	169 lbs.	18.8
	59N2448BNOFL2W	59N2448BNOFR2W	Wood	\$ 3230	24	48¾	15¾	—	—	105 lbs.	15.4
	59N2448BNOFL2L	59N2448BNOFR2L	Laminate	2428	24	48¾	15¾	—	—	105 lbs.	15.4
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Bottom drawer features letter or legal, side-to-side, or front-to-back filing										
	59N1860BNO2W	Wood	\$ 3158	18	60	15¾	—	—	—	129 lbs.	15.0
	59N1860BNO2L	Laminate	2459	18	60	15¾	—	—	—	129 lbs.	15.0
<b>BENCH CREDENZA (OPEN CUBBY STORAGE)</b>  	59N1848BNO2W	Wood	\$ 3003	18	48¾	15¾	—	—	—	112 lbs.	13.0
	59N1848BNO2L	Laminate	2304	18	48¾	15¾	—	—	—	112 lbs.	13.0

## TESSERA


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

**BENCH CREDENZA  
(CUBBY STORAGE)**


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
59N2430BNF1W	Wood	\$ 2050	24	30	15¾	—	—	70 lbs.	10.2
59N2430BNF1L	Laminate	1097	24	30	15¾	—	—	70 lbs.	10.2
59N2424BNF1W	Wood	\$ 2009	24	24	15¾	—	—	58 lbs.	8.5
59N2424BNF1L	Laminate	1056	24	24	15¾	—	—	58 lbs.	8.5
59N2420BNF1W	Wood	\$ 1988	24	20	15¾	—	—	63 lbs.	7.3
59N2420BNF1L	Laminate	1035	24	20	15¾	—	—	63 lbs.	7.3

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Bottom drawer features letter or legal, side-to-side, or front-to-back filing

**BENCH CREDENZA  
(OPEN CUBBY STORAGE)**


59N1830BNO1W	Wood	\$ 1823	18	30	15¾	—	—	69 lbs.	11.0
59N1830BNO1L	Laminate	973	18	30	15¾	—	—	69 lbs.	11.0
59N1824BNO1W	Wood	\$ 1782	18	24	15¾	—	—	56 lbs.	9.0
59N1824BNO1L	Laminate	932	18	24	15¾	—	—	56 lbs.	9.0
59N1820BNO1W	Wood	\$ 1761	18	20	15¾	—	—	50 lbs.	8.0
59N1820BNO1L	Laminate	891	18	20	15¾	—	—	50 lbs.	8.0


## TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Grommet
4. Locking
5. Laminate Color (laminate models)
6. Worksurface Sheen (wood models)
7. Veneer Finish (wood models)

• See pages 273-274 for all options available in Tessera

## SAMPLE MODEL NUMBERS:

59N2460BNOFL2W 92PL KRS R MH  
 59N2472CRFFW2 92PL G11PLC KRS R MH

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET		
	LEFT PEDESTAL	RIGHT PEDESTAL		D	W	H	A	KW		
	59N2472CLFFW2	59N2472CRFFW2	Wood	\$ 2702	24	71 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	295 lbs. 39.0
	59N2472CLFFL2	59N2472CRFFL2	Laminate	1755	24	71 <sup>1</sup> / <sub>2</sub>	28 <sup>1</sup> / <sub>2</sub>	—	—	295 lbs. 39.0
	59N2466CLFFW2	59N2466CRFFW2	Wood	\$ 2655	24	66	28 <sup>1</sup> / <sub>2</sub>	—	—	265 lbs. 35.0
	59N2466CLFFL2	59N2466CRFFL2	Laminate	1679	24	66	28 <sup>1</sup> / <sub>2</sub>	—	—	265 lbs. 35.0
	59N2460CLFFW2	59N2460CRFFW2	Wood	\$ 2605	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	250 lbs. 33.0
	59N2460CLFFL2	59N2460CRFFL2	Laminate	1647	24	60	28 <sup>1</sup> / <sub>2</sub>	—	—	250 lbs. 33.0
	Right shown									



Right shown

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal

# TESSERA

## PRODUCT SPECIFICATIONS

- 52" wall panels allow 3 rows of shelves and 46" wall panels allow 2 rows of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert. All other woodgrains have a vertical grain on the wall insert
- National will not be liable for wall mount panels that are not properly installed

## DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
TV WALL PANEL	59N4852MWPW	Wood	\$ 1313	2¾	48	52	—	—	78 lbs.	6.2
	59N4852MWPL	Laminate	901	2¾	48	52	—	—	78 lbs.	6.2
	59N4846MWPW	Wood	\$ 1298	2¾	48	45⅞	—	—	68 lbs.	5.6
	59N4846MWPL	Laminate	886	2¾	48	45⅞	—	—	68 lbs.	5.6



- TV mount included; ships separately
- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Back mounted LED light kits are available on page 349
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- VESA mounting compliant
- All wall panels have vertical grain direction except horizontal laminates
- Maximum TV weight is 120 lbs.




**TO ORDER, SPECIFY:**

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

• See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBERS:**

59N4852MWPL 417  
59N4852WPW CW

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>WALL PANEL</b> 	59N4852WPW Wood	\$ 1004	2¾	48	52	—	—	78 lbs.	6.2
	59N4852WPL Laminate	592	2¾	48	52	—	—	78 lbs.	6.2
	59N4846WPW Wood	\$ 989	2¾	48	45⅞	—	—	68 lbs.	5.6
	59N4846WPL Laminate	577	2¾	48	45⅞	—	—	68 lbs.	5.6
	59N4252WPW Wood	\$ 953	2¾	42	52	—	—	63 lbs.	5.5
	59N4252WPL Laminate	541	2¾	42	52	—	—	63 lbs.	5.5
	59N4246WPW Wood	\$ 937	2¾	42	45⅞	—	—	56 lbs.	4.9
	59N4246WPL Laminate	525	2¾	42	45⅞	—	—	56 lbs.	4.9
	59N3652WPW Wood	\$ 901	2¾	36	52	—	—	48 lbs.	4.8
	59N3652WPL Laminate	489	2¾	36	52	—	—	48 lbs.	4.8
	59N3646WPW Wood	\$ 886	2¾	36	45⅞	—	—	43 lbs.	4.3
	59N3646WPL Laminate	474	2¾	36	45⅞	—	—	43 lbs.	4.3
	59N3052WPW Wood	\$ 850	2¾	30	52	—	—	48 lbs.	4.1
	59N3052WPL Laminate	438	2¾	30	52	—	—	48 lbs.	4.1
	59N3046WPW Wood	\$ 834	2¾	30	45⅞	—	—	43 lbs.	3.7
	59N3046WPL Laminate	422	2¾	30	45⅞	—	—	43 lbs.	3.7
	59N2452WPW Wood	\$ 798	2¾	24	52	—	—	40 lbs.	3.4
	59N2452WPL Laminate	386	2¾	24	52	—	—	40 lbs.	3.4
	59N2446WPW Wood	\$ 783	2¾	24	45⅞	—	—	36 lbs.	3.1
	59N2446WPL Laminate	371	2¾	24	45⅞	—	—	36 lbs.	3.1

- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Wall panel backs are pre-bored for shelf attachment in the field. Reference pages 310-316 for shelf sizes
- Back mounted LED light kits are available on page 349
- Sliding shelves can only be used with 52" tall wall panels

## TESSERA


## PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 52" wall panels allow 3 horizontal rows of shelves and 46" allow 2 horizontal rows of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SHELF



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
59N120SHW	Wood	\$ 901	10	119 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	90 lbs.	4.7
59N120SHL	Laminate	592	10	119 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	90 lbs.	4.7
59N114SHW	Wood	\$ 881	10	113 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	81 lbs.	4.5
59N114SHL	Laminate	572	10	113 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	81 lbs.	4.5
59N108SHW	Wood	\$ 860	10	107 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	73 lbs.	4.2
59N108SHL	Laminate	551	10	107 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	73 lbs.	4.2
59N102SHW	Wood	\$ 839	10	101 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	66 lbs.	4.0
59N102SHL	Laminate	530	10	101 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	66 lbs.	4.0
59N96SHW	Wood	\$ 819	10	95 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	38 lbs.	3.8
59N96SHL	Laminate	510	10	95 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	38 lbs.	3.8
59N90SHW	Wood	\$ 798	10	89 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	36 lbs.	3.6
59N90SHL	Laminate	489	10	89 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	36 lbs.	3.6
59N84SHW	Wood	\$ 778	10	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	3.3
59N84SHL	Laminate	469	10	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	3.3
59N78SHW	Wood	\$ 757	10	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	31 lbs.	3.1
59N78SHL	Laminate	448	10	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	31 lbs.	3.1
59N72SHW	Wood	\$ 736	10	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	29 lbs.	2.9
59N72SHL	Laminate	427	10	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	29 lbs.	2.9
59N66SHW	Wood	\$ 716	10	65 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	27 lbs.	2.7
59N66SHL	Laminate	407	10	65 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	27 lbs.	2.7


- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than one wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves

**TO ORDER, SPECIFY:**

1. Model Number
  2. Laminate Color (laminate models)
  3. Finish (wood models)
- See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBERS:**

59N120SHW TF  
59N120SHL 405

**SHELF (CONTINUED)**

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
59N60SHW	Wood	\$ 695	10	59 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		25 lbs.	2.5
59N60SHL	Laminate	386	10	59 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		25 lbs.	2.5
59N54SHW	Wood	\$ 675	10	53 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		22 lbs.	2.2
59N54SHL	Laminate	366	10	53 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		22 lbs.	2.2
59N48SHW	Wood	\$ 654	10	47 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		20 lbs.	2.0
59N48SHL	Laminate	345	10	47 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		20 lbs.	2.0
59N42SHW	Wood	\$ 633	10	41 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		18 lbs.	1.8
59N42SHL	Laminate	324	10	41 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		18 lbs.	1.8
59N36SHW	Wood	\$ 613	10	35 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		16 lbs.	1.6
59N36SHL	Laminate	304	10	35 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		16 lbs.	1.6
59N30SHW	Wood	\$ 592	10	29 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		13 lbs.	1.3
59N30SHL	Laminate	283	10	29 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		13 lbs.	1.3
59N24SHW	Wood	\$ 572	10	23 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		11 lbs.	1.1
59N24SHL	Laminate	263	10	23 $\frac{1}{2}$ "	1 $\frac{1}{2}$ "	—	—		11 lbs.	1.1

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than one wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves

## TESSERA


## PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 52" wall panels allow 3 horizontal rows of shelves and 46" allow 2 horizontal rows of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## LIGHTED SHELF



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
59N120SHTW	Wood	\$ 1159	10	119 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	90 lbs.	4.7
59N120SHTL	Laminate	850	10	119 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	90 lbs.	4.7
59N114SHTW	Wood	\$ 1138	10	113 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	81 lbs.	4.5
59N114SHTL	Laminate	829	10	113 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	81 lbs.	4.5
59N108SHTW	Wood	\$ 1118	10	109 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	73 lbs.	4.2
59N108SHTL	Laminate	809	10	109 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	73 lbs.	4.2
59N102SHTW	Wood	\$ 1097	10	101 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	66 lbs.	4.0
59N102SHTL	Laminate	788	10	101 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	66 lbs.	4.0
59N96SHTW	Wood	\$ 1076	10	95 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	38 lbs.	3.8
59N96SHTL	Laminate	767	10	95 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	38 lbs.	3.8
59N90SHTW	Wood	\$ 1056	10	89 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	36 lbs.	3.6
59N90SHTL	Laminate	747	10	89 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	36 lbs.	3.6
59N84SHTW	Wood	\$ 1035	10	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	3.3
59N84SHTL	Laminate	726	10	83 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	33 lbs.	3.3
59N78SHTW	Wood	\$ 1015	10	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	31 lbs.	3.1
59N78SHTL	Laminate	706	10	77 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	31 lbs.	3.1
59N72SHTW	Wood	\$ 994	10	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	29 lbs.	2.9
59N72SHTL	Laminate	685	10	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	29 lbs.	2.9
59N66SHTW	Wood	\$ 973	10	65 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	27 lbs.	2.7
59N66SHTL	Laminate	664	10	65 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	27 lbs.	2.7

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than one wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- LED light strips are recessed on the bottom side of the shelf
- NACLTk3 must be ordered separately to turn on the shelf kits; reference page 349


**TO ORDER, SPECIFY:**

1. Model Number
  2. Laminate Color (laminate models)
  3. Finish (wood models)
- See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBERS:**

59N120SHTW CW  
59N120SHTL 405

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
<b>LIGHTED SHELF (CONTINUED)</b>	59N60SHTW	Wood	\$ 953	10	59 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	25 lbs.	2.5
	59N60SHTL	Laminate	644	10	59 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	25 lbs.	2.5
	59N54SHTW	Wood	\$ 932	10	53 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	22 lbs.	2.2
	59N54SHTL	Laminate	623	10	53 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	22 lbs.	2.2
	59N48SHTW	Wood	\$ 912	10	47 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	20 lbs.	2.0
	59N48SHTL	Laminate	603	10	47 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	20 lbs.	2.0
	59N42SHTW	Wood	\$ 891	10	41 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	18 lbs.	1.8
	59N42SHTL	Laminate	582	10	41 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	18 lbs.	1.8
	59N36SHTW	Wood	\$ 870	10	35 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	16 lbs.	1.6
	59N36SHTL	Laminate	561	10	35 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	16 lbs.	1.6
	59N30SHTW	Wood	\$ 850	10	29 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	13 lbs.	1.3
	59N30SHTL	Laminate	541	10	29 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	13 lbs.	1.3
	59N24SHTW	Wood	\$ 829	10	23 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	11 lbs.	1.1
	59N24SHTL	Laminate	520	10	23 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	—	11 lbs.	1.1



- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than one wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- LED light strips are recessed on the bottom side of the shelf
- NACLTk3 must be ordered separately to turn on the shelf kits; reference page 349

## TESSERA


## PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 52" wall panels allow 3 horizontal rows of shelves and 46" allow 2 horizontal rows of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SLIDING SHELF SET



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
59N120SHSKW	Wood	\$ 1545	10	119 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	180 lbs.	6.0
59N120SHSKL	Laminate	1236	10	119 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	180 lbs.	6.0
59N114SHSKW	Wood	\$ 1524	10	113 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	162 lbs.	5.7
59N114SHSKL	Laminate	1220	10	113 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	162 lbs.	5.7
59N108SHSKW	Wood	\$ 1504	10	107 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	146 lbs.	5.5
59N108SHSKL	Laminate	1203	10	107 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	146 lbs.	5.5
59N102SHSKW	Wood	\$ 1483	10	101 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	131 lbs.	5.2
59N102SHSKL	Laminate	1187	10	101 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	131 lbs.	5.2
59N96SHSKW	Wood	\$ 1463	10	95 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	49 lbs.	4.9
59N96SHSKL	Laminate	1170	10	95 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	49 lbs.	4.9
59N90SHSKW	Wood	\$ 1442	10	89 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	46 lbs.	4.6
59N90SHSKL	Laminate	1154	10	89 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	46 lbs.	4.6
59N84SHSKW	Wood	\$ 1421	10	83 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	43 lbs.	4.3
59N84SHSKL	Laminate	1137	10	83 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	43 lbs.	4.3
59N78SHSKW	Wood	\$ 1401	10	77 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	40 lbs.	4.0
59N78SHSKL	Laminate	1121	10	77 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	40 lbs.	4.0
59N72SHSKW	Wood	\$ 1380	10	71 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	37 lbs.	3.7
59N72SHSKL	Laminate	1104	10	71 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	37 lbs.	3.7
59N66SHSKW	Wood	\$ 1360	10	65 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	34 lbs.	3.4
59N66SHSKL	Laminate	1088	10	65 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	34 lbs.	3.4
59N60SHSKW	Wood	\$ 1339	10	59 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	32 lbs.	3.2
59N60SHSKL	Laminate	1071	10	59 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	—	—	32 lbs.	3.2

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than one wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Sliding shelf set can only be used with 52" wall panels
- Sliding door panels are ordered separately; reference page 317


**TO ORDER, SPECIFY:**

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

• See pages 273-274 for all options available in Tessera


**SAMPLE MODEL NUMBERS:**

59N120SHSKW MH  
59N120SHSKL 405

**SLIDING SHELF SET  
(CONTINUED)**

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
59N54SHSKW	Wood	\$ 1318	10	53 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	29 lbs.	2.9
59N54SHSKL	Laminate	1055	10	53 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	29 lbs.	2.9
59N48SHSKW	Wood	\$ 1298	10	47 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	26 lbs.	2.6
59N48SHSKL	Laminate	1038	10	47 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	26 lbs.	2.6
59N42SHSKW	Wood	\$ 1277	10	41 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	23 lbs.	2.3
59N42SHSKL	Laminate	1022	10	41 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	23 lbs.	2.3
59N36SHSKW	Wood	\$ 1257	10	35 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	20 lbs.	2.0
59N36SHSKL	Laminate	1005	10	35 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	20 lbs.	2.0

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than one wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Sliding shelf set can only be used with 52" wall panels
- Sliding door panels are ordered separately; reference page 317

**LIGHTED SLIDING SHELF SET**

59N120SHSTW	Wood	\$ 1803	10	119 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	180 lbs.	6.0
59N120SHSTL	Laminate	1494	10	119 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	180 lbs.	6.0
59N114SHSTW	Wood	\$ 1782	10	113 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	162 lbs.	5.7
59N114SHSTL	Laminate	1477	10	113 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	162 lbs.	5.7
59N108SHSTW	Wood	\$ 1761	10	107 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	146 lbs.	5.5
59N108SHSTL	Laminate	1461	10	107 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	146 lbs.	5.5
59N102SHSTW	Wood	\$ 1741	10	101 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	131 lbs.	5.2
59N102SHSTL	Laminate	1444	10	101 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	131 lbs.	5.2
59N96SHSTW	Wood	\$ 1720	10	95 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	49 lbs.	4.9
59N96SHSTL	Laminate	1428	10	95 $\frac{1}{4}$ "	1 $\frac{1}{2}$ "	—	—	49 lbs.	4.9

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than one wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- LED light strips are recessed on the bottom side of the shelf
- NACLTK3 must be ordered separately to turn on the shelf kits; reference page 349
- Sliding shelf set can only be used with 52" wall panels
- Sliding door panels are ordered separately; reference page 317


## TESSERA

## PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 52" wall panels allow 3 horizontal rows of shelves and 46" allow 2 horizontal rows of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

LIGHTED SLIDING SHELF SET  
(CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
59N90SHSTW	Wood	\$ 1700	10	89 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	46 lbs.	4.6
59N90SHSTL	Laminate	1411	10	89 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	46 lbs.	4.6
59N84SHSTW	Wood	\$ 1679	10	83 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	43 lbs.	4.3
59N84SHSTL	Laminate	1395	10	83 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	43 lbs.	4.3
59N78SHSTW	Wood	\$ 1658	10	77 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	40 lbs.	4.0
59N78SHSTL	Laminate	1378	10	77 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	40 lbs.	4.0
59N72SHSTW	Wood	\$ 1638	10	71 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	37 lbs.	3.7
59N72SHSTL	Laminate	1362	10	71 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	37 lbs.	3.7
59N66SHSTW	Wood	\$ 1617	10	65 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	34 lbs.	3.4
59N66SHSTL	Laminate	1345	10	65 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	34 lbs.	3.4
59N60SHSTW	Wood	\$ 1597	10	59 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	32 lbs.	3.2
59N60SHSTL	Laminate	1329	10	59 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	32 lbs.	3.2
59N54SHSTW	Wood	\$ 1576	10	53 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	29 lbs.	2.9
59N54SHSTL	Laminate	1312	10	53 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	29 lbs.	2.9
59N48SHSTW	Wood	\$ 1555	10	47 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	26 lbs.	2.6
59N48SHSTL	Laminate	1296	10	47 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	26 lbs.	2.6
59N42SHSTW	Wood	\$ 1535	10	41 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	23 lbs.	2.3
59N42SHSTL	Laminate	1279	10	41 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	23 lbs.	2.3
59N36SHSTW	Wood	\$ 1514	10	35 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	20 lbs.	2.0
59N36SHSTL	Laminate	1263	10	35 <sup>1</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	—	—	20 lbs.	2.0

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than one wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- LED light strips are recessed on the bottom side of the shelf
- NACLTK3 must be ordered separately to turn on the shelf kits; reference page 349
- Sliding shelf set can only be used with 52" wall panels
- Sliding door panels are ordered separately; reference page 317





**TO ORDER, SPECIFY:**

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

• See pages 273-274 for all options available in Tessaera

**SAMPLE MODEL NUMBERS:**

59N5138DR3SW CW  
59N5138DR3SL 488

**SLIDING DOOR SETS**

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
3 SLIDING DOOR SET										
59N5138DR3SG	Glass	\$ 2781	1	51	38	—	—	89 lbs.	3.7	
59N5138DR3SW	Wood	1391	1	51	38	—	—	89 lbs.	3.7	
59N5138DR3SL	Laminate	618	1	51	38	—	—	89 lbs.	3.7	
• Brackets included to gang doors if needed										
2 SLIDING DOOR SET										
59N4838DR2SG	Glass	\$ 2060	1	48	38	—	—	75 lbs.	6.6	
59N4838DR2SW	Wood	1133	1	48	38	—	—	75 lbs.	6.6	
59N4838DR2SL	Laminate	618	1	48	38	—	—	75 lbs.	6.6	
59N3438DR2SG	Glass	\$ 1854	1	34	38	—	—	50 lbs.	2.5	
59N3438DR2SW	Wood	927	1	34	38	—	—	60 lbs.	2.5	
59N3438DR2SL	Laminate	412	1	34	38	—	—	50 lbs.	2.5	
1 SLIDING DOOR										
59N2438DR1SG	Glass	\$ 1082	1	24	38	—	—	66 lbs.	3.3	
59N2438DR1SW	Wood	618	1	24	38	—	—	66 lbs.	3.3	
59N2438DR1SL	Laminate	361	1	24	38	—	—	66 lbs.	3.3	
59N1738DR1SG	Glass	\$ 927	1	17	38	—	—	30 lbs.	1.5	
59N1738DR1SW	Wood	464	1	17	38	—	—	30 lbs.	1.5	
59N1738DR1SL	Laminate	206	1	17	38	—	—	30 lbs.	1.5	
• Sliding roller hardware included										
• Doors will only work with the sliding shelf sets and 52" wall panels										


## TESSERA

## PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

OVERHEAD CREENZA  
WALL MOUNT

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
59N9024SOS3MGW	Glass/Wood	\$ 3579	14%	89 <sup>1</sup> / <sub>16</sub>	24	—	—	162 lbs.	28.3
59N9024SOS3MGL	Glass/Laminate	2566	14%	89 <sup>1</sup> / <sub>16</sub>	24	—	—	162 lbs.	28.3
59N9024SOS3MW	Wood	2753	15 <sup>1</sup> / <sub>4</sub>	89 <sup>1</sup> / <sub>16</sub>	24	—	—	162 lbs.	28.3
59N9024SOS3MLW	Laminate/Wood	2836	15 <sup>1</sup> / <sub>4</sub>	89 <sup>1</sup> / <sub>16</sub>	24	—	—	162 lbs.	28.3
59N9024SOS3ML	Laminate	1832	15 <sup>1</sup> / <sub>4</sub>	89 <sup>1</sup> / <sub>16</sub>	24	—	—	162 lbs.	28.3
59N7224SOS3MGW	Glass/Wood	\$ 3096	14%	71 <sup>1</sup> / <sub>16</sub>	24	—	—	131 lbs.	22.9
59N7224SOS3MGL	Glass/Laminate	2168	14%	71 <sup>1</sup> / <sub>16</sub>	24	—	—	131 lbs.	22.9
59N7224SOS3MW	Wood	2580	15 <sup>1</sup> / <sub>4</sub>	71 <sup>1</sup> / <sub>16</sub>	24	—	—	131 lbs.	22.9
59N7224SOS3MLW	Laminate/Wood	2657	15 <sup>1</sup> / <sub>4</sub>	71 <sup>1</sup> / <sub>16</sub>	24	—	—	131 lbs.	22.9
59N7224SOS3ML	Laminate	1668	15 <sup>1</sup> / <sub>4</sub>	71 <sup>1</sup> / <sub>16</sub>	24	—	—	131 lbs.	22.9
59N6024SOS3MGW	Glass/Wood	\$ 2889	14%	60	24	—	—	110 lbs.	19.4
59N6024SOS3MGL	Glass/Laminate	1955	14%	60	24	—	—	110 lbs.	19.4
59N6024SOS3MW	Wood	2407	15 <sup>1</sup> / <sub>4</sub>	60	24	—	—	110 lbs.	19.4
59N6024SOS3MLW	Laminate/Wood	2479	15 <sup>1</sup> / <sub>4</sub>	60	24	—	—	110 lbs.	19.4
59N6024SOS3ML	Laminate	1504	15 <sup>1</sup> / <sub>4</sub>	60	24	—	—	110 lbs.	19.4


- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Features two accent sliding doors
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- For tack board options to put behind the sliding doors, see pages 520-525
- Letter filing front-to-back only

## TO ORDER, SPECIFY:

1. Model Number
  2. Pull
  3. Locking
  4. Accent Laminate Color (sliding doors)
  5. Laminate Color (laminated models)
  6. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera

## SAMPLE MODEL NUMBERS:

59N9024SOS3MW 92MB KRB CW  
 59N6024SOSL2ML 92MB KRB 488 CW

OVERHEAD CREDENZA  
WALL MOUNT

Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT	RIGHT			D	W	H					
59N6024SOSL2MGW	59N6024SOSR2MGW	Glass/Wood	\$ 2889	14%	60	24	—	—	—	105 lbs.	19.4
59N6024SOSL2MGL	59N6024SOSR2MGL	Glass/Lam	1955	14%	60	24	—	—	—	105 lbs.	19.4
59N6024SOSL2MW	59N6024SOSR2MW	Wood	2407	15¼	60	24	—	—	—	105 lbs.	19.4
59N6024SOSL2MLW	59N6024SOSR2MLW	Lam/Wood	2479	15¼	60	24	—	—	—	105 lbs.	19.4
59N6024SOSL2ML	59N6024SOSR2ML	Laminate	1504	15¼	60	24	—	—	—	105 lbs.	19.4
59N4824SOSL2MGW	59N4824SOSR2MGW	Glass/Wood	\$ 2681	14%	48¾	24	—	—	—	89 lbs.	15.8
59N4824SOSL2MGL	59N4824SOSR2MGL	Glass/Lam	1741	14%	48¾	24	—	—	—	89 lbs.	15.8
59N4824SOSL2MW	59N4824SOSR2MW	Wood	2234	15¼	48¾	24	—	—	—	89 lbs.	15.8
59N4824SOSL2MLW	59N4824SOSR2MLW	Lam/Wood	2301	15¼	48¾	24	—	—	—	89 lbs.	15.8
59N4824SOSL2ML	59N4824SOSR2ML	Laminate	1339	15¼	48¾	24	—	—	—	89 lbs.	15.8

- Left or right designates where the sliding door is in the locked position
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features one accent sliding door
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- Letter filing front-to-back only


## TESSERA

## PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

OVERHEAD BINDER STORAGE  
WALL MOUNT

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
59N9018SOS3MGW	Glass/Wood	\$ 2924	14%	89 <sup>1</sup> / <sub>16</sub>	18	—	—	126 lbs.	22.1
59N9018SOS3MGL	Glass/Laminate	2096	14%	89 <sup>1</sup> / <sub>16</sub>	18	—	—	126 lbs.	22.1
59N9018SOS3MW	Wood	2250	15 <sup>1</sup> / <sub>4</sub>	89 <sup>1</sup> / <sub>16</sub>	18	—	—	126 lbs.	22.1
59N9018SOS3MLW	Laminate/Wood	2318	15 <sup>1</sup> / <sub>4</sub>	89 <sup>1</sup> / <sub>16</sub>	18	—	—	126 lbs.	22.1
59N9018SOS3ML	Laminate	1498	15 <sup>1</sup> / <sub>4</sub>	89 <sup>1</sup> / <sub>16</sub>	18	—	—	126 lbs.	22.1
59N7218SOS3MGW	Glass/Wood	\$ 2530	14%	71 <sup>1</sup> / <sub>16</sub>	18	—	—	103 lbs.	18.0
59N7218SOS3MGL	Glass/Laminate	1772	14%	71 <sup>1</sup> / <sub>16</sub>	18	—	—	103 lbs.	18.0
59N7218SOS3MW	Wood	2108	15 <sup>1</sup> / <sub>4</sub>	71 <sup>1</sup> / <sub>16</sub>	18	—	—	103 lbs.	18.0
59N7218SOS3MLW	Laminate/Wood	2171	15 <sup>1</sup> / <sub>4</sub>	71 <sup>1</sup> / <sub>16</sub>	18	—	—	103 lbs.	18.0
59N7218SOS3ML	Laminate	1363	15 <sup>1</sup> / <sub>4</sub>	71 <sup>1</sup> / <sub>16</sub>	18	—	—	103 lbs.	18.0
59N6018SOS3MGW	Glass/Wood	\$ 2360	14%	60	18	—	—	86 lbs.	15.2
59N6018SOS3MGL	Glass/Laminate	1597	14%	60	18	—	—	86 lbs.	15.2
59N6018SOS3MW	Wood	1967	15 <sup>1</sup> / <sub>4</sub>	60	18	—	—	86 lbs.	15.2
59N6018SOS3MLW	Laminate/Wood	2026	15 <sup>1</sup> / <sub>4</sub>	60	18	—	—	86 lbs.	15.2
59N6018SOS3ML	Laminate	1229	15 <sup>1</sup> / <sub>4</sub>	60	18	—	—	86 lbs.	15.2

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Features two accent sliding doors
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)


## TO ORDER, SPECIFY:


1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Laminate Color (laminated models)
6. Veneer Finish (wood models)

• See pages 273-274 for all options available in Tessera

## SAMPLE MODEL NUMBERS:

59N9018SOS3ML 92MB KS2B 488 CW  
59N6018SOSR2MW 92MB KS1B CW

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	LEFT	RIGHT			D	W	H	A	KW			
 Right shown	59N6018SOSL2MGW	59N6018SOSR2MGW	Glass/Wood	\$ 2360	14%	60	18	—	—		81 lbs.	15.2
	59N6018SOSL2MGL	59N6018SOSR2MGL	Glass/Lam	1597	14%	60	18	—	—		81 lbs.	15.2
	59N6018SOSL2MW	59N6018SOSR2MW	Wood	1967	15%	60	18	—	—		81 lbs.	15.2
	59N6018SOSL2MLW	59N6018SOSR2MLW	Lam/Wood	2026	15%	60	18	—	—		81 lbs.	15.2
	59N6018SOSL2ML	59N6018SOSR2ML	Laminate	1229	15%	60	18	—	—		81 lbs.	15.2
	59N4818SOSL2MGW	59N4818SOSR2MGW	Glass/Wood	\$ 2191	14%	48½	18	—	—		70 lbs.	12.4
	59N4818SOSL2MGL	59N4818SOSR2MGL	Glass/Lam	1422	14%	48½	18	—	—		70 lbs.	12.4
	59N4818SOSL2MW	59N4818SOSR2MW	Wood	1825	15%	48½	18	—	—		70 lbs.	12.4
	59N4818SOSL2MLW	59N4818SOSR2MLW	Lam/Wood	1880	15%	48½	18	—	—		70 lbs.	12.4
	59N4818SOSL2ML	59N4818SOSR2ML	Laminate	1094	15%	48½	18	—	—		70 lbs.	12.4
	<ul style="list-style-type: none"><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Features one accent sliding door</li><li>• No pull on glass doors</li><li>• Wall mount bracket for attachment to architectural wall or wall panel is included</li><li>• It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)</li></ul>											

	59N3018S001MW	Wood	\$ 1581	13%	30%	18	—	—		58 lbs.	9.2
	59N3018S001ML	Laminate	865	13%	30%	18	—	—		58 lbs.	9.2
	59N2418S001MW	Wood	\$ 1540	13%	24	18	—	—		48 lbs.	7.6
	59N2418S001ML	Laminate	824	13%	24	18	—	—		48 lbs.	7.6
	59N2018S001MW	Wood	\$ 1516	13%	20	18	—	—		41 lbs.	6.6
	59N2018S001ML	Laminate	800	13%	20	18	—	—		41 lbs.	6.6
		<ul style="list-style-type: none"><li>• Specify finish or laminate only</li><li>• Wall mount bracket for attachment to architectural wall or wall panel is included</li><li>• It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)</li></ul>									


## TESSERA

## PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

OVERHEAD STORAGE  
WALL MOUNT

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
59N9012SOS3MGW	Glass/Wood	\$ 2779	14%	89 <sup>15</sup> / <sub>16</sub>	11½	—	—		86 lbs.	15.5
59N9012SOS3MGL	Glass/Laminate	2036	14%	89 <sup>15</sup> / <sub>16</sub>	11½	—	—		86 lbs.	15.5
59N9012SOS3MW	Wood	2137	15¼	89 <sup>15</sup> / <sub>16</sub>	11½	—	—		86 lbs.	15.5
59N9012SOS3MLW	Laminate/Wood	2202	15¼	89 <sup>15</sup> / <sub>16</sub>	11½	—	—		86 lbs.	15.5
59N9012SOS3ML	Laminate	1454	15¼	89 <sup>15</sup> / <sub>16</sub>	11½	—	—		86 lbs.	15.5
59N7212SOS3MGW	Glass/Wood	\$ 2310	14%	71 <sup>15</sup> / <sub>16</sub>	11½	—	—		72 lbs.	12.6
59N7212SOS3MGL	Glass/Laminate	1628	14%	71 <sup>15</sup> / <sub>16</sub>	11½	—	—		72 lbs.	12.6
59N7212SOS3MW	Wood	1925	15¼	71 <sup>15</sup> / <sub>16</sub>	11½	—	—		72 lbs.	12.6
59N7212SOS3MLW	Laminate/Wood	1983	15¼	71 <sup>15</sup> / <sub>16</sub>	11½	—	—		72 lbs.	12.6
59N7212SOS3ML	Laminate	1254	15¼	71 <sup>15</sup> / <sub>16</sub>	11½	—	—		72 lbs.	12.6
59N6012SOS3MGW	Glass/Wood	\$ 2140	14%	60	11½	—	—		65 lbs.	10.6
59N6012SOS3MGL	Glass/Laminate	1454	14%	60	11½	—	—		65 lbs.	10.6
59N6012SOS3MW	Wood	1784	15¼	60	11½	—	—		65 lbs.	10.6
59N6012SOS3MLW	Laminate/Wood	1838	15¼	60	11½	—	—		65 lbs.	10.6
59N6012SOS3ML	Laminate	1119	15¼	60	11½	—	—		65 lbs.	10.6

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Features two accent sliding doors
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)



## TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Laminate Color (laminated models)
6. Veneer Finish (wood models)

- See pages 273-274 for all options available in Tessera

## SAMPLE MODEL NUMBERS:

59N9012SOS3MW 92MB KRB TF  
59N3012S001MW CW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
<b>OVERHEAD STORAGE WALL MOUNT</b>   Right shown	<b>LEFT</b>	<b>RIGHT</b>									
	59N6012SOSL2MGW	59N6012SOSR2MGW	Glass/Wood	\$ 2140	14%	60	11½	—	—	60 lbs.	10.6
	59N6012SOSL2MGL	59N6012SOSR2MGL	Glass/Lam	1454	14%	60	11½	—	—	60 lbs.	10.6
	59N6012SOSL2MW	59N6012SOSR2MW	Wood	1784	15¼	60	11½	—	—	60 lbs.	10.6
	59N6012SOSL2MLW	59N6012SOSR2MLW	Lam/Wood	1838	15¼	60	11½	—	—	60 lbs.	10.6
	59N6012SOSL2ML	59N6012SOSR2ML	Laminate	1119	15¼	60	11½	—	—	60 lbs.	10.6
	59N4812SOSL2MGW	59N4812SOSR2MGW	Glass/Wood	\$ 1970	14%	48¾	11½	—	—	49 lbs.	8.7
	59N4812SOSL2MGL	59N4812SOSR2MGL	Glass/Lam	1279	14%	48¾	11½	—	—	49 lbs.	8.7
	59N4812SOSL2MW	59N4812SOSR2MW	Wood	1643	15¼	48¾	11½	—	—	49 lbs.	8.7
	59N4812SOSL2MLW	59N4812SOSR2MLW	Lam/Wood	1691	15¼	48¾	11½	—	—	49 lbs.	8.7
	59N4812SOSL2ML	59N4812SOSR2ML	Laminate	985	15¼	48¾	11½	—	—	49 lbs.	8.7
<ul style="list-style-type: none"> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Features one accent sliding door</li> <li>• No pull on glass doors</li> <li>• Wall mount bracket for attachment to architectural wall or wall panel is included</li> <li>• It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)</li> </ul>											
<b>OVERHEAD STORAGE - OPEN WALL MOUNT</b>  	59N3012S001MW	Wood	\$ 749	13%	30%	11½	—	—	—	41 lbs.	6.6
	59N3012S001ML	Laminate	410	13%	30%	11½	—	—	—	41 lbs.	6.6
	59N2412S001MW	Wood	\$ 707	13%	24	11½	—	—	—	34 lbs.	5.5
	59N2412S001ML	Laminate	372	13%	24	11½	—	—	—	34 lbs.	5.5
	59N2012S001MW	Wood	\$ 684	13%	20	11½	—	—	—	30 lbs.	4.8
	59N2012S001ML	Laminate	352	13%	20	11½	—	—	—	30 lbs.	4.8
	<ul style="list-style-type: none"> <li>• Specify finish or laminate only</li> <li>• Wall mount bracket for attachment to architectural wall or wall panel is included</li> <li>• It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)</li> </ul>										


## TESSERA

## PRODUCT SPECIFICATIONS


- All vertical storage units have an unfinished back

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

WARDROBE/BOOKCASE  
FULL HEIGHT

Right shown



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT	RIGHT			D	W	H				
59N242475VSOWSLGW	59N242475VSOWSRGW	Glass/Wood	\$ 5077	24½	24½	75	—	—	282 lbs.	35.7
59N242475VSOWSLGL	59N242475VSOWSRGL	Glass/Lam	3262	24½	24½	75	—	—	282 lbs.	35.7
59N242475VSOWSLW	59N242475VSOWSRW	Wood	4061	24½	24½	75	—	—	282 lbs.	35.7
59N242475VSOWSLLW	59N242475VSOWSRLW	Lam/Wood	4183	24½	24½	75	—	—	282 lbs.	35.7
59N242475VSOWSLL	59N242475VSOWSRL	Laminate	2416	24½	24½	75	—	—	282 lbs.	35.7
59N182475VSOWSLGW	59N182475VSOWSRGW	Glass/Wood	\$ 4922	18½	24½	75	—	—	90 lbs.	27.7
59N182475VSOWSLGL	59N182475VSOWSRGL	Glass/Lam	3122	18½	24½	75	—	—	90 lbs.	27.7
59N182475VSOWSLW	59N182475VSOWSRW	Wood	3907	18½	24½	75	—	—	90 lbs.	27.7
59N182475VSOWSLLW	59N182475VSOWSRLW	Lam/Wood	4024	18½	24½	75	—	—	90 lbs.	27.7
59N182475VSOWSLL	59N182475VSOWSRL	Laminate	2275	18½	24½	75	—	—	90 lbs.	27.7
59N242453VSOWSLGW	59N242453VSOWSRGW	Glass/Wood	\$ 4461	24½	24½	53	—	—	204 lbs.	25.9
59N242453VSOWSLGL	59N242453VSOWSRGL	Glass/Lam	2870	24½	24½	53	—	—	204 lbs.	25.9
59N242453VSOWSLW	59N242453VSOWSRW	Wood	3569	24½	24½	53	—	—	204 lbs.	25.9
59N242453VSOWSLLW	59N242453VSOWSRLW	Lam/Wood	3676	24½	24½	53	—	—	204 lbs.	25.9
59N242453VSOWSLL	59N242453VSOWSRL	Laminate	2126	24½	24½	53	—	—	204 lbs.	25.9
59N182453VSOWSLGW	59N182453VSOWSRGW	Glass/Wood	\$ 4306	18½	24½	53	—	—	80 lbs.	20.1
59N182453VSOWSLGL	59N182453VSOWSRGL	Glass/Lam	2730	18½	24½	53	—	—	80 lbs.	20.1
59N182453VSOWSLW	59N182453VSOWSRW	Wood	3414	18½	24½	53	—	—	80 lbs.	20.1
59N182453VSOWSLLW	59N182453VSOWSRLW	Lam/Wood	3516	18½	24½	53	—	—	80 lbs.	20.1
59N182453VSOWSLL	59N182453VSOWSRL	Laminate	1985	18½	24½	53	—	—	80 lbs.	20.1

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features one sliding door
- No pull on glass doors
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less
- 75" high wardrobes include two coat hooks and two shelves (one top section; one lower section)
- 53" high wardrobes include two coat hooks and one shelf



## TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Laminate Color (laminated models)
6. Veneer Finish (wood models)

• See pages 273-274 for all options available in Tessa

## SAMPLE MODEL NUMBERS:

59N242475VSOWSRL 92PL KRS 488 792  
59N242475VWHLW 92PL KRS 792

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
<b>WARDROBE FULL HEIGHT</b>	<b>LEFT</b>	<b>RIGHT</b>									
	59N242475VWHLW	59N242475VWHRW	Wood	\$ 2947	24½	24½	75	—	—	282 lbs.	35.7
	59N242475VWHLL	59N242475VWHRL	Laminate	1578	24½	24½	75	—	—	282 lbs.	35.7
	59N242453VWHLW	59N242453VWHRW	Wood	\$ 2607	24½	24½	53	—	—	204 lbs.	25.9
	59N242453VWHLL	59N242453VWHRL	Laminate	1412	24½	24½	53	—	—	204 lbs.	25.9
	59N241875VWHLW	59N241875VWHRW	Wood	\$ 2741	24½	18½	75	—	—	180 lbs.	28.3
	59N241875VWHLL	59N241875VWHRL	Laminate	1391	24½	18½	75	—	—	180 lbs.	28.3
	59N241853VWHLW	59N241853VWHRW	Wood	\$ 2401	24½	18½	53	—	—	123 lbs.	20.5
	59N241853VWHLL	59N241853VWHRL	Laminate	1225	24½	18½	53	—	—	123 lbs.	20.5

Right shown

Right shown

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features one hinged door
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less
- 75" high wardrobes include two coat hooks and two shelves (one top section; one lower section)
- 53" high wardrobes include two coat hooks and one shelf


## TESSERA

## PRODUCT SPECIFICATIONS


- Worksurfaces shipped with appropriate hardware
- Rim on all four sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Refer to page 275 for grommet locations; and page 273 for grommet upcharge
- Unsupported 1 $\frac{3}{16}$ " worksurface spans should not exceed 48"; see page 347-348 for support options
- Refer to pages 489-526 for accessories
- If specifying wood, you must specify the same finish for all options

## DIMENSION KEY

- D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>RECTANGULAR WORKSURFACE 36" DEPTH</b> 	59N3672WSSW	\$ 990	36 $\frac{1}{16}$	71 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	5.2
	59N3672WSSL	674	36 $\frac{1}{16}$	71 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	5.2
	59N3666WSSW	\$ 974	36 $\frac{1}{16}$	66	1 $\frac{3}{16}$	—	—	90 lbs.	4.8
	59N3666WSSL	657	36 $\frac{1}{16}$	66	1 $\frac{3}{16}$	—	—	90 lbs.	4.8
	59N3660WSSW	\$ 959	36 $\frac{1}{16}$	60	1 $\frac{3}{16}$	—	—	87 lbs.	5.2
	59N3660WSSL	642	36 $\frac{1}{16}$	60	1 $\frac{3}{16}$	—	—	87 lbs.	5.2

- For use with 29" deep component pedestals or support bases
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 347

<b>RECTANGULAR WORKSURFACE 30" DEPTH</b> 	59N3072WSSW	\$ 816	30 $\frac{1}{16}$	71 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	4.0
	59N3072WSSL	500	30 $\frac{1}{16}$	71 $\frac{15}{16}$	1 $\frac{3}{16}$	—	—	95 lbs.	4.0
	59N3066WSSW	\$ 786	30 $\frac{1}{16}$	66	1 $\frac{3}{16}$	—	—	88 lbs.	3.8
	59N3066WSSL	458	30 $\frac{1}{16}$	66	1 $\frac{3}{16}$	—	—	88 lbs.	3.8
	59N3060WSSW	\$ 768	30 $\frac{1}{16}$	60	1 $\frac{3}{16}$	—	—	81 lbs.	3.4
	59N3060WSSL	417	30 $\frac{1}{16}$	60	1 $\frac{3}{16}$	—	—	81 lbs.	3.4


- For use with 23" or 29" deep pedestals or support bases
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 347

**TO ORDER, SPECIFY:**

1. Model Number
  2. Grommet
  3. Laminate Color (laminate models)
  4. Worksurface Sheen (wood models)
  5. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBERS:**

59N3672WSSW G11PLA R MC  
 59N3672WSSL G11PLA MC

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
<div>RECTANGULAR WORKSURFACE 24" DEPTH</div> 	59N2472WSSW	Wood	\$ 729	24	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	85 lbs.	3.5
	59N2472WSSL	Laminate	417	24	71 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	85 lbs.	3.5
	59N2466WSSW	Wood	\$ 702	24	66	1 $\frac{1}{16}$	—	—	81 lbs.	3.3
	59N2466WSSL	Laminate	387	24	66	1 $\frac{1}{16}$	—	—	81 lbs.	3.3
	59N2460WSSW	Wood	\$ 682	24	60	1 $\frac{1}{16}$	—	—	76 lbs.	3.0
	59N2460WSSL	Laminate	367	24	60	1 $\frac{1}{16}$	—	—	76 lbs.	3.0
	59N2436WSSW	Wood	\$ 597	24	36 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	63 lbs.	1.8
	59N2436WSSL	Laminate	241	24	36 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	63 lbs.	1.8
	59N2430WSSW	Wood	\$ 581	24	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	61 lbs.	1.5
	59N2430WSSL	Laminate	216	24	30 $\frac{1}{16}$	1 $\frac{1}{16}$	—	—	61 lbs.	1.5

- For use with 23" deep pedestals or support bases
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 347


## TESSERA

## PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware
- Rim on all four sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Refer to page 275 for grommet locations; and page 273 for grommet upcharge
- Unsupported 1 $\frac{3}{8}$ " worksurface spans should not exceed 48"; see page 347-348 for support options
- Refer to pages 489-526 for accessories


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

RECTANGULAR WORKSURFACE  
24" DEPTH

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
59N2460WSSVW Wood	\$ 682	24	60	1 $\frac{3}{8}$ "	—	—	76 lbs.	3.0
59N2460WSSVL Laminate	367	24	60	1 $\frac{3}{8}$ "	—	—	76 lbs.	3.0
59N2436WSSVW Wood	\$ 597	24	36 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	63 lbs.	1.8
59N2436WSSVL Laminate	241	24	36 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	63 lbs.	1.8
59N2430WSSVW Wood	\$ 581	24	30 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	61 lbs.	1.5
59N2430WSSVL Laminate	216	24	30 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	61 lbs.	1.5

- Grain direction runs front-to-back
- For use with 23" deep pedestals or support bases
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 347

RECTANGULAR WORKSURFACE  
20" DEPTH

59N2072WSSW Wood	\$ 708	20	71 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	73 lbs.	2.9
59N2072WSSL Laminate	396	20	71 $\frac{1}{2}$ "	1 $\frac{3}{8}$ "	—	—	73 lbs.	2.9
59N2066WSSW Wood	\$ 681	20	66	1 $\frac{3}{8}$ "	—	—	68 lbs.	2.7
59N2066WSSL Laminate	366	20	66	1 $\frac{3}{8}$ "	—	—	68 lbs.	2.7
59N2060WSSW Wood	\$ 660	20	60	1 $\frac{3}{8}$ "	—	—	60 lbs.	2.4
59N2060WSSL Laminate	345	20	60	1 $\frac{3}{8}$ "	—	—	60 lbs.	2.4



**TO ORDER, SPECIFY:**

1. Model Number
  2. Grommet
  3. Laminate Color (laminate models)
  4. Worksurface Sheen (wood models)
  5. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBER:**

59N2060WSSVW CW X R

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
<b>RECTANGULAR WORKSURFACE 20" DEPTH</b>	59N2060WSSVW Wood	\$ 660	20	60	1 $\frac{5}{16}$		—	—	60 lbs.	2.4
	59N2060WSSVL Laminate	345	20	60	1 $\frac{5}{16}$		—	—	60 lbs.	2.4
• Grain direction runs front-to-back										
<b>WORKSURFACE TO WALL MOUNTING BRACKET</b>	59N16BKT Metal	\$ 28	1	16	1		—	—	2 lbs.	0.1
	<ul style="list-style-type: none"> <li>• For use when mounting a worksurface to an architectural wall; can be used in place of an end support panel</li> <li>• Two brackets are required for 36" deep worksurfaces</li> </ul>									






## TESSERA

## PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>PEDESTAL - UNDERSURFACE FILE/FILE - 35" DEEP</b> 	59N3518PUFW2 Wood	\$ 1595	34 $\frac{1}{2}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	105 lbs.	16.3
	59N3518PUFL2 Laminate	1008	34 $\frac{1}{2}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	105 lbs.	16.3
	59N3515PUFW2 Wood	\$ 1509	34 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	93 lbs.	14.2
	59N3515PUFL2 Laminate	953	34 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	93 lbs.	14.2
	<ul style="list-style-type: none"> <li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Not intended for use in a freestanding application</li> <li>• Façade spacer can be reconfigured to allow for RH or LH applications</li> </ul>								
	59N2918PUFW2 Wood	\$ 1504	28 $\frac{7}{8}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	95 lbs.	14.0
	59N2918PUFL2 Laminate	859	28 $\frac{7}{8}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	95 lbs.	14.0
	59N2915PUFW2 Wood	\$ 1417	28 $\frac{7}{8}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	88 lbs.	12.1
<b>PEDESTAL - UNDERSURFACE FILE/FILE - 29" DEEP</b> 	59N2915PUFL2 Laminate	811	28 $\frac{7}{8}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	88 lbs.	12.1
	<ul style="list-style-type: none"> <li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Not intended for use in a freestanding application</li> <li>• Façade spacer can be reconfigured to allow for RH or LH applications</li> </ul>								
	59N2318PUFW2 Wood	\$ 1410	22 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	81 lbs.	11.5
	59N2318PUFL2 Laminate	808	22 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	81 lbs.	11.5
	59N2315PUFW2 Wood	\$ 1334	22 $\frac{3}{4}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	70 lbs.	10.0
	59N2315PUFL2 Laminate	758	22 $\frac{3}{4}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	70 lbs.	10.0
	<ul style="list-style-type: none"> <li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Not intended for use in a freestanding application</li> <li>• Façade spacer can be reconfigured to allow for RH or LH applications</li> </ul>								
	59N2315PUFL2 Laminate	758	22 $\frac{3}{4}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	70 lbs.	10.0
<b>PEDESTAL - UNDERSURFACE FILE/FILE - 23" DEEP</b> 	59N2315PUFL2 Laminate	758	22 $\frac{3}{4}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	70 lbs.	10.0
	<ul style="list-style-type: none"> <li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Not intended for use in a freestanding application</li> <li>• Façade spacer can be reconfigured to allow for RH or LH applications</li> </ul>								




**TO ORDER, SPECIFY:**

1. Model Number
2. Pull
3. Locking
4. Laminate Color (laminate models)
5. Veneer Finish (wood models)

• See pages 273-274 for all options available in Tessa

**SAMPLE MODEL NUMBERS:**

59N3518PUFW2 92PL KRS CL  
59N3518PUFL1 92PL KRS CL

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
<b>PEDESTAL - UNDERSURFACE BOX/BOX/FILE - 35" DEEP</b> 	59N3518PUFW1	Wood	\$ 1595	34 $\frac{7}{8}$	17 $\frac{5}{8}$	27 $\frac{3}{4}$	—	—	105 lbs.	16.3	
	59N3518PUFL1	Laminate	1008	34 $\frac{7}{8}$	17 $\frac{5}{8}$	27 $\frac{3}{4}$	—	—	105 lbs.	16.3	
	59N3515PUFW1	Wood	\$ 1509	34 $\frac{7}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	93 lbs.	14.2	
	59N3515PUFL1	Laminate	953	34 $\frac{7}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	93 lbs.	14.2	
	<ul style="list-style-type: none"><li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Not intended for use in a freestanding application</li><li>• Façade spacer can be reconfigured to allow for RH or LH applications</li></ul>										
<b>PEDESTAL - UNDERSURFACE BOX/BOX/FILE - 29" DEEP</b> 	59N2918PUFW1	Wood	\$ 1504	28 $\frac{7}{8}$	17 $\frac{5}{8}$	27 $\frac{3}{4}$	—	—	95 lbs.	14.0	
	59N2918PUFL1	Laminate	859	28 $\frac{7}{8}$	17 $\frac{5}{8}$	27 $\frac{3}{4}$	—	—	95 lbs.	14.0	
	59N2915PUFW1	Wood	\$ 1417	28 $\frac{7}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	88 lbs.	12.1	
	59N2915PUFL1	Laminate	808	28 $\frac{7}{8}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	88 lbs.	12.1	
	<ul style="list-style-type: none"><li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Not intended for use in a freestanding application</li><li>• Façade spacer can be reconfigured to allow for RH or LH applications</li></ul>										
<b>PEDESTAL - UNDERSURFACE BOX/BOX/FILE - 23" DEEP</b> 	59N2318PUFW1	Wood	\$ 1410	22 $\frac{3}{4}$	17 $\frac{5}{8}$	27 $\frac{3}{4}$	—	—	81 lbs.	11.5	
	59N2318PUFL1	Laminate	808	22 $\frac{3}{4}$	17 $\frac{5}{8}$	27 $\frac{3}{4}$	—	—	81 lbs.	11.5	
	59N2315PUFW1	Wood	\$ 1334	22 $\frac{3}{4}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	70 lbs.	10.0	
	59N2315PUFL1	Laminate	758	22 $\frac{3}{4}$	14 $\frac{1}{2}$	27 $\frac{3}{4}$	—	—	70 lbs.	10.0	
	<ul style="list-style-type: none"><li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Not intended for use in a freestanding application</li><li>• Façade spacer can be reconfigured to allow for RH or LH applications</li></ul>										




## TESSERA

## PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>PEDESTAL - UNDERSURFACE FILE/FILE - FULL DRAWER FRONT 35" DEEP</b>  	59N3518PUFW37 Wood	\$ 1621	34 $\frac{1}{2}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	105 lbs.	16.3
	59N3518PUFL37 Laminate	1034	34 $\frac{1}{2}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	105 lbs.	16.3
	59N3515PUFW37 Wood	\$ 1535	34 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	93 lbs.	14.2
	59N3515PUFL37 Laminate	979	34 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	93 lbs.	14.2
	<ul style="list-style-type: none"> <li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Not intended for use in a freestanding application</li> <li>• Façade spacer can be reconfigured to allow for RH or LH applications</li> <li>• Full drawer front units feature a file/file drawer configuration behind the full front</li> </ul>								
	59N2918PUFW37 Wood	\$ 1530	28 $\frac{1}{2}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	95 lbs.	14.0
	59N2918PUFL37 Laminate	882	28 $\frac{1}{2}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	95 lbs.	14.0
	59N2915PUFW37 Wood	\$ 1443	28 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	88 lbs.	12.1
<b>PEDESTAL - UNDERSURFACE FILE/FILE - FULL DRAWER FRONT 29" DEEP</b>  	59N2915PUFL37 Laminate	834	28 $\frac{1}{2}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	88 lbs.	12.1
	<ul style="list-style-type: none"> <li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Not intended for use in a freestanding application</li> <li>• Façade spacer can be reconfigured to allow for RH or LH applications</li> <li>• Full drawer front units feature a file/file drawer configuration behind the full front</li> </ul>								
	59N2318PUFW37 Wood	\$ 1436	22 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	81 lbs.	11.5
	59N2318PUFL37 Laminate	831	22 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	81 lbs.	11.5
	59N2315PUFW37 Wood	\$ 1360	22 $\frac{3}{4}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	70 lbs.	10.0
	59N2315PUFL37 Laminate	782	22 $\frac{3}{4}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	70 lbs.	10.0
	<ul style="list-style-type: none"> <li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Not intended for use in a freestanding application</li> <li>• Façade spacer can be reconfigured to allow for RH or LH applications</li> <li>• Full drawer front units feature a file/file drawer configuration behind the full front</li> </ul>								
<b>PEDESTAL - UNDERSURFACE FILE/FILE - FULL DRAWER FRONT 23" DEEP</b>  									






**TO ORDER, SPECIFY:**

1. Model Number
  2. Pull
  3. Locking
  4. Laminate Color (laminate models)
  5. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBERS:**

59N3518PUFW37 92PL KRS CL  
59N3518PUFL37 92PL KRS 478

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
<b>PEDESTAL - UNDERSURFACE BOX/BOX/FILE - FULL DRAWER FRONT 35" DEEP</b> 	59N3518PUFW36	Wood	\$ 1621	34 $\frac{7}{8}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	105 lbs.	16.3	
	59N3518PUFL36	Laminate	1034	34 $\frac{7}{8}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	105 lbs.	16.3	
	59N3515PUFW36	Wood	\$ 1535	34 $\frac{7}{8}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	93 lbs.	14.2	
	59N3515PUFL36	Laminate	979	34 $\frac{7}{8}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	93 lbs.	14.2	
	<ul style="list-style-type: none"><li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Not intended for use in a freestanding application</li><li>• Façade spacer can be reconfigured to allow for RH or LH applications</li><li>• Full drawer front units feature a box/box/file drawer configuration behind the full front</li></ul>										
<b>PEDESTAL - UNDERSURFACE BOX/BOX/FILE - FULL DRAWER FRONT 29" DEEP</b> 	59N2918PUFW36	Wood	\$ 1530	28 $\frac{7}{8}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	95 lbs.	14.0	
	59N2918PUFL36	Laminate	882	28 $\frac{7}{8}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	95 lbs.	14.0	
	59N2915PUFW36	Wood	\$ 1443	28 $\frac{7}{8}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	88 lbs.	12.1	
	59N2915PUFL36	Laminate	831	28 $\frac{7}{8}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	88 lbs.	12.1	
	<ul style="list-style-type: none"><li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Not intended for use in a freestanding application</li><li>• Façade spacer can be reconfigured to allow for RH or LH applications</li><li>• Full drawer front units feature a box/box/file drawer configuration behind the full front</li></ul>										
<b>PEDESTAL - UNDERSURFACE BOX/BOX/FILE - FULL DRAWER FRONT 23" DEEP</b> 	59N2318PUFW36	Wood	\$ 1436	22 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	81 lbs.	11.5	
	59N2318PUFL36	Laminate	831	22 $\frac{3}{4}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	81 lbs.	11.5	
	59N2315PUFW36	Wood	\$ 1360	22 $\frac{3}{4}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	70 lbs.	10.0	
	59N2315PUFL36	Laminate	782	22 $\frac{3}{4}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	70 lbs.	10.0	
	<ul style="list-style-type: none"><li>• Tops and backs are open; specify component worksurfaces and backs to finish as needed</li><li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li><li>• Not intended for use in a freestanding application</li><li>• Façade spacer can be reconfigured to allow for RH or LH applications</li><li>• Full drawer front units feature a box/box/file drawer configuration behind the full front</li></ul>										


# TESSERA


## PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

## DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
					D	W	H					
<div>PEDESTAL - UNDERSURFACE FULL DOOR FRONT 35" DEEP</div> 	LEFT	RIGHT										
	59N3518PUFLW7	59N3518PUFRW7	Wood	\$ 1637	34 $\frac{7}{8}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	110 lbs.	17.0	
	59N3518PUFLL7	59N3518PUFRL7	Laminate	1050	34 $\frac{7}{8}$ "	17 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	110 lbs.	17.0	
	59N3515PUFLW7	59N3515PUFRW7	Wood	\$ 1550	34 $\frac{7}{8}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	97 lbs.	14.8	
	59N3515PUFLL7	59N3515PUFRL7	Laminate	994	34 $\frac{7}{8}$ "	14 $\frac{1}{2}$ "	27 $\frac{3}{4}$ "	—	—	97 lbs.	14.8	



Left shown


- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications


<div>PEDESTAL - UNDERSURFACE FULL DOOR FRONT 29" DEEP</div> 	LEFT		RIGHT								
	59N2918PUFLW7	59N2918PUFRW7	Wood	\$ 1545	28%	17 <sup>1</sup> / <sub>2</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	98 lbs.	14.5
	59N2918PUFLL7	59N2918PUFRL7	Laminate	896	28%	17 <sup>1</sup> / <sub>2</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	98 lbs.	14.5
	59N2915PUFLW7	59N2915PUFRW7	Wood	\$ 1458	28%	14 <sup>1</sup> / <sub>2</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	92 lbs.	12.6
	59N2915PUFLL7	59N2915PUFRL7	Laminate	849	28%	14 <sup>1</sup> / <sub>2</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	92 lbs.	12.6



Left shown

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications

<div>PEDESTAL - UNDERSURFACE FULL DOOR FRONT 23" DEEP</div> 	LEFT		RIGHT								
	59N2318PUFLW7	59N2318PUFRW7	Wood	\$ 1451	22 <sup>1</sup> / <sub>2</sub> "	17 <sup>1</sup> / <sub>2</sub> "	27 <sup>3</sup> / <sub>4</sub> "	—	—	85 lbs.	12.0
	59N2318PUFLL7	59N2318PUFRL7	Laminate	846	22 <sup>1</sup> / <sub>2</sub> "	17 <sup>1</sup> / <sub>2</sub> "	27 <sup>3</sup> / <sub>4</sub> "	—	—	85 lbs.	12.0
	59N2315PUFLW7	59N2315PUFRW7	Wood	\$ 1375	22 <sup>1</sup> / <sub>2</sub> "	14 <sup>1</sup> / <sub>2</sub> "	27 <sup>3</sup> / <sub>4</sub> "	—	—	74 lbs.	10.4
	59N2315PUFLL7	59N2315PUFRL7	Laminate	796	22 <sup>1</sup> / <sub>2</sub> "	14 <sup>1</sup> / <sub>2</sub> "	27 <sup>3</sup> / <sub>4</sub> "	—	—	74 lbs.	10.4



Left shown


- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications

**TO ORDER, SPECIFY:**

1. Model Number
  2. Pull
  3. Locking
  4. Laminate Color (laminate models)
  5. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessaera

**SAMPLE MODEL NUMBERS:**

59N3518PUFRW7 92PL KRS CL  
59N3518SESFRW CL

**SUPPORT PEDESTAL**

Left shown


MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT	RIGHT			D	W	H				
59N3518SESFLW	59N3518SESFRW	Wood	\$ 1040	35 $\frac{1}{16}$	17 $\frac{15}{16}$	27 $\frac{3}{4}$	—	—	108 lbs.	16.7
59N3518SESFLL	59N3518SESFRL	Laminate	757	35 $\frac{1}{16}$	17 $\frac{15}{16}$	27 $\frac{3}{4}$	—	—	108 lbs.	16.7
59N3515SESFLW	59N3515SESFRW	Wood	\$ 984	35 $\frac{1}{16}$	14 $\frac{15}{16}$	27 $\frac{3}{4}$	—	—	95 lbs.	14.5
59N3515SESFLL	59N3515SESFRL	Laminate	716	35 $\frac{1}{16}$	14 $\frac{15}{16}$	27 $\frac{3}{4}$	—	—	95 lbs.	14.5
59N2918SESFLW	59N2918SESFRW	Wood	\$ 979	28 $\frac{7}{16}$	17 $\frac{15}{16}$	27 $\frac{3}{4}$	—	—	95 lbs.	14.2
59N2918SESFLL	59N2918SESFRL	Laminate	713	28 $\frac{7}{16}$	17 $\frac{15}{16}$	27 $\frac{3}{4}$	—	—	95 lbs.	14.2
59N2915SESFLW	59N2915SESFRW	Wood	\$ 923	28 $\frac{7}{16}$	14 $\frac{15}{16}$	27 $\frac{3}{4}$	—	—	90 lbs.	12.4
59N2915SESFLL	59N2915SESFRL	Laminate	672	28 $\frac{7}{16}$	14 $\frac{15}{16}$	27 $\frac{3}{4}$	—	—	90 lbs.	12.4
59N2318SESFLW	59N2318SESFRW	Wood	\$ 917	22 $\frac{13}{16}$	17 $\frac{15}{16}$	27 $\frac{3}{4}$	—	—	82 lbs.	11.7
59N2318SESFLL	59N2318SESFRL	Laminate	667	22 $\frac{13}{16}$	17 $\frac{15}{16}$	27 $\frac{3}{4}$	—	—	82 lbs.	11.7
59N2315SESFLW	59N2315SESFRW	Wood	\$ 867	22 $\frac{13}{16}$	14 $\frac{15}{16}$	27 $\frac{3}{4}$	—	—	72 lbs.	10.2
59N2315SESFLL	59N2315SESFRL	Laminate	631	22 $\frac{13}{16}$	14 $\frac{15}{16}$	27 $\frac{3}{4}$	—	—	72 lbs.	10.2

- Standard with one shelf
- Specify component worksurfaces and backs to finish as needed
- For use when creating single pedestal desks from components
- Not intended for use in a freestanding application
- Specify finish or laminate color only

## TESSERA


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


LATERAL FILE  
TWO DRAWER

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
		D	W	H	A	KW		
59N2436LFF2W Wood	\$ 2408	24	36 $\frac{1}{16}$	28 $\frac{3}{16}$	—	—	121 lbs.	21.0
59N2436LFF2L Laminate	1444	24	36 $\frac{1}{16}$	28 $\frac{3}{16}$	—	—	121 lbs.	21.0
59N2430LFF2W Wood	\$ 2288	24	30 $\frac{1}{16}$	28 $\frac{3}{16}$	—	—	104 lbs.	18.0
59N2430LFF2L Laminate	1372	24	30 $\frac{1}{16}$	28 $\frac{3}{16}$	—	—	104 lbs.	18.0


• Interlock mechanism allows only one drawer to be open at a time  
 • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available  
 • Do not specify grommet

LATERAL FILE - UNDERSURFACE  
TWO DRAWER

59N2336LFU2FW Wood	\$ 1795	22 $\frac{3}{16}$	29 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	120 lbs.	20.4
59N2336LFU2FL Laminate	912	22 $\frac{3}{16}$	29 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	120 lbs.	20.4
59N2330LFU2FW Wood	\$ 1655	22 $\frac{3}{16}$	29 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	101 lbs.	17.4
59N2330LFU2FL Laminate	887	22 $\frac{3}{16}$	29 $\frac{1}{16}$	27 $\frac{3}{4}$	—	—	101 lbs.	17.4

LATERAL FILE - MODULAR  
THREE DRAWER

59N2436LFM3W Wood	\$ 3238	23 $\frac{3}{16}$	35 $\frac{7}{8}$	40 $\frac{1}{16}$	—	—	174 lbs.	30.0
59N2436LFM3L Laminate	1899	23 $\frac{3}{16}$	35 $\frac{7}{8}$	40 $\frac{1}{16}$	—	—	174 lbs.	30.0
59N2430LFM3W Wood	\$ 3076	23 $\frac{3}{16}$	29 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	174 lbs.	30.0
59N2430LFM3L Laminate	1790	23 $\frac{3}{16}$	29 $\frac{1}{16}$	40 $\frac{1}{16}$	—	—	174 lbs.	30.0

LATERAL FILE - MODULAR  
FOUR DRAWER



59N2436LFM4W Wood	\$ 3764	23 $\frac{3}{16}$	35 $\frac{7}{8}$	52 $\frac{1}{16}$	—	—	194 lbs.	33.4
59N2436LFM4L Laminate	2192	23 $\frac{3}{16}$	35 $\frac{7}{8}$	52 $\frac{1}{16}$	—	—	194 lbs.	33.4
59N2430LFM4W Wood	\$ 3575	23 $\frac{3}{16}$	29 $\frac{1}{16}$	52 $\frac{1}{16}$	—	—	194 lbs.	33.4
59N2430LFM4L Laminate	2060	23 $\frac{3}{16}$	29 $\frac{1}{16}$	52 $\frac{1}{16}$	—	—	194 lbs.	33.4

**TO ORDER, SPECIFY:**

1. Model Number
  2. Laminate Color (laminate models)
  3. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBER:**

59N3627MPW CW


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
<b>MODESTY/BACK PANEL LATERAL FILE</b> 	59N3627MPW	Wood	\$ 380	¾	35¾	27¾	—	—	24 lbs.	2.1
	59N3627MPL	Laminate	171	¾	35¾	27¾	—	—	24 lbs.	2.1
	59N3027MPW	Wood	\$ 349	¾	29¾	27¾	—	—	21 lbs.	1.8
	59N3027MPL	Laminate	151	¾	29¾	27¾	—	—	21 lbs.	1.8
	<ul style="list-style-type: none"><li>• Wood modesty panels have vertical grain</li><li>• Laminate modesty panels have horizontal grain</li></ul>									
	59N3627MPVL	Laminate	\$ 171	¾	35¾	27¾	—	—	24 lbs.	2.1
<b>MODESTY/BACK PANEL LATERAL FILE</b> 	59N3027MPVL	Laminate	151	¾	29¾	27¾	—	—	21 lbs.	1.8
	<ul style="list-style-type: none"><li>• Grain direction runs vertically</li></ul>									

## TESSERA


## DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
<b>FREESTANDING PEDESTAL - FILE/FILE</b>	59N2415PFFFW Wood	\$ 1359	23 $\frac{1}{4}$ "	15 $\frac{3}{8}$ "	28 $\frac{7}{8}$ "	—	—		83 lbs.	11.4
	59N2415PFFFL Laminate	895	23 $\frac{1}{4}$ "	15 $\frac{3}{8}$ "	28 $\frac{7}{8}$ "	—	—		83 lbs.	11.4



<b>FREESTANDING PEDESTAL - BOX/BOX/FILE</b>	59N2415PFBBFW Wood	\$ 1359	23 $\frac{1}{4}$ "	15 $\frac{3}{8}$ "	28 $\frac{7}{8}$ "	—	—		83 lbs.	11.4
	59N2415PFBBFL Laminate	895	23 $\frac{1}{4}$ "	15 $\frac{3}{8}$ "	28 $\frac{7}{8}$ "	—	—		83 lbs.	11.4



<b>MOBILE PEDESTAL WITH TOP - FILE/FILE</b>	59N2315PMFFW Wood	\$ 1706	22 $\frac{3}{4}$ "	14 $\frac{1}{2}$ "	25 $\frac{1}{2}$ "	—	—		70 lbs.	9.9
	59N2315PMFFL Laminate	1079	22 $\frac{3}{4}$ "	14 $\frac{1}{2}$ "	25 $\frac{1}{2}$ "	—	—		70 lbs.	9.9




## TO ORDER, SPECIFY:

1. Model Number
  2. Pull
  3. Locking
  4. Laminate Color (laminate models)
  5. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera


## SAMPLE MODEL NUMBER:

59N2315PMBBFW CW R


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>MOBILE PEDESTAL WITH TOP - BOX/BOX/FILE</b>	59N2315PMBBFW Wood	\$ 1706	22 <sup>3</sup> / <sub>16</sub>	14 <sup>1</sup> / <sub>16</sub>	25 <sup>1</sup> / <sub>16</sub>	—	—	70 lbs.	9.9
	59N2315PMBBFL Laminate	1079	22 <sup>3</sup> / <sub>16</sub>	14 <sup>1</sup> / <sub>16</sub>	25 <sup>1</sup> / <sub>16</sub>	—	—	70 lbs.	9.9



<b>MOBILE PEDESTAL WITH TOP - BOX/FILE</b>	59N2315PMBFW Wood	\$ 1767	23 <sup>1</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>16</sub>	—	—	70 lbs.	9.9
	59N2315PMBFL Laminate	1057	23 <sup>1</sup> / <sub>16</sub>	15 <sup>3</sup> / <sub>16</sub>	22 <sup>3</sup> / <sub>16</sub>	—	—	70 lbs.	9.9



## MOBILE PEDESTAL WITH CUSHION TOP - BOX/ FILE



		GRADE / LIST PRICE							
		1	2/COM	3/COL	4	5	6	7	
59N2315PMBFCW	Wood	\$ 1600	1620	1629	1643	1658	1685	1720	

ALLIANCE GRADE / LIST PRICE										
	A	B	C	D	E	F	G	H	I	J
\$	1632	1652	1669	1686	1705	1725	1739	1759	1780	1799
	K	L	M	N	O	P	Q	R	S	T
\$	1831	1895	1934	1954	1975	1995	2016	2035	2056	2076

		GRADE / LIST PRICE							
		1	2/COM	3/COL	4	5	6	7	
59N2315PMBFCL	Wood/Laminate	\$ 1038	1058	1067	1081	1096	1123	1158	

ALLIANCE GRADE / LIST PRICE										
	A	B	C	D	E	F	G	H	I	J
\$	1070	1090	1107	1124	1143	1163	1177	1197	1218	1237
	K	L	M	N	O	P	Q	R	S	T
\$	1269	1333	1372	1392	1413	1433	1454	1473	1494	1514

## DIMENSIONS

Depth	22 <sup>1</sup> / <sub>16</sub>	Height	23 <sup>1</sup> / <sub>16</sub>	Weight	65
Width	15 <sup>3</sup> / <sub>16</sub>			Cubic Ft.	9.2


# TESSERA


## PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell
- 27" modesty panels are used as support bases

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>MODESTY PANEL WORKSURFACE HEIGHT FOR USE WITH 1 SUPPORT BASE</b>  	59N6927MPW Wood	\$ 515	¾	68½	27	—	—	31 lbs.	2.6
	59N6927MPL Laminate	265	¾	68½	27	—	—	31 lbs.	2.6
	59N6327MPW Wood	\$ 485	¾	62½	27	—	—	24 lbs.	2.0
	59N6327MPL Laminate	251	¾	62½	27	—	—	30 lbs.	2.5
	59N5727MPW Wood	\$ 455	¾	56½	27	—	—	16 lbs.	1.5
	59N5727MPL Laminate	231	¾	56½	27	—	—	23 lbs.	2.0
<ul style="list-style-type: none"> <li>Modesty panel is mounted on the inside of the base leg</li> <li>Modesty panel is used with one slab base or support base U-style and the other side is mounted to the wall</li> <li>Reference pages 347-348 for support bases</li> <li>Reference page 329 for the worksurface mounting bracket that is used under the worksurface for attachment to the wall</li> </ul>									

<b>MODESTY PANEL WORKSURFACE HEIGHT FOR USE WITH 1 SUPPORT BASE</b>  	59N5727MPVL Laminate	\$ 231	¾	56½	27	—	—	23 lbs.	2.0
<ul style="list-style-type: none"> <li>Grain direction runs vertically</li> <li>Modesty panel is mounted on the inside of the base leg</li> <li>Modesty panel is used with one slab base or support base U-style and the other side is mounted to the wall</li> <li>Reference pages 347-348 for support bases</li> <li>Reference page 329 for the worksurface mounting bracket that is used under the worksurface for attachment to the wall</li> </ul>									





**TO ORDER, SPECIFY:**

1. Model Number
  2. Laminate Color (laminate models)
  3. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBERS:**

59N6927MPW CL  
59N6927MPL 478

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
<b>MODESTY PANEL</b> <b>WORKSURFACE HEIGHT FOR</b> <b>USE WITH 2 SUPPORT BASES</b> 	59N6527MPW Wood	\$ 515	¾	64½	27	—	—	31 lbs.	2.6
	59N6527MPL Laminate	266	¾	64½	27	—	—	31 lbs.	2.6
	59N5927MPW Wood	\$ 485	¾	58½	27	—	—	23 lbs.	2.0
	59N5927MPL Laminate	245	¾	58½	27	—	—	23 lbs.	2.0
	59N5327MPW Wood	\$ 439	¾	52½	27	—	—	21 lbs.	1.8
	59N5327MPL Laminate	231	¾	52½	27	—	—	21 lbs.	1.8
	<ul style="list-style-type: none"> <li>• Modesty panel is used with two slab bases or metal U bases</li> <li>• Reference pages 347-348 for support bases</li> <li>• Modesty panel is mounted between the base legs</li> </ul>								
	59N5927MPVL Laminate	\$ 245	¾	58½	27	—	—	23 lbs.	2.0
	59N5327MPVL Laminate	231	¾	58½	27	—	—	21 lbs.	1.8
	<ul style="list-style-type: none"> <li>• Grain direction runs vertically</li> <li>• Modesty panel is used with two slab bases or metal U bases</li> <li>• Reference pages 347-348 for support bases</li> <li>• Modesty panel is mounted between the base legs</li> </ul>								
<b>MODESTY PANEL</b> <b>WORKSURFACE HEIGHT FOR</b> <b>USE WITH 2 SUPPORT BASES</b> 									



## TESSERA

## PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
					D	W	H					
<div>MODESTY PANEL FULL OVERLAY WORKSURFACE HEIGHT</div> 	59N7226MPW	Wood	\$	529	¾	71½	26	—	—	44 lbs.	3.9	
	59N7226MPL	Laminate		279	¾	71½	26	—	—	44 lbs.	3.9	
	59N6626MPW	Wood	\$	500	¾	65⅞	26	—	—	41 lbs.	3.6	
	59N6626MPL	Laminate		266	¾	65⅞	26	—	—	41 lbs.	3.6	
	59N6026MPW	Wood	\$	470	¾	59⅞	26	—	—	38 lbs.	3.3	
	59N6026MPL	Laminate		245	¾	59⅞	26	—	—	38 lbs.	3.3	
	<ul style="list-style-type: none"><li>• Full overlay modesty to be used on worksurface height storage</li><li>• Modesty height allows a 1¾" gap between the modesty and worksurface to show the recessed façade on the pedestals</li></ul>											
	59N6026MPVL	Laminate	\$	245	¾	59⅞	26	—	—	38 lbs.	3.3	
	<ul style="list-style-type: none"><li>• Grain direction runs vertically</li><li>• Full overlay modesty to be used on worksurface height storage</li><li>• Modesty height allows a 1¾" gap between the modesty and worksurface to show the recessed façade on the pedestals</li></ul>											
<div>MODESTY PANEL FULL OVERLAY WORKSURFACE HEIGHT</div> 												


**TO ORDER, SPECIFY:**

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)


• See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBERS:**

59N7226MPW CL  
59N7226MPL 478

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>MODESTY PANEL BREAKFRONT WORKSURFACE HEIGHT</b> 	59N6026MPKW Wood	\$ 470	¾	59⅞	26	—	—	38 lbs.	3.3
	59N6026MPKL Laminate	245	¾	59⅞	26	—	—	38 lbs.	3.3
	59N5426MPKW Wood	\$ 446	¾	53⅞	26	—	—	35 lbs.	3.0
	59N5426MPKL Laminate	234	¾	53⅞	26	—	—	35 lbs.	3.0
	59N4826MPKW Wood	\$ 411	¾	47⅞	26	—	—	33 lbs.	2.7
	59N4826MPKL Laminate	216	¾	47⅞	26	—	—	33 lbs.	2.7
	59N4226MPKW Wood	\$ 397	¾	41⅞	26	—	—	29 lbs.	2.4
	59N4226MPKL Laminate	192	¾	41⅞	26	—	—	29 lbs.	2.4
	59N3626MPKW Wood	\$ 381	¾	35⅞	26	—	—	24 lbs.	2.1
	59N3626MPKL Laminate	171	¾	35⅞	26	—	—	24 lbs.	2.1
	59N3026MPKW Wood	\$ 349	¾	29⅞	26	—	—	21 lbs.	1.8
	59N3026MPKL Laminate	152	¾	29⅞	26	—	—	21 lbs.	1.8

- Grain direction runs vertically
- Modesty height allows a 1⅞" gap between the modesty and worksurface to show the recessed façade on the pedestals
- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Not recommended to be used when specifying center grommet

<b>MODESTY PANEL BREAKFRONT WORKSURFACE HEIGHT</b> 	59N6026MPKVL Laminate	\$ 245	¾	59⅞	26	—	—	38 lbs.	3.3
	59N5426MPKVL Laminate	234	¾	53⅞	26	—	—	35 lbs.	3.0
	59N4826MPKVL Laminate	216	¾	47⅞	26	—	—	33 lbs.	2.7
	59N4226MPKVL Laminate	192	¾	41⅞	26	—	—	29 lbs.	2.4
	59N3626MPKVL Laminate	171	¾	35⅞	26	—	—	24 lbs.	2.1
	59N3026MPKVL Laminate	152	¾	29⅞	26	—	—	21 lbs.	1.8

- Grain direction runs vertically
- Modesty height allows a 1⅞" gap between the modesty and worksurface to show the recessed façade on the pedestals
- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Not recommended to be used when specifying center grommet


## TESSERA


## PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>MODESTY PANEL PARTIAL HEIGHT FOR SINGLE PEDESTAL UNIT</b> 	59N6913MPW Wood	\$ 432	¾	68 <sup>11</sup> / <sub>16</sub>	13	—	—	12 lbs.	1.1
	59N6913MPL Laminate	235	¾	68 <sup>11</sup> / <sub>16</sub>	13	—	—	12 lbs.	1.1
	59N5713MPW Wood	\$ 381	¾	56 <sup>11</sup> / <sub>16</sub>	13	—	—	12 lbs.	1.1
	59N5713MPL Laminate	202	¾	56 <sup>11</sup> / <sub>16</sub>	13	—	—	12 lbs.	1.1
	59N5113MPW Wood	\$ 340	¾	50 <sup>11</sup> / <sub>16</sub>	13	—	—	11 lbs.	1.0
	59N5113MPL Laminate	184	¾	50 <sup>11</sup> / <sub>16</sub>	13	—	—	11 lbs.	1.0
	59N4513MPW Wood	\$ 324	¾	44 <sup>3</sup> / <sub>4</sub>	13	—	—	10 lbs.	0.9
	59N4513MPL Laminate	170	¾	44 <sup>3</sup> / <sub>4</sub>	13	—	—	10 lbs.	0.9
	59N3913MPW Wood	\$ 307	¾	38 <sup>3</sup> / <sub>4</sub>	13	—	—	10 lbs.	0.8
	59N3913MPL Laminate	150	¾	38 <sup>3</sup> / <sub>4</sub>	13	—	—	10 lbs.	0.8
	59N3313MPW Wood	\$ 298	¾	32 <sup>3</sup> / <sub>4</sub>	13	—	—	8 lbs.	0.7
	59N3313MPL Laminate	134	¾	32 <sup>3</sup> / <sub>4</sub>	13	—	—	8 lbs.	0.7
	<ul style="list-style-type: none"> <li>Must also specify pedestal back panel to complete pedestal back if used in the kneewell area</li> <li>Used in conjunction with one 15" pedestal</li> </ul>								


<b>MODESTY PANEL PARTIAL HEIGHT FOR SINGLE PEDESTAL UNIT</b> 	59N5713MPVL Laminate	\$ 202	¾	56 <sup>11</sup> / <sub>16</sub>	13	—	—	12 lbs.	1.1
	59N5113MPVL Laminate	184	¾	50 <sup>11</sup> / <sub>16</sub>	13	—	—	11 lbs.	1.0
	59N4513MPVL Laminate	170	¾	44 <sup>3</sup> / <sub>4</sub>	13	—	—	10 lbs.	0.9
	59N3913MPL Laminate	150	¾	38 <sup>3</sup> / <sub>4</sub>	13	—	—	10 lbs.	0.8
	59N3313MPL Laminate	134	¾	32 <sup>3</sup> / <sub>4</sub>	13	—	—	8 lbs.	0.7
	<ul style="list-style-type: none"> <li>Grain direction runs vertically</li> <li>Must also specify pedestal back panel to complete pedestal back if used in the kneewell area</li> <li>Used in conjunction with one 15" pedestal</li> </ul>								

**TO ORDER, SPECIFY:**


1. Model Number
  2. Laminate Color (laminate models)
  3. Veneer Finish (wood models)
- See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBERS:**

59N6913MPW CL  
59N6913MPL 478

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>MODESTY PANEL PARTIAL HEIGHT FOR DOUBLE PEDESTAL UNIT</b> 	59N6013MPW Wood	\$ 383	¾	59⅞	13	—	—	13 lbs.	1.2
	59N6013MPL Laminate	216	¾	59⅞	13	—	—	13 lbs.	1.2
	59N5413MPW Wood	\$ 350	¾	53⅞	13	—	—	12 lbs.	1.1
	59N5413MPL Laminate	197	¾	53⅞	13	—	—	12 lbs.	1.1
	59N4813MPW Wood	\$ 334	¾	47⅞	13	—	—	11 lbs.	1.0
	59N4813MPL Laminate	178	¾	47⅞	13	—	—	11 lbs.	1.0
	59N4213MPW Wood	\$ 317	¾	41⅞	13	—	—	10 lbs.	0.9
	59N4213MPL Laminate	160	¾	41⅞	13	—	—	10 lbs.	0.9
	59N3613MPW Wood	\$ 303	¾	35⅞	13	—	—	8 lbs.	0.7
	59N3613MPL Laminate	139	¾	35⅞	13	—	—	8 lbs.	0.7
	59N3013MPW Wood	\$ 287	¾	29⅞	13	—	—	7 lbs.	0.6
	59N3013MPL Laminate	123	¾	29⅞	13	—	—	7 lbs.	0.6

• Must also specify pedestal back panel to complete pedestal back if used in the kneewell area

<b>MODESTY PANEL PARTIAL HEIGHT FOR DOUBLE PEDESTAL UNIT</b> 	59N6013MPVL Laminate	\$ 216	¾	59⅞	13	—	—	13 lbs.	1.2
	59N5413MPVL Laminate	197	¾	53⅞	13	—	—	12 lbs.	1.1
	59N4813MPVL Laminate	178	¾	47⅞	13	—	—	11 lbs.	1.0
	59N4213MPVL Laminate	160	¾	41⅞	13	—	—	10 lbs.	0.9
	59N3613MPVL Laminate	139	¾	35⅞	13	—	—	8 lbs.	0.7
	59N3013MPVL Laminate	123	¾	29⅞	13	—	—	7 lbs.	0.6

- Grain direction runs vertically
- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area





# TESSERA

## PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware
- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
<b>MODESTY/BACK PANEL PEDESTAL</b> 	59N1827MPW	Wood	\$ 336	¾	17 <sup>3</sup> / <sub>16</sub>	26	—	—	14 lbs.	1.1
	59N1827MPL	Laminate	129	¾	17 <sup>3</sup> / <sub>16</sub>	26	—	—	14 lbs.	1.1
	59N1527MPW	Wood	\$ 330	¾	14 <sup>3</sup> / <sub>16</sub>	26	—	—	13 lbs.	1.0
	59N1527MPL	Laminate	113	¾	14 <sup>3</sup> / <sub>16</sub>	26	—	—	13 lbs.	1.0
<b>MODESTY/BACK PANEL PEDESTAL</b> 	59N1827MPVL	Laminate	\$ 155	¾	17 <sup>3</sup> / <sub>16</sub>	26	—	—	14 lbs.	1.1
	59N1527MPVL	Laminate	139	¾	14 <sup>3</sup> / <sub>16</sub>	26	—	—	13 lbs.	1.0
	• Grain direction runs vertically									
<b>END PANEL (WORKSURFACE HEIGHT)</b> 	59N3528EPW	Wood	\$ 508	35 <sup>1</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	35 lbs.	1.9
	59N3528EPL	Laminate	278	35 <sup>1</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	35 lbs.	1.9
	59N2928EPW	Wood	\$ 459	29 <sup>1</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	30 lbs.	1.7
	59N2928EPL	Laminate	239	29 <sup>1</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	30 lbs.	1.7
	59N2328EPW	Wood	\$ 446	22 <sup>5</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	25 lbs.	1.3
	59N2328EPL	Laminate	217	22 <sup>5</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	25 lbs.	1.3
	59N1728EPW	Wood	\$ 417	17 <sup>1</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	23 lbs.	1.1
	59N1728EPL	Laminate	203	17 <sup>1</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—	23 lbs.	1.1
	<ul style="list-style-type: none"> <li>• End panels are required when pedestals are not used to support the end of a unit or workstation</li> <li>• End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip</li> <li>• Modesty panels are recommended when building a shell unit</li> </ul>									
<b>FILLER STRIP WORKSURFACE HEIGHT</b> 	59N28CPFWS	Wood	\$ 101	¾	2 <sup>1</sup> / <sub>16</sub>	27 <sup>1</sup> / <sub>16</sub>	—	—	5 lbs.	1.4
	59N28CPFSL	Laminate	80	¾	2 <sup>1</sup> / <sub>16</sub>	27 <sup>1</sup> / <sub>16</sub>	—	—	5 lbs.	1.4
	<ul style="list-style-type: none"> <li>• When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths</li> <li>• Specify wood or laminate</li> </ul>									

**TO ORDER, SPECIFY:**

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

• See pages 273-274 for all options available in Tessera

**SAMPLE MODEL NUMBERS:**




59N1827MPW CL  
59N1827MPL 478

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
<b>SUPPORT PANEL (WORKSURFACE HEIGHT)</b>	59N1228SSW Wood	\$ 308	11 <sup>7</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—		15 lbs.	0.8
	59N1228SSL Laminate	113	11 <sup>7</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>16</sub>	27 <sup>3</sup> / <sub>4</sub>	—	—		15 lbs.	0.8
<ul style="list-style-type: none"> <li>• For use as added support</li> <li>• Specify wood or laminate only</li> </ul>										
<b>SUPPORT PANEL U-STYLE</b>	NAC1228UBB Cinder	\$ 368	1 <sup>1</sup> / <sub>2</sub>	12	28	—	—		12 lbs.	3.1
	NAC1228UBS Platinum Metallic	368	1 <sup>1</sup> / <sub>2</sub>	12	28	—	—		12 lbs.	3.1
	NAC1228UBN Satin Nickel Metallic	368	1 <sup>1</sup> / <sub>2</sub>	12	28	—	—		12 lbs.	3.1
	NAC1228UBH Designer White	368	1 <sup>1</sup> / <sub>2</sub>	12	28	—	—		12 lbs.	3.1
	<ul style="list-style-type: none"> <li>• For use as added support</li> <li>• Adjustable glides are standard</li> <li>• Specify model number only</li> <li>• Metal mounting plate attached to support panel</li> </ul>									
<b>UNDERSURFACE SUPPORT RAIL (WORKSURFACE)</b>	NAC0248SUR	\$ 178	2 <sup>3</sup> / <sub>4</sub>	48	1	—	—		5 lbs.	0.5
	NAC0236SUR	152	2 <sup>3</sup> / <sub>4</sub>	36	1	—	—		3 lbs.	0.3
<ul style="list-style-type: none"> <li>• Specify model number only</li> <li>• Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1<sup>3</sup>/<sub>16</sub>" worksurface and greater than 60" on a 1<sup>1</sup>/<sub>16</sub>" worksurface</li> <li>• Specify the 36" model to be used up to 66" worksurfaces</li> <li>• Specify the 48" model to be used up to 72" worksurfaces</li> <li>• Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces</li> </ul>										
<b>SLAB BASE</b>	59N3628PNBW Wood	\$ 594	1 <sup>3</sup> / <sub>16</sub>	36	27 <sup>1</sup> / <sub>2</sub>	—	—		37 lbs.	2.0
	59N3628PNBL Laminate	476	1 <sup>3</sup> / <sub>16</sub>	36	27 <sup>1</sup> / <sub>2</sub>	—	—		37 lbs.	2.0
	59N3028PNBW Wood	\$ 569	1 <sup>3</sup> / <sub>16</sub>	30	27 <sup>1</sup> / <sub>2</sub>	—	—		31 lbs.	1.7
	59N3028PNBL Laminate	455	1 <sup>3</sup> / <sub>16</sub>	30	27 <sup>1</sup> / <sub>2</sub>	—	—		31 lbs.	1.7
	59N2428PNBW Wood	\$ 543	1 <sup>3</sup> / <sub>16</sub>	24	27 <sup>1</sup> / <sub>2</sub>	—	—		28 lbs.	1.5
	59N2428PNBL Laminate	435	1 <sup>3</sup> / <sub>16</sub>	24	27 <sup>1</sup> / <sub>2</sub>	—	—		28 lbs.	1.5
	59N2028PNBW Wood	\$ 517	1 <sup>3</sup> / <sub>16</sub>	20	27 <sup>1</sup> / <sub>2</sub>	—	—		24 lbs.	1.3
	59N2028PNBL Laminate	414	1 <sup>3</sup> / <sub>16</sub>	20	27 <sup>1</sup> / <sub>2</sub>	—	—		24 lbs.	1.3
• For use with a Tessera component worksurface										

## TESSERA

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
				D	W	H					
	<b>SLANT LEG TAPER BASE</b>	59N0228ABW	Wood	\$ 1236	1½	3	27½	—	—	30 lbs.	1.3
		<ul style="list-style-type: none"><li>• Select finish or paint color</li><li>• Leg width is 3" at the top and tapers down to 1½" at the bottom</li><li>• Comes as a set of 2</li><li>• Intended for use with worksurfaces that are 36" x 72" and smaller</li></ul>									
	<b>CREDENZA BRIDGE SUPPORT</b>	59N3005SEPW	Wood	\$ 392	29⅞	1⅞	4⅞	—	—	18 lbs.	0.8
		59N3005SEPL	Laminate	180	29⅞	1⅞	4⅞	—	—	18 lbs.	0.8
		59N2405SEPW	Wood	\$ 363	23⅞	1⅞	4⅞	—	—	16 lbs.	0.7
		59N2405SEPL	Laminate	150	23⅞	1⅞	4⅞	—	—	16 lbs.	0.7
		59N2005SEPW	Wood	\$ 339	19⅞	1⅞	4⅞	—	—	11 lbs.	0.7
		59N2005SEPL	Laminate	139	19⅞	1⅞	4⅞	—	—	11 lbs.	0.7
		<ul style="list-style-type: none"><li>• Some assembly required</li><li>• Specify with worksurfaces when overlapping 23" height credenza storage, sits on storage and supports overlapping worksurfaces</li><li>• Not to be used with modesty panels</li></ul>									
	<b>BENCH BRIDGE SUPPORT</b>	59N3013SEPW	Wood	\$ 404	29⅞	1⅞	12⅞	—	—	27 lbs.	1.2
		59N3013SEPL	Laminate	191	29⅞	1⅞	12⅞	—	—	27 lbs.	1.2
		59N2413SEPW	Wood	\$ 374	23⅞	1⅞	12⅞	—	—	22 lbs.	1.0
		59N2413SEPL	Laminate	161	23⅞	1⅞	12⅞	—	—	22 lbs.	1.0
		59N2013SEPW	Wood	\$ 350	19⅞	1⅞	12⅞	—	—	14 lbs.	0.9
		59N2013SEPL	Laminate	149	19⅞	1⅞	12⅞	—	—	14 lbs.	0.9
		<ul style="list-style-type: none"><li>• Some assembly required</li><li>• Specify with worksurfaces when overlapping bench credenza storage, sits on storage and supports overlapping worksurfaces</li><li>• Not to be used with modesty panels</li></ul>									








## TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

• See pages 273-274 for all options available in Tessera

## SAMPLE MODEL NUMBERS:

59N0228ABW 501  
59N3005SEPW CL

	MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS				
					D	W	H	A	KW
	NAC18TLDBPUS	Task Light w/Desktop Base, Plug/USB, Silver	\$	911	14	—	14	—	—
	<ul style="list-style-type: none"><li>• Available in silver</li><li>• MCX LED freestanding light</li><li>• Working height 18" and maximum reach 28"</li><li>• 360° swivel from base, 135° front-to-back head tilt, 90° side-to-side head rotation</li><li>• 1 120VAC 3 prong receptacle electrical outlet</li><li>• 7 levels of light adjustment</li><li>• 2 USB charging ports providing 1 Amp 5VDC of power</li></ul>								
	NAC18TLDBUH	Task Light w/Desktop Base, USB, White	\$	510	11½	7½	18¼	—	—
	<ul style="list-style-type: none"><li>• Available in white</li><li>• LED freestanding light</li><li>• Three color temps, dimming</li><li>• 1 USB charging port that provides 5 volts and 1 Amp of charging power</li><li>• 4'11" white cord plus a 3' cord extender</li><li>• ETL listed, compliant to UL153, FCC Part 15</li></ul>								
 Light strip  LED driver  Rocker switch	NACLTk1	Light Kit 1 (for larger walls)	\$	798					
	NACLTk2	Light Kit 2 (for smaller walls)		474					
	NACLTk3	Light Kit 3 (for shelf only, to turn on)		132					
	<ul style="list-style-type: none"><li>• LED light kits can be added to the back side of the wall panels</li><li>• Kit 1 includes 2 light spools, 1 driver, 2 leads, 1 rocker switch, 3 corner connectors, and 2 splice</li><li>• Kit 2 includes 1 light spool, 1 driver, 1 lead, 1 rocker switch, 2 corner connectors, and 2 splice</li><li>• Kit 2 will work for any reception size</li><li>• Kit 3 includes one driver and one rocker switch</li><li>• Kit 1 will light all 4 sides of wall panels that are 120" wide x 52" tall down to 48" wide x 52" tall</li><li>• Kit 1 will light all 3 sides of wall panels that are 120" wide x 52" tall down to 90" wide x 52" tall</li><li>• Kit 2 will accommodate all sizes smaller than what requires Kit 1</li><li>• Kit 3 is required when using lighted shelves to turn the shelf lighting on and off; shelves are sold with lighting installed</li><li>• Length of spool of light: 10 meters for Kit 1, 5 meters for Kit 2</li></ul>								
	NACLTMD	Light Multi-Driver (used when ganging together 2 kits)	\$	31					
<ul style="list-style-type: none"><li>• Required when ganging 2 light kits together</li></ul>									
	NACLTSP5L	5m Spool of Lights	\$	316					
<ul style="list-style-type: none"><li>• Additional light strip when an additional light kit is not needed</li></ul>									

## TESSERA

## TO ORDER, SPECIFY:

1. Model Number
2. Leg Color
3. Sheen (wood tops only)
4. Finish/Laminate Color






- See pages 273-274 for all options available in Tessera

## SAMPLE MODEL NUMBERS:

59N24ENRDW 501 R MH  
59N24ENRDLW 501 MH

## DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>TESSERA END TABLE</b>   	<b>ROUND</b>								
	59N24ENRDW Wood	\$ 1611	24	24	23¾	—	—	83 lbs.	14.2
	59N24ENRDLW Laminate	1371	24	24	23¾	—	—	83 lbs.	14.2
	<b>SQUARE</b>								
	59N2424ENSQW Wood	\$ 1720	24	24	23¾	—	—	55 lbs.	14.2
	59N2424ENSQW Laminate	1480	24	24	23¾	—	—	55 lbs.	14.2
	<ul style="list-style-type: none"> <li>• No grommet cutouts available</li> <li>• 1¾" thick top</li> </ul>								
<b>TESSERA COFFEE TABLE</b>   	<b>ROUND</b>								
	59N36MGRDW Wood	\$ 1873	36¾	36¾	16¾	—	—	55 lbs.	21.6
	59N36MGRDLW Laminate	1633	36¾	36¾	16¾	—	—	55 lbs.	21.6
	<b>SQUARE</b>								
	59N3636MGSQW Wood	\$ 1982	36¾	36¾	16¾	—	—	65 lbs.	21.6
	59N3636MGSQW Laminate	1742	36¾	36¾	16¾	—	—	65 lbs.	21.6
	<ul style="list-style-type: none"> <li>• No grommet cutouts available</li> <li>• 1¾" thick top</li> </ul>								
<b>TESSERA MAGAZINE TABLE</b>  	59N2448MGW Wood	\$ 1873	24	48	16¾	—	—	77 lbs.	19.7
	59N2448MGLW Laminate	1633	24	48	16¾	—	—	77 lbs.	19.7
	<ul style="list-style-type: none"> <li>• No grommet cutouts available</li> <li>• 1¾" thick top</li> </ul>								

---

# EXHIBIT

## WALL RAIL SOLUTION

## PRODUCT SPECIFICATIONS

### HORIZONTAL WALL RAIL AND FACEPLATE

- Wall rail and faceplate are a powder coated aluminum extrusion
- Available in lengths of 72" and 144"
- Wall rails come in sets of one or two and include faceplate and alignment brackets
- Wall rails can also be ordered without faceplates
- When attaching worksurfaces to the wall rail without the use of tack board, marker board, or slat wall inserts, wall rail can be ordered without the faceplate
- Faceplate snaps onto wall rail to secure marker board, tack board and slat wall inserts in place; Inserts can be removed or replaced without removing wall rail
- Faceplate conceals alignment brackets, fasteners and provides a clean aesthetic look
- Wall rail is mounted horizontally providing tie in to appropriate load bearing studs
- Alignment bracket is required to align two adjacent sections of wall rail and is included with wall rails
- Alignment bracket is hidden from view once installation is complete
- Wall rails can be cut to size in the field
- WaveWorks and Epic worksurfaces can be attached to wall rails with worksurface brackets
- Worksurfaces that are attached to the wall rail can be ordered with or without a wire manager; Worksurfaces with a wire manager have a flexible PVC trough that allows cords and cables to be routed along the back edge or sides of worksurface

### MARKER BOARD/TACK BOARD/SLAT WALL/ORGANIZER SHELF INSERTS

- Marker board inserts have erasable writing surface and are available in HPL or magnetic porcelain models
- Marker board inserts are available in white only
- HPL marker board and tack board insert models can be scribed in field
- Marker board, tack board and slat wall inserts include two trim channels
- Tack board insert is available in fabric, see page 353 for fabric options
- Slat wall inserts are powder coated aluminum and available in Cinder, Platinum Metallic or Satin Nickel Metallic
- Slat wall inserts offer flexibility in placement of work tools; Combo slat wall inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area and is an economical alternative when overhead storage will be used
- Veneer organizer shelf inserts are plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable).

### EXHIBIT TV MOUNT INSERT

- Fabric insert is not tackable; see page 353 for fabric options
- Laminate, veneer, or fabric inserts; TV mount included with insert; optional single or dual TV mount on 60" inserts

### TAPERED BASES

- MDF material available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Adjustable glides are standard
- Features removable panels for wire access

### TRIM CHANNELS

- Quantity of two is standard with each board/insert
- Available in powder coat paint or fabric; Paint options of White, Cinder, Platinum Metallic or Satin Nickel Metallic and in the same fabric option as the tack board inserts
- Provides an expansion joint, vertical cable manager attachment and compensates for out-of-plumb walls
- Trim Channels can be ordered separately for boards/inserts that have been scribed in the field

### FULL END TRIM

- Full end trim is steel and powder coated
- Full end trim finishes the end of a run and connects the top and bottom wall rail

### SINGLE END CAP

- Single end cap is steel and powder coated
- Single end cap finishes the end of a single wall rail by capping off the wall rail, perfect for when a wall rail is used without inserts and a faceplate

### VERTICAL CABLE MANAGER

- Vertical cable manager attaches between the insert and trim channel
- Conceals and allows for power cords to be managed and routed from overhead to outlet
- Available in fabric to match tack board insert or black plastic

### VERTICAL CABLE MANAGER FOR TV MOUNT INSERT

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet
- Available in fabric, laminate, or veneer to match the insert

### WORKSURFACE BRACKETS

- Exhibit worksurface brackets attach worksurfaces to lower wall rail
- A worksurface bracket is required every 48" along back edge of worksurface
- Worksurface bracket is anodized aluminum

### PLANNING TIPS

- Wall rails can be mounted at any height if not utilizing with WaveWorks or Epic vertical storage units
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from one surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations
- Knife rim adds 1½" per side to worksurface depth. Knife rim is not recommended on lower storage as it affects user's kneespace
- Consider where you specify a worksurface with Worksurface wire manager. When attached to Exhibit lower wall rail, do not use at the end of run for a cleaner aesthetic
- Tack boards may be field scribed to match Epic knife rim worksurface depth

### WALL RAIL/FACEPLATE/ SLAT WALL INSERT PAINT COLORS

462 Cinder  
501 Platinum Metallic  
503 Satin Nickel Metallic

### TRIM CHANNEL PAINT COLORS

401 White  
462 Cinder  
501 Platinum Metallic  
503 Satin Nickel Metallic

### END TRIM/END CAP PAINT COLORS

462 Cinder  
501 Platinum Metallic  
503 Satin Nickel Metallic

### WORK TOOLS (METAL)

462 Cinder  
501 Platinum Metallic  
503 Satin Nickel Metallic

### TACK BOARD INSERT/TRIM CHANNEL/WIRE MANAGER FABRIC OPTIONS

Dune (Grade A)  
100% Polyester

8600 Drift  
8601 Windblown  
8602 Erosion  
8603 Haze  
8604 Kamelos  
8606 Pebble  
8607 Gecho  
8608 Nectar  
8610 Clear Sky  
8614 Basin  
8615 Raven  
8620 Darkness  
8621 Golden

Repetition (Grade A)  
100% Pre-Consumer  
Recycled Polyester

3700 Ash  
3703 White  
3705 Willow  
3709 Java  
3713 Stainless  
3715 Almond  
3721 Reed  
3744 Tawny  
3775 Grey Green

COM (Grade B)


Pact (Grade B)  
65% Pre-Consumer Recycled Polyester,  
35% Post-Consumer Recycled Polyester

25401 Aloe	25413 Midnight
25402 Azure	25414 Nectar
25403 Calla	25415 Patina
25404 Coastal	25416 Putty
25405 Delft	25417 Roast
25406 Dove	25418 Roma
25407 Dragon	25419 Rubine
25408 Eureka	25420 Sketch
25409 Fern	25421 Tanzanite
25410 Harbour	25422 Taupe
25411 Lily	25423 Toasty
25412 Lime	

### EXHIBIT TV MOUNT INSERT OPTIONS

TS Single TV Mount, Front  
TD Dual TV Mount, Front  
(\$636 list upcharge)

### EXHIBIT COMPONENTS



### WOOD FINISHES (ORGANIZER SHELF INSERT)

AC Autumn  
AD Almond  
CL Caramel  
CW Cordovan  
DW Judicial  
HN Honey  
IM Brighton  
MC Amber  
MH Mocha  
NM Natural  
PB Portobello  
TF Truffle  
792 Sable

### SH6 ORGANIZER SHELF HEIGHT OPTIONS FOR 36"/37"/48"/49" HIGH MODELS

A Align with 13H Overhead  
B Align with 18H Overhead  
C Align with 30H Overhead\*  
\*48"/49" high models only  
D Align with SH1 top shelf

### LAMINATE COLORS (ORGANIZER SHELF INSERT)

#### WOODGRAIN LAMINATE

AC2 Autumn 2  
AD Almond  
ADH Almond Horizontal  
CL Caramel  
CW Cordovan  
DW Judicial  
HN2 Honey 2  
IM Brighton  
MC Amber  
MH Mocha  
NM Natural  
TF Truffle  
PB Portobello  
PBH Portobello Horizontal  
PT Portico\*  
PTH Portico Horizontal\*  
SK Skyline\*  
SKH Skyline Horizontal\*  
SM Sonoma\*  
SMH Sonoma Horizontal\*  
791 Palisander\*  
791H Palisander Horizontal\*  
792 Sable  
792H Sable Horizontal  
793 Acorn\*

#### SOLID LAMINATE

405 Designer White  
417 Mojave  
418 Mouse  
419 Wallaby  
425 Shadow  
440 Cloud  
461 Graphite  
462 Cinder  
478 Platinum Grey  
488 Frosty White  
491 Designer White Linear  
491H Designer White Linear Horizontal  
492 Cinder Linear  
492H Cinder Linear Horizontal

\*Not available on laminate/wood models

## EXHIBIT

### OVERVIEW

Exhibit is a series consisting of a horizontal rail, marker board, tack board, and slat wall inserts, and work tools.

Exhibit can be used in numerous applications. Here are a few examples of how it can be used with National Office Furniture products.

### EXHIBIT WITH WAVEWORKS AND EPIC MODELS

The Exhibit rail is a horizontal rail that attaches to walls to accommodate WaveWorks and Epic worksurfaces and components. Attaching worksurfaces directly to the wall rail allows the reduction of modesty panels and opens the space for a clean aesthetic.

#### EXHIBIT

The Exhibit wall rail can be mounted to a variety of structural walls including steel or wood stud walls, masonry block or solid masonry walls.

Slat wall insert requires the use of trim channels and mounting bracket included with the model.

Full end trim caps the end of a run providing a clean aesthetic.

The upper Exhibit wall rail can be mounted to correspond with the heights of WaveWorks and Epic vertical storage units.

Monitor arms can be placed every 24" on full slat walls. It is not recommended to locate the monitor arm on the top four slats

WaveWorks and Epic Overhead Storage Cabinets can be mounted to the upper Exhibit wall rail.

Marker board, tack board and slat wall inserts are sized to correspond with worksurfaces or overheads for a clean visual from top to bottom.

Only one monitor arm is recommended on a slat tack combo

Modesty panels can be eliminated allowing easy access to electrical and data outlets.

Support the end of a worksurface with an end panel, support base or pedestal.

A wood, laminate or metal support base or an Undersurface Support Rail are required when spanning 48" or greater for 1 $\frac{1}{2}$ " worksurfaces, or 60" or greater for 1" worksurfaces.

The lower Exhibit wall rail attaches to the wall at worksurface height to correspond with WaveWorks and Epic worksurfaces and undersurface components.

Marker board, tack board and slat wall inserts can be mounted between the upper and lower Exhibit wall rails to personalize each individual space and increase productivity.

Undersurface support rails can be added to worksurfaces that exceed National's worksurface support guidelines. Undersurface support rail is ordered separately.

Worksurfaces with or without the wire manager can be mounted to the lower Exhibit wall rail.

APPLICATION GUIDELINES

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Exhibit wall rail. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

MINIMUM REQUIREMENTS

- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/240 of the span for walls with brittle finishes and 1/200 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Exhibit wall rail may not extend more than 6" beyond the last solid attachment point
- Minimum width of Exhibit wall rail that can be attached to a wall is 16" mounted to studs 16" apart
- If an overhead is being mounted, the minimum width for Exhibit is 30" with the Exhibit wall rail being centered on studs 24" apart, so as not to extend more than 6" beyond the last solid attachment point


RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer

Type and Size	Description
Steel Studs (1/2" to 3/4" drywall)	
Hilti® Toggler® anchor toggle bolts, 1/4"-20 x 2" grade 5 bolts	
Wood Studs (1/4" to 1/2" drywall)	
Meets or exceeds ANSI/ASME B18.6.4 and SAE J933.	
Pan head sheet metal screw	10-2 PHPMS
Solid Masonry	
Crown Bolt lag shields 1/4" x 1 1/2"	
Buildex Tapcon concrete anchor screw 1/4" x 2 3/4"	
Masonry Block	
Hilti Toggler anchor toggle bolts, 1/4"-20 x 2" grade 5 bolts	
Crown Bolt lag shields 1/4" x 1 1/2"	
Buildex Tapcon concrete anchor screw 1/4" x 2 3/4"	


- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered
- Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical
- Exhibit wall rail extends 7/8" from the wall. This dimensional loss should be considered when space planning for components, when Exhibit wall rails are being used on 2 or more walls of a space
- Select worksurfaces and inserts can be field scribed to fit space
- In fixed wall Exhibit applications, choose your insert height based on your specific application or height of corresponding WaveWorks vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface

34" Tall Inserts




36" and 48" Tall Inserts

Compatible with WaveWorks and Epic 68" and WaveWorks 79" High WW Models



37" and 49" Tall Inserts

Compatible with WaveWorks 69" and 80" High WWN Models



- Conference and training rooms commonly use 49" tall inserts, but with Exhibit, you can use any of the five heights to achieve the customer's needs.

WALL

- Trim when using full insert

EXHIBIT

PRODUCT SPECIFICATIONS

- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align two sections of Exhibit rail in line
- Exhibit mount overheads available in the WaveWorks and Epic series, see Caseloads Book 2 Price List
- For worksurface brackets, end trim and end caps see pages 404-407

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width


EXHIBIT

EXHIBIT WALL RAIL AND FACEPLATE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
WALL RAIL AND FACEPLATE			D	W	H	A	KW		
11N72EXFP2	Set of Two	\$ 255	7⁄8	72	1¾	—	—	6 lbs.	0.7
11N144EXFP2	Set of Two	365	7⁄8	144	1¾	—	—	12 lbs.	1.4
11N72EXFP1	Set of One	\$ 147	7⁄8	72	1¾	—	—	6 lbs.	0.7
11N144EXFP1	Set of One	203	7⁄8	144	1¾	—	—	12 lbs.	1.4
<ul style="list-style-type: none"><li>• Set of two includes two rails, two faceplates, and four alignment brackets</li><li>• Set of one includes one rail, one faceplate, and two alignment brackets</li><li>• Exhibit wall rail available in Cinder, Platinum Metallic or Satin Nickel Metallic</li></ul>									

EXHIBIT WALL RAIL



WALL RAIL									
11N72EXP1	One Rail/No faceplate	\$ 88	¾	72	1½	—	—	6 lbs.	0.7
11N144EXP1	One Rail/No faceplate	129	¾	144	1½	—	—	12 lbs.	1.4
<ul style="list-style-type: none"><li>• Includes one wall rail and two alignment brackets</li><li>• Exhibit wall rail available in Cinder, Platinum Metallic or Satin Nickel Metallic</li><li>• For use when hanging a worksurface or overhead without the use of an insert</li></ul>									





**TO ORDER, SPECIFY:**


1. Model Number
  2. Paint Color
  3. Fabric Grade (tack board insert only)
  4. Fabric Color (tack board insert only)
- See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N72EXFP2 462  
11N1834TB B 25413



Shaded rectangle portrays a railroaded tack board.

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
TACK BOARD INSERTS				34"H TACK BOARD INSERTS							
			GRADE A	GRADE B/ COM							
	11N1834TBA	Railroad	\$ 215	\$ 253	½	18	34½	—	—	3 lbs.	0.5
	11N1834TB	Standard	209	247	½	18	34½	—	—	3 lbs.	0.5
	11N2434TBA	Railroad	\$ 225	\$ 263	½	24	34½	—	—	4 lbs.	0.6
	11N2434TB	Standard	219	257	½	24	34½	—	—	4 lbs.	0.6
	11N3034TBA	Railroad	\$ 263	\$ 301	½	30	34½	—	—	5 lbs.	0.8
	11N3034TB	Standard	258	296	½	30	34½	—	—	5 lbs.	0.8
	11N3634TBA	Railroad	\$ 276	\$ 321	½	36	34½	—	—	6 lbs.	0.9
	11N3634TB	Standard	264	302	½	36	34½	—	—	6 lbs.	0.9
	11N4234TBA	Railroad	\$ 283	\$ 328	½	42	34½	—	—	7 lbs.	1.0
	11N4234TB	Standard	271	309	½	42	34½	—	—	7 lbs.	1.0
	11N4834TBA	Railroad	\$ 304	\$ 357	½	48	34½	—	—	8 lbs.	1.2
	11N4834TB	Standard	280	318	½	48	34½	—	—	8 lbs.	1.2
	11N5434TBA	Railroad	\$ 345	\$ 405	½	54	34½	—	—	9 lbs.	1.3
11N5434TB	Standard	311	349	½	54	34½	—	—	9 lbs.	1.3	
11N6034TBA	Railroad	\$ 347	\$ 407	½	60	34½	—	—	10 lbs.	1.4	
11N6034TB	Standard	312	350	½	60	34½	—	—	10 lbs.	1.4	

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

## EXHIBIT

### PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS				CARTONED WEIGHT		CUBIC FEET	
				D	W	H	A	KW			
TACK BOARD INSERTS (CONTINUED)		COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
		36"H TACK BOARD INSERTS									
		GRADE A		GRADE B/ COM							
11N1836TBA	Railroad	\$ 229	\$ 267	½	18	36%	—	—	3 lbs.	0.5	
11N1836TB	Standard	224	262	½	18	36%	—	—	3 lbs.	0.5	
11N2436TBA	Railroad	\$ 240	\$ 278	½	24	36%	—	—	4 lbs.	0.6	
11N2436TB	Standard	234	272	½	24	36%	—	—	4 lbs.	0.6	
11N3036TBA	Railroad	\$ 278	\$ 316	½	30	36%	—	—	5 lbs.	0.8	
11N3036TB	Standard	272	310	½	30	36%	—	—	5 lbs.	0.8	
11N3636TBA	Railroad	\$ 294	\$ 339	½	36	36%	—	—	6 lbs.	0.9	
11N3636TB	Standard	282	320	½	36	36%	—	—	6 lbs.	0.9	
11N4236TBA	Railroad	\$ 302	\$ 347	½	42	36%	—	—	7 lbs.	1.0	
11N4236TB	Standard	290	328	½	42	36%	—	—	7 lbs.	1.0	
11N4836TBA	Railroad	\$ 322	\$ 375	½	48	36%	—	—	8 lbs.	1.2	
11N4836TB	Standard	299	337	½	48	36%	—	—	8 lbs.	1.2	
11N5436TBA	Railroad	\$ 365	\$ 425	½	54	36%	—	—	9 lbs.	1.3	
11N5436TB	Standard	331	369	½	54	36%	—	—	9 lbs.	1.3	
11N6036TBA	Railroad	\$ 368	\$ 428	½	60	36%	—	—	10 lbs.	1.4	
11N6036TB	Standard	333	371	½	60	36%	—	—	10 lbs.	1.4	
<ul style="list-style-type: none"><li>• Two trim channels included with each tack board insert in the same fabric</li><li>• Tack board inserts can be field scribed</li><li>• Additional trim channels should be specified separately if creating additional tack board inserts</li><li>• Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered</li></ul>											

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered



## TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color


• See page 353 for all options available in Exhibit

## SAMPLE MODEL NUMBER:

11N6036TB A 8600



Shaded rectangle portrays a railroaded tack board.

TACK BOARD INSERTS  
(CONTINUED)

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
					D	W	H	A	KW			
COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS												
37"H TACK BOARD INSERTS												
				GRADE A	GRADE B/ COM							
11N1837TBA	Railroad	\$	229	\$	267	½	18	37	—	—	3 lbs.	0.5
11N1837TB	Standard		224		262	½	18	37	—	—	3 lbs.	0.5
11N2437TBA	Railroad	\$	240	\$	278	½	24	37	—	—	4 lbs.	0.6
11N2437TB	Standard		234		272	½	24	37	—	—	4 lbs.	0.6
11N3037TBA	Railroad	\$	278	\$	316	½	30	37	—	—	5 lbs.	0.8
11N3037TB	Standard		272		310	½	30	37	—	—	5 lbs.	0.8
11N3637TBA	Railroad	\$	294	\$	339	½	36	37	—	—	6 lbs.	0.9
11N3637TB	Standard		282		320	½	36	37	—	—	6 lbs.	0.9
11N4237TBA	Railroad	\$	302	\$	347	½	42	37	—	—	7 lbs.	1.0
11N4237TB	Standard		290		328	½	42	37	—	—	7 lbs.	1.0
11N4837TBA	Railroad	\$	322	\$	375	½	48	37	—	—	8 lbs.	1.2
11N4837TB	Standard		299		337	½	48	37	—	—	8 lbs.	1.2
11N5437TBA	Railroad	\$	365	\$	425	½	54	37	—	—	9 lbs.	1.3
11N5437TB	Standard		331		369	½	54	37	—	—	9 lbs.	1.3
11N6037TBA	Railroad	\$	368	\$	428	½	60	37	—	—	10 lbs.	1.4
11N6037TB	Standard		333		371	½	60	37	—	—	10 lbs.	1.4

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered


## EXHIBIT

### PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
TACK BOARD INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
	48"H TACK BOARD INSERTS									
		GRADE A	GRADE B/ COM							
	11N1848TBA	Railroad	\$ 263	\$ 308	½	18	48%	—	4 lbs.	1.2
	11N1848TB	Standard	258	303	½	18	48%	—	4 lbs.	1.2
	11N2448TBA	Railroad	\$ 275	\$ 320	½	24	48%	—	5 lbs.	1.3
	11N2448TB	Standard	269	314	½	24	48%	—	5 lbs.	1.3
	11N3048TBA	Railroad	\$ 320	\$ 365	½	30	48%	—	6 lbs.	1.7
	11N3048TB	Standard	314	359	½	30	48%	—	6 lbs.	1.7
	11N3648TBA	Railroad	\$ 325	\$ 370	½	36	48%	—	7 lbs.	2.0
	11N3648TB	Standard	320	365	½	36	48%	—	7 lbs.	2.0
	11N4248TBA	Railroad	\$ 338	\$ 383	½	42	48%	—	8 lbs.	2.3
	11N4248TB	Standard	332	377	½	42	48%	—	8 lbs.	2.3
	11N4848TBA	Railroad	\$ 353	\$ 406	½	48	48%	—	9 lbs.	2.7
	11N4848TB	Standard	342	387	½	48	48%	—	9 lbs.	2.7
	11N5448TBA	Railroad	\$ 403	\$ 463	½	54	48%	—	10 lbs.	3.0
	11N5448TB	Standard	380	425	½	54	48%	—	10 lbs.	3.0
	11N6048TBA	Railroad	\$ 406	\$ 466	½	60	48%	—	11 lbs.	3.3
	11N6048TB	Standard	383	428	½	60	48%	—	11 lbs.	3.3
<ul style="list-style-type: none"><li>• Two trim channels included with each tack board insert in the same fabric</li><li>• Tack board inserts can be field scribed</li><li>• Additional trim channels should be specified separately if creating additional tack board inserts</li><li>• Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered</li></ul>										



## TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color


• See page 353 for all options available in Exhibit

## SAMPLE MODEL NUMBER:

11N6049TB A 8600



Shaded rectangle portrays a railroaded tack board.

TACK BOARD INSERTS  
(CONTINUED)

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS											
49"H TACK BOARD INSERTS											
				GRADE A	GRADE B/ COM						
11N1849TBA	Railroad	\$	263	\$	308	½	18	48⅜	—	—	4 lbs. 1.2
11N1849TB	Standard		258		303	½	18	48⅜	—	—	4 lbs. 1.2
11N2449TBA	Railroad	\$	275	\$	320	½	24	48⅜	—	—	5 lbs. 1.3
11N2449TB	Standard		269		314	½	24	48⅜	—	—	5 lbs. 1.3
11N3049TBA	Railroad	\$	320	\$	365	½	30	48⅜	—	—	6 lbs. 1.7
11N3049TB	Standard		314		359	½	30	48⅜	—	—	6 lbs. 1.7
11N3649TBA	Railroad	\$	325	\$	370	½	36	48⅜	—	—	7 lbs. 2.0
11N3649TB	Standard		320		365	½	36	48⅜	—	—	7 lbs. 2.0
11N4249TBA	Railroad	\$	338	\$	383	½	42	48⅜	—	—	8 lbs. 2.3
11N4249TB	Standard		332		377	½	42	48⅜	—	—	8 lbs. 2.3
11N4849TBA	Railroad	\$	353	\$	406	½	48	48⅜	—	—	9 lbs. 2.7
11N4849TB	Standard		342		387	½	48	48⅜	—	—	9 lbs. 2.7
11N5449TBA	Railroad	\$	403	\$	463	½	54	48⅜	—	—	10 lbs. 3.0
11N5449TB	Standard		380		425	½	54	48⅜	—	—	10 lbs. 3.0
11N6049TBA	Railroad	\$	406	\$	466	½	60	48⅜	—	—	11 lbs. 3.3
11N6049TB	Standard		383		428	½	60	48⅜	—	—	11 lbs. 3.3

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered


## EXHIBIT

### PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

MARKER BOARD INSERTS	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	<b>34"H MARKER BOARD INSERTS</b>									
	<b>HPL</b>									
	<b>PORCELAIN</b>									
	11N2434MB	\$ 400	\$ 417	½	24	34½	—	—	14 lbs.	0.6
	11N3034MB	401	421	½	30	34½	—	—	18 lbs.	0.8
	11N3634MB	450	486	½	36	34½	—	—	22 lbs.	0.9
	11N4234MB	484	487	½	42	34½	—	—	25 lbs.	1.0
	11N4834MB	591	676	½	48	34½	—	—	29 lbs.	1.2
	11N5434MB	592	682	½	54	34½	—	—	32 lbs.	1.3
	11N6034MB	594	688	½	60	34½	—	—	36 lbs.	1.4

### COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS

36"H MARKER BOARD INSERTS												
HPL			PORCELAIN									
11N2436MB	\$	415	11N2436MBP	\$	434	½	24	36⅞	—	—	14 lbs.	0.6
11N3036MB		416	11N3036MBP		436	½	30	36⅞	—	—	18 lbs.	0.8
11N3636MB		467	11N3636MBP		503	½	36	36⅞	—	—	22 lbs.	0.9
11N4236MB		501	11N4236MBP		505	½	42	36⅞	—	—	25 lbs.	1.0
11N4836MB		610	11N4836MBP		695	½	48	36⅞	—	—	29 lbs.	1.2
11N5436MB		612	11N5436MBP		701	½	54	36⅞	—	—	32 lbs.	1.3
11N6036MB		615	11N6036MBP		709	½	60	36⅞	—	—	36 lbs.	1.4

### COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS

37"H MARKER BOARD INSERTS												
HPL	PORCELAIN											
11N2437MB	\$	415	11N2437MBP	\$	434	½	24	37	—	—	14 lbs.	0.6
11N3037MB		416	11N3037MBP		436	½	30	37	—	—	18 lbs.	0.8
11N3637MB		467	11N3637MBP		503	½	36	37	—	—	22 lbs.	0.9
11N4237MB		501	11N4237MBP		505	½	42	37	—	—	25 lbs.	1.0
11N4837MB		610	11N4837MBP		695	½	48	37	—	—	29 lbs.	1.2
11N5437MB		612	11N5437MBP		701	½	54	37	—	—	32 lbs.	1.3
11N6037MB		615	11N6037MBP		709	½	60	37	—	—	36 lbs.	1.4


- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Specify model number only
- Two trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2434MB

MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET	
						D	W	H	A				
<div>MARKER BOARD INSERTS (CONTINUED)</div> <div></div>	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS												
	48"H MARKER BOARD INSERTS												
	HPL				PORCELAIN								
	11N2448MB	\$	485	11N2448MBP	\$	529	½	24	48%	—	—	16 lbs.	1.3
	11N3048MB		486	11N3048MBP		531	½	30	48%	—	—	20 lbs.	1.7
	11N3648MB		541	11N3648MBP		610	½	36	48%	—	—	24 lbs.	2.0
	11N4248MB		588	11N4248MBP		671	½	42	48%	—	—	27 lbs.	2.3
	11N4848MB		711	11N4848MBP		836	½	48	48%	—	—	31 lbs.	2.7
	11N5448MB		714	11N5448MBP		997	½	54	48%	—	—	34 lbs.	3.0
	11N6048MB		720	11N6048MBP		1090	½	60	48%	—	—	38 lbs.	3.3
	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS												
	49"H MARKER BOARD INSERTS												
	HPL				PORCELAIN								
	11N2449MB	\$	485	11N2449MBP	\$	529	½	24	48⅜	—	—	16 lbs.	1.3
11N3049MB		486	11N3049MBP		531	½	30	48⅜	—	—	20 lbs.	1.7	
11N3649MB		541	11N3649MBP		610	½	36	48⅜	—	—	24 lbs.	2.0	
11N4249MB		588	11N4249MBP		671	½	42	48⅜	—	—	27 lbs.	2.3	
11N4849MB		711	11N4849MBP		836	½	48	48⅜	—	—	31 lbs.	2.7	
11N5449MB		714	11N5449MBP		997	½	54	48⅜	—	—	34 lbs.	3.0	
11N6049MB		720	11N6049MBP		1090	½	60	48⅜	—	—	38 lbs.	3.3	
<ul style="list-style-type: none"><li>• HPL marker board inserts can be field scribed</li><li>• Additional trim channels should be specified separately if additional inserts are created</li><li>• Porcelain marker board inserts are magnetic</li><li>• Specify model number only</li><li>• Two trim channels included with each marker board insert in white to match board</li><li>• Marker board inserts available in white only</li></ul>													


## EXHIBIT

### PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	<b>SLAT WALL INSERTS</b>								
	<b>34"H FULL SLAT</b>								
	11N2434SW	\$ 1038	½	24	34½	—	—	45 lbs.	1.2
	11N3034SW	1044	½	30	34½	—	—	57 lbs.	1.4
	11N3634SW	1193	½	36	34½	—	—	69 lbs.	1.7
	11N4234SW	1194	½	42	34½	—	—	79 lbs.	2.0
	11N4834SW	1325	½	48	34½	—	—	91 lbs.	2.3

### COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H FULL SLAT

11N2436SW	\$ 1053	½	24	36½	—	—	48 lbs.	1.2
11N3036SW	1059	½	30	36½	—	—	60 lbs.	1.4
11N3636SW	1208	½	36	36½	—	—	72 lbs.	1.7
11N4236SW	1210	½	42	36½	—	—	82 lbs.	2.0
11N4836SW	1345	½	48	36½	—	—	94 lbs.	2.3

### COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H FULL SLAT

11N2437SW	\$ 1053	½	24	37	—	—	48 lbs.	1.2
11N3037SW	1059	½	30	37	—	—	60 lbs.	1.4
11N3637SW	1208	½	36	37	—	—	72 lbs.	1.7
11N4237SW	1210	½	42	37	—	—	82 lbs.	2.0
11N4837SW	1345	½	48	37	—	—	94 lbs.	2.3

### COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H FULL SLAT

11N2448SW	\$ 1241	½	24	48½	—	—	63 lbs.	1.6
11N3048SW	1249	½	30	48½	—	—	80 lbs.	1.9
11N3648SW	1427	½	36	48½	—	—	97 lbs.	2.0
11N4248SW	1429	½	42	48½	—	—	111 lbs.	2.2
11N4848SW	1587	½	48	48½	—	—	128 lbs.	2.5

- Two trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 408-411



**TO ORDER, SPECIFY:**


1. Model Number
2. Paint Color

• See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBER:**

11N2434SW 462

**SLAT WALL INSERTS  
(CONTINUED)**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
		D	W	H					
COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS 49"H FULL SLAT									
11N2449SW	\$ 1241	½	24	48⅜	—	—	63 lbs.	1.6	
11N3049SW	1249	½	30	48⅜	—	—	80 lbs.	1.9	
11N3649SW	1427	½	36	48⅜	—	—	97 lbs.	2.0	
11N4249SW	1429	½	42	48⅜	—	—	111 lbs.	2.2	
11N4849SW	1587	½	48	48⅜	—	—	128 lbs.	2.5	

- Two trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 408-411


## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
<div>SLAT WALL INSERTS COMBO SLAT/TACK</div> <div></div>	23"H SLAT WITH 11"H TACK		GRADE A		GRADE B/									
	FABRIC TRIM	PAINTED TRIM			COM									
	11N2434SWTBFA	11N2434SWTBPA	Railroad	\$	940	\$	963	½	24	34½	—	—	32 lbs.	1.2
	11N2434SWTBF	11N2434SWTBP	Standard		934		949	½	24	34½	—	—	32 lbs.	1.2
	11N3034SWTBFA	11N3034SWTBPA	Railroad	\$	943	\$	971	½	30	34½	—	—	41 lbs.	1.4
	11N3034SWTBF	11N3034SWTBP	Standard		938		953	½	30	34½	—	—	41 lbs.	1.4
	11N3634SWTBFA	11N3634SWTBPA	Railroad	\$	1076	\$	1108	½	36	34½	—	—	50 lbs.	1.7
	11N3634SWTBF	11N3634SWTBP	Standard		1070		1085	½	36	34½	—	—	50 lbs.	1.7
	11N4234SWTBFA	11N4234SWTBPA	Railroad	\$	1077	\$	1115	½	42	34½	—	—	59 lbs.	2.0
	11N4234SWTBF	11N4234SWTBP	Standard		1071		1086	½	42	34½	—	—	59 lbs.	2.0
	11N4834SWTBFA	11N4834SWTBPA	Railroad	\$	1198	\$	1241	½	48	34½	—	—	68 lbs.	2.3
	11N4834SWTBF	11N4834SWTBP	Standard		1193		1208	½	48	34½	—	—	68 lbs.	2.3
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS													
	23"H SLAT WITH 13"H TACK		GRADE A		GRADE B/									
	FABRIC TRIM	PAINTED TRIM			COM									
	11N2436SWTBFA	11N2436SWTBPA	Railroad	\$	955	\$	978	½	24	36½	—	—	35 lbs.	1.2
	11N2436SWTBF	11N2436SWTBP	Standard		950		965	½	24	36½	—	—	35 lbs.	1.2
	11N3036SWTBFA	11N3036SWTBPA	Railroad	\$	960	\$	988	½	30	36½	—	—	44 lbs.	1.4
	11N3036SWTBF	11N3036SWTBP	Standard		954		969	½	30	36½	—	—	44 lbs.	1.4
11N3636SWTBFA	11N3636SWTBPA	Railroad	\$	1093	\$	1125	½	36	36½	—	—	53 lbs.	1.7	
11N3636SWTBF	11N3636SWTBP	Standard		1088		1103	½	36	36½	—	—	53 lbs.	1.7	
11N4236SWTBFA	11N4236SWTBPA	Railroad	\$	1095	\$	1133	½	42	36½	—	—	62 lbs.	2.0	
11N4236SWTBF	11N4236SWTBP	Standard		1090		1105	½	42	36½	—	—	62 lbs.	2.0	
11N4836SWTBFA	11N4836SWTBPA	Railroad	\$	1214	\$	1257	½	48	36½	—	—	71 lbs.	2.3	
11N4836SWTBF	11N4836SWTBP	Standard		1209		1224	½	48	36½	—	—	71 lbs.	2.3	

- Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 408-411
- Slat section must be located on the lower portion of the insert
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Not recommended to use more than two monitor arms per combo slat/tack model



## TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color
4. Paint Color


• See page 353 for all options available in Exhibit

## SAMPLE MODEL NUMBER:

11N2434SWTBF A 8600 501



Shaded rectangle portrays a railroaded tack board.

SLAT WALL INSERTS  
COMBO SLAT/TACK  
(CONTINUED)

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS											
23"H SLAT WITH 14"H TACK		GRADE A		GRADE B/COM							
FABRIC TRIM	PAINTED TRIM										
11N2437SWTBFA	11N2437SWTBPA	Railroad	\$ 955	\$ 978	½	24	37	—	—	35 lbs.	1.2
11N2437SWTBF	11N2437SWTBP	Standard	950	969	½	24	37	—	—	35 lbs.	1.2
11N3037SWTBFA	11N3037SWTBPA	Railroad	\$ 960	\$ 988	½	30	37	—	—	44 lbs.	1.4
11N3037SWTBF	11N3037SWTBP	Standard	954	973	½	30	37	—	—	44 lbs.	1.4
11N3637SWTBFA	11N3637SWTBPA	Railroad	\$ 1093	\$ 1125	½	36	37	—	—	53 lbs.	1.7
11N3637SWTBF	11N3637SWTBP	Standard	1088	1107	½	36	37	—	—	53 lbs.	1.7
11N4237SWTBFA	11N4237SWTBPA	Railroad	\$ 1095	\$ 1133	½	42	37	—	—	62 lbs.	2.0
11N4237SWTBF	11N4237SWTBP	Standard	1090	1109	½	42	37	—	—	62 lbs.	2.0
11N4837SWTBFA	11N4837SWTBPA	Railroad	\$ 1214	\$ 1257	½	48	37	—	—	71 lbs.	2.3
11N4837SWTBF	11N4837SWTBP	Standard	1209	1228	½	48	37	—	—	71 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS											
23"H SLAT WITH 25"H TACK		GRADE A		GRADE B/COM							
FABRIC TRIM	PAINTED TRIM										
11N2448SWTBFA	11N2448SWTBPA	Railroad	\$ 1126	\$ 1149	½	24	48%	—	—	45 lbs.	1.4
11N2448SWTBF	11N2448SWTBP	Standard	1121	1144	½	24	48%	—	—	45 lbs.	1.4
11N3048SWTBFA	11N3048SWTBPA	Railroad	\$ 1131	\$ 1159	½	30	48%	—	—	58 lbs.	1.7
11N3048SWTBF	11N3048SWTBP	Standard	1126	1149	½	30	48%	—	—	58 lbs.	1.7
11N3648SWTBFA	11N3648SWTBPA	Railroad	\$ 1288	\$ 1320	½	36	48%	—	—	71 lbs.	2.1
11N3648SWTBF	11N3648SWTBP	Standard	1282	1305	½	36	48%	—	—	71 lbs.	2.1
11N4248SWTBFA	11N4248SWTBPA	Railroad	\$ 1290	\$ 1328	½	42	48%	—	—	83 lbs.	2.5
11N4248SWTBF	11N4248SWTBP	Standard	1284	1307	½	42	48%	—	—	83 lbs.	2.5
11N4848SWTBFA	11N4848SWTBPA	Railroad	\$ 1434	\$ 1477	½	48	48%	—	—	96 lbs.	2.9
11N4848SWTBF	11N4848SWTBP	Standard	1428	1451	½	48	48%	—	—	96 lbs.	2.9

- Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 408-411
- Slat section must be located on the lower portion of the insert
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Not recommended to use more than two monitor arms per combo slat/tack model


## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SLAT WALL INSERTS COMBO SLAT/TACK (CONTINUED)	MODEL NO./DESCRIPTION					LIST PRICE	DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
						D	W	H	A	KW		
	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS											
	23"H SLAT WITH 26"H TACK					GRADE A	GRADE B/ COM					
	FABRIC TRIM	PAINTED TRIM										
	11N2449SWTBFA	11N2449SWTBPA	Railroad	\$ 1126	\$ 1149	½	24	48⅜	—	—	45 lbs.	1.4
	11N2449SWTBF	11N2449SWTBP	Standard	1121	1144	½	24	48⅜	—	—	45 lbs.	1.4
	11N3049SWTBFA	11N3049SWTBPA	Railroad	\$ 1131	\$ 1159	½	30	48⅜	—	—	58 lbs.	1.7
	11N3049SWTBF	11N3049SWTBP	Standard	1126	1149	½	30	48⅜	—	—	58 lbs.	1.7
	11N3649SWTBFA	11N3649SWTBPA	Railroad	\$ 1288	\$ 1320	½	36	48⅜	—	—	71 lbs.	2.1
	11N3649SWTBF	11N3649SWTBP	Standard	1282	1305	½	36	48⅜	—	—	71 lbs.	2.1
	11N4249SWTBFA	11N4249SWTBPA	Railroad	\$ 1290	\$ 1328	½	42	48⅜	—	—	83 lbs.	2.5
	11N4249SWTBF	11N4249SWTBP	Standard	1284	1307	½	42	48⅜	—	—	83 lbs.	2.5
11N4849SWTBFA	11N4849SWTBPA	Railroad	\$ 1434	\$ 1477	½	48	48⅜	—	—	96 lbs.	2.9	
11N4849SWTBF	11N4849SWTBP	Standard	1428	1451	½	48	48⅜	—	—	96 lbs.	2.9	
<ul style="list-style-type: none"><li>• Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels</li><li>• Slat wall insert requires the use of trim channels and mounting bracket included with the model</li><li>• Slat wall should only be used with National certified work tools and monitor arms; reference pages 408-411</li><li>• Slat section must be located on the lower portion of the insert</li><li>• Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered</li><li>• Not recommended to use more than two monitor arms per combo slat/tack model</li></ul>												

**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**



1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
  2. Wood Shelf Finish
  3. Laminate Wall Color
  4. Shelf Height (SH6 models only)
- See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3634SH1W	MH
11N3634SH1LW	462 CW
11N3634SH1L	405 478



Shaded rectangle portrays a railroaded tack board.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>ORGANIZER SHELF INSERTS</b>	<b>34"H ORGANIZER SHELF INSERTS</b>								
	11N3634SH1W Wood	\$ 1728	10½	35½	34½	—	—	47 lbs.	3.1
	11N3634SH1LW Laminate Shelves, Wood Wall	1728	10½	35½	34½	—	—	47 lbs.	3.1
	11N3634SH1L Laminate	1193	10½	35½	34½	—	—	47 lbs.	3.1
	11N3634SH1WL Wood Shelves, Laminate Wall	1728	10½	35½	34½	—	—	47 lbs.	3.1
	11N4234SH1W Wood	\$ 1729	10½	41½	34½	—	—	53 lbs.	3.3
	11N4234SH1LW Laminate Shelves, Wood Wall	1729	10½	41½	34½	—	—	53 lbs.	3.3
	11N4234SH1L Laminate	1194	10½	41½	34½	—	—	53 lbs.	3.3
	11N4234SH1WL Wood Shelves, Laminate Wall	1729	10½	41½	34½	—	—	53 lbs.	3.3
	11N4834SH1W Wood	\$ 1922	10½	47½	34½	—	—	58 lbs.	3.5
	11N4834SH1LW Laminate Shelves, Wood Wall	1922	10½	47½	34½	—	—	58 lbs.	3.5
	11N4834SH1L Laminate	1325	10½	47½	34½	—	—	58 lbs.	3.5
	11N4834SH1WL Wood Shelves, Laminate Wall	1922	10½	47½	34½	—	—	58 lbs.	3.5
	11N5434SH1W Wood	\$ 2115	10½	53	34½	—	—	64 lbs.	3.5
	11N5434SH1LW Laminate Shelves, Wood Wall	2115	10½	53	34½	—	—	64 lbs.	3.5
	11N5434SH1L Laminate	1458	10½	53	34½	—	—	64 lbs.	3.5
	11N5434SH1WL Wood Shelves, Laminate Wall	2115	10½	53	34½	—	—	64 lbs.	3.5
	11N6034SH1W Wood	\$ 2327	10½	59½	34½	—	—	71 lbs.	3.9
	11N6034SH1LW Laminate Shelves, Wood Wall	2327	10½	59½	34½	—	—	71 lbs.	3.9
	11N6034SH1L Laminate	1605	10½	59½	34½	—	—	71 lbs.	3.9
	11N6034SH1WL Wood Shelves, Laminate Wall	2327	10½	59½	34½	—	—	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
	34"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3634SH2W	Wood	\$ 1728	10½	35⅝	34½	—	—	47 lbs.	3.1	
	11N3634SH2LW	Laminate Shelves, Wood Wall	1728	10½	35⅝	34½	—	—	47 lbs.	3.1	
	11N3634SH2L	Laminate	1193	10½	35⅝	34½	—	—	47 lbs.	3.1	
	11N3634SH2WL	Wood Shelves, Laminate Wall	1728	10½	35⅝	34½	—	—	47 lbs.	3.1	
	11N4234SH2W	Wood	\$ 1729	10½	41⅝	34½	—	—	53 lbs.	3.3	
	11N4234SH2LW	Laminate Shelves, Wood Wall	1729	10½	41⅝	34½	—	—	53 lbs.	3.3	
	11N4234SH2L	Laminate	1194	10½	41⅝	34½	—	—	53 lbs.	3.3	
	11N4234SH2WL	Wood Shelves, Laminate Wall	1729	10½	41⅝	34½	—	—	53 lbs.	3.3	
	11N4834SH2W	Wood	\$ 1922	10½	47⅝	34½	—	—	58 lbs.	3.5	
	11N4834SH2LW	Laminate Shelves, Wood Wall	1922	10½	47⅝	34½	—	—	58 lbs.	3.5	
	11N4834SH2L	Laminate	1325	10½	47⅝	34½	—	—	58 lbs.	3.5	
	11N4834SH2WL	Wood Shelves, Laminate Wall	1922	10½	47⅝	34½	—	—	58 lbs.	3.5	
	11N5434SH2W	Wood	\$ 2115	10½	53⅞	34½	—	—	64 lbs.	3.5	
	11N5434SH2LW	Laminate Shelves, Wood Wall	2115	10½	53⅞	34½	—	—	64 lbs.	3.5	
	11N5434SH2L	Laminate	1458	10½	53⅞	34½	—	—	64 lbs.	3.5	
	11N5434SH2WL	Wood Shelves, Laminate Wall	2115	10½	53⅞	34½	—	—	64 lbs.	3.5	
	11N6034SH2W	Wood	\$ 2327	10½	59⅝	34½	—	—	71 lbs.	3.9	
	11N6034SH2LW	Laminate Shelves, Wood Wall	2327	10½	59⅝	34½	—	—	71 lbs.	3.9	
	11N6034SH2L	Laminate	1605	10½	59⅝	34½	—	—	71 lbs.	3.9	
	11N6034SH2WL	Wood Shelves, Laminate Wall	2327	10½	59⅝	34½	—	—	71 lbs.	3.9	

- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3634SH3W MH  
 11N3634SH3WL MH 405  
 11N3634SH3L 405 478

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	34"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3634SH3W	Wood	\$ 1470	10½	35¼	34½	—	—	41 lbs.	3.3
	11N3634SH3LW	Laminate Shelves, Wood Wall	1470	10½	35¼	34½	—	—	41 lbs.	3.3
	11N3634SH3L	Laminate	1014	10½	35¼	34½	—	—	41 lbs.	3.3
	11N3634SH3WL	Wood Shelves, Laminate Wall	1470	10½	35¼	34½	—	—	41 lbs.	3.3
	11N4234SH3W	Wood	\$ 1471	10½	41¼	34½	—	—	48 lbs.	3.8
	11N4234SH3LW	Laminate Shelves, Wood Wall	1471	10½	41¼	34½	—	—	48 lbs.	3.8
	11N4234SH3L	Laminate	1015	10½	41¼	34½	—	—	48 lbs.	3.8
	11N4234SH3WL	Wood Shelves, Laminate Wall	1471	10½	41¼	34½	—	—	48 lbs.	3.8
	11N4834SH3W	Wood	\$ 1634	10½	47¼	34½	—	—	54 lbs.	4.3
	11N4834SH3LW	Laminate Shelves, Wood Wall	1634	10½	47¼	34½	—	—	54 lbs.	4.3
	11N4834SH3L	Laminate	1127	10½	47¼	34½	—	—	54 lbs.	4.3
	11N4834SH3WL	Wood Shelves, Laminate Wall	1634	10½	47¼	34½	—	—	54 lbs.	4.3
	11N5434SH3W	Wood	\$ 1797	10½	53¾	34½	—	—	59 lbs.	4.8
	11N5434SH3LW	Laminate Shelves, Wood Wall	1797	10½	53¾	34½	—	—	59 lbs.	4.8
	11N5434SH3L	Laminate	1240	10½	53¾	34½	—	—	59 lbs.	4.8
	11N5434SH3WL	Wood Shelves, Laminate Wall	1797	10½	53¾	34½	—	—	59 lbs.	4.8
	11N6034SH3W	Wood	\$ 1978	10½	59¼	34½	—	—	66 lbs.	5.3
	11N6034SH3LW	Laminate Shelves, Wood Wall	1978	10½	59¼	34½	—	—	66 lbs.	5.3
	11N6034SH3L	Laminate	1365	10½	59¼	34½	—	—	66 lbs.	5.3
	11N6034SH3WL	Wood Shelves, Laminate Wall	1978	10½	59¼	34½	—	—	66 lbs.	5.3

- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



## EXHIBIT



### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	34"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3634SH4W	Wood	\$ 1504	10½	35¼	34¼	—	—	49 lbs.	3.3
	11N3634SH4LW	Laminate Shelves, Wood Wall	1504	10½	35¼	34¼	—	—	49 lbs.	3.3
	11N3634SH4L	Laminate	1037	10½	35¼	34¼	—	—	49 lbs.	3.3
	11N3634SH4WL	Wood Shelves, Laminate Wall	1504	10½	35¼	34¼	—	—	49 lbs.	3.3
	11N4234SH4W	Wood	\$ 1505	10½	41¼	34¼	—	—	57 lbs.	3.8
	11N4234SH4LW	Laminate Shelves, Wood Wall	1505	10½	41¼	34¼	—	—	57 lbs.	3.8
	11N4234SH4L	Laminate	1038	10½	41¼	34¼	—	—	57 lbs.	3.8
	11N4234SH4WL	Wood Shelves, Laminate Wall	1505	10½	41¼	34¼	—	—	57 lbs.	3.8
	11N4834SH4W	Wood	\$ 1672	10½	47¼	34¼	—	—	65 lbs.	4.3
	11N4834SH4LW	Laminate Shelves, Wood Wall	1672	10½	47¼	34¼	—	—	65 lbs.	4.3
	11N4834SH4L	Laminate	1154	10½	47¼	34¼	—	—	65 lbs.	4.3
	11N4834SH4WL	Wood Shelves, Laminate Wall	1672	10½	47¼	34¼	—	—	65 lbs.	4.3
	11N5434SH4W	Wood	\$ 1840	10½	53¾	34¼	—	—	73 lbs.	4.8
	11N5434SH4LW	Laminate Shelves, Wood Wall	1840	10½	53¾	34¼	—	—	73 lbs.	4.8
	11N5434SH4L	Laminate	1269	10½	53¾	34¼	—	—	73 lbs.	4.8
	11N5434SH4WL	Wood Shelves, Laminate Wall	1840	10½	53¾	34¼	—	—	73 lbs.	4.8
	11N6034SH4W	Wood	\$ 2024	10½	59¼	34¼	—	—	81 lbs.	5.3
	11N6034SH4LW	Laminate Shelves, Wood Wall	2024	10½	59¼	34¼	—	—	81 lbs.	5.3
	11N6034SH4L	Laminate	1396	10½	59¼	34¼	—	—	81 lbs.	5.3
	11N6034SH4WL	Wood Shelves, Laminate Wall	2024	10½	59¼	34¼	—	—	81 lbs.	5.3
	<ul style="list-style-type: none"><li>• Some assembly required</li><li>• "SH4" models have two shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves</li><li>• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves</li><li>• Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves</li><li>• Each horizontal shelf has a 50 lb. maximum limit</li></ul>									





**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
  2. Wood Shelf Finish
  3. Laminate Wall Color
  4. Shelf Height (SH6 models only)
- See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3634SH6W	MH
11N3634SH6WL	MH 405
11N3634SH6L	405 478

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>ORGANIZER SHELF INSERTS (CONTINUED)</b>	<b>34"H ORGANIZER SHELF INSERTS (CONTINUED)</b>								
	11N3634SH6W Wood	\$ 1470	10½	35½	34½	—	—	41 lbs.	3.3
	11N3634SH6LW Laminate Shelves, Wood Wall	1470	10½	35½	34½	—	—	41 lbs.	3.3
	11N3634SH6L Laminate	1014	10½	35½	34½	—	—	41 lbs.	3.3
	11N3634SH6WL Wood Shelves, Laminate Wall	1470	10½	35½	34½	—	—	41 lbs.	3.3
	11N4234SH6W Wood	\$ 1471	10½	41½	34½	—	—	48 lbs.	3.8
	11N4234SH6LW Laminate Shelves, Wood Wall	1471	10½	41½	34½	—	—	48 lbs.	3.8
	11N4234SH6L Laminate	1015	10½	41½	34½	—	—	48 lbs.	3.8
	11N4234SH6WL Wood Shelves, Laminate Wall	1471	10½	41½	34½	—	—	48 lbs.	3.8
	11N4834SH6W Wood	\$ 1634	10½	47½	34½	—	—	54 lbs.	4.3
	11N4834SH6LW Laminate Shelves, Wood Wall	1634	10½	47½	34½	—	—	54 lbs.	4.3
	11N4834SH6L Laminate	1127	10½	47½	34½	—	—	54 lbs.	4.3
	11N4834SH6WL Wood Shelves, Laminate Wall	1634	10½	47½	34½	—	—	54 lbs.	4.3
	11N5434SH6W Wood	\$ 1797	10½	53½	34½	—	—	59 lbs.	4.8
	11N5434SH6LW Laminate Shelves, Wood Wall	1797	10½	53½	34½	—	—	59 lbs.	4.8
	11N5434SH6L Laminate	1240	10½	53½	34½	—	—	59 lbs.	4.8
	11N5434SH6WL Wood Shelves, Laminate Wall	1797	10½	53½	34½	—	—	59 lbs.	4.8
	11N6034SH6W Wood	\$ 1978	10½	59½	34½	—	—	66 lbs.	5.3
	11N6034SH6LW Laminate Shelves, Wood Wall	1978	10½	59½	34½	—	—	66 lbs.	5.3
	11N6034SH6L Laminate	1365	10½	59½	34½	—	—	66 lbs.	5.3
	11N6034SH6WL Wood Shelves, Laminate Wall	1978	10½	59½	34½	—	—	66 lbs.	5.3

- Some assembly required
- "SH6" 34" high models have one shelf that aligns with the bottom of a metal overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit






## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H ORGANIZER SHELF INSERTS								
	11N3636SH1W	Wood	\$ 1753	10½	35½	36%	—	—	51 lbs. 3.4
	11N3636SH1LW	Laminate Shelves, Wood Wall	1753	10½	35½	36%	—	—	51 lbs. 3.4
	11N3636SH1L	Laminate	1208	10½	35½	36%	—	—	51 lbs. 3.4
	11N3636SH1WL	Wood Shelves, Laminate Wall	1753	10½	35½	36%	—	—	51 lbs. 3.4
	11N4236SH1W	Wood	\$ 1756	10½	41½	36%	—	—	57 lbs. 3.6
	11N4236SH1LW	Laminate Shelves, Wood Wall	1756	10½	41½	36%	—	—	57 lbs. 3.6
	11N4236SH1L	Laminate	1210	10½	41½	36%	—	—	57 lbs. 3.6
	11N4236SH1WL	Wood Shelves, Laminate Wall	1756	10½	41½	36%	—	—	57 lbs. 3.6
	11N4836SH1W	Wood	\$ 1951	10½	47½	36%	—	—	62 lbs. 3.9
	11N4836SH1LW	Laminate Shelves, Wood Wall	1951	10½	47½	36%	—	—	62 lbs. 3.9
	11N4836SH1L	Laminate	1345	10½	47½	36%	—	—	62 lbs. 3.9
	11N4836SH1WL	Wood Shelves, Laminate Wall	1951	10½	47½	36%	—	—	62 lbs. 3.9
	11N5436SH1W	Wood	\$ 2145	10½	53½	36%	—	—	68 lbs. 4.1
	11N5436SH1LW	Laminate Shelves, Wood Wall	2145	10½	53½	36%	—	—	68 lbs. 4.1
	11N5436SH1L	Laminate	1480	10½	53½	36%	—	—	68 lbs. 4.1
	11N5436SH1WL	Wood Shelves, Laminate Wall	2145	10½	53½	36%	—	—	68 lbs. 4.1
	11N6036SH1W	Wood	\$ 2361	10½	59½	36%	—	—	74 lbs. 4.3
	11N6036SH1LW	Laminate Shelves, Wood Wall	2361	10½	59½	36%	—	—	74 lbs. 4.3
	11N6036SH1L	Laminate	1628	10½	59½	36%	—	—	74 lbs. 4.3
	11N6036SH1WL	Wood Shelves, Laminate Wall	2361	10½	59½	36%	—	—	74 lbs. 4.3

- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**



1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
  2. Wood Shelf Finish
  3. Laminate Wall Color
  4. Shelf Height (SH6 models only)
- See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3636SH2W	MH	
11N3636SH2WL	MH	405
11N3636SH2L	405	478

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3636SH2W	Wood	\$ 1753	10½	35⅝	36⅞	—	—	51 lbs. 3.4
	11N3636SH2LW	Laminate Shelves, Wood Wall	1753	10½	35⅝	36⅞	—	—	51 lbs. 3.4
	11N3636SH2L	Laminate	1208	10½	35⅝	36⅞	—	—	51 lbs. 3.4
	11N3636SH2WL	Wood Shelves, Laminate Wall	1753	10½	35⅝	36⅞	—	—	51 lbs. 3.4
	11N4236SH2W	Wood	\$ 1756	10½	41⅝	36⅞	—	—	57 lbs. 3.6
	11N4236SH2LW	Laminate Shelves, Wood Wall	1756	10½	41⅝	36⅞	—	—	57 lbs. 3.6
	11N4236SH2L	Laminate	1210	10½	41⅝	36⅞	—	—	57 lbs. 3.6
	11N4236SH2WL	Wood Shelves, Laminate Wall	1756	10½	41⅝	36⅞	—	—	57 lbs. 3.6
	11N4836SH2W	Wood	\$ 1951	10½	47⅝	36⅞	—	—	62 lbs. 3.9
	11N4836SH2LW	Laminate Shelves, Wood Wall	1951	10½	47⅝	36⅞	—	—	62 lbs. 3.9
	11N4836SH2L	Laminate	1345	10½	47⅝	36⅞	—	—	62 lbs. 3.9
	11N4836SH2WL	Wood Shelves, Laminate Wall	1951	10½	47⅝	36⅞	—	—	62 lbs. 3.9
	11N5436SH2W	Wood	\$ 2145	10½	53⅝	36⅞	—	—	68 lbs. 4.1
	11N5436SH2LW	Laminate Shelves, Wood Wall	2145	10½	53⅝	36⅞	—	—	68 lbs. 4.1
	11N5436SH2L	Laminate	1480	10½	53⅝	36⅞	—	—	68 lbs. 4.1
	11N5436SH2WL	Wood Shelves, Laminate Wall	2145	10½	53⅝	36⅞	—	—	68 lbs. 4.1
	11N6036SH2W	Wood	\$ 2361	10½	59⅝	36⅞	—	—	74 lbs. 4.3
	11N6036SH2LW	Laminate Shelves, Wood Wall	2361	10½	59⅝	36⅞	—	—	74 lbs. 4.3
	11N6036SH2L	Laminate	1628	10½	59⅝	36⅞	—	—	74 lbs. 4.3
	11N6036SH2WL	Wood Shelves, Laminate Wall	2361	10½	59⅝	36⅞	—	—	74 lbs. 4.3

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit


## EXHIBIT

### PRODUCT SPECIFICATIONS


- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS								
36"H ORGANIZER SHELF INSERTS (CONTINUED)								
11N3636SH3W Wood	\$ 1489	10½	35½	36	—	—	43 lbs.	3.5
11N3636SH3LW Laminate Shelves, Wood Wall	1489	10½	35½	36	—	—	43 lbs.	3.5
11N3636SH3L Laminate	1027	10½	35½	36	—	—	43 lbs.	3.5
11N3636SH3WL Wood Shelves, Laminate Wall	1489	10½	35½	36	—	—	43 lbs.	3.5
11N4236SH3W Wood	\$ 1492	10½	41½	36	—	—	49 lbs.	4.1
11N4236SH3LW Laminate Shelves, Wood Wall	1492	10½	41½	36	—	—	49 lbs.	4.1
11N4236SH3L Laminate	1029	10½	41½	36	—	—	49 lbs.	4.1
11N4236SH3WL Wood Shelves, Laminate Wall	1492	10½	41½	36	—	—	49 lbs.	4.1
11N4836SH3W Wood	\$ 1658	10½	47½	36	—	—	56 lbs.	4.6
11N4836SH3LW Laminate Shelves, Wood Wall	1658	10½	47½	36	—	—	56 lbs.	4.6
11N4836SH3L Laminate	1143	10½	47½	36	—	—	56 lbs.	4.6
11N4836SH3WL Wood Shelves, Laminate Wall	1658	10½	47½	36	—	—	56 lbs.	4.6
11N5436SH3W Wood	\$ 1824	10½	53	36	—	—	63 lbs.	5.1
11N5436SH3LW Laminate Shelves, Wood Wall	1824	10½	53	36	—	—	63 lbs.	5.1
11N5436SH3L Laminate	1259	10½	53	36	—	—	63 lbs.	5.1
11N5436SH3WL Wood Shelves, Laminate Wall	1824	10½	53	36	—	—	63 lbs.	5.1
11N6036SH3W Wood	\$ 2006	10½	59½	36	—	—	69 lbs.	5.6
11N6036SH3LW Laminate Shelves, Wood Wall	2006	10½	59½	36	—	—	69 lbs.	5.6
11N6036SH3L Laminate	1384	10½	59½	36	—	—	69 lbs.	5.6
11N6036SH3WL Wood Shelves, Laminate Wall	2006	10½	59½	36	—	—	69 lbs.	5.6



- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**



1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
  2. Wood Shelf Finish
  3. Laminate Wall Color
  4. Shelf Height (SH6 models only)
- See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3636SH4W	MH	
11N3636SH4WL	MH	405
11N3636SH4L	405	478

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET	
<div>ORGANIZER SHELF INSERTS (CONTINUED)</div> 	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
	36"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3636SH4W	Wood	\$ 1524	10½	35¾	36¾	—	—	51 lbs.	3.5
	11N3636SH4LW	Laminate Shelves, Wood Wall	1524	10½	35¾	36¾	—	—	51 lbs.	3.5
	11N3636SH4L	Laminate	1052	10½	35¾	36¾	—	—	51 lbs.	3.5
	11N3636SH4WL	Wood Shelves, Laminate Wall	1524	10½	35¾	36¾	—	—	51 lbs.	3.5
	11N4236SH4W	Wood	\$ 1527	10½	41¾	36¾	—	—	59 lbs.	4.1
	11N4236SH4LW	Laminate Shelves, Wood Wall	1527	10½	41¾	36¾	—	—	59 lbs.	4.1
	11N4236SH4L	Laminate	1054	10½	41¾	36¾	—	—	59 lbs.	4.1
	11N4236SH4WL	Wood Shelves, Laminate Wall	1527	10½	41¾	36¾	—	—	59 lbs.	4.1
	11N4836SH4W	Wood	\$ 1697	10½	47¾	36¾	—	—	68 lbs.	4.6
	11N4836SH4LW	Laminate Shelves, Wood Wall	1697	10½	47¾	36¾	—	—	68 lbs.	4.6
	11N4836SH4L	Laminate	1170	10½	47¾	36¾	—	—	68 lbs.	4.6
	11N4836SH4WL	Wood Shelves, Laminate Wall	1697	10½	47¾	36¾	—	—	68 lbs.	4.6
	11N5436SH4W	Wood	\$ 1866	10½	53¾	36¾	—	—	76 lbs.	5.1
	11N5436SH4LW	Laminate Shelves, Wood Wall	1866	10½	53¾	36¾	—	—	76 lbs.	5.1
	11N5436SH4L	Laminate	1288	10½	53¾	36¾	—	—	76 lbs.	5.1
11N5436SH4WL	Wood Shelves, Laminate Wall	1866	10½	53¾	36¾	—	—	76 lbs.	5.1	
	11N6036SH4W	Wood	\$ 2054	10½	59¾	36¾	—	—	85 lbs.	5.6
	11N6036SH4LW	Laminate Shelves, Wood Wall	2054	10½	59¾	36¾	—	—	85 lbs.	5.6
	11N6036SH4L	Laminate	1416	10½	59¾	36¾	—	—	85 lbs.	5.6
	11N6036SH4WL	Wood Shelves, Laminate Wall	2054	10½	59¾	36¾	—	—	85 lbs.	5.6

- Some assembly required
- "SH4" models have two shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS								
	36"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3636SH6W	Wood	\$ 1489	10½	35½	36%	—	—	43 lbs. 3.5
	11N3636SH6LW	Laminate Shelves, Wood Wall	1489	10½	35½	36%	—	—	43 lbs. 3.5
	11N3636SH6L	Laminate	1027	10½	35½	36%	—	—	43 lbs. 3.5
	11N3636SH6WL	Wood Shelves, Laminate Wall	1489	10½	35½	36%	—	—	43 lbs. 3.5
	11N4236SH6W	Wood	\$ 1492	10½	41½	36%	—	—	49 lbs. 4.1
	11N4236SH6LW	Laminate Shelves, Wood Wall	1492	10½	41½	36%	—	—	49 lbs. 4.1
	11N4236SH6L	Laminate	1029	10½	41½	36%	—	—	49 lbs. 4.1
	11N4236SH6WL	Wood Shelves, Laminate Wall	1492	10½	41½	36%	—	—	49 lbs. 4.1
	11N4836SH6W	Wood	\$ 1658	10½	47½	36%	—	—	56 lbs. 4.6
	11N4836SH6LW	Laminate Shelves, Wood Wall	1658	10½	47½	36%	—	—	56 lbs. 4.6
	11N4836SH6L	Laminate	1143	10½	47½	36%	—	—	56 lbs. 4.6
	11N4836SH6WL	Wood Shelves, Laminate Wall	1658	10½	47½	36%	—	—	56 lbs. 4.6
	11N5436SH6W	Wood	\$ 1824	10½	53%	36%	—	—	63 lbs. 5.1
	11N5436SH6LW	Laminate Shelves, Wood Wall	1824	10½	53%	36%	—	—	63 lbs. 5.1
	11N5436SH6L	Laminate	1259	10½	53%	36%	—	—	63 lbs. 5.1
	11N5436SH6WL	Wood Shelves, Laminate Wall	1824	10½	53%	36%	—	—	63 lbs. 5.1
	11N6036SH6W	Wood	\$ 2006	10½	59½	36%	—	—	69 lbs. 5.6
	11N6036SH6LW	Laminate Shelves, Wood Wall	2006	10½	59½	36%	—	—	69 lbs. 5.6
	11N6036SH6L	Laminate	1384	10½	59½	36%	—	—	69 lbs. 5.6
	11N6036SH6WL	Wood Shelves, Laminate Wall	2006	10½	59½	36%	—	—	69 lbs. 5.6

- Some assembly required
- "SH6" 36"/37" high models have one shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>ORGANIZER SHELF INSERTS (CONTINUED)</b>	<b>COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS</b>												
	<b>37"H ORGANIZER SHELF INSERTS (CONTINUED)</b>												
	11N3637SH2W	Wood	\$ 1753	10½	35⅝	37	—	—				51 lbs.	3.4
	11N3637SH2LW	Laminate Shelves, Wood Wall	1753	10½	35⅝	37	—	—				51 lbs.	3.4
	11N3637SH2L	Laminate	1208	10½	35⅝	37	—	—				51 lbs.	3.4
	11N3637SH2WL	Wood Shelves, Laminate Wall	1753	10½	35⅝	37	—	—				51 lbs.	3.4
	11N4237SH2W	Wood	\$ 1756	10½	41⅝	37	—	—				57 lbs.	3.6
	11N4237SH2LW	Laminate Shelves, Wood Wall	1756	10½	41⅝	37	—	—				57 lbs.	3.6
	11N4237SH2L	Laminate	1210	10½	41⅝	37	—	—				57 lbs.	3.6
	11N4237SH2WL	Wood Shelves, Laminate Wall	1756	10½	41⅝	37	—	—				57 lbs.	3.6
	11N4837SH2W	Wood	\$ 1951	10½	47⅝	37	—	—				62 lbs.	3.9
	11N4837SH2LW	Laminate Shelves, Wood Wall	1951	10½	47⅝	37	—	—				62 lbs.	3.9
	11N4837SH2L	Laminate	1345	10½	47⅝	37	—	—				62 lbs.	3.9
	11N4837SH2WL	Wood Shelves, Laminate Wall	1951	10½	47⅝	37	—	—				62 lbs.	3.9
	11N5437SH2W	Wood	\$ 2145	10½	53⅞	37	—	—				68 lbs.	4.1
	11N5437SH2LW	Laminate Shelves, Wood Wall	2145	10½	53⅞	37	—	—				68 lbs.	4.1
	11N5437SH2L	Laminate	1480	10½	53⅞	37	—	—				68 lbs.	4.1
	11N5437SH2WL	Wood Shelves, Laminate Wall	2145	10½	53⅞	37	—	—				68 lbs.	4.1
	11N6037SH2W	Wood	\$ 2361	10½	59⅝	37	—	—				74 lbs.	4.3
	11N6037SH2LW	Laminate Shelves, Wood Wall	2361	10½	59⅝	37	—	—				74 lbs.	4.3
	11N6037SH2L	Laminate	1628	10½	59⅝	37	—	—				74 lbs.	4.3
	11N6037SH2WL	Wood Shelves, Laminate Wall	2361	10½	59⅝	37	—	—				74 lbs.	4.3

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**


1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
  2. Wood Shelf Finish
  3. Laminate Wall Color
  4. Shelf Height (SH6 models only)
- See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3637SH3W	MH	
11N3637SH3WL	MH	405
11N3637SH3L	405	478

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
<b>ORGANIZER SHELF INSERTS (CONTINUED)</b>	<b>COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)</b>										
	11N3637SH3W	Wood	\$ 1489	10½	35¾	37	—	—	43 lbs.	3.6	
	11N3637SH3LW	Laminate Shelves, Wood Wall	1489	10½	35¾	37	—	—	43 lbs.	3.6	
	11N3637SH3L	Laminate	1027	10½	35¾	37	—	—	43 lbs.	3.6	
	11N3637SH3WL	Wood Shelves, Laminate Wall	1489	10½	35¾	37	—	—	43 lbs.	3.6	

- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit


## EXHIBIT

### PRODUCT SPECIFICATIONS


- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS								
37"H ORGANIZER SHELF INSERTS (CONTINUED)								
11N3637SH4W Wood	\$ 1524	10½	35⅝	37	—	—	51 lbs.	3.6
11N3637SH4LW Laminate Shelves, Wood Wall	1524	10½	35⅝	37	—	—	51 lbs.	3.6
11N3637SH4L Laminate	1052	10½	35⅝	37	—	—	51 lbs.	3.6
11N3637SH4WL Wood Shelves, Laminate Wall	1524	10½	35⅝	37	—	—	51 lbs.	3.6
11N4237SH4W Wood	\$ 1527	10½	41⅝	37	—	—	60 lbs.	4.1
11N4237SH4LW Laminate Shelves, Wood Wall	1527	10½	41⅝	37	—	—	60 lbs.	4.1
11N4237SH4L Laminate	1054	10½	41⅝	37	—	—	60 lbs.	4.1
11N4237SH4WL Wood Shelves, Laminate Wall	1527	10½	41⅝	37	—	—	60 lbs.	4.1
11N4837SH4W Wood	\$ 1697	10½	47⅝	37	—	—	68 lbs.	4.6
11N4837SH4LW Laminate Shelves, Wood Wall	1697	10½	47⅝	37	—	—	68 lbs.	4.6
11N4837SH4L Laminate	1170	10½	47⅝	37	—	—	68 lbs.	4.6
11N4837SH4WL Wood Shelves, Laminate Wall	1697	10½	47⅝	37	—	—	68 lbs.	4.6
11N5437SH4W Wood	\$ 1866	10½	53⅝	37	—	—	77 lbs.	5.1
11N5437SH4LW Laminate Shelves, Wood Wall	1866	10½	53⅝	37	—	—	77 lbs.	5.1
11N5437SH4L Laminate	1288	10½	53⅝	37	—	—	77 lbs.	5.1
11N5437SH4WL Wood Shelves, Laminate Wall	1866	10½	53⅝	37	—	—	77 lbs.	5.1
11N6037SH4W Wood	\$ 2054	10½	59⅝	37	—	—	85 lbs.	5.7
11N6037SH4LW Laminate Shelves, Wood Wall	2054	10½	59⅝	37	—	—	85 lbs.	5.7
11N6037SH4L Laminate	1416	10½	59⅝	37	—	—	85 lbs.	5.7
11N6037SH4WL Wood Shelves, Laminate Wall	2054	10½	59⅝	37	—	—	85 lbs.	5.7



- Some assembly required
- "SH4" models have two shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**



1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
  2. Wood Shelf Finish
  3. Laminate Wall Color
  4. Shelf Height (SH6 models only)
- See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3637SH6W	MH
11N3637SH6WL	MH 405
11N3637SH6L	405 478

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)								
	11N3637SH6W	Wood	\$ 1489	10½	35¾	37	—	—	43 lbs. 3.6
	11N3637SH6LW	Laminate Shelves, Wood Wall	1489	10½	35¾	37	—	—	43 lbs. 3.6
	11N3637SH6L	Laminate	1027	10½	35¾	37	—	—	43 lbs. 3.6
	11N3637SH6WL	Wood Shelves, Laminate Wall	1489	10½	35¾	37	—	—	43 lbs. 3.6
	11N4237SH6W	Wood	\$ 1492	10½	41¾	37	—	—	50 lbs. 4.1
	11N4237SH6LW	Laminate Shelves, Wood Wall	1492	10½	41¾	37	—	—	50 lbs. 4.1
	11N4237SH6L	Laminate	1029	10½	41¾	37	—	—	50 lbs. 4.1
	11N4237SH6WL	Wood Shelves, Laminate Wall	1492	10½	41¾	37	—	—	50 lbs. 4.1
	11N4837SH6W	Wood	\$ 1658	10½	47¾	37	—	—	56 lbs. 4.6
	11N4837SH6LW	Laminate Shelves, Wood Wall	1658	10½	47¾	37	—	—	56 lbs. 4.6
	11N4837SH6L	Laminate	1143	10½	47¾	37	—	—	56 lbs. 4.6
	11N4837SH6WL	Wood Shelves, Laminate Wall	1658	10½	47¾	37	—	—	56 lbs. 4.6
	11N5437SH6W	Wood	\$ 1824	10½	53¾	37	—	—	63 lbs. 5.1
	11N5437SH6LW	Laminate Shelves, Wood Wall	1824	10½	53¾	37	—	—	63 lbs. 5.1
	11N5437SH6L	Laminate	1259	10½	53¾	37	—	—	63 lbs. 5.1
	11N5437SH6WL	Wood Shelves, Laminate Wall	1824	10½	53¾	37	—	—	63 lbs. 5.1
	11N6037SH6W	Wood	\$ 2006	10½	59¾	37	—	—	70 lbs. 5.7
	11N6037SH6LW	Laminate Shelves, Wood Wall	2006	10½	59¾	37	—	—	70 lbs. 5.7
	11N6037SH6L	Laminate	1384	10½	59¾	37	—	—	70 lbs. 5.7
	11N6037SH6WL	Wood Shelves, Laminate Wall	2006	10½	59¾	37	—	—	70 lbs. 5.7
									

- Some assembly required
- "SH6" 36"/37" high models have one shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
<div>ORGANIZER SHELF INSERTS (CONTINUED)</div> 	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
	48"H ORGANIZER SHELF INSERTS									
	11N3648SH1W	Wood	\$ 2070	10½	35¾	48¾	—	—	69 lbs.	5.0
	11N3648SH1LW	Laminate Shelves, Wood Wall	2070	10½	35¾	48¾	—	—	69 lbs.	5.0
	11N3648SH1L	Laminate	1427	10½	35¾	48¾	—	—	69 lbs.	5.0
	11N3648SH1WL	Wood Shelves, Laminate Wall	2070	10½	35¾	48¾	—	—	69 lbs.	5.0
	11N4248SH1W	Wood	\$ 2073	10½	41¾	48¾	—	—	77 lbs.	5.2
	11N4248SH1LW	Laminate Shelves, Wood Wall	2073	10½	41¾	48¾	—	—	77 lbs.	5.2
	11N4248SH1L	Laminate	1429	10½	41¾	48¾	—	—	77 lbs.	5.2
	11N4248SH1WL	Wood Shelves, Laminate Wall	2073	10½	41¾	48¾	—	—	77 lbs.	5.2
	11N4848SH1W	Wood	\$ 2301	10½	47¾	48¾	—	—	85 lbs.	5.5
	11N4848SH1LW	Laminate Shelves, Wood Wall	2301	10½	47¾	48¾	—	—	85 lbs.	5.5
	11N4848SH1L	Laminate	1587	10½	47¾	48¾	—	—	85 lbs.	5.5
	11N4848SH1WL	Wood Shelves, Laminate Wall	2301	10½	47¾	48¾	—	—	85 lbs.	5.5
	11N5448SH1W	Wood	\$ 2534	10½	53¾	48¾	—	—	93 lbs.	5.8
	11N5448SH1LW	Laminate Shelves, Wood Wall	2534	10½	53¾	48¾	—	—	93 lbs.	5.8
11N5448SH1L	Laminate	1746	10½	53¾	48¾	—	—	93 lbs.	5.8	
11N5448SH1WL	Wood Shelves, Laminate Wall	2534	10½	53¾	48¾	—	—	93 lbs.	5.8	
	11N6048SH1W	Wood	\$ 2785	10½	59¾	48¾	—	—	101 lbs.	6.1
	11N6048SH1LW	Laminate Shelves, Wood Wall	2785	10½	59¾	48¾	—	—	101 lbs.	6.1
	11N6048SH1L	Laminate	1920	10½	59¾	48¾	—	—	101 lbs.	6.1
	11N6048SH1WL	Wood Shelves, Laminate Wall	2785	10½	59¾	48¾	—	—	101 lbs.	6.1
<ul style="list-style-type: none"><li>• Some assembly required</li><li>• 48" and 49" high shelf inserts have five shelves</li><li>• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves</li><li>• Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves</li><li>• Each horizontal shelf has a 50 lb. maximum limit</li></ul>										

**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3648SH2W	MH	
11N3648SH2WL	MH	405
11N3648SH2L	405	478

	MODEL NO./DESCRIPTION		LIST PRICE	D	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS										
	48"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3648SH2W	Wood	\$ 2070	10½	35¾	48¾	—	—	69 lbs.	5.0	
	11N3648SH2LW	Laminate Shelves, Wood Wall	2070	10½	35¾	48¾	—	—	69 lbs.	5.0	
	11N3648SH2L	Laminate	1427	10½	35¾	48¾	—	—	69 lbs.	5.0	
	11N3648SH2WL	Wood Shelves, Laminate Wall	2070	10½	35¾	48¾	—	—	69 lbs.	5.0	
	11N4248SH2W	Wood	\$ 2073	10½	41¾	48¾	—	—	77 lbs.	5.2	
	11N4248SH2LW	Laminate Shelves, Wood Wall	2073	10½	41¾	48¾	—	—	77 lbs.	5.2	
	11N4248SH2L	Laminate	1429	10½	41¾	48¾	—	—	77 lbs.	5.2	
	11N4248SH2WL	Wood Shelves, Laminate Wall	2073	10½	41¾	48¾	—	—	77 lbs.	5.2	
	11N4848SH2W	Wood	\$ 2301	10½	47¾	48¾	—	—	85 lbs.	5.5	
	11N4848SH2LW	Laminate Shelves, Wood Wall	2301	10½	47¾	48¾	—	—	85 lbs.	5.5	
	11N4848SH2L	Laminate	1587	10½	47¾	48¾	—	—	85 lbs.	5.5	
	11N4848SH2WL	Wood Shelves, Laminate Wall	2301	10½	47¾	48¾	—	—	85 lbs.	5.5	
	11N5448SH2W	Wood	\$ 2534	10½	53¾	48¾	—	—	93 lbs.	5.8	
	11N5448SH2LW	Laminate Shelves, Wood Wall	2534	10½	53¾	48¾	—	—	93 lbs.	5.8	
	11N5448SH2L	Laminate	1746	10½	53¾	48¾	—	—	93 lbs.	5.8	
	11N5448SH2WL	Wood Shelves, Laminate Wall	2534	10½	53¾	48¾	—	—	93 lbs.	5.8	
	11N6048SH2W	Wood	\$ 2785	10½	59¾	48¾	—	—	101 lbs.	6.1	
	11N6048SH2LW	Laminate Shelves, Wood Wall	2785	10½	59¾	48¾	—	—	101 lbs.	6.1	
	11N6048SH2L	Laminate	1920	10½	59¾	48¾	—	—	101 lbs.	6.1	
	11N6048SH2WL	Wood Shelves, Laminate Wall	2785	10½	59¾	48¾	—	—	101 lbs.	6.1	

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit





## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
	48"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3648SH3W	Wood	\$ 1759	10½	35¾	48¾	—	—	53 lbs.	4.5
	11N3648SH3LW	Laminate Shelves, Wood Wall	1759	10½	35¾	48¾	—	—	53 lbs.	4.5
	11N3648SH3L	Laminate	1212	10½	35¾	48¾	—	—	53 lbs.	4.5
	11N3648SH3WL	Wood Shelves, Laminate Wall	1759	10½	35¾	48¾	—	—	53 lbs.	4.5
	11N4248SH3W	Wood	\$ 1762	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4248SH3LW	Laminate Shelves, Wood Wall	1762	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4248SH3L	Laminate	1214	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4248SH3WL	Wood Shelves, Laminate Wall	1762	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4848SH3W	Wood	\$ 1956	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N4848SH3LW	Laminate Shelves, Wood Wall	1956	10½	47¾	48¾	—	—	69 lbs.	5.9
11N4848SH3L	Laminate	1349	10½	47¾	48¾	—	—	69 lbs.	5.9	
11N4848SH3WL	Wood Shelves, Laminate Wall	1956	10½	47¾	48¾	—	—	69 lbs.	5.9	
	11N5448SH3W	Wood	\$ 2154	10½	53¾	48¾	—	—	77 lbs.	6.5
	11N5448SH3LW	Laminate Shelves, Wood Wall	2154	10½	53¾	48¾	—	—	77 lbs.	6.5
	11N5448SH3L	Laminate	1484	10½	53¾	48¾	—	—	77 lbs.	6.5
	11N5448SH3WL	Wood Shelves, Laminate Wall	2154	10½	53¾	48¾	—	—	77 lbs.	6.5
	11N6048SH3W	Wood	\$ 2367	10½	59¾	48¾	—	—	86 lbs.	7.2
	11N6048SH3LW	Laminate Shelves, Wood Wall	2367	10½	59¾	48¾	—	—	86 lbs.	7.2
	11N6048SH3L	Laminate	1633	10½	59¾	48¾	—	—	86 lbs.	7.2
	11N6048SH3WL	Wood Shelves, Laminate Wall	2367	10½	59¾	48¾	—	—	86 lbs.	7.2
<ul style="list-style-type: none"><li>• Some assembly required</li><li>• "SH3" models have one shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves</li><li>• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves</li><li>• Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves</li><li>• Each horizontal shelf has a 50 lb. maximum limit</li></ul>										

**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)


**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3648SH4W	MH	
11N3648SH4WL	MH	405
11N3648SH4L	405	478

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS										
	48"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3648SH4W	Wood	\$ 1800	10½	35¾	48¾	—	—	60 lbs.	4.5	
	11N3648SH4LW	Laminate Shelves, Wood Wall	1800	10½	35¾	48¾	—	—	60 lbs.	4.5	
	11N3648SH4L	Laminate	1241	10½	35¾	48¾	—	—	60 lbs.	4.5	
	11N3648SH4WL	Wood Shelves, Laminate Wall	1800	10½	35¾	48¾	—	—	60 lbs.	4.5	
	11N4248SH4W	Wood	\$ 1804	10½	41¾	48¾	—	—	71 lbs.	5.2	
	11N4248SH4LW	Laminate Shelves, Wood Wall	1804	10½	41¾	48¾	—	—	71 lbs.	5.2	
	11N4248SH4L	Laminate	1243	10½	41¾	48¾	—	—	71 lbs.	5.2	
	11N4248SH4WL	Wood Shelves, Laminate Wall	1804	10½	41¾	48¾	—	—	71 lbs.	5.2	
	11N4848SH4W	Wood	\$ 2002	10½	47¾	48¾	—	—	81 lbs.	5.9	
	11N4848SH4LW	Laminate Shelves, Wood Wall	2002	10½	47¾	48¾	—	—	81 lbs.	5.9	
	11N4848SH4L	Laminate	1381	10½	47¾	48¾	—	—	81 lbs.	5.9	
	11N4848SH4WL	Wood Shelves, Laminate Wall	2002	10½	47¾	48¾	—	—	81 lbs.	5.9	
	11N5448SH4W	Wood	\$ 2204	10½	53¾	48¾	—	—	90 lbs.	6.5	
	11N5448SH4LW	Laminate Shelves, Wood Wall	2204	10½	53¾	48¾	—	—	90 lbs.	6.5	
	11N5448SH4L	Laminate	1519	10½	53¾	48¾	—	—	90 lbs.	6.5	
	11N5448SH4WL	Wood Shelves, Laminate Wall	2204	10½	53¾	48¾	—	—	90 lbs.	6.5	
	11N6048SH4W	Wood	\$ 2424	10½	59¾	48¾	—	—	100 lbs.	7.2	
	11N6048SH4LW	Laminate Shelves, Wood Wall	2424	10½	59¾	48¾	—	—	100 lbs.	7.2	
	11N6048SH4L	Laminate	1671	10½	59¾	48¾	—	—	100 lbs.	7.2	
	11N6048SH4WL	Wood Shelves, Laminate Wall	2424	10½	59¾	48¾	—	—	100 lbs.	7.2	

- Some assembly required
- "SH4" models have two shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>ORGANIZER SHELF INSERTS (CONTINUED)</b>	<b>COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS</b>												
	<b>48"H ORGANIZER SHELF INSERTS (CONTINUED)</b>												
	11N3648SH5W	Wood	\$ 1863	10½	35½	48¾	—	—	—	—	—	69 lbs.	4.5
	11N3648SH5LW	Laminate Shelves, Wood Wall	1863	10½	35½	48¾	—	—	—	—	—	69 lbs.	4.5
	11N3648SH5L	Laminate	1284	10½	35½	48¾	—	—	—	—	—	69 lbs.	4.5
	11N3648SH5WL	Wood Shelves, Laminate Wall	1863	10½	35½	48¾	—	—	—	—	—	69 lbs.	4.5
	11N4248SH5W	Wood	\$ 1866	10½	41½	48¾	—	—	—	—	—	81 lbs.	5.2
	11N4248SH5LW	Laminate Shelves, Wood Wall	1866	10½	41½	48¾	—	—	—	—	—	81 lbs.	5.2
	11N4248SH5L	Laminate	1285	10½	41½	48¾	—	—	—	—	—	81 lbs.	5.2
	11N4248SH5WL	Wood Shelves, Laminate Wall	1866	10½	41½	48¾	—	—	—	—	—	81 lbs.	5.2
	11N4848SH5W	Wood	\$ 2071	10½	47½	48¾	—	—	—	—	—	92 lbs.	5.9
	11N4848SH5LW	Laminate Shelves, Wood Wall	2071	10½	47½	48¾	—	—	—	—	—	92 lbs.	5.9
	11N4848SH5L	Laminate	1428	10½	47½	48¾	—	—	—	—	—	92 lbs.	5.9
	11N4848SH5WL	Wood Shelves, Laminate Wall	2071	10½	47½	48¾	—	—	—	—	—	92 lbs.	5.9
	11N5448SH5W	Wood	\$ 2279	10½	53¾	48¾	—	—	—	—	—	104 lbs.	6.5
	11N5448SH5LW	Laminate Shelves, Wood Wall	2279	10½	53¾	48¾	—	—	—	—	—	104 lbs.	6.5
	11N5448SH5L	Laminate	1571	10½	53¾	48¾	—	—	—	—	—	104 lbs.	6.5
	11N5448SH5WL	Wood Shelves, Laminate Wall	2279	10½	53¾	48¾	—	—	—	—	—	104 lbs.	6.5
	11N6048SH5W	Wood	\$ 2507	10½	59½	48¾	—	—	—	—	115 lbs.	7.2	
	11N6048SH5LW	Laminate Shelves, Wood Wall	2507	10½	59½	48¾	—	—	—	—	—	115 lbs.	7.2
	11N6048SH5L	Laminate	1728	10½	59½	48¾	—	—	—	—	—	115 lbs.	7.2
	11N6048SH5WL	Wood Shelves, Laminate Wall	2507	10½	59½	48¾	—	—	—	—	—	115 lbs.	7.2
<ul style="list-style-type: none"><li>• Some assembly required</li><li>• "SH5" models have three shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves</li><li>• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves</li><li>• Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves</li><li>• Each horizontal shelf has a 50 lb. maximum limit</li></ul>													



**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**



1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
  2. Wood Shelf Finish
  3. Laminate Wall Color
  4. Shelf Height (SH6 models only)
- See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3648SH6W MH A  
 11N3648SH6WL MH 405 B  
 11N3648SH6L 405 478 C

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
<div>ORGANIZER SHELF INSERTS (CONTINUED)</div> <div></div>	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
	48"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3648SH6W	Wood	\$ 1759	10½	35¾	48¾	—	—	53 lbs.	4.5
	11N3648SH6LW	Laminate Shelves, Wood Wall	1759	10½	35¾	48¾	—	—	53 lbs.	4.5
	11N3648SH6L	Laminate	1212	10½	35¾	48¾	—	—	53 lbs.	4.5
	11N3648SH6WL	Wood Shelves, Laminate Wall	1759	10½	35¾	48¾	—	—	53 lbs.	4.5
	11N4248SH6W	Wood	\$ 1762	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4248SH6LW	Laminate Shelves, Wood Wall	1762	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4248SH6L	Laminate	1214	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4248SH6WL	Wood Shelves, Laminate Wall	1762	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4848SH6W	Wood	\$ 1956	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N4848SH6LW	Laminate Shelves, Wood Wall	1956	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N4848SH6L	Laminate	1349	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N4848SH6WL	Wood Shelves, Laminate Wall	1956	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N5448SH6W	Wood	\$ 2154	10½	53¾	48¾	—	—	77 lbs.	6.5
	11N5448SH6LW	Laminate Shelves, Wood Wall	2154	10½	53¾	48¾	—	—	77 lbs.	6.5
	11N5448SH6L	Laminate	1484	10½	53¾	48¾	—	—	77 lbs.	6.5
11N5448SH6WL	Wood Shelves, Laminate Wall	2154	10½	53¾	48¾	—	—	77 lbs.	6.5	
<div></div>	11N6048SH6W	Wood	\$ 2367	10½	59¾	48¾	—	—	86 lbs.	7.2
	11N6048SH6LW	Laminate Shelves, Wood Wall	2367	10½	59¾	48¾	—	—	86 lbs.	7.2
	11N6048SH6L	Laminate	1633	10½	59¾	48¾	—	—	86 lbs.	7.2
	11N6048SH6WL	Wood Shelves, Laminate Wall	2367	10½	59¾	48¾	—	—	86 lbs.	7.2

- Some assembly required
- "SH6" 48"/49" high models have one shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit


## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
  										

**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)


**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3649SH1W	MH	
11N3649SH1WL	MH	405
11N3649SH1L	405	478

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS								
	49"H ORGANIZER SHELF INSERTS								
	11N3649SH1W	Wood	\$ 2070	10½	35¾	48¾	—	—	69 lbs. 5.0
	11N3649SH1LW	Laminate Shelves, Wood Wall	2070	10½	35¾	48¾	—	—	69 lbs. 5.0
	11N3649SH1L	Laminate	1427	10½	35¾	48¾	—	—	69 lbs. 5.0
	11N3649SH1WL	Wood Shelves, Laminate Wall	2070	10½	35¾	48¾	—	—	69 lbs. 5.0
	11N4249SH1W	Wood	\$ 2073	10½	41¾	48¾	—	—	77 lbs. 5.2
	11N4249SH1LW	Laminate Shelves, Wood Wall	2073	10½	41¾	48¾	—	—	77 lbs. 5.2
	11N4249SH1L	Laminate	1429	10½	41¾	48¾	—	—	77 lbs. 5.2
	11N4249SH1WL	Wood Shelves, Laminate Wall	2073	10½	41¾	48¾	—	—	77 lbs. 5.2
	11N4849SH1W	Wood	\$ 2301	10½	47¾	48¾	—	—	85 lbs. 5.5
	11N4849SH1LW	Laminate Shelves, Wood Wall	2301	10½	47¾	48¾	—	—	85 lbs. 5.5
	11N4849SH1L	Laminate	1587	10½	47¾	48¾	—	—	85 lbs. 5.5
	11N4849SH1WL	Wood Shelves, Laminate Wall	2301	10½	47¾	48¾	—	—	85 lbs. 5.5
	11N5449SH1W	Wood	\$ 2534	10½	53¾	48¾	—	—	93 lbs. 5.8
	11N5449SH1LW	Laminate Shelves, Wood Wall	2534	10½	53¾	48¾	—	—	93 lbs. 5.8
	11N5449SH1L	Laminate	1746	10½	53¾	48¾	—	—	93 lbs. 5.8
	11N5449SH1WL	Wood Shelves, Laminate Wall	2534	10½	53¾	48¾	—	—	93 lbs. 5.8
	11N6049SH1W	Wood	\$ 2785	10½	59¾	48¾	—	—	101 lbs. 6.1
	11N6049SH1LW	Laminate Shelves, Wood Wall	2785	10½	59¾	48¾	—	—	101 lbs. 6.1
	11N6049SH1L	Laminate	1920	10½	59¾	48¾	—	—	101 lbs. 6.1
	11N6049SH1WL	Wood Shelves, Laminate Wall	2785	10½	59¾	48¾	—	—	101 lbs. 6.1

- Some assembly required
- 48" and 49" high shelf inserts have five shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
<div>ORGANIZER SHELF INSERTS (CONTINUED)</div> 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3649SH2W	Wood	\$ 2070	10½	35¾	48¾	—	—	69 lbs.	5.0
	11N3649SH2LW	Laminate Shelves, Wood Wall	2070	10½	35¾	48¾	—	—	69 lbs.	5.0
	11N3649SH2L	Laminate	1427	10½	35¾	48¾	—	—	69 lbs.	5.0
	11N3649SH2WL	Wood Shelves, Laminate Wall	2070	10½	35¾	48¾	—	—	69 lbs.	5.0
	11N4249SH2W	Wood	\$ 2073	10½	41¾	48¾	—	—	77 lbs.	5.2
	11N4249SH2LW	Laminate Shelves, Wood Wall	2073	10½	41¾	48¾	—	—	77 lbs.	5.2
	11N4249SH2L	Laminate	1429	10½	41¾	48¾	—	—	77 lbs.	5.2
	11N4249SH2WL	Wood Shelves, Laminate Wall	2073	10½	41¾	48¾	—	—	77 lbs.	5.2
	11N4849SH2W	Wood	\$ 2301	10½	47¾	48¾	—	—	85 lbs.	5.5
	11N4849SH2LW	Laminate Shelves, Wood Wall	2301	10½	47¾	48¾	—	—	85 lbs.	5.5
	11N4849SH2L	Laminate	1587	10½	47¾	48¾	—	—	85 lbs.	5.5
	11N4849SH2WL	Wood Shelves, Laminate Wall	2301	10½	47¾	48¾	—	—	85 lbs.	5.5
	11N5449SH2W	Wood	\$ 2534	10½	53¾	48¾	—	—	93 lbs.	5.8
	11N5449SH2LW	Laminate Shelves, Wood Wall	2534	10½	53¾	48¾	—	—	93 lbs.	5.8
	11N5449SH2L	Laminate	1746	10½	53¾	48¾	—	—	93 lbs.	5.8
11N5449SH2WL	Wood Shelves, Laminate Wall	2534	10½	53¾	48¾	—	—	93 lbs.	5.8	
	11N6049SH2W	Wood	\$ 2785	10½	59¾	48¾	—	—	101 lbs.	6.1
	11N6049SH2LW	Laminate Shelves, Wood Wall	2785	10½	59¾	48¾	—	—	101 lbs.	6.1
	11N6049SH2L	Laminate	1920	10½	59¾	48¾	—	—	101 lbs.	6.1
	11N6049SH2WL	Wood Shelves, Laminate Wall	2785	10½	59¾	48¾	—	—	101 lbs.	6.1
<ul style="list-style-type: none"><li>• Some assembly required</li><li>• "SH2" shelves are a mirrored version of the "SH1" shelves</li><li>• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves</li><li>• Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves</li><li>• Each horizontal shelf has a 50 lb. maximum limit</li></ul>										

**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**



1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
  2. Wood Shelf Finish
  3. Laminate Wall Color
  4. Shelf Height (SH6 models only)
- See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3649SH3W	MH	
11N3649SH3WL	MH	405
11N3649SH3L	405	478

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3649SH3W	Wood	\$ 1759	10½	35¾	48¾	—	—	53 lbs.	4.6
	11N3649SH3LW	Laminate Shelves, Wood Wall	1759	10½	35¾	48¾	—	—	53 lbs.	4.6
	11N3649SH3L	Laminate	1212	10½	35¾	48¾	—	—	53 lbs.	4.6
	11N3649SH3WL	Wood Shelves, Laminate Wall	1759	10½	35¾	48¾	—	—	53 lbs.	4.6
	11N4249SH3W	Wood	\$ 1762	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4249SH3LW	Laminate Shelves, Wood Wall	1762	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4249SH3L	Laminate	1214	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4249SH3WL	Wood Shelves, Laminate Wall	1762	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4849SH3W	Wood	\$ 1956	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N4849SH3LW	Laminate Shelves, Wood Wall	1956	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N4849SH3L	Laminate	1349	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N4849SH3WL	Wood Shelves, Laminate Wall	1956	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N5449SH3W	Wood	\$ 2154	10½	53¾	48¾	—	—	78 lbs.	6.6
	11N5449SH3LW	Laminate Shelves, Wood Wall	2154	10½	53¾	48¾	—	—	78 lbs.	6.6
	11N5449SH3L	Laminate	1484	10½	53¾	48¾	—	—	78 lbs.	6.6
	11N5449SH3WL	Wood Shelves, Laminate Wall	2154	10½	53¾	48¾	—	—	78 lbs.	6.6
	11N6049SH3W	Wood	\$ 2367	10½	59¾	48¾	—	—	86 lbs.	7.2
	11N6049SH3LW	Laminate Shelves, Wood Wall	2367	10½	59¾	48¾	—	—	86 lbs.	7.2
	11N6049SH3L	Laminate	1633	10½	59¾	48¾	—	—	86 lbs.	7.2
	11N6049SH3WL	Wood Shelves, Laminate Wall	2367	10½	59¾	48¾	—	—	86 lbs.	7.2

- Some assembly required
- "SH3" models have one shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
<div>ORGANIZER SHELF INSERTS (CONTINUED)</div>  	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H ORGANIZER SHELF INSERTS (CONTINUED)									
	11N3649SH4W	Wood	\$ 1800	10½	35¾	48¾	—	—	61 lbs.	4.6
	11N3649SH4LW	Laminate Shelves, Wood Wall	1800	10½	35¾	48¾	—	—	61 lbs.	4.6
	11N3649SH4L	Laminate	1241	10½	35¾	48¾	—	—	61 lbs.	4.6
	11N3649SH4WL	Wood Shelves, Laminate Wall	1800	10½	35¾	48¾	—	—	61 lbs.	4.6
	11N4249SH4W	Wood	\$ 1804	10½	41¾	48¾	—	—	71 lbs.	5.2
	11N4249SH4LW	Laminate Shelves, Wood Wall	1804	10½	41¾	48¾	—	—	71 lbs.	5.2
	11N4249SH4L	Laminate	1243	10½	41¾	48¾	—	—	71 lbs.	5.2
	11N4249SH4WL	Wood Shelves, Laminate Wall	1804	10½	41¾	48¾	—	—	71 lbs.	5.2
	11N4849SH4W	Wood	\$ 2002	10½	47¾	48¾	—	—	81 lbs.	5.9
	11N4849SH4LW	Laminate Shelves, Wood Wall	2002	10½	47¾	48¾	—	—	81 lbs.	5.9
	11N4849SH4L	Laminate	1381	10½	47¾	48¾	—	—	81 lbs.	5.9
	11N4849SH4WL	Wood Shelves, Laminate Wall	2002	10½	47¾	48¾	—	—	81 lbs.	5.9
	11N5449SH4W	Wood	\$ 2204	10½	53¾	48¾	—	—	91 lbs.	6.6
	11N5449SH4LW	Laminate Shelves, Wood Wall	2204	10½	53¾	48¾	—	—	91 lbs.	6.6
	11N5449SH4L	Laminate	1519	10½	53¾	48¾	—	—	91 lbs.	6.6
11N5449SH4WL	Wood Shelves, Laminate Wall	2204	10½	53¾	48¾	—	—	91 lbs.	6.6	
11N6049SH4W	Wood	\$ 2424	10½	59¾	48¾	—	—	100 lbs.	7.2	
11N6049SH4LW	Laminate Shelves, Wood Wall	2424	10½	59¾	48¾	—	—	100 lbs.	7.2	
11N6049SH4L	Laminate	1671	10½	59¾	48¾	—	—	100 lbs.	7.2	
11N6049SH4WL	Wood Shelves, Laminate Wall	2424	10½	59¾	48¾	—	—	100 lbs.	7.2	
<ul style="list-style-type: none"><li>• Some assembly required</li><li>• "SH4" models have two shelves that align with the top shelves of the "SH1" and "SH2" shelves</li><li>• The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves</li><li>• Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves</li><li>• Each horizontal shelf has a 50 lb. maximum limit</li></ul>										

**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3649SH5W	MH
11N3649SH5WL	MH 405
11N3649SH5L	405 478

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET	
<b>ORGANIZER SHELF INSERTS (CONTINUED)</b>	<b>COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS</b>									
	<b>49"H ORGANIZER SHELF INSERTS (CONTINUED)</b>									
	11N3649SH5W	Wood	\$ 1863	10½	35¾	48¾	—	—	69 lbs.	4.6
	11N3649SH5LW	Laminate Shelves, Wood Wall	1863	10½	35¾	48¾	—	—	69 lbs.	4.6
	11N3649SH5L	Laminate	1284	10½	35¾	48¾	—	—	69 lbs.	4.6
	11N3649SH5WL	Wood Shelves, Laminate Wall	1863	10½	35¾	48¾	—	—	69 lbs.	4.6
	11N4249SH5W	Wood	\$ 1866	10½	41¾	48¾	—	—	81 lbs.	5.2
	11N4249SH5LW	Laminate Shelves, Wood Wall	1866	10½	41¾	48¾	—	—	81 lbs.	5.2
	11N4249SH5L	Laminate	1285	10½	41¾	48¾	—	—	81 lbs.	5.2
	11N4249SH5WL	Wood Shelves, Laminate Wall	1866	10½	41¾	48¾	—	—	81 lbs.	5.2
	11N4849SH5W	Wood	\$ 2071	10½	47¾	48¾	—	—	93 lbs.	5.9
	11N4849SH5LW	Laminate Shelves, Wood Wall	2071	10½	47¾	48¾	—	—	93 lbs.	5.9
	11N4849SH5L	Laminate	1428	10½	47¾	48¾	—	—	93 lbs.	5.9
	11N4849SH5WL	Wood Shelves, Laminate Wall	2071	10½	47¾	48¾	—	—	93 lbs.	5.9
	11N5449SH5W	Wood	\$ 2279	10½	53¾	48¾	—	—	104 lbs.	6.6
	11N5449SH5LW	Laminate Shelves, Wood Wall	2279	10½	53¾	48¾	—	—	104 lbs.	6.6
	11N5449SH5L	Laminate	1571	10½	53¾	48¾	—	—	104 lbs.	6.6
	11N5449SH5WL	Wood Shelves, Laminate Wall	2279	10½	53¾	48¾	—	—	104 lbs.	6.6
	11N6049SH5W	Wood	\$ 2507	10½	59¾	48¾	—	—	116 lbs.	7.2
	11N6049SH5LW	Laminate Shelves, Wood Wall	2507	10½	59¾	48¾	—	—	116 lbs.	7.2
	11N6049SH5L	Laminate	1728	10½	59¾	48¾	—	—	116 lbs.	7.2
	11N6049SH5WL	Wood Shelves, Laminate Wall	2507	10½	59¾	48¾	—	—	116 lbs.	7.2

- Some assembly required
- "SH5" models have three shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET	
			D	W	H					
	<b>ORGANIZER SHELF INSERTS (CONTINUED)</b>									
	<b>COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS</b>									
	<b>49"H ORGANIZER SHELF INSERTS (CONTINUED)</b>									
	11N3649SH6W	Wood	\$ 1759	10½	35¾	48¾	—	—	53 lbs.	4.6
	11N3649SH6LW	Laminate Shelves, Wood Wall	1759	10½	35¾	48¾	—	—	53 lbs.	4.6
	11N3649SH6L	Laminate	1212	10½	35¾	48¾	—	—	53 lbs.	4.6
	11N3649SH6WL	Wood Shelves, Laminate Wall	1759	10½	35¾	48¾	—	—	53 lbs.	4.6
	11N4249SH6W	Wood	\$ 1762	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4249SH6LW	Laminate Shelves, Wood Wall	1762	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4249SH6L	Laminate	1214	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4249SH6WL	Wood Shelves, Laminate Wall	1762	10½	41¾	48¾	—	—	61 lbs.	5.2
	11N4849SH6W	Wood	\$ 1956	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N4849SH6LW	Laminate Shelves, Wood Wall	1956	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N4849SH6L	Laminate	1349	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N4849SH6WL	Wood Shelves, Laminate Wall	1956	10½	47¾	48¾	—	—	69 lbs.	5.9
	11N5449SH6W	Wood	\$ 2154	10½	53¾	48¾	—	—	78 lbs.	6.6
	11N5449SH6LW	Laminate Shelves, Wood Wall	2154	10½	53¾	48¾	—	—	78 lbs.	6.6
	11N5449SH6L	Laminate	1484	10½	53¾	48¾	—	—	78 lbs.	6.6
	11N5449SH6WL	Wood Shelves, Laminate Wall	2154	10½	53¾	48¾	—	—	78 lbs.	6.6
11N6049SH6W	Wood	\$ 2367	10½	59¾	48¾	—	—	86 lbs.	7.2	
11N6049SH6LW	Laminate Shelves, Wood Wall	2367	10½	59¾	48¾	—	—	86 lbs.	7.2	
11N6049SH6L	Laminate	1633	10½	59¾	48¾	—	—	86 lbs.	7.2	
11N6049SH6WL	Wood Shelves, Laminate Wall	2367	10½	59¾	48¾	—	—	86 lbs.	7.2	

- Some assembly required
- "SH6" 48"/49" high models have one shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



**TO ORDER WOOD UNITS, SPECIFY:**

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

**TO ORDER LW UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

**TO ORDER LAMINATE UNITS, SPECIFY:**

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)



**TO ORDER WL UNITS, SPECIFY:**

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3649SH7W	MH
11N3649SH7WL	MH 405
11N3649SH7L	405 478

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
<div>ORGANIZER SHELF INSERTS (CONTINUED)</div> 	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS										
	49"H ORGANIZER SHELF INSERTS (CONTINUED)										
	11N3649SH7W	Wood	\$ 1800	10½	35¾	48¾	—	—	61 lbs.	4.6	
	11N3649SH7LW	Laminate Shelves, Wood Wall	1800	10½	35¾	48¾	—	—	61 lbs.	4.6	
	11N3649SH7L	Laminate	1241	10½	35¾	48¾	—	—	61 lbs.	4.6	
	11N3649SH7WL	Wood Shelves, Laminate Wall	1800	10½	35¾	48¾	—	—	61 lbs.	4.6	
	11N4249SH7W	Wood	\$ 1804	10½	41¾	48¾	—	—	71 lbs.	5.2	
	11N4249SH7LW	Laminate Shelves, Wood Wall	1804	10½	41¾	48¾	—	—	71 lbs.	5.2	
	11N4249SH7L	Laminate	1243	10½	41¾	48¾	—	—	71 lbs.	5.2	
	11N4249SH7WL	Wood Shelves, Laminate Wall	1804	10½	41¾	48¾	—	—	71 lbs.	5.2	
	11N4849SH7W	Wood	\$ 2002	10½	47¾	48¾	—	—	81 lbs.	5.9	
	11N4849SH7LW	Laminate Shelves, Wood Wall	2002	10½	47¾	48¾	—	—	81 lbs.	5.9	
	11N4849SH7L	Laminate	1381	10½	47¾	48¾	—	—	81 lbs.	5.9	
	11N4849SH7WL	Wood Shelves, Laminate Wall	2002	10½	47¾	48¾	—	—	81 lbs.	5.9	
	11N5449SH7W	Wood	\$ 2204	10½	53¾	48¾	—	—	91 lbs.	6.6	
	11N5449SH7LW	Laminate Shelves, Wood Wall	2204	10½	53¾	48¾	—	—	91 lbs.	6.6	
	11N5449SH7L	Laminate	1519	10½	53¾	48¾	—	—	91 lbs.	6.6	
11N5449SH7WL	Wood Shelves, Laminate Wall	2204	10½	53¾	48¾	—	—	91 lbs.	6.6		
	11N6049SH7W	Wood	\$ 2424	10½	59¾	48¾	—	—	100 lbs.	7.2	
	11N6049SH7LW	Laminate Shelves, Wood Wall	2424	10½	59¾	48¾	—	—	100 lbs.	7.2	
	11N6049SH7L	Laminate	1671	10½	59¾	48¾	—	—	100 lbs.	7.2	
	11N6049SH7WL	Wood Shelves, Laminate Wall	2424	10½	59¾	48¾	—	—	100 lbs.	7.2	

- Some assembly required
- "SH7" models have two shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit



## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- Fabric Inserts are not tackable
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 404
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
	34"H FABRIC TV MOUNT EXHIBIT INSERTS												
				GRADE A	GRADE B/ COM								
	11N3634TVFA	Railroad	\$	1321	\$	1366	½	35½"	34½"	—	—	47 lbs.	3.1
	11N3634TVF	Standard		1317		1355	½	35½"	34½"	—	—	47 lbs.	3.1
 (only 60" models)	11N4234TVFA	Railroad	\$	1323	\$	1368	½	41½"	34½"	—	—	53 lbs.	3.3
	11N4234TVF	Standard		1318		1356	½	41½"	34½"	—	—	53 lbs.	3.3
	11N4834TVFA	Railroad	\$	1451	\$	1504	½	47½"	34½"	—	—	58 lbs.	3.5
	11N4834TVF	Standard		1447		1485	½	47½"	34½"	—	—	58 lbs.	3.5
	11N5434TVFA	Railroad	\$	1581	\$	1641	½	53½"	34½"	—	—	64 lbs.	3.5
	11N5434TVF	Standard		1577		1615	½	53½"	34½"	—	—	64 lbs.	3.5
	11N6034TVFA	Railroad	\$	1723	\$	1783	½	59½"	34½"	—	—	71 lbs.	3.9
	11N6034TVF	Standard		1719		1757	½	59½"	34½"	—	—	71 lbs.	3.9

### COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H FABRIC TV MOUNT EXHIBIT INSERTS

11N3636TVFA	Railroad	\$ 1338	\$ 1383	½	35½"	36½"	—	—	51 lbs.	3.4
11N3636TVF	Standard	1334	1372	½	35½"	36½"	—	—	51 lbs.	3.4
11N4236TVFA	Railroad	\$ 1340	\$ 1385	½	41½"	36½"	—	—	57 lbs.	3.6
11N4236TVF	Standard	1336	1374	½	41½"	36½"	—	—	57 lbs.	3.6
11N4836TVFA	Railroad	\$ 1471	\$ 1524	½	47½"	36½"	—	—	62 lbs.	3.9
11N4836TVF	Standard	1466	1504	½	47½"	36½"	—	—	62 lbs.	3.9
11N5436TVFA	Railroad	\$ 1601	\$ 1661	½	53½"	36½"	—	—	68 lbs.	4.1
11N5436TVF	Standard	1597	1635	½	53½"	36½"	—	—	68 lbs.	4.1
11N6036TVFA	Railroad	\$ 1745	\$ 1805	½	59½"	36½"	—	—	74 lbs.	4.3
11N6036TVF	Standard	1741	1779	½	59½"	36½"	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts



## TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Fabric Grade
4. Fabric Color



• See page 353 for all options available in Exhibit

## SAMPLE MODEL NUMBERS:

11N3637TVFA B 25413  
11N6037TVF TS B 25413



Shaded rectangle portrays a railroaded insert.

FABRIC TV MOUNT EXHIBIT  
INSERTS (CONTINUED)

(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				

**COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS**  
**37"H FABRIC TV MOUNT EXHIBIT INSERTS**

		GRADE A		GRADE B/ COM								
11N3637TVFA	Railroad	\$	1338	\$	1383	½	35⅝	37	—	—	51 lbs.	3.4
11N3637TVF	Standard		1334		1372	½	35⅝	37	—	—	51 lbs.	3.4
11N4237TVFA	Railroad	\$	1340	\$	1385	½	41⅝	37	—	—	57 lbs.	3.6
11N4237TVF	Standard		1336		1374	½	41⅝	37	—	—	57 lbs.	3.6
11N4837TVFA	Railroad	\$	1471	\$	1524	½	47⅝	37	—	—	62 lbs.	3.9
11N4837TVF	Standard		1466		1504	½	47⅝	37	—	—	62 lbs.	3.9
11N5437TVFA	Railroad	\$	1601	\$	1661	½	53⅝	37	—	—	68 lbs.	4.1
11N5437TVF	Standard		1597		1635	½	53⅝	37	—	—	68 lbs.	4.1
11N6037TVFA	Railroad	\$	1745	\$	1805	½	59⅝	37	—	—	74 lbs.	4.3
11N6037TVF	Standard		1741		1779	½	59⅝	37	—	—	74 lbs.	4.3

**COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS**  
**48"H FABRIC TV MOUNT EXHIBIT INSERTS**

11N3648TVFA	Railroad	\$	1550	\$	1595	½	35⅝	48⅝	—	69 lbs.	5.0
11N3648TVF	Standard		1546		1591	½	35⅝	48⅝	—	69 lbs.	5.0
11N4248TVFA	Railroad	\$	1552	\$	1597	½	41⅝	48⅝	—	77 lbs.	5.2
11N4248TVF	Standard		1548		1593	½	41⅝	48⅝	—	77 lbs.	5.2
11N4848TVFA	Railroad	\$	1705	\$	1758	½	47⅝	48⅝	—	85 lbs.	5.5
11N4848TVF	Standard		1701		1746	½	47⅝	48⅝	—	85 lbs.	5.5
11N5448TVFA	Railroad	\$	1860	\$	1920	½	53⅝	48⅝	—	93 lbs.	5.8
11N5448TVF	Standard		1855		1900	½	53⅝	48⅝	—	93 lbs.	5.8
11N6048TVFA	Railroad	\$	2028	\$	2088	½	59⅝	48⅝	—	101 lbs.	6.1
11N6048TVF	Standard		2024		2069	½	59⅝	48⅝	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts



## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- Fabric Inserts are not tackable
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 404
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTON WEIGHT	CUBIC FEET	
			D	W	H					
<div><div></div><div></div><div>(only 60" models)</div></div> <td colspan="10">COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS</td>	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H FABRIC TV MOUNT EXHIBIT INSERTS									
			GRADE A	GRADE B/ COM						
	11N3649TVFA	Railroad	\$ 1550	\$ 1595	½	35⅝	48⅜	—	—	69 lbs. 5.0
	11N3649TVF	Standard	1546	1591	½	35⅝	48⅜	—	—	69 lbs. 5.0
	11N4249TVFA	Railroad	\$ 1552	\$ 1597	½	41⅝	48⅜	—	—	77 lbs. 5.2
	11N4249TVF	Standard	1548	1593	½	41⅝	48⅜	—	—	77 lbs. 5.2
	11N4849TVFA	Railroad	\$ 1705	\$ 1758	½	47⅝	48⅜	—	—	85 lbs. 5.5
	11N4849TVF	Standard	1701	1746	½	47⅝	48⅜	—	—	85 lbs. 5.5
	11N5449TVFA	Railroad	\$ 1860	\$ 1920	½	53⅞	48⅜	—	—	93 lbs. 5.8
	11N5449TVF	Standard	1855	1900	½	53⅞	48⅜	—	—	93 lbs. 5.8
	11N6049TVFA	Railroad	\$ 2028	\$ 2088	½	59⅝	48⅜	—	—	101 lbs. 6.1
11N6049TVF	Standard	2024	2069	½	59⅝	48⅜	—	—	101 lbs. 6.1	
<div><div>• TV mount included; some assembly required; VESA mounting compliant</div><div>• Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered</div><div>• Two trim channels included with each fabric insert in the same fabric</div><div>• Maximum TV weight is 120 lbs.</div><div>• Optional single or dual TV mount on 60" inserts</div></div>										



**TO ORDER, SPECIFY:**

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color  
(veneer/laminate insert only)
4. Fabric Grade (fabric insert only)
5. Fabric Color (fabric insert only)



• See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3649TVFA B 25413  
11N6034TVW TD MC  
11N6034TVL TS 462



Shaded rectangle portrays a railroaded insert.

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
	TV MOUNT EXHIBIT INSERTS									
	34"H TV MOUNT EXHIBIT INSERTS									
	11N3634TVW	Wood	\$ 1838	½	35⅝	34⅞	—	—	47 lbs.	3.1
	11N3634TVL	Laminate	1316	½	35⅝	34⅞	—	—	47 lbs.	3.1
	11N4234TVW	Wood	\$ 1839	½	41⅝	34⅞	—	—	53 lbs.	3.3
	11N4234TVL	Laminate	1317	½	41⅝	34⅞	—	—	53 lbs.	3.3
	11N4834TVW	Wood	\$ 2025	½	47⅝	34⅞	—	—	58 lbs.	3.5
	11N4834TVL	Laminate	1446	½	47⅝	34⅞	—	—	58 lbs.	3.5
(only 60" models)	11N5434TVW	Wood	\$ 2212	½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N5434TVL	Laminate	1576	½	53⅞	34⅞	—	—	64 lbs.	3.5
	11N6034TVW	Wood	\$ 2417	½	59⅝	34⅞	—	—	71 lbs.	3.9
	11N6034TVL	Laminate	1718	½	59⅝	34⅞	—	—	71 lbs.	3.9
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS										
36"H TV MOUNT EXHIBIT INSERTS										
	11N3636TVW	Wood	\$ 1861	½	35⅝	36⅞	—	—	51 lbs.	3.4
	11N3636TVL	Laminate	1333	½	35⅝	36⅞	—	—	51 lbs.	3.4
	11N4236TVW	Wood	\$ 1864	½	41⅝	36⅞	—	—	57 lbs.	3.6
	11N4236TVL	Laminate	1335	½	41⅝	36⅞	—	—	57 lbs.	3.6
	11N4836TVW	Wood	\$ 2053	½	47⅝	36⅞	—	—	62 lbs.	3.9
	11N4836TVL	Laminate	1465	½	47⅝	36⅞	—	—	62 lbs.	3.9
	11N5436TVW	Wood	\$ 2241	½	53⅞	36⅞	—	—	68 lbs.	4.1
	11N5436TVL	Laminate	1595	½	53⅞	36⅞	—	—	68 lbs.	4.1
	11N6036TVW	Wood	\$ 2450	½	59⅝	36⅞	—	—	74 lbs.	4.3
	11N6036TVL	Laminate	1740	½	59⅝	36⅞	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts



## EXHIBIT

### PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 404
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
TV MOUNT EXHIBIT INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 69" HIGH WVN MODELS										
	37"H TV MOUNT EXHIBIT INSERTS										
	11N3637TVW	Wood	\$ 1861	½	35½"	37	—	—	51 lbs.	3.4	
	11N3637TVL	Laminate	1333	½	35½"	37	—	—	51 lbs.	3.4	
	11N4237TVW	Wood	\$ 1864	½	41½"	37	—	—	57 lbs.	3.6	
	11N4237TVL	Laminate	1335	½	41½"	37	—	—	57 lbs.	3.6	
(only 60" models)	11N4837TVW	Wood	\$ 2053	½	47½"	37	—	—	62 lbs.	3.9	
	11N4837TVL	Laminate	1465	½	47½"	37	—	—	62 lbs.	3.9	
	11N5437TVW	Wood	\$ 2241	½	53"	37	—	—	68 lbs.	4.1	
	11N5437TVL	Laminate	1595	½	53"	37	—	—	68 lbs.	4.1	
	11N6037TVW	Wood	\$ 2450	½	59½"	37	—	—	74 lbs.	4.3	
	11N6037TVL	Laminate	1740	½	59½"	37	—	—	74 lbs.	4.3	
Compatible with WaveWorks 79" High WW Models											
48"H TV Mount Exhibit Inserts											
	11N3648TVW	Wood	\$ 2168	½	35½"	48½"	—	—	69 lbs.	5.0	
	11N3648TVL	Laminate	1545	½	35½"	48½"	—	—	69 lbs.	5.0	
	11N4248TVW	Wood	\$ 2171	½	41½"	48½"	—	—	77 lbs.	5.2	
	11N4248TVL	Laminate	1547	½	41½"	48½"	—	—	77 lbs.	5.2	
	11N4848TVW	Wood	\$ 2394	½	47½"	48½"	—	—	85 lbs.	5.5	
	11N4848TVL	Laminate	1700	½	47½"	48½"	—	—	85 lbs.	5.5	
	11N5448TVW	Wood	\$ 2618	½	53"	48½"	—	—	93 lbs.	5.8	
	11N5448TVL	Laminate	1854	½	53"	48½"	—	—	93 lbs.	5.8	
	11N6048TVW	Wood	\$ 2863	½	59½"	48½"	—	—	101 lbs.	6.1	
	11N6048TVL	Laminate	2023	½	59½"	48½"	—	—	101 lbs.	6.1	

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts



**TO ORDER, SPECIFY:**

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

• See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**

11N3637TVL 462  
11N3637TVW MC

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
TV MOUNT EXHIBIT INSERTS (CONTINUED)	COMPATIBLE WITH WAVEWORKS 80" HIGH WVN MODELS									
	49"H TV MOUNT EXHIBIT INSERTS									
	11N3649TVW	Wood	\$ 2168	½	35⅞	48⅜	—	—	69 lbs.	5.0
	11N3649TVL	Laminate	1545	½	35⅞	48⅜	—	—	69 lbs.	5.0
	11N4249TVW	Wood	\$ 2171	½	41⅞	48⅜	—	—	77 lbs.	5.2
	11N4249TVL	Laminate	1547	½	41⅞	48⅜	—	—	77 lbs.	5.2
(only 60" models)	11N4849TVW	Wood	\$ 2394	½	47⅞	48⅜	—	—	85 lbs.	5.5
	11N4849TVL	Laminate	1700	½	47⅞	48⅜	—	—	85 lbs.	5.5
	11N5449TVW	Wood	\$ 2618	½	53⅞	48⅜	—	—	93 lbs.	5.8
	11N5449TVL	Laminate	1854	½	53⅞	48⅜	—	—	93 lbs.	5.8
	11N6049TVW	Wood	\$ 2863	½	59⅞	48⅜	—	—	101 lbs.	6.1
	11N6049TVL	Laminate	2023	½	59⅞	48⅜	—	—	101 lbs.	6.1
<ul style="list-style-type: none"><li>• TV mount included; some assembly required; VESA mounting compliant</li><li>• Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert</li><li>• Maximum TV weight is 120 lbs.</li><li>• Optional single or dual TV mount on 60" inserts</li></ul>										

**EXHIBIT TV MOUNT VERTICAL WIRE MANAGER**

		GRADE A		GRADE B/COM					
11N0615WMVW	Wood	\$	318			1½	5⅞	15⅞	—
11N0615WMVL	Laminate		212			1½	5⅞	15⅞	—
11N0615WMVFA	Fabric, Railroad		318	\$	326	1½	5⅞	15⅞	—
11N0615WMVF	Fabric, Standard		318		326	1½	5⅞	15⅞	—

- Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables
- When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager

## EXHIBIT

## PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## FULL END TRIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
FOR USE WITH 34"H INSERTS			D	W	H	A	KW		
11N37ETP	Powder Coated	\$ 70	11 <sup>1</sup> / <sub>16</sub>	1½	37 <sup>7</sup> / <sub>16</sub>	—	—	1 lbs.	0.2
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS FOR USE WITH 36"H INSERTS			D	W	H	A	KW		
11N39ETP	Powder Coated	\$ 74	11 <sup>1</sup> / <sub>16</sub>	1½	39 <sup>7</sup> / <sub>16</sub>	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS FOR USE WITH 37"H INSERTS			D	W	H	A	KW		
11N40ETP	Powder Coated	\$ 74	11 <sup>1</sup> / <sub>16</sub>	1½	39 <sup>7</sup> / <sub>16</sub>	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS FOR USE WITH 48"H INSERTS			D	W	H	A	KW		
11N51ETP	Powder Coated	\$ 84	11 <sup>1</sup> / <sub>16</sub>	1½	51 <sup>1</sup> / <sub>4</sub>	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS FOR USE WITH 49"H INSERTS			D	W	H	A	KW		
11N52ETP	Powder Coated	\$ 84	11 <sup>1</sup> / <sub>16</sub>	1½	51 <sup>1</sup> / <sub>16</sub>	—	—	1 lbs.	0.4

- Specify Full End Trim for finish detail when end of Exhibit rail and tack/marker board insert are exposed
- Full End Trim is attached to top wall rail and extends down to and attaches to bottom rail
- Available in Cinder (462), Platinum Metallic (501) or Satin Nickel Metallic (503)

## VERTICAL CABLE MANAGER

		GRADE A		GRADE B / COM								
11N20WMV	Black Plastic	\$	27			1	1	20	—	—	1 lbs.	0.5
11N20WMVFA	Fabric, Railroad		37	\$	45	1	1	20	—	—	1 lbs.	0.5
11N20WMVF	Fabric, Standard		35		38	1	1	20	—	—	1 lbs.	0.5

- For use with 34", 36" or 37" inserts when a single height overhead cabinet is attached; or 48" and 49" inserts when a double height overhead cabinet is attached
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

		GRADE A		GRADE B/ COM								
11N31WMV	Black Plastic	\$	36			1	1	31	—	—	2 lbs.	0.6
11N31WMVFA	Fabric, Railroad		45	\$	53	1	1	31	—	—	2 lbs.	0.6
11N31WMVF	Fabric, Standard		43		46	1	1	31	—	—	2 lbs.	0.6

- For use with 48" or 49" inserts when a single height cabinet is attached
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered





**TO ORDER, SPECIFY:**

1. Model Number
2. Fabric Grade
3. Fabric Color

• See page 353 for all options available in Exhibit

**SAMPLE MODEL NUMBERS:**


11N37ETP 501  
11N34TCF B 25413



Shaded rectangle portrays a railroaded cable manager.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				

**SINGLE END CAP**



11N01ETP

\$ 33

1/2

1 1/2

1 1/2

—

—

1 lbs.

0.3

- Specify end caps for finish detail when end of Exhibit rail is exposed, does not work with faceplate on wall rail
- End caps are sold individually
- End caps available in Cinder (462), Platinum Metallic (501) or Satin Nickel Metallic (503)
- Exhibit end caps can also be used behind overheads or when used with a worksurface

**FABRIC WRAPPED TRIM CHANNELS**



**34"H TRIM CHANNELS**

		GRADE A		GRADE B/ COM								
11N34TCFA	Fabric, Railroad	\$	43	\$	51	½	¾	34%	—	—	1 lbs.	0.3
11N34TCF	Fabric, Standard		41		44	½	¾	34%	—	—	1 lbs.	0.3

**COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS  
36"H TRIM CHANNELS**

11N36TCFA	Fabric, Railroad	\$	44	\$	52	1/2	3/4	36 3/4	—	—	1 lbs.	0.3
11N36TCF	Fabric, Standard		42		45	1/2	3/4	36 3/4	—	—	1 lbs.	0.3

**COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS  
37"H TRIM CHANNELS**

11N37TCFA	Fabric, Railroad	\$	44	\$	52	1/2	3/4	37	—	—	1 lbs.	0.3
11N37TCF	Fabric, Standard		42		45	1/2	3/4	37	—	—	1 lbs.	0.3

**COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS  
48"H TRIM CHANNELS**

11N48TCFA	Fabric, Railroad	\$	50	\$	58	1/2	3/4	48 3/4	—	—	1 lbs.	0.3
11N48TCF	Fabric, Standard		48		53	1/2	3/4	48 3/4	—	—	1 lbs.	0.3

**COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS  
49"H TRIM CHANNELS**

11N49TCFA	Fabric, Railroad	\$	50	\$	58	1/2	3/4	48 3/4	—	—	1 lbs.	0.3
11N49TCF	Fabric, Standard		48		53	1/2	3/4	48 3/4	—	—	1 lbs.	0.3

- Two trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

EXHIBIT


PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

EXHIBIT

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			D	W	H	A	KW			
	PAINTED TRIM CHANNELS									
	34"H TRIM CHANNELS									
	11N34TCP	Powder Coated	\$ 36	½	¾	34½	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
	36"H TRIM CHANNELS									
	11N36TCP	Powder Coated	\$ 38	½	¾	36¾	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS									
	37"H TRIM CHANNELS									
	11N37TCP	Powder Coated	\$ 38	½	¾	37	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS									
	48"H TRIM CHANNELS									
	11N48TCP	Powder Coated	\$ 45	½	¾	48¾	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS									
	49"H TRIM CHANNELS									
	11N49TCP	Powder Coated	\$ 45	½	¾	48¾	—	—	1 lbs.	0.3
<ul style="list-style-type: none"><li>• Available in White (401), Cinder (462), Platinum Metallic (501) or Satin Nickel Metallic (503)</li><li>• Two trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered</li></ul>										


## TO ORDER, SPECIFY:

1. Model Number
2. Wood/Laminate Finish

• See page 353 for all options available in Exhibit

## SAMPLE MODEL NUMBER:

11N34TCP 462

**WORKSURFACE  
MOUNTING BRACKET**


MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				

11NBRS Single Bracket

\$ 12

2

3

½

—

—


1 lbs.

0.3

- For use when attaching a WaveWorks or Epic worksurface to Exhibit wall rail
- Standard in anodized aluminum
- Specify model number only

Reference this chart for worksurface bracket requirements

Worksurface Width/Depth	Number of Brackets per edge
Less than or equal to 48"	2
Less than or equal to 72"	3
Greater than 72"	4

**FILLER STRIP KIT  
EXHIBIT MOUNT**


11NCPFSW	Wood	\$ 47	1	3	27¼	—	—	3 lbs.	1.0
11NCPFSL	Laminate	25	1	3	27¼	—	—	3 lbs.	1.0

- For use with Exhibit mounted overheads when an insert is not used behind the overhead
- Must be field scribed for 18" and 13" high overhead models
- Specify laminate or wood finish; **Laminates** (AC2) Autumn 2, (AD) Almond, (CL) Caramel, (CW) Cordovan, (DW) Judicial, (HN2) Honey 2, (IM) Brighton, (MC) Amber, (MH) Mocha, (NM) Natural, (PB) Portobello, (PT) Portico, (SK) Skyline, (SM) Sonoma, (TF) Truffle, (405) Designer White, (417) Mojave, (418) Mouse, (419) Wallaby, (425) Shadow, (440) Cloud, (461) Graphite, (462) Cinder, (478) Platinum Grey, (488) Frosty White, (491) Designer White Linear, (492) Cinder Linear, (791) Palisander, (792) Sable, or (793) Acorn; **Wood Finishes** (AC) Autumn, (AD) Almond, (CL) Caramel, (CW) Cordovan, (DW) Judicial, (HN) Honey, (IM) Brighton, (MC) Amber, (MH) Mocha, (NM) Natural, (PB) Portobello, (TF) Truffle, or (792) Sable

EXHIBIT


PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match


DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

METAL  
WORK TOOLS


SHELF	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
	NAC0924SHM Powder Coated	\$ 96	9%	24	2¼	—	—	5 lbs.	0.9
	NAC0930SHM Powder Coated	107	9%	30	2¼	—	—	6 lbs.	1.1
	NAC0936SHM Powder Coated	118	9%	36	2¼	—	—	7 lbs.	1.2
	NAC0942SHM Powder Coated	133	9%	42	2¼	—	—	8 lbs.	1.3
	NAC0948SHM Powder Coated	144	9%	48	2¼	—	—	9 lbs.	1.4

SINGLE SIDE TRAY




NAC1217SPTM Single Tray	\$ 85	11%	17	2%	—	—	5 lbs.	0.7
-------------------------	-------	-----	----	----	---	---	--------	-----

DOUBLE SIDE TRAY



NAC1217DPTM Double Tray	\$ 118	11%	17	5	—	—	9 lbs.	1.0
-------------------------	--------	-----	----	---	---	---	--------	-----

POCKET ORGANIZER



NAC16POM Single Pocket	\$ 73	1%	15%	7¼	—	—	4 lbs.	1.1
------------------------	-------	----	-----	----	---	---	--------	-----


SLANT SORTER



NAC1212SSM Polished Aluminum Dividers	\$ 85	11¼	12	7¼	—	—	4 lbs.	1.1
---------------------------------------	-------	-----	----	----	---	---	--------	-----

- Not recommended for use under Epicenter mounted overhead storage cabinets

MARKER HOLDER



NACMRHM	\$ 83	2½%	6½%	4	—	—	1 lbs.	0.1
---------	-------	-----	-----	---	---	---	--------	-----

TO ORDER, SPECIFY:

- 1. Model Number
- 2. Paint Color
- See page 353 for all options available in Exhibit

SAMPLE MODEL NUMBER:

NAC0924SHM 462

METAL  
WORK TOOLS


BINDER SHELF



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
NAC0905SHBM	\$ 54	9 $\frac{1}{2}$	5	8 $\frac{1}{6}$	—	—	3 lbs.	0.5

- Not recommended for use under Epicenter mounted overhead storage cabinets

PENCIL TRAY



NAC0510PTB	\$ 63	5	10	1	—	—	1 lbs.	0.1
------------	-------	---	----	---	---	---	--------	-----

- Available in Black only
- Specify model number only

METAL TOOLS OPERATING LOAD CAPACITIES

Component:	Operating Load Capacity (Functional Loads):
Metal shelves:	10 lbs. per 6" of shelf width
Single side tray:	40 lbs. t.w.
Double side tray:	47 lbs. t.w.
Pocket organizer:	4 lbs. t.w.
Slant Sorter:	19 lbs. t.w.
Binder shelf:	10 lbs. t.w.
Pencil tray:	5 lbs. t.w.

## EXHIBIT

### PRODUCT SPECIFICATIONS

- For use with WaveWorks slat walls, Exhibit and Epicenter slat wall inserts
- Available in black and clear plastic
- These products have been designed to be used safely when filled under normal circumstances

### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

### PLASTIC WORK TOOLS


#### PENCIL CUP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H					
NACCP Black Plastic	\$ 36	½	4	4		—	—	1 lbs.	0.4
NACCP C Clear Plastic	36	½	4	4		—	—	1 lbs.	0.4

- Holds pencils, pens, rulers, etc.


#### LEGAL PAPER TRAY



NAC1115SPT Black Plastic	\$ 54	10½	15	2		—	—	1 lbs.	0.1
NAC1115SPT C Clear Plastic	54	10½	15	2		—	—	1 lbs.	0.1

- Holds letter or legal width papers, folders, etc.


#### ACCESSORY TRAY



NAC1010AT Black Plastic	\$ 47	10	9½	2		—	—	1 lbs.	0.2
NAC1010AT C Clear Plastic	47	10	9½	2		—	—	1 lbs.	0.2

- Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.

#### PHONE HOLDER



NACPH Black Plastic	\$ 47	9½	8½	2		—	—	1 lbs.	0.1
NACPH C Clear Plastic	47	9½	8½	2		—	—	1 lbs.	0.1

- Holds telephone

#### BINDER SHELF



NACBS Black Plastic	\$ 39	10½	5	9		—	—	1 lbs.	0.3
---------------------	-------	-----	---	---	--	---	---	--------	-----

- Holds binders and folders
- Not recommended for use under Epicenter mounted overhead storage cabinets

#### SLANT SORTER



NACSS Black Plastic	\$ 56	12½	7	7½		—	—	1 lbs.	0.2
NACSS C Clear Plastic	56	12½	7	7½		—	—	1 lbs.	0.2

- Holds folders, papers, etc.
- Not recommended for use under Epicenter mounted overhead storage cabinets


TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACCP

INTUITIVE MONITOR ARM  
SLAT WALL MOUNT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
NACMAPSMB	Black	\$ 535	29½	2½	13⅞	—	—		12 lbs.	2.7
NACMAPSMS	Silver	535	29½	2½	13⅞	—	—		12 lbs.	2.7

- Weight capacity: 13 pounds
- One monitor arm every 24" on slat wall and only one monitor arm recommended for a slat/tack combo insert
- Must properly install slat wall and Epicenter supports when using a monitor arm
- Recommended to not use monitor arm on the upper four slats of a full slat wall and slat wall combo insert

MONITOR ARM INFORMATION

National Model:	NACMAPSMB/S
Description:	slat wall mount black/silver
Monitor Rotation:	port/landscape 30° each side
Monitor Extension:	12"
Monitor Tilt Adjustment:	25° + or -
Arm Height Adjustment:	10" dynamic
Monitor Weight Capacity (maximum approved weight):	arm: 20 lbs., slat rail: 13 lbs.
Mounting Option:	slat wall mount
Pole Height:	N/A
Maximum Width Per Monitor:	no maximum width
Worksurface Requirements— Desk Clamp:	N/A
Worksurface Requirements— Grommet Mount:	N/A





---

# MYRIAD OCCASIONAL TABLES

## MYRIAD OCCASIONAL TABLES

### BOX AND FLOATING TOP SIZES


End Table 24" x 24"  
Coffee Table 36" x 36"  
Magazine Table 24" x 48"  
Console Table 18" x 50"

### CUBE SIZES

End Table 24" x 24"  
Coffee Table 36" x 36"  
Magazine Table 24" x 48"

### CYLINDER SIZES

End Table 24" Diameter  
Coffee Table 36" Diameter



### GLASS TOP KITS AVAILABLE FOR

Box styles  
Cube styles  
Cylinder styles

### WOOD FINISHES

AC Autumn  
CL Caramel  
CW Cordovan  
DW Judicial  
HN Honey  
IM Brighton  
MC Amber  
MH Mocha  
NM Natural  
TF Truffle

- Veneer tables are plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle), maple veneer (Brighton, Caramel, Honey, Natural), or plain sliced bookmatched walnut veneer (Cordovan, Judicial)

### LAMINATES

#### WOODGRAIN LAMINATE

AC2 Autumn 2  
AD Almond  
CL Caramel  
CW Cordovan  
DW Judicial  
HN2 Honey 2  
IM Brighton  
MC Amber  
MH Mocha  
NM Natural  
PB Portobello  
PT Portico  
SK Skyline  
SM Sonoma  
TF Truffle  
791 Palisander  
792 Sable  
793 Acorn

#### SOLID LAMINATE

405 Designer White  
417 Mojave  
418 Mouse  
419 Wallaby  
425 Shadow  
440 Cloud  
461 Graphite  
462 Cinder  
478 Platinum Grey  
488 Frosty White  
491 Designer White Linear  
492 Cinder Linear

#### PATTERN LAMINATE

809 Tungsten Evolv  
814 White Tigris  
818 Crisp Linen  
819 Flax Gauze  
820 Paloma Bisque  
821 Elemental Concrete  
822 Smoke Quarstone  
874 Bronze Legacy

### METAL COLORS

462 Cinder  
497 Polished Aluminum  
501 Platinum Metallic  
503 Satin Nickel Metallic

### GLASS OPTION

3 Clear

### SURFACE GROMMET OPTION

If no grommet is desired, specify an X (No Grommet)

CUT-G12C Cutout only for G12 One Touch Pivoting Power Grommet  
CUT-G17C Cutout only for G17 One Touch Pivoting Power Grommet  
CUT-G23C Cutout only for G23 Power Grommet

- Power grommet is optional for box, cube and cylinder styles

### SIDE GROMMET OPTION

If no grommet is desired, specify an X (No Grommet)

CUT-G23C Cutout only for G23 Power Grommet

- Power grommet is optional for box, cube and cylinder styles

### FINISH APPLICATION








- IntegraClear® environmentally-friendly UV finish
- IntegraClear® is a water based high-performance wood finish that meets or exceeds indoor air quality standards

**TO ORDER, SPECIFY:**

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Paint
5. Finish/Laminate Color

**SAMPLE MODEL NUMBER:**

91NB2424ENW X X 501 MH

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>MYRIAD BOX</b>									
<b>WOOD</b>									
 End Table	91NB2424ENW	\$ 1395	24	24	20½	—	—	55 lbs.	12.6
	91NB1850CSW	1899	18	50	31½	—	—	75 lbs.	20.2
	91NB2448MGW	1491	24	48	16½	—	—	77 lbs.	19.1
	91NB3636MGW	1553	36	36	16½	—	—	65 lbs.	15.0
<b>LAMINATE</b>									
 Optional Surface and Side Grommet Locations	91NB2424ENL	\$ 1166	24	24	20½	—	—	55 lbs.	12.6
	91NB1850CSL	1676	18	50	31½	—	—	75 lbs.	20.2
	91NB2448MGL	1267	24	48	16½	—	—	77 lbs.	19.1
	91NB3636MGL	1325	36	36	16½	—	—	65 lbs.	15.0
<ul style="list-style-type: none"> <li>• Optional glass and solid surface kits available; reference page 432</li> <li>• Features an aluminum base in three color options</li> <li>• Optional surface grommet cutout available in G12, G17, and G23 cutout (+\$25 list)</li> <li>• Optional side grommet cutout available in G23 cutout (+\$25 list)</li> <li>• Grommet option not available on console table</li> <li>• Power grommet sold separately; reference pages 507-509 and 512 for pricing and details</li> <li>• Wood tables feature matte/satin sheen</li> <li>• Pattern laminate not available on console tables</li> </ul>									
 Console Table									
 Magazine Table									
 Optional Surface and Side Grommet Locations									
 Coffee Table									
 Optional Surface and Side Grommet Locations									




**TO ORDER, SPECIFY:**

1. Model Number
2. Glass
3. Metal Color


**SAMPLE MODEL NUMBER:**

91NC2424ENG 3 462


**MYRIAD FLOATING TOP**




End Table



Console Table



Magazine Table



Coffee Table

**MODEL NO./DESCRIPTION**

**LIST  
PRICE**

**DIMENSIONS  
D W H**

**A**

**KW**

**CARTONED  
WEIGHT**

**CUBIC  
FEET**

**GLASS TOPS**

91NC2424ENG	End Table	\$ 1659	24	24	20½	—	—	30 lbs.	2.2
91NC1850CSG	Console Table	2147	18	50	28½	—	—	53 lbs.	5.2
91NC2448MGG	Magazine Table	1929	24	48	16½	—	—	57 lbs.	5.5
91NC3636MGG	Coffee Table	1929	36	36	16½	—	—	50 lbs.	3.5

- Some assembly required – glass must be attached to base
- Glass is clear with beveled rim
- Features an aluminum base in four color options
- Glass is ⅝" thick

MYRIAD OCCASIONAL TABLES


TO ORDER, SPECIFY:

- 1. Model Number
- 2. Finish/Laminate Color
- 3. Metal Color


SAMPLE MODEL NUMBER:

91NC2424ENW MH 501


MYRIAD FLOATING TOP




End Table



Console Table



Magazine Table



Coffee Table

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
VENEER TOPS									
91NC2424ENW	End Table	\$ 1368	24	24	20½	—	—	30 lbs.	2.2
91NC1850CSW	Console Table	1731	18	50	28½	—	—	53 lbs.	5.2
91NC2448MGW	Magazine Table	1553	24	48	16½	—	—	57 lbs.	5.5
91NC3636MGW	Coffee Table	1553	36	36	16½	—	—	50 lbs.	3.5
LAMINATE TOPS									
91NC2424ENL	End Table	\$ 1138	24	24	20½	—	—	30 lbs.	2.2
91NC1850CSL	Console Table	1507	18	50	28½	—	—	53 lbs.	5.2
91NC2448MGL	Magazine Table	1325	24	48	16½	—	—	57 lbs.	5.5
91NC3636MGL	Coffee Table	1325	36	36	16½	—	—	50 lbs.	3.5

- Floating top style with laminate tops are available in a CSL; reference page 9 for program details
- Features an aluminum base in four color options
- Grommet not available on floating top styles
- Floating top is ¾" thick
- Veneer tables feature matte/satin sheen

---

# PEGOS OCCASIONAL TABLES

PEGOS OCCASIONAL TABLES

ROUND TOP SIZES

End Table 24" x 24"  
Magazine Table 36" x 36"

SQUARE SIZES

End Table 24" x 24"  
Magazine Table 20" x 40"  
Console Table 18" x 42"

WOOD FINISHES

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

• Veneer tables are plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle), maple veneer (Brighton, Caramel, Honey, Natural), or plain sliced bookmatched walnut veneer (Cordovan, Judicial)


LAMINATES

WOODGRAIN LAMINATE

- AC2 Autumn 2
- CL Caramel
- CW Cordovan
- DW Judicial
- HN2 Honey 2
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

TOP SHEEN OPTIONS

- R Standard
- N Matte/Satin



PAINT COLORS

- 462 Cinder
- 501 Platinum Metallic
- 503 Satin Nickel Metallic

FINISH APPLICATION

- IntegraClear® environmentally-friendly UV finish
- IntegraClear® is a water based high-performance wood finish that meets or exceeds indoor air quality standards



## PEGOS OCCASIONAL TABLES

### TO ORDER, SPECIFY:

1. Model Number
2. Sheen (wood tops only)
3. Finish/Laminate Color
4. Paint Color


### SAMPLE MODEL NUMBER:

81N3636MGW R MH 501

### DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

### PEGOS MAGAZINE TABLE



#### MODEL NO./DESCRIPTION

#### ROUND


MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
81N3636MGW	Wood Top	\$ 1388	36	36	18	—	—	33 lbs.	4.3
81N3636MGLW	Laminate Top	1273	36	36	18	—	—	33 lbs.	4.3

#### SQUARE

81N2040MGSQW	Wood Top	\$ 1388	20	40	18	—	—	33 lbs.	4.3
81N2040MGSQW	Laminate Top	1273	20	40	18	—	—	33 lbs.	4.3

- Wood veneer or laminate top options
- Wood legs with metal accent piece available in 3 paint colors: Cinder, Platinum Metallic, Satin Nickel Metallic
- Grommet options not available
- 1½" tops with knife edge
- Some assembly required

### PEGOS END TABLE



#### ROUND


81N2424ENW	Wood Top	\$ 1305	24	24	20	—	—	17 lbs.	3.9
81N2424ENLW	Laminate Top	1190	24	24	20	—	—	17 lbs.	3.9

#### SQUARE

81N2424ENSQW	Wood Top	\$ 1305	24	24	20	—	—	17 lbs.	3.9
81N2424ENSQW	Laminate Top	1190	24	24	20	—	—	17 lbs.	3.9

- Wood veneer or laminate top options
- Wood legs with metal accent piece available in 3 paint colors: Cinder, Platinum Metallic, Satin Nickel Metallic
- Grommet options not available
- 1½" tops with knife edge
- Some assembly required

### PEGOS CONSOLE TABLE



81N1842CSW	Wood Top	\$ 1614	18	42	30	—	—	35 lbs.	4.9
81N1842CSLW	Laminate Top	1498	18	42	30	—	—	35 lbs.	4.9

- Wood veneer or laminate top options
- Wood legs with metal accent piece available in 3 paint colors: Cinder, Platinum Metallic, Satin Nickel Metallic
- Grommet options not available
- Bottom shelf standard in veneer
- 1½" tops with knife edge
- Some assembly required



---

# STACCATO OCCASIONAL TABLES

## STACCATO OCCASIONAL TABLES

### ROUND TABLE SIZES


End Table 24" Diameter  
Coffee Table 36" Diameter  
Counter Height 24" and 36" Diameter  
Bar Height 24" and 36" Diameter

### SOFT SQUARE TABLE SIZES

End Table 24" x 24"  
Coffee Table 36" x 36"  
Counter Height 24" x 24" and 36" x 36"  
Bar Height 24" x 24" and 36" x 36"

### GLASS TOP KITS AVAILABLE FOR

Round  
Soft Square



### WOOD FINISHES

AC Autumn  
CL Caramel  
CW Cordovan  
DW Judicial  
HN Honey  
IM Brighton  
MC Amber  
MH Mocha  
NM Natural  
TF Truffle

- Veneer tables are plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle), maple veneer (Brighton, Caramel, Honey, Natural), or plain sliced bookmatched walnut veneer (Cordovan, Judicial)

### LAMINATES

#### WOODGRAIN LAMINATE

AC2 Autumn 2  
AD Almond  
CL Caramel  
CW Cordovan  
DW Judicial  
HN2 Honey 2  
IM Brighton  
MC Amber  
MH Mocha  
NM Natural  
PB Portobello  
PT Portico  
SK Skyline  
SM Sonoma  
TF Truffle  
791 Palisander  
792 Sable  
793 Acorn

#### SOLID LAMINATE

405 Designer White  
417 Mojave  
418 Mouse  
419 Wallaby  
425 Shadow  
440 Cloud  
461 Graphite  
462 Cinder  
478 Platinum Grey  
488 Frosty White  
491 Designer White Linear  
492 Cinder Linear

#### PATTERN LAMINATE

809 Tungsten Evolv  
814 White Tigris  
818 Crisp Linen  
819 Flax Gauze  
820 Paloma Bisque  
821 Elemental Concrete  
822 Smoke Quarstone  
874 Bronze Legacy

### COLUMN PAINT COLOR

265 Polished  
405 Designer White  
462 Cinder  
501 Platinum Metallic  
503 Satin Nickel Metallic

### FOOT PAINT COLOR

405 Designer White  
462 Cinder  
501 Platinum Metallic  
503 Satin Nickel Metallic

### FINISH APPLICATION

- IntegraClear® environmentally-friendly UV finish
- IntegraClear® is a water based high-performance wood finish that meets or exceeds indoor air quality standards

## STACCATO OCCASIONAL TABLES

### TO ORDER, SPECIFY:



1. Model Number
2. Finish/Laminate Color
3. Column Paint Color
4. Foot Paint Color

### SAMPLE MODEL NUMBER:



82N3636MGRDW MH 462 405

### DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width  
DI Diameter

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>STACCATO COFFEE TABLE</b>    	<b>ROUND</b>		<b>DI</b>		<b>H</b>				
	82N3636MGRDW Wood	\$ 1929	36 <sup>11</sup> / <sub>16</sub>	—	17 <sup>15</sup> / <sub>16</sub>	—	—	97 lbs.	9.6
	82N3636MGRDL Laminate	1682	36 <sup>11</sup> / <sub>16</sub>	—	17 <sup>15</sup> / <sub>16</sub>	—	—	97 lbs.	9.6
	<b>SOFT SQUARE</b>		<b>D</b>	<b>W</b>	<b>H</b>				
	82N3636MGSQW Wood	\$ 2041	36	36	17 <sup>15</sup> / <sub>16</sub>	—	—	97 lbs.	9.6
	82N3636MGSQL Laminate	1794	36	36	17 <sup>15</sup> / <sub>16</sub>	—	—	97 lbs.	9.6

- Some assembly required
- No grommet cutouts available
- Optional glass and solid surface kits available; reference page 432
- 3" column base
- Glide adjustment of +/- 1/8"
- 4 1/2" height top
- Column available in paint colors (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Foot available in paint colors (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

<b>STACCATO END TABLE</b>    	<b>ROUND</b>		<b>DI</b>		<b>H</b>				
	82N2424MGRDW Wood	\$ 1659	23 <sup>3</sup> / <sub>8</sub>	—	20 <sup>3</sup> / <sub>8</sub>	—	—	64 lbs.	7.3
	82N2424MGRDL Laminate	1412	23 <sup>3</sup> / <sub>8</sub>	—	20 <sup>3</sup> / <sub>8</sub>	—	—	64 lbs.	7.3
	<b>SOFT SQUARE</b>		<b>D</b>	<b>W</b>	<b>H</b>				
	82N2424MGSQW Wood	\$ 1772	24	24	20 <sup>3</sup> / <sub>8</sub>	—	—	64 lbs.	7.3
	82N2424MGSQL Laminate	1524	24	24	20 <sup>3</sup> / <sub>8</sub>	—	—	64 lbs.	7.3





- Some assembly required
- No grommet cutouts available
- Optional glass and solid surface kits available; reference page 432
- 3" column base
- Glide adjustment of +/- 1/8"
- 4 1/2" height top
- Column available in paint colors (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Foot available in paint colors (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

STACCATO OCCASIONAL TABLES

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

STACCATO  
COUNTER HEIGHT TABLE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND			DI		H				
82N363635RDTW	Wood	\$ 2031	36 <sup>1</sup> / <sub>4</sub>	—	35 <sup>1</sup> / <sub>2</sub>	—	—	112 lbs.	11.1
82N363635RDTL	Laminate	1784	36 <sup>1</sup> / <sub>4</sub>	—	35 <sup>1</sup> / <sub>2</sub>	—	—	112 lbs.	11.1
82N242435RDTW	Wood	\$ 1902	23 <sup>3</sup> / <sub>4</sub>	—	35 <sup>1</sup> / <sub>2</sub>	—	—	80 lbs.	8.8
82N242435RDTL	Laminate	1655	23 <sup>3</sup> / <sub>4</sub>	—	35 <sup>1</sup> / <sub>2</sub>	—	—	80 lbs.	8.8
SOFT SQUARE			D	W	H				
82N363635SQTW	Wood	\$ 2144	36	36	35 <sup>1</sup> / <sub>2</sub>	—	—	112 lbs.	11.1
82N363635SQTL	Laminate	1897	36	36	35 <sup>1</sup> / <sub>2</sub>	—	—	112 lbs.	11.1
82N242435SQTW	Wood	\$ 2015	24	24	35 <sup>1</sup> / <sub>2</sub>	—	—	80 lbs.	8.8
82N242435SQTL	Laminate	1767	24	24	35 <sup>1</sup> / <sub>2</sub>	—	—	80 lbs.	8.8

- Some assembly required
- No grommet cutouts available
- Optional glass and solid surface kits available; reference page 432
- 3" column base
- Glide adjustment of +/- 1/8"
- 4 1/4" height top
- Column available in paint colors (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Foot available in paint colors (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic





TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

82N363640RDTW MH 462 405

STACCATO  
BAR HEIGHT TABLE





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND			D	W	H				
82N363640RDTW	Wood	\$ 2086	36 $\frac{1}{4}$ "	—	41 $\frac{1}{4}$ "	—	—	112 lbs.	11.5
82N363640RDTL	Laminate	1839	36 $\frac{1}{4}$ "	—	41 $\frac{1}{4}$ "	—	—	112 lbs.	11.5
82N242440RDTW	Wood	\$ 1956	23 $\frac{3}{4}$ "	—	41 $\frac{1}{4}$ "	—	—	80 lbs.	9.2
82N242440RDTL	Laminate	1709	23 $\frac{3}{4}$ "	—	41 $\frac{1}{4}$ "	—	—	80 lbs.	9.2
SOFT SQUARE			D	W	H				
82N363640SQTW	Wood	\$ 2198	36	36	41 $\frac{1}{4}$ "	—	—	112 lbs.	11.5
82N363640SQTL	Laminate	1951	36	36	41 $\frac{1}{4}$ "	—	—	112 lbs.	11.5
82N242440SQTW	Wood	\$ 2070	24	24	41 $\frac{1}{4}$ "	—	—	80 lbs.	9.2
82N242440SQTL	Laminate	1823	24	24	41 $\frac{1}{4}$ "	—	—	80 lbs.	9.2

- Some assembly required
- No grommet cutouts available
- Optional glass and solid surface kits available; reference page 432
- 3" column base
- Glide adjustment of +/-  $\frac{1}{8}$ "
- 4 $\frac{1}{2}$ " height top
- Column available in paint colors (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Foot available in paint colors (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic


## UNIVERSAL

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>UNIVERSAL GLASS TOP</b>  	<b>ROUND</b>		<b>DI</b>		<b>H</b>				
	10N3636RDBPG White Back Painted Glass	\$ 1941	36%	—	1½	—	—	65 lbs.	4.7
	10N2424RDBPG White Back Painted Glass	1421	23%	—	1½	—	—	31 lbs.	1.9
	<b>SOFT SQUARE</b>		<b>D</b>	<b>W</b>	<b>H</b>				
	10N3636SQBPG White Back Painted Glass	\$ 1941	35%	35%	1½	—	—	69 lbs.	4.7
	10N2424SQBPG White Back Painted Glass	1421	23%	23%	1½	—	—	28 lbs.	1.9

- 24" top for use with 22" disc or soft square base on page 429
- 36" top for use with 27" disc or soft square base on page 429
- 1½" thickness includes the glass and substrate

UNIVERSAL CORIAN®  
ROUND TOP

		GRADE A	GRADE C	DI		H				
10N36RDS	Corian Solid Surface	\$ 2413	\$ 2935	36	—	1½	—	—	59 lbs.	2.7
10N24RDS	Corian Solid Surface	1515	1747	24	—	1½	—	—	26 lbs.	1.3
		GRADE A	GRADE C	D	W	H				
10N3636SSQS	Corian Solid Surface	\$ 2413	\$ 2935	36	36	1½	—	—	79 lbs.	2.7
10N2424SSQS	Corian Solid Surface	1515	1747	24	24	1½	—	—	38 lbs.	1.3

- Grommet cutout not available on Corian solid surface tops
- Available in 7101 Bisque (Grade A), 7201 Glacier White (Grade A), 7301 Concrete (Grade C), or 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen
- Not intended for use with adjustable height bases
- 24" top for use with 22" disc or soft square base on page 429
- 36" top for use with 27" disc or soft square base on page 429





**TO ORDER, SPECIFY:**

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

**SAMPLE MODEL NUMBER:**


CBV2715DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
 <b>DISC BASE</b> <b>OCCASIONAL TABLE HEIGHT</b>	CBV2715DRNBP	\$ 687	3	27 $\frac{3}{4}$	16	—	—	60 lbs.	1.9	
	CBV2215DRNBP	519	3	22	16	—	—	43 lbs.	1.9	
	<ul style="list-style-type: none"><li>• 3" column base</li><li>• Some assembly required</li><li>• Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List</li><li>• Glide adjustment of +/- <math>\frac{1}{8}</math>"</li><li>• Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li><li>• Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li></ul>									
 <b>SOFT SQUARE BASE</b> <b>OCCASIONAL TABLE HEIGHT</b>	CBV2715DSQBP	\$ 800	3	27 $\frac{3}{4}$	16	—	—	60 lbs.	1.9	
	CBV2215DSQBP	631	3	22	16	—	—	50 lbs.	1.9	
	<ul style="list-style-type: none"><li>• 3" column base</li><li>• Some assembly required</li><li>• Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List</li><li>• Glide adjustment of +/- <math>\frac{1}{8}</math>"</li><li>• Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li><li>• Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li></ul>									

## UNIVERSAL


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

**DISC BASE  
WORKSURFACE HEIGHT**



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
CBV2728DRNBP	\$ 732	3	27 $\frac{3}{16}$	27 $\frac{7}{16}$	—	—	73 lbs.	2.8
CBV2228DRNBP	547	3	22	27 $\frac{7}{16}$	—	—	56 lbs.	2.8

- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/-  $\frac{1}{8}$ "
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

**SOFT SQUARE BASE  
WORKSURFACE HEIGHT**


CBV2728DSQBP	\$ 845	3	27 $\frac{3}{16}$	27 $\frac{7}{16}$	—	—	84 lbs.	2.8
CBV2228DSQBP	660	3	22	27 $\frac{7}{16}$	—	—	63 lbs.	2.8

- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/-  $\frac{1}{8}$ "
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

**DISC BASE  
COUNTER HEIGHT**


CBV2735DRNBP	\$ 790	3	27 $\frac{3}{16}$	35	—	—	75 lbs.	3.4
CBV2235DRNBP	762	3	22	35	—	—	58 lbs.	3.4




- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/-  $\frac{1}{8}$ "
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

**TO ORDER, SPECIFY:**

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

**SAMPLE MODEL NUMBER:**

CBV2740DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>SOFT SQUARE BASE COUNTER HEIGHT</b>	CBV2735DSQBP	\$ 903	3	27 $\frac{3}{16}$	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	874	3	22	35	—	—	65 lbs.	3.4
 <ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List</li> <li>• Glide adjustment of +/- <math>\frac{1}{8}</math>"</li> <li>• Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> </ul>									
<b>DISC BASE BAR HEIGHT</b>	CBV2740DRNBP	\$ 845	3	27 $\frac{3}{16}$	40 $\frac{3}{4}$	—	—	76 lbs.	3.8
	CBV2240DRNBP	816	3	22	40 $\frac{3}{4}$	—	—	59 lbs.	3.8
 <ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List</li> <li>• Glide adjustment of +/- <math>\frac{1}{8}</math>"</li> <li>• Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> </ul>									
<b>SOFT SQUARE BASE BAR HEIGHT</b>	CBV2740DSQBP	\$ 957	3	27 $\frac{3}{16}$	40 $\frac{3}{4}$	—	—	87 lbs.	3.8
	CBV2240DSQBP	929	3	22	40 $\frac{3}{4}$	—	—	66 lbs.	3.8
 <ul style="list-style-type: none"> <li>• 3" column base</li> <li>• Some assembly required</li> <li>• Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List</li> <li>• Glide adjustment of +/- <math>\frac{1}{8}</math>"</li> <li>• Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> </ul>									

## UNIVERSAL

## TO ORDER, SPECIFY:




1. Model Number
2. Sheen
3. Solid Surface Grade
4. Solid Surface Color

## SAMPLE MODEL NUMBER:

10N2424SQSK N A 7101

## DIMENSION KEY

D Depth  
 W Width  
 H Height  
 A Overhang: Approach Side  
 KW Kneespace Width  
 DI Diameter

UNIVERSAL CORIAN®  
SOLID SURFACE KITS

MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
SQUARE/RECTANGULAR		GRADE A	GRADE C	D	W	H				
10N2424SQSK	End Table Kit	\$ 1102	\$ 1334	24	24	¾"	—	—	25 lbs.	1.05
10N2448RTSK	Magazine Table Kit	1623	2087	24	48	¾"	—	—	47 lbs.	2.0
10N3636SQSK	Coffee Table Kit	1623	2145	36	36	¾"	—	—	52 lbs.	2.2
10N1850RTSK	Console Table Kit	1682	2045	18	50	¾"	—	—	38 lbs.	1.6




## SOFT SQUARE

10N2424SSQSK	End Table Kit	\$ 1086	\$ 1318	24	24	¾"	—	—	25 lbs.	1.1
10N3636SSQSK	Coffee Table Kit	1682	2204	36	36	¾"	—	—	52 lbs.	2.2

## ROUND

				DI			H			
10N2424RDSK	End Table Kit	\$ 1623	\$ 1855	24	—	¾"	—	—	23 lbs.	1.1
10N3636RDSK	Coffee Table Kit	1086	1608	36	—	¾"	—	—	49 lbs.	2.2

- For use on box, cylinder, soft square and cube styles on pages 415-416 and 425-427
- Solid surface is available with a beveled rim in four different colors: 7101 Bisque (Grade A), 7201 Glacier White (Grade A), 7301 Concrete (Grade C), and 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen
- When pairing a Corian kit with another occasional table, the Corian top may be sized smaller than the occasional table

UNIVERSAL  
GLASS KITS

## SQUARE/RECTANGULAR

10N2424SQGK	End Table Kit	\$ 604	24	24	¾"	—	—	55 lbs.	12.6
10N2448RTGK	Magazine Table Kit	845	24	48	¾"	—	—	77 lbs.	19.1
10N3636SQGK	Coffee Table Kit	845	36	36	¾"	—	—	75 lbs.	20.2
10N1850RTGK	Console Table Kit	845	18	50	¾"	—	—	65 lbs.	15.0

## SOFT SQUARE

10N2424SSQGK	End Table Kit	\$ 845	24	—	24	—	—	22 lbs.	1.0
10N3636SSQGK	Coffee Table Kit	1267	24	—	36	—	—	49 lbs.	2.1

## ROUND

10N2424RDGK	End Table Kit	\$ 845	24	—	¾	—	—	18 lbs.	1.0
10N3636RDGK	Coffee Table Kit	1267	36	—	¾	—	—	37 lbs.	2.1

- For use on box, cylinder, soft square and cube styles on pages 415-416 and 425-427
- Specify model number only
- Glass is clear with beveled rim
- Glass comes with stanchions for easy attachment to table
- Square kits feature square stanchions and soft square/round kits feature round stanchions

---

# BOOKCASES

# BOOKCASES

Specify selections, left to right:

## BASE MODEL

## LAMINATE

	AC2	Autumn 2
	AD	Almond
	CL	Caramel
	CW	Cordovan
	DW	Judicial
	HN2	Honey 2
	IM	Brighton
	MC	Amber
	MH	Mocha
	NM	Natural
	PB	Portobello
	SM	Sonoma
	TF	Truffle
	791	Palisander
	792	Sable
	793	Acorn
21N3365BCOFL	HN2	


To You In  
**10**  
Days  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

## SAMPLE MODEL NUMBER:

21N2436LFF2L HN2


	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>ARROWOOD LAMINATE BOOKCASE</b>	Q21N3365BCOFL	\$ 849	13	33	65 7/8	—	—	135 lbs.	27.4
	21N3365BCOFL	849	13	33	65 7/8	—	—	135 lbs.	27.4



- Bookcase shelves hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Bookcase has an unfinished back
- Reference Arrowood Laminate for detailed product information, laminates and entire Arrowood Laminate series offering starting on page 21

## ARROWOOD LAMINATE BOOKCASE


21N3353BCOFL	\$ 735	13	33	53	—	—	92 lbs.	22.4
--------------	--------	----	----	----	---	---	---------	------



- Bookcase shelves hold 100 lbs. of evenly distributed weight
- Bookcase has an unfinished back
- Shaded shelves are adjustable
- Reference Arrowood Laminate for detailed product information, laminates and entire Arrowood Laminate series offering starting on page 21

## ARROWOOD LAMINATE BOOKCASE SET-ON

Q21N3336BCOL	\$ 597	13	33	36 7/8	—	—	85 lbs.	15.8
21N3336BCOL	597	13	33	36 7/8	—	—	85 lbs.	15.8



- Bookcase shelves hold 100 lbs. of evenly distributed weight
- Shaded shelf is adjustable
- Bookcase has an unfinished back
- Reference Arrowood Laminate for detailed product information, laminates and entire Arrowood Laminate series offering starting on page 21

Specify selections, left to right:

## BASE MODEL

## FINISH

31N3266BCOFW




AC Autumn  
 CL Caramel  
**CW Cordovan**  
 DW Judicial  
**HN Honey**  
 IM Brighton  
**MC Amber**  
 MH Mocha  
 NM Natural  
 TF Truffle

## SAMPLE MODEL NUMBER:

31N3266BCOFW NM

To You In  
**10**  
 DAYS  
*...or Less*

Shaded model numbers are available on our  
 "To You in 10 Days or Less" Quick Delivery  
 program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
	Q31N3266BCOFW	Wood Top	\$ 1387	13	31½	65¾	—	—	111 lbs.	27.2
	31N3266BCOFW	Wood Top	1387	13	31½	65¾	—	—	111 lbs.	27.2
	<ul style="list-style-type: none"><li>• Bookcase shelves hold 100 lbs. of evenly distributed weight</li><li>• Bookcase has an unfinished back</li><li>• Shaded shelves are adjustable</li><li>• Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 39</li></ul>									
	31N3253BCOFW	Wood Top	\$ 1086	13	31½	53	—	—	92 lbs.	22.4
	<ul style="list-style-type: none"><li>• Bookcase shelves hold 100 lbs. of evenly distributed weight</li><li>• Bookcase has an unfinished back</li><li>• Shaded shelves are adjustable</li><li>• Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 39</li></ul>									
	Q31N3238BCOW	Wood Top	\$ 960	13	31½	38	—	—	85 lbs.	16.9
	31N3238BCOW	Wood Top	960	13	31½	38	—	—	85 lbs.	16.9
	<ul style="list-style-type: none"><li>• Bookcase shelves hold 100 lbs. of evenly distributed weight</li><li>• Bookcase has an unfinished back</li><li>• Shaded shelves are adjustable</li><li>• Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 39</li></ul>									

## BOOKCASES

Specify selections, left to right:

### BASE MODEL

50N3452BCOFW

### FINISH

CW Cordovan  
DW Judicial  
MH Mocha  
TF Truffle  
MH


### SAMPLE MODEL NUMBER:

50N3452BCOFW MH

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### BARRINGTON BOOKCASE




#### MODEL NO./DESCRIPTION

#### DOUBLE BOOKCASE

		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
		\$ 3388	14½	69¼	56½	—	—		243 lbs.	39.4
Q50N3452BCOFW	Bookcase (each—order 2)	1267	12¼	33½	51¾	—	—		92 lbs.	17.6
50N3452BCOFW	Bookcase (each—order 2)	1267	12¼	33½	51¾	—	—		92 lbs.	17.6
50N1469CPCFW	Cornice Frame	536	14½	69¼	1¾	—	—		30 lbs.	1.2
50N1468CPBW	Base	318	13¾	68¼	3¼	—	—		29 lbs.	3.0

- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63

### BARRINGTON BOOKCASE




#### SINGLE BOOKCASE

		\$ 1749	14½	35¾	56½	—	—		128 lbs.	19.8
Q50N3452BCOFW	Bookcase	1267	12¼	33½	51¾	—	—		92 lbs.	17.6
50N3452BCOFW	Bookcase	1267	12¼	33½	51¾	—	—		92 lbs.	17.6
Q50N1436CPCFW	Cornice Frame	269	14½	35¾	1¾	—	—		18 lbs.	0.6
50N1436CPCFW	Cornice Frame	269	14½	35¾	1¾	—	—		18 lbs.	0.6
Q50N1435CPBW	Base	213	13¾	34¾	3¼	—	—		18 lbs.	1.6
50N1435CPBW	Base	213	13¾	34¾	3¼	—	—		18 lbs.	1.6

- Bookcase components are shipped separately
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63

### BARRINGTON BOOKCASE SET-ON



Q50N3436BCOW	Bookcase	\$ 1196	12¼	33½	35¾	—	—		76 lbs.	17.2
50N3436BCOW	Bookcase	1196	12¼	33½	35¾	—	—		76 lbs.	17.2
Q50N1436CPCFW	Cornice Frame	269	14½	35¾	1¾	—	—		18 lbs.	0.6
50N1436CPCFW	Cornice Frame	269	14½	35¾	1¾	—	—		18 lbs.	0.6
Q50N1435CPBW	Base	213	13¾	34¾	3¼	—	—		18 lbs.	1.6
50N1435CPBW	Base	213	13¾	34¾	3¼	—	—		18 lbs.	1.6

- Bookcase components are shipped separately
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63



Specify selections, left to right:


BASE MODEL	PULL OPTION	FINISH
	80AB Provincial, Antique Brass	CW Cordovan
	81AB Classic, Antique Brass	DW Judicial
	85AB Verona, Antique Brass	MH Mocha
	85CN Verona, Classic Nickel	TF Truffle
50N3452BCHRW	80AB	MH

**SAMPLE MODEL NUMBER:**

50N3452BCHRW 80AB MH

To You In  
**10**  
Days  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

**BARRINGTON BOOKCASE WITH GRILLE DOORS****MODEL NO./DESCRIPTION****LIST PRICE****DIMENSIONS****D****W****H****A****KW****CARTONED WEIGHT****CUBIC FEET****DOUBLE BOOKCASE****\$ 4854**

14½

69¾

56½

—

—

361 lbs.

39.4

50N3452BCHRW Bookcase (each—order 2)

2000

12¾

33½

51¾

—

—

151 lbs.

17.6

50N1469CPCFW Cornice Frame

536

14½

69¾

1¾

—

—

30 lbs.

1.2

50N1468CPBW Base

318

13¾

68¾

3¾


—

—

29 lbs.

3.0

- Must order (2) bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63

**BARRINGTON BOOKCASE WITH GRILLE DOORS****SINGLE BOOKCASE****\$ 2482**

14½

35¾

56½

—

—

187 lbs.

19.8

50N3452BCHRW Bookcase

2000

12¾

33½

51¾

—

—

151 lbs.

17.6

Q50N1436CPCFW Cornice Frame

269

14½

35¾

1¾

—

—

18 lbs.

0.6

50N1436CPCFW Cornice Frame

269

14½

35¾

1¾

—

—

18 lbs.

0.6

Q50N1435CPBW Base

213

13¾

34¾

3¾

—

—

18 lbs.

1.6

50N1435CPBW Base

213

13¾

34¾

3¾

—

—

18 lbs.

1.6

- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63

## BOOKCASES

Specify selections, left to right:

BASE MODEL	PULL OPTION	FINISH
	80AB Provincial, Antique Brass	CW Cordovan
	81AB Classic, Antique Brass	DW Judicial
	85AB Verona, Antique Brass	MH Mocha
	85CN Verona, Classic Nickel	TF Truffle
50N3452BCHGW	80AB	DW

### SAMPLE MODEL NUMBER:

50N3452BCHGW 80AB DW

To You In  
**10**  
Days  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


### BARRINGTON BOOKCASE WITH GLASS DOORS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
DOUBLE BOOKCASE		\$ 4686	D	W	H	A	KW			
50N3452BCHGW	Bookcase (each—order 2)	1916	14½	69¼	56½	—	—		361 lbs.	39.4
50N1469CPCFW	Cornice Frame	536	14½	69¼	1½	—	—		30 lbs.	1.2
50N1468CPBW	Base	318	13¾	68¼	3¼	—	—		29 lbs.	3.0

- Must order (2) bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63

### BARRINGTON BOOKCASE WITH GLASS DOORS



SINGLE BOOKCASE		\$ 2398	D	W	H	A	KW			
50N3452BCHGW	Bookcase	1916	12¼	33½	51¼	—	—		151 lbs.	17.6
Q50N1436CPCFW	Cornice Frame	269	14½	35¾	1½	—	—		18 lbs.	0.6
50N1436CPCFW	Cornice Frame	269	14½	35¾	1½	—	—		18 lbs.	0.6
Q50N1435CPBW	Base	213	13¾	34¾	3¼	—	—		18 lbs.	1.6
50N1435CPBW	Base	213	13¾	34¾	3¼	—	—		18 lbs.	1.6



- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63

Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	LOCKING	FINISH
36N3571BCOFW	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70MB Summit, Cinder 70PL Summit, Platinum Metallic 71SN Spiral, Satin Nickel Metallic 71MB Spiral, Cinder 71PL Spiral, Platinum Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle

**SAMPLE MODEL NUMBER:**

36N3571BCOFW TA MC

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>CAPTIVATE BOOKCASE - OPEN</b> 	36N3571BCOFW	\$ 2497	14½	35	71½	—	—	158 lbs.	33.7
	36N3557BCOFW	\$ 2258	14½	35	56½	—	—	134 lbs.	27.3
	<ul style="list-style-type: none"> <li>Specify finish only</li> <li>Cornice and base molding on three sides of unit</li> <li>Shaded shelves are adjustable</li> <li>3571 model includes three adjustable shelves; 3557 model includes two adjustable shelves</li> <li>Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 87</li> </ul>								
<b>CAPTIVATE BOOKCASE - STORAGE</b> 	36N3571BCOHFW	\$ 2983	14½	35	71½	—	—	178 lbs.	33.7
	36N3557BCOHFW	\$ 2807	14½	35	56½	—	—	154 lbs.	27.3
	<ul style="list-style-type: none"> <li>Cornice and base molding on three sides of unit</li> <li>Shaded shelves are adjustable</li> <li>3571 model includes three adjustable shelves; 3557 model includes two adjustable shelves</li> <li>Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 87</li> </ul>								


## BOOKCASES

Specify selections, left to right:

BASE MODEL	PULL OPTION	LOCKING	FINISH
38N3680BCOHEW	72SN Balance, Satin Nickel Metallic 72MB Balance, Cinder 72PL Balance, Platinum Metallic 73SN Sweep, Satin Nickel Metallic 73MB Sweep, Cinder 73PL Sweep, Platinum Metallic 74SN Groove, Satin Nickel Metallic 74MB Groove, Cinder 74PL Groove, Platinum Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	73SN	KRB	TF

### SAMPLE MODEL NUMBER:


38N3680BCOHEW 73SN KRB TF

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A			
	38N3680BCOHEW	\$ 2906	13 <sup>1</sup> / <sub>16</sub>	35 <sup>7</sup> / <sub>16</sub>	79 <sup>1</sup> / <sub>4</sub>	—	—	184 lbs.	38.3
	38N3668BCOHEW	2599	13 <sup>1</sup> / <sub>16</sub>	35 <sup>7</sup> / <sub>16</sub>	67 <sup>7</sup> / <sub>16</sub>	—	—	157 lbs.	33.0
	38N3653BCOHEW	2347	13 <sup>1</sup> / <sub>16</sub>	35 <sup>7</sup> / <sub>16</sub>	52 <sup>1</sup> / <sub>16</sub>	—	—	137 lbs.	26.4

- Specify finish only
- Shaded shelves are adjustable
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 109

	38N3680BCOHEW	\$ 3602	14 <sup>1</sup> / <sub>16</sub>	35 <sup>7</sup> / <sub>16</sub>	79 <sup>1</sup> / <sub>4</sub>	—	—	207 lbs.	40.6
	38N3668BCOHEW	3101	14 <sup>1</sup> / <sub>16</sub>	35 <sup>7</sup> / <sub>16</sub>	67 <sup>7</sup> / <sub>16</sub>	—	—	186 lbs.	35.0

- Shaded shelf is adjustable
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 109

	38N3650BCOW	\$ 2381	13 <sup>1</sup> / <sub>16</sub>	35 <sup>7</sup> / <sub>16</sub>	49 <sup>1</sup> / <sub>16</sub>	—	—	109 lbs.	25.5
	38N3050BCOW	2055	13 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>16</sub>	49 <sup>1</sup> / <sub>16</sub>	—	—	97 lbs.	21.9
	38N1850BCOW	1059	13 <sup>1</sup> / <sub>16</sub>	17 <sup>1</sup> / <sub>16</sub>	49 <sup>1</sup> / <sub>16</sub>	—	—	81 lbs.	14.7
	38N3638BCOW	1945	13 <sup>1</sup> / <sub>16</sub>	35 <sup>7</sup> / <sub>16</sub>	38 <sup>1</sup> / <sub>16</sub>	—	—	84 lbs.	19.9
	38N3038BCOW	1767	13 <sup>1</sup> / <sub>16</sub>	29 <sup>1</sup> / <sub>16</sub>	38 <sup>1</sup> / <sub>16</sub>	—	—	72 lbs.	17.1
	38N1838BCOW	942	13 <sup>1</sup> / <sub>16</sub>	17 <sup>1</sup> / <sub>16</sub>	38 <sup>1</sup> / <sub>16</sub>	—	—	64 lbs.	11.4

- Specify finish only
- Shaded shelves are adjustable
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 109





Specify selections, left to right:

BASE MODEL	FINISH
	AC Autumn
	CL Caramel
	CW Cordovan
	DW Judicial
	HN Honey
	IM Brighton
	MC Amber
	MH Mocha
	NM Natural
	TF Truffle
CLN3564BCOFW	DW

**SAMPLE MODEL NUMBER:**  
CLN3564BCOFW DW

To You In  
**10 DAYS**  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>CLEVER BOOKCASE DOUBLE</b> 	<b>DOUBLE BOOKCASE</b>	<b>\$ 3578</b>	14	73 $\frac{1}{2}$	64 $\frac{1}{2}$	—	—	304 lbs.	58.0
	QCLN3564BCOFW Bookcase (each—order 2)	1513	12	35 $\frac{3}{4}$	63 $\frac{1}{2}$	—	—	115 lbs.	27.6
	CLN3564BCOFW Bookcase (each—order 2)	1513	12	35 $\frac{3}{4}$	63 $\frac{1}{2}$	—	—	115 lbs.	27.6
	CLN1473CPCFW Cornice Frame (wood)	552	14	73 $\frac{1}{2}$	1	—	—	74 lbs.	2.8
	<ul style="list-style-type: none"> <li>• Must order (2) bookcases and a cornice frame for double unit</li> <li>• Shaded shelves are adjustable</li> <li>• Units have semi-finished back panels (fully stained with exposed hardware)</li> <li>• Reference Clever for detailed product information, finishes and entire Clever offering starting on page 147</li> </ul>								
<b>CLEVER BOOKCASE SINGLE</b> 	<b>SINGLE BOOKCASE</b>	<b>\$ 1812</b>	14	37 $\frac{3}{4}$	64 $\frac{1}{2}$	—	—	132 lbs.	29.2
	QCLN3564BCOFW Bookcase	1513	12	35 $\frac{3}{4}$	63 $\frac{1}{2}$	—	—	115 lbs.	27.6
	CLN3564BCOFW Bookcase	1513	12	35 $\frac{3}{4}$	63 $\frac{1}{2}$	—	—	115 lbs.	27.6
	QCLN1438CPCFW Cornice Frame (wood)	299	14	37 $\frac{3}{4}$	1	—	—	17 lbs.	1.6
	CLN1438CPCFW Cornice Frame (wood)	299	14	37 $\frac{3}{4}$	1	—	—	17 lbs.	1.6
<b>CLEVER BOOKCASE SET-ON</b>  	QCLN3836BCOW Open	\$ 1090	16 $\frac{1}{4}$	37 $\frac{1}{2}$	36 $\frac{1}{2}$	—	—	92 lbs.	21.8
	CLN3836BCOW Open	1090	16 $\frac{1}{4}$	37 $\frac{1}{2}$	36 $\frac{1}{2}$	—	—	92 lbs.	21.8
	CLN3836BCHAW Hinged Doors	1250	16 $\frac{1}{4}$	37 $\frac{1}{2}$	36 $\frac{1}{2}$	—	—	92 lbs.	21.8
	<ul style="list-style-type: none"> <li>• Shaded shelves are adjustable</li> <li>• Unit has semi-finished back panel (fully stained with exposed hardware)</li> <li>• Unit features a fluted resin insert panel on doors</li> <li>• Random lock core (KRB) and specified lock core (KS1B) available</li> <li>• Reference Clever for detailed product information, finishes and entire Clever offering starting on page 147</li> </ul>								

# BOOKCASES

Specify selections, left to right:

## BASE MODEL

ECN3871BCOFW

## PULL OPTION

79SN Fluid, Satin Nickel Metallic

## LOCKING

KRB Key Random, Black  
KRS Key Random, Silver  
KS1B Key Specific, Black  
KS1S Key Specific, Silver

## FINISH

AC Autumn  
CL Caramel  
CW Cordovan  
DW Judicial  
HN Honey  
IM Brighton  
MC Amber  
MH Mocha  
NM Natural  
TF Truffle

DW

## SAMPLE MODEL NUMBERS:

ECN3871BCOFW DW  
ECN3871BCOHFW 79SN KRB TF

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>ESCALADE BOOKCASE - OPEN</b>	QECN3871BCOFW	\$ 2413	15¾	38¾	70⅞	—	—	190 lbs.	31.3
	ECN3871BCOFW	2413	15¾	38¾	70⅞	—	—	190 lbs.	31.3
<ul style="list-style-type: none"> <li>Shaded shelves are adjustable</li> <li>Cornice and base detail on three sides of unit</li> <li>Specify finish only</li> <li>Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 167</li> </ul>									
<b>ESCALADE BOOKCASE - OPEN</b>	ECN3857BCOFW	\$ 2176	15¾	38¾	57½	—	—	150 lbs.	25.4
<ul style="list-style-type: none"> <li>Shaded shelves are adjustable</li> <li>Cornice and base detail on three sides of unit</li> <li>Specify finish only</li> <li>Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 167</li> </ul>									
<b>ESCALADE BOOKCASE - STORAGE</b>	ECN3871BCOHFW	\$ 2894	15¾	38¾	70⅞	—	—	210 lbs.	31.3
<ul style="list-style-type: none"> <li>Shaded shelves are adjustable</li> <li>Cornice and base detail on three sides of unit</li> <li>Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 167</li> </ul>									
<b>ESCALADE BOOKCASE - STORAGE</b>	ECN3857BCOHFW	\$ 2690	15¾	38¾	57½	—	—	170 lbs.	25.4
<ul style="list-style-type: none"> <li>Shaded shelves are adjustable</li> <li>Bookcase has an unfinished back</li> <li>Cornice and base detail on three sides of unit</li> <li>Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 167</li> </ul>									
<b>ESCALADE BOOKCASE - SET ON</b>	QECN3750BCHW	\$ 2750	15½	37¾	50¾	—	—	130 lbs.	22.5
	ECN3750BCHW	2750	15½	37¾	50¾	—	—	130 lbs.	22.5
<b>WOOD DOORS</b>									
<b>GLASS DOORS</b>	ECN3750BCHGW	\$ 2870	15½	37¾	50¾	—	—	130 lbs.	22.5
<ul style="list-style-type: none"> <li>Shaded shelves are adjustable</li> <li>Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 167</li> </ul>									

Specify selections, left to right:

BASE MODEL	RIM PROFILE	FINISH
	TC Fluted	AC Autumn
	TD Eased	CL Caramel
		CW Cordovan
		DW Judicial
		HN Honey
		IM Brighton
		MC Amber
		MH Mocha
		NM Natural
		TF Truffle

19N3666BCOFW



TC

**SAMPLE MODEL NUMBER:**

19N3666BCOFW TC

To You In  
**10** DAYS  
...or Less

Shaded model numbers are available on our  
"To You in 10 Days or Less" Quick Delivery  
program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>FLOURISH BOOKCASE</b> 	Q19N3666BCOFW	\$ 1312	12	35 <sup>7</sup> / <sub>2</sub>	65 <sup>1</sup> / <sub>2</sub>	—	—	145 lbs.	26.0
	19N3666BCOFW	1312	12	35 <sup>7</sup> / <sub>2</sub>	65 <sup>1</sup> / <sub>2</sub>	—	—	145 lbs.	26.0
	<ul style="list-style-type: none"> <li>• Shaded shelves are adjustable</li> <li>• Reference Flourish for detailed product information, laminates and entire Flourish offering starting on page 191</li> </ul>								
<b>FLOURISH BOOKCASE SET-ON</b> 	Q19N3636BCOW	\$ 931	12 <sup>3</sup> / <sub>4</sub>	35 <sup>1</sup> / <sub>4</sub>	35 <sup>1</sup> / <sub>4</sub>	—	—	76 lbs.	17.2
	19N3636BCOW	931	12 <sup>3</sup> / <sub>4</sub>	35 <sup>1</sup> / <sub>4</sub>	35 <sup>1</sup> / <sub>4</sub>	—	—	76 lbs.	17.2
	<ul style="list-style-type: none"> <li>• Shaded shelves are adjustable</li> <li>• Bookcase shelves hold 100 lbs. of evenly distributed weight</li> <li>• Shelves can be adjusted 2<sup>1</sup>/<sub>2</sub>" up or down</li> <li>• Reference Flourish for detailed product information, laminates and entire Flourish offering starting on page 191</li> </ul>								

## BOOKCASES

Specify selections, left to right:

### BASE MODEL

### FINISH

	CW Cordovan
	DW Judicial
	MH Mocha
	TF Truffle
51N3452BCOFW	TF


### SAMPLE MODEL NUMBER:

51N3452BCOFW TF  
51N1435CPBW TF

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.



### ROOSEVELT DOUBLE BOOKCASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>DOUBLE BOOKCASE</b>		<b>\$ 3316</b>	14½	69¼	56½	—	—	243 lbs.	39.4
Q51N3452BCOFW	Bookcase (each—order 2)	1246	12¼	33½	51¾	—	—	92 lbs.	17.6
51N3452BCOFW	Bookcase (each—order 2)	1246	12¼	33½	51¾	—	—	92 lbs.	17.6
51N1469CPCFW	Cornice Frame	519	14½	69¼	1¾	—	—	30 lbs.	1.2
51N1468CPBW	Base	305	13¾	68¼	3¼	—	—	29 lbs.	3.0

- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 257

### ROOSEVELT SINGLE BOOKCASE



<b>SINGLE BOOKCASE</b>		<b>\$ 1706</b>	14½	35¾	56½	—	—	128 lbs.	19.8
Q51N3452BCOFW	Bookcase	1246	12¼	33½	51¾	—	—	92 lbs.	17.6
51N3452BCOFW	Bookcase	1246	12¼	33½	51¾	—	—	92 lbs.	17.6
Q51N1436CPCFW	Cornice Frame	259	14½	35¾	1¾	—	—	18 lbs.	0.6
51N1436CPCFW	Cornice Frame	259	14½	35¾	1¾	—	—	18 lbs.	0.6
Q51N1435CPBW	Base	201	13¾	34¾	3¼	—	—	18 lbs.	1.6
51N1435CPBW	Base	201	13¾	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 257

<b>SINGLE BOOKCASE</b>		<b>\$ 1633</b>	14½	35¾	40½	—	—	112 lbs.	19.4
Q51N3436BCOFW	Bookcase	1173	12¼	33½	35¾	—	—	76 lbs.	17.2
51N3436BCOFW	Bookcase	1173	12¼	33½	35¾	—	—	76 lbs.	17.2
Q51N1436CPCFW	Cornice Frame	259	14½	35¾	1¾	—	—	18 lbs.	0.6
51N1436CPCFW	Cornice Frame	259	14½	35¾	1¾	—	—	18 lbs.	0.6
Q51N1435CPBW	Base	201	13¾	34¾	3¼	—	—	18 lbs.	1.6
51N1435CPBW	Base	201	13¾	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 257



Specify selections, left to right:

## BASE MODEL

## FINISH

	AC	Autumn
	CL	Caramel
	CW	Cordovan
	DW	Judicial
	HN	Honey
	IM	Brighton
	MC	Amber
	MH	Mocha
	NM	Natural
	TF	Truffle

10N3630BCOFW



CW

## SAMPLE MODEL NUMBER:

10N3630BCOFW CW

To You In  
**10**  
Days  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.







	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>UNIVERSAL VENEER BOOKCASE SET-ON</b>  	Q10N3630BCOFW Wood	\$ 547	12	35¾	30	—	—	73 lbs.	13.0
	10N3630BCOFW Wood	547	12	35¾	30	—	—	73 lbs.	13.0
	Q10N3636BCOFW Wood	613	12	35¾	36	—	—	78 lbs.	15.9
	10N3636BCOFW Wood	613	12	35¾	36	—	—	78 lbs.	15.9
<ul style="list-style-type: none"> <li>• Bookcase shelves hold 100 lbs. of evenly distributed weight</li> <li>• ¾" flakeboard core sides and ¾" shelves</li> <li>• Flat edge detail</li> <li>• Shaded shelves are adjustable</li> <li>• Bookcase has an unfinished back</li> <li>• Shipped assembled</li> </ul>									
<b>UNIVERSAL VENEER BOOKCASE</b>  	Q10N3648BCOFW Wood	\$ 737	12	35¾	48	—	—	100 lbs.	20.1
	10N3648BCOFW Wood	737	12	35¾	48	—	—	100 lbs.	20.1
	Q10N3660BCOFW Wood	874	12	35¾	60	—	—	124 lbs.	25.2
	10N3660BCOFW Wood	874	12	35¾	60	—	—	124 lbs.	25.2
	Q10N3672BCOFW Wood	1032	12	35¾	72	—	—	168 lbs.	32.9
	10N3672BCOFW Wood	1032	12	35¾	72	—	—	168 lbs.	32.9
	Q10N3684BCOFW Wood	1098	12	35¾	84	—	—	206 lbs.	34.6
	10N3684BCOFW Wood	1098	12	35¾	84	—	—	206 lbs.	34.6
<ul style="list-style-type: none"> <li>• Bookcase shelves hold 100 lbs. of evenly distributed weight</li> <li>• ¾" flakeboard core sides and ¾" shelves</li> <li>• Flat edge detail</li> <li>• Shaded shelves are adjustable</li> <li>• Bookcase has an unfinished back</li> <li>• Shipped assembled</li> </ul>									

BOOKCASES

Specify selections, left to right:

BASE MODEL		LAMINATE		
10N3630BCOFL	AC2	Autumn 2	PT	Portico
	AD	Almond	SK	Skyline
	CL	Caramel	SM	Sonoma
	CW	Cordovan	TF	Truffle
	DW	Judicial	405	Designer White
	HN2	Honey 2	440	Cloud
	IM	Brighton	462	Cinder
	MC	Amber	791	Palisander
	MH	Mocha	792	Sable
	NM	Natural	793	Acorn
	PB	Portobello		
HN2				

SAMPLE MODEL NUMBER:  
10N3630BCOFL HN2

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
				D	W	H						
<div>UNIVERSAL LAMINATE BOOKCASE</div> <div></div>			10N3630BCOFL	TFL	\$ 302	11¾	35¾	30	—	—	51 lbs.	2.5
			10N3636BCOFL	TFL	386	11¾	35¾	36	—	—	51 lbs.	2.8
			10N3648BCOFL	TFL	424	11¾	35¾	48	—	—	80 lbs.	3.2
			10N3660BCOFL	TFL	509	11¾	35¾	60	—	—	91 lbs.	3.9
			10N3672BCOFL	TFL	577	11¾	35¾	72	—	—	159 lbs.	7.0
			10N3684BCOFL	TFL	688	11¾	35¾	84	—	—	170 lbs.	8.0
<ul style="list-style-type: none"><li>• Insert laminate designator before model</li><li>• Bookcase shelves hold 100 lbs. of evenly distributed weight</li><li>• ¾" flakeboard core sides and 1½" shelves</li><li>• Flat edge detail</li><li>• Shaded shelves are adjustable</li><li>• Bookcase has an unfinished back</li><li>• Assembly required</li></ul>												

---

# FILES

FILES

Specify selections, left to right:

BASE MODEL	LOCKING	LAMINATE
21N2436LFF2L	KRB	Key Random, Black
	KRS	Key Random, Silver
	KS1B	Key Specific, Black
	KS1S	Key Specific, Silver
	KS2B	Key Specific, Black
	KS2S	Key Specific, Silver
		AC2 Autumn 2
		AD Almond
		CL Caramel
		CW Cordovan
		DW Judicial
		HN2 Honey 2
		IM Brighton
		MC Amber
	KRB	MH Mocha
		NM Natural
		PB Portobello
		SM Sonoma
		TF Truffle
		791 Palisander
		792 Sable
		793 Acorn
		HN2

To You In  
10  
Days  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

SAMPLE MODEL NUMBER:  
21N2436LFF2L KRB HN2

ARROWOOD LAMINATE  
LATERAL FILE  
TWO DRAWER



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q21N2436LFF2L	\$ 941	23¾	35¾	29½	—	—	184 lbs.	17.7
21N2436LFF2L	941	23¾	35¾	29½	—	—	184 lbs.	17.7

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Unit features a semi-finished back
- Reference Arrowood Laminated series for detailed product information, laminates and entire Arrowood Laminated offering starting on page 21


ARROWOOD LAMINATE  
LATERAL FILE  
THREE DRAWER



21N2436LFF3L	\$ 1535	23¾	35¾	44½	—	—	210 lbs.	30.0
--------------	---------	-----	-----	-----	---	---	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowood Laminated series for detailed product information, laminates and entire Arrowood Laminated offering starting on page 21

ARROWOOD LAMINATE  
LATERAL FILE  
FOUR DRAWER



21N2436LFF4L	\$ 2129	23¾	35¾	58¾	—	—	291 lbs.	40.2
--------------	---------	-----	-----	-----	---	---	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowood Laminated series for detailed product information, laminates and entire Arrowood Laminated offering starting on page 21

Specify selections, left to right:

**BASE MODEL****SHEEN**

(wood tops only)

R Standard  
N Matte/Satin**LOCKING**KRB Key Random, Black  
KRS Key Random, Silver  
KS1B Key Specific, Black  
KS1S Key Specific, Silver  
KS2B Key Specific, Black  
KS2S Key Specific, Silver**FINISH**AC Autumn  
CL Caramel  
CW Cordovan  
DW Judicial  
HN Honey  
IM Brighton  
MC Amber  
MH Mocha  
NM Natural  
TF Truffle

31N2136LFF2W

R

KRB

DW

**SAMPLE MODEL NUMBER:**

31N2136LFF2W R KRB DW

**To You In  
10  
...or Less**Shaded model numbers are available on our  
"To You in 10 Days or Less" Quick Delivery  
program and will be delivered within 10 days.**ARROWOOD VENEER  
LATERAL FILE  
TWO DRAWER****MODEL NO./DESCRIPTION****LIST  
PRICE****DIMENSIONS****D****W****H****A****KW****CARTONED  
WEIGHT****CUBIC  
FEET**


Q31N2136LFF2W	Wood Top	\$ 1470	21	35½	29½	—	—	193 lbs.	15.6
31N2136LFF2W	Wood Top	1470	21	35½	29½	—	—	193 lbs.	15.6
31N2136LFF2LW	HPL Top	1413	21	35½	29½	—	—	201 lbs.	15.6

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 39

**ARROWOOD VENEER  
LATERAL FILE  
THREE DRAWER**

31N2136LFF3W	Wood Top	\$ 1908	21	36½	43%	—	—	210 lbs.	30.0
31N2136LFF3LW	HPL Top	1860	21	36½	43%	—	—	210 lbs.	30.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 39

**ARROWOOD VENEER  
LATERAL FILE  
FOUR DRAWER**

31N2136LFF4W	Wood Top	\$ 2402	21	36½	57%	—	—	291 lbs.	40.2
31N2136LFF4LW	HPL Top	2371	21	36½	57%	—	—	291 lbs.	40.2

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 39

FILES

Specify selections, left to right:




BASE MODEL	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
50N2137LFF2W	80AB Provincial, Antique Brass 81AB Classic, Antique Brass 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black  KRB	R Standard N Matte/Satin  R	CW Cordovan DW Judicial MH Mocha TF Truffle  MH

SAMPLE MODEL NUMBERS:

50N2137LFF2W 81AB KRB R MH

To You In  
10  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
<b>BARRINGTON LATERAL FILE TWO DRAWER</b> 	Q50N2137LFF2W Wood Top	\$ 1918	21	37¼	29½	—	—	—	158 lbs.	15.6
	50N2137LFF2W Wood Top	1918	21	37¼	29½	—	—	—	158 lbs.	15.6
	50N2137LFF2LW HPL Top	1918	21	37¼	29½	—	—	—	123 lbs.	15.6
	<ul style="list-style-type: none"><li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li><li>• Lateral file has an unfinished back</li><li>• Random lock core (KRB) and specified lock core (KS2B) available</li><li>• Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63</li></ul>									
<b>BARRINGTON LATERAL FILE THREE DRAWER</b> 	50N2137LFF3W Wood Top	\$ 2567	21½	37¼	43¼	—	—	—	190 lbs.	24.0
	50N2137LFF3LW HPL Top	2567	21½	37¼	43¼	—	—	—	190 lbs.	24.0
	<ul style="list-style-type: none"><li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li><li>• Lateral file has an unfinished back</li><li>• Random lock core (KRB) and specified lock core (KS1B) available</li><li>• Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63</li></ul>									
<b>BARRINGTON LATERAL FILE FOUR DRAWER</b> 	50N2137LFF4W Wood Top	\$ 3216	21	37¼	55½	—	—	—	236 lbs.	29.4
	<ul style="list-style-type: none"><li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li><li>• Lateral file has an unfinished back</li><li>• Random lock core (KRB) and specified lock core (KS1B) available</li><li>• Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63</li></ul>									

Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70MB Summit, Cinder 70PL Summit, Platinum Metallic 71SN Spiral, Satin Nickel Metallic 71MB Spiral, Cinder 71PL Spiral, Platinum Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
36N2437LFF2W	TA	71SN	KRB	N	TF

**SAMPLE MODEL NUMBERS:**

36N2437LFF2W TA 71SN KRB N TF

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>CAPTIVATE LATERAL FILE TWO DRAWER</b>	36N2437LFF2W Wood Top	\$ 2444	24	37¼	29%	—	—	162 lbs.	21.5
	36N2437LFF2LW HPL Top	2444	24	37¼	29%	—	—	162 lbs.	21.5




- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Rim and base molding on three sides of unit
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 87

<b>CAPTIVATE LATERAL FILE THREE DRAWER</b>	36N2437LFF3W Wood Top	\$ 3045	24	37¾	43½	—	—	219 lbs.	31.2
	36N2437LFF3LW HPL Top	3045	24	37¾	43½	—	—	219 lbs.	31.2



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Rim and base molding on three sides of unit
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 87

<b>CAPTIVATE LATERAL FILE FOUR DRAWER</b>	36N2437LFF4W Wood Top	\$ 3644	24	37¼	56½	—	—	254 lbs.	38.0
	36N2437LFF4LW HPL Top	3644	24	37¼	56½	—	—	254 lbs.	38.0



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Rim and base molding on three sides of unit
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 87




## FILES

Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
	FL Flat RE Reed	72SN Balance, Satin Nickel Metallic 72MB Balance, Cinder 72PL Balance, Platinum Metallic 73SN Sweep, Satin Nickel Metallic 73MB Sweep, Cinder 73PL Sweep, Platinum Metallic 74SN Groove, Satin Nickel Metallic 74MB Groove, Cinder 74PL Groove, Platinum Metallic	G11SN Satin Nickel Metallic G11MB Cinder G11PL Platinum Metallic X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Platinum 503 Satin Nickel Metallic
38N2436LFF2W	RE	72SN	G11SN	KRB	R	NM	

### SAMPLE MODEL NUMBERS:

38N2436LFF2W RE 72SN G11SN KRB R NM  
38N2436LFF2WP 72SN R G11SN KRB AC 503

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>CASBAH LATERAL FILE TWO DRAWER</b> 	38N2436LFF2W Wood Façade	\$ 2538	24	36½	29¼	—	—	201 lbs.	21.6
	38N2436LFF2WP Painted Façade	2538	24	36½	29¼	—	—	201 lbs.	21.6
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>• Reed profile is available on wood façade models only for a 10% list upcharge</li> <li>• Grommets G11SN, G11MB, G11PL available in predetermined location</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 109</li> </ul>								
<b>CASBAH LATERAL FILE THREE DRAWER</b> 	38N2436LFF3W Wood Façade	\$ 3164	24	36½	41½	—	—	248 lbs.	31.9
	38N2436LFF3WP Painted Façade	3164	24	36½	41½	—	—	248 lbs.	31.9
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>• Reed profile is available on wood façade models only for a 10% list upcharge</li> <li>• Grommet option not available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 109</li> </ul>								
<b>CASBAH LATERAL FILE FOUR DRAWER</b> 	38N2436LFF4W Wood Façade	\$ 3789	24	36½	54½	—	—	291 lbs.	40.2
	38N2436LFF4WP Painted Façade	3789	24	36½	54½	—	—	291 lbs.	40.2
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>• Reed profile is available on wood façade models only for a 10% list upcharge</li> <li>• Do not specify sheen option; features standard sheen</li> <li>• Grommet option not available</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 109</li> </ul>								



Specify selections, left to right:


BASE MODEL	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
CLN2237LFF2W	77SN Keen, Satin Nickel	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	77SN	KRB	R	MC

**SAMPLE MODEL NUMBERS:**

CLN2237LFF2W 77SN KRB R MC  
CLN2237LFF2LW 77SN KRB MC

To You In  
**10**  
Days  
...or Less

Shaded model numbers are available on our  
"To You in 10 Days or Less" Quick Delivery  
program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H					
<b>CLEVER LATERAL FILE TWO DRAWER</b> 	CLN2237LFF2W	Wood Top	\$ 1635	22½"	37½"	29¼"	—	—	145 lbs.	18.2	
	QCLN2237LFF2LW	Laminate	1549	22½"	37½"	29¼"	—	—	145 lbs.	18.2	
	CLN2237LFF2LW	Laminate	1549	22½"	37½"	29¼"	—	—	145 lbs.	18.2	

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)
- Random lock core (KRB) and specified lock core (KS2B) available
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 147

<b>CLEVER LATERAL FILE THREE DRAWER</b> 	CLN2237LFF3W Wood Top	\$ 2237	22½"	37½"	43¾"	—	—	210 lbs.	30.0
	CLN2237LFF3LW Laminate	2107	22½"	37½"	43¾"	—	—	210 lbs.	30.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 147

<b>CLEVER LATERAL FILE FOUR DRAWER</b> 	CLN2237LFF4W Wood Top	\$ 2839	22½"	37½"	55¾"	—	—	252 lbs.	34.4
	CLN2237LFF4LW Laminate	2666	22½"	37½"	55¾"	—	—	252 lbs.	34.4

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Semi-finished back panel (fully stained with exposed hardware)
- Do not specify sheen option; features standard sheen
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 147

## FILES

Specify Escalade selections, left to right:




BASE MODEL	PULL OPTION	LOCKING	SHEEN	FINISH
ECN2238LFF3W	79SN Fluid, Satin Nickel Metallic	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	79SN	KRB	R	DW

### SAMPLE MODEL NUMBER:

ECN2238LFF3W 79SN KRB R DW

To You In  
**10**  
Days  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
<b>ESCALADE LATERAL FILE TWO DRAWER</b> 	QECN2238LFF2W	\$ 2323	22¼	38¾	29½	—	—		155 lbs.	17.8
	ECN2238LFF2W	2323	22¼	38¾	29½	—	—		155 lbs.	17.8
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>• Lateral file has an unfinished back</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 167</li> </ul>									
<b>ESCALADE LATERAL FILE THREE DRAWER</b> 	ECN2238LFF3W	\$ 2924	22¼	38¾	41¼	—	—		210 lbs.	30.0
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>• Lateral file has an unfinished back</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 167</li> </ul>									
<b>ESCALADE LATERAL FILE FOUR DRAWER</b> 	ECN2238LFF4W	\$ 3527	22¼	38¾	54½	—	—		265 lbs.	32.9
	<ul style="list-style-type: none"> <li>• Front-to-back filing is standard with lateral files; four rods per drawer are included</li> <li>• Lateral file has an unfinished back</li> <li>• Do not specify sheen option; features standard sheen</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 167</li> </ul>									

Specify selections, left to right:


BASE MODEL	RIM PROFILE	PULL OPTION	LOCKING	SHEEN	FINISH
19N2436LFF2W	TC Fluted TD Eased	83MB Curved, Black 83SV Curved, Silver 84MB Elongated, Black 84SV Elongated, Silver	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
19N2436LFF2W	TD	84MB	KRB	N	TE

**SAMPLE MODEL NUMBER:**

19N2436LFF2W TD 84MB KRB N TF

To You In  
**10**  
Days  
...or Less


Shaded model numbers are available on our  
"To You in 10 Days or Less" Quick Delivery  
program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H					
<b>FLOURISH LATERAL FILE TWO DRAWER</b> 	Q19N2436LFF2W Wood Top	\$ 1456	23%	36	29	—	—	—	160 lbs.	17.0
	19N2436LFF2W Wood Top	1456	23%	36	29	—	—	—	160 lbs.	17.0
	19N2436LFF2LW TFL Top	1399	23%	36	29	—	—	—	160 lbs.	17.0

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Reference Flourish for detailed product information, finishes and entire Flourish offering starting on page 191

<b>FLOURISH LATERAL FILE THREE DRAWER</b> 	19N2436LFF3W Wood Top	\$ 1899	23%	36	43%	—	—	—	248 lbs.	31.9
	19N2436LFF3LW TFL Top	1840	23%	36	43%	—	—	—	248 lbs.	31.9

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Flourish for detailed product information, finishes and entire Flourish offering starting on page 191

<b>FLOURISH LATERAL FILE FOUR DRAWER</b> 	19N2436LFF4W Wood Top	\$ 2376	23%	36	56%	—	—	—	282 lbs.	32.0
---	-----------------------	---------	-----	----	-----	---	---	---	----------	------

- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Flourish for detailed product information, finishes and entire Flourish offering starting on page 191

## FILES

Specify selections, left to right:

BASE MODEL	PULL OPTION	LOCKING	SHEEN (wood tops only)	FINISH
51N2137LFF2W	82AB Antique Brass 82CN Classic Nickel	KRB Key Random, Black KS1B Key Specific, Black KS2B Key Specific, Black	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle
	82AB	KRB	R	CW


### SAMPLE MODEL NUMBER:

51N2136LFF2W 82AB KRB R CW

To You In  
**10**  
Days  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>ROOSEVELT LATERAL FILE TWO DRAWER</b>	51N2137LFF2W Wood Top	\$ 1795	21	37¼	29½	—	—	158 lbs.	15.6
	Q51N2137LFF2LW Laminate Top	1733	21	37¼	29½	—	—	123 lbs.	15.6
	51N2137LFF2LW Laminate Top	1733	21	37¼	29½	—	—	123 lbs.	15.6



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB) and specified lock core (KS2B) available
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 257

<b>ROOSEVELT LATERAL FILE THREE DRAWER</b>	51N2137LFF3W Wood Top	\$ 2468	21½	37¼	43¼	—	—	190 lbs.	24.0
	51N2137LFF3LW Laminate Top	2407	21½	37¼	43¼	—	—	190 lbs.	24.0



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 257

<b>ROOSEVELT LATERAL FILE FOUR DRAWER</b>	51N2137LFF4W Wood Top	\$ 3054	21	37¼	55½	—	—	236 lbs.	29.4
---	-----------------------	---------	----	-----	-----	---	---	----------	------



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Do not specify sheen option; features standard sheen
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 257

Specify selections, left to right:

BASE MODEL	LOCKING	LAMINATE
	KRB Key Random, Black	AC Autumn
	KRS Key Random, Silver	AD Almond
	KS1B Key Specific, Black	CL Caramel
	KS1S Key Specific, Silver	CW Cordovan
		DW Judicial
		HN Honey
		IM Brighton
		MC Amber
		MH Mocha
		NM Natural
		PB Portobello
		SM Sonoma
		TF Truffle
		440 Cloud
		462 Cinder
		791 Palisander
		792 Sable
		793 Acorn

10N2136LFF4L

KRB

DW

**SAMPLE MODEL NUMBER:**

10N2136LFF4L KRB DW

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>UNIVERSAL LATERAL FILE FOUR DRAWER</b>	Q10N2136LFF4L TFL Top	\$ 1982	20 $\frac{3}{4}$ "	36 $\frac{1}{4}$ "	57"	—	—	297 lbs.	29.0
	10N2136LFF4L TFL Top	1982	20 $\frac{3}{4}$ "	36 $\frac{1}{4}$ "	57"	—	—	297 lbs.	29.0



- Front-to-back filing is standard with lateral files; four rods per drawer are included
- Lateral file accommodates legal, letter, and EDP side-to-side filing and letter/letter, letter/legal and legal/legal front-to-back filing
- Quick Delivery models available in Amber and Cordovan laminates
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

## FILES

### TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

- See pages 425-426 of Casegoods Book 2 for all options available in WaveWorks Metal





### SAMPLE MODEL NUMBER:

WW1842LFF2M 5 KRB 462

To You In  
**10**  
Days  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### WAVEWORKS METAL LATERAL FILE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW						
• Counterweight must be used unless ganging multiple lateral file units										
WW1842LFF2M	Two Drawer	\$ 876	18	42	27¼	—	—	—	121 lbs.	16.4
QWW1836LFF2M	Two Drawer	769	18	36	27¼	—	—	—	113 lbs.	14.2
WW1836LFF2M	Two Drawer	769	18	36	27¼	—	—	—	113 lbs.	14.2
WW1830LFF2M	Two Drawer	718	18	30	27¼	—	—	—	100 lbs.	12.0
WW36CW2M	Counterweight	151	1½	23¼	11½	—	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units										
WW1842LFF3M	Three Drawer	\$ 1151	18	42	39¾	—	—	—	164 lbs.	23.0
WW1836LFF3M	Three Drawer	1054	18	36	39¾	—	—	—	146 lbs.	19.9
WW1830LFF3M	Three Drawer	999	18	30	39¾	—	—	—	128 lbs.	16.8
WW36CW2M	Counterweight	151	1½	23¼	11½	—	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units										
WW1842LFF4M	Four Drawer	\$ 1418	18	42	51½	—	—	—	191 lbs.	29.5
QWW1836LFF4M	Four Drawer	1195	18	36	51½	—	—	—	169 lbs.	25.6
WW1836LFF4M	Four Drawer	1195	18	36	51½	—	—	—	169 lbs.	25.6
WW1830LFF4M	Four Drawer	1135	18	30	51½	—	—	—	148 lbs.	21.7
WW36CW2M	Counterweight	151	1½	23¼	11½	—	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units										
WW1842LFF5M	Five Drawer	\$ 1716	18	42	64½	—	—	—	212 lbs.	36.8
WW1836LFF5M	Five Drawer	1581	18	36	64½	—	—	—	187 lbs.	31.9
WW1830LFF5M	Five Drawer	1486	18	30	64½	—	—	—	162 lbs.	26.9
WW36CW2M	Counterweight	151	1½	23¼	11½	—	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units										
WW1842LFF5DM	Five Drawer with Recessed Door	\$ 1820	18	42	64½	—	—	—	212 lbs.	36.8
WW1836LFF5DM	Five Drawer with Recessed Door	1675	18	36	64½	—	—	—	187 lbs.	31.9
WW1830LFF5DM	Five Drawer with Recessed Door	1607	18	30	64½	—	—	—	162 lbs.	26.9
WW36CW2M	Counterweight	151	1½	23¼	11½	—	—	—	37 lbs.	0.1
• Counterweight must be used unless ganging multiple lateral file units										
<ul style="list-style-type: none"> <li>• Drawer fronts are picture framed</li> <li>• File drawers accommodate side-to-side letter/legal filing</li> <li>• Additional filing hardware may be purchased for front-to-back filing capability</li> <li>• See additional filing hardware on page 471 of Casegoods Book 2</li> <li>• Counterweight must be ordered separately; specify model only</li> <li>• Knockouts are standard to allow for ganging side-by-side</li> <li>• File cannot be moved loaded</li> <li>• Quick Delivery lateral files are available in Cinder (462) and Platinum Metallic (501) finishes</li> <li>• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available</li> <li>• Pulls must be field installed for freestanding lateral files</li> <li>• Reference WaveWorks Metals for detailed product information, finishes and entire WaveWorks Metal offering starting on page 423 of Casegoods Book 2</li> </ul>										

---

# TOSS ACCENT PILLOWS WEDGES AND CUSHIONS

TOSS ACCENT PILLOWS

TOSS ACCENT PILLOWS PRODUCT SPECIFICATIONS  
10 SERIES

CONSTRUCTION  
SQUARE AND RECTANGLE

- Polyester filled insert with non-woven ticking

BOLSTER


- Features high grade polyurethane foam with a polyester wrap

CLOSURE

- Nylon zipper

UPHOLSTERY DETAILS

- Contrasting fabric available on all models






FABRICS

Grade 1	American Graffiti Cali Plush Ridge Stardust	Grade 3	Boardwalk COL Jacks Pop Rocks	Grade 6	Essence/Ultraleather Flock Scribe
Grade 2	Bliss Brilliant COM Orbit Pixie Sedona Shenanigans Spectrum Strand Twilight	Grade 4	Bumble Connect Four Echo Silvertex	Grade 7	Brisa Brisa Distressed Promessa Silica
		Grade 5	Mode	Grade L7	Davenport
				Grade L8	Showcase

TOSS ACCENT PILLOWS

TO ORDER CONTRASTING FABRIC, SPECIFY:


- 1. Model Number plus "X"
- 2. Upholstery Fabric Grade Number/Cover Number
- 3. Accent Fabric Grade Number/Cover Number
- 4. Piping Fabric Grade Number/Cover Number




DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

BOLSTER



Standard Model



With Piping

MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H							
GRADE / LIST PRICE											
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PBL1806	18x6 Bolster	\$ 148	162	169	179	190	210	235	357	396	
ALLIANCE GRADE / LIST PRICE											
		A	B	C	D	E	F	G	H	I	J
\$	171	186	198	210	224	238	249	263	278	292	
		K	L	M	N	O	P	Q	R	S	T
\$	315	361	389	404	419	434	449	462	477	492	
GRADE / LIST PRICE											
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PBL1806P	18x6 Bolster with Piping	\$ 170	187	195	206	219	242	272	414	459	
ALLIANCE GRADE / LIST PRICE											
		A	B	C	D	E	F	G	H	I	J
\$	197	214	228	243	258	275	288	304	322	338	
		K	L	M	N	O	P	Q	R	S	T
\$	365	419	451	469	486	503	521	537	554	571	

DIMENSIONS

Weight 3.5  
Cubic Ft. 1.8

- Contrasting piping only available in National fabrics and leather
- Directional fabrics are applied random and may not match from pillow to pillow

## TO ORDER, SPECIFY:


1. Model Number
  2. Fabric Grade/Color
- See pages 461 for fabrics



## SAMPLE MODEL NUMBER:

N10PSQ1414 2 20020

## TO ORDER CONTRASTING FABRIC, SPECIFY:

1. Model Number plus "X"
2. Upholstery Fabric Grade Number/Cover Number
3. Back Fabric Grade Number/Cover Number
4. Accent Fabric Grade Number/Cover Number
5. Piping Fabric Grade Number/Cover Number



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET	
			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
	N10PSQ1414	14x14	\$ 111	126	132	143	154	174	199	323	363
	ALLIANCE GRADE / LIST PRICE										
		A	B	C	D	E	F	G	H	I	J
	\$	135	149	162	174	188	203	213	228	243	257
		K	L	M	N	O	P	Q	R	S	T
	\$	281	328	356	371	387	401	417	431	446	461
	GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PSQ1414B	14x14 Button	\$ 133	148	154	165	176	196	221	345	385	
ALLIANCE GRADE / LIST PRICE											
	A	B	C	D	E	F	G	H	I	J	
\$	157	171	184	196	210	225	235	250	265	279	
	K	L	M	N	O	P	Q	R	S	T	
\$	303	350	378	393	409	423	439	453	468	483	

## DIMENSIONS


Weight 3.5  
Cubic Ft. 1.8

- Contrasting button and piping only available in National fabrics and leather
- Directional fabrics are applied random and may not match from pillow to pillow

TOSS ACCENT PILLOWS

TO ORDER CONTRASTING FABRIC, SPECIFY:


- 1. Model Number plus "X"
- 2. Upholstery Fabric Grade Number/Cover Number
- 3. Back Fabric Grade Number/Cover Number
- 4. Accent Fabric Grade Number/Cover Number
- 5. Piping Fabric Grade Number/Cover Number



DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

MODEL NO./DESCRIPTION				LIST PRICE		DIMENSIONS			CARTONED WEIGHT		CUBIC FEET		
				D	W	H	A	KW					
SQUARE PILLOW (CONTINUED)				GRADE / LIST PRICE									
				1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PSQ1414P 14x14 Piping				\$ 153	170	178	189	202	225	255	397	442	
				ALLIANCE GRADE / LIST PRICE									
				A	B	C	D	E	F	G	H	I	J
\$				180	197	211	226	241	258	271	287	305	321
				K	L	M	N	O	P	Q	R	S	T
\$				348	402	434	452	469	486	504	520	537	554
				GRADE / LIST PRICE									
				1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PSQ1414BP 14x14 Button & Piping				\$ 165	182	190	201	214	237	267	409	454	
				ALLIANCE GRADE / LIST PRICE									
				A	B	C	D	E	F	G	H	I	J
\$				192	209	223	238	253	270	283	299	317	333
				K	L	M	N	O	P	Q	R	S	T
\$				360	414	446	464	481	498	516	532	549	566



Standard Model



With Button

DIMENSIONS

Weight 3.5  
Cubic Ft. 1.8

- Contrasting button and piping only available in National fabrics and leather
- Directional fabrics are applied random and may not match from pillow to pillow

## TO ORDER, SPECIFY:


1. Model Number
  2. Fabric Grade/Color
- See page 461 for fabrics

## SAMPLE MODEL NUMBER:


N10PRT1508 2 20020

## TO ORDER CONTRASTING FABRIC, SPECIFY:


1. Model Number plus "X"
2. Upholstery Fabric Grade Number/Cover Number
3. Back Fabric Grade Number/Cover Number
4. Accent Fabric Grade Number/Cover Number
5. Piping Fabric Grade Number/Cover Number



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>RECTANGLE PILLOW</b>		<b>GRADE / LIST PRICE</b>							
		1	2/COM	3/COL	4	5	6	7	L7 L8
N10PRT1508 15x8		\$ 122	132	136	143	150	163	180	261 287
		<b>ALLIANCE GRADE / LIST PRICE</b>							
		A	B	C	D	E	F	G	H I J
		\$ 138	147	155	164	172	182	189	199 209 218
		K	L	M	N	O	P	Q	R S T
		\$ 233	264	283	293	303	312	322	332 342 351
		<b>GRADE / LIST PRICE</b>							
		1	2/COM	3/COL	4	5	6	7	L7 L8
N10PRT1508L 15x8 Stripe Left		\$ 133	143	147	154	161	174	191	272 298
		<b>ALLIANCE GRADE / LIST PRICE</b>							
		A	B	C	D	E	F	G	H I J
		\$ 149	158	166	175	183	193	200	210 220 229
		K	L	M	N	O	P	Q	R S T
		\$ 244	275	294	304	314	323	333	343 353 362
<b>DIMENSIONS</b>									
Weight		3.0							
Cubic Ft.		1.8							
		<ul style="list-style-type: none"> <li>• Contrasting piping only available in National fabrics and leather</li> <li>• Right and left models are as seated</li> <li>• Directional fabrics are applied random and may not match from pillow to pillow</li> </ul>							



Standard Model



Stripe Center



Stripe Left Side with Piping (as seated)




Stripe Right Side with Piping (as seated)

TOSS ACCENT PILLOWS





TO ORDER CONTRASTING FABRIC, SPECIFY:

- 1. Model Number plus "X"
- 2. Upholstery Fabric Grade Number/Cover Number
- 3. Back Fabric Grade Number/Cover Number
- 4. Accent Fabric Grade Number/Cover Number
- 5. Piping Fabric Grade Number/Cover Number



DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
 Standard Model	GRADE / LIST PRICE											
		1	2/COM	3/COL	4	5	6	7	L7	L8		
	N10PRT1508R	15x8 Stripe Right	\$	133	143	147	154	161	174	191	272	298
	ALLIANCE GRADE / LIST PRICE											
		A	B	C	D	E	F	G	H	I	J	
	\$	149	158	166	175	183	193	200	210	220	229	
 Stripe Center		K	L	M	N	O	P	Q	R	S	T	
	\$	244	275	294	304	314	323	333	343	353	362	
	GRADE / LIST PRICE											
		1	2/COM	3/COL	4	5	6	7	L7	L8		
	N10PRT1508C	15x8 Stripe Center	\$	133	143	147	154	161	174	191	272	298
 Stripe Left Side with Piping (as seated)	ALLIANCE GRADE / LIST PRICE											
		A	B	C	D	E	F	G	H	I	J	
	\$	149	158	166	175	183	193	200	210	220	229	
		K	L	M	N	O	P	Q	R	S	T	
	\$	244	275	294	304	314	323	333	343	353	362	
 Stripe Right Side with Piping (as seated)	DIMENSIONS											
	Weight	3.0										
	Cubic Ft.	1.8										
	<ul style="list-style-type: none"><li>• Contrasting piping only available in National fabrics and leather</li><li>• Right and left models are as seated</li><li>• Directional fabrics are applied random and may not match from pillow to pillow</li></ul>											

TOSS ACCENT PILLOWS

## TO ORDER, SPECIFY:


1. Model Number
  2. Fabric Grade/Color
- See page 461 for fabrics

## SAMPLE MODEL NUMBER:


N10PRT1508P 2 20020

## TO ORDER CONTRASTING FABRIC, SPECIFY:


1. Model Number plus "X"
2. Upholstery Fabric Grade Number/Cover Number
3. Back Fabric Grade Number/Cover Number
4. Accent Fabric Grade Number/Cover Number
5. Piping Fabric Grade Number/Cover Number




MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
		GRADE / LIST PRICE									
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PRT1508P	15x8 Piping	\$ 143	155	161	169	178	195	216	317	350	
		ALLIANCE GRADE / LIST PRICE									
		A	B	C	D	E	F	G	H	I	J
\$		163	175	185	195	206	218	227	239	252	263
		K	L	M	N	O	P	Q	R	S	T
\$		282	321	344	357	369	381	394	405	418	430
		GRADE / LIST PRICE									
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PRT1508LP	15x8 Piping & Stripe Left	\$ 153	165	171	179	188	205	226	327	360	
		ALLIANCE GRADE / LIST PRICE									
		A	B	C	D	E	F	G	H	I	J
\$		173	185	195	205	216	228	237	249	262	273
		K	L	M	N	O	P	Q	R	S	T
\$		292	331	354	367	379	391	404	415	428	440
		DIMENSIONS									
Weight		3.0									
Cubic Ft.		1.8									
		<ul style="list-style-type: none"><li>• Contrasting piping only available in National fabrics and leather</li><li>• Right and left models are as seated</li><li>• Directional fabrics are applied random and may not match from pillow to pillow</li></ul>									




Standard Model




Stripe Center




Stripe Left Side with Piping (as seated)



Stripe Right Side with Piping (as seated)



Standard Model



Stripe Center



Stripe Left Side with Piping (as seated)







Stripe Right Side with Piping (as seated)

TOSS ACCENT PILLOWS

DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET		
		D	W	H						
<div>RECTANGLE PILLOW (CONTINUED)</div> <div></div> <div>Standard Model</div> <div></div> <div>Stripe Center</div> <div></div> <div>Stripe Left Side with Piping (as seated)</div> <div></div> <div>Stripe Right Side with Piping (as seated)</div>	GRADE / LIST PRICE									
	1	2/COM	3/COL	4	5	6	7	L7	L8	
	N10PRT1508RP 15x8 Piping & Stripe Right	\$ 153	165	171	179	188	205	226	327	360
	ALLIANCE GRADE / LIST PRICE									
	A	B	C	D	E	F	G	H	I	J
	\$ 173	185	195	205	216	228	237	249	262	273
	K	L	M	N	O	P	Q	R	S	T
	\$ 292	331	354	367	379	391	404	415	428	440
	GRADE / LIST PRICE									
	1	2/COM	3/COL	4	5	6	7	L7	L8	
	N10PRT1508CP 15x8 Piping & Stripe Center	\$ 153	165	171	179	188	205	226	327	360
	ALLIANCE GRADE / LIST PRICE									
	A	B	C	D	E	F	G	H	I	J
	\$ 173	185	195	205	216	228	237	249	262	273
	K	L	M	N	O	P	Q	R	S	T
	\$ 292	331	354	367	379	391	404	415	428	440
DIMENSIONS										
Weight	3.0									
Cubic Ft.	1.8									
<ul style="list-style-type: none"><li>• Contrasting piping only available in National fabrics and leather</li><li>• Right and left models are as seated</li><li>• Directional fabrics are applied random and may not match from pillow to pillow</li></ul>										



TO ORDER, SPECIFY:


- 1. Model Number
- 2. Fabric Grade/Color
- See page 461 for fabrics

SAMPLE MODEL NUMBER:

N10PRT1508RP 2 20020

TO ORDER CONTRASTING FABRIC, SPECIFY:

- 1. Model Number plus "X"
- 2. Upholstery Fabric Grade Number/Cover Number
- 3. Back Fabric Grade Number/Cover Number
- 4. Accent Fabric Grade Number/Cover Number
- 5. Piping Fabric Grade Number/Cover Number



## WEDGES AND CUSHIONS

---

### WEDGE AND CUSHIONS PRODUCT SPECIFICATIONS


#### CONSTRUCTION

##### WEDGE

- Features high grade polyurethane foam with a ½" structural base for stability
- Contrasting fabric available

##### CUSHIONS

- 1¾" high grade polyurethane foam covers a ¾" solid base panel
- Tufted models available and feature ¾" round buttons
- Features non-skid pad
- May be used on select occasional tables, casegoods, and storage to create impromptu seating




## FABRICS

Grade 1	American Graffiti Cali Plush Ridge Stardust	Grade 3	Boardwalk COL Jacks Pop Rocks	Grade 6	Essence/Ultraleather Flock Scribe
Grade 2	Bliss Brilliant COM Orbit Pixie Sedona Shenanigans Spectrum Strand Twilight	Grade 4	Bumble Connect Four Echo Silvertex	Grade 7	Brisa Brisa Distressed Promessa Silica
		Grade 5	Mode	Grade L7	Davenport
				Grade L8	Showcase

WEDGES AND CUSHIONS

TO ORDER CONTRASTING FABRIC, SPECIFY:


- 1. Model Number plus "X"
- 2. Upholstery Fabric Grade Number/Cover Number
- 3. Back Fabric Grade Number/Cover Number
- 4. Accent Fabric Grade Number/Cover Number



DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

WEDGE



MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
					D	W	H				
GRADE / LIST PRICE											
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PWD1816	18W Wedge	\$ 345	367	377	392	408	438	476	658	717	
ALLIANCE GRADE / LIST PRICE											
		A	B	C	D	E	F	G	H	I	J
\$		380	402	420	439	458	480	496	518	540	561
		K	L	M	N	O	P	Q	R	S	T
\$		595	665	707	729	752	773	796	817	839	861
GRADE / LIST PRICE											
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PWD2116	21W Wedge	\$ 372	398	411	429	449	485	532	755	826	
ALLIANCE GRADE / LIST PRICE											
		A	B	C	D	E	F	G	H	I	J
\$		415	441	463	486	511	537	557	583	611	636
		K	L	M	N	O	P	Q	R	S	T
\$		678	763	814	842	869	896	923	948	976	1002
GRADE / LIST PRICE											
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N10PWD2416	24W Wedge	\$ 398	427	440	460	482	522	572	816	894	
ALLIANCE GRADE / LIST PRICE											
		A	B	C	D	E	F	G	H	I	J
\$		445	474	498	523	549	578	600	628	658	686
		K	L	M	N	O	P	Q	R	S	T
\$		732	824	880	910	940	969	999	1027	1057	1086
DIMENSIONS											
N10PWD1816		N10PWD2116			N10PWD2416						
Weight	6.5	Weight	7.0		Weight	7.5					
Cubic Ft.	4.3	Cubic Ft.	4.3		Cubic Ft.	4.3					


**TO ORDER, SPECIFY:**

1. Model Number
  2. Fabric Grade/Color
- See page 471 for fabrics


**SAMPLE MODEL NUMBER:**

NAC3636CUSH 2 20020

**CUSHION FOR BOX/FILE HEIGHT STORAGE**



20", 24", 27", 30", 36",  
40" and 48"



52", 60" and 72"



Round

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC3636CUSH	\$ 592	630	648	675	704	757	824	1149 1253
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	654	693	725	758	794	832	861	899 939 976
	K	L	M	N	O	P	Q	R S T
\$	1037	1160	1235	1275	1315	1354	1394	1430 1470 1509
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC36CUSH	\$ 567	601	616	640	665	711	770	1054 1145
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	622	655	683	713	743	777	802	836 871 903
	K	L	M	N	O	P	Q	R S T
\$	956	1064	1130	1165	1200	1233	1268	1301 1336 1369
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2828CUSH	\$ 541	572	587	609	632	675	730	993 1078
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	592	623	649	676	705	736	759	791 823 853
	K	L	M	N	O	P	Q	R S T
\$	902	1003	1064	1096	1129	1160	1192	1222 1255 1286

**DIMENSIONS**

**NAC3636CUSH**

Depth 36  
Width 36  
Weight 30  
Cubic Ft. 3.3

**NAC36CUSH**

Depth 36  
Width 36  
Weight 24  
Cubic Ft. 3.3

**NAC2828CUSH**

Depth 28  
Width 28  
Weight 17  
Cubic Ft. 3.3


- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

## WEDGES AND CUSHIONS


### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

### CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",  
40" and 48"



52", 60" and 72"



Round

MODEL NO./DESCRIPTION				LIST	DIMENSIONS						
				PRICE	D	W	H				
GRADE / LIST PRICE											
		1	2/COM	3/COL	4	5	6	7	L7	L8	
NAC2727CUSH	\$	515	544	557	577	599	639	689	933	1011	
ALLIANCE GRADE / LIST PRICE											
	A	B	C	D	E	F	G	H	I	J	
\$	562	591	615	640	666	695	717	745	775	803	
	K	L	M	N	O	P	Q	R	S	T	
\$	849	941	997	1027	1057	1086	1116	1144	1174	1203	
GRADE / LIST PRICE											
		1	2/COM	3/COL	4	5	6	7	L7	L8	
NAC2552CUSH	\$	639	682	702	733	765	824	900	1265	1382	
ALLIANCE GRADE / LIST PRICE											
	A	B	C	D	E	F	G	H	I	J	
\$	709	752	788	826	866	909	941	985	1030	1071	
	K	L	M	N	O	P	Q	R	S	T	
\$	1139	1278	1363	1408	1453	1496	1541	1582	1627	1670	
GRADE / LIST PRICE											
		1	2/COM	3/COL	4	5	6	7	L7	L8	
NAC2472CUSH	\$	757	807	831	866	904	973	1062	1488	1624	
ALLIANCE GRADE / LIST PRICE											
	A	B	C	D	E	F	G	H	I	J	
\$	839	889	931	975	1022	1072	1110	1160	1213	1261	
	K	L	M	N	O	P	Q	R	S	T	
\$	1341	1503	1601	1654	1706	1757	1809	1857	1910	1960	

### DIMENSIONS

#### NAC2727CUSH

Depth	26½
Width	26½
Weight	16
Cubic Ft.	3.3

#### NAC2552CUSH

Depth	25
Width	52
Weight	30
Cubic Ft.	3.8

#### NAC2472CUSH

Depth	24
Width	72
Weight	35
Cubic Ft.	3.8

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material


**TO ORDER, SPECIFY:**

1. Model Number
  2. Fabric Grade/Color
- See page 471 for fabrics


**SAMPLE MODEL NUMBER:**

NAC2460CUSH 2 20020

**CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)**



20", 24", 27", 30", 36",  
40" and 48"



52", 60" and 72"



Round

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7
	L8							
NAC2460CUSH	\$ 660	710	734	769	807	876	965	1391
	1527							
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H
	I	J						
\$	742	792	834	878	925	975	1013	1063
	1116	1164						
	K	L	M	N	O	P	Q	R
	S	T						
\$	1244	1406	1504	1557	1609	1660	1712	1760
	1813	1863						
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7
	L8							
NAC2448CUSH	\$ 526	555	568	588	610	650	700	944
	1022							
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H
	I	J						
\$	573	602	626	651	677	706	728	756
	786	814						
	K	L	M	N	O	P	Q	R
	S	T						
\$	860	952	1008	1038	1068	1097	1127	1155
	1185	1214						
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7
	L8							
NAC2440CUSH	\$ 494	523	536	556	578	618	668	912
	990							
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H
	I	J						
\$	541	570	594	619	645	674	696	724
	754	782						
	K	L	M	N	O	P	Q	R
	S	T						
\$	828	920	976	1006	1036	1065	1095	1123
	1153	1182						

**DIMENSIONS**

**NAC2460CUSH**

Depth 24  
Width 60  
Weight 31  
Cubic Ft. 3.8

**NAC2448CUSH**

Depth 24  
Width 48  
Weight 24  
Cubic Ft. 2.6

**NAC2440CUSH**

Depth 24  
Width 40  
Weight 21  
Cubic Ft. 2.6


- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

## WEDGES AND CUSHIONS


### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width


### CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",  
40" and 48"



52", 60" and 72"



Round

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2436CUSH	\$ 288	317	330	350	372	412	462	706 784
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	335	364	388	413	439	468	490	518 548 576
	K	L	M	N	O	P	Q	R S T
\$	622	714	770	800	830	859	889	917 947 976
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2430CUSH	\$ 271	300	313	333	355	395	445	689 767
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	318	347	371	396	422	451	473	501 531 559
	K	L	M	N	O	P	Q	R S T
\$	605	697	753	783	813	842	872	900 930 959
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2424CUSH	\$ 254	273	282	296	310	336	370	532 584
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	285	304	320	337	355	374	388	408 428 446
	K	L	M	N	O	P	Q	R S T
\$	476	538	576	596	616	635	655	673 693 712

### DIMENSIONS

#### NAC2436CUSH

Depth	24
Width	36
Weight	18
Cubic Ft.	2.0

#### NAC2430CUSH

Depth	24
Width	30
Weight	15
Cubic Ft.	2.0

#### NAC2424CUSH

Depth	24
Width	24
Weight	12
Cubic Ft.	2.0

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material




**TO ORDER, SPECIFY:**

1. Model Number
  2. Fabric Grade/Color
- See page 471 for fabrics


**SAMPLE MODEL NUMBER:**

NAC24CUSH 2 20020

**CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)**



20", 24", 27", 30", 36",  
40" and 48"



52", 60" and 72"



Round

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC24CUSH	\$ 397	421	432	449	467	500	542	745 810
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	436	460	480	501	523	547	565	589 614 637
	K	L	M	N	O	P	Q	R S T
\$	675	752	799	824	849	873	898	921 946 970
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2024CUSH	\$ 268	287	296	310	324	350	384	546 598
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	299	318	334	351	369	388	402	422 442 460
	K	L	M	N	O	P	Q	R S T
\$	490	552	590	610	630	649	669	687 707 726
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC1872CUSH	\$ 622	663	682	710	741	797	869	1214 1324
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	688	729	763	799	836	877	908	948 991 1030
	K	L	M	N	O	P	Q	R S T
\$	1095	1226	1305	1348	1390	1431	1474	1513 1555 1596

**DIMENSIONS**

**NAC24RDCUSH**

Depth 24  
Width 24  
Weight 10  
Cubic Ft. 2.0

**NAC2024CUSH**

Depth 20  
Width 24  
Weight 11  
Cubic Ft. 2.0

**NAC1872CUSH**

Depth 18  
Width 72  
Weight 29  
Cubic Ft. 3.8


- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

## WEDGES AND CUSHIONS


### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

### CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",  
40" and 48"



52", 60" and 72"



Round

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC1860CUSH	\$ 543	581	599	626	655	708	775	1100 1204
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	605	644	676	709	745	783	812	850 890 927
	K	L	M	N	O	P	Q	R S T
\$	988	1111	1186	1226	1266	1305	1345	1381 1421 1460
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC1848CUSH	\$ 433	457	468	485	503	536	578	781 846
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	472	496	516	537	559	583	601	625 650 673
	K	L	M	N	O	P	Q	R S T
\$	711	788	835	860	885	909	934	957 982 1006
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC1840CUSH	\$ 402	424	434	449	465	495	533	715 774
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	437	459	477	496	515	537	553	575 597 618
	K	L	M	N	O	P	Q	R S T
\$	652	722	764	786	809	830	853	874 896 918

### DIMENSIONS

#### NAC1860CUSH

Depth	18
Width	60
Weight	25
Cubic Ft.	3.8

#### NAC1848CUSH

Depth	18
Width	48
Weight	20
Cubic Ft.	2.6

#### NAC1840CUSH

Depth	18
Width	40
Weight	16
Cubic Ft.	2.6

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material


**TO ORDER, SPECIFY:**

1. Model Number
  2. Fabric Grade/Color
- See page 471 for fabrics


**SAMPLE MODEL NUMBER:**

NAC1836CUSH 2 20020

**CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)**



20", 24", 27", 30", 36",  
40" and 48"



52", 60" and 72"



Round

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC1836CUSH	\$ 288	314	327	345	365	401	448	671 742
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	331	357	379	402	427	453	473	499 527 552
	K	L	M	N	O	P	Q	R S T
\$	594	679	730	758	785	812	839	864 892 918
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC1830CUSH	\$ 271	293	303	318	334	364	402	584 643
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	306	328	346	365	384	406	422	444 466 487
	K	L	M	N	O	P	Q	R S T
\$	521	591	633	655	678	699	722	743 765 787
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC1824CUSH	\$ 254	271	279	290	303	326	356	498 543
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	281	298	312	327	342	359	372	388 406 422
	K	L	M	N	O	P	Q	R S T
\$	449	503	535	553	570	587	605	621 638 655

**DIMENSIONS**

**NAC1836CUSH**

Depth 18  
Width 36  
Weight 15  
Cubic Ft. 1.9

**NAC1830CUSH**

Depth 18  
Width 30  
Weight 12.5  
Cubic Ft. 1.9

**NAC1824CUSH**

Depth 18  
Width 24  
Weight 10  
Cubic Ft. 1.9


- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

WEDGES AND CUSHIONS


DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36", 40" and 48"



52", 60" and 72"



Round

MODEL NO./DESCRIPTION	LIST PRICE			DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H							
GRADE / LIST PRICE										
	1	2/COM	3/COL	4	5	6	7	L7	L8	
NAC1820CUSH	\$ 247	261	268	278	289	309	334	456	495	
ALLIANCE GRADE / LIST PRICE										
	A	B	C	D	E	F	G	H	I	J
\$	270	285	297	309	323	337	348	362	377	391
	K	L	M	N	O	P	Q	R	S	T
\$	414	460	488	503	518	533	548	561	576	591

**DIMENSIONS**  
**NAC1820DCUSH**  
Depth 18  
Width 20  
Weight 9  
Cubic Ft. 1.2

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material


**TO ORDER, SPECIFY:**

1. Model Number
  2. Fabric Grade/Color
- See page 471 for fabrics


**SAMPLE MODEL NUMBER:**

NAC3636CUSHT 2 20020

**TUFTED CUSHION FOR  
BOX/FILE HEIGHT STORAGE**



20", 24", 27", 30", 36",  
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC3636CUSHT	\$ 886	924	942	969	998	1051	1118	1443 1547
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	948	987	1019	1052	1088	1126	1155	1193 1233 1270
	K	L	M	N	O	P	Q	R S T
\$	1331	1454	1529	1569	1609	1648	1688	1724 1764 1803
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC36CUSHT	\$ 850	884	899	923	948	994	1053	1337 1428
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	905	938	966	996	1026	1060	1085	1119 1154 1186
	K	L	M	N	O	P	Q	R S T
\$	1239	1347	1413	1448	1483	1516	1551	1584 1619 1652
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2828CUSHT	\$ 814	845	860	882	905	948	1003	1266 1351
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	865	896	922	949	978	1009	1032	1064 1096 1126
	K	L	M	N	O	P	Q	R S T
\$	1175	1276	1337	1369	1402	1433	1465	1495 1528 1559

**DIMENSIONS**

**NAC3636CUSHT**

Depth 36  
Width 36  
Weight xx  
Cubic Ft. xx

**NAC36CUSHT**

Depth 36  
Width 36  
Weight xx  
Cubic Ft. xx

**NAC2828CUSHT**

Depth 28  
Width 28  
Weight xx  
Cubic Ft. xx


- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

## WEDGES AND CUSHIONS


### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

### TUFTED CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",  
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2727CUSHT	\$ 783	812	825	845	867	907	957	1201 1279
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	830	859	883	908	934	963	985	1013 1043 1071
	K	L	M	N	O	P	Q	R S T
\$	1117	1209	1265	1295	1325	1354	1384	1412 1442 1471
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2552CUSHT	\$ 979	1022	1042	1073	1105	1164	1240	1605 1722
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	1049	1092	1128	1166	1206	1249	1281	1325 1370 1411
	K	L	M	N	O	P	Q	R S T
\$	1479	1618	1703	1748	1793	1836	1881	1922 1967 2010
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2472CUSHT	\$ 1009	1059	1083	1118	1156	1225	1314	1740 1876
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	1091	1141	1183	1227	1274	1324	1362	1412 1465 1513
	K	L	M	N	O	P	Q	R S T
\$	1593	1755	1853	1906	1958	2009	2061	2109 2162 2212

### DIMENSIONS

#### NAC2727CUSHT

Depth	26½
Width	26½
Weight	16
Cubic Ft.	3.3

#### NAC2552CUSHT

Depth	25
Width	52
Weight	30
Cubic Ft.	3.8

#### NAC2472CUSHT

Depth	24
Width	72
Weight	35
Cubic Ft.	3.8

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material


**TO ORDER, SPECIFY:**

1. Model Number
  2. Fabric Grade/Color
- See page 471 for fabrics


**SAMPLE MODEL NUMBER:**

NAC2460CUSHT 2 20020

**TUFTED CUSHION FOR  
BOX/FILE HEIGHT STORAGE  
(CONTINUED)**



20", 24", 27", 30", 36",  
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

MODEL NO./DESCRIPTION	LIST PRICE		DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H						

GRADE / LIST PRICE									
	1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2460CUSHT	\$ 901	951	975	1010	1048	1117	1206	1632	1768

ALLIANCE GRADE / LIST PRICE										
	A	B	C	D	E	F	G	H	I	J
\$	983	1033	1075	1119	1166	1216	1254	1304	1357	1405
	K	L	M	N	O	P	Q	R	S	T
\$	1485	1647	1745	1798	1850	1901	1953	2001	2054	2104

GRADE / LIST PRICE									
	1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2448CUSHT	\$ 789	818	831	851	873	913	963	1207	1285

ALLIANCE GRADE / LIST PRICE										
	A	B	C	D	E	F	G	H	I	J
\$	836	865	889	914	940	969	991	1019	1049	1077
	K	L	M	N	O	P	Q	R	S	T
\$	1123	1215	1271	1301	1331	1360	1390	1418	1448	1477

GRADE / LIST PRICE									
	1	2/COM	3/COL	4	5	6	7	L7	L8
NAC2440CUSHT	\$ 742	771	784	804	826	866	916	1160	1238

ALLIANCE GRADE / LIST PRICE										
	A	B	C	D	E	F	G	H	I	J
\$	789	818	842	867	893	922	944	972	1002	1030
	K	L	M	N	O	P	Q	R	S	T
\$	1076	1168	1224	1254	1284	1313	1343	1371	1401	1430

**DIMENSIONS**

**NAC2460CUSHT**

Depth 24  
Width 60  
Weight 31  
Cubic Ft. 3.8

**NAC2448CUSHT**

Depth 24  
Width 48  
Weight 24  
Cubic Ft. 2.6

**NAC2440CUSHT**

Depth 24  
Width 40  
Weight 21  
Cubic Ft. 2.6


- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

## WEDGES AND CUSHIONS


### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

### TUFTED CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",  
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2436CUSHT	\$ 453	482	495	515	537	577	627	871 949
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	500	529	553	578	604	633	655	683 713 741
	K	L	M	N	O	P	Q	R S T
\$	787	879	935	965	995	1024	1054	1082 1112 1141
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2430CUSHT	\$ 433	462	475	495	517	557	607	851 929
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	480	509	533	558	584	613	635	663 693 721
	K	L	M	N	O	P	Q	R S T
\$	767	859	915	945	975	1004	1034	1062 1092 1121
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2424CUSHT	\$ 417	436	445	459	473	499	533	695 747
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	448	467	483	500	518	537	551	571 591 609
	K	L	M	N	O	P	Q	R S T
\$	639	701	739	759	779	798	818	836 856 875

### DIMENSIONS

#### NAC2436CUSHT

Depth	24
Width	36
Weight	18
Cubic Ft.	2.0

#### NAC2430CUSHT

Depth	24
Width	30
Weight	15
Cubic Ft.	2.0

#### NAC2424CUSHT

Depth	24
Width	24
Weight	12
Cubic Ft.	2.0

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material




**TO ORDER, SPECIFY:**

1. Model Number
  2. Fabric Grade/Color
- See page 471 for fabrics


**SAMPLE MODEL NUMBER:**

NAC24CUSHT 2 20020

**TUFTED CUSHION FOR  
BOX/FILE HEIGHT STORAGE  
(CONTINUED)**



20", 24", 27", 30", 36",  
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC24CUSHT	\$ 592	616	627	644	662	695	737	940 1005
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	631	655	675	696	718	742	760	784 809 832
	K	L	M	N	O	P	Q	R S T
\$	870	947	994	1019	1044	1068	1093	1116 1141 1165
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC2024CUSHT	\$ 402	421	430	444	458	484	518	680 732
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	433	452	468	485	503	522	536	556 576 594
	K	L	M	N	O	P	Q	R S T
\$	624	686	724	744	764	783	803	821 841 860
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC1872CUSHT	\$ 927	968	987	1015	1046	1102	1174	1519 1629
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	993	1034	1068	1104	1141	1182	1213	1253 1296 1335
	K	L	M	N	O	P	Q	R S T
\$	1400	1531	1610	1653	1695	1736	1779	1818 1860 1901

**DIMENSIONS**

**NAC24RDCUSHT**

Depth 24  
Width 24  
Weight 10  
Cubic Ft. 2.0

**NAC2024CUSHT**

Depth 20  
Width 24  
Weight 11  
Cubic Ft. 2.0

**NAC1872CUSHT**

Depth 18  
Width 72  
Weight 29  
Cubic Ft. 3.8


- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

## WEDGES AND CUSHIONS


### DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

### TUFTED CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",  
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC1860CUSHT	\$ 798	836	854	881	910	963	1030	1355 1459
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	860	899	931	964	1000	1038	1067	1105 1145 1182
	K	L	M	N	O	P	Q	R S T
\$	1243	1366	1441	1481	1521	1560	1600	1636 1676 1715
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC1848CUSHT	\$ 670	694	705	722	740	773	815	1018 1083
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	709	733	753	774	796	820	838	862 887 910
	K	L	M	N	O	P	Q	R S T
\$	948	1025	1072	1097	1122	1146	1171	1194 1219 1243
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7 L8
NAC1840CUSHT	\$ 608	630	640	655	671	701	739	921 980
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H I J
\$	643	665	683	702	721	743	759	781 803 824
	K	L	M	N	O	P	Q	R S T
\$	858	928	970	992	1015	1036	1059	1080 1102 1124

### DIMENSIONS

#### NAC1860CUSHT

Depth	18
Width	60
Weight	25
Cubic Ft.	3.8

#### NAC1848CUSHT

Depth	18
Width	48
Weight	20
Cubic Ft.	2.6

#### NAC1840CUSHT

Depth	18
Width	40
Weight	16
Cubic Ft.	2.6

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material


**TO ORDER, SPECIFY:**

1. Model Number
  2. Fabric Grade/Color
- See page 471 for fabrics


**SAMPLE MODEL NUMBER:**

NAC1836CUSHT 2 20020

**TUFTED CUSHION FOR  
BOX/FILE HEIGHT STORAGE  
(CONTINUED)**



20", 24", 27", 30", 36",  
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7
	L8							
NAC1836CUSHT	\$ 453	479	492	510	530	566	613	836
								907
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H
	I	J						
\$	496	522	544	567	592	618	638	664
								692
								717
	K	L	M	N	O	P	Q	R
	S	T						
\$	759	844	895	923	950	977	1004	1029
								1057
								1083
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7
	L8							
NAC1830CUSHT	\$ 433	455	465	480	496	526	564	746
								805
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H
	I	J						
\$	468	490	508	527	546	568	584	606
								628
								649
	K	L	M	N	O	P	Q	R
	S	T						
\$	683	753	795	817	840	861	884	905
								927
								949
<b>GRADE / LIST PRICE</b>								
	1	2/COM	3/COL	4	5	6	7	L7
	L8							
NAC1824CUSHT	\$ 417	434	442	453	466	489	519	661
								706
<b>ALLIANCE GRADE / LIST PRICE</b>								
	A	B	C	D	E	F	G	H
	I	J						
\$	444	461	475	490	505	522	535	551
								569
								585
	K	L	M	N	O	P	Q	R
	S	T						
\$	612	666	698	716	733	750	768	784
								801
								818

**DIMENSIONS**

**NAC1836CUSHT**

Depth 18  
Width 36  
Weight 15  
Cubic Ft. 1.9

**NAC1830CUSHT**

Depth 18  
Width 30  
Weight 12.5  
Cubic Ft. 1.9

**NAC1824CUSHT**

Depth 18  
Width 24  
Weight 10  
Cubic Ft. 1.9

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

## WEDGES AND CUSHIONS

### TO ORDER, SPECIFY:

1. Model Number
  2. Fabric Grade/Color
- See page 471 for fabrics


### SAMPLE MODEL NUMBER:

NAC1820CUSHT 2 20020


### DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

### TUFTED CUSHION FOR BOX/FILE HEIGHT STORAGE (CONTINUED)



20", 24", 27", 30", 36",  
40" and 48" Tufted



52", 60" and 72" Tufted



24" Round Tufted



36" Round Tufted

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
				D	W	H				
GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8
NAC1820CUSHT	\$	381	395	402	412	423	443	468	590	629

### ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
\$	404	419	431	443	457	471	482	496	511	525
	K	L	M	N	O	P	Q	R	S	T
\$	548	594	622	637	652	667	682	695	710	725

### DIMENSIONS

#### NAC1820DCUSHT

Depth 18  
Width 20  
Weight 9  
Cubic Ft. 1.2

- May be used on select occasional tables, casegoods, and storage to create impromptu seating
- Refer to pages 13-20 and [www.NationalOfficeFurniture.com/Alliance](http://www.NationalOfficeFurniture.com/Alliance) for available upholstery selections
- Specify upholstery grade and color
- Cushions feature an anti-skid back
- 20% recycled content when using a 100% recycled upholstery material

---

# ACCESSORIES

## ACCESSORIES

### Use this matrix to determine applicable accessories per model

A	NAC2124CDW	Wood Center Drawer	K	NAC1706KK3	Basic Adjustable Keyboard Kit
B	NACC1824CDW	Wood Center Drawer	L	NACMA1GMB	Flexible Single Monitor Arm
C	NAC2421CDL	Laminate Center Drawer	M	NACMA1GMS	Flexible Single Monitor Arm
D	NAC0613ST	Box Drawer Convenience Tray	N	NAC1406KK4	Keyboard Kit
E	NAC1211DO	Deluxe Organizer	O	NAC1322SL1	Metal Corner Sleeve
F	NAC1624CT	Black Carousel Tray	P	NAC1322SL2	Metal Corner Sleeve
G	NAC1922CD	Plastic Center Drawer	Q	NAC1222SL	Metal Corner Sleeve
H	NAC1706KK1	Intuitive Adjustable Keyboard Kit	R	NAC1424KT	Keyboard Tray
I	NAC2208KK1	Intuitive Adjustable Keyboard Kit	S	NAC1924KTM	Keyboard Tray/Mouse Pad
J	NAC1706KK2	Ergonomic Adjustable Keyboard Kit	T	NAC2319KKS1	Sit-to-Stand Adjustable Keyboard Kit

\*Not applicable for Tambour Modesty models

- Hinged Modesty models cannot use center drawer or keyboard kits

	ARROWOOD	BARRINGTON	CAPTIVATE	CASBAH	CLEVER	
<b>DOUBLE PEDESTAL DESKS</b>						
36" x 72"	ABC,DEFG,H,I,J,K,L,M,R,S,T	DE,L,M	ABC,DEFG,H,I,J,K,L,M,R,S,T	E,H,I,J,K,L,M,T	DE,L,M	
30" x 66"	ABC,DEFG,L,M,R,S	DE,L,M	ABC,DEFG,L,M,R,S	E,H,I,J,K,L,M,T	DE,L,M	
30" x 60"						
<b>SINGLE PEDESTAL DESKS</b>						
36" x 72"	ABC,DEFG,H,I,J,K,L,M,P,R,S,T	DE,L,M,O	ABC,DEFG,H,I,J,K,L,M,R,S,T	E,H,I,J,K,L,M,T	DE,L,M,O	
30" x 66"	DE,L,M,P	DE,L,M,O	E,L,M	E,L,M		
<b>U-UNITS AND P-UNITS</b>						
without modesty panel	H,I,J,K,L,M,P,T			L,M	H,I,L,M,O	
with modesty panel	L,M,P			L,M	L,M,O	
<b>RECEPTION DESK</b>		ABC,D,F,G,L,M,O,R,S	ABC,D,F,G,H,I,J,K,L,M,R,S,T	H,I,J,K,L,M,T	D,L,M,O	
<b>RECEPTION RETURN</b>			ABC,F,G,L,M,R,S	L,M	L,M,O	
<b>RETURNS</b>						
File/File 24" x 50", 25" x 53"	ABC,F,G,L,M,P,R,S	ABC,F,G,L,M,O,R,S	ABC,F,G,L,M,R,S			
File/File 24" x 48", 25" x 45"			B,C,F,G,L,M,R,S	H*,J*,K*,L,M,T		
File/File 24" x 42"	ABC,F,G,L,M,P,R,S				L,M,O	
Box/Box/File 24" x 50", 25" x 53"	ABC,DEFG,L,M,P,R,S		ABC,DEFG,L,M,R,S			
Box/Box/File 24" x 48"				E,H*,J*,K*,L,M,T		
Box/Box/File 24" x 42", 25" x 45"	ABC,DEFG,L,M,P,R,S		B,C,DEFG,L,M		DE,L,M,O	
Multi-File 24" x 72", 24" x 60"	ABC,DEFG,L,M,P,R,S		DE,L,M	E,L,M	E,L,M,O	
Lateral File 24" x 60"			L,M	L,M		
<b>CORNER UNITS</b>						
36" x 36"	L,M	L,M	L,M	L,M		
42" x 42"						
<b>BRIDGES</b>						
24" x 48"	ABC,F,G,L,M,P,R,S	ABC,F,G,L,M,O,R,S	L,M	H*,J*,K*,L,M,T	N	
24" x 42"	ABC,F,G,L,M,P,R,S	ABC,F,G,L,M,O,R,S	L,M	H*,J*,K*,L,M,T	N	
<b>CREDENZAS</b>						
File/File 72"		ABC,F,G,L,M,O,R,S		H*,J*,K*,L,M,T		
File/File 66"				L,M		
File/File 60"						
Lateral File 72"		L,M,O		L,M		
Lateral File 66"						
Kneespace 72"		ABC,F,G,L,M,R,S	ABC,F,G,L,M,R,S	H*,J*,K*,L,M,T	N	
Kneespace 66"			ABC,F,G,L,M,R,S	H*,J*,K*,L,M,T	N	
<b>SHELL BASED DESK</b>						
<b>SHELL BASED RETURN, BRIDGE, CREDENZA</b>						

	ESCALADE	FLOURISH	RENEGADE	ROOSEVELT
	ABC,DEFGH,I,J,K,L,M,R,S,T	ABC,DEFGH,I,J,K,L,M,R,S,T	C,E,F,G,L,M,R,S	D,E,L,M
	ABC,DEFG,L,M,R,S	D,E,L,M	C,DEFG,L,M,R,S	D,E,L,M
			D,E,L,M	
	AB,C,E,F,G,H,I,J,K,L,M,Q,R,S,T	AB,C,E,F,G,H,I,J,K,L,M,Q,R,S,T	C,E,F,G,L,M,P,R,S	D,E,L,M,O
	D,E,L,M,Q	ABC,DEFG,L,M,O,R,S	C,DEFG,L,M,P,R,S	D,E,L,M,O
	ABC,F,G,H,I,J,K,L,M,Q,R,S,T	ABC,F,G,H,I,J,K,L,M,O,R,S,T	C,F,G,H,I,J,K,L,M,P,R,S,T	
	L,M,Q	L,M,O	L,M,P	
	ABC,F,G,H,I,J,K,L,M,Q,R,S,T			ABC,D,F,G,L,M,O,R,S
	ABC,F,G,L,M,Q,R,S			
			C,D,F,G,L,M,P,R,S	ABC,F,G,L,M,O,R,S
	ABC,F,G,L,M,Q,R,S	ABC,F,G,L,M,O,R,S	C,D,F,G,L,M,P,R,S	
	L,M,Q		C,D,F,G,L,M,P,R,S	
	ABC,D,EFG,L,M,Q,R,S			
	D,E,L,M,Q			
	AB,C,E,F,G,L,M,Q,R,S			
			L,M	L,M
			H,I,J,K,L,M,T	
	F,G,L,M,Q	ABC,D,F,G,L,M,O,R,S	C,F,G,H,I,J,K,L,M,P,R,S,T	ABC,F,G,L,M,O,R,S
	F,G,L,M,Q	ABC,F,G,L,M,O,R,S	C,F,G,H,I,J,K,L,M,P,R,S,T	ABC,F,G,L,M,O,R,S
	B,C,F,G,L,M,O		C,F,G,L,M,P,R,S	ABC,F,G,L,M,O,R,S
	L,M,O		C,F,G,L,M,P,R,S	
			L,M,P	
	L,M,O			L,M,O
	L,M,O			
	B,C,F,G,L,M	ABC,F,G,L,M,R,S	C,F,G,L,M,R,S	ABC,F,G,L,M,R,S
	B,C,F,G,L,M	ABC,F,G,L,M,R,S	C,F,G,L,M,R,S	

## ACCESSORIES

### PRODUCT SPECIFICATION

- See pages 490-491 for the application matrix for these accessories

### DIMENSION KEY







D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

### SAMPLE MODEL NUMBERS:

NAC2421CDL	405
NAC1824CDW	MC
NAC0613ST	

To You In  
**10**  
DAYS  
...or Less





Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
<b>WOOD CENTER DRAWER</b> 	QNAC2124CDW Wood	\$ 234	21	24	2 $\frac{3}{4}$	—	—		9 lbs.	1.1
	NAC2124CDW Wood	234	21	24	2 $\frac{3}{4}$	—	—		9 lbs.	1.1
	QNAC1824CDW Wood	155	18	24	2 $\frac{3}{4}$	—	—		9 lbs.	1.1
	NAC1824CDW Wood	155	18	24	2 $\frac{3}{4}$	—	—		9 lbs.	1.1
	<ul style="list-style-type: none"> <li>• Drawer extends 10" from worksurface and measures 2<math>\frac{3}{4}</math>" from bottom of the worksurface to the bottom of the drawer</li> <li>• Drawer features a pencil divider, drawer stops and hardware</li> <li>• NAC2124CDW features an upgraded suspension</li> <li>• Center drawers are solid ash</li> </ul>									
<b>LAMINATE CENTER DRAWER</b> 	QNAC2421CDL Laminate	\$ 134	20	24	2 $\frac{3}{4}$	—	—		12 lbs.	1.0
	NAC2421CDL Laminate	134	20	24	2 $\frac{3}{4}$	—	—		12 lbs.	1.0
<b>KEYBOARD TRAY</b> 	NAC1424KT Black Metal	\$ 165	14	25 $\frac{1}{2}$	1 $\frac{1}{4}$	—	—		10 lbs.	1.3
	<ul style="list-style-type: none"> <li>• Keyboard height can range from 2<math>\frac{1}{2}</math>" to 3<math>\frac{1}{2}</math>" in <math>\frac{1}{2}</math>" increments</li> <li>• Tray is 24" wide</li> </ul>									
<b>KEYBOARD TRAY/MOUSE PAD</b> 	NAC1924KTM Black Metal	\$ 359	19	25 $\frac{1}{2}$	2 $\frac{3}{4}$	—	—		20 lbs.	1.3
	<ul style="list-style-type: none"> <li>• Keyboard height can range from 2<math>\frac{1}{4}</math>" to 3<math>\frac{1}{4}</math>" in <math>\frac{1}{2}</math>" increments</li> <li>• Unit features adjustable palm rest and sliding mouse pad</li> <li>• Mouse pad will extend 9" on each side (right or left) of bar keyboard and accommodates an 8<math>\frac{1}{2}</math>" x 10" or smaller mouse pad</li> <li>• Tray is 24" wide</li> </ul>									
<b>BOX DRAWER CONVENIENCE TRAY</b> 	NAC0613ST Black Plastic	\$ 25	5 $\frac{1}{2}$	12 $\frac{1}{2}$	$\frac{1}{2}$	—	—		1 lbs.	0.1
	<ul style="list-style-type: none"> <li>• Applicable for use on letter width drawers</li> <li>• Convenience tray rests on box drawer edge</li> <li>• For use on 15" pedestals</li> </ul>									
<b>BLACK CAROUSEL TRAY</b> 	NAC1624CT Black Plastic	\$ 123	16	23 $\frac{3}{4}$	1 $\frac{1}{4}$	—	—		4 lbs.	0.7
	<ul style="list-style-type: none"> <li>• Rotates outward from either side to gain access to tray and can be pushed or pulled open</li> <li>• Features a self-centering mechanism which acts as a stop and maintains proper alignment with the worksurface front edge</li> </ul>									



Specify selections, left to right:

BASE MODEL	FINISH (wood only)	LAMINATE (laminate only)				
	AC Autumn	AC2 Autumn 2	PT Portico	461 Graphite		
	AD Almond	AD Almond	PTH Portico Horizontal	462 Cinder		
	CL Caramel	ADH Almond Horizontal	SK Skyline	478 Platinum Grey		
	CW Cordovan	CL Caramel	SKH Skyline Horizontal	488 Frosty White		
	DW Judicial	CW Cordovan	SM Sonoma	491 Designer White Linear		
	IM Brighton	DW Judicial	SMH Sonoma Horizontal	491H Designer White Linear Horizontal		
	HN Honey	HN2 Honey 2	TF Truffle	492 Cinder Linear		
	MC Amber	IM Brighton	405 Designer White	492H Cinder Linear Horizontal		
	MH Mocha	MC Amber	417 Mojave	791 Palisander		
	NM Natural	MH Mocha	418 Mouse	791H Palisander Horizontal		
	PB Portobello	NM Natural	419 Wallaby	792 Sable		
	TF Truffle	PB Portobello	425 Shadow	792H Sable Horizontal		
	792 Sable	PBH Portobello Horizontal	440 Cloud	793 Acorn		
NAC2421CDL		405				

	MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
<b>PLASTIC CENTER DRAWER</b> 	NAC1922CD Black Plastic	\$ 68	19½	22	2	—	—	5 lbs.	0.5
	<ul style="list-style-type: none"> <li>Individual compartments neatly organize pens, pencils, paper clips, etc.</li> </ul>								
<b>INTUITIVE ADJUSTABLE KEYBOARD KIT</b> 	NAC1706KK1 17" Arm—Black	\$ 645	17	28½	6	—	—	18 lbs.	1.1
	NAC2208KK1 21¾" Arm—Black	712	21¾	28½	8	—	—	21 lbs.	1.1
<b>ERGONOMIC ADJUSTABLE KEYBOARD KIT</b> 	NAC1706KK2 17" Arm—Black	\$ 558	17	28½	6	—	—	17 lbs.	1.1
	<ul style="list-style-type: none"> <li>Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray</li> <li>Dial tilt allows for adjustment from -10° to 15° and slides in and out under worksurface</li> <li>Arm tilts and moves up and down</li> <li>360° swivel</li> <li>Width of keyboard kit includes mouse tray</li> <li>Mouse tray can be moved to support right or left-handed users</li> <li>Mouse tray has tilt adjustment and fence to protect mouse from falling</li> <li>ANSI/HFES compliant</li> </ul>								
<b>BASIC ADJUSTABLE KEYBOARD KIT</b> 	NAC1706KK3 17" Arm—Black	\$ 454	17	28½	6	—	—	14 lbs.	1.4
	<ul style="list-style-type: none"> <li>Includes keyboard mechanism, clamp, wrist pad, and mouse tray</li> <li>Kit to be used with keyboard</li> <li>Simultaneous tilt and height adjustment</li> <li>360° swivel</li> <li>Swivel mouse tray can be moved to support right or left-handed users</li> <li>ANSI/HFES compliant</li> </ul>								

## ACCESSORIES

## PRODUCT SPECIFICATION

- See pages 490-491 for the application matrix for these accessories

## DIMENSION KEY




D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBER:

NAC2319KKS1

To You In  
**10**  
DAYS  
...or Less






Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>CLEVER® KEYBOARD KIT</b> 	NAC1406KK4 14" Arm—Black	\$ 518	14	28½	6	—	—	15 lbs.	1.1
	<ul style="list-style-type: none"> <li>• Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray</li> <li>• Can be used on Clever kneespace credenza, Clever bridge units and Casbah where specified</li> <li>• Simultaneous tilt and height adjustment</li> <li>• 360° swivel</li> <li>• Swivel mouse tray can be moved to support right or left-handed users</li> <li>• ANSI/HFES compliant</li> </ul>								
<b>SIT-TO-STAND ADJUSTABLE KEYBOARD KIT</b> 	NAC2319KKS1	\$ 712	23	28½	10¾	—	—	21 lbs.	1.1
	<ul style="list-style-type: none"> <li>• Black</li> <li>• Adjusts intuitively from sitting to standing height (range: 7" below surface, 4¼" above surface)</li> <li>• Tray adjusts from -10° to +15°</li> <li>• ANSI/HFES compliant</li> </ul>								
<b>KEYBOARD/DRAWER MOUNTING KIT</b> 	NAC0611KMK Casbah	\$ 65	11	6	1¼	—	—	5 lbs.	1.0
	<ul style="list-style-type: none"> <li>• Must be used with adjustable keyboard kits when attaching to Casbah units</li> </ul>								
	NAC0802KMK Escalade	\$ 64	8	2	¾	—	—	5 lbs.	0.1
	<ul style="list-style-type: none"> <li>• Must be used with adjustable keyboard kits, center drawers and keyboard drawers when attaching to Escalade units</li> </ul>								

Specify selections, left to right:

**BASE MODEL**

NAC2319KKS1

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW			
<b>FLEXIBLE SINGLE MONITOR ARM GROMMET MOUNT</b> 	NACMA1GMB	Black	\$ 432	30¼	6½	12½	—	—	10.5 lbs.	1.4	
	NACMA1GMS	Silver	432	30¼	6½	12½	—	—	10.5 lbs.	1.4	
	<ul style="list-style-type: none"><li>• Attachment method via bolt through grommet</li><li>• Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel</li><li>• Not recommended for use with a top that is utilizing any mobile base</li><li>• When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm</li><li>• Not recommended to turn the monitor arms away from the user side</li></ul>										
<b>FLEXIBLE SINGLE MONITOR ARM CLAMP MOUNT</b> 	NACMA1CMB	Black	\$ 432	30¼	6½	12½	—	—	12 lbs.	1.4	
	NACMA1CMS	Silver	432	30¼	6½	12½	—	—	12 lbs.	1.4	
	<ul style="list-style-type: none"><li>• Not recommended for use with knife edge tops</li><li>• Not recommended for use with a top that is utilizing any mobile base</li><li>• When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm</li><li>• Not recommended to turn the monitor arms away from the user side</li></ul>										
<b>FLEXIBLE DUAL MONITOR ARM GROMMET MOUNT</b> 	NACMA2GMB	Black	\$ 820	30¼	6½	12½	—	—	14 lbs.	1.4	
	NACMA2GMS	Silver	820	30¼	6½	12½	—	—	14 lbs.	1.4	
	<ul style="list-style-type: none"><li>• Not recommended for use with a top that is utilizing any mobile base</li><li>• When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm</li><li>• Not recommended to turn the monitor arms away from the user side</li></ul>										
<b>FLEXIBLE DUAL MONITOR ARM CLAMP MOUNT</b> 	NACMA2CMB	Black	\$ 820	30¼	6½	12½	—	—	15.5 lbs.	1.4	
	NACMA2CMS	Silver	820	30¼	6½	12½	—	—	15.5 lbs.	1.4	
	<ul style="list-style-type: none"><li>• Not recommended for use with knife edge tops</li><li>• Not recommended for use with a top that is utilizing any mobile base</li><li>• When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm</li><li>• Not recommended to turn the monitor arms away from the user side</li></ul>										
<b>TRIPLE MOUNT MONITOR ARM KIT</b> 	NACMA3KB	Black	\$ 165	6	2½	5¼	—	—	4 lbs.	0.4	
	NACMA3KS	Silver	165	6	2½	5¼	—	—	4 lbs.	0.4	
	<ul style="list-style-type: none"><li>• Add onto Flexible Dual Monitor Arm pole to add a third monitor</li></ul>										

## ACCESSORIES

### PRODUCT SPECIFICATION

- See pages 490-491 for the application matrix for these accessories

### DIMENSION KEY

D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

### SAMPLE MODEL NUMBER:

NACMAKSS



### MONITOR ARM INFORMATION

NATIONAL MODEL:	NACMA1GMB/S	NACMA1CMB/S	NACMA2GMB/S	NACMA2CMB/S	NACMA3KB/S
DESCRIPTION:	MFlex pole with single arm fixed/dynamic arm bolt thru mount - silver	MFlex pole with single arm fixed/dynamic arm clamp mount - silver	MFlex pole with dual arms fixed/dynamic arm bolt thru mount - silver	MFlex pole with dual arms fixed/dynamic arm clamp mount - silver	Add on triple mount and ball joint
MONITOR ROTATION:	port/landscape 30° each side	port/landscape 30° each side	port/landscape 30° each side	port/landscape 30° each side	port/landscape 30° each side
MONITOR EXTENSION:	21.2"	21.2"	21.2"	21.2"	N/A
MONITOR TILT ADJUSTMENT:	25° + or –	25° + or –	25° + or –	25° + or –	25° + or –
ARM HEIGHT ADJUSTMENT:	10" dynamic, 8" manual	10" dynamic, 8" manual	10" dynamic, 8" manual	10" dynamic, 8" manual	8" manual
MONITOR WEIGHT CAPACITY (MAXIMUM APPROVED WEIGHT):	20 lbs.	20 lbs.	20 lbs. per monitor	20 lbs. per monitor	20 lbs.
MOUNTING OPTION:	grommet	desk clamp	grommet	desk clamp	N/A
POLE HEIGHT:	12"	12"	12"	12"	N/A
MAXIMUM WIDTH PER MONITOR:	no maximum width	no maximum width	30"	30"	21"
WORKSURFACE REQUIREMENTS—DESK CLAMP:	N/A	0.5" to 2.5"	N/A	0.5" to 2.5"	N/A
WORKSURFACE REQUIREMENTS—GROMMET MOUNT:	0.75" to 2.5" thick worksurface; hole diameter 0.5" to 3"	N/A	0.75" to 2.5" thick worksurface; hole diameter 0.5" to 3"	N/A	N/A

Specify selections, left to right:

**BASE MODEL**

NACMAKSS

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H				
<b>QUICKSTAND LITE GROMMET MOUNT</b> 	NACMAKSSG White, Clamp/Silver	\$ 1648	41%	25%	47%	—	—	26 lbs.	2.0
	<ul style="list-style-type: none"> <li>Grommet mount through hole can be between ½" to 1¾"</li> <li>Available in white with a silver clamp</li> <li>Removable cable cover</li> <li>Supports single monitor up to 11 pounds</li> <li>20" total height range adjustment and 5½" vertical monitor adjustment</li> <li>VESA plate with a 75 mm and 100 mm hole pattern</li> <li>Minor assembly required</li> <li>Must be used on a pedestal desk; if used on a freestanding unit, the unit must be attached to a wall or ganged to another unit; cannot be used on freestanding or training tables</li> <li>Must be used on softened edge profile with a clearance of 11"x6" on the top and 3" in on the bottom</li> <li>Can be used on tops with a thickness of 0.5" - 2.75" and will set in from the edge approximately 6"</li> </ul>								
<b>QUICKSTAND LITE CLAMP MOUNT</b> 	NACMAKSS White, Clamp/Silver	\$ 1648	41%	25%	47%	—	—	26 lbs.	2.0
	<ul style="list-style-type: none"> <li>Clamp mount can accommodate a worksurface thickness of ½" to 2¾"</li> <li>Available in white with a silver clamp</li> <li>Removable cable cover</li> <li>Supports single monitor up to 11 pounds</li> <li>20" total height range adjustment and 5½" vertical monitor adjustment</li> <li>VESA plate with a 75 mm and 100 mm hole pattern</li> <li>Minor assembly required</li> <li>Must be used on a pedestal desk; if used on a freestanding unit, the unit must be attached to a wall or ganged to another unit; cannot be used on freestanding or training tables</li> <li>Must be used on softened edge profile with a clearance of 11"x6" on the top and 3" in on the bottom</li> <li>Can be used on tops with a thickness of 0.5" - 2.75" and will set in from the edge approximately 6"</li> </ul>								

## ACCESSORIES

### PRODUCT SPECIFICATION

- See pages 490-491 for the application matrix for these accessories

### DIMENSION KEY





D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

### SAMPLE MODEL NUMBER:

NACPUH

To You In  
**10**  
DAYS  
...or Less




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW		
<b>METAL CORNER SLEEVE</b> 	NAC1322SL1 Black Metal	\$ 114	13	22	1 $\frac{1}{16}$ "	—	—	5 lbs.	0.3
	NAC1322SL2 Black Metal	114	13	22	1 $\frac{1}{16}$ "	—	—	5 lbs.	0.3
	NAC1222SL Black Metal	147	11 $\frac{1}{16}$ "	22	1 $\frac{1}{2}$ "	—	—	5 lbs.	0.6
	<ul style="list-style-type: none"> <li>• NAC1322SL1 is applicable to Barrington, Clever, Flourish and Roosevelt</li> <li>• NAC1322SL2 is applicable to Arrowood Laminate, Arrowood Veneer, Captivate, Epic, Renegade and WaveWorks 1<math>\frac{1}{16}</math>"</li> <li>• NAC1222SL is applicable to Escalade and WaveWorks 1<math>\frac{1}{16}</math>"</li> <li>• Sleeve attaches securely to the corner of 90° units to create a 45° angle which is ideal for computer use</li> </ul>								
<b>CPU HOLDER</b> 	NACPUH Black	\$ 299	9 $\frac{3}{4}$ "	9 $\frac{3}{4}$ "	18 $\frac{3}{4}$ "	—	—	10 lbs.	0.9
	<ul style="list-style-type: none"> <li>• Vertically mounts to underside of workstation</li> <li>• Self-locking ratchet style storage device</li> <li>• Teflon glide storage</li> <li>• Height adjustable 13" to 25"</li> <li>• Width adjustable 3" to 9"</li> <li>• 360° swivel</li> <li>• Supports up to 85 lbs.</li> </ul>								
<b>CPU CART MOBILE</b> 	NACCPUMCB Black	\$ 158	15	8 $\frac{1}{2}$ "	8 $\frac{9}{16}$ "	—	—	7 lbs.	4.2
	<ul style="list-style-type: none"> <li>• Adjusts to support CPU's up to 9" wide and 40 lbs.</li> <li>• Adds 3<math>\frac{3}{4}</math>" to the height of installed CPU</li> <li>• Non-locking casters</li> </ul>								
<b>UNIVERSAL MOBILE MEDIA CART</b> 	10N3661MMCM Gun Metal Grey	\$ 4668	26	36 $\frac{3}{4}$ "	61	—	—	80 lbs.	9.1
	<ul style="list-style-type: none"> <li>• Some assembly required</li> <li>• Supports one plasma or LCD screen 37" to 70"; includes mounting bracket, one adjustable height shelf, wire management in rear, adjustable camera platform, and six port power module</li> <li>• Gun Metal Grey powder coat</li> <li>• 5" dual wheel casters; 2 locking</li> </ul>								

Specify selections, left to right:

**BASE MODEL**

NACPUH

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
			D	W	H	A	KW			
<b>FLAT PANEL WALL MOUNT KIT</b> 	15NTVMAS      Black	\$ 318	15¾-47¼		15¾-31¼		—		25 lbs.	2.0
	<ul style="list-style-type: none"> <li>Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel</li> <li>Must mount onto an architectural wall</li> <li>Black powder coat</li> <li>VESA mounting compliant</li> </ul>									
<b>UNIVERSAL MOBILE MARKER BOARD FLIP CHART HOLDER</b> 	10N3372MBFCHB      Cinder	\$ 1683	23¾	32¾	71¼	—	—		50 lbs.	8.6
	10N3372MBFCHS      Platinum Metallic	1683	23¾	32¾	71¼	—	—		50 lbs.	8.6
	10N3372MBFCHN      Satin Nickel Metallic	1683	23¾	32¾	71¼	—	—		50 lbs.	8.6
	<ul style="list-style-type: none"> <li>Some assembly required</li> <li>High gloss, white laminate marker board</li> <li>4 locking casters</li> <li>Adjustable brackets to hang flip chart</li> <li>Casters are black on the Cinder and Satin Nickel Metallic models; Platinum Metallic model has black casters with silver hubcaps</li> </ul>									
<b>CAMERA SHELF</b> 	NAC0711SHM      Powder Coated	\$ 266	7	11	1¼	—	—		10 lbs.	1.5
	<ul style="list-style-type: none"> <li>Available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>20 lb. maximum weight capacity</li> <li>Only intended for use with the Mio Wall or Exhibit TV mount insert</li> </ul>									

## ACCESSORIES

### PRODUCT SPECIFICATION

- See pages 490-491 for the application matrix for these accessories

### DIMENSION KEY


D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

### SAMPLE MODEL NUMBER:

NAC17TLL


To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
			D	W	H	A	KW				
 <b>SPECIFIC LOCK CORES AND KEYS</b>	NCCB_ _ _	Lock Core and Key, Black	\$	15	—	—	—	—	1 lbs.	0.1	
	NCCB_ _ _S	Lock Core and Key, Silver		15	—	—	—	—	1 lbs.	0.1	
	<ul style="list-style-type: none"><li>• _ _ _Specify key number 001 through 200 for black</li><li>• _ _ _Specify key number 001 through 050 for silver</li><li>• A change key must be specified separately to change lock cores</li><li>• All casegoods product indicating locking will be shipped with random locking</li><li>• Lock core and key above can be ordered when specified locking is required and will be shipped as a SKU</li></ul>										
	NCCBCK	Change Key	\$	15	—	—	—	—	—	1 lbs.	0.01
	NCCBMK	Master Key		15	—	—	—	—	—	1 lbs.	0.01

- Master Key will open all locks 001-200

### TASK LIGHT



NAC25TLB	14 Watts	\$	231	4 $\frac{1}{16}$	23 $\frac{3}{4}$	1 $\frac{1}{8}$	—	—	8 lbs.	0.6
NAC49TLB	28 Watts		263	4 $\frac{1}{16}$	46 $\frac{7}{8}$	1 $\frac{1}{8}$	—	—	11 lbs.	1.2


- Tasks lights are applicable for all highback organizers, wall mount cabinets and work organizers (wood, laminate and metal)
- Black finish
- 9' black power cord centered in back of light (UL approved)
- Electronic ballast
- Warm white lamps included
- For proper application, the task light dimension must be less than the overhead cabinet dimension



Specify selections, left to right:


**BASE MODEL**

NAC17TLL

**LED LINEAR TASK LIGHT**

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
NAC17TLL	Single/Starter Unit	\$ 256	2	17	¾	—	—	1 lbs.	0.20
NAC31TLL	Single/Starter Unit	366	2	31	¾	—	—	2 lbs.	0.25
NAC44TLL	Single/Starter Unit	475	2	44	¾	—	—	2 lbs.	0.30
NAC17TLLA	Adder Unit (Interconnect)	\$ 246	2	17	¾	—	—	2 lbs.	0.20
NAC31TLLA	Adder Unit (Interconnect)	355	2	31	¾	—	—	2 lbs.	0.25
NAC44TLLA	Adder Unit (Interconnect)	465	2	44	¾	—	—	3 lbs.	0.30
NACTLSEN	Modular Occupancy Sensor	\$ 170	—	—	—	—	—	1 lbs.	0.10

- Standard output: 17" – 24 LEDs, 31" – 48 LEDs, 44" – 72 LEDs
- 60 W power supply
- Metal trough reflector with diffuser lens
- Soft touch switching with instant on to fade away off
- Automatic time out (after 10 hours)
- Clear anodized aluminum with white color end caps
- Mounting kit includes (1) kit clip/magnets, (1) kit clip/screws, and (1) kit of two adhesive cord managers
- Interconnect kit includes (1) 8", (1) 30" jumper cord, and (2) adhesive cord managers

**LED DESKTOP LIGHT**

NAC18TLDBPUS	Task Light w/Desktop Base, Plug/USB, Silver	\$ 911	14	—	14	—	—
--------------	---	--------	----	---	----	---	---

- Available in silver
- MCX LED freestanding light
- Working height 18" and maximum reach 28"
- 360° swivel from base, 135° front-to-back head tilt, 90° side-to-side head rotation
- 1 120VAC 3 prong receptacle electrical outlet
- 7 levels of light adjustment
- 2 USB charging ports providing 1 Amp 5VDC of power

**LINEAR LED DESKTOP LIGHT**

NAC18TLDBUH	Task Light w/Desktop Base, USB, White	\$ 510	11½	7½	18¼	—	—
-------------	---------------------------------------	--------	-----	----	-----	---	---

- Available in white
- LED freestanding light
- Three color temps, dimming
- 1 USB charging port that provides 5 volts and 1 Amp of charging power
- 4'11" white cord plus a 3' cord extender
- ETL listed, compliant to UL153, FCC Part 15

## ACCESSORIES

### PRODUCT SPECIFICATION

- See pages 490-491 for the application matrix for these accessories

### DIMENSION KEY




D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

### SAMPLE MODEL NUMBER:

NAC1211D0

To You In  
**10**  
DAYS  
...or Less




Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS				
			D	W	H	A	KW
<b>LED LIGHT KITS</b>   Light strip   LED driver   Rocker switch	NACLTk1	Light Kit 1 (for larger walls)	\$	798			
	NACLTk2	Light Kit 2 (for smaller walls)		474			
	NACLTk3	Light Kit 3 (for shelf only, to turn on)		132			
	<ul style="list-style-type: none"> <li>• LED light kits can be added to the back side of the wall panels</li> <li>• Kit 1 includes 2 light spools, 1 driver, 2 leads, 1 rocker switch, 3 corner connectors, and 2 splice</li> <li>• Kit 2 includes 1 light spool, 1 driver, 1 lead, 1 rocker switch, 2 corner connectors, and 2 splice</li> <li>• Kit 2 will work for any reception size</li> <li>• Kit 3 includes one driver and one rocker switch</li> <li>• Kit 1 will light all 4 sides of wall panels that are 120" wide x 52" tall down to 48" wide x 52" tall</li> <li>• Kit 1 will light all 3 sides of wall panels that are 120" wide x 52" tall down to 90" wide x 52" tall</li> <li>• Kit 2 will accommodate all sizes smaller than what requires Kit 1</li> <li>• Kit 3 is required when using lighted shelves to turn the shelf lighting on and off; shelves are sold with lighting installed</li> <li>• Length of spool of light: 10 meters for Kit 1, 5 meters for Kit 2</li> </ul>						
	NACLTMD	Light Multi-Driver (used when ganging together 2 kits)	\$	31			
	<ul style="list-style-type: none"> <li>• Required when ganging 2 light kits together</li> </ul>						
	NACLTspl	5m Spool of Lights	\$	316			
	<ul style="list-style-type: none"> <li>• Additional light strip when an additional light kit is not needed</li> </ul>						

Specify selections, left to right:

**BASE MODEL**

NAC1211DO

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW						
<b>DELUXE DRAWER ORGANIZER</b>	NAC1211DO	Black	\$ 130	11¾	10¾	1¾	—	—		3 lbs.	0.6
	<ul style="list-style-type: none"> <li>• Black plastic</li> <li>• Features compartments for storing post-its, paper clips, pens, pencils, etc.</li> <li>• Shipped standard in each Casbah top box desk drawer</li> <li>• Drawer expands to 16" wide</li> </ul>										
<b>WASTE CONTAINER</b>	NAC1721WBSK	White	\$ 259	13	16½	21	—	—		6 lbs.	2.6
	<ul style="list-style-type: none"> <li>• Concealed, pivoting waste container</li> <li>• For use in buffet or double door storage credenza</li> </ul>										
<b>PERSONAL PULL-UP TABLE</b>	10N1622RTPUW	Wood	\$ 984	13¾	22	28½	—	—		32 lbs.	9.25
	10N1622RTPUL	Laminate	984	13¾	22	28½	—	—		32 lbs.	9.25
<ul style="list-style-type: none"> <li>• 50 lb. weight limit</li> <li>• Specify metal finish (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic</li> <li>• Veneer species is maple</li> <li>• Specify laminate or wood finish; <b>Laminates</b> (AC2) Autumn 2, (AD) Almond, (CL) Caramel, (CW) Cordovan, (DW) Judicial, (HN2) Honey 2, (IM) Brighton, (MC) Amber, (MH) Mocha, (NM) Natural, (PB) Portobello, (PT) Portico, (SK) Skyline, (SM) Sonoma, (TF) Truffle, (405) Designer White, (417) Mojave, (418) Mouse, (419) Wallaby, (425) Shadow, (440) Cloud, (461) Graphite, (462) Cinder, (478) Platinum Grey, (488) Frosty White, (491) Designer White Linear, (492) Cinder Linear, (791) Palisander, (792) Sable, or (793) Acorn; <b>Wood Finishes</b> (AC) Autumn, (AD) Almond, (CL) Caramel, (CW) Cordovan, (DW) Judicial, (HN) Honey, (IM) Brighton, (MC) Amber, (MH) Mocha, (NM) Natural, (PB) Portobello, (PT) Portico, (SK) Skyline, (SM) Sonoma, (TF) Truffle, (405) Designer White, (462) Cinder, (792) Sable, or (793) Acorn</li> </ul>											

## ACCESSORIES

### PRODUCT SPECIFICATIONS

- For use with WaveWorks slat walls, Exhibit and Epicenter slat wall inserts
- Available in black and clear plastic
- These products have been designed to be used safely when filled under normal circumstances

### DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width

### SAMPLE MODEL NUMBER:

NACCP

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

### PLASTIC WORK TOOLS


#### PENCIL CUP



MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS					CARTONED WEIGHT		CUBIC FEET
				D	W	H	A	KW			
NACCP	Black Plastic	\$	36	½	4	4	—	—	1 lbs.		0.4
NACCP C	Clear Plastic		36	½	4	4	—	—	1 lbs.		0.4

- Holds pencils, pens, rulers, etc.

#### LEGAL PAPER TRAY



NAC1115SPT	Black Plastic	\$	54	10½	15	2	—	—	1 lbs.		0.1
NAC1115SPT C	Clear Plastic		54	10½	15	2	—	—	1 lbs.		0.1

- Holds letter or legal width papers, folders, etc.

#### ACCESSORY TRAY



NAC1010AT	Black Plastic	\$	47	10	9½	2	—	—	1 lbs.		0.2
NAC1010AT C	Clear Plastic		47	10	9½	2	—	—	1 lbs.		0.2

- Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.

#### PHONE HOLDER



NACPH	Black Plastic	\$	47	9½	8½	2	—	—	1 lbs.		0.1
NACPH C	Clear Plastic		47	9½	8½	2	—	—	1 lbs.		0.1

- Holds telephone

#### BINDER SHELF



NACBS	Black Plastic	\$	39	10½	5	9	—	—	1 lbs.		0.3
-------	---------------	----	----	-----	---	---	---	---	--------	--	-----

- Holds binders and folders
- Not recommended for use under Epicenter mounted overhead storage cabinets

#### SLANT SORTER






NACSS	Black Plastic	\$	56	12½	7	7½	—	—	1 lbs.		0.2
NACSS C	Clear Plastic		56	12½	7	7½	—	—	1 lbs.		0.2

- Holds folders, papers, etc.
- Not recommended for use under Epicenter mounted overhead storage cabinets

Specify selections, left to right:

**BASE MODEL**

NACCP

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	D	W	H						
<b>POWER DIRECTOR</b> 	NAC1002ELPD2      Black	\$ 125	4½	9¾	2	—	—	3 lbs.	0.1
	<ul style="list-style-type: none"> <li>• 10 foot heavy-duty right angle power cord</li> <li>• UL listed</li> <li>• Solid state phone/fax/modem, surge protector</li> <li>• 12 Amp, 120 Volt, 60 Hz</li> <li>• 3 receptacles in back are controlled by main switch, and 3 non-switched receptacles (1 in back, 2 in front of unit)</li> <li>• 5 high speed data ports</li> <li>• 2 sets of dual USB ports</li> </ul>								
<b>UNDERSURFACE POWER/DATA</b> 	NAC03ELUPDC	\$ 255	3	3	1½	—	—	2 lbs.	0.3
	<ul style="list-style-type: none"> <li>• Can be mounted to the underside of any surface</li> <li>• Contains 1 electrical outlet and 2 USB ports</li> <li>• Mounts under surface</li> <li>• 72" power cord included</li> </ul>								
<b>POWER TOWER</b> 	NAC25ELPTB      Black	\$ 2060	16¾	16¾	25½	—	—	68 lbs.	6.5
	NAC25ELPTH      White	2060	16¾	16¾	25½	—	—	68 lbs.	6.5
	NAC25ELPTS      Silver	2060	16¾	16¾	25½	—	—	68 lbs.	6.5
	<ul style="list-style-type: none"> <li>• Available in gloss black or silver with black faceplates, or gloss white with white faceplates</li> <li>• Unit comes with (9) 15 amp 120 volt, tamper resistant receptacles and (6) USB 3.0 power charging ports that provide 2.1 amps. Data ports are not provided</li> <li>• 108" 15 amp power cord included</li> <li>• Circuit breaker located in the bottom of the tower for overload protection</li> </ul>								

## ACCESSORIES

### PRODUCT SPECIFICATION

- See pages 490-491 for the application matrix for these accessories

### DIMENSION KEY





D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

### SAMPLE MODEL NUMBER:

NACG1

To You In  
**10**  
DAYS  
...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.


	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<b>GROMMET</b>				<b>DI</b>		<b>H</b>				
	NACG1	Black	\$ 31	2¼	—	¾	—	—	1 lbs.	0.1
	• Field installable									
<b>FLEXI GROMMET</b>										
	NACG2	Black	\$ 31	2¾	—	¾	—	—	1 lbs.	0.1
	• Field installable • Standard on Clever									
<b>ELECTRICAL GROMMET</b>				<b>D</b>	<b>W</b>	<b>H</b>	<b>A</b>	<b>KW</b>		
	NACG10EL	Electrical/Black	\$ 417	4¼	4¼	5	—	—	2 lbs.	0.12
	NACG10	Black	67	4¼	4¼	1¾	—	—	1 lbs.	0.06
<b>NACG10EL</b> <b>NACG10</b>	• NACG10EL features 2 120 Volt receptacles and 2 Cat5E data ports and 6' AC cord; data ports are not pre-wired • Field installable • For conference tables only									

Specify selections, left to right:


**BASE MODEL**

NACG1

**ONE TOUCH PIVOTING  
POWER GROMMET (G12)**



NACG12EL



NACG122ELS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
NACG12ELS	Clear Anodized Aluminum	\$ 434	4%	8%	1½	—	—	2 lbs.	0.2
NACG12ELB	Black	434	4%	8%	1½	—	—	2 lbs.	0.2
NACG12ELHS	Hardwire, Clear Anodized Aluminum	434	4%	8%	1½	—	—	3 lbs.	0.2
NACG12ELHB	Hardwire, Black	434	4%	8%	1½	—	—	2 lbs.	0.2
NACG122ELS	Clear Anodized Aluminum	\$ 541	4%	8%	1½	—	—	2 lbs.	0.2
NACG122ELB	Black	541	4%	8%	1½	—	—	2 lbs.	0.2
NACG122ELHS	Hardwire, Clear Anodized Aluminum	541	4%	8%	1½	—	—	3 lbs.	0.2
NACG122ELHB	Hardwire, Black	541	4%	8%	1½	—	—	2 lbs.	0.2

- Field installable
- One touch door remains open during use
- Clear or black anodized aluminum
- (G12) Two power outlets and two blank ports can accommodate one of eight provided adapter plates
- (G122) Two power outlets, one port with two charging USB, and one blank port that can accommodate one of eight provided adapter plates
- Hardwire solution must be ordered separately and installed in the field – top should be ordered with CUT-G12C option
- Specify model number only
- Standard units have 10 ft. cords and hardwire cords have 6 ft. cords
- UL Listed

## ACCESSORIES

### PRODUCT SPECIFICATION

- See pages 490-491 for the application matrix for these accessories


### DIMENSION KEY

- D Depth
- W Width
- H Height
- A Overhang: Approach Side
- KW Kneespace Width


### SAMPLE MODEL NUMBER:

NACG17ELB

#### BYRNE TRAINING TABLE INTERLINK IQ SYSTEM (G12)




NACELIQPPG18



NACELIQ2PPG18


MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS						CARTONED WEIGHT	CUBIC FEET
D	W	H	A	KW						
NACELIQPPG18	Full Set 1-8	\$ 3740	4%	8%	1½	—	—	—	25 lbs.	4.0
NACELIQPPG1	Interlink Starter	610	4%	8%	1½	—	—	—	3 lbs.	3.0
NACELIQPPG	Interlink Add-on	470	4%	8%	1½	—	—	—	3 lbs.	3.0
NACELIQJ	Interlink IQ Jumper	78	—	60	—	—	—	—	3 lbs.	0.15
• Each power grommet includes two power outlets and two blank ports that can accommodate one of eight provided adapter plates										
NACELIQ2PPG18	Full Set 1-8	\$ 4661	4%	8%	1½	—	—	—	25 lbs.	4.0
NACELIQ2PPG1	Interlink Starter	973	4%	8%	1½	—	—	—	3 lbs.	3.0
NACELIQ2PPG	Interlink Add-on	527	4%	8%	1½	—	—	—	3 lbs.	3.0
• Each power grommet includes two power outlets, one port with two charging USB, and one blank port that can accommodate one of eight provided adapter plates										
• Non-sequential "Daisy chain" solution for flip/nest training tables										
• When Interlink solution is ordered, flip/nest training table must specify CUT-G12C grommet										
• When Interlink solution is ordered, use table ganging brackets shown below										
• Specify model number only										
• Interlink cord with plug is 120" in length										
• Length of cord from coupler to unit on all units is 14"										
• Length from coupler to coupler is 60"										
• Only available in clear anodized aluminum										

#### ONE TOUCH PIVOTING POWER/DATA GROMMET (G17)



NACG17ELB	Black Powder Coat	\$ 302	4%	5%	2½	—	—	—	1 lbs.	0.2
NACG17ELS	Silver Powder Coat	302	4%	5%	2½	—	—	—	1 lbs.	0.2
• Field installable										
• One touch door remains open during use										
• Die-cast zinc in black or silver powder coat										
• Includes one power outlet and one blank voice/data port										
• 10 foot, 15 Amp cord										
• Includes a Voice/Adapter kit to accept couplers and jacks when required										
• UL listed										

#### ONE TOUCH PIVOTING POWER GROMMET (G172)




NACG172ELB	Black Powder Coat	\$ 307	4%	5%	2½	—	—	—	3 lbs.	0.15
NACG172ELS	Silver Powder Coat	307	4%	5%	2½	—	—	—	3 lbs.	0.15
• Field installable										
• One touch door remains open during use										
• Die-cast zinc in black or silver powder coat										
• Includes two power outlets										
• 10 foot, 15 Amp cord										
• Includes a Voice/Adapter kit to accept couplers and jacks when required										
• UL listed										



Specify selections, left to right:


**BASE MODEL**

NACG17ELB


**ONE TOUCH PIVOTING  
POWER GROMMET (G173)**

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
D	W	H							
NACG173ELB	Black Powder Coat	\$ 314	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG173ELS	Silver Powder Coat	314	4¼	5¼	2½	—	—	3 lbs.	0.15

- Field installable
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- Includes one power outlet and two charging USB (2.1)
- 10 foot, 15 Amp cord
- Includes a Voice/Adapter kit to accept couplers and jacks when required
- UL listed

**BYRNE INTERLINK IQ SYSTEM  
(G17)**

G17 Unit



G172 Unit

**FULL SET OF EIGHT UNITS**

NACG17ELIQB18	Black - G17	\$ 2444	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17ELIQS18	Silver - G17	2444	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG172ELIQB18	Black - G172	2584	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG172ELIQS18	Silver - G172	2584	4¼	5¼	2½	—	—	19 lbs.	1.55

**INTERLINK STARTER UNITS**

NACG17ELIQB1	Black - G17	\$ 376	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17ELIQS1	Silver - G17	376	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG172ELIQB1	Black - G172	392	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG172ELIQS1	Silver - G172	392	4¼	5¼	2½	—	—	3 lbs.	0.15

**INTERLINK ADD-ON UNITS**

NACG17ELIQB	Black - G17	\$ 296	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17ELIQS	Silver - G17	296	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG172ELIQB	Black - G172	313	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG172ELIQS	Silver - G172	313	4¼	5¼	2½	—	—	3 lbs.	0.15


**INTERLINK IQ STARTER AND JUMPER**

NACELIQ1	Interlink IQ starter plug	\$ 187	—	120	—	—	—	3 lbs.	0.15
NACELIQJ	Interlink IQ Jumper	78	—	60	—	—	—	3 lbs.	0.15

- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system can be used with Epic, Renegade, and WaveWorks
- Interlink IQ system must begin with NACELIQ1, NACG17ELIQ\_1 or NACG172ELIQ\_1 unit
- Can add a daisy chain for a total of eight NACG17ELIQ, NACG172ELIQ, or NACELIQJ units in any combination
- G17EL includes a Voice/Adapter kit to accept couplers and jacks when required
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired

## ACCESSORIES

## Configuration of Byrne IQ System for 72" WaveWorks Training Tables - Max of 6 Byrne IQ Units per run



Item	Qty
Starter	1
Add-on	5
Jumper	2


Item	Qty
Starter	1
Add-on	4
Jumper	2

Item	Qty
Starter	1
Add-on	3
Jumper	1

Item	Qty
Starter	1
Add-on	2
Jumper	1

Item	Qty
Starter	1
Add-on	1

## Configuration of Byrne IQ System for 66" WaveWorks Training Tables - Max of 6 Byrne IQ Units per run



Item	Qty
Starter	1
Add-on	5
Jumper	1


Item	Qty
Starter	1
Add-on	4
Jumper	1

Item	Qty
Starter	1
Add-on	3
Jumper	1

Item	Qty
Starter	1
Add-on	2

Item	Qty
Starter	1
Add-on	1

Configuration of Byrne IQ System for 60" WaveWorks Training Tables - Max of 8 Byrne IQ Units per run






## ACCESSORIES

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBER:




NAC17WM

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
				D	W	H	A	KW		
<b>POWER GROMMET (G23)</b>	NACG23ELB	Black	\$ 444	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELS	Silver	444	2½	4½	3¼	—	—	2.3 lbs.	0.2
 <ul style="list-style-type: none"> <li>• Field installable in tables when CUT-G23 option is specified</li> <li>• Die-cast zinc in black or silver powder coat</li> <li>• Includes two power outlets and two power USB ports</li> <li>• 9 foot, 15 Amp cord</li> <li>• ETL listed to UL962A Standard</li> </ul>										
<b>VERTICAL WIRE MANAGER</b>	NAC30WMV		\$ 203	1½	3¼	31	—	—	2 lbs.	0.2
 <ul style="list-style-type: none"> <li>• Graphite color</li> <li>• Attaches to underside of worksurface; flexible; used to conceal power in-feed and data cables</li> </ul>										
<b>WIRE MANAGER</b>	NAC17WM	Black Plastic	\$ 25	2¼	16¼	1¾	—	—	1 lbs.	0.1
 <ul style="list-style-type: none"> <li>• Wire manager is made of plastic and attaches with Velcro®</li> <li>• Wire manager can be used on any unit to route cords</li> </ul>										

Specify selections, left to right:

**BASE MODEL**

NAC17WM

	MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
	D	W	H	A	KW						
<b>HORIZONTAL UNDERSURFACE WIRE MANAGER</b> 	NAC30WMH	Black Plastic (Set of 6)	\$	85	3	29½	1½	—	—	1 lbs.	0.1
	• Wire manager can be used on any unit to route cords										
<b>UNDERSURFACE WIRE MANAGER</b> 	NAC03WM	Black Plastic (Set of 5)	\$	29	5½	2¾	1¾	—	—	3 lbs.	0.1
<b>MARKER BOARD</b> 	NAC3048MBW		\$	415	¾	47¾	30	—	—	35 lbs.	1.4
	• Installation hardware included										

## ACCESSORIES


## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBER:

NAC6018PVSP 1 1677 462

**PRIVACY SCREEN  
SET-ON SURFACE  
RECTANGULAR, RESIN**




MODEL NO./DESCRIPTION	LIST PRICE			DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1	GRADE 2	GRADE 3	D	W	H				
NAC7218PVSP	\$ 771	\$ 1289	\$ 1472	¾"	72	18	—	—	24 lbs.	2.9
NAC6618PVSP	734	1209	1376	¾"	66	18	—	—	22 lbs.	2.6
NAC6018PVSP	696	1128	1280	¾"	60	18	—	—	19 lbs.	2.4
NAC5418PVSP	659	1048	1185	¾"	54	18	—	—	17 lbs.	2.2
NAC4818PVSP	622	973	1097	¾"	48	18	—	—	16 lbs.	2.0
NAC4218PVSP	584	886	993	¾"	42	18	—	—	14 lbs.	1.8
NAC3618PVSP	543	808	901	¾"	36	18	—	—	12 lbs.	1.6
NAC3018PVSP	505	726	804	¾"	30	18	—	—	10 lbs.	1.3
NAC2718PVSP	487	687	757	¾"	27	18	—	—	9 lbs.	1.2
NAC2418PVSP	466	639	700	¾"	24	18	—	—	8 lbs.	1.1
NAC2118PVSP	448	605	660	¾"	21	18	—	—	7 lbs.	1.0

- Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes two holders per screen, 42" and 48" includes three per screen, 54" and above includes four per screen
- Privacy screens are ¾" thick dual sided resin
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces

Specify selections, left to right:

**BASE MODEL**

NAC6018PVSP

**PRIVACY SCREEN  
SET-ON SURFACE  
RECTANGULAR, FABRIC**

MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		GRADE A	GRADE B/COM	D	W	H				
NAC7218PVS2PFA	Railroad	\$ 1290	\$ 1358	1 $\frac{1}{16}$ "	72	18	—	—	24 lbs.	2.9
NAC6618PVS2PFA	Railroad	\$ 1210	\$ 1270	1 $\frac{1}{16}$ "	66	18	—	—	22 lbs.	2.6
NAC6018PVS2PFA	Railroad	\$ 1130	\$ 1190	1 $\frac{1}{16}$ "	60	18	—	—	19 lbs.	2.4
NAC6018PVS2PF	Standard	1125	1163	1 $\frac{1}{16}$ "	60	18	—	—	19 lbs.	2.4
NAC5418PVS2PFA	Railroad	\$ 1051	\$ 1104	1 $\frac{1}{16}$ "	54	18	—	—	17 lbs.	2.2
NAC5418PVS2PF	Standard	1045	1083	1 $\frac{1}{16}$ "	54	18	—	—	17 lbs.	2.2
NAC4818PVS2PFA	Railroad	\$ 976	\$ 1021	1 $\frac{1}{16}$ "	48	18	—	—	16 lbs.	2.0
NAC4818PVS2PF	Standard	970	1008	1 $\frac{1}{16}$ "	48	18	—	—	16 lbs.	2.0
NAC4218PVS2PFA	Railroad	\$ 888	\$ 933	1 $\frac{1}{16}$ "	42	18	—	—	14 lbs.	1.8
NAC4218PVS2PF	Standard	883	921	1 $\frac{1}{16}$ "	42	18	—	—	14 lbs.	1.8
NAC3618PVS2PFA	Railroad	\$ 811	\$ 849	1 $\frac{1}{16}$ "	36	18	—	—	12 lbs.	1.6
NAC3618PVS2PF	Standard	805	843	1 $\frac{1}{16}$ "	36	18	—	—	12 lbs.	1.6
NAC3018PVS2PFA	Railroad	\$ 730	\$ 768	1 $\frac{1}{16}$ "	30	18	—	—	10 lbs.	1.3
NAC3018PVS2PF	Standard	724	754	1 $\frac{1}{16}$ "	30	18	—	—	10 lbs.	1.3
NAC2718PVS2PFA	Railroad	\$ 691	\$ 721	1 $\frac{1}{16}$ "	27	18	—	—	9 lbs.	1.2
NAC2718PVS2PF	Standard	685	708	1 $\frac{1}{16}$ "	27	18	—	—	9 lbs.	1.2
NAC2418PVS2PFA	Railroad	\$ 643	\$ 673	1 $\frac{1}{16}$ "	24	18	—	—	8 lbs.	1.1
NAC2418PVS2PF	Standard	637	660	1 $\frac{1}{16}$ "	24	18	—	—	8 lbs.	1.1
NAC2118PVS2PFA	Railroad	\$ 609	\$ 632	1 $\frac{1}{16}$ "	21	18	—	—	7 lbs.	1.0
NAC2118PVS2PF	Standard	604	627	1 $\frac{1}{16}$ "	21	18	—	—	7 lbs.	1.0

- Specify tack fabric grade and color
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes two holders per screen, 42" and 48" includes three per screen, 54" and above includes four per screen
- Privacy screens are 1 $\frac{1}{16}$ " thick tackable fabric
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces
- Privacy screens that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Not intended to create a continuous screen by placing models end to end

## ACCESSORIES

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBER:

NAC6018PVSTP 2 2877 501

**PRIVACY SCREEN  
SET-ON SURFACE  
TAPERED, RESIN**


MODEL NO./DESCRIPTION	LIST PRICE			DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1	GRADE 2	GRADE 3	D	W	H				
NAC7218PVSTP	\$ 771	\$ 1289	\$ 1472	¾"	72	18	—	—	24 lbs.	2.9
NAC6618PVSTP	734	1209	1376	¾"	66	18	—	—	22 lbs.	2.6
NAC6018PVSTP	696	1128	1280	¾"	60	18	—	—	19 lbs.	2.4
NAC5418PVSTP	659	1048	1185	¾"	54	18	—	—	17 lbs.	2.2
NAC4818PVSTP	622	973	1097	¾"	48	18	—	—	16 lbs.	2.0
NAC4218PVSTP	584	886	993	¾"	42	18	—	—	14 lbs.	1.8
NAC3618PVSTP	543	808	901	¾"	36	18	—	—	12 lbs.	1.6
NAC3018PVSTP	505	726	804	¾"	30	18	—	—	10 lbs.	1.3
NAC2718PVSTP	487	687	757	¾"	27	18	—	—	9 lbs.	1.2
NAC2418PVSTP	466	639	700	¾"	24	18	—	—	8 lbs.	1.1
NAC2118PVSTP	448	605	660	¾"	21	18	—	—	7 lbs.	1.0


- Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes two holders per screen, 42" and 48" includes three per screen, 54" and above includes four per screen
- Privacy screens are ¾" thick dual sided resin
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces



Specify selections, left to right:

**BASE MODEL**

NAC6018PVSTP

**PRIVACY SCREEN  
SET-ON SURFACE  
RECTANGULAR, FELT**

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS			A	KW	CARTONED WEIGHT	CUBIC FEET
		D	W	H				
NAC7218PVSFP	\$ 1474	¾"	72	18	—	—	24 lbs.	2.9
NAC6618PVSFP	1379	¾"	66	18	—	—	22 lbs.	2.6
NAC6018PVSFP	1281	¾"	60	18	—	—	19 lbs.	2.4
NAC5418PVSFP	1187	¾"	54	18	—	—	17 lbs.	2.2
NAC4818PVSFP	1098	¾"	48	18	—	—	16 lbs.	2.0
NAC4218PVSFP	993	¾"	42	18	—	—	14 lbs.	1.8
NAC3618PVSFP	902	¾"	36	18	—	—	12 lbs.	1.6
NAC3018PVSFP	805	¾"	30	18	—	—	10 lbs.	1.3
NAC2718PVSFP	758	¾"	27	18	—	—	9 lbs.	1.2
NAC2418PVSFP	699	¾"	24	18	—	—	8 lbs.	1.1
NAC2118PVSFP	660	¾"	21	18	—	—	7 lbs.	1.0

- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Specify felt color: Orange (66), Light Blue (60), Stone Grey (67), or Off White (63)
- 36" and below includes two holders per screen, 42" and 48" includes three per screen, 54" and above includes four per screen
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces
- Felt privacy screens are dual sided felt; non-tackable

## ACCESSORIES

### TO ORDER, SPECIFY:

1. Model Number
  2. Veneer Chassis Finish/  
Laminate Chassis Color
- See page 245 in the Casegoods Book 2 Price List for finishes and laminates


### DIMENSION KEY

- D Depth  
W Width  
H Height  
A Overhang: Approach Side  
KW Kneespace Width

### SAMPLE MODEL NUMBERS:

NAC3105SMSW CW  
NAC3105SMSL 403


### ORGANIZING STACKER



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET
			D	W	H	A			
NAC4005SMSW	Wood	\$ 615	12 <sup>5</sup> / <sub>16</sub>	40 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	14 lbs.	1.8
NAC4005SMSL	Laminate	293	12 <sup>5</sup> / <sub>16</sub>	40 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	14 lbs.	1.8
NAC3605SMSW	Wood	\$ 595	12 <sup>5</sup> / <sub>16</sub>	36 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	14 lbs.	1.6
NAC3605SMSL	Laminate	282	12 <sup>5</sup> / <sub>16</sub>	36 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	14 lbs.	1.6
NAC3405SMSW	Wood	\$ 585	12 <sup>5</sup> / <sub>16</sub>	34 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	13 lbs.	1.5
NAC3405SMSL	Laminate	277	12 <sup>5</sup> / <sub>16</sub>	34 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	13 lbs.	1.5
NAC3305SMSW	Wood	\$ 579	12 <sup>5</sup> / <sub>16</sub>	33 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	13 lbs.	1.4
NAC3305SMSL	Laminate	275	12 <sup>5</sup> / <sub>16</sub>	33 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	13 lbs.	1.4
NAC3105SMSW	Wood	\$ 571	12 <sup>5</sup> / <sub>16</sub>	31 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	12 lbs.	1.2
NAC3105SMSL	Laminate	270	12 <sup>5</sup> / <sub>16</sub>	31 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	12 lbs.	1.2
NAC3005SMSW	Wood	\$ 565	12 <sup>5</sup> / <sub>16</sub>	30 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	12 lbs.	1.1
NAC3005SMSL	Laminate	268	12 <sup>5</sup> / <sub>16</sub>	30 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	12 lbs.	1.1
NAC2805SMSW	Wood	\$ 554	12 <sup>5</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	11 lbs.	0.9
NAC2805SMSL	Laminate	263	12 <sup>5</sup> / <sub>16</sub>	28 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	11 lbs.	0.9
NAC2605SMSW	Wood	\$ 545	12 <sup>5</sup> / <sub>16</sub>	26 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	11 lbs.	0.8
NAC2605SMSL	Laminate	259	12 <sup>5</sup> / <sub>16</sub>	26 <sup>1</sup> / <sub>2</sub>	4 <sup>13</sup> / <sub>16</sub>	—	—	11 lbs.	0.8

- Allows user to create smaller slots within the unit for additional organization; Available for use within Casbah, Epic, Renegade or WaveWorks highback organizers, overheads and bookcases
- Reference Organizing Stacker Applicability chart on the following page for installing appropriate size Organizing Stacker
- Assembly required

### VERTICAL PIGEON HOLE STORAGE



NAC1420SMCW	Wood	\$ 723	12	14	19%	—	—	—	13 lbs.	0.9
NAC1420SMCL	Laminate	342	12	14	19%	—	—	—	13 lbs.	0.9

- Assembly required
- Three fixed shelves on unit
- Specify chassis laminate or finish only
- Utilize under Casbah, Epic, Renegade and WaveWorks highback organizers; sits on worksurface
- When using with tack board, see page 520 for applicable tack board that will properly fit in space

## HIGHBACK OR OVERHEAD MODEL NO.

## APPLICABLE ORGANIZING STACKER

## HIGHBACK OR OVERHEAD MODEL NO.

## APPLICABLE ORGANIZING STACKER

### CASBAH

38N10850HBH\_  
38N10838HBH\_  
38N10250HBH\_  
38N10238HBH\_  
38N9650HBH\_  
38N9638HBH\_  
38N9050HBH\_  
38N9038HBH\_  
38N8450HBH\_  
38N8438HBH\_  
38N7850HBH\_  
38N7838HBH\_  
38N7250HBH\_  
38N7238HBH\_  
38N6650HBH\_  
38N6638HBH\_  
38N6050HBH\_  
38N6038HBH\_  
38N4850HBH\_  
38N4838HBH\_  
38N4830SOHM\_  
38N4818SOHM\_  
38N4230SOHM\_  
38N4218SOHM\_  
38N3630SOHM\_  
38N3618SOHM\_  
38N3030SOHM\_  
38N3018SOHM\_

NAC3405SMS\_  
NAC3405SMS\_  
NAC3305SMS\_  
NAC3305SMS\_  
NAC3005SMS\_  
NAC3005SMS\_  
NAC2805SMS\_  
NAC2805SMS\_  
NAC4005SMS\_  
NAC4005SMS\_  
NAC3605SMS\_  
NAC3605SMS\_  
NAC3405SMS\_  
NAC3405SMS\_  
NAC3105SMS\_  
NAC3105SMS\_  
NAC2805SMS\_  
NAC2805SMS\_  
NAC3005SMS\_  
NAC3005SMS\_  
NAC3005SMS\_  
NAC2605SMS\_  
NAC2605SMS\_  
NAC3405SMS\_  
NAC3405SMS\_  
NAC2805SMS\_  
NAC2805SMS\_

### RENEGADE

75N7238HBH\_  
75N7238HBE\_  
75N6638HBH\_  
75N6638HBE\_  
75N6038HBH\_  
75N6038HBE\_  
75N4838HBH\_  
75N4838HBE\_  
75N4818SOHM\_  
75N4818SOEM\_  
75N4218SOHM\_  
75N4218SOEM\_  
75N3618SOHM\_  
75N3618SOEM\_  
75N3018SOHM\_  
75N3018SOEM\_

NAC3405SMSL  
NAC3505SMSL  
NAC3105SMSL  
NAC3205SMSL  
NAC2805SMSL  
NAC2905SMSL  
NAC3005SMSL  
NAC2205SMSL  
NAC3005SMSL  
NAC2205SMSL  
NAC2605SMSL  
NAC1905SMSL  
NAC3405SMSL  
NAC3405SMSL  
NAC2805SMSL  
NAC2805SMSL

## TACK BOARD APPLICABILITY

HIGHBACK,  
OVERHEAD OR  
RECEPTION  
MODEL NO.APPLICABLE  
TACK BOARD

## CASBAH

38N10850HBH	Use 2 – NAC5219TBRA
38N10838HBH	Use 2 – NAC5219TBRA
38N10250HBH	Use 2 – NAC4919TBRA
38N10238HBH	Use 2 – NAC4919TBRA
38N9650HBH	Use 2 – NAC4619TBRA
38N9638HBH	Use 2 – NAC4619TBRA
38N9050HBH	NAC8819TBRA
38N9038HBH	NAC8819TBRA
38N8450HBH	NAC8219TBRA
38N8438HBH	NAC8219TBRA
38N7850HBH	NAC7619TBRA
38N7838HBH	NAC7619TBRA
38N7250HBH	NAC7019TBRA
38N7238HBH	NAC7019TBRA
38N6650HBH	NAC6419TBRA
38N6638HBH	NAC6419TBRA
38N6050HBH	NAC5819TBRA
38N6038HBH	NAC5819TBRA
38N4850HBH	NAC4619TBRA
38N4838HBH	NAC4619TBRA
38N4830SOHM	NAC4819TBRA
38N4818SOHM	NAC4819TBRA
38N4230SOHM	NAC4219TBRA
38N4218SOHM	NAC4219TBRA
38N3630SOHM	NAC3619TBRA
38N3618SOHM	NAC3619TBRA
38N3030SOHM	NAC3019TBRA
38N3018SOHM	NAC3019TBRA

## RENEGADE

75N7238HB_	NAC7019TBRA
75N6638HB_	NAC6419TBRA
75N6038HB_	NAC5819TBRA
75N4838HB_	NAC4619TBRA
75N4818SO_	NAC4819TBRA
75N4218SO_	NAC4219TBRA
75N3618SO_	NAC3619TBRA
75N3018SO_	NAC3019TBRA
75N2573DSTF_	NAC2211TBDA2
75N2568BSTF_	NAC4811TBDA

HIGHBACK OR  
OVERHEAD  
MODEL NO.APPLICABLE  
TACK BOARD  
1 PIGEON HOLE  
STORAGEAPPLICABLE  
TACK BOARD  
2 PIGEON HOLE  
STORAGE

This chart is reflective of using vertical pigeon hole storage models with highback organizers or wall mount cabinets with tack boards.

## CASBAH

38N10850HBH	Use 1 – NAC5219TBRA Use 1 – NAC3819TBRA	Use 2 – NAC3819TBRA
38N10838HBH	Use 1 – NAC5219TBRA Use 1 – NAC3819TBRA	Use 2 – NAC3819TBRA
38N10250HBH	Use 1 – NAC4919TBRA Use 1 – NAC3519TBRA	Use 2 – NAC3519TBRA
38N10238HBH	Use 1 – NAC4919TBRA Use 1 – NAC3519TBRA	Use 2 – NAC3519TBRA
38N9650HBH	Use 1 – NAC4619TBRA Use 1 – NAC3219TBRA	Use 2 – NAC3219TBRA
38N9638HBH	Use 1 – NAC4619TBRA Use 1 – NAC3219TBRA	Use 2 – NAC3219TBRA
38N9050HBH	NAC7419TBRA	NAC6019TBRA
38N9038HBH	NAC7419TBRA	NAC6019TBRA
38N8450HBH	NAC6819TBRA	NAC5419TBRA
38N8438HBH	NAC6819TBRA	NAC5419TBRA
38N7850HBH	NAC6219TBRA	NAC4819TBRA
38N7838HBH	NAC6219TBRA	NAC4819TBRA
38N7250HBH	NAC5619TBRA	NAC4219TBRA
38N7238HBH	NAC5619TBRA	NAC4219TBRA
38N6650HBH	NAC5019TBRA	NAC3619TBRA
38N6638HBH	NAC5019TBRA	NAC3619TBRA
38N6050HBH	NAC4419TBRA	NAC3019TBRA
38N6038HBH	NAC4419TBRA	NAC3019TBRA
38N4850HBH	NAC3219TBRA	NAC1819TBRA
38N4838HBH	NAC3219TBRA	NAC1819TBRA

## RENEGADE

75N7238HB_	NAC5619TBRA	NAC4219TBRA
75N6638HB_	NAC5019TBRA	NAC3619TBRA
75N6038HB_	NAC4419TBRA	NAC3019TBRA
75N4838HB_	NAC3219TBRA	NAC1819TBRA

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.





## ACCESSORIES

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBER:


NAC8819TBRA A 3705

MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS		A		KW		CARTONED WEIGHT	CUBIC FEET
TACK BOARD		20" HIGH		GRADE A		GRADE B/COM					
 Front view	NAC8020TBRA	Railroad	\$ 497	\$ 566	7/8	80 3/4	20 1/4	—	—	26 lbs.	1.5
	NAC7420TBRA	Railroad	492	558	7/8	74 1/4	20 1/4	—	—	25 lbs.	1.4
	QNAC6920TBRA_ _ _ _	Railroad	450	513	7/8	68 3/4	20 1/4	—	—	24 lbs.	1.3
	NAC6920TBRA	Railroad	450	513	7/8	68 3/4	20 1/4	—	—	24 lbs.	1.3
	NAC6320TBRA	Railroad	421	478	7/8	62 3/4	20 1/4	—	—	22 lbs.	1.4
	NAC5720TBRA	Railroad	398	449	7/8	56 1/2	20 1/4	—	—	20 lbs.	1.1
 Back view	<b>19" HIGH</b>										
	NAC8819TBRA	Railroad	\$ 517	\$ 595	7/8	88 1/4	19 1/2	—	—	31 lbs.	2.0
	NAC8219TBRA	Railroad	488	560	7/8	82 1/4	19 1/2	—	—	29 lbs.	1.9
	NAC7619TBRA	Railroad	459	527	7/8	76 1/4	19 1/2	—	—	26 lbs.	1.7
	NAC7419TBRA	Railroad	450	516	7/8	74 1/4	19 1/2	—	—	24 lbs.	1.5
	NAC7219TBRA	Railroad	440	506	7/8	71 3/4	19 1/2	—	—	25 lbs.	1.6
	QNAC7019TBRA_ _ _ _	Railroad	439	502	7/8	70 1/4	19 1/2	—	—	25 lbs.	1.6
	NAC7019TBRA	Railroad	439	502	7/8	70 1/4	19 1/2	—	—	25 lbs.	1.6
	NAC6919TBRA	Railroad	438	501	7/8	68 3/4	19 1/2	—	—	23 lbs.	1.5
	NAC6819TBRA	Railroad	436	496	7/8	68 1/4	19 1/2	—	—	22 lbs.	1.4
	NAC6719TBRA	Railroad	435	495	7/8	66 3/4	19 1/2	—	—	24 lbs.	1.5
	NAC6619TBRA	Railroad	434	494	7/8	65 3/4	19 1/2	—	—	23 lbs.	1.5
	NAC6419TBRA	Railroad	417	474	7/8	64 1/4	19 1/2	—	—	22 lbs.	1.5
	NAC6319TBRA	Railroad	410	467	7/8	63 3/4	19 1/2	—	—	21 lbs.	1.4
	NAC6219TBRA	Railroad	400	457	7/8	62 1/4	19 1/2	—	—	20 lbs.	1.3
	NAC6119TBRA	Railroad	397	454	7/8	61 1/4	19 1/2	—	—	21 lbs.	1.4
	NAC6019TBRA	Railroad	390	447	7/8	59 3/4	19 1/2	—	—	21 lbs.	1.4
	NAC5819TBRA	Railroad	386	439	7/8	58 3/4	19 1/2	—	—	20 lbs.	1.3
	NAC5619TBRA	Railroad	380	433	7/8	56 1/4	19 1/2	—	—	18 lbs.	1.2
	NAC5419TBRA	Railroad	378	431	7/8	54 1/4	19 1/2	—	—	17 lbs.	1.3
	NAC5219TBRA	Railroad	374	427	7/8	52 3/4	19 1/2	—	—	18 lbs.	1.2
	NAC5019TBRA	Railroad	370	415	7/8	50 1/4	19 1/2	—	—	16 lbs.	1.1




- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Tack board is routed in the back for wire management
- Hardware included to attach to highback organizer or to the wall
- Gap of 3/8" will exist between back of tack board and highback or wall
- Fabric will be railroaded
- Reference tack board applicability on pages 520-521

Specify selections, left to right:

BASE MODEL	GRADE	FABRIC DESIGNATOR	Repetition (Grade A) 100% Pre-Consumer Recycled Polyester	COM (Grade B)	Pact (Grade B) 65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester
	A Grade A	Dune (Grade A)			
	B Grade B	100% Polyester			
		8600 Drift	3700 Ash		25401 Aloe
		8601 Windblown	3703 White		25402 Azure
		8602 Erosion	3705 Willow		25403 Calla
		8603 Haze	3709 Java		25404 Coastal
		8604 Kamelos	3713 Stainless		25405 Delft
		8606 Pebble	3715 Almond		25406 Dove
		8607 Gecho	3721 Reed		25407 Dragon
		8608 Nectar	3744 Tawny		25408 Eureka
		8610 Clear Sky	3775 Grey Green		25409 Fern
		8614 Basin			25410 Harbour
		8615 Raven			25411 Lily
		8620 Darkness			25412 Lime
		8621 Golden			25413 Midnight
					25414 Nectar
					25415 Patina
					25416 Putty
NAC8819TBRA	A	3705			



Shaded rectangle portrays a railroaded tack board.

		MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS				A	KW	CARTONED WEIGHT	CUBIC FEET
						D	W	H					
TACK BOARD (CONTINUED)		19" HIGH CONT.		GRADE A		GRADE B/COM							
 Front view	NAC4919TBRA	Railroad	\$	368	\$	413	7/8	49 3/8	19 1/2	—	—	18 lbs.	1.2
	NAC4819TBRA	Railroad		366		411	7/8	47 7/8	19 1/2	—	—	17 lbs.	1.1
	NAC4619TBRA	Railroad		358		403	7/8	46 3/8	19 1/2	—	—	16 lbs.	1.1
	NAC4419TBRA	Railroad		349		394	7/8	44 3/8	19 1/2	—	—	14 lbs.	1.0
	NAC4219TBRA	Railroad		342		387	7/8	41 3/8	19 1/2	—	—	15 lbs.	1.0
	NAC3819TBRA	Railroad		323		368	7/8	38 3/8	19 1/2	—	—	12 lbs.	0.8
	NAC3619TBRA	Railroad		309		347	7/8	35 3/8	19 1/2	—	—	13 lbs.	0.9
	NAC3519TBRA	Railroad		305		343	7/8	35 3/8	19 1/2	—	—	12 lbs.	0.8
	NAC3219TBRA	Railroad		290		320	7/8	32 3/8	19 1/2	—	—	11 lbs.	0.7
	NAC3019TBRA	Railroad		284		314	7/8	29 3/8	19 1/2	—	—	11 lbs.	0.7
	NAC1819TBRA	Railroad		227		250	7/8	18 3/8	19 1/2	—	—	7 lbs.	0.4
 Back view	<b>18" HIGH</b>												
	NAC3618TBRA	Railroad	\$	309	\$	347	7/8	35 3/8	18 3/8	—	—	12 lbs.	0.8
	NAC3018TBRA	Railroad		284		314	7/8	29 3/8	18 3/8	—	—	10 lbs.	0.7
	<b>17" HIGH</b>												
	NAC8117TBRA	Railroad	\$	473	\$	545	7/8	80 1/8	16 1/8	—	—	26 lbs.	1.5
	NAC7917TBRA	Railroad		471		540	7/8	78 3/8	16 1/8	—	—	25 lbs.	1.5
	NAC7517TBRA	Railroad		445		511	7/8	74 1/8	16 1/8	—	—	25 lbs.	1.4
	NAC7317TBRA	Railroad		443		506	7/8	72 1/8	16 1/8	—	—	24 lbs.	1.4
	QNAC6917TBRA_---	Railroad		438		501	7/8	69 3/8	17 7/8	—	—	22 lbs.	1.4
	NAC6917TBRA	Railroad		438		501	7/8	69 3/8	17 7/8	—	—	22 lbs.	1.4
	QNAC6717TBRA_---	Railroad		435		495	7/8	67 1/8	16 1/8	—	—	21 lbs.	1.4
	NAC6717TBRA	Railroad		435		495	7/8	67 1/8	16 1/8	—	—	21 lbs.	1.4
	QNAC6617TBRA_---	Railroad		434		494	7/8	66 3/8	16 1/8	—	—	20 lbs.	1.4
	NAC6617TBRA	Railroad		434		494	7/8	66 3/8	16 1/8	—	—	20 lbs.	1.4
	NAC6317TBRA	Railroad		410		467	7/8	63 3/8	17 7/8	—	—	20 lbs.	1.3
	NAC6117TBRA	Railroad		397		454	7/8	61 3/8	16 1/8	—	—	19 lbs.	1.3
	NAC6017TBRA	Railroad		390		447	7/8	60 3/8	16 1/8	—	—	19 lbs.	1.2

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Tack board is routed in the back for wire management
- Hardware included to attach to highback organizer or to the wall
- Gap of 3/8" will exist between back of tack board and highback or wall
- Fabric will be railroaded
- Reference tack board applicability on pages 520-521



## TACK BOARDS

## DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

## SAMPLE MODEL NUMBER:


NAC6719TBRA A 3705

TACK BOARD (CONTINUED)	MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS					CARTONED WEIGHT	CUBIC FEET		
					D	W	H	A	KW				
 Front view	17" HIGH CONT.		GRADE A		GRADE B/COM								
	NAC5517TBRA	Railroad	\$	342	\$	390	7/8	55	16 5/16	—	—	17 lbs.	1.1
	NAC5417TBRA	Railroad		392		440	7/8	54 1/2	16 5/16	—	—	16 lbs.	1.1
	NAC3617TBRA	Railroad		309		347	7/8	35 3/4	17 7/16	—	—	12 lbs.	0.8
	NAC3017TBRA	Railroad		284		314	7/8	29 9/16	17 7/16	—	—	10 lbs.	0.7
 Back view	16" HIGH												
	NAC8416TBRA	Railroad	\$	428	\$	503	7/8	84 1/16	16	—	—	24 lbs.	1.6
	NAC7616TBRA	Railroad		410		476	7/8	76	16	—	—	23 lbs.	1.4
	NAC6916TBRA	Railroad		379		442	7/8	69 3/16	16 1/2	—	—	21 lbs.	1.4
	QNAC6816TBRA_ _ _ _	Railroad		368		428	7/8	67 9/16	16	—	—	20 lbs.	1.3
	NAC6816TBRA	Railroad		368		428	7/8	67 9/16	16	—	—	20 lbs.	1.3
	NAC6316TBRA	Railroad		348		405	7/8	63 3/16	16 1/2	—	—	19 lbs.	1.3
	NAC6216TBRA	Railroad		333		390	7/8	62 1/16	16	—	—	18 lbs.	1.2
	NAC5716TBRA	Railroad		332		385	7/8	57 1/16	16 1/2	—	—	17 lbs.	1.1
	NAC5616TBRA	Railroad		330		381	7/8	56	16	—	—	16 lbs.	1.1
	NAC4516TBRA	Railroad		294		339	7/8	45	16 1/2	—	—	14 lbs.	1.0
	NAC3916TBRA	Railroad		264		309	7/8	39	16 1/2	—	—	12 lbs.	0.8
	<ul style="list-style-type: none"><li>• For use with highback organizers or overhead cabinets</li><li>• Tack board is unfinished on back</li><li>• Tack board is routed in the back for wire management</li><li>• Hardware included to attach to highback organizer or to the wall</li><li>• Gap of 3/8" will exist between back of tack board and highback or wall</li><li>• Fabric will be railroaded</li><li>• Reference tack board applicability on pages 520-521</li></ul>												
	11" HIGH												
	NAC2811TBRA	Railroad	\$	258	\$	288	7/8	27 3/4	11 3/4	—	—		
NAC2211TBRA	Railroad		232		262	7/8	22	11 3/4	—	—			
NAC1811TBRA	Railroad		206		229	7/8	18	11 3/4	—	—			
<ul style="list-style-type: none"><li>• For use with Tessera wall mount credenzas and reception storage</li></ul>													





Specify selections, left to right:

BASE MODEL	GRADE	FABRIC DESIGNATOR	Repetition (Grade A) 100% Pre-Consumer Recycled Polyester	COM (Grade B)	Pact (Grade B) 65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester
	A Grade A	Dune (Grade A)			
	B Grade B	100% Polyester			
		8600 Drift	3700 Ash		25401 Aloe
		8601 Windblown	3703 White		25402 Azure
		8602 Erosion	3705 Willow		25403 Calla
		8603 Haze	3709 Java		25404 Coastal
		8604 Kamelos	3713 Stainless		25405 Delft
		8606 Pebble	3715 Almond		25406 Dove
		8607 Gecho	3721 Reed		25407 Dragon
		8608 Nectar	3744 Tawny		25408 Eureka
		8610 Clear Sky	3775 Grey Green		25409 Fern
		8614 Basin			25410 Harbour
		8615 Raven			25411 Lily
		8620 Darkness			25412 Lime
		8621 Golden			25413 Midnight
					25414 Nectar
					25415 Patina
					25416 Putty
NAC6719TBRA	A	3705			



Shaded rectangle portrays a railroaded tack board.

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS				KW	CARTONED WEIGHT	CUBIC FEET	
	14" HIGH		GRADE A		GRADE B/COM								
	NAC7015TBDA	Railroad	\$	379	\$	447	7/8	70 1/2	14 1/2	—	—	16 lbs.	1.5
	NAC6415TBDA	Railroad		348		408	7/8	64 1/2	14 1/2	—	—	14 lbs.	1.5
	13" HIGH												
	NAC7014TBDA	Railroad	\$	379	\$	447	7/8	69 1/2	13 3/4	—	—	15 lbs.	1.5
	NAC6714TBDA	Railroad		376		436	7/8	67 1/4	13 3/4	—	—	15 lbs.	1.5
	NAC6414TBDA	Railroad		348		408	7/8	64 1/2	13 3/4	—	—	14 lbs.	1.5
	NAC6114TBDA	Railroad		333		393	7/8	61 1/4	13 3/4	—	—	14 lbs.	1.0
	NAC6713TBDA	Railroad		368		428	7/8	67 1/2	13 3/4	—	—	15 lbs.	1.5
	12" HIGH												
	NAC6813TBDA	Railroad	\$	368	\$	428	7/8	68	12 3/4	—	—	15 lbs.	1.5
	NAC7212TBDA	Railroad		379		447	7/8	71 1/4	12 3/4	—	—	16 lbs.	1.5
	NAC6912TBDA	Railroad		379		439	7/8	69 1/4	12	—	—	15 lbs.	1.5
	11" HIGH												
	NAC6011TBDA	Railroad	\$	330	\$	390	7/8	59 3/4	11 1/4	—	—	14 lbs.	1.0
	NAC5711TBDA	Railroad		330		383	7/8	57 3/4	11 1/4	—	—	12 lbs.	1.0
	NAC4811TBDA	Railroad		291		336	7/8	47 3/4	11 1/4	—	—	10 lbs.	1.0
	10" HIGH												
	NAC6010TBDA	Railroad	\$	330	\$	390	7/8	59 3/4	10 1/2	—	—	14 lbs.	1.0
	NAC5710TBDA	Railroad		330		383	7/8	57 3/4	10 1/2	—	—	12 lbs.	1.0
	NAC4810TBDA	Railroad		291		336	7/8	47 3/4	10 1/2	—	—	10 lbs.	1.0

- For use with reception desks and transaction counters
- Tack board is unfinished on back
- Hardware included to attach to reception desk or transaction counter
- Gap of ½" will exist between back of tack board and reception unit
- Does not include route in back for wire management
- Recommend specifying a reception counter when using tack boards on a reception desk/transaction counter
- Fabric will be railroaded
- Reference tack board applicability on pages 520-521

## TACK BOARDS

---

## COM YARDAGE REQUIREMENTS

### COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED	NON DIRECTIONAL	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	
	Contact customer service 800-482-1717 for ydg requirements	OR SOLID	4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
BOX/FILE HEIGHT STORAGE CUSHIONS						
NAC1820CUSH, NAC1820CUSHT		0.70	0.90	1.60	3.10	12
NAC1824CUSH, NAC1824CUSHT		0.70	1.20	1.50	2.70	12
NAC1830CUSH, NAC1830CUSHT		0.90	1.40	1.70	2.70	17
NAC1836CUSH, NAC1836CUSHT		1.10	1.40	1.70	2.70	20
NAC1840CUSH, NAC1840CUSHT		1.00	1.40	2.00	2.20	20
NAC1848CUSH, NAC1848CUSHT		1.10	1.40	1.70	2.70	20
NAC1860CUSH, NAC1860CUSHT		1.60	1.80	2.90	4.20	32
NAC1872CUSH, NAC1872CUSHT		1.70	2.10	2.90	4.20	37
NAC2024CUSH, NAC2024CUSHT		0.70	1.30	2.00	3.20	12
NAC24CUSH, NAC24CUSHT		0.80	1.30	2.30	2.20	15
NAC2424CUSH, NAC2424CUSHT		0.80	1.70	2.30	2.70	14.5
NAC2430CUSH, NAC2430CUSHT		1.20	1.70	2.30	2.70	23
NAC2436CUSH, NAC2436CUSHT		1.20	1.70	2.30	2.70	23
NAC2440CUSH, NAC2440CUSHT		1.20	1.70	2.60	3.20	24
NAC2448CUSH, NAC2448CUSHT		1.20	1.60	2.30	2.70	24
NAC2460CUSH, NAC2460CUSHT		2.10	2.70	3.80	4.20	42
NAC2472CUSH, NAC2472CUSHT		2.10	2.70	3.80	4.20	42
NAC2552CUSH, NAC2552CUSHT		1.90	2.80	4.10	4.60	37
NAC2727CUSH, NAC2727CUSHT		1.40	1.80	2.50	2.70	28
NAC2828CUSH, NAC2828CUSHT		1.50	1.90	2.60	3.20	29
NAC36CUSH, NAC36CUSHT		1.60	2.00	2.60	3.60	30
NAC3636CUSH, NAC3636CUSHT		1.70	2.10	2.60	4.10	33
WEDGES						
N10PWD1816		0.90	1.20	1.50	1.80	
N10PWD1816X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
N10PWD2116		1.10	1.20	1.50	1.80	
N10PWD2116X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
N10PWD2416		1.20	1.50	1.90	1.80	
N10PWD2416X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
MOBILE PEDS						
CLN2016PMBFC		0.90	1.00	1.10	1.00	
38N2315PMBFCW		0.90	1.00	1.10	1.00	
25N2315PMBFCL		0.90	1.00	1.10	1.00	
25N2315PMBFCW		0.90	1.00	1.10	1.00	
75N2315PMBFC		0.90	1.00	1.10	1.00	
WW2315PMBFCL		0.90	1.00	1.10	1.00	
WW2315PMBFCW		0.90	1.00	1.10	1.00	
WW2315PMBFCWL		0.90	1.00	1.10	1.00	
WW2315PMBFCM		1.00	1.00	1.00	1.00	
WW2315PMBFC2M		1.00	1.00	1.00	1.00	

## COM YARDAGE REQUIREMENTS

TACKABLE	54" WIDE ROLL	66" WIDE ROLL
11N1834TB	1.25	1.25
11N1834TBA	1.00	1.00
11N1836TB	1.25	1.25
11N1836TBA	1.00	1.00
11N1837TB	1.25	1.25
11N1837TBA	1.00	1.00
11N1848TB	1.50	1.50
11N1848TBA	1.00	1.00
11N1849TB	1.50	1.50
11N1849TBA	1.00	1.00
11N20WMVF	0.75	0.75
11N20WMVFA	0.25	0.25
11N2434SWTBF	1.10	1.10
11N2434SWTBFA	1.50	1.50
11N2434SWTBP	0.50	0.50
11N2434SWTBPA	0.80	0.80
11N2434TB	1.25	1.25
11N2434TBA	1.00	1.00
11N2436SWTBF	1.10	1.10
11N2436SWTBFA	1.30	1.30
11N2436SWTBP	0.50	0.50
11N2436SWTBPA	0.80	0.80
11N2436TB	1.25	1.25
11N2436TBA	1.00	1.00
11N2437SWTBF	1.20	1.20
11N2437SWTBFA	1.30	1.30
11N2437SWTBP	0.50	0.50
11N2437SWTBPA	0.80	0.80
11N2437TB	1.25	1.25
11N2437TBA	1.00	1.00
11N2448SWTBF	1.50	1.50
11N2448SWTBFA	1.10	1.10
11N2448SWTBP	0.90	0.90
11N2448SWTBPA	0.80	0.80
11N2448TB	1.50	1.50
11N2448TBA	1.00	1.00
11N2449SWTBF	1.50	1.50
11N2449SWTBFA	1.10	1.10
11N2449SWTBP	0.90	0.90
11N2449SWTBPA	0.80	0.80
11N2449TB	1.50	1.50
11N2449TBA	1.00	1.00
11N3034SWTBF	1.10	1.10
11N3034SWTBFA	1.60	1.60
11N3034SWTBP	0.50	0.50
11N3034SWTBPA	1.00	1.00
11N3034TB	1.25	1.25
11N3034TBA	1.25	1.25
11N3036SWTBF	1.10	1.10
11N3036SWTBFA	1.50	1.50
11N3036SWTBP	0.50	0.50
11N3036SWTBPA	1.00	1.00
11N3036TB	1.25	1.25
11N3036TBA	1.25	1.25
11N3037SWTBF	1.20	1.20
11N3037SWTBFA	1.50	1.50
11N3037SWTBP	0.50	0.50

TACKABLE	54" WIDE ROLL	66" WIDE ROLL
11N3037SWTBPA	1.00	1.00
11N3037TB	1.25	1.25
11N3037TBA	1.25	1.25
11N3048SWTBF	1.50	1.50
11N3048SWTBFA	1.30	1.30
11N3048SWTBP	0.90	0.90
11N3048SWTBPA	1.00	1.00
11N3048TB	1.50	1.50
11N3048TBA	1.25	1.25
11N3049SWTBF	1.50	1.50
11N3049SWTBFA	1.30	1.30
11N3049SWTBP	0.90	0.90
11N3049SWTBPA	1.00	1.00
11N3049TB	1.50	1.50
11N3049TBA	1.25	1.25
11N31WMVF	1.00	1.00
11N31WMVFA	0.25	0.25
11N34TCF	1.00	1.00
11N34TCFA	0.25	0.25
11N3634SWTBF	1.10	1.10
11N3634SWTBFA	1.80	1.80
11N3634SWTBP	0.50	0.50
11N3634SWTBPA	1.10	1.10
11N3634TB	1.25	1.25
11N3634TBA	1.50	1.50
11N3636SWTBF	1.10	1.10
11N3636SWTBFA	1.60	1.60
11N3636SWTBP	0.50	0.50
11N3636SWTBPA	1.10	1.10
11N3636TB	1.25	1.25
11N3636TBA	1.50	1.50
11N3637SWTBF	1.20	1.20
11N3637SWTBFA	1.60	1.60
11N3637SWTBP	0.50	0.50
11N3637SWTBPA	1.10	1.10
11N3637TB	1.25	1.25
11N3637TBA	1.50	1.50
11N3648SWTBF	1.50	1.50
11N3648SWTBFA	1.50	1.50
11N3648SWTBP	0.90	0.90
11N3648SWTBPA	1.10	1.10
11N3648TB	1.50	1.50
11N3648TBA	1.50	1.50
11N3649SWTBF	1.50	1.50
11N3649SWTBFA	1.50	1.50
11N3649SWTBP	0.90	0.90
11N3649SWTBPA	1.10	1.10
11N3649TB	1.50	1.50
11N3649TBA	1.50	1.50
11N36TCF	1.25	1.25
11N36TCFA	0.25	0.25
11N37TCF	1.25	1.25
11N37TCFA	0.25	0.25
11N4234SWTBF	1.10	1.10
11N4234SWTBFA	2.00	2.00
11N4234SWTBP	0.50	0.50
11N4234SWTBPA	1.30	1.30

## COM YARDAGE REQUIREMENTS

TACKABLE	54" WIDE ROLL	66" WIDE ROLL
11N4234TB	1.25	1.25
11N4234TBA	1.50	1.50
11N4236SWTBF	1.10	1.10
11N4236SWTBFA	1.80	1.80
11N4236SWTBP	0.50	0.50
11N4236SWTBPA	1.30	1.30
11N4236TB	1.25	1.25
11N4236TBA	1.50	1.50
11N4237SWTBF	1.20	1.20
11N4237SWTBFA	1.80	1.80
11N4237SWTBP	0.50	0.50
11N4237SWTBPA	1.30	1.30
11N4237TB	1.25	1.25
11N4237TBA	1.50	1.50
11N4248SWTBF	1.50	1.50
11N4248SWTBFA	1.60	1.60
11N4248SWTBP	0.90	0.90
11N4248SWTBPA	1.30	1.30
11N4248TB	1.50	1.50
11N4248TBA	1.50	1.50
11N4249SWTBF	1.50	1.50
11N4249SWTBFA	1.60	1.60
11N4249SWTBP	0.90	0.90
11N4249SWTBPA	1.30	1.30
11N4249TB	1.50	1.50
11N4249TBA	1.50	1.50
11N4834SWTBF	1.10	1.10
11N4834SWTBFA	2.10	2.10
11N4834SWTBP	0.50	0.50
11N4834SWTBPA	1.50	1.50
11N4834TB	1.25	1.25
11N4834TBA	1.75	1.75
11N4836SWTBF	1.10	1.10
11N4836SWTBFA	2.00	2.00
11N4836SWTBP	0.50	0.50
11N4836SWTBPA	1.50	1.50
11N4836TB	1.25	1.25
11N4836TBA	1.75	1.75
11N4837SWTBF	1.20	1.20
11N4837SWTBFA	2.00	2.00
11N4837SWTBP	0.50	0.50
11N4837SWTBPA	1.50	1.50
11N4837TB	1.25	1.25
11N4837TBA	1.75	1.75
11N4848SWTBF	1.50	1.50
11N4848SWTBFA	1.80	1.80
11N4848SWTBP	0.90	0.90
11N4848SWTBPA	1.50	1.50
11N4848TB	1.50	1.50
11N4848TBA	1.75	1.75
11N4849SWTBF	1.50	1.50
11N4849SWTBFA	1.80	1.80
11N4849SWTBP	0.90	0.90
11N4849SWTBPA	1.50	1.50
11N4849TB	1.50	1.50
11N4849TBA	1.75	1.75
11N48TCF	1.50	1.50

TACKABLE	54" WIDE ROLL	66" WIDE ROLL
11N48TCFA	0.25	0.25
11N49TCF	1.50	1.50
11N49TCFA	0.25	0.25
11N5434TB	N/A	1.25
11N5434TBA	2.00	2.00
11N5436TB	N/A	1.25
11N5436TBA	2.00	2.00
11N5437TB	N/A	1.25
11N5437TBA	2.00	2.00
11N5448TB	N/A	1.50
11N5448TBA	2.00	2.00
11N5449TB	N/A	1.50
11N5449TBA	2.00	2.00
11N6034TB	N/A	1.25
11N6034TBA	2.00	2.00
11N6036TB	N/A	1.25
11N6036TBA	2.00	2.00
11N6037TB	N/A	1.25
11N6037TBA	2.00	2.00
11N6048TB	N/A	1.50
11N6048TBA	2.00	2.00
11N6049TB	N/A	1.50
11N6049TBA	2.00	2.00
26N2411SWTB	0.30	0.30
26N2411SWTBA	0.80	0.80
26N2411TB	0.40	0.40
26N2411TBA	0.80	0.80
26N2432TB	1.00	1.00
26N2432TBA	0.80	0.80
26N2439TB	1.20	1.20
26N2439TBA	0.80	0.80
26N3011SWTB	0.30	0.30
26N3011SWTBA	1.00	1.00
26N3011TB	0.40	0.40
26N3011TBA	1.00	1.00
26N3032TB	1.00	1.00
26N3032TBA	1.00	1.00
26N3039TB	1.20	1.20
26N3039TBA	1.00	1.00
26N3611SWTB	0.30	0.30
26N3611SWTBA	1.10	1.10
26N3611TB	0.40	0.40
26N3611TBA	1.10	1.10
26N3632TB	1.00	1.00
26N3632TBA	1.10	1.10
26N3639TB	1.20	1.20
26N3639TBA	1.20	1.20
26N4211SWTB	0.30	0.30
26N4211SWTBA	1.30	1.30
26N4211TB	0.40	0.40
26N4211TBA	1.30	1.30
26N4232TB	1.00	1.00
26N4232TBA	1.30	1.30
26N4239TB	1.20	1.20
26N4239TBA	1.30	1.30
26N4811SWTB	0.30	0.30
26N4811SWTBA	1.50	1.50

## COM YARDAGE REQUIREMENTS

TACKABLE	54" WIDE ROLL	66" WIDE ROLL
26N4811TB	0.40	0.40
26N4811TBA	1.50	1.50
26N4832TB	1.00	1.00
26N4832TBA	1.50	1.50
26N4839TB	1.20	1.20
26N4839TBA	1.50	1.50
26N5411SWTB	N/A	0.30
26N5411SWTBA	1.60	1.60
26N5411TB	N/A	0.40
26N5411TBA	1.60	1.60
26N5432TB	N/A	1.00
26N5432TBA	1.70	1.70
26N5439TB	N/A	1.20
26N5439TBA	1.70	1.70
26N6011SWTB	N/A	0.30
26N6011SWTBA	1.80	1.80
26N6011TB	N/A	0.40
26N6011TBA	1.80	1.80
26N6032TB	N/A	1.00
26N6032TBA	1.80	1.80
26N6039TB	N/A	1.20
26N6039TBA	1.80	1.80
26N6611SWTBA	2.00	2.00
26N6611TBA	2.00	2.00
26N6632TBA	2.00	2.00
26N6639TBA	2.00	2.00
26N7211SWTBA	2.10	2.10
26N7211TBA	2.10	2.10
26N7232TBA	2.20	2.20
26N7239TBA	2.20	2.20
38N3672DTLFCW1	2.25	2.25
38N3672DTRFCWP1	2.25	2.25
38N3672DTRFCW1	2.25	2.25
38N3672DTRFCWP1	2.25	2.25
NAC1811TBRA	1.00	1.00
NAC1819TBCA	0.75	0.75
NAC1819TBRA	0.75	0.75
NAC2211TBDA2	0.75	0.75
NAC2211TBRA	1.00	1.00
NAC2811TBRA	1.00	1.00
NAC3017TBRA	1.00	1.00
NAC3018TBRA	1.00	1.00
NAC3019TBCA	1.00	1.00
NAC3019TBRA	1.00	1.00
NAC3219TBRA	1.00	1.00
NAC3220TBM	0.70	0.70
NAC3220TBMA	1.00	1.00
NAC3519TBRA	1.25	1.25
NAC3617TBRA	1.25	1.25
NAC3618TBRA	1.25	1.25
NAC3619TBCA	1.25	1.25
NAC3619TBRA	1.25	1.25
NAC3819TBRA	1.50	1.50
NAC3820TBM	0.70	0.70
NAC3820TBMA	1.20	1.20
NAC3916TBRA	1.50	1.50
NAC4219TBCA	1.50	1.50

TACKABLE	54" WIDE ROLL	66" WIDE ROLL
NAC4219TBRA	1.50	1.50
NAC4419TBRA	1.50	1.50
NAC4420TBM	0.70	0.70
NAC4420TBMA	1.40	1.40
NAC4516TBRA	1.50	1.50
NAC4619TBRA	1.50	1.50
NAC4810TBDA	1.50	1.50
NAC4811TBDA	1.50	1.50
NAC4819TBRA	1.50	1.50
NAC4819TBSA	1.50	1.50
NAC4919TBRA	1.50	1.50
NAC5019TBRA	1.50	1.50
NAC5219TBRA	1.75	1.75
NAC5417TBRA	1.60	1.60
NAC5419TBRA	1.75	1.75
NAC5517TBRA	1.60	1.60
NAC5616TBRA	1.70	1.70
NAC5619TBRA	1.75	1.75
NAC5620TBM	N/A	0.70
NAC5620TBMA	1.70	1.70
NAC5710TBDA	1.75	1.75
NAC5711TBDA	1.75	1.75
NAC5716TBRA	1.75	1.75
NAC5720TBRA	1.70	1.70
NAC5819TBRA	1.75	1.75
NAC6010TBDA	2.00	2.00
NAC6011TBDA	2.00	2.00
NAC6017TBRA	2.00	2.00
NAC6019TBRA	2.00	2.00
NAC6019TBSA	2.00	2.00
NAC6114TBDA	2.00	2.00
NAC6117TBRA	2.00	2.00
NAC6119TBRA	2.00	2.00
NAC6216TBRA	2.00	2.00
NAC6219TBRA	2.00	2.00
NAC6316TBRA	2.00	2.00
NAC6317TBRA	2.00	2.00
NAC6319TBRA	2.00	2.00
NAC6320TBRA	2.00	2.00
NAC6414TBDA	2.00	2.00
NAC6415TBDA	2.00	2.00
NAC6419TBRA	2.00	2.00
NAC6617TBRA	2.00	2.00
NAC6619TBRA	2.00	2.00
NAC6619TBSA	2.00	2.00
NAC6713TBDA	2.00	2.00
NAC6714TBDA	2.00	2.00
NAC6717TBRA	2.00	2.00
NAC6719TBRA	2.00	2.00
NAC6813TBDA	2.00	2.00
NAC6816TBRA	2.00	2.00
NAC6819TBRA	2.00	2.00
NAC6820TBMA	2.10	2.10
NAC6912TBDA	2.00	2.00
NAC6916TBRA	2.25	2.25
NAC6917TBRA	2.25	2.25
NAC6919TBRA	2.25	2.25

## COM YARDAGE REQUIREMENTS

TACKABLE	54" WIDE ROLL	66" WIDE ROLL
NAC6920TBRA	2.25	2.25
NAC7014TBDA	2.25	2.25
NAC7015TBDA	2.25	2.25
NAC7019TBRA	2.25	2.25
NAC7212TBDA	2.25	2.25
NAC7219TBRA	2.25	2.25
NAC7219TBDA	2.25	2.25
NAC7317TBRA	2.10	2.10
NAC7419TBRA	2.25	2.25
NAC7420TBRA	2.20	2.20

TACKABLE	54" WIDE ROLL	66" WIDE ROLL
NAC7517TBRA	2.20	2.20
NAC7616TBRA	2.20	2.20
NAC7619TBRA	2.25	2.25
NAC7917TBRA	2.30	2.30
NAC8020TBRA	2.30	2.30
NAC8117TBRA	2.40	2.40
NAC8219TBRA	2.50	2.50
NAC8416TBRA	2.50	2.50
NAC8819TBRA	2.75	2.75





MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
10N1622RTPUL	503	11N2436MBP	362	11N3049SWTBF	368	11N3636TVF	398
10N1622RTPUW	503	11N2436SW	364	11N3049SWTBFA	368	11N3636TVFA	398
10N1850RTGK	432	11N2436SWTBF	366	11N3049SWTBP	368	11N3636TVL	401
10N1850RTSK	432	11N2436SWTBFA	366	11N3049SWTBPA	368	11N3636TVW	401
10N2136LFF4L	457	11N2436SWTBP	366	11N3049TB	361	11N3637MB	362
10N2424RDBPG	428	11N2436SWTBPA	366	11N3049TBA	361	11N3637MBP	362
10N2424RDGK	432	11N2436TB	358	11N31WMV	404	11N3637SH1L	379
10N2424RDSK	432	11N2436TBA	358	11N31WMVF	404	11N3637SH1LW	379
10N2424SQBPG	428	11N2437MB	362	11N31WMVFA	404	11N3637SH1W	379
10N2424SQGK	432	11N2437MBP	362	11N34TCF	405	11N3637SH1WL	379
10N2424SSQK	432	11N2437SW	364	11N34TCFA	405	11N3637SH2L	380
10N2424SSQGK	432	11N2437SWTBF	367	11N34TCP	406	11N3637SH2LW	380
10N2424SSQS	428	11N2437SWTBFA	367	11N3634MB	362	11N3637SH2W	380
10N2424SSQSK	432	11N2437SWTBP	367	11N3634MBP	362	11N3637SH2WL	380
10N2448RTGK	432	11N2437SWTBPA	367	11N3634SH1L	369	11N3637SH3L	381
10N2448RTSK	432	11N2437TB	359	11N3634SH1LW	369	11N3637SH3LW	381
10N24RDS	428	11N2437TBA	359	11N3634SH1W	369	11N3637SH3W	381
10N3372MBFCHB	499	11N2448MB	363	11N3634SH1WL	369	11N3637SH3WL	381
10N3372MBFCHN	499	11N2448MBP	363	11N3634SH2L	370	11N3637SH4L	382
10N3372MBFCHS	499	11N2448SW	364	11N3634SH2LW	370	11N3637SH4LW	382
10N3630BCOFL	446	11N2448SWTBF	367	11N3634SH2W	370	11N3637SH4W	382
10N3630BCOFW	445	11N2448SWTBFA	367	11N3634SH2WL	370	11N3637SH4WL	382
10N3636BCOFL	446	11N2448SWTBP	367	11N3634SH3L	371	11N3637SH6L	383
10N3636BCOFW	445	11N2448SWTBPA	367	11N3634SH3LW	371	11N3637SH6LW	383
10N3636RDBPG	428	11N2448TB	360	11N3634SH3W	371	11N3637SH6W	383
10N3636RDGK	432	11N2448TBA	360	11N3634SH3WL	371	11N3637SH6WL	383
10N3636RDSK	432	11N2449MB	363	11N3634SH4L	372	11N3637SW	364
10N3636SQBPG	428	11N2449MBP	363	11N3634SH4LW	372	11N3637SWTBF	367
10N3636SQGK	432	11N2449SW	365	11N3634SH4W	372	11N3637SWTBFA	367
10N3636SQSK	432	11N2449SWTBF	368	11N3634SH4WL	372	11N3637SWTBP	367
10N3636SSQGK	432	11N2449SWTBFA	368	11N3634SH6L	373	11N3637SWTBPA	367
10N3636SSQS	428	11N2449SWTBP	368	11N3634SH6LW	373	11N3637TB	359
10N3636SSQSK	432	11N2449SWTBPA	368	11N3634SH6W	373	11N3637TBA	359
10N3648BCOFL	446	11N2449TB	361	11N3634SH6WL	373	11N3637TVF	399
10N3648BCOFW	445	11N2449TBA	361	11N3634SW	364	11N3637TVFA	399
10N3660BCOFL	446	11N3034MB	362	11N3634SWTBF	366	11N3637TVL	402
10N3660BCOFW	445	11N3034MBP	362	11N3634SWTBFA	366	11N3637TVW	402
10N3661MMCM	498	11N3034SW	364	11N3634SWTBP	366	11N3648MB	363
10N3672BCOFL	446	11N3034SWTBF	366	11N3634SWTBPA	366	11N3648MBP	363
10N3672BCOFW	445	11N3034SWTBFA	366	11N3634TB	357	11N3648SH1L	384
10N3684BCOFL	446	11N3034SWTBP	366	11N3634TBA	357	11N3648SH1LW	384
10N3684BCOFW	445	11N3034SWTBPA	366	11N3634TVF	398	11N3648SH1W	384
10N36RDS	428	11N3034TB	357	11N3634TVFA	398	11N3648SH1WL	384
11N01ETP	405	11N3034TBA	357	11N3634TVL	401	11N3648SH2L	385
11N0615WMVF	403	11N3036MB	362	11N3634TVW	401	11N3648SH2LW	385
11N0615WMVFA	403	11N3036MBP	362	11N3636MB	362	11N3648SH2W	385
11N0615WMVL	403	11N3036SW	364	11N3636MBP	362	11N3648SH2WL	385
11N0615WMVW	403	11N3036SWTBF	366	11N3636SH1L	374	11N3648SH3L	386
11N144EXFP1	356	11N3036SWTBFA	366	11N3636SH1LW	374	11N3648SH3LW	386
11N144EXFP2	356	11N3036SWTBP	366	11N3636SH1W	374	11N3648SH3W	386
11N144EXP1	356	11N3036SWTBPA	366	11N3636SH1WL	374	11N3648SH3WL	386
11N1834TB	357	11N3036TB	358	11N3636SH2L	375	11N3648SH4L	387
11N1834TBA	357	11N3036TBA	358	11N3636SH2LW	375	11N3648SH4LW	387
11N1836TB	358	11N3037MB	362	11N3636SH2W	375	11N3648SH4W	387
11N1836TBA	358	11N3037MBP	362	11N3636SH2WL	375	11N3648SH4WL	387
11N1837TB	359	11N3037SW	364	11N3636SH3L	376	11N3648SH5L	388
11N1837TBA	359	11N3037SWTBF	367	11N3636SH3LW	376	11N3648SH5LW	388
11N1848TB	360	11N3037SWTBFA	367	11N3636SH3W	376	11N3648SH5W	388
11N1848TBA	360	11N3037SWTBP	367	11N3636SH3WL	376	11N3648SH5WL	388
11N1849TB	361	11N3037SWTBPA	367	11N3636SH4L	377	11N3648SH6L	389
11N1849TBA	361	11N3037TB	359	11N3636SH4LW	377	11N3648SH6LW	389
11N20WMV	404	11N3037TBA	359	11N3636SH4W	377	11N3648SH6W	389
11N20WMVF	404	11N3048MB	363	11N3636SH4WL	377	11N3648SH6WL	389
11N20WMVFA	404	11N3048MBP	363	11N3636SH6L	378	11N3648SH7L	390
11N2434MB	362	11N3048SW	364	11N3636SH6LW	378	11N3648SH7LW	390
11N2434MBP	362	11N3048SWTBF	367	11N3636SH6W	378	11N3648SH7W	390
11N2434SW	364	11N3048SWTBFA	367	11N3636SH6WL	378	11N3648SH7WL	390
11N2434SWTBF	366	11N3048SWTBP	367	11N3636SW	364	11N3648SW	364
11N2434SWTBFA	366	11N3048SWTBPA	367	11N3636SWTBF	366	11N3648SWTBF	367
11N2434SWTBP	366	11N3048TB	360	11N3636SWTBFA	366	11N3648SWTBFA	367
11N2434SWTBPA	366	11N3048TBA	360	11N3636SWTBP	366	11N3648SWTBP	367
11N2434TB	357	11N3049MB	363	11N3636SWTBPA	366	11N3648SWTBPA	367
11N2434TBA	357	11N3049MBP	363	11N3636TB	358	11N3648TB	360
11N2436MB	362	11N3049SW	365	11N3636TBA	358	11N3648TBA	360

# INDEX

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
11N3648TVF	399	11N4234SH6W	373	11N4237TBA	359	11N4249SH7W	397
11N3648TVFA	399	11N4234SH6WL	373	11N4237TVF	399	11N4249SH7WL	397
11N3648TVL	402	11N4234SW	364	11N4237TVFA	399	11N4249SW	365
11N3648TVW	402	11N4234SWTBF	366	11N4237TVL	402	11N4249SWTBF	368
11N3649MB	363	11N4234SWTBFA	366	11N4237TVW	402	11N4249SWTBFA	368
11N3649MBP	363	11N4234SWTBP	366	11N4248MB	363	11N4249SWTBP	368
11N3649SH1L	391	11N4234SWTBPA	366	11N4248MBP	363	11N4249SWTBPA	368
11N3649SH1LW	391	11N4234TB	357	11N4248SH1L	384	11N4249TB	361
11N3649SH1W	391	11N4234TBA	357	11N4248SH1LW	384	11N4249TBA	361
11N3649SH1WL	391	11N4234TVF	398	11N4248SH1W	384	11N4249TVF	400
11N3649SH2L	392	11N4234TVFA	398	11N4248SH1WL	384	11N4249TVFA	400
11N3649SH2LW	392	11N4234TVL	401	11N4248SH2L	385	11N4249TVL	403
11N3649SH2W	392	11N4234TVW	401	11N4248SH2LW	385	11N4249TVW	403
11N3649SH2WL	392	11N4236MB	362	11N4248SH2W	385	11N4834MB	362
11N3649SH3L	393	11N4236MBP	362	11N4248SH2WL	385	11N4834MBP	362
11N3649SH3LW	393	11N4236SH1L	374	11N4248SH3L	386	11N4834SH1L	369
11N3649SH3W	393	11N4236SH1LW	374	11N4248SH3LW	386	11N4834SH1LW	369
11N3649SH3WL	393	11N4236SH1W	374	11N4248SH3W	386	11N4834SH1W	369
11N3649SH4L	394	11N4236SH1WL	374	11N4248SH3WL	386	11N4834SH1WL	369
11N3649SH4LW	394	11N4236SH2L	375	11N4248SH4L	387	11N4834SH2L	370
11N3649SH4W	394	11N4236SH2LW	375	11N4248SH4LW	387	11N4834SH2LW	370
11N3649SH4WL	394	11N4236SH2W	375	11N4248SH4W	387	11N4834SH2W	370
11N3649SH5L	395	11N4236SH2WL	375	11N4248SH4WL	387	11N4834SH2WL	370
11N3649SH5LW	395	11N4236SH3L	376	11N4248SH5L	388	11N4834SH3L	371
11N3649SH5W	395	11N4236SH3LW	376	11N4248SH5LW	388	11N4834SH3LW	371
11N3649SH5WL	395	11N4236SH3W	376	11N4248SH5W	388	11N4834SH3W	371
11N3649SH6L	396	11N4236SH3WL	376	11N4248SH5WL	388	11N4834SH3WL	371
11N3649SH6LW	396	11N4236SH4L	377	11N4248SH6L	389	11N4834SH4L	372
11N3649SH6W	396	11N4236SH4LW	377	11N4248SH6LW	389	11N4834SH4LW	372
11N3649SH6WL	396	11N4236SH4W	377	11N4248SH6W	389	11N4834SH4W	372
11N3649SH7L	397	11N4236SH4WL	377	11N4248SH6WL	389	11N4834SH4WL	372
11N3649SH7LW	397	11N4236SH6L	378	11N4248SH7L	390	11N4834SH6L	373
11N3649SH7W	397	11N4236SH6LW	378	11N4248SH7LW	390	11N4834SH6LW	373
11N3649SH7WL	397	11N4236SH6W	378	11N4248SH7W	390	11N4834SH6W	373
11N3649SW	365	11N4236SH6WL	378	11N4248SH7WL	390	11N4834SH6WL	373
11N3649SWTBF	368	11N4236SW	364	11N4248SW	364	11N4834SW	364
11N3649SWTBFA	368	11N4236SWTBF	366	11N4248SWTBF	367	11N4834SWTBF	366
11N3649SWTBP	368	11N4236SWTBFA	366	11N4248SWTBFA	367	11N4834SWTBFA	366
11N3649SWTBPA	368	11N4236SWTBP	366	11N4248SWTBP	367	11N4834SWTBP	366
11N3649TB	361	11N4236SWTBPA	366	11N4248SWTBPA	367	11N4834SWTBPA	366
11N3649TBA	361	11N4236TB	358	11N4248TB	360	11N4834TB	357
11N3649TVF	400	11N4236TBA	358	11N4248TBA	360	11N4834TBA	357
11N3649TVFA	400	11N4236TVF	398	11N4248TVF	399	11N4834TVF	398
11N3649TVL	403	11N4236TVFA	398	11N4248TVFA	399	11N4834TVFA	398
11N3649TVW	403	11N4236TVL	401	11N4248TVL	402	11N4834TVL	401
11N36TCF	405	11N4236TVW	401	11N4248TVW	402	11N4834TVW	401
11N36TCFA	405	11N4237MB	362	11N4249MB	363	11N4836MB	362
11N36TCP	406	11N4237MBP	362	11N4249MBP	363	11N4836MBP	362
11N37ETP	404	11N4237SH1L	379	11N4249SH1L	391	11N4836SH1L	374
11N37TCF	405	11N4237SH1LW	379	11N4249SH1LW	391	11N4836SH1LW	374
11N37TCFA	405	11N4237SH1W	379	11N4249SH1W	391	11N4836SH1W	374
11N37TCP	406	11N4237SH1WL	379	11N4249SH1WL	391	11N4836SH1WL	374
11N39ETP	404	11N4237SH2L	380	11N4249SH2L	392	11N4836SH2L	375
11N40ETP	404	11N4237SH2LW	380	11N4249SH2LW	392	11N4836SH2LW	375
11N4234MB	362	11N4237SH2W	380	11N4249SH2W	392	11N4836SH2W	375
11N4234MBP	362	11N4237SH2WL	380	11N4249SH2WL	392	11N4836SH2WL	375
11N4234SH1L	369	11N4237SH3L	381	11N4249SH3L	393	11N4836SH3L	376
11N4234SH1LW	369	11N4237SH3LW	381	11N4249SH3LW	393	11N4836SH3LW	376
11N4234SH1W	369	11N4237SH3W	381	11N4249SH3W	393	11N4836SH3W	376
11N4234SH1WL	369	11N4237SH3WL	381	11N4249SH3WL	393	11N4836SH3WL	376
11N4234SH2L	370	11N4237SH4L	382	11N4249SH4L	394	11N4836SH4L	377
11N4234SH2LW	370	11N4237SH4LW	382	11N4249SH4LW	394	11N4836SH4LW	377
11N4234SH2W	370	11N4237SH4W	382	11N4249SH4W	394	11N4836SH4W	377
11N4234SH2WL	370	11N4237SH4WL	382	11N4249SH4WL	394	11N4836SH4WL	377
11N4234SH3L	371	11N4237SH6L	383	11N4249SH5L	395	11N4836SH6L	378
11N4234SH3LW	371	11N4237SH6LW	383	11N4249SH5LW	395	11N4836SH6LW	378
11N4234SH3W	371	11N4237SH6W	383	11N4249SH5W	395	11N4836SH6W	378
11N4234SH3WL	371	11N4237SH6WL	383	11N4249SH5WL	395	11N4836SH6WL	378
11N4234SH4L	372	11N4237SW	364	11N4249SH6L	396	11N4836SW	364
11N4234SH4LW	372	11N4237SWTBF	367	11N4249SH6LW	396	11N4836SWTBF	366
11N4234SH4W	372	11N4237SWTBFA	367	11N4249SH6W	396	11N4836SWTBFA	366
11N4234SH4WL	372	11N4237SWTBP	367	11N4249SH6WL	396	11N4836SWTBP	366
11N4234SH6L	373	11N4237SWTBPA	367	11N4249SH7L	397	11N4836SWTBPA	366
11N4234SH6LW	373	11N4237TB	359	11N4249SH7LW	397	11N4836TB	358

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
11N4836TBA	358	11N4848TBA	360	11N5434SH6W	373	11N5448SH3L	386
11N4836TVF	398	11N4848TVF	399	11N5434SH6WL	373	11N5448SH3LW	386
11N4836TVFA	398	11N4848TVFA	399	11N5434TB	357	11N5448SH3W	386
11N4836TVL	401	11N4848TVL	402	11N5434TBA	357	11N5448SH3WL	386
11N4836TVW	401	11N4848TVW	402	11N5434TVF	398	11N5448SH4L	387
11N4837MB	362	11N4849MB	363	11N5434TVFA	398	11N5448SH4LW	387
11N4837MBP	362	11N4849MBP	363	11N5434TVL	401	11N5448SH4W	387
11N4837SH1L	379	11N4849SH1L	391	11N5434TVW	401	11N5448SH4WL	387
11N4837SH1LW	379	11N4849SH1LW	391	11N5436MB	362	11N5448SH5L	388
11N4837SH1W	379	11N4849SH1W	391	11N5436MBP	362	11N5448SH5LW	388
11N4837SH1WL	379	11N4849SH1WL	391	11N5436SH1L	374	11N5448SH5W	388
11N4837SH2L	380	11N4849SH2L	392	11N5436SH1LW	374	11N5448SH5WL	388
11N4837SH2LW	380	11N4849SH2LW	392	11N5436SH1W	374	11N5448SH6L	389
11N4837SH2W	380	11N4849SH2W	392	11N5436SH1WL	374	11N5448SH6LW	389
11N4837SH2WL	380	11N4849SH2WL	392	11N5436SH2L	375	11N5448SH6W	389
11N4837SH3L	381	11N4849SH3L	393	11N5436SH2LW	375	11N5448SH6WL	389
11N4837SH3LW	381	11N4849SH3LW	393	11N5436SH2W	375	11N5448SH7L	390
11N4837SH3W	381	11N4849SH3W	393	11N5436SH2WL	375	11N5448SH7LW	390
11N4837SH3WL	381	11N4849SH3WL	393	11N5436SH3L	376	11N5448SH7W	390
11N4837SH4L	382	11N4849SH4L	394	11N5436SH3LW	376	11N5448SH7WL	390
11N4837SH4LW	382	11N4849SH4LW	394	11N5436SH3W	376	11N5448TB	360
11N4837SH4W	382	11N4849SH4W	394	11N5436SH3WL	376	11N5448TBA	360
11N4837SH4WL	382	11N4849SH4WL	394	11N5436SH4L	377	11N5448TVF	399
11N4837SH6L	383	11N4849SH5L	395	11N5436SH4LW	377	11N5448TVFA	399
11N4837SH6LW	383	11N4849SH5LW	395	11N5436SH4W	377	11N5448TVL	402
11N4837SH6W	383	11N4849SH5W	395	11N5436SH4WL	377	11N5448TVW	402
11N4837SH6WL	383	11N4849SH5WL	395	11N5436SH6L	378	11N5449MB	363
11N4837SW	364	11N4849SH6L	396	11N5436SH6LW	378	11N5449MBP	363
11N4837SWTBF	367	11N4849SH6LW	396	11N5436SH6W	378	11N5449SH1L	391
11N4837SWTBFA	367	11N4849SH6W	396	11N5436SH6WL	378	11N5449SH1LW	391
11N4837SWTBP	367	11N4849SH6WL	396	11N5436TB	358	11N5449SH1W	391
11N4837SWTBPA	367	11N4849SH7L	397	11N5436TBA	358	11N5449SH1WL	391
11N4837TB	359	11N4849SH7LW	397	11N5436TVF	398	11N5449SH2L	392
11N4837TBA	359	11N4849SH7W	397	11N5436TVFA	398	11N5449SH2LW	392
11N4837TVF	399	11N4849SH7WL	397	11N5436TVL	401	11N5449SH2W	392
11N4837TVFA	399	11N4849SW	365	11N5436TVW	401	11N5449SH2WL	392
11N4837TVL	402	11N4849SWTBF	368	11N5437MB	362	11N5449SH3L	393
11N4837TVW	402	11N4849SWTBFA	368	11N5437MBP	362	11N5449SH3LW	393
11N4848MB	363	11N4849SWTBP	368	11N5437SH1L	379	11N5449SH3W	393
11N4848MBP	363	11N4849SWTBPA	368	11N5437SH1LW	379	11N5449SH3WL	393
11N4848SH1L	384	11N4849TB	361	11N5437SH1W	379	11N5449SH4L	394
11N4848SH1LW	384	11N4849TBA	361	11N5437SH1WL	379	11N5449SH4LW	394
11N4848SH1W	384	11N4849TVF	400	11N5437SH2L	380	11N5449SH4W	394
11N4848SH1WL	384	11N4849TVFA	400	11N5437SH2LW	380	11N5449SH4WL	394
11N4848SH2L	385	11N4849TVL	403	11N5437SH2W	380	11N5449SH5L	395
11N4848SH2LW	385	11N4849TVW	403	11N5437SH2WL	380	11N5449SH5LW	395
11N4848SH2W	385	11N48TCF	405	11N5437SH3L	381	11N5449SH5W	395
11N4848SH2WL	385	11N48TCFA	405	11N5437SH3LW	381	11N5449SH5WL	395
11N4848SH3L	386	11N48TCP	406	11N5437SH3W	381	11N5449SH6L	396
11N4848SH3LW	386	11N49TCF	405	11N5437SH3WL	381	11N5449SH6LW	396
11N4848SH3W	386	11N49TCFA	405	11N5437SH4L	382	11N5449SH6W	396
11N4848SH3WL	386	11N49TCP	406	11N5437SH4LW	382	11N5449SH6WL	396
11N4848SH4L	387	11N51ETP	404	11N5437SH4W	382	11N5449SH7L	397
11N4848SH4LW	387	11N52ETP	404	11N5437SH4WL	382	11N5449SH7LW	397
11N4848SH4W	387	11N5434MB	362	11N5437SH6L	383	11N5449SH7W	397
11N4848SH4WL	387	11N5434MBP	362	11N5437SH6LW	383	11N5449SH7WL	397
11N4848SH5L	388	11N5434SH1L	369	11N5437SH6W	383	11N5449TB	361
11N4848SH5LW	388	11N5434SH1LW	369	11N5437SH6WL	383	11N5449TBA	361
11N4848SH5W	388	11N5434SH1W	369	11N5437TB	359	11N5449TVF	400
11N4848SH5WL	388	11N5434SH1WL	369	11N5437TBA	359	11N5449TVFA	400
11N4848SH6L	389	11N5434SH2L	370	11N5437TVF	399	11N5449TVL	403
11N4848SH6LW	389	11N5434SH2LW	370	11N5437TVFA	399	11N5449TVW	403
11N4848SH6W	389	11N5434SH2W	370	11N5437TVL	402	11N6034MB	362
11N4848SH6WL	389	11N5434SH2WL	370	11N5437TVW	402	11N6034MBP	362
11N4848SH7L	390	11N5434SH3L	371	11N5448MB	363	11N6034SH1L	369
11N4848SH7LW	390	11N5434SH3LW	371	11N5448MBP	363	11N6034SH1LW	369
11N4848SH7W	390	11N5434SH3W	371	11N5448SH1L	384	11N6034SH1W	369
11N4848SH7WL	390	11N5434SH3WL	371	11N5448SH1LW	384	11N6034SH1WL	369
11N4848SW	364	11N5434SH4L	372	11N5448SH1W	384	11N6034SH2L	370
11N4848SWTBF	367	11N5434SH4LW	372	11N5448SH1WL	384	11N6034SH2LW	370
11N4848SWTBFA	367	11N5434SH4W	372	11N5448SH2L	385	11N6034SH2W	370
11N4848SWTBP	367	11N5434SH4WL	372	11N5448SH2LW	385	11N6034SH2WL	370
11N4848SWTBPA	367	11N5434SH6L	373	11N5448SH2W	385	11N6034SH3L	371
11N4848TB	360	11N5434SH6LW	373	11N5448SH2WL	385	11N6034SH3LW	371

# INDEX

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
11N6034SH3W	371	11N6048SH1L	384	11NCPFSL	407	19N3672DRFALW1	196
11N6034SH3WL	371	11N6048SH1LW	384	11NCPFSW	407	19N3672DRFAW1	196
11N6034SH4L	372	11N6048SH1W	384	15NTVMAS	499	19N3672DRFLW1	194-196
11N6034SH4LW	372	11N6048SH1WL	384	19N10467ULFLW	195	19N3672DRFW1	194-196
11N6034SH4W	372	11N6048SH2L	385	19N10467ULFW	195	19N3672DUFLW	197
11N6034SH4WL	372	11N6048SH2LW	385	19N10467URFLW	195	19N3672DUFW	197
11N6034SH6L	373	11N6048SH2W	385	19N10467URFW	195	19N3672DULW	197
11N6034SH6LW	373	11N6048SH2WL	385	19N10572ULFLW	195	19N3672DUW	197
11N6034SH6W	373	11N6048SH3L	386	19N10572ULFW	195	19N42RDLW	201
11N6034SH6WL	373	11N6048SH3LW	386	19N10572URFLW	195	19N42RDW	201
11N6034TB	357	11N6048SH3W	386	19N10572URFW	195	19N6636HBBW	199
11N6034TBA	357	11N6048SH3WL	386	19N11172ULFLW	195	19N7236HBBW	199
11N6034TVF	398	11N6048SH4L	387	19N11172ULFW	195	19N8067LLFLW	194
11N6034TVFA	398	11N6048SH4LW	387	19N11172URFLW	195	19N8067LLFW	194
11N6034TVL	401	11N6048SH4W	387	19N11172URFW	195	19N8067LRFLW	194
11N6034TVW	401	11N6048SH4WL	387	19N1865VSWHLW	200	19N8067LRFW	194
11N6036MB	362	11N6048SH5L	388	19N1865VSWHRW	200	19N8772LLFLW	194
11N6036MBP	362	11N6048SH5LW	388	19N2436LFF2LW	200, 455	19N8772LLFW	194
11N6036SH1L	374	11N6048SH5W	388	19N2436LFF2W	200, 455	19N8772LRFLW	194
11N6036SH1LW	374	11N6048SH5WL	388	19N2436LFF3LW	200, 455	19N8772LRFW	194
11N6036SH1W	374	11N6048SH6L	389	19N2436LFF3W	200, 455	19N9867ULFLW	195
11N6036SH1WL	374	11N6048SH6LW	389	19N2436LFF4W	200, 455	19N9867ULFW	195
11N6036SH2L	375	11N6048SH6W	389	19N2436PFHLW	200	19N9867URFLW	195
11N6036SH2LW	375	11N6048SH6WL	389	19N2436PFHW	200	19N9867URFW	195
11N6036SH2W	375	11N6048SH7L	390	19N2445BEFLW	195, 198	21N10266ULFL	25
11N6036SH2WL	375	11N6048SH7LW	390	19N2445BEFW	195, 198	21N10266ULQL	25
11N6036SH3L	376	11N6048SH7W	390	19N2451BEFLW	195, 198	21N10266URFL	25
11N6036SH3LW	376	11N6048SH7WL	390	19N2451BEFW	195, 198	21N10266URQL	25
11N6036SH3W	376	11N6048TB	360	19N2451RLEFLW2	194, 197	21N10472ULFL	25
11N6036SH3WL	376	11N6048TBA	360	19N2451RLEFW2	194, 197	21N10472ULQL	25
11N6036SH4L	377	11N6048TVF	399	19N2451RREFLW2	194, 197	21N10472URFL	25
11N6036SH4LW	377	11N6048TVFA	399	19N2451RREFW2	194, 197	21N10472URQL	25
11N6036SH4W	377	11N6048TVL	402	19N2467CKFLW2	198	21N10872ULFL	25
11N6036SH4WL	377	11N6048TVW	402	19N2467CKFW2	198	21N10872ULQL	25
11N6036SH6L	378	11N6049MB	363	19N2467CLFLW2	195, 198	21N10872URFL	25
11N6036SH6LW	378	11N6049MBP	363	19N2467CLFLW6	199	21N10872URQL	25
11N6036SH6W	378	11N6049SH1L	391	19N2467CLFW2	195, 198	21N1563TCL	30
11N6036SH6WL	378	11N6049SH1LW	391	19N2467CLFW6	199	21N1569TCL	30
11N6036TB	358	11N6049SH1W	391	19N2467CRFLW2	195, 198	21N1866VSWHLL	35
11N6036TBA	358	11N6049SH1WL	391	19N2467CRFLW6	199	21N1866VSWHRL	35
11N6036TVF	398	11N6049SH2L	392	19N2467CRFW2	195, 198	21N2430PTL	37
11N6036TVFA	398	11N6049SH2LW	392	19N2467CRFW6	199	21N2436LFF2L	36, 448
11N6036TVL	401	11N6049SH2W	392	19N2467CSFLW2	198	21N2436LFF3L	36, 448
11N6036TVW	401	11N6049SH2WL	392	19N2467CSFW2	198	21N2436LFF4L	36, 448
11N6037MB	362	11N6049SH3L	393	19N2472CKFLW2	198	21N2443RLEFL2	24, 30
11N6037MBP	362	11N6049SH3LW	393	19N2472CKFW2	198	21N2443RLEQL3	24, 30
11N6037SH1L	379	11N6049SH3W	393	19N2472CLFLW2	195, 198	21N2443RREFL2	24, 30
11N6037SH1LW	379	11N6049SH3WL	393	19N2472CLFLW6	199	21N2443RREQL3	24, 30
11N6037SH1W	379	11N6049SH4L	394	19N2472CLFW2	195, 198	21N2445BEFL	25, 31
11N6037SH1WL	379	11N6049SH4LW	394	19N2472CLFW6	199	21N2448BEFL	25, 31
11N6037SH2L	380	11N6049SH4W	394	19N2472CRFLW2	195, 198	21N2449RLEFL2	24, 30
11N6037SH2LW	380	11N6049SH4WL	394	19N2472CRFLW6	199	21N2449RLEQL3	24, 30
11N6037SH2W	380	11N6049SH5L	395	19N2472CRFW2	195, 198	21N2449RREFL2	24, 30
11N6037SH2WL	380	11N6049SH5LW	395	19N2472CRFW6	199	21N2449RREQL3	24, 30
11N6037SH3L	381	11N6049SH5W	395	19N2472CSFLW2	198	21N2460CKFL2	32
11N6037SH3LW	381	11N6049SH5WL	395	19N2472CSFW2	198	21N2460CKQL3	32
11N6037SH3W	381	11N6049SH6L	396	19N3018SOHWW	199	21N2460CLFFL2	32
11N6037SH3WL	381	11N6049SH6LW	396	19N3067DDFLW8	196	21N2460CLQFL3	33
11N6037SH4L	382	11N6049SH6W	396	19N3067DDFW8	196	21N2460CRFFL2	32
11N6037SH4LW	382	11N6049SH6WL	396	19N3067DLFLW1	194-196	21N2460CRQFL3	33
11N6037SH4W	382	11N6049SH7L	397	19N3067DLFW1	194-196	21N2464RLEFL2	30
11N6037SH4WL	382	11N6049SH7LW	397	19N3067DRFLW1	194-196	21N2464RLEQL3	30
11N6037SH6L	383	11N6049SH7W	397	19N3067DRFW1	194-196	21N2464RREFL2	30
11N6037SH6LW	383	11N6049SH7WL	397	19N3618SOHWW	199	21N2464RREQL3	30
11N6037SH6W	383	11N6049TB	361	19N3636BCOW	201, 443	21N2466CKFL2	32
11N6037SH6WL	383	11N6049TBA	361	19N3666BCOFW	201, 443	21N2466CKQL3	32
11N6037TB	359	11N6049TVF	400	19N3672DDFALW8	196	21N2466CLFFL2	32
11N6037TBA	359	11N6049TVFA	400	19N3672DDFAW8	196	21N2466CLFFL6	33
11N6037TVF	399	11N6049TVL	403	19N3672DDFLW8	196	21N2466CLFL2	25, 32
11N6037TVFA	399	11N6049TVW	403	19N3672DDFW8	196	21N2466CLFL6	33
11N6037TVL	402	11N72EXFP1	356	19N3672DLFALW1	196	21N2466CLQFL3	33
11N6037TVW	402	11N72EXFP2	356	19N3672DLFAW1	196	21N2466CLQL3	25, 33
11N6048MB	363	11N72EXP1	356	19N3672DLFLW1	194-196	21N2466CRFFL2	32
11N6048MBP	363	11NBR5	407	19N3672DLFW1	194-196	21N2466CRFFL6	33



MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
21N2466CRFL2	25, 32	21N3672DLYFAL3	27	31N2040MGPLW	61	31N2172CRFW6	56
21N2466CRFL6	33	21N3672DRFAL1	27	31N2136LFF2LW	59, 449	31N2172CRQFLW3	56
21N2466CRQFL3	33	21N3672DRFFAL1	27	31N2136LFF2W	59, 449	31N2172CRQLW3	45, 56
21N2466CRQL3	25, 33	21N3672DRFFL1	28	31N2136LFF3LW	59, 449	31N2172CRYFW3	56
21N2466CSFL2	31	21N3672DRFL1	24-25, 28	31N2136LFF3W	59, 449	31N2172CRYW3	45, 56
21N2466CSQL3	31	21N3672DRQFL3	29	31N2136LFF4LW	59, 449	31N2172CSFLW2	53
21N2472CKFL2	32	21N3672DRQL3	24-25, 28	31N2136LFF4W	59, 449	31N2172CSFW2	53
21N2472CKQL3	32	21N3672DRYAL3	27	31N2160CKFLW2	54	31N2172CSQLW3	54
21N2472CLFFL10	34	21N3672DRYFAL3	27	31N2160CKFW2	54	31N2172CSYW3	54
21N2472CLFFL2	32	21N3672DULFL	29	31N2160CKQLW3	55	31N2424ENLW	61
21N2472CLFFL6	33	21N3672DULL	29	31N2160CKYW3	55	31N2424ENPLW	61
21N2472CLFL10	34	21N3672DURFL	29	31N2160CLFFLW2	55	31N2430PTLW	61
21N2472CLFL2	25, 32	21N3672DURL	29	31N2160CLFFW2	55	31N2444RLEFLW2	42, 52
21N2472CLFL6	33	21N3737CFSL	30	31N2160CLQLW3	56	31N2444RLEFW2	42, 52
21N2472CLQL3	33	21N4242SQL	37	31N2160CLYFW3	56	31N2444RLEQLW3	44, 52
21N2472CLQL3	25, 33	21N4848SQL	37	31N2160CRFFLW2	55	31N2444RLEYW3	44, 52
21N2472CRFFL10	34	21N5736HBHL	34	31N2160CRFFW2	55	31N2444RREFLW2	42, 52
21N2472CRFFL2	32	21N6336HBHL	34	31N2160CRQLW3	56	31N2444RREFW2	42, 52
21N2472CRFFL6	33	21N6375TCL	30	31N2160CRYFW3	56	31N2444RREQLW3	44, 52
21N2472CRFL10	34	21N6936HBHL	34	31N2166CKFLW2	54	31N2444RREYW3	44, 52
21N2472CRFL2	25, 32	21N6981TCL	30	31N2166CKFW2	54	31N2445BEFLW	43, 45, 53
21N2472CRFL6	33	21N7366LLFL	24	31N2166CKQLW3	55	31N2445BEFW	43, 45, 53
21N2472CRQFL3	33	21N7366LLQL	24	31N2166CKYW3	55	31N2451BEFLW	43, 45, 53
21N2472CRQL3	25, 33	21N7366LRFL	24	31N2166CLFFLW2	55	31N2451BEFW	43, 45, 53
21N2472CSFL2	31	21N7366LRQL	24	31N2166CLFFW6	57	31N2452RLEFLW2	42, 52
21N2472CSQL3	31	21N7536HBHL	34	31N2166CLFFW2	55	31N2452RLEFW2	42, 52
21N2472RLEFL10	31	21N7966LLFL	24	31N2166CLFFW6	57	31N2452RLEQLW3	44, 52
21N2472RREFL10	31	21N7966LLQL	24	31N2166CLFLW2	43, 55	31N2452RLEYW3	44, 52
21N3017SOHML	35	21N7966LRFL	24	31N2166CLFLW6	56	31N2452RREFLW2	42, 52
21N3030SQL	37	21N7966LRQL	24	31N2166CLFW2	43, 55	31N2452RREFW2	42, 52
21N3060DDFL8	26	21N7972LLFL	24	31N2166CLFW6	56	31N2452RREQLW3	44, 52
21N3060DDQL3	26	21N7972LLQL	24	31N2166CLQLW3	56	31N2452RREYW3	44, 52
21N3060DLFFL1	28	21N7972LRFL	24	31N2166CLQLW3	45, 56	31N2464RLEFLW2	52
21N3060DLQL3	29	21N7972LRQL	24	31N2166CLYFW3	56	31N2464RLEFW2	52
21N3060DRFFL1	28	21N8136HBHL	34	31N2166CLYW3	45, 56	31N2464RLEQLW3	52
21N3060DRQFL3	29	21N8572LLFL	24	31N2166CRFFLW2	55	31N2464RLEYW3	52
21N3060DDFL8	26	21N8572LLQL	24	31N2166CRFFLW6	57	31N2464RREFLW2	52
21N3060DDQL3	26	21N8572LRFL	24	31N2166CRFFW2	55	31N2464RREFW2	52
21N3060DLFFL1	28	21N8572LRQL	24	31N2166CRFFW6	57	31N2464RREQLW3	52
21N3060DLFL1	24-25, 28	21N9866ULFL	25	31N2166CRFLW2	43, 55	31N2464RREYW3	52
21N3060DLQL3	29	21N9866ULQL	25	31N2166CRFLW6	56	31N2472CBVLW	54
21N3060DLQL3	24-25, 28	21N9866URFL	25	31N2166CRFW2	43, 55	31N2472CBVW	54
21N3060DRFFL1	28	21N9866URQL	25	31N2166CRFW6	56	31N2472CLFFLW10	57
21N3060DRFL1	24-25, 28	31N10266ULFLW	43	31N2166CRQLW3	56	31N2472CLFFW10	57
21N3060DRQFL3	29	31N10266ULFW	43	31N2166CRQLW3	45, 56	31N2472CLFLW10	57
21N3060DRQL3	24-25, 28	31N10266ULQLW	45	31N2166CRYFW3	56	31N2472CLFW10	57
21N3336BCOL	37, 434	31N10266ULYW	45	31N2166CRYW3	45, 56	31N2472CRFFLW10	57
21N3353BCOFL	36, 434	31N10266URFLW	43	31N2166CSFLW2	53	31N2472CRFFW10	57
21N3365BCOFL	36, 434	31N10266URFW	43	31N2166CSFW2	53	31N2472CRFLW10	57
21N3617SOHML	35	31N10266URQLW	45	31N2166CSQLW3	54	31N2472CRFW10	57
21N3636SQL	37	31N10266URYW	45	31N2166CSYW3	54	31N2472RLEFLW10	53
21N3666DDFAL8	26	31N10272ULFLW	43	31N2172CKFLW2	54	31N2472RLEFW10	53
21N3666DDFL8	26	31N10272ULFW	43	31N2172CKFW2	54	31N2472RREFLW10	53
21N3666DDQL3	26	31N10272ULQLW	45	31N2172CKQLW3	55	31N2472RREFW10	53
21N3666DDYAL3	26	31N10272ULYW	45	31N2172CKYW3	55	31N3018SOHML	58
21N3666DLFFL1	28	31N10272URFLW	43	31N2172CLFFLW2	55	31N3030SQLW	62
21N3666DLFL1	28	31N10272URFW	43	31N2172CLFFLW6	57	31N3030SQW	62
21N3666DLQL3	29	31N10272URQLW	45	31N2172CLFFW2	55	31N3060DDFLW8	46
21N3666DLQL3	28	31N10272URYW	45	31N2172CLFFW6	57	31N3060DDFW8	46
21N3666DRFFL1	28	31N10872ULFLW	43	31N2172CLFLW2	43, 55	31N3060DDQLW3	47
21N3666DRFL1	28	31N10872ULFW	43	31N2172CLFLW6	56	31N3060DDYW3	47
21N3666DRQFL3	29	31N10872ULQLW	45	31N2172CLFW2	43, 55	31N3060DLFFLW1	49
21N3666DRQL3	28	31N10872ULYW	45	31N2172CLFW6	56	31N3060DLFFW1	49
21N3672DDFAL8	26	31N10872URFLW	43	31N2172CLQLW3	56	31N3060DLQLW3	50
21N3672DDFL8	26	31N10872URFW	43	31N2172CLQLW3	45, 56	31N3060DLYFW3	50
21N3672DDQL3	26	31N10872URQLW	45	31N2172CLYFW3	56	31N3060DRFFLW1	49
21N3672DDYAL3	26	31N10872URYW	45	31N2172CLYW3	45, 56	31N3060DRFFW1	49
21N3672DLFAL1	27	31N1563TCLW	51	31N2172CRFFLW2	55	31N3060DRQFLW3	50
21N3672DLFFL1	27	31N1563TCW	51	31N2172CRFFLW6	57	31N3060DRYFW3	50
21N3672DLFFL1	28	31N1569TCLW	51	31N2172CRFFW2	55	31N3066DDFLW8	46
21N3672DLFL1	24-25, 28	31N1569TCW	51	31N2172CRFFW6	57	31N3066DDFW8	46
21N3672DLQL3	29	31N1866VSWHLW	59	31N2172CRFLW2	43, 55	31N3066DDQLW3	47
21N3672DLQL3	24-25, 28	31N1866VSWHRW	59	31N2172CRFLW6	56	31N3066DDYW3	47
21N3672DLYAL3	27	31N2040MGLW	61	31N2172CRFW2	43, 55	31N3066DLFFLW1	49

# INDEX

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
31N3066DLFFW1	49	31N3672DRFFAW1	47	31N9666URYW	45	36N2468CRFLW1	100
31N3066DLFLW1	42-43, 48	31N3672DRFFLW1	49	31NN3030SQLW	62	36N2468CRFLW2	93, 100
31N3066DLFW1	42-43, 48	31N3672DRFFW1	49	31NN3030SQW	62	36N2468CRFLW6	101
31N3066DLQLFW3	50	31N3672DRFLW1	42-43, 48	31NN3636SQLW	62	36N2468CRFW1	100
31N3066DLQLW3	44-45, 49	31N3672DRFW1	42-43, 48	31NN3636SQW	62	36N2468CRFW2	93, 100
31N3066DLYFW3	50	31N3672DRQALW3	48	31NN4242SQLW	62	36N2468CRFW6	101
31N3066DLYW3	44-45, 49	31N3672DRQFALW3	48	31NN4242SQW	62	36N2468CSFLW2	98
31N3066DRFFLW1	49	31N3672DRQFLW3	50	31NN4848SQLW	62	36N2468CSFW2	98
31N3066DRFFW1	49	31N3672DRQLW3	44-45, 49	31NN4848SQW	62	36N2469CFFLWC	99
31N3066DRFLW1	42-43, 48	31N3672DRYAW3	48	36N10068ULFLW	93	36N2469CFFWC	99
31N3066DRFW1	42-43, 48	31N3672DRYFAW3	48	36N10068ULFW	93	36N2469CKFLW2C	99
31N3066DRQFLW3	50	31N3672DRYFW3	50	36N10068URFLW	93	36N2469CKFW2C	99
31N3066DRQLW3	44-45, 49	31N3672DRYW3	44-45, 49	36N10068URFW	93	36N2469CSFLW2C	98
31N3066DRYFW3	50	31N3672DULFLW	50	36N10668ULFLW	93	36N2469CSFW2C	98
31N3066DRYW3	44-45, 49	31N3672DULFW	50	36N10668ULFW	93	36N2471CLFLW10C	102
31N3238BCOW	60, 435	31N3672DULLW	50	36N10668URFLW	93	36N2471CLFLW1C	100
31N3253BCOFW	60, 435	31N3672DULW	50	36N10668URFW	93	36N2471CLFLW2C	101
31N3266BCOFW	60, 435	31N3672DURFLW	50	36N10673ULFLW	93	36N2471CLFLW6C	101
31N3618SOHWW	58	31N3672DURFW	50	36N10673ULFW	93	36N2471CLFW10C	102
31N3636CFSW	51	31N3672DURLW	50	36N10673URFLW	93	36N2471CLFW1C	100
31N3636CFSW	51	31N3672DURW	50	36N10673URFW	93	36N2471CLFW2C	101
31N3636SQLW	62	31N4242SQLW	62	36N11273ULFLW	93	36N2471CLFW6C	101
31N3636SQW	62	31N4242SQW	62	36N11273ULFW	93	36N2471CRFLW10C	102
31N3666DDFALW8	46	31N4848SQLW	62	36N11273URFLW	93	36N2471CRFLW1C	100
31N3666DDFAW8	46	31N4848SQW	62	36N11273URFW	93	36N2471CRFLW2C	101
31N3666DDFLW8	46	31N6036HBHW	58	36N1971BCOLWC	104	36N2471CRFLW6C	101
31N3666DDFW8	46	31N6377TCLW	51	36N1971BCORWC	104	36N2471CRFW10C	102
31N3666DDQALW3	46	31N6377TCW	51	36N1971VSWHLW	105	36N2471CRFW1C	100
31N3666DDQLW3	47	31N6636HBHW	58	36N1971VSWHLWC	105	36N2471CRFW2C	101
31N3666DDYAW3	46	31N6983TCLW	51	36N1971VSWHRW	105	36N2471CRFW6C	101
31N3666DDYW3	47	31N6983TCW	51	36N1971VSWHRWC	105	36N2473CBLW	98
31N3666DLFFLW1	49	31N7236HBHW	58	36N2016PMBFW	107	36N2473CBVLW	98
31N3666DLFFW1	49	31N7466LLFLW	42	36N2048CSW	107	36N2473CBVW	98
31N3666DLFLW1	48	31N7466LLFW	42	36N2071VHL2W	105	36N2473CBW	98
31N3666DLFW1	48	31N7466LLQLW	44	36N2071VHL2WC	106	36N2473CFFLW	99
31N3666DLQLFW3	50	31N7466LLYW	44	36N2071VHR2W	105	36N2473CFFW	99
31N3666DLQLW3	49	31N7466LRFLW	42	36N2071VHR2WC	106	36N2473CKFLW2	99
31N3666DLYFW3	50	31N7466LRFW	42	36N2424ENW	107	36N2473CKFW2	99
31N3666DLYW3	49	31N7466LRQLW	44	36N2437LFF2LW	103, 451	36N2473CLFLW1	100
31N3666DRFFLW1	49	31N7466LRYW	44	36N2437LFF2W	103, 451	36N2473CLFLW10	101
31N3666DRFFW1	49	31N7836HBHW	58	36N2437LFF3LW	103, 451	36N2473CLFLW2	93, 100
31N3666DRFLW1	48	31N8036HBHW	58	36N2437LFF3W	103, 451	36N2473CLFLW6	101
31N3666DRFW1	48	31N8072LLFLW	42	36N2437LFF4LW	103, 451	36N2473CLFW1	100
31N3666DRQFLW3	50	31N8072LLFW	42	36N2437LFF4W	103, 451	36N2473CLFW10	101
31N3666DRQLW3	49	31N8072LLQLW	44	36N2437PFHW	104	36N2473CLFW2	93, 100
31N3666DRYFW3	50	31N8072LLYW	44	36N2448MGW	107	36N2473CLFW6	101
31N3666DRYW3	49	31N8072LRFLW	42	36N2452RTLW2	96	36N2473CRFLW1	100
31N3672DDFALW8	46	31N8072LRFW	42	36N2452RTLW2	96	36N2473CRFLW10	101
31N3672DDFAW8	46	31N8072LRQLW	44	36N2452RTLW2	96	36N2473CRFLW2	93, 100
31N3672DDFLW8	46	31N8072LRYW	44	36N2452RTRW2	96	36N2473CRFLW6	101
31N3672DDFW8	46	31N8266LLFLW	42	36N2464CKFLW2C	99	36N2473CRFW1	100
31N3672DDQALW3	46	31N8266LLFW	42	36N2464CKFW2C	99	36N2473CRFW10	101
31N3672DDQLW3	47	31N8266LLQLW	44	36N2464CSFLW2C	98	36N2473CRFW2	93, 100
31N3672DDYAW3	46	31N8266LLYW	44	36N2464CSFW2C	98	36N2473CRFW6	101
31N3672DDYW3	47	31N8266LRFLW	42	36N2466CLFLW1C	100	36N2473CSFLW2	98
31N3672DLFALW1	47	31N8266LRFW	42	36N2466CLFLW2C	101	36N2473CSFW2	98
31N3672DLFAW1	47	31N8266LRQLW	44	36N2466CLFLW6C	101	36N2545BEFLW	93, 97
31N3672DLFFALW1	47	31N8266LRYW	44	36N2466CLFW1C	100	36N2545BEFW	93, 97
31N3672DLFFAW1	47	31N8636HBHW	58	36N2466CLFW2C	101	36N2545RLEFLW1	96
31N3672DLFFLW1	49	31N8872LLFLW	42	36N2466CLFW6C	101	36N2545RLEFLW2	92, 97
31N3672DLFFW1	49	31N8872LLFW	42	36N2466CRFLW1C	100	36N2545RLEFW1	96
31N3672DLFLW1	42-43, 48	31N8872LLQLW	44	36N2466CRFLW2C	101	36N2545RLEFW2	92, 97
31N3672DLFW1	42-43, 48	31N8872LLYW	44	36N2466CRFLW6C	101	36N2545RREFLW1	96
31N3672DLQALW3	48	31N8872LRFLW	42	36N2466CRFW1C	100	36N2545RREFLW2	92, 97
31N3672DLQALW3	48	31N8872LRFW	42	36N2466CRFW2C	101	36N2545RREFW1	96
31N3672DLQLFW3	50	31N8872LRQLW	44	36N2466CRFW6C	101	36N2545RREFW2	92, 97
31N3672DLQLW3	44-45, 49	31N8872LRYW	44	36N2468CKFLW2	99	36N2551BEFLW	93, 97
31N3672DLYAW3	48	31N9666ULFLW	43	36N2468CKFW2	99	36N2551BEFW	93, 97
31N3672DLYFAW3	48	31N9666ULFW	43	36N2468CLFLW1	100	36N2553RLEFLW1	96
31N3672DLYFW3	50	31N9666ULQLW	45	36N2468CLFLW2	93, 100	36N2553RLEFLW2	92, 97
31N3672DLYW3	44-45, 49	31N9666ULYW	45	36N2468CLFW6	101	36N2553RLEFW1	96
31N3672DRFALW1	47	31N9666URFLW	43	36N2468CLFW1	100	36N2553RLEFW2	92, 97
31N3672DRFAW1	47	31N9666URFW	43	36N2468CLFW2	93, 100	36N2553RREFLW1	96
31N3672DRFFALW1	47	31N9666URQLW	45	36N2468CLFW6	101	36N2553RREFLW2	92, 97

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
36N2553RREFW1	96	36N7224SOHMGW	103	38N2442BEFTW	127	38N2460RREFW1	123
36N2553RREFW2	92, 97	36N7224SOHFW	103	38N2442BEFTWP	127	38N2460RREFW12	126
36N2559RLEFLW10	97	36N7245HBHGW	102	38N2442BEFW	117, 126	38N2460RREFW2	124
36N2559RLEFLW6	97	36N7245HBHW	102	38N2442BEFWP	126	38N2460RREFW6	125
36N2559RLEFW10	97	36N7668LLFLW	92	38N2442RLEFTW1	124	38N2460RREFWP1	123
36N2559RLEFW6	97	36N7668LLFW	92	38N2442RLEFTW2	125	38N2460RREFWP12	126
36N2559RREFLW10	97	36N7668LRFLW	92	38N2442RLEFTWP1	124	38N2460RREFWP2	124
36N2559RREFLW6	97	36N7668LRFW	92	38N2442RLEFTWP2	125	38N2460RREFWP6	125
36N2559RREFW10	97	36N8273LLFLW	92	38N2442RLEFW1	123	38N2466CKFTW2	131
36N2559RREFW6	97	36N8273LLFW	92	38N2442RLEFW2	116, 124	38N2466CKFTWP2	131
36N3030SQ2LW	108	36N8273LRFLW	92	38N2442RLEFWP1	123	38N2466CKFW2	131
36N3030SQ2W	108	36N8273LRFW	92	38N2442RLEFWP2	124	38N2466CKFWP2	131
36N3030SQLW	108	36N8468LLFLW	92	38N2442RREFW1	124	38N2466CLFTW1	133
36N3030SQW	108	36N8468LLFW	92	38N2442RREFW2	125	38N2466CLFTW2	134
36N3168DDFLW8	94	36N8468LRFLW	92	38N2442RREFW1	124	38N2466CLFTW6	135
36N3168DDFW8	94	36N8468LRFW	92	38N2442RREFWP2	125	38N2466CLFTWP1	133
36N3168DLFLW1	92-93, 95	36N9073LLFLW	92	38N2442RREFW1	123	38N2466CLFTWP2	134
36N3168DLFW1	92-93, 95	36N9073LLFW	92	38N2442RREFW2	116, 124	38N2466CLFTWP6	135
36N3168DRFLW1	92-93, 95	36N9073LRFLW	92	38N2442RREFWP1	123	38N2466CLFW1	132
36N3168DRFW1	92-93, 95	36N9073LRFW	92	38N2442RREFWP2	124	38N2466CLFW2	117, 134
36N3275DTLFLW1	96	38N10238HBHGW	138	38N2442RTLW1	123	38N2466CLFW6	135
36N3275DTLFW1	96	38N10238HBHW	138	38N2442RTLW2	123	38N2466CLFWP1	132
36N3275DTRFLW1	96	38N10250HBHGW	139	38N2442RTLWP1	123	38N2466CLFWP2	134
36N3275DTRFW1	96	38N10250HBHW	139	38N2442RTLWP2	123	38N2466CLFWP6	135
36N3544BCHGW	106	38N10366ULFW	117	38N2442RTRW1	123	38N2466CRFTW1	133
36N3544BCHW	106	38N10366URFW	117	38N2442RTRW2	123	38N2466CRFTW2	134
36N3557BCOFW	106, 439	38N10372ULFW	117	38N2442RTRWP1	123	38N2466CRFTW6	135
36N3557BCOHFW	106, 439	38N10372URFW	117	38N2442RTRWP2	123	38N2466CRFTWP1	133
36N3571BCOFW	106, 439	38N10838HBHGW	138	38N2448BEFTW	127	38N2466CRFTWP2	134
36N3571BCOHFW	106, 439	38N10838HBHW	138	38N2448BEFTWP	127	38N2466CRFTWP6	135
36N3636CFSW	96	38N10850HBHGW	139	38N2448BEFW	117, 126	38N2466CRFW1	132
36N3636CFSW	96	38N10850HBHW	139	38N2448BEFWP	126	38N2466CRFW2	117, 134
36N3636SQ2LW	108	38N10972ULFW	117	38N2448MGW	144	38N2466CRFW6	135
36N3636SQ2W	108	38N10972URFW	117	38N2448MGWP	144	38N2466CRFWP1	132
36N3636SQLW	108	38N1838BCHLW	144	38N2448RLEFTW1	124	38N2466CRFWP2	134
36N3636SQW	108	38N1838BCHLW	144	38N2448RLEFTW2	125	38N2466CRFWP6	135
36N3773DDFALW8	94	38N1838BCHRGW	144	38N2448RLEFTWP1	124	38N2466CSFW1	129
36N3773DDFAW8	94	38N1838BCHRW	144	38N2448RLEFTWP2	125	38N2466CSFW2	129
36N3773DDFLW8	94	38N1838BCOW	143, 440	38N2448RLEFW1	123	38N2466CSFWP1	129
36N3773DDFW8	94	38N1848CSW	145	38N2448RLEFW2	116, 124	38N2466CSFWP2	129
36N3773DFLFW	95	38N1848CSWP	145	38N2448RLEFWP1	123	38N2472CBVW	128
36N3773DFLW	95	38N1850BCHLW	144	38N2448RLEFWP2	124	38N2472CBVWP	128
36N3773DFLLW	95	38N1850BCHLW	144	38N2448RREFW1	124	38N2472CBW	127
36N3773DFLW	95	38N1850BCHRGW	144	38N2448RREFW2	125	38N2472CBWP	127
36N3773DRFLW	95	38N1850BCHRW	144	38N2448RREFWP1	124	38N2472CFFW6	130
36N3773DRFW	95	38N1850BCOW	143, 440	38N2448RREFWP2	125	38N2472CFFWP6	130
36N3773DRFLW	95	38N1868VHL2W	143	38N2448RREFW1	123	38N2472CKFTW2	131
36N3773DRFW	95	38N1868VHR2W	143	38N2448RREFW2	116, 124	38N2472CKFTWP2	131
36N3773DLFALW1	94	38N1868VSWHLW	142	38N2448RREFWP1	123	38N2472CKFW2	131
36N3773DLFAW1	94	38N1868VSWHRW	142	38N2448RREFWP2	124	38N2472CKFWP2	131
36N3773DLFLW1	92-93, 95	38N1880VHL2W	143	38N2460RLEFTW1	124	38N2472CLFTW1	133
36N3773DLFW1	92-93, 95	38N1880VHR2W	143	38N2460RLEFTW12	126	38N2472CLFTW12	136
36N3773DRFALW1	94	38N1880VSWHLW	142	38N2460RLEFTW2	125	38N2472CLFTW2	134
36N3773DRFAW1	94	38N1880VSWHRW	142	38N2460RLEFTW6	125	38N2472CLFTW6	135
36N3773DRFLW1	92-93, 95	38N2315PMBFCW	145	38N2460RLEFTWP1	124	38N2472CLFTWP1	133
36N3773DRFW1	92-93, 95	38N2315PMBFW	145	38N2460RLEFTWP2	126	38N2472CLFTWP12	136
36N3773DTLW	94	38N2424ENW	145	38N2460RLEFTWP6	125	38N2472CLFTWP2	134
36N3773DTW	94	38N2424ENWP	145	38N2460RLEFTWP6	125	38N2472CLFTWP6	135
36N3773VVHW	104	38N2430BEFTW	127	38N2460RLEFW1	123	38N2472CLFW1	132
36N3773VVHWC	104	38N2430BEFTWP	127	38N2460RLEFW12	126	38N2472CLFW12	136
36N3773VVHW	104	38N2430BEFW	126	38N2460RLEFW2	124	38N2472CLFW2	117, 134
36N3773VVHWC	105	38N2430BEFWP	126	38N2460RLEFW6	125	38N2472CLFW6	135
36N4242SQ2LW	108	38N2436BEFTW	127	38N2460RLEFWP1	123	38N2472CLFWP1	132
36N4242SQ2W	108	38N2436BEFTWP	127	38N2460RLEFWP12	126	38N2472CLFWP12	136
36N4242SQLW	108	38N2436BEFW	126	38N2460RLEFWP2	124	38N2472CLFWP2	134
36N4242SQW	108	38N2436BEFWP	126	38N2460RLEFWP6	125	38N2472CLFWP6	135
36N4848SQ2LW	108	38N2436LFF2W	141, 452	38N2460RREFW1	124	38N2472CRFTW1	133
36N4848SQ2W	108	38N2436LFF2WP	141, 452	38N2460RREFW12	126	38N2472CRFTW12	136
36N4848SQLW	108	38N2436LFF3W	141, 452	38N2460RREFW2	125	38N2472CRFTW2	134
36N4848SQW	108	38N2436LFF3WP	141, 452	38N2460RREFW6	125	38N2472CRFTW6	135
36N6624SOHMGW	103	38N2436LFF4W	141, 452	38N2460RREFWP1	124	38N2472CRFTWP1	133
36N6624SOHFW	103	38N2436LFF4WP	141, 452	38N2460RREFWP12	126	38N2472CRFTWP12	136
36N6645HBHGW	102	38N2436PFHW	141	38N2460RREFWP2	125	38N2472CRFTWP2	134
36N6645HBHW	102	38N2436PFHWP	141	38N2460RREFWP6	125	38N2472CRFTWP6	135

# INDEX

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
38N2472CRFW1	132	38N2484CLFWP12	136	38N3030SOHMGW	140	38N3672DDFW9	118
38N2472CRFW12	136	38N2484CLFWP2	134	38N3030SOHMW	140	38N3672DDFWP8	118
38N2472CRFW2	117, 134	38N2484CLFWP30	137	38N3038BCHGW	144	38N3672DDFWP9	118
38N2472CRFW6	135	38N2484CLFWP6	135	38N3038BCHW	144	38N3672DLFCW1	119
38N2472CRFWP1	132	38N2484CRFTW1	133	38N3038BCOW	143, 440	38N3672DLFCWP1	119
38N2472CRFWP12	136	38N2484CRFTW12	136	38N3050BCHGW	144	38N3672DLFW1	116-117, 119
38N2472CRFWP2	134	38N2484CRFTW2	134	38N3050BCHW	144	38N3672DLFWP1	119
38N2472CRFWP6	135	38N2484CRFTW30	137	38N3050BCOW	143, 440	38N3672DRFCW1	119
38N2472CSFW1	129	38N2484CRFTW6	135	38N306642DLFEW1	120	38N3672DRFCWP1	119
38N2472CSFW2	129	38N2484CRFTWP1	133	38N306642DLFEWP1	120	38N3672DRFW1	116-117, 119
38N2472CSFW7	128	38N2484CRFTWP12	136	38N306642DRFEW1	120	38N3672DRFWP1	119
38N2472CSFWP1	129	38N2484CRFTWP2	134	38N306642DRFEWP1	120	38N3672DTLFCW1	122
38N2472CSFWP2	129	38N2484CRFTWP30	137	38N3066DDFW8	118	38N3672DTLFCWP1	122
38N2472CSFWP7	128	38N2484CRFTWP6	135	38N3066DDFW9	118	38N3672DTRFCW1	122
38N2478CKFTW2	131	38N2484CRFW1	132	38N3066DDFWP8	118	38N3672DTRFCWP1	122
38N2478CKFTWP2	131	38N2484CRFW12	136	38N3066DDFWP9	118	38N3672DTW	119
38N2478CKFW2	131	38N2484CRFW2	134	38N3066DLFW1	116-117, 119	38N3672DTWP	119
38N2478CKFWP2	131	38N2484CRFW30	137	38N3066DLFWP1	119	38N3672DULFW	120
38N2478CLFTW1	133	38N2484CRFW6	135	38N3066DRFW1	116-117, 119	38N3672DULFWP	120
38N2478CLFTW12	136	38N2484CRFWP1	132	38N3066DRFWP1	119	38N3672DULW	120
38N2478CLFTW2	134	38N2484CRFWP12	136	38N307242DPLEW	122	38N3672DULWP	120
38N2478CLFTW6	135	38N2484CRFWP2	134	38N307242DPLEWP	122	38N3672DURFW	120
38N2478CLFTWP1	133	38N2484CRFWP30	137	38N307242DPLFEW	122	38N3672DURFWP	120
38N2478CLFTWP12	136	38N2484CRFWP6	135	38N307242DPLFEWP	122	38N3672DURW	120
38N2478CLFTWP2	134	38N2484CSFW7	128	38N307242DPREW	122	38N3672DURWP	120
38N2478CLFTWP6	135	38N2484CSFWP7	128	38N307242DPRFW	122	38N3680BCOFW	143, 440
38N2478CLFW1	132	38N2490CBVW	128	38N307242DPRFEW	122	38N3680BCOHFW	143, 440
38N2478CLFW12	136	38N2490CBWWP	128	38N307242DPRFEWP	122	38N3680VHHW	142
38N2478CLFW2	134	38N2490CBW	127	38N3072DPLW	121	38N3680VHHW	142
38N2478CLFW6	135	38N2490CBWP	127	38N3072DPLFWP	121	38N3684DDFCW8	118
38N2478CLFWP1	132	38N2490CFFW6	130	38N3072DPLW	121	38N3684DDFCW9	118
38N2478CLFWP12	136	38N2490CFFWP6	130	38N3072DPLWP	121	38N3684DDFCWP8	118
38N2478CLFWP2	134	38N2490CKFTW2	131	38N3072DPRFW	121	38N3684DDFCWP9	118
38N2478CLFWP6	135	38N2490CKFTWP2	131	38N3072DPRFWP	121	38N3684DDFW8	118
38N2478CRFTW1	133	38N2490CKFW2	131	38N3072DPRW	121	38N3684DDFW9	118
38N2478CRFTW12	136	38N2490CKFWP2	131	38N3072DPRWP	121	38N3684DDFWP8	118
38N2478CRFTW2	134	38N2490CLFTW30	137	38N3618SOHMGW	140	38N3684DDFWP9	118
38N2478CRFTW6	135	38N2490CLFTWP30	137	38N3618SOHMW	140	38N3684DLFCW1	119
38N2478CRFTWP1	133	38N2490CLFW30	137	38N3630SOHMGW	140	38N3684DLFCWP1	119
38N2478CRFTWP12	136	38N2490CLFWP30	137	38N3630SOHMW	140	38N3684DLFW1	119
38N2478CRFTWP2	134	38N2490CRFTW30	137	38N3636CFSW	122	38N3684DLFWP1	119
38N2478CRFTWP6	135	38N2490CRFTWP30	137	38N3636CFSWP	122	38N3684DRFCW1	119
38N2478CRFW1	132	38N2490CRFW30	137	38N3638BCHGW	144	38N3684DRFCWP1	119
38N2478CRFW12	136	38N2490CRFWP30	137	38N3638BCHW	144	38N3684DRFW1	119
38N2478CRFW2	134	38N2490CSFW6	130	38N3638BCOW	143, 440	38N3684DRFWP1	119
38N2478CRFW6	135	38N2490CSFW7	128	38N3650BCHGW	144	38N3684DTW	119
38N2478CRFWP1	132	38N2490CSFWP6	130	38N3650BCHW	144	38N3684DTWP	119
38N2478CRFWP12	136	38N2490CSFWP7	128	38N3650BCOW	143, 440	38N4218SOHMGW	140
38N2478CRFWP2	134	38N2496CFFW6	130	38N3653BCOFW	143, 440	38N4218SOHMW	140
38N2478CRFWP6	135	38N2496CFFWP6	130	38N3668BCOFW	143, 440	38N4230SOHMGW	140
38N2478CSFW1	129	38N2496CKFTW2	131	38N3668BCOHFW	143, 440	38N4230SOHMW	140
38N2478CSFW2	129	38N2496CKFTWP2	131	38N3668VHHW	142	38N4242SQW	146
38N2478CSFWP1	129	38N2496CKFW2	131	38N3668VHHW	142	38N4242SQWP	146
38N2478CSFWP2	129	38N2496CKFWP2	131	38N367248DLFEW1	120	38N4818SOHMGW	140
38N2484CKFTW2	131	38N2496CLFTW30	137	38N367248DLFEW1	120	38N4818SOHMW	140
38N2484CKFTWP2	131	38N2496CLFW30	137	38N367248DLFEWP1	120	38N4830SOHMGW	140
38N2484CKFW2	131	38N2496CLFWP30	137	38N367248DRFEW1	120	38N4830SOHMW	140
38N2484CKFWP2	131	38N2496CLFWP30	137	38N367248DRFEW1	120	38N4838HBHGW	138
38N2484CLFTW1	133	38N2496CRFTW30	137	38N367248DRFEW1	120	38N4838HBHW	138
38N2484CLFTW12	136	38N2496CRFTWP30	137	38N367248DRFEW1	120	38N4848SQW	146
38N2484CLFTW2	134	38N2496CRFW30	137	38N367248DRFEWP1	120	38N4848SQWP	146
38N2484CLFTW30	137	38N2496CRFWP30	137	38N367248DULEW	121	38N4850HBHGW	139
38N2484CLFTW6	135	38N2496CSFW1	129	38N367248DULEWP	121	38N4850HBHW	139
38N2484CLFTWP1	133	38N2496CSFW2	129	38N367248DULFEW	121	38N6038HBHGW	138
38N2484CLFTWP12	136	38N2496CSFW6	130	38N367248DULFEWP	121	38N6038HBHW	138
38N2484CLFTWP2	134	38N2496CSFW7	128	38N367248DUREW	121	38N6050HBHGW	139
38N2484CLFTWP30	137	38N2496CSFWP1	129	38N367248DUREWP	121	38N6050HBHW	139
38N2484CLFTWP6	135	38N2496CSFWP2	129	38N367248DURFEW	121	38N6638HBHGW	138
38N2484CLFW1	132	38N2496CSFWP6	130	38N367248DURFEW	121	38N6638HBHW	138
38N2484CLFW12	136	38N2496CSFWP7	128	38N3672DDFCW8	118	38N6650HBHGW	139
38N2484CLFW2	134	38N2886BTCW	123	38N3672DDFCW9	118	38N6650HBHW	139
38N2484CLFW30	137	38N2886BTCWP	123	38N3672DDFCWP8	118	38N7238HBHGW	138
38N2484CLFW6	135	38N3018SOHMGW	140	38N3672DDFCWP9	118	38N7238HBHW	138
38N2484CLFWP1	132	38N3018SOHMW	140	38N3672DDFW8	118	38N7250HBHGW	139



MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
38N7250HBHW	139	50N2172CFFW	71	50N7129SOHMMW	73	51N2172CRFW2	261, 265
38N7366LLFW	116	50N2172CKFLW2	71	50N7149HBHGW	72	51N2172CRFW6	265
38N7366LRFW	116	50N2172CKFW2	71	50N7149HBHRW	72	51N2172CSFLW2	264
38N7838HBHGW	138	50N2172CLFLW2	67, 71	50N7149HBHW	72, 86	51N2172CSFW2	264
38N7838HBHW	138	50N2172CLFLW6	71	50N7218SOHMMW	73	51N2424ENLW	269
38N7850HBHGW	139	50N2172CLFW2	67, 71	50N7236HBHW	72	51N2424ENW	269
38N7850HBHW	139	50N2172CLFW6	71	50N8066LLFLW	66	51N2430PTLW	268
38N7966LLFW	116	50N2172CRFLW2	67, 71	50N8066LLFW	66	51N2430PTW	268
38N7966LRFW	116	50N2172CRFLW6	71	50N8066LRFW	66	51N2442BEFLW	261, 264
38N7972LLFW	116	50N2172CRFW2	67, 71	50N8066LRFW	66	51N2442BEFW	261, 264
38N7972LRFW	116	50N2172CRFW6	71	50N8672LLFLW	66	51N2450BEFLW	261, 264
38N8438HBHGW	138	50N2172CSFLW2	70	50N8672LLFW	66	51N2450BEFW	261, 264
38N8438HBHW	138	50N2172CSFW2	70	50N8672LRFW	66	51N2450RLEFLW2	260, 263
38N8450HBHGW	139	50N2421PTHLW	78	50N8672LRFW	66	51N2450RLEFW2	260, 263
38N8450HBHW	139	50N2421PTHW	78	50N9366ULFLW	67	51N2450RREFLW2	260, 263
38N8572LLFW	116	50N2424ENLW	79	50N9366ULFW	67	51N2450RREFW2	260, 263
38N8572LRFW	116	50N2424ENQW	79	50N9366URFLW	67	51N2451RTLW2	263
38N9038HBHGW	138	50N2424ENW	79	50N9366URFW	67	51N2451RTLW2	263
38N9038HBHW	138	50N2430PTLW	78	50N9972ULFLW	67	51N2451RTRLW2	263
38N9050HBHGW	139	50N2430PTW	78	50N9972ULFW	67	51N2451RTRW2	263
38N9050HBHW	139	50N2442BEFLW	67, 70	50N9972URFLW	67	51N3018SOHMMW	266
38N9638HBHGW	138	50N2442BEFW	67, 70	50N9972URFW	67	51N3066DDFLW8	262
38N9638HBHW	138	50N2450BEFLW	67, 70	50NN3030SQLW	80	51N3066DDFW8	262
38N9650HBHGW	139	50N2450BEFW	67, 70	50NN3030SQW	80	51N3066DLFLW1	260-262
38N9650HBHW	139	50N2450RLEFLW2	66, 69	50NN3030RDW	80	51N3066DLFW1	260-262
38N9766ULFW	117	50N2450RLEFW2	66, 69	50NN3030RDW	80	51N3066DRFLW1	260-262
38N9766URFW	117	50N2450RREFLW2	66, 69	50NN3636SQLW	80	51N3066DRFW1	260-262
50N10266ULFLW	67	50N2450RREFW2	66, 69	50NN3636SQW	80	51N3072DTLFLW1	263
50N10266ULFW	67	50N2451RTLW2	69	50NN3636SQLW	80	51N3072DTLFW1	263
50N10266URFLW	67	50N2451RTLW2	69	50NN3636SQLW	80	51N3072DTRFLW1	263
50N10266URFW	67	50N2451RTRLW2	69	50NN3636SQLW	80	51N3072DTRFW1	263
50N10772ULFLW	67	50N2451RTRW2	69	50NN4242SQLW	80	51N3436BCOFW	268, 444
50N10772ULFW	67	50N3066DDFLW8	68	50NN4242SQLW	80	51N3452BCOFW	267-268, 444
50N10772URFLW	67	50N3066DDFW8	68	50NN4242SQLW	80	51N3618SOHMMW	266
50N10772URFW	67	50N3066DLFLW1	66-68	50NN4848SQLW	80	51N3636CFSLW	263
50N14102CPCFW	81-85	50N3066DLFW1	66-68	50NN4848SQLW	80	51N3636CFSW	263
50N1435CPBW	75-78, 436-438	50N3066DRFLW1	66-68	50NN4848SQW	80	51N3672DDFLW8	262
50N1436CPCFW	75-78, 436-438	50N3066DRFW1	66-68	50NN4848RDW	80	51N3672DLFLW1	260-262
50N1468CPBW	76-78, 436-438	50N3072DTLFLW1	69	50NN4848RDW	80	51N3672DLFW1	260-262
50N1469CPCFW	76-78, 436-438	50N3072DTLFW1	69	51N10166ULFLW	261	51N3672DRFLW1	260-262
50N1531KDFW	79	50N3072DTRFLW1	69	51N10166ULFW	261	51N3672DRFW1	260-262
50N1931BEXLW	81-85	50N3072DTRFW1	69	51N10166URFW	261	51N3672DTLW	262
50N1931BEXW	81-85	50N3225SOHGW	84	51N10772ULFLW	261	51N3672DTW	262
50N1974BCOLWC	75, 86	50N3225SOHRW	85	51N10772ULFW	261	51N3778VHHW	267
50N1974BCORWC	75, 86	50N3225SOOW	81	51N10772URFLW	261	51N6636HBHW	265
50N1974VSWHLW	75	50N3436BCOW	75, 436	51N10772URFW	261	51N7236HBHW	265
50N1974VSWHLWC	75, 86	50N3452BCHGW	77, 82, 84, 438	51N1435CPBW	268, 444	51N8066LLFLW	260
50N1974VSWHRW	75	50N3452BCHRW	78, 83, 85, 437	51N1436CPCFW	268, 444	51N8066LLFW	260
50N1974VSWHRWC	75, 86	50N3452BCOFW	76, 81, 436	51N1468CPBW	267, 444	51N8066LRFW	260
50N2040MGLW	79	50N3636CFSLW	69	51N1469CPCFW	267, 444	51N8066LRFW	260
50N2040MGQW	79	50N3636CFSW	69	51N1531KDFW	269	51N8672LLFLW	260
50N2040MGW	79	50N3672DDFLW8	68	51N2040MGLW	268	51N8672LLFW	260
50N2137LFF2LW	74, 81-85, 450	50N3672DDFW8	68	51N2040MGW	268	51N8672LRFW	260
50N2137LFF2W	74, 81-85, 450	50N3672DLFLW1	66-68	51N2137LFF2LW	266, 456	51N8672LRFW	260
50N2137LFF3LW	74, 450	50N3672DLFW1	66-68	51N2137LFF2W	266, 456	51N9366ULFLW	261
50N2137LFF3W	74, 450	50N3672DRFLW1	66-68	51N2137LFF3LW	266, 456	51N9366URFLW	261
50N2137LFF4W	74, 450	50N3672DRFW1	66-68	51N2137LFF3W	266, 456	51N9366URFW	261
50N2163CKFLW2C	71	50N3672DTLW	68	51N2137LFF4W	266, 456	51N9972ULFLW	261
50N2163CKFW2C	71	50N3672DTQLW	68	51N2166CKFLW2	264	51N9972ULFW	261
50N2166CKFLW2	71	50N3672DTQW	68	51N2166CKFW2	264	51N9972URFLW	261
50N2166CKFW2	71	50N3672DTW	68	51N2166CRFLW2	261, 265	51N9972URFW	261
50N2166CLFLW2	67, 71	50N3778VHHW	74	51N2166CRFLW2	261, 265	59N0228ABW	348
50N2166CLFW2	67, 71	50N3778VHHWC	74, 86	51N2166CRFW2	261, 265	59N102SHL	310
50N2166CRFLW2	67, 71	50N4240VBW	79	51N2172CFFW	264	59N102SHSKL	314
50N2166CRFW2	67, 71	50N6618SOHMMW	73	51N2172CFFW	264	59N102SHSKW	314
50N2169CKFLW2C	71	50N6629SOHMGW	73	51N2172CKFLW2	264	59N102SHSTL	315
50N2169CKFW2C	71, 86	50N6629SOHMRW	73	51N2172CKFW2	264	59N102SHSTW	315
50N2169CSFLW2C	70	50N6629SOHMMW	72	51N2172CLFLW2	261, 265	59N102SHTL	312
50N2169CSFW2C	70, 86	50N6636HBHW	72	51N2172CLFW2	261, 265	59N102SHTW	312
50N2172CBLW	70	50N6649HBHGW	72	51N2172CLFW6	265	59N102SHW	310
50N2172CBVLW	70	50N6649HBHRW	72	51N2172CLFW2	261, 265	59N108SHL	310
50N2172CBVW	70	50N6649HBHW	72	51N2172CLFW6	265	59N108SHSKL	314
50N2172CBW	70	50N7129SOHMMW	73	51N2172CRFLW2	261, 265		
50N2172CFFLW	71	50N7129SOHMRW	73	51N2172CRFLW6	265		

# INDEX

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
59N108SHSKW	314	59N2012S001ML	323	59N241853VWHRL	325	59N2436LFF2L	336
59N108SHSTL	315	59N2012S001MW	323	59N241853VWHRW	325	59N2436LFF2W	336
59N108SHSTW	315	59N2013SEPL	348	59N241875VWHLL	325	59N2436LFM3L	336
59N108SHTL	312	59N2013SEPW	348	59N241875VWHLW	325	59N2436LFM3W	336
59N108SHTW	312	59N2018S001ML	321	59N241875VWHRL	325	59N2436LFM4L	336
59N108SHW	310	59N2018S001MW	321	59N241875VWHRW	325	59N2436LFM4W	336
59N114SHL	310	59N2028PNBL	347	59N2418S001ML	321	59N2436WSSL	327
59N114SHSKL	314	59N2028PNBW	347	59N2418S001MW	321	59N2436WSSVL	328
59N114SHSKW	314	59N2060WSSL	328	59N242023CS1L34	301	59N2436WSSVW	328
59N114SHSTL	315	59N2060WSSVL	329	59N242023CS1W34	301	59N2436WSSW	327
59N114SHSTW	315	59N2060WSSVW	329	59N2420BNF1L	306	59N2438DR1SG	317
59N114SHTL	312	59N2060WSSW	328	59N2420BNF1W	306	59N2438DR1SL	317
59N114SHTW	312	59N2066WSSL	328	59N2420CS1L34	297	59N2438DR1SW	317
59N114SHW	310	59N2066WSSW	328	59N2420CS1W34	297	59N2442BEFFL	295
59N120SHL	310	59N2072WSSL	328	59N2420CSL1L34	299	59N2442BEFFW	295
59N120SHSKL	314	59N2072WSSW	328	59N2420CSL1W34	299	59N2442BSTFL	287
59N120SHSKW	314	59N2315PMBBFL	339	59N242423CS1L34	301	59N2442BSTFW	287
59N120SHSTL	315	59N2315PMBBFW	339	59N242423CS1W34	301	59N2442RLEFFL1	294
59N120SHSTW	315	59N2315PMBFCL	339	59N242453VSOWSLGL	324	59N2442RLEFFL2	295
59N120SHTL	312	59N2315PMBFCW	339	59N242453VSOWSLGW	324	59N2442RLEFFW1	294
59N120SHTW	312	59N2315PMBFL	339	59N242453VSOWSLL	324	59N2442RLEFFW2	295
59N120SHW	310	59N2315PMBFW	339	59N242453VSOWSLLW	324	59N2442RREFFL1	294
59N1228SSL	347	59N2315PMFFL	338	59N242453VSOWSLW	324	59N2442RREFFL2	295
59N1228SSW	347	59N2315PMFFW	338	59N242453VSOWSRGL	324	59N2442RREFFW1	294
59N1527MPL	346	59N2315PUFL1	331	59N242453VSOWSRGW	324	59N2442RREFFW2	295
59N1527MPVL	346	59N2315PUFL2	330	59N242453VSOWSRL	324	59N2446WPL	309
59N1527MPW	346	59N2315PUFL36	333	59N242453VSOWSRLW	324	59N2446WPW	309
59N16BKT	329	59N2315PUFL37	332	59N242453VSOWSRW	324	59N244823CS2L38	303
59N1728EPL	346	59N2315PUFL7	334	59N242453VWHLL	325	59N244823CS2W38	303
59N1728EPW	346	59N2315PUFLW7	334	59N242453VWHLW	325	59N244823CSSL2GL34	301
59N1738DR1SG	317	59N2315PUFRL7	334	59N242453VWHRL	325	59N244823CSSL2GW34	301
59N1738DR1SL	317	59N2315PUFRW7	334	59N242453VWHRW	325	59N244823CSSL2L34	301
59N1738DR1SW	317	59N2315PUFW1	331	59N242475VSOWSLGL	324	59N244823CSSL2LW34	301
59N1820BNO1L	306	59N2315PUFW2	330	59N242475VSOWSLGW	324	59N244823CSSL2W34	301
59N1820BNO1W	306	59N2315PUFW36	333	59N242475VSOWSLL	324	59N244823CSSR2GL34	301
59N182453VSOWSLGL	324	59N2315PUFW37	332	59N242475VSOWSLLW	324	59N244823CSSR2GW34	301
59N182453VSOWSLGW	324	59N2315SESFLL	335	59N242475VSOWSLW	324	59N244823CSSR2L34	301
59N182453VSOWSLL	324	59N2315SESFLW	335	59N242475VSOWSRGL	324	59N244823CSSR2LW34	301
59N182453VSOWSLLW	324	59N2315SESFRL	335	59N242475VSOWSRGW	324	59N244823CSSR2W34	301
59N182453VSOWSLW	324	59N2315SESFRW	335	59N242475VSOWSRL	324	59N2448BEFFL	295
59N182453VSOWSRGL	324	59N2318PUFL1	331	59N242475VSOWSRLW	324	59N2448BEFFW	295
59N182453VSOWSRGW	324	59N2318PUFL2	330	59N242475VSOWSRW	324	59N2448BNOFL2L	305
59N182453VSOWSRL	324	59N2318PUFL36	333	59N242475VWHLL	325	59N2448BNOFL2W	305
59N182453VSOWSRLW	324	59N2318PUFL37	332	59N242475VWHLW	325	59N2448BNOFR2L	305
59N182453VSOWSLW	324	59N2318PUFL7	334	59N242475VWHRL	325	59N2448BNOFR2W	305
59N182475VSOWSLGL	324	59N2318PUFLW7	334	59N242475VWHRW	325	59N2448BSTFL	287
59N182475VSOWSLGW	324	59N2318PUFRL7	334	59N2424BNF1L	306	59N2448BSTFW	287
59N182475VSOWSLL	324	59N2318PUFRW7	334	59N2424BNF1W	306	59N2448CS2L36	302
59N182475VSOWSLLW	324	59N2318PUFW1	331	59N2424CS1L34	297	59N2448CS2W36	302
59N182475VSOWSLW	324	59N2318PUFW2	330	59N2424CS1W34	297	59N2448CSL2L38	303
59N182475VSOWSRGL	324	59N2318PUFW36	333	59N2424CSL1L34	299	59N2448CSL2W38	303
59N182475VSOWSRGW	324	59N2318PUFW37	332	59N2424CSL1W34	299	59N2448CSLSL2GL34	299
59N182475VSOWSRL	324	59N2318SESFLL	335	59N2424ENSQLW	350	59N2448CSLSL2GW34	299
59N182475VSOWSRLW	324	59N2318SESFLW	335	59N2424ENSQW	350	59N2448CSLSL2L34	299
59N182475VSOWSRW	324	59N2318SESFRL	335	59N2428PNBL	347	59N2448CSLSL2LW34	299
59N1824BNO1L	306	59N2318SESFRW	335	59N2428PNBW	347	59N2448CSLSL2W34	299
59N1824BNO1W	306	59N2328EPL	346	59N243023CS1L34	301	59N2448CSLSR2GL34	299
59N1827MPL	346	59N2328EPW	346	59N243023CS1W34	301	59N2448CSLSR2GW34	299
59N1827MPVL	346	59N2330LFU2FL	336	59N2430BNF1L	306	59N2448CSLSR2L34	299
59N1827MPW	346	59N2330LFU2FW	336	59N2430BNF1W	306	59N2448CSLSR2LW34	299
59N1830BNO1L	306	59N2336LFU2FL	336	59N2430CS1L34	297	59N2448CSLSR2W34	299
59N1830BNO1W	306	59N2336LFU2FW	336	59N2430CS1W34	297	59N2448CSSL2GL34	297
59N1848BNO2L	305	59N2405SEPL	348	59N2430CSL1L34	299	59N2448CSSL2GW34	297
59N1848BNO2W	305	59N2405SEPW	348	59N2430CSL1W34	299	59N2448CSSL2L34	297
59N1860BNO2L	305	59N2412S001ML	323	59N2430LFF2L	336	59N2448CSSL2LW34	297
59N1860BNO2W	305	59N2412S001MW	323	59N2430LFF2W	336	59N2448CSSL2W34	297
59N1860BNO3L	304	59N2413SEPL	348	59N2430LFM3L	336	59N2448CSSR2GL34	297
59N1860BNO3W	304	59N2413SEPW	348	59N2430LFM3W	336	59N2448CSSR2GW34	297
59N1872BNO3L	304	59N2415PFBFBL	338	59N2430LFM4L	336	59N2448CSSR2L34	297
59N1872BNO3W	304	59N2415PFBFBW	338	59N2430LFM4W	336	59N2448CSSR2LW34	297
59N1890BNO3L	304	59N2415PFFFL	338	59N2430WSSL	327	59N2448CSSR2W34	297
59N1890BNO3W	304	59N2415PFFFW	338	59N2430WSSVL	328	59N2448MGLW	350
59N2005SEPL	348	59N241853VWHLL	325	59N2430WSSVW	328	59N2448MGW	350
59N2005SEPW	348	59N241853VWHLW	325	59N2430WSSW	327	59N2448RLEFFL1	294

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
59N2448RLEFFL2	295	59N2460CSSL2L34	297	59N2490CSL3L38	302	59N3027MPW	337
59N2448RLEFFW1	294	59N2460CSSL2LW34	297	59N2490CSL3W38	302	59N3028PNBL	347
59N2448RLEFFW2	295	59N2460CSSL2W34	297	59N2490CSLS3GL34	298	59N3028PNBW	347
59N2448RREFFL1	294	59N2460CSSR2GL34	297	59N2490CSLS3GW34	298	59N3046WPL	309
59N2448RREFFL2	295	59N2460CSSR2GW34	297	59N2490CSLS3L34	298	59N3046WPW	309
59N2448RREFFW1	294	59N2460CSSR2L34	297	59N2490CSLS3LW34	298	59N3052WPL	309
59N2448RREFFW2	295	59N2460CSSR2LW34	297	59N2490CSLS3W34	298	59N3052WPW	309
59N2448RSTFLL	288	59N2460CSSR2W34	297	59N2490CSS3GL34	296	59N3060DDFBFL8	285
59N2448RSTFLW	288	59N2460RLEFFL1	294	59N2490CSS3GW34	296	59N3060DDDFBFW8	285
59N2448RSTFRL	288	59N2460RLEFFL2	295	59N2490CSS3L34	296	59N3060DDFFL8	284
59N2448RSTFRW	288	59N2460RLEFFW1	294	59N2490CSS3LW34	296	59N3060DDFFW8	284
59N2452WPL	309	59N2460RLEFFW2	295	59N2490CSS3W34	296	59N3060DS3AL	282
59N2452WPW	309	59N2460RREFFL1	294	59N2490DSTFL	287	59N3060DS3ALW	282
59N246023CS2L38	303	59N2460RREFFL2	295	59N2490DSTFW	287	59N3060DS3AW	282
59N246023CS2W38	303	59N2460RREFFW1	294	59N2496DSTFL	287	59N3060DS3BAL	283
59N246023CS3L38	303	59N2460RREFFW2	295	59N2496DSTFW	287	59N3060DS3BALW	283
59N246023CS3W38	303	59N2460RSTFLL	288	59N2496DSTFW	350	59N3060DS3BAW	283
59N246023CSS3GL34	300	59N2460RSTFLW	288	59N2496DSTFW	350	59N3060DSFAL	280
59N246023CSS3GW34	300	59N2460RSTFRL	288	59N2496DSTFW	350	59N3060DSFALW	280
59N246023CSS3L34	300	59N2460RSTFRW	288	59N24SHL	311	59N3060DSFAW	280
59N246023CSS3LW34	300	59N2460WSSL	327	59N24SHTL	313	59N3060DSFBAL	281
59N246023CSS3W34	300	59N2460WSSL	328	59N24SHTW	313	59N3060DSFBALW	281
59N246023CSSL2GL34	301	59N2460WSSVL	328	59N24SHW	311	59N3060DSFBALW	281
59N246023CSSL2GW34	301	59N2460WSSVW	328	59N28CPFSL	346	59N3060DSFBALW	281
59N246023CSSL2W34	301	59N2460WSSW	327	59N28CPFSW	346	59N3060DSSFL	326
59N246023CSSL2W34	301	59N2466CLFFL2	307	59N2915PUFL1	331	59N3060DSSFL	326
59N246023CSSL2W34	301	59N2466CLFFW2	307	59N2915PUFL2	330	59N3066DDFBFL8	285
59N246023CSSL2W34	301	59N2466CRFFL2	307	59N2915PUFL36	333	59N3066DDFBFW8	285
59N246023CSSR2GL34	301	59N2466CRFFW2	307	59N2915PUFL37	332	59N3066DDFFL8	284
59N246023CSSR2GW34	301	59N2466WSSL	327	59N2915PUFL7	334	59N3066DDFFW8	284
59N246023CSSR2L34	301	59N2466WSSW	327	59N2915PUFL7	334	59N3066DLFBFL1	286
59N246023CSSR2LW34	301	59N247223CS3L38	303	59N2915PUFRL7	334	59N3066DLFBFW1	286
59N246023CSSR2W34	301	59N247223CS3W38	303	59N2915PUFRW7	334	59N3066DLFFL1	285
59N2460BNOF3L	304	59N247223CS3GL34	300	59N2915PUFW1	331	59N3066DLFFW1	285
59N2460BNOF3W	304	59N247223CS3GW34	300	59N2915PUFW2	330	59N3066DRFBFL1	286
59N2460BNOFL2L	305	59N247223CS3L34	300	59N2915PUFW36	333	59N3066DRFBFW1	286
59N2460BNOFL2W	305	59N247223CS3LW34	300	59N2915PUFW37	332	59N3066DRFFL1	285
59N2460BNOFR2L	305	59N247223CS3W34	300	59N2915PUFW37	335	59N3066DRFFW1	285
59N2460BNOFR2W	305	59N2472BNOF3L	304	59N2915SESFLW	335	59N3066DS3AL	282
59N2460BSTFL	287	59N2472BNOF3W	304	59N2915SESFRL	335	59N3066DS3ALW	282
59N2460BSTFW	287	59N2472CLFFL2	307	59N2915SESFRW	335	59N3066DS3AW	282
59N2460CLFFL2	307	59N2472CLFFW2	307	59N2918PUFL1	331	59N3066DS3BAL	283
59N2460CLFFW2	307	59N2472CRFFL2	307	59N2918PUFL2	330	59N3066DS3BALW	283
59N2460CRFFL2	307	59N2472CRFFW2	307	59N2918PUFL36	333	59N3066DS3BAW	283
59N2460CRFFW2	307	59N2472CS3L36	302	59N2918PUFL37	332	59N3066DSFAL	280
59N2460CS2L36	302	59N2472CS3W36	302	59N2918PUFL7	334	59N3066DSFALW	280
59N2460CS2W36	302	59N2472CSL3L38	302	59N2918PUFLW7	334	59N3066DSFAW	280
59N2460CS3L36	302	59N2472CSL3W38	302	59N2918PUFRL7	334	59N3066DSFBAL	281
59N2460CS3W36	302	59N2472CSLS3GL34	298	59N2918PUFRW7	334	59N3066DSFBALW	281
59N2460CSL2L38	303	59N2472CSLS3GW34	298	59N2918PUFW1	331	59N3066DSFBALW	281
59N2460CSL2W38	303	59N2472CSLS3L34	298	59N2918PUFW2	330	59N3066WSSL	326
59N2460CSL3L38	302	59N2472CSLS3LW34	298	59N2918PUFW36	333	59N3066WSSL	326
59N2460CSL3W38	302	59N2472CSLS3W34	298	59N2918PUFW37	332	59N3072DDFBFL8	285
59N2460CSLS3GL34	298	59N2472CSS3GL34	296	59N2918PUFW37	335	59N3072DDFBFW8	285
59N2460CSLS3GW34	298	59N2472CSS3GW34	296	59N2918SESFLL	335	59N3072DDFFL8	284
59N2460CSLS3L34	298	59N2472CSS3L34	296	59N2918SESFLW	335	59N3072DDFFW8	284
59N2460CSLS3LW34	298	59N2472CSS3LW34	296	59N2918SESFRL	335	59N3072DLFBFL1	286
59N2460CSLS3W34	298	59N2472CSS3W34	296	59N2918SESFRW	335	59N3072DLFBFW1	286
59N2460CSLSL2GL34	299	59N2472DSTFL	287	59N2928EPL	346	59N3072DLFFL1	285
59N2460CSLSL2GW34	299	59N2472DSTFW	287	59N2928EPW	346	59N3072DLFFW1	285
59N2460CSLSL2L34	299	59N2472WSSL	327	59N3005SEPL	348	59N3072DRFBFL1	286
59N2460CSLSL2LW34	299	59N2472WSSW	327	59N3005SEPW	348	59N3072DRFBFW1	286
59N2460CSLSL2W34	299	59N2484DSTFL	287	59N3012SOO1ML	323	59N3072DRFFL1	285
59N2460CSLSR2GL34	299	59N2484DSTFW	287	59N3012SOO1MW	323	59N3072DRFFW1	285
59N2460CSLSR2GW34	299	59N249023CS3L38	303	59N3013MPL	345	59N3072DS3AL	282
59N2460CSLSR2L34	299	59N249023CS3W38	303	59N3013MPVL	345	59N3072DS3ALW	282
59N2460CSLSR2LW34	299	59N249023CSS3GL34	300	59N3013MPW	345	59N3072DS3AW	282
59N2460CSLSR2W34	299	59N249023CSS3GW34	300	59N3013SEPL	348	59N3072DS3BAL	283
59N2460CSS3GL34	296	59N249023CSS3L34	300	59N3013SEPW	348	59N3072DS3BALW	283
59N2460CSS3GW34	296	59N249023CSS3LW34	300	59N3018SOO1ML	321	59N3072DS3BAW	283
59N2460CSS3L34	296	59N249023CSS3W34	300	59N3018SOO1MW	321	59N3072DSFAL	280
59N2460CSS3LW34	296	59N2490BNOF3L	304	59N3026MPKL	343	59N3072DSFALW	280
59N2460CSS3W34	296	59N2490BNOF3W	304	59N3026MPKV	343	59N3072DSFAW	280
59N2460CSSL2GL34	297	59N2490CS3L36	302	59N3026MPKW	343	59N3072DSFBAL	281
59N2460CSSL2GW34	297	59N2490CS3W36	302	59N3027MPL	337	59N3072DSFBALW	281
				59N3027MPVL	337		

# INDEX

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
59N3072DSFBAW	281	59N3660WSSW	326	59N42SHSTL	316	59N4836SMTSRRLW	289
59N3072DSTFL	287	59N3666WSSL	326	59N42SHSTW	316	59N4836SMTSRRW	289
59N3072DSTFW	287	59N3666WSSW	326	59N42SHTL	313	59N4838DR2SG	317
59N3072WSSL	326	59N3672DDFBFL8	285	59N42SHTW	313	59N4838DR2SL	317
59N3072WSSW	326	59N3672DDFBFW8	285	59N42SHW	311	59N4838DR2SW	317
59N3084DSTFL	287	59N3672DDFFL8	284	59N4513MPL	344	59N4846MWPL	308
59N3084DSTFW	287	59N3672DDFFW8	284	59N4513MPVL	344	59N4846MWPW	308
59N3090DSTFL	287	59N3672DLFBFL1	286	59N4513MPW	344	59N4846WPL	309
59N3090DSTFW	287	59N3672DLFBFW1	286	59N4812SOSL2MGL	323	59N4846WPW	309
59N3096DSTFL	286	59N3672DLFFL1	285	59N4812SOSL2MGW	323	59N4852MWPL	308
59N3096DSTFW	286	59N3672DLFFW1	285	59N4812SOSL2ML	323	59N4852MWPW	308
59N30SHL	311	59N3672DRFBFL1	286	59N4812SOSL2MLW	323	59N4852WPL	309
59N30SHTL	313	59N3672DRFBFW1	286	59N4812SOSL2MW	323	59N4852WPW	309
59N30SHTW	313	59N3672DRFFL1	285	59N4812SOSR2MGL	323	59N48SHL	311
59N30SHW	311	59N3672DRFFW1	285	59N4812SOSR2MGW	323	59N48SHSKL	315
59N3313MPL	344	59N3672DS3AL	282	59N4812SOSR2ML	323	59N48SHSKW	315
59N3313MPW	344	59N3672DS3ALW	282	59N4812SOSR2MLW	323	59N48SHSTL	316
59N3438DR2SG	317	59N3672DS3AW	282	59N4812SOSR2MW	323	59N48SHSTW	316
59N3438DR2SL	317	59N3672DS3BAL	283	59N4813MPL	345	59N48SHTL	313
59N3438DR2SW	317	59N3672DS3BALW	283	59N4813MPVL	345	59N48SHTW	313
59N3515PUFL1	331	59N3672DS3BAW	283	59N4813MPW	345	59N48SHW	311
59N3515PUFL2	330	59N3672DSFAL	280	59N4818SOSL2MGL	321	59N5113MPL	344
59N3515PUFL36	333	59N3672DSFALW	280	59N4818SOSL2MGW	321	59N5113MPVL	344
59N3515PUFL37	332	59N3672DSFAW	280	59N4818SOSL2ML	321	59N5113MPW	344
59N3515PUFL7	334	59N3672DSFBAL	281	59N4818SOSL2MLW	321	59N5138DR3SG	317
59N3515PUFLW7	334	59N3672DSFBALW	281	59N4818SOSL2MW	321	59N5138DR3SL	317
59N3515PUFRL7	334	59N3672DSFBAW	281	59N4818SOSR2MGL	321	59N5138DR3SW	317
59N3515PUFRW7	334	59N3672DSTFL	286	59N4818SOSR2MGW	321	59N5327MPL	341
59N3515PUFW1	331	59N3672DSTFW	286	59N4818SOSR2ML	321	59N5327MPVL	341
59N3515PUFW2	330	59N3672WSSL	326	59N4818SOSR2MLW	321	59N5327MPW	341
59N3515PUFW36	333	59N3672WSSW	326	59N4818SOSR2MW	321	59N5413MPL	345
59N3515PUFW37	332	59N3684DDFBFL8	285	59N4824SOSL2MGL	319	59N5413MPVL	345
59N3515SESFL1	335	59N3684DDFBFW8	285	59N4824SOSL2MGW	319	59N5413MPW	345
59N3515SESFLW	335	59N3684DDFFL8	284	59N4824SOSL2ML	319	59N5426MPKL	343
59N3515SESFRL	335	59N3684DDFFW8	284	59N4824SOSL2MLW	319	59N5426MPKVL	343
59N3515SESFRW	335	59N3684DLFBFL1	286	59N4824SOSL2MW	319	59N5426MPKW	343
59N3518PUFL1	331	59N3684DLFBFW1	286	59N4824SOSR2MGL	319	59N543SHL	311
59N3518PUFL2	330	59N3684DLFFL1	285	59N4824SOSR2MGW	319	59N54SHSKL	315
59N3518PUFL36	333	59N3684DLFFW1	285	59N4824SOSR2ML	319	59N54SHSKW	315
59N3518PUFL37	332	59N3684DRFBFL1	286	59N4824SOSR2MLW	319	59N54SHSTL	316
59N3518PUFL7	334	59N3684DRFBFW1	286	59N4824SOSR2MW	319	59N54SHSTW	316
59N3518PUFLW7	334	59N3684DRFFL1	285	59N4825SMTAL	293	59N54SHTL	313
59N3518PUFRL7	334	59N3684DRFFW1	285	59N4825SMTAW	293	59N54SHTW	313
59N3518PUFRW7	334	59N3684DSTFL	286	59N4826MPKL	343	59N54SHW	311
59N3518PUFW1	331	59N3684DSTFW	286	59N4826MPKVL	343	59N5713MPL	344
59N3518PUFW2	330	59N3690DSTFL	286	59N4826MPKW	343	59N5713MPVL	344
59N3518PUFW36	333	59N3690DSTFW	286	59N4836SMTSCLGL	292	59N5713MPW	344
59N3518PUFW37	332	59N3696DSTFL	286	59N4836SMTSCLGW	291	59N5727MPL	340
59N3518SESFL1	335	59N3696DSTFW	286	59N4836SMTSCLLW	290	59N5727MPVL	340
59N3518SESFLW	335	59N36MGRDLW	350	59N4836SMTSCLLW	289	59N5727MPW	340
59N3518SESFRL	335	59N36MGRDW	350	59N4836SMTSCLW	289	59N5927MPL	341
59N3518SESFRW	335	59N36SHL	311	59N4836SMTSCRGL	292	59N5927MPVL	341
59N3528EPL	346	59N36SHSKL	315	59N4836SMTSCRGW	291	59N5927MPW	341
59N3528EPW	346	59N36SHSKW	315	59N4836SMTSCRL	290	59N6012SOS3MGL	322
59N3613MPL	345	59N36SHSTL	316	59N4836SMTSCRLW	289	59N6012SOS3MGW	322
59N3613MPVL	345	59N36SHSTW	316	59N4836SMTSCRW	289	59N6012SOS3ML	322
59N3613MPW	345	59N36SHTL	313	59N4836SMTSLGL	292	59N6012SOS3MLW	322
59N3625SMTAL	293	59N36SHTW	313	59N4836SMTSLLGW	291	59N6012SOS3MW	322
59N3625SMTAW	293	59N36SHW	311	59N4836SMTSLLL	290	59N6012SOSL2MGL	323
59N3626MPKL	343	59N3913MPL	344	59N4836SMTSLLLW	289	59N6012SOSL2MGW	323
59N3626MPKVL	343	59N3913MPW	344	59N4836SMTSLW	289	59N6012SOSL2ML	323
59N3626MPKW	343	59N4213MPL	345	59N4836SMTSLRGL	292	59N6012SOSL2MLW	323
59N3627MPL	337	59N4213MPVL	345	59N4836SMTSLRGW	291	59N6012SOSL2MW	323
59N3627MPVL	337	59N4213MPW	345	59N4836SMTSLRL	290	59N6012SOSR2MGL	323
59N3627MPW	337	59N4226MPKL	343	59N4836SMTSLRLW	289	59N6012SOSR2MGW	323
59N3628PNBL	347	59N4226MPKVL	343	59N4836SMTSLRW	289	59N6012SOSR2ML	323
59N3628PNBW	347	59N4226MPKW	343	59N4836SMTSLRGL	292	59N6012SOSR2MLW	323
59N3636MGSQWL	350	59N4246WPL	309	59N4836SMTSRLGW	291	59N6012SOSR2MW	323
59N3636MGSQW	350	59N4246WPW	309	59N4836SMTSRL	290	59N6013MPL	345
59N3646WPL	309	59N4252WPL	309	59N4836SMTSRLW	289	59N6013MPVL	345
59N3646WPW	309	59N4252WPW	309	59N4836SMTSRLW	289	59N6013MPW	345
59N3652WPL	309	59N42SHL	311	59N4836SMTSRRGL	292	59N6018SOS3MGL	320
59N3652WPW	309	59N42SHSKL	315	59N4836SMTSRRGW	291	59N6018SOS3MGW	320
59N3660WSSL	326	59N42SHSKW	315	59N4836SMTSRRL	290	59N6018SOS3ML	320



MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
59N6018SOS3MLW	320	59N6327MPW	340	59N7836SMTSRDLW	289	75N10972URFL	214
59N6018SOS3MW	320	59N6527MPL	341	59N7836SMTSRDW	288	75N10972URYL	215
59N6018SOSL2MGL	321	59N6527MPW	341	59N78SHL	310	75N11072LHL	213
59N6018SOSL2MGW	321	59N6625SMTAL	293	59N78SHSKL	314	75N1221SSL	245
59N6018SOSL2ML	321	59N6625SMTAW	293	59N78SHSKW	314	75N1228SSL	245
59N6018SOSL2MLW	321	59N6626MPL	342	59N78SHSTL	316	75N201529PUBBF	246
59N6018SOSL2MW	321	59N6626MPW	342	59N78SHSTW	316	75N201529PUFF	246
59N6018SOSR2MGL	321	59N666SHL	310	59N78SHTL	312	75N2015PUBF	246
59N6018SOSR2MGW	321	59N666SHSKL	314	59N78SHTW	312	75N201829PUBBF	246
59N6018SOSR2ML	321	59N666SHSKW	314	59N78SHW	310	75N201829PUFF	246
59N6018SOSR2MLW	321	59N666SHSTL	316	59N8436SMTSCDGL	292	75N2018PUBF	246
59N6018SOSR2MW	321	59N666SHSTW	316	59N8436SMTSCDGW	291	75N203622PUBL	247
59N6024SOS3MGL	318	59N666SHTL	312	59N8436SMTSCDL	290	75N203622PUOS	247
59N6024SOS3MGW	318	59N666SHTW	312	59N8436SMTSCDLW	289	75N203629LFM2	246
59N6024SOS3ML	318	59N666SHW	310	59N8436SMTSCDW	288	75N203629PU10	247
59N6024SOS3MLW	318	59N6913MPL	344	59N8436SMTSLDGL	292	75N203629PU11	247
59N6024SOS3MW	318	59N6913MPW	344	59N8436SMTSLDGW	291	75N203629PU32	247
59N6024SOSL2MGL	319	59N6927MPL	340	59N8436SMTSLDL	290	75N203629PU33	247
59N6024SOSL2MGW	319	59N6927MPW	340	59N8436SMTSLDLW	289	75N203629PUH	247
59N6024SOSL2ML	319	59N7212SOS3MGL	322	59N8436SMTSLDW	288	75N203629PUOS	247
59N6024SOSL2MLW	319	59N7212SOS3MGW	322	59N8436SMTSRDGL	292	75N21108CPTL	250
59N6024SOSL2MW	319	59N7212SOS3ML	322	59N8436SMTSRDGW	291	75N21108CPTP	250
59N6024SOSR2MGL	319	59N7212SOS3MLW	322	59N8436SMTSRDL	290	75N21110CSHF22L	245
59N6024SOSR2MGW	319	59N7212SOS3MW	322	59N8436SMTSRDLW	289	75N21110CSHF22P	245
59N6024SOSR2ML	319	59N7218SOS3MGL	320	59N8436SMTSRDW	288	75N21110CSHF29L	244
59N6024SOSR2MLW	319	59N7218SOS3MGW	320	59N84SHL	310	75N21110CSHF29P	244
59N6024SOSR2MW	319	59N7218SOS3ML	320	59N84SHSKL	314	75N211868VSWHL	253
59N6025SMTAL	293	59N7218SOS3MLW	320	59N84SHSKW	314	75N211868VSWHR	253
59N6025SMTAW	293	59N7218SOS3MW	320	59N84SHSTL	316	75N212468VBWHL2	252
59N6026MPKL	343	59N7224SOS3MGL	318	59N84SHSTW	316	75N212468VBWHR2	252
59N6026MPKVL	343	59N7224SOS3MGW	318	59N84SHTL	312	75N212468VHHL2	252
59N6026MPKW	343	59N7224SOS3ML	318	59N84SHTW	312	75N212468VHHR2	252
59N6026MPL	342	59N7224SOS3MLW	318	59N84SHW	310	75N2130RSLFJL	241
59N6026MPVL	342	59N7224SOS3MW	318	59N9012SOS3MGL	322	75N2130RSLFJP	241
59N6026MPW	342	59N7225SMTAL	293	59N9012SOS3MGW	322	75N2130RSRFJL	241
59N6036SMTSCLGL	292	59N7225SMTAW	293	59N9012SOS3ML	322	75N2130RSRFJP	241
59N6036SMTSCLGW	291	59N7226MPL	342	59N9012SOS3MLW	322	75N213668VHF2	252
59N6036SMTSCLL	290	59N7226MPW	342	59N9012SOS3MW	322	75N213668VHH	252
59N6036SMTSCLLW	289	59N7236SMTSCDGL	292	59N9018SOS3MGL	320	75N213668VSH	253
59N6036SMTSCLW	288	59N7236SMTSCDGW	291	59N9018SOS3MGW	320	75N2136BEFL	229
59N6036SMTSCRGL	292	59N7236SMTSCDL	290	59N9018SOS3ML	320	75N2136BEFP	229
59N6036SMTSCRGW	291	59N7236SMTSCDLW	289	59N9018SOS3MLW	320	75N2136BSFJL	243
59N6036SMTSCRLL	290	59N7236SMTSCDW	288	59N9018SOS3MW	320	75N2136BSFJP	243
59N6036SMTSCLW	289	59N7236SMTSLDGL	292	59N9024SOS3MGL	318	75N2136CPTL	251
59N6036SMTSCRW	288	59N7236SMTSLDGW	291	59N9024SOS3MGW	318	75N2136CPTP	251
59N6036SMTSLLGL	292	59N7236SMTSLDL	290	59N9024SOS3ML	318	75N2136CSHF29L	237
59N6036SMTSLLGW	291	59N7236SMTSLDLW	289	59N9024SOS3MLW	318	75N2136CSHF29P	237
59N6036SMTSLLL	290	59N7236SMTSLDW	288	59N9024SOS3MW	318	75N2136LFF2L	250
59N6036SMTSLLLW	289	59N7236SMTSRDGL	292	59N90SHL	310	75N2136LFF2P	250
59N6036SMTSLLW	288	59N7236SMTSRDGW	291	59N90SHSKL	314	75N2136LFM3	250
59N6036SMTSLRGL	292	59N7236SMTSRDL	290	59N90SHSKW	314	75N2136LFM4	250
59N6036SMTSLRGW	291	59N7236SMTSRDLW	289	59N90SHSTL	316	75N2136PF10L	251
59N6036SMTSLRL	290	59N7236SMTSRDW	288	59N90SHSTW	316	75N2136PF10P	251
59N6036SMTSLRLW	289	59N72SHL	310	59N90SHTL	312	75N2136PF11L	251
59N6036SMTSLRW	288	59N72SHSKL	314	59N90SHTW	312	75N2136PF11P	251
59N6036SMTSRLGL	292	59N72SHSKW	314	59N90SHW	310	75N2136PF32L	251
59N6036SMTSRLGW	291	59N72SHSTL	316	59N96SHL	310	75N2136PF32P	251
59N6036SMTSRL	290	59N72SHSTW	316	59N96SHSKL	314	75N2136PF33L	251
59N6036SMTSRLW	289	59N72SHTL	312	59N96SHSKW	314	75N2136PF33P	251
59N6036SMTSRLW	288	59N72SHTW	312	59N96SHSTL	315	75N2136PFHL	251
59N6036SMTSRRGL	292	59N72SHW	310	59N96SHSTW	315	75N2136PFHP	251
59N6036SMTSRRGW	291	59N7836SMTSCDGL	292	59N96SHTL	312	75N2136RSLFJL	241
59N6036SMTSRR	290	59N7836SMTSCDGW	291	59N96SHTW	312	75N2136RSLFJP	241
59N6036SMTSRRW	289	59N7836SMTSCDL	290	59N96SHW	310	75N2136RSRFJL	241
59N6036SMTSRRW	288	59N7836SMTSCDLW	289	75N10366ULFL	214	75N2136RSRFJP	241
59N60SHL	311	59N7836SMTSCDW	288	75N10366ULYL	215	75N2142BEFL	229
59N60SHSKL	314	59N7836SMTSLDGL	292	75N10366URFL	214	75N2142BEFP	229
59N60SHSKW	314	59N7836SMTSLDGW	291	75N10366URYL	215	75N2142BSFJL	243
59N60SHSTL	316	59N7836SMTSLDL	290	75N10372ULFL	214	75N2142BSFJP	243
59N60SHSTW	316	59N7836SMTSLDLW	289	75N10372ULYL	215	75N2142CSHF29L	237
59N60SHTL	313	59N7836SMTSLDW	288	75N10372URFL	214	75N2142CSHF29P	237
59N60SHTW	313	59N7836SMTSRDGL	292	75N10372URYL	215	75N2142RLF2L	227
59N60SHW	311	59N7836SMTSRDGW	291	75N10972ULFL	214	75N2142RLF2P	227
59N6327MPL	340	59N7836SMTSRDL	290	75N10972ULYL	215	75N2142RLY3L	228

# INDEX

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
75N2142RLY3P	228	75N2166CRF2P	234	75N233622PUOS	247	75N2442RSRFJP	240
75N2142RRF2L	227	75N2166CRF6L	235	75N233629LFM2	246	75N2442RSRL	228
75N2142RRF2P	227	75N2166CRF6P	235	75N233629PU10	247	75N2442RSRP	228
75N2142RRY3L	228	75N2166CRY3L	235	75N233629PU11	247	75N2448BEFL	214-215, 229
75N2142RRY3P	228	75N2166CRY3P	235	75N233629PU32	247	75N2448BEFP	229
75N2142RSLFJL	241	75N2166CSF2L	230	75N233629PU33	247	75N2448BSFJL	242
75N2142RSLFJP	241	75N2166CSF2P	230	75N233629PUH	247	75N2448BSFJP	242
75N2142RSLL	228	75N2166CSHF22L	239	75N233629PUOS	247	75N2448CSHF29L	237
75N2142RSLP	228	75N2166CSHF22P	239	75N24108CPTL	250	75N2448CSHF29P	237
75N2142RSRFJL	241	75N2166CSHF29L	237	75N24108CPTP	250	75N2448DUL	219
75N2142RSRFJP	241	75N2166CSHF29P	237	75N24110CSHF22L	213, 245	75N2448DUP	219
75N2142RSRL	228	75N2166CSHHL29L	238	75N24110CSHF22P	245	75N2448RLF2L	212, 227
75N2142RSRP	228	75N2166CSHHL29P	238	75N24110CSHF29L	244	75N2448RLF2P	227
75N2148BEFL	229	75N2166CSHHR29L	238	75N24110CSHF29P	244	75N2448RLY3L	213, 228
75N2148BEFP	229	75N2166CSHHR29P	238	75N241868VSWHL	253	75N2448RLY3P	228
75N2148BSFJL	243	75N2166CSY3L	230	75N241868VSWHR	253	75N2448RRF2L	212, 227
75N2148BSFJP	243	75N2166CSY3P	230	75N242468VBWHL2	252	75N2448RRF2P	227
75N2148CSHF29L	237	75N2166RSLFJL	240	75N242468VBWHR2	252	75N2448RRY3L	213, 228
75N2148CSHF29P	237	75N2166RSLFJP	240	75N242468VHHL2	252	75N2448RRY3P	228
75N2148RLF2L	227	75N2166RSRFJL	240	75N242468VHHR2	252	75N2448RSLFJL	240
75N2148RLF2P	227	75N2166RSRFJP	240	75N2430PTL	256	75N2448RSLFJP	240
75N2148RLY3L	228	75N2172BSFJL	242	75N2430PTP	256	75N2448RSLL	228
75N2148RLY3P	228	75N2172BSFJP	242	75N2430RSLFJL	240	75N2448RSLP	228
75N2148RRF2L	227	75N2172CKF2L	232	75N2430RSLFJP	240	75N2448RSRFJL	240
75N2148RRF2P	227	75N2172CKF2P	232	75N2430RSRFJP	240	75N2448RSRFJP	240
75N2148RRY3L	228	75N2172CKY3L	233	75N2430RSRFJP	240	75N2448RSRL	228
75N2148RRY3P	228	75N2172CKY3P	233	75N243668VHF2	252	75N2448RSRP	228
75N2148RSLFJL	241	75N2172CLF2L	234	75N243668VHH	252	75N2460BSFJL	242
75N2148RSLFJP	241	75N2172CLF2P	234	75N243668VSH	253	75N2460BSFJP	242
75N2148RSLL	228	75N2172CLF6L	235	75N2436BEFL	229	75N2460CKF2L	232
75N2148RSLP	228	75N2172CLF6P	235	75N2436BEFP	229	75N2460CKF2P	232
75N2148RSRFJL	241	75N2172CLY3L	235	75N2436BSFJL	242	75N2460CKY3L	233
75N2148RSRFJP	241	75N2172CLY3P	235	75N2436BSFJP	242	75N2460CKY3P	233
75N2148RSRL	228	75N2172CPTL	250	75N2436CPTL	251	75N2460CLF2L	234
75N2148RSRP	228	75N2172CPTP	250	75N2436CPTP	251	75N2460CLF2P	234
75N2160BSFJL	242	75N2172CRF2L	234	75N2436CSHF29L	237	75N2460CLY3L	235
75N2160BSFJP	242	75N2172CRF2P	234	75N2436CSHF29P	237	75N2460CLY3P	235
75N2160CKF2L	232	75N2172CRF6L	235	75N2436LFF2L	250	75N2460CRF2L	234
75N2160CKF2P	232	75N2172CRF6P	235	75N2436LFF2P	250	75N2460CRF2P	234
75N2160CKY3L	233	75N2172CRY3L	235	75N2436LFM3	250	75N2460CRY3L	235
75N2160CKY3P	233	75N2172CRY3P	235	75N2436LFM4	250	75N2460CRY3P	235
75N2160CLF2L	234	75N2172CSF2L	230	75N2436PF10L	251	75N2460CSHF22L	239
75N2160CLF2P	234	75N2172CSF2P	230	75N2436PF10P	251	75N2460CSHF22P	239
75N2160CLY3L	235	75N2172CSHF22L	239	75N2436PF11L	251	75N2460CSHF29L	236
75N2160CLY3P	235	75N2172CSHF22P	239	75N2436PF11P	251	75N2460CSHF29P	236
75N2160CRF2L	234	75N2172CSHF29L	237	75N2436PF32L	251	75N2460CSHHL29L	238
75N2160CRF2P	234	75N2172CSHF29P	237	75N2436PF32P	251	75N2460CSHHL29P	238
75N2160CRY3L	235	75N2172CSHHL29L	238	75N2436PF33L	251	75N2460CSHHR29L	238
75N2160CRY3P	235	75N2172CSHHL29P	238	75N2436PF33P	251	75N2460CSHHR29P	238
75N2160CSHF22L	239	75N2172CSHHR29L	238	75N2436PFHL	251	75N2460DUHL	220
75N2160CSHF22P	239	75N2172CSHHR29P	238	75N2436PFHP	251	75N2460DUHP	220
75N2160CSHF29L	237	75N2172CSY3L	230	75N2436RSLFJL	240	75N2460DUL	219
75N2160CSHF29P	237	75N2172CSY3P	230	75N2436RSLFJP	240	75N2460DUP	219
75N2160CSHHL29L	238	75N2172RSLFJL	240	75N2436RSRFJL	240	75N2460RSLFJL	240
75N2160CSHHL29P	238	75N2172RSLFJP	240	75N2436RSRFJP	240	75N2460RSLFJP	240
75N2160CSHHR29L	238	75N2172RSRFJL	240	75N2442BEFL	214-215, 229	75N2460RSRFJL	240
75N2160CSHHR29P	238	75N2172RSRFJP	240	75N2442BEFP	229	75N2460RSRFJP	240
75N2160RSLFJL	241	75N2174CFF6L	231	75N2442BSFJL	242	75N2466BSFJL	242
75N2160RSLFJP	241	75N2174CFF6P	231	75N2442BSFJP	242	75N2466BSFJP	242
75N2160RSRFJL	241	75N2174CSF6L	231	75N2442CSHF29L	237	75N2466CKF2L	232
75N2160RSRFJP	241	75N2174CSF6P	231	75N2442CSHF29P	237	75N2466CKF2P	232
75N2166BSFJL	242	75N2174CSHF22L	245	75N2442RLF2L	212, 227	75N2466CKY3L	233
75N2166BSFJP	242	75N2174CSHF22P	245	75N2442RLF2P	227	75N2466CKY3P	233
75N2166CKF2L	232	75N2174CSHF29L	244	75N2442RLY3L	213, 228	75N2466CLF2L	214, 234
75N2166CKF2P	232	75N2174CSHF29P	244	75N2442RLY3P	228	75N2466CLF2P	234
75N2166CKY3L	233	75N231529PUBBF	246	75N2442RRF2L	212, 227	75N2466CLF6L	235
75N2166CKY3P	233	75N231529PUFF	246	75N2442RRF2P	227	75N2466CLF6P	235
75N2166CLF2L	234	75N2315PMBF	254	75N2442RRY3L	213, 228	75N2466CLY3L	215, 235
75N2166CLF2P	234	75N2315PMBFC	255	75N2442RRY3P	228	75N2466CLY3P	235
75N2166CLF6L	235	75N2315PUBF	246	75N2442RSLFJL	240	75N2466CRF2L	214, 234
75N2166CLF6P	235	75N231829PUBBF	246	75N2442RSLFJP	240	75N2466CRF2P	234
75N2166CLY3L	235	75N231829PUFF	246	75N2442RSLL	228	75N2466CRF6L	235
75N2166CLY3P	235	75N2318PUBF	246	75N2442RSLP	228	75N2466CRF6P	235
75N2166CRF2L	234	75N233622PUBL	213, 247	75N2442RSRFJL	240	75N2466CRY3L	215, 235

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
75N2466CRY3P	235	75N2573DSTFP	226	75N3066DPRL	221	75N3672CFER2P	225
75N2466CSF2L	230	75N291529PUBBF	246	75N3066DPRP	221	75N3672DDF8L	216
75N2466CSF2P	230	75N291529PUFF	246	75N3066DRF1L	212, 214, 218	75N3672DDF8P	216
75N2466CSHF22L	239	75N2915PUBF	246	75N3066DRF1P	218	75N3672DDFA8L	216
75N2466CSHF22P	239	75N291829PUBBF	246	75N3066DRY3L	213, 215, 218	75N3672DDFA8P	216
75N2466CSHF29L	236	75N291829PUFF	246	75N3066DRY3P	218	75N3672DDY3L	217
75N2466CSHF29P	236	75N2918PUBF	246	75N3066DSFL	236	75N3672DDY3P	217
75N2466CSHHL29L	238	75N3018SOEM	249	75N3066DSFP	236	75N3672DDYA3L	216
75N2466CSHHL29P	238	75N3018SOHM	248	75N3066DUFL	221	75N3672DDYA3P	216
75N2466CSHHR29L	238	75N3018SOHMG	249	75N3066DUF	221	75N3672DLF1L	212, 214, 218
75N2466CSHHR29P	238	75N3036DSFL	236	75N3066DUHL	220	75N3672DLF1P	218
75N2466CSY3L	230	75N3036DSFP	236	75N3066DUHP	220	75N3672DLFA1L	217
75N2466CSY3P	230	75N3042DSFL	236	75N3066DUL	219	75N3672DLFA1P	217
75N2466DUHL	220	75N3042DSFP	236	75N3066DUP	219	75N3672DLY3L	213, 215, 218
75N2466DUHP	220	75N3048DLF1L	218	75N3072DPHLL	222	75N3672DLY3P	218
75N2466DUL	219	75N3048DLF1P	218	75N3072DPHLP	222	75N3672DLYA3L	217
75N2466DUP	219	75N3048DLY3L	218	75N3072DPHRL	222	75N3672DLYA3P	217
75N2466RSLFJL	240	75N3048DLY3P	218	75N3072DPHRP	222	75N3672DRF1L	212, 214, 218
75N2466RSLFJP	240	75N3048DRF1L	218	75N3072DPLFL	222	75N3672DRF1P	218
75N2466RSRFJL	240	75N3048DRF1P	218	75N3072DPLFP	222	75N3672DRFA1L	217
75N2466RSRFJP	240	75N3048DRY3L	218	75N3072DPL	221	75N3672DRFA1P	217
75N2472BSFJL	242	75N3048DRY3P	218	75N3072DPLP	221	75N3672DRY3L	213, 215, 218
75N2472BSFJP	242	75N3048DSFL	236	75N3072DPRFL	222	75N3672DRY3P	218
75N2472CBL	231	75N3048DSFP	236	75N3072DPRFP	222	75N3672DRYA3L	217
75N2472CBP	231	75N3060DDF8L	216	75N3072DPRL	221	75N3672DRYA3P	217
75N2472CKF2L	232	75N3060DDF8P	216	75N3072DPRP	221	75N3672DUFL	221
75N2472CKF2P	232	75N3060DDY3L	217	75N3072DSFL	236	75N3672DUF	221
75N2472CKY3L	233	75N3060DDY3P	217	75N3072DSFP	236	75N3672DUHL	220
75N2472CKY3P	233	75N3060DLF1L	218	75N3072DUHL	213, 220	75N3672DUHP	220
75N2472CLF2L	214, 234	75N3060DLF1P	218	75N3072DUHP	220	75N3672DUL	219
75N2472CLF2P	234	75N3060DLY3L	218	75N3072DUL	219	75N3672DUP	219
75N2472CLF6L	235	75N3060DLY3P	218	75N3072DUP	219	75N4218SOEM	249
75N2472CLF6P	235	75N3060DPHLL	222	75N3618SOEM	249	75N4218SOHM	248
75N2472CLY3L	215, 235	75N3060DPHLP	222	75N3618SOHM	248	75N4218SOHMG	249
75N2472CLY3P	235	75N3060DPHRL	222	75N3618SOHMG	249	75N4242CFS1L	224
75N2472CPTL	250	75N3060DPHRP	222	75N3636CFS1L	224	75N4242CFS1P	224
75N2472CPTP	250	75N3060DPLFL	222	75N3636CFS1P	224	75N4242CFS2L	224
75N2472CRF2L	214, 234	75N3060DPLFP	222	75N3638BCH	254	75N4242CFS2P	224
75N2472CRF2P	234	75N3060DPLL	221	75N3638BCHG	254	75N4272DJLEL	223
75N2472CRF6L	235	75N3060DPLP	221	75N3638BCO	253	75N4272DJLEP	223
75N2472CRF6P	235	75N3060DPRFL	222	75N3640BCOF	253	75N4272DJREL	223
75N2472CRY3L	215, 235	75N3060DPRFP	222	75N3653BCOF	253	75N4272DJREP	223
75N2472CRY3P	235	75N3060DPRL	221	75N3666CFEL1L	225	75N42WSHRL	256
75N2472CSF2L	230	75N3060DPRP	221	75N3666CFEL1P	225	75N42WSHRP	256
75N2472CSF2P	230	75N3060DRF1L	218	75N3666CFEL2L	225	75N4818SOEM	249
75N2472CSHF22L	239	75N3060DRF1P	218	75N3666CFEL2P	225	75N4818SOHM	248
75N2472CSHF22P	239	75N3060DRY3L	218	75N3666CFENL1L	226	75N4818SOHMG	249
75N2472CSHF29L	236	75N3060DRY3P	218	75N3666CFENL1P	226	75N4838HBE	248
75N2472CSHF29P	236	75N3060DSFL	236	75N3666CFENL2L	226	75N4838HBH	248
75N2472CSHHL29L	238	75N3060DSFP	236	75N3666CFENL2P	226	75N4838HBHG	248
75N2472CSHHL29P	238	75N3060DUFL	221	75N3666CFENR1L	226	75N48WSHRL	256
75N2472CSHHR29L	238	75N3060DUF	221	75N3666CFENR1P	226	75N48WSHRP	256
75N2472CSHHR29P	238	75N3060DUHL	220	75N3666CFENR2L	226	75N6038HBE	248
75N2472CSY3L	230	75N3060DUHP	220	75N3666CFENR2P	226	75N6038HBH	248
75N2472CSY3P	230	75N3060DUL	219	75N3666CFER1L	225	75N6038HBHG	248
75N2472RSLFJL	240	75N3060DUP	219	75N3666CFER1P	225	75N60WSHRL	256
75N2472RSLFJP	240	75N3066DDF8L	216	75N3666CFER2L	225	75N60WSHRP	256
75N2472RSRFJL	240	75N3066DDF8P	216	75N3666CFER2P	225	75N6638HBE	248
75N2472RSRFJP	240	75N3066DDY3L	217	75N3668BCOF	253	75N6638HBH	248
75N2474CFF6L	231	75N3066DDY3P	217	75N3672CFEL1L	225	75N6638HBHG	248
75N2474CFF6P	231	75N3066DLF1L	212, 214, 218	75N3672CFEL1P	225	75N7238HBE	248
75N2474CSF6L	231	75N3066DLF1P	218	75N3672CFEL2L	225	75N7238HBH	248
75N2474CSF6P	231	75N3066DLY3L	213, 215, 218	75N3672CFEL2P	225	75N7238HBHG	248
75N2474CSHF22L	245	75N3066DLY3P	218	75N3672CFENL1L	226	75N7366LLFL	212
75N2474CSHF22P	245	75N3066DPHLL	222	75N3672CFENL1P	226	75N7366LLYL	213
75N2474CSHF29L	244	75N3066DPHLP	222	75N3672CFENL2L	226	75N7366LRFL	212
75N2474CSHF29P	244	75N3066DPHRL	222	75N3672CFENL2P	226	75N7366LRYL	213
75N2550RSTFLL	227	75N3066DPHRP	222	75N3672CFENR1L	226	75N7966LLFL	212
75N2550RSTFLP	227	75N3066DPLFL	222	75N3672CFENR1P	226	75N7966LLYL	213
75N2550RSTFRL	227	75N3066DPLFP	222	75N3672CFENR2L	226	75N7966LRFL	212
75N2550RSTFRP	227	75N3066DPLL	221	75N3672CFENR2P	226	75N7966LRYL	213
75N2568BSTFL	226	75N3066DPLP	221	75N3672CFER1L	225	75N7972LLFL	212
75N2568BSTFP	226	75N3066DPRFL	222	75N3672CFER1P	225	75N7972LLYL	213
75N2573DSTFL	226	75N3066DPRFP	222	75N3672CFER2L	225	75N7972LRFL	212

# INDEX

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
75N7972LRYL	213	CBV2215DSQBP	429	CLN2272CRFLW2	151, 157	CLN3666DLFW1	153
75N8572LLFL	212	CBV2228DRNBP	430	CLN2272CRFLW6	158	CLN3666DRFFLW1	154
75N8572LLYL	213	CBV2228DSQBP	430	CLN2272CRFW10	159	CLN3666DRFFW1	154
75N8572LRFL	212	CBV2235DRNBP	430	CLN2272CRFW2	151, 157	CLN3666DRFLW1	153
75N8572LRYL	213	CBV2235DSQBP	431	CLN2272CRFW6	158	CLN3666DRFW1	153
75N9766ULFL	214	CBV2240DRNBP	431	CLN2288CLFFLW10	159	CLN3672DDFALW8	152
75N9766ULYL	215	CBV2240DSQBP	431	CLN2288CLFFLW6	159	CLN3672DDFAW8	152
75N9766URFL	214	CBV2715DRNBP	429	CLN2288CLFFW10	159	CLN3672DDFLW8	152
75N9766URYL	215	CBV2715DSQBP	429	CLN2288CLFFW6	159	CLN3672DDFW8	152
81N1842CSLW	421	CBV2728DRNBP	430	CLN2288CLFLW10	159	CLN3672DLFALW1	153
81N1842CSW	421	CBV2728DSQBP	430	CLN2288CLFLW6	158	CLN3672DLFAW1	153
81N2040MGSQWL	421	CBV2735DRNBP	430	CLN2288CLFW10	159	CLN3672DLFFALW1	153
81N2040MGSQW	421	CBV2735DSQBP	431	CLN2288CLFW6	158	CLN3672DLFFAW1	153
81N2424ENLW	421	CBV2740DRNBP	431	CLN2288CRFFLW10	159	CLN3672DLFFLW1	154
81N2424ENSQWL	421	CBV2740DSQBP	431	CLN2288CRFFLW6	159	CLN3672DLFFW1	154
81N2424ENSQW	421	CLN10672ULFLW	151	CLN2288CRFFW10	159	CLN3672DLFLW1	150-151, 153
81N2424ENW	421	CLN10672ULFW	151	CLN2288CRFFW6	159	CLN3672DLFW1	150-151, 153
81N3636MGLW	421	CLN10672URFLW	151	CLN2288CRFLW10	159	CLN3672DRFALW1	153
81N3636MGW	421	CLN10672URFW	151	CLN2288CRFLW6	158	CLN3672DRFAW1	153
82N242435RDTL	426	CLN1438CPCFW	163, 441	CLN2288CRFW10	159	CLN3672DRFFALW1	153
82N242435RDTW	426	CLN1473CPCFW	163, 441	CLN2288CRFW6	158	CLN3672DRFFAW1	153
82N242435SCTL	426	CLN2016PMBFC	161	CLN2424ENW	164	CLN3672DRFFLW1	154
82N242435SCTLW	426	CLN2040MGW	164	CLN2424SQLW	164	CLN3672DRFFW1	154
82N242440RDTL	427	CLN2237LFF2LW	162, 453	CLN2424SQW	164	CLN3672DRFLW1	150-151, 153
82N242440RDTW	427	CLN2237LFF2W	162, 453	CLN2472CBVLW	157	CLN3672DRFW1	150-151, 153
82N242440SCTL	427	CLN2237LFF3LW	162, 453	CLN2472CBVW	157	CLN3672DTLFLW1	155
82N242440SCTLW	427	CLN2237LFF3W	162, 453	CLN2542RTLW2	155	CLN3672DTLFW1	155
82N2424MGRDL	425	CLN2237LFF4LW	162, 453	CLN2542RTLW2	155	CLN3672DTRFLW1	155
82N2424MGRDW	425	CLN2237LFF4W	162, 453	CLN2542RTRLW2	155	CLN3672DTRFW1	155
82N2424MGSQ	425	CLN2260CKFLW2	157	CLN2542RTRW2	155	CLN3672DULFLW	154
82N2424MGSQW	425	CLN2260CKFW2	157	CLN2544RLEFLW2	150, 156	CLN3672DULFW	154
82N363635RDTL	426	CLN2260CLFFLW2	158	CLN2544RLEFW2	150, 156	CLN3672DULLW	154
82N363635RDTW	426	CLN2260CLFFW2	158	CLN2544RREFLW2	150, 156	CLN3672DULW	154
82N363635SCTL	426	CLN2260CRFFLW2	158	CLN2544RREFW2	150, 156	CLN3672DURFLW	154
82N363635SCTLW	426	CLN2260CRFFW2	158	CLN2560RLEFLW10	156	CLN3672DURFW	154
82N363640RDTL	427	CLN2266CKFLW2	157	CLN2560RLEFLW6	156	CLN3672DURLW	154
82N363640RDTW	427	CLN2266CKFW2	157	CLN2560RLEFW10	156	CLN3672DURW	154
82N363640SCTL	427	CLN2266CLFFLW2	158	CLN2560RLEFW6	156	CLN36RDLW	165
82N363640SCTLW	427	CLN2266CLFFLW6	159	CLN2560RREFLW10	156	CLN36RDW	165
82N3636MGRDL	425	CLN2266CLFFW2	158	CLN2560RREFLW6	156	CLN3765VWHAW	162
82N3636MGRDW	425	CLN2266CLFFW6	159	CLN2560RREFW10	156	CLN3836BCHAW	163, 441
82N3636MGSQ	425	CLN2266CLFLW2	157	CLN2560RREFW6	156	CLN3836BCOW	163, 441
82N3636MGSQW	425	CLN2266CLFLW6	158	CLN2636BEFHLW	151, 156	CLN42RDLW	165
91NA2424CUL	416	CLN2266CLFW2	157	CLN2636BEFW	151, 156	CLN42RDW	165
91NA2424CUW	416	CLN2266CLFW6	158	CLN2648BEFHSW	151, 157	CLN48RDLW	165
91NA2424CYL	416	CLN2266CRFFLW2	158	CLN2648BEFHSW	151, 157	CLN48RDW	165
91NA2424CYW	416	CLN2266CRFFLW6	159	CLN3018SOHMAW	161	CLN5936HBHAW	160
91NA2448MCTL	416	CLN2266CRFFW2	158	CLN3060DDFLW8	152	CLN6536HBHAW	160
91NA2448MCTLW	416	CLN2266CRFFW6	159	CLN3060DDFW8	152	CLN7136HBHAW	160
91NA3636MGUL	416	CLN2266CRFLW2	157	CLN3060DLFFLW1	154	CLN7836HBHAW	160
91NA3636MGUW	416	CLN2266CRFLW6	158	CLN3060DLFFW1	154	CLN8072LLFLW	150
91NA3636MGYL	416	CLN2266CRFW2	157	CLN3060DRFFLW1	154	CLN8072LLFW	150
91NA3636MGYW	416	CLN2266CRFW6	158	CLN3060DRFFW10	154	CLN8072LRLW	150
91NB1850CSL	415	CLN2272CKFLW2	157	CLN3066DDFLW8	152	CLN8072LRFW	150
91NB1850CSW	415	CLN2272CKFW2	157	CLN3066DDFW8	152	CLN8836HBHAW	160
91NB2424ENL	415	CLN2272CLFFLW10	159	CLN3066DLFFLW1	154	CLN9472ULFLW	151
91NB2424ENW	415	CLN2272CLFFLW2	158	CLN3066DLFFW1	154	CLN9472ULFW	151
91NB2448MGL	415	CLN2272CLFFLW6	159	CLN3066DLFLW1	153	CLN9472URFLW	151
91NB2448MGW	415	CLN2272CLFFW10	159	CLN3066DLFW1	153	CLN9472URFW	151
91NB3636MGL	415	CLN2272CLFFW2	158	CLN3066DRFFLW1	154	CLNN3030SQW	164
91NB3636MGW	415	CLN2272CLFFW6	159	CLN3066DRFFW10	154	CLNN3030RDW	165
91NC1850CSG	417	CLN2272CLFLW10	159	CLN3066DRFLW1	153	CLNN3636SQW	164
91NC1850CSL	418	CLN2272CLFLW2	151, 157	CLN3066DRFW1	153	CLNN36RDW	165
91NC1850CSW	418	CLN2272CLFLW6	158	CLN3066DRFW10	153	CLNN4242SQW	164
91NC2424ENG	417	CLN2272CLFW10	159	CLN3066DRFW6	153	CLNN42RDW	165
91NC2424ENL	418	CLN2272CLFW2	151, 157	CLN3066DRFW10	153	CLNN4848SQW	164
91NC2424ENW	418	CLN2272CLFW6	158	CLN3066DRFW10	153	CLNN48RDW	165
91NC2448MGG	417	CLN2272CRFFLW10	159	CLN3066DRFFLW8	152	ECN0637CPCFW	186
91NC2448MGL	418	CLN2272CRFFLW2	158	CLN3066DRFFW8	152	ECN0643CPCFW	186
91NC2448MGW	418	CLN2272CRFFLW6	159	CLN3066DDFLW8	152	ECN10167ULFW	171
91NC3636MGG	417	CLN2272CRFFW10	159	CLN3066DDFW8	152	ECN10167URFW	171
91NC3636MGL	418	CLN2272CRFFW2	158	CLN3066DLFFLW1	154	ECN10173ULFW	171
91NC3636MGW	418	CLN2272CRFFW6	159	CLN3066DLFFW10	154	ECN10173URFW	171
CBV2215DRNBP	429	CLN2272CRFLW10	159	CLN3666DLFLW1	153	ECN10773ULFW	171



MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
ECN10773URFW	171	ECN2273CRFW10	180	ECN3879VVHW	183	NAC1010ATC	410, 504
ECN1724CDW	187	ECN2273CRFW2	171, 178	ECN3879VVHWC	183, 188	NAC1115SPT	410, 504
ECN1727CDW	187	ECN2273CRFW6	179	ECN4242SQW	189	NAC1115SPTC	410, 504
ECN1733CDW	187	ECN2273CSFW2	176	ECN42RDW	189	NAC1211DO	146, 503
ECN1733KDFW	187	ECN2424ENW	186	ECN4848SQW	189	NAC1212SSM	408
ECN1948CSW	186	ECN2542BEFW	171, 176	ECN48RDW	189	NAC1217DPTM	408
ECN2040MGW	186	ECN2542RLEFW1	175	ECN6042HBHPGW	181	NAC1217SPTM	408
ECN2071BCOLWC	183, 188	ECN2542RLEFW2	170, 175	ECN6050HBHPGW	181	NAC1222SL	498
ECN2071BCORWC	183, 188	ECN2542RREFW1	175	ECN6050HBHPW	181	NAC1228UBB	347
ECN2071VHL2WC	184	ECN2542RREFW2	170, 175	ECN6630SOHMGW	182	NAC1228UBH	347
ECN2071VHR2WC	184, 188	ECN2548BEFW	171, 176, 188	ECN6630SOHMW	182	NAC1228UBN	347
ECN2071VSWHLWC	184, 188	ECN2548RLEFW1	175	ECN6642HBHPGW	181	NAC1228UBS	347
ECN2071VSWHRWC	184, 188	ECN2548RLEFW2	170, 175	ECN6650BCHGW	185	NAC1322SL1	498
ECN2238LFF2W	182, 454	ECN2548RREFW1	175	ECN6650HBHPGW	181	NAC1322SL2	498
ECN2238LFF3W	182, 454	ECN2548RREFW2	170, 175	ECN6650HBHPW	181	NAC1406KK4	494
ECN2238LFF4W	182, 454	ECN2550RTLW2	175	ECN7230SOHMGW	182	NAC1420SMCL	141, 518
ECN2238MUCW	186	ECN2550RTRW2	175	ECN7230SOHMPW	182, 188	NAC1420SMCW	141, 518
ECN2238PFHW	183	ECN2572RLEFW10	175	ECN7242HBHPGW	181	NAC1424KT	492
ECN2259CKFW2C	177	ECN2572RREFW10	175	ECN7250BCHGW	185	NAC1624CT	492
ECN2261CKFW2	177	ECN3030SQW	189	ECN7250HBHPGW	181, 188	NAC16POM	408
ECN2261CLFFW1	178	ECN3061DDFBW8	172	ECN7250HBHPW	181	NAC1706KK1	493
ECN2261CLFFW2	179	ECN3061DLFFBW1	173	ECN7367LLFW	170	NAC1706KK2	493
ECN2261CRFFW1	178	ECN3061DRFFBW1	173	ECN7367LRFW	170	NAC1706KK3	493
ECN2261CRFFW2	179	ECN3067DDFBW8	172	ECN7842HBHPGW	181	NAC1721WBSK	503
ECN2265CKFW2C	177	ECN3067DLFBW1	170-171, 173	ECN7850HBHPGW	181	NAC177LL	501
ECN2265CSFW2C	176	ECN3067DLFFBW1	173	ECN7850HBHPW	181	NAC177LLA	501
ECN2266CLFW1C	178	ECN3067DRFBW1	170-171, 173	ECN7967LLFW	170	NAC17WM	512
ECN2266CLFW2C	179	ECN3067DRFFBW1	173	ECN7967LRFW	170	NAC1811TBRA	524
ECN2266CLFW6C	180	ECN30RDW	189	ECN7973LLFW	170	NAC1819TBRA	523
ECN2266CRFW1C	178	ECN3276DTLFW1	175	ECN7973LRFW	170	NAC1820CUSH	480
ECN2266CRFW2C	179	ECN3276DTRFW1	175	ECN8442HBHPGW	181	NAC1820CUSHT	488
ECN2266CRFW6C	180	ECN3636CFSW	174	ECN8450HBHPGW	181	NAC1824CDW	492
ECN2267CKFW2	177	ECN3636SQW	189	ECN8450HBHPW	181	NAC1824CUSH	479
ECN2267CLFFW1	178	ECN3667DDFBW8	172	ECN8573LLFW	170	NAC1824CUSHT	487
ECN2267CLFFW2	179	ECN3667DDFBW8	172	ECN8573LRFW	170	NAC1830CUSH	479
ECN2267CLFFW6	179	ECN3667DLFBW1	173	ECN9567ULFW	171	NAC1830CUSHT	487
ECN2267CLFW1	178	ECN3667DLFFBW1	173	ECN9567URFW	171	NAC1836CUSH	479
ECN2267CLFW2	171, 178	ECN3667DRFBW1	173	MPK-4	37, 61, 78, 256, 268	NAC1836CUSHT	487
ECN2267CLFW6	179	ECN3667DRFFBW1	173	N10PBL1806	462	NAC1840CUSH	478
ECN2267CRFFW1	178	ECN3672DPLFW	174	N10PBL1806P	462	NAC1840CUSHT	486
ECN2267CRFFW2	179	ECN3672DPLW	174	N10PRT1508	465	NAC1848CUSH	478
ECN2267CRFFW6	179	ECN3672DPRFW	174	N10PRT1508C	466	NAC1848CUSHT	486
ECN2267CRFW1	178	ECN3672DPRW	174	N10PRT1508CP	468	NAC1860CUSH	478
ECN2267CRFW2	171, 178	ECN3672DULFW	174	N10PRT1508L	465	NAC1860CUSHT	486
ECN2267CRFW6	179	ECN3672DULW	174	N10PRT1508LP	467	NAC1872CUSH	477
ECN2267CSFW2	176	ECN3672DURFW	174	N10PRT1508P	467	NAC1872CUSHT	485
ECN2271CFFWC	177	ECN3672DURW	174	N10PRT1508R	466	NAC187LDBPUS	349, 501
ECN2271CKFW2C	177, 188	ECN3673DDFBW8	172	N10PRT1508RP	468	NAC187LDBUH	349, 501
ECN2271CSFW2C	176	ECN3673DDFBW8	172	N10PSQ1414	463	NAC1922CD	493
ECN2272CLFW10C	180	ECN3673DLFBW1	172	N10PSQ1414B	463	NAC1924KTM	492
ECN2272CLFW1C	178	ECN3673DLFBW1	170-171, 173, 188	N10PSQ1414BP	464	NAC2024CUSH	477
ECN2272CLFW2C	179	ECN3673DLFFBAW1	173	N10PSQ1414P	464	NAC2024CUSHT	485
ECN2272CLFW6C	180	ECN3673DLFFBW1	173	N10PWD1816	472	NAC2118PVS2PF	515
ECN2272CRFW10C	180	ECN3673DRFBW1	172	N10PWD2116	472	NAC2118PVS2PFA	515
ECN2272CRFW1C	178, 188	ECN3673DRFBW1	170-171, 173	N10PWD2416	472	NAC2118PVSF	517
ECN2272CRFW2C	179	ECN3673DRFFBAW1	173	NAC0236SUR	347	NAC2118PVSP	514
ECN2272CRFW6C	180	ECN3673DRFFBW1	173	NAC0248SUR	347	NAC2118PVSTP	516
ECN2273CBVW	176	ECN3673DTAW	172	NAC03ELUPDC	505	NAC2124CDW	492
ECN2273CBW	176	ECN36RDW	189	NAC03WM	513	NAC2208KK1	493
ECN2273CFFW	177	ECN3750BCHGW	185, 442	NAC0428SFRNB	29, 51, 95, 155, 174, 197, 213, 256	NAC2211TBRA	524
ECN2273CKFW2	177	ECN3750BCHW	185, 442			NAC2319KKS1	494
ECN2273CLFFW1	178	ECN3757BCOHFLWC	185	NAC0510PTB	409	NAC2418PVS2PF	515
ECN2273CLFFW10	180	ECN3757BCOHFRWC	185	NAC0611KMK	494	NAC2418PVS2PFA	515
ECN2273CLFFW2	179	ECN3757BCOLWC	184	NAC0613ST	492	NAC2418PVSF	517
ECN2273CLFFW6	179	ECN3757BCORWC	184	NAC0711SHM	499	NAC2418PVSP	514
ECN2273CLFW1	178	ECN3771BCOHFLWC	185	NAC0802KMK	187, 494	NAC2418PVSTP	516
ECN2273CLFW10	180	ECN3771BCOHFRWC	185	NAC0905SHBM	409	NAC2421CDL	492
ECN2273CLFW2	171, 178	ECN3771BCOLWC	184	NAC0924SHM	408	NAC2424CUSH	476
ECN2273CLFW6	179	ECN3771BCORWC	184	NAC0930SHM	408	NAC2424CUSHT	484
ECN2273CRFFW1	178	ECN3857BCOFW	184, 442	NAC0936SHM	408	NAC2430CUSH	476
ECN2273CRFFW10	180	ECN3857BCOHFW	185, 442	NAC0942SHM	408	NAC2430CUSHT	484
ECN2273CRFFW2	179	ECN3871BCOFW	184, 442	NAC0948SHM	408	NAC2436CUSH	476
ECN2273CRFFW6	179	ECN3871BCOHFW	185, 442	NAC1002ELPD2	505	NAC2436CUSHT	484
ECN2273CRFW1	178	ECN3879VHHW	183	NAC1010AT	410, 504	NAC2440CUSH	475

# INDEX

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
NAC2440CUSHT	483	NAC4005SMSL	518	NAC6719TBRA	522	NACLTk1	349, 502
NAC2448CUSH	475	NAC4005SMSW	518	NAC6813TBDA	525	NACLTk2	349, 502
NAC2448CUSHT	483	NAC4218PVS2PF	515	NAC6816TBRA	524	NACLTk3	349, 502
NAC2460CUSH	475	NAC4218PVS2PFA	515	NAC6819TBRA	522	NACLTMD	349, 502
NAC2460CUSHT	483	NAC4218PVSFP	517	NAC6912TBDA	525	NACLTSP	349, 502
NAC2472CUSH	474	NAC4218PVSP	514	NAC6916TBRA	524	NACMA1CMB	495
NAC2472CUSHT	482	NAC4218PVSTP	516	NAC6917TBRA	523	NACMA1CMS	495
NAC24CUSH	477	NAC4219TBRA	523	NAC6919TBRA	522	NACMA1GMB	495
NAC24CUSHT	485	NAC4239VBL	187	NAC6920TBRA	522	NACMA1GMS	495
NAC2552CUSH	474	NAC4239VBW	187	NAC7014TBDA	525	NACMA2CMB	495
NAC2552CUSHT	482	NAC420K	249	NAC7015TBDA	525	NACMA2CMS	495
NAC25ELPTB	505	NAC4419TBRA	523	NAC7019TBRA	522	NACMA2GMB	495
NAC25ELPTH	505	NAC44TLL	501	NAC7212TBDA	525	NACMA2GMS	495
NAC25ELPTS	505	NAC44TLLA	501	NAC7218PVS2PFA	515	NACMA3KB	495
NAC25TLB	500	NAC4516TBRA	524	NAC7218PVSFP	517	NACMA3KS	495
NAC2605SMSL	518	NAC4619TBRA	523	NAC7218PVSP	514	NACMAKSS	497
NAC2605SMSW	518	NAC4810TBDA	525	NAC7218PVSTP	516	NACMAKSSG	497
NAC2718PVS2PF	515	NAC4811TBDA	525	NAC7219TBRA	522	NACMAPSMB	411
NAC2718PVS2PFA	515	NAC4818PVS2PF	515	NAC7317TBRA	523	NACMAPSMS	411
NAC2718PVSFP	517	NAC4818PVS2PFA	515	NAC7419TBRA	522	NACMRHM	408
NAC2718PVSP	514	NAC4818PVSFP	517	NAC7420TBRA	522	NACPH	410, 504
NAC2718PVSTP	516	NAC4818PVSP	514	NAC7517TBRA	523	NACPHC	410, 504
NAC2727CUSH	474	NAC4818PVSTP	516	NAC7616TBRA	524	NACPUH	498
NAC2727CUSHT	482	NAC4819TBRA	523	NAC7619TBRA	522	NACSS	410, 504
NAC2804SFBW	51, 95, 155, 174, 197	NAC480K	249	NAC7917TBRA	523	NACSSC	410, 504
NAC2805SMSL	518	NAC4919TBRA	523	NAC8020TBRA	522	NACTLSEN	501
NAC2805SMSW	518	NAC49TLB	500	NAC8117TBRA	523	NCCB_ _	500
NAC2811TBRA	524	NAC5019TBRA	522	NAC8219TBRA	522	NCCB_ _S	500
NAC2812SHB	51, 95, 155, 174, 197	NAC5219TBRA	522	NAC8416TBRA	524	NCCBCK	500
NAC2828CUSH	473	NAC5417TBRA	524	NAC8819TBRA	522	NCCBMK	500
NAC2828CUSHT	481	NAC5418PVS2PF	515	NACBS	410, 504	NEWNUMBER	38
NAC3005SMSL	518	NAC5418PVS2PFA	515	NACCP	410, 504	Q10N2136LFF4L	457
NAC3005SMSW	518	NAC5418PVSFP	517	NACCP	410, 504	Q10N3630BCOFW	445
NAC3017TBRA	524	NAC5418PVSP	514	NACCPUMCB	498	Q10N3636BCOFW	445
NAC3018PVS2PF	515	NAC5418PVSTP	516	NACELIQ1	509	Q10N3648BCOFW	445
NAC3018PVS2PFA	515	NAC5419TBRA	522	NACELIQ2PPG	508	Q10N3660BCOFW	445
NAC3018PVSFP	517	NAC5517TBRA	524	NACELIQ2PPG1	508	Q10N3672BCOFW	445
NAC3018PVSP	514	NAC5616TBRA	524	NACELIQ2PPG18	508	Q10N3684BCOFW	445
NAC3018PVSTP	516	NAC5619TBRA	522	NACELIQJ	508-509	Q19N10572ULFW	195
NAC3018TBRA	523	NAC5710TBDA	525	NACELIQPPG	508	Q19N10572URFW	195
NAC3019TBRA	523	NAC5711TBDA	525	NACELIQPPG1	508	Q19N11172ULFW	195
NAC3048MBW	513	NAC5716TBRA	524	NACELIQPPG18	508	Q19N11172URFW	195
NAC300K	249	NAC5720TBRA	522	NACG1	506	Q19N2436LFF2W	200, 455
NAC30WMH	513	NAC5819TBRA	522	NACG10	506	Q19N2445BEFW	198
NAC30WMV	512	NAC6010TBDA	525	NACG10EL	506	Q19N2451BEFW	198
NAC3105SMSL	518	NAC6011TBDA	525	NACG122ELB	507	Q19N2451RLEFW2	197
NAC3105SMSW	518	NAC6017TBRA	523	NACG122ELHB	507	Q19N2451RREFW2	197
NAC31TLL	501	NAC6018PVS2PF	515	NACG122ELHS	507	Q19N2472CKFW2	198
NAC31TLLA	501	NAC6018PVS2PFA	515	NACG122ELS	507	Q19N2472CLFW2	198
NAC3219TBRA	523	NAC6018PVSFP	517	NACG12ELB	507	Q19N2472CRFW2	198
NAC3305SMSL	518	NAC6018PVSP	514	NACG12ELHB	507	Q19N2472CSFW2	198
NAC3305SMSW	518	NAC6018PVSTP	516	NACG12ELHS	507	Q19N3618SOHMMW	199
NAC3405SMSL	518	NAC6019TBRA	522	NACG12ELS	507	Q19N3636BCOW	201, 443
NAC3405SMSW	518	NAC6114TBDA	525	NACG172ELB	508	Q19N3666BCOFW	201, 443
NAC3519TBRA	523	NAC6117TBRA	523	NACG172ELIQB	509	Q19N3672DDFW8	196
NAC3605SMSL	518	NAC6119TBRA	522	NACG172ELIQB1	509	Q19N3672DLFW1	196
NAC3605SMSW	518	NAC6216TBRA	524	NACG172ELIQB18	509	Q19N3672DRFW1	196
NAC3617TBRA	524	NAC6219TBRA	522	NACG172ELIQS	509	Q19N7236HBHW	199
NAC3618PVS2PF	515	NAC6316TBRA	524	NACG172ELIQS1	509	Q19N8772LLFW	194
NAC3618PVS2PFA	515	NAC6317TBRA	523	NACG172ELIQS18	509	Q19N8772LRFW	194
NAC3618PVSFP	517	NAC6319TBRA	522	NACG172ELS	508	Q21N10472ULQL	25
NAC3618PVSP	514	NAC6320TBRA	522	NACG173ELB	509	Q21N10472URQL	25
NAC3618PVSTP	516	NAC6414TBDA	525	NACG173ELS	509	Q21N10872ULQL	25
NAC3618TBRA	523	NAC6415TBDA	525	NACG17ELB	508	Q21N10872URQL	25
NAC3619TBRA	523	NAC6419TBRA	522	NACG17ELIQB	509	Q21N2436LFF2L	36, 448
NAC3636CUSH	473	NAC6617TBRA	523	NACG17ELIQB1	509	Q21N2443RLEQL3	30
NAC3636CUSHT	481	NAC6618PVS2PFA	515	NACG17ELIQB18	509	Q21N2443RREQL3	30
NAC3639VBL	187	NAC6618PVSFP	517	NACG17ELIQS	509	Q21N2445BEFL	31
NAC3639VBW	187	NAC6618PVSP	514	NACG17ELIQS1	509	Q21N2448BEFL	31
NAC36CUSH	473	NAC6618PVSTP	516	NACG17ELIQS18	509	Q21N2449RLEQL3	30
NAC36CUSHT	481	NAC6619TBRA	522	NACG17ELS	508	Q21N2449RREQL3	30
NAC360K	249	NAC6713TBDA	525	NACG2	506	Q21N2472CKQL3	32
NAC3819TBRA	523	NAC6714TBDA	525	NACG23ELB	512	Q21N2472CLQL3	33
NAC3916TBRA	524	NAC6717TBRA	523	NACG23ELS	512	Q21N2472CRQL3	33

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
Q21N2472CSQL3	31	Q50N3436BCOW	75, 436	Q75N2448RRF2L	227	QECN1727CDW	187
Q21N3336BCOL	37, 434	Q50N3452BCOFW	76, 81, 436	Q75N2448RRY3L	228	QECN1733CDW	187
Q21N3365BCOFL	36, 434	Q50N3672DDFW8	68	Q75N2472CKF2L	232	QECN1733KDFW	187
Q21N3617SOHML	35	Q50N3672DLFW1	68	Q75N2472CKY3L	233	QECN2040MGW	186
Q21N3672DDQL3	26	Q50N3672DRFW1	68	Q75N2472CLF2L	234	QECN2238LFF2W	182, 454
Q21N3672DLQL3	28	Q50N7218SOHML	73	Q75N2472CLY3L	235	QECN2273CKFW2	177
Q21N3672DRQL3	28	Q50N7236HBHW	72	Q75N2472CRF2L	234	QECN2273CLFW2	178
Q21N6936HBHL	34	Q50N8672LLFW	66	Q75N2472CRY3L	235	QECN2273CRFW2	178
Q21N7972LLQL	24	Q50N8672LRFW	66	Q75N2472CSF2L	230	QECN2273CSFW2	176
Q21N7972LRQL	24	Q50N9972ULFW	67	Q75N2472CSY3L	230	QECN2424ENW	186
Q21N8572LLQL	24	Q50N9972URFW	67	Q75N3618SOHM	248	QECN2542BEFW	176
Q21N8572LRQL	24	Q51N10772ULFLW	261	Q75N3638BCO	253	QECN2542RLEFW2	175
Q31N10272ULFW	43	Q51N10772URFLW	261	Q75N3668BCOF	253	QECN2542RRFEW2	175
Q31N10272URFW	43	Q51N1435CPBW	268, 444	Q75N3672DDF8L	216	QECN2548BEFW	176
Q31N10872ULFW	43	Q51N1436CPCFW	268, 444	Q75N3672DDY3L	217	QECN2548RLEFW2	175
Q31N10872URFW	43	Q51N1531KDFW	269	Q75N3672DLF1L	218	QECN2548RRFEW2	175
Q31N2040MGPLW	61	Q51N2040MGLW	268	Q75N3672DLY3L	218	QECN3673DDFBW8	172
Q31N2136LFF2W	59, 449	Q51N2137LFF2LW	266, 456	Q75N3672DRF1L	218	QECN3673DLFBW1	173
Q31N2172CKFW2	54	Q51N2172CKFLW2	264	Q75N3672DRY3L	218	QECN3673DRFBW1	173
Q31N2172CLFW2	55	Q51N2172CLFLW2	265	Q75N7238HBH	248	QECN3750BCHW	185, 442
Q31N2172CRFW2	55	Q51N2172CRFLW2	265	Q75N7972LLFL	212	QECN3871BCOFW	184, 442
Q31N2172CSFW2	53	Q51N2172CSFLW2	264	Q75N7972LLYL	213	QECN7230SOHML	182
Q31N2424ENPLW	61	Q51N2424ENLW	269	Q75N7972LRF1L	212	QECN7250HBHPW	181
Q31N2444RLEFW2	52	Q51N2442BEFLW	264	Q75N7972LRYL	213	QECN7973LLFW	170
Q31N2444RREFW2	52	Q51N2450BEFLW	264	Q75N8572LLFL	212	QECN7973LRFW	170
Q31N2445BEFW	53	Q51N2450RLEFLW2	263	Q75N8572LLYL	213	QECN8573LLFW	170
Q31N2451BEFW	53	Q51N2450RREFW2	263	Q75N8572LRF1L	212	QECN8573LRFW	170
Q31N2452RLEFW2	52	Q51N3436BCOFW	268, 444	Q75N8572LRYL	213	QNAC1824CDW	492
Q31N2452RREFW2	52	Q51N3452BCOFW	267-268, 444	QCLN10672ULFLW	151	QNAC2124CDW	492
Q31N3238BCOW	60, 435	Q51N3618SOHML	266	QCLN10672URFLW	151	QNAC2421CDL	492
Q31N3266BCOFW	60, 435	Q51N3672DDFLW8	262	QCLN1438CPCFW	163, 441	QNAC6617TBRA_---	523
Q31N3618SOHML	58	Q51N3672DLFLW1	262	QCLN2040MGW	164	QNAC6717TBRA_---	523
Q31N3672DDFW8	46	Q51N3672DRFLW1	262	QCLN2237LFF2LW	162, 453	QNAC6816TBRA_---	524
Q31N3672DLFW1	48	Q51N7236HBHW	265	QCLN2272CKFLW2	157	QNAC6917TBRA_---	523
Q31N3672DRFW1	48	Q51N8672LLFLW	260	QCLN2272CLFLW2	157	QNAC6920TBRA_---	522
Q31N7236HBHW	58	Q51N8672LRF1W	260	QCLN2272CRFLW2	157	QNAC7019TBRA_---	522
Q31N8072LLFW	42	Q51N9972ULFLW	261	QCLN2424ENW	164	QWW1836LFF2M	458
Q31N8072LRFW	42	Q51N9972URFLW	261	QCLN2544RLEFLW2	156	QWW1836LFF4M	458
Q31N8872LLFW	42	Q75N10372ULFL	214	QCLN2544RREFW2	156	WW1830LFF2M	458
Q31N8872LRFW	42	Q75N10372ULYL	215	QCLN2636BEFHLW	156	WW1830LFF3M	458
Q50N10772ULFW	67	Q75N10372URFL	214	QCLN2648BEFHSLW	157	WW1830LFF4M	458
Q50N10772URFW	67	Q75N10372URYL	215	QCLN3564BCOFW	163, 441	WW1830LFF5DM	458
Q50N1435CPBW	75-78, 436-438	Q75N10972ULFL	214	QCLN3618SOHML	161	WW1830LFF5M	458
Q50N1436CPCFW	75-78, 436-438	Q75N10972ULYL	215	QCLN3672DDFLW8	152	WW1836LFF2M	458
Q50N1531KDFW	79	Q75N10972URFL	214	QCLN3672DLFLW1	153	WW1836LFF3M	458
Q50N2040MGW	79	Q75N10972URYL	215	QCLN3672DRFLW1	153	WW1836LFF4M	458
Q50N2137LFF2W	74, 81-85, 450	Q75N2436LFF2L	250	QCLN3836BCOW	163, 441	WW1836LFF5DM	458
Q50N2172CKFW2	71	Q75N2436LFM4	250	QCLN7136HBHAW	160	WW1836LFF5M	458
Q50N2172CLFW2	71	Q75N2442BEFL	229	QCLN8072LLFLW	150	WW1842LFF2M	458
Q50N2172CRFW2	71	Q75N2442RLF2L	227	QCLN8072LRF1W	150	WW1842LFF3M	458
Q50N2172CSFW2	70	Q75N2442RLY3L	228	QCLN9472ULFLW	151	WW1842LFF4M	458
Q50N2424ENW	79	Q75N2442RRF2L	227	QCLN9472URFLW	151	WW1842LFF5DM	458
Q50N2442BEFW	70	Q75N2442RRY3L	228	QECN10173ULFW	171	WW1842LFF5M	458
Q50N2450BEFW	70	Q75N2448BEFL	229	QECN10173URFW	171	WW36CW2M	458
Q50N2450RLEFW2	69	Q75N2448RLF2L	227	QECN10773ULFW	171		
Q50N2450RREFW2	69	Q75N2448RLY3L	228	QECN10773URFW	171		





NOTES

---



NOTES

---





## Warranty

National warrants that each piece of furniture will be free from defects in workmanship given normal use and care for as long as you, the original customer, owns and uses the product.

Normal use is defined as the equivalent of a single shift, 40 hour work week. In the event that a product is used more than normal use, the applicable warranty period will be reduced to 12 years and items that fall under different warranty limitations, as listed below, will be reduced to one-third (ex: Wood chair frames will be 4 years instead of 12 years). National, at its option, will repair or replace with comparable product any product, part or component shipped after September 1, 2000, if the claim is eligible under the conditions of this warranty. This warranty is valid only if the product is given proper care and maintenance.

### Limitations

Twelve Years	Wood Chair Frames
Ten Years	Seating Controls, Wood Veneers and Laminates
Five Years	Mechanical and High Wear Parts Such As: Electrical Components, Polymer Based Components, Pneumatic Cylinders, Swivel Arm Pads, Casters, Chair Glides, Textiles, Foam, Covering Materials and Decorative Trim

### Exclusions

This warranty does not apply to:

- Damage caused by a carrier
- Normal wear and tear which is to be expected during the period of ownership
- Appearance, durability, quality, behavior, colorfastness or any other attribute of COM (Customer's Own Materials) or any other non-standard National material (including Arc-Com, CF Stinson, Maharam, Momentum, and Ultrafabrics) specified by the customer after application to a National product
- Color, grain or texture of wood, laminate and other covering materials
- Non-compliance with installation and maintenance instructions
- Electrical grommets where the box has been opened
- Damages or failures resulting from modifications, alterations, misuse, abuse or negligence or improper care and maintenance of our products

NOTE: A protective glass top is not recommended on tops greater than 72". A single piece of glass should cover a multi-piece top. A glass addition has the potential to accentuate deflection. If glass is applied, this will require a special quote to investigate the support needed.

### Gotcha™ 24 Hour Use Seating

Warranty on Gotcha 24 Hour Use models is 5 years from date of purchase for seating controls and pneumatic cylinders and 2 years from date of purchase for casters, textiles and foam.

### Finish Warranty

Minor variations in finish color may occur due to the unique texture and grain of wood.

### Follow these procedures to process warranty issues:

1. Contact National Customer Service (800.482.1717) and provide them with the serial number from the product in question and the purchase order number or acknowledgement number and a detailed description of the warranty issue. **Serial numbers are mandatory before the claim can be processed.**
2. Customer Service will determine and pre-approve all resolutions to the claim such as replacement units, service parts, labor and repair charges. Upon approval, resolutions will be assigned an authorization number.
3. The authorization number must be included on all invoices for reimbursement. Any unauthorized charges will not be the responsibility of National.

**As the manufacturer of your furniture, we stand behind our craftsmanship and pledge to do everything we can to resolve any problems you may have within the terms of this warranty as quickly as possible.**

**There are no other warranties except as expressly set forth here, either expressed or implied including any warranty of merchantability or fitness for any particular purpose. We exclude and will not pay consequential or incidental damages under this warranty.**

National Office Furniture  
1610 Royal Street  
Jasper, Indiana 47549  
800.482.1717  
Fax 812.482.8800  
[www.NationalOfficeFurniture.com](http://www.NationalOfficeFurniture.com)

NATIONAL®

1610 ROYAL STREET, JASPER, IN 47549

TOLL FREE 800.482.1717

WEB [NATIONALOFFICEFURNITURE.COM](http://NATIONALOFFICEFURNITURE.COM)

A UNIT OF KIMBALL INTERNATIONAL, ©2018

NPL118