4.6.2018 PRICE LIST

TABLES

4

TABLE OF CONTENTS

GENERAL INFORMATION

Contact Information . . . 4
Order Procedures . . . 4
Order Confirmation . . . 4
Changes and Cancellations . . . 4
Terms and Pricing . . . 4
Product Design . . . 4
Shipping/Freight . . . 4
Delivery . . . 4
Claim Process . . . 5
Quick Delivery Program . . . 5
Sustainability Information . . . 6
Intellectual Property . . . 8

TABLES SPECIFICATION GUIDE

Table Top Shapes and Sizes . . . 10
Functional Seating Capacity . . . 12
Number of Pieces Per Table Top . . . 13
Conference Top Size Modifications . . . 14
Round Grommet Locations . . . 16
One Touch Double Pivoting Power Grommet Cutout Locations . . . 18
Power/Data Oasis Cutout Locations . . . 20
Grommet Locations on Tops Including Modified Sizing . . . 22
Table Base Guide . . . 30
Table Base Placement Guide . . . 52

CONFERENCE TABLE TOPS

Arrowood™ . . . 56
Barrington® . . . 62
Captivate® . . . 70
Casbah® . . . 76
Clever® . . . 80
Epic® . . . 90
Escalade® . . . 112
Flourish® . . . 120
Universal . . . 124
WaveWorks® . . . 144

CONFERENCE TABLE BASES

Wood/Laminate Bases . . . 162
Metal Bases . . . 172

COLLABORATIVE TABLES

Footings™ . . . 182
Mio™ . . . 224
Strassa® . . . 302

TRAINING TABLES

Fold™ Nesting Tables . . . 322
Maneuver™ . . . 326
WaveWorks® Flip/Nest Tables . . . 344
WaveWorks® Worksurfaces . . . 351
Metal Bases . . . 366
"L" Adjustable Height Bases . . . 378
"L" Worksurfaces . . . 382

STORAGE COMPONENTS AND ACCESSORIES

Arrowood™ . . . 394
Barrington® . . . 395
Captivate® . . . 397
Casbah® . . . 398
Clever® . . . 399
Epic® . . . 400
Escalade® . . . 404
Flourish® . . . 406
Roosevelt™ . . . 407
Universal . . . 408
WaveWorks® . . . 414

WALL RAIL SOLUTION

Exhibit™ . . . 423

OCCASIONAL TABLES

Arrowood™ . . . 486
Barrington® . . . 487
Captivate® . . . 488
Casbah® . . . 489
Clever® . . . 490
Confide® . . . 491
Eloquence® . . . 492
Epic® . . . 493
Escalade® . . . 494
Farrah™ . . . 495
Footings™ . . . 496
Myriad™ . . . 497
Pegos® . . . 501
Reno® . . . 502
Roosevelt™ . . . 504
Staccato® . . . 505
Swift™ . . . 508
Tag® . . . 510
Tessera™ . . . 511
Universal . . . 512

ACCESSORIES . . . 519

INDEX . . . 545

WARRANTY . . . 562

- DIMENSIONS REFLECTED IN THIS BOOK ARE NOMINAL
- NATIONAL RESERVES THE RIGHT TO CHANGE ANY PRODUCT SPECIFICATIONS CONTAINED IN THIS PRICE LIST

GENERAL INFORMATION

CONTACT INFORMATION

National Office Furniture
1610 Royal Street
Jasper, Indiana 47549

To order literature, check order status, and check lead times on-line, please visit us at nationalofficefurniture.com.

Telephone: **800.482.1717**
Fax: **812.482.8800**
E-mail customer service: **Service@NationalOfficeFurniture.com**

ORDERING PROCEDURES

For prompt delivery, all orders **MUST** include:

1. Purchase Order Number (on each page of order)
2. Billing Address
3. "Ship To" Information
4. Special Shipping Instructions (requested ship or delivery dates, ship complete or split shipments, and tags if applicable)
5. Complete Model Numbers
6. Net Price

National does not accept orders verbally. Fax or e-mail orders directly to:

Fax: **812.482.8800**
E-mail: **Orders@NationalOfficeFurniture.com**
(This e-mail requires an attached PDF order. General correspondence should go through Service@NationalOfficeFurniture.com.)

ORDER CONFIRMATION

All complete orders will be acknowledged with ship dates **upon entry of a clean, credit approved order** into our system. This acknowledgement is the final agreement between National and the customer superseding all previous communications regarding the order.

NOTE: Please examine this acknowledgement carefully and advise National immediately of any discrepancies.

CHANGES AND CANCELLATIONS

We regret that changes and cancellations are not possible once your order is entered into our system. In order to support our lead time commitments, orders are scheduled into our production cycle immediately upon order entry.

This includes changes/cancellations to:

- Quick Delivery Tables
- Made-to-Order Tables
- Engineered-to-Order (ETO) Tables

Please contact customer service for assistance.

TERMS AND PRICING

Prices are list prices for shipment within the continental United States; for Canadian pricing, please reference NationalOfficeFurniture.com

Price subject to change without prior notice.

Merchandise will be billed at prices prevailing at time of placing order.

Distribution of this price list does not itself constitute an offer to sell.

Orders can be received only from authorized National Dealers.

PRODUCT DESIGN

National reserves the right to make changes in design, specifications, and construction and to discontinue products without prior notice. Dimensions referenced in this book are nominal.

SHIPPING/FREIGHT

Products are priced and will be delivered C.P.T. one contiguous U.S. destination, one Canadian destination, or one port of exit, freight prepaid (Incoterms 2010). Title shall transfer with risk of loss.

National reserves the right to select the most appropriate shipping terms.

DELIVERY HOURS

Pricing is based on standard delivery between 8am and 3pm Monday through Friday.

SPECIAL DELIVERY SERVICES

Any charges incurred from failure to receive a shipment, rerouting while in transit, or carrier storage charges are not included in prices shown and will be billed to the "sold to" account number on the order. Detention charges may be incurred for untimely off-loading of product.

Any order requiring **Special Delivery Services will incur additional charges.**

All such requirements must be noted on the purchase order. These are services that are not included in the price of the product or require the usage of specialized carriers. Examples of such Special Delivery services include:

- **Inside Delivery**
  Minimum $50 charge
- **Non-Standard Delivery Time (before 7:00am or after 5:00pm)**
  Contact customer service for charges and availability
- **Non-Dock Delivery**
  Minimum $50 charge
- **JIT Delivery (specific day and/or time)**
  Orders under $10,000 list will incur a minimum $125 charge
- **Weekend Delivery (Friday after 5:00pm until 7:00am Monday morning)**
  Minimum $500 charge per delivery
- **Residential Delivery**
  Customer service may assist you in determining your special delivery requirement and any additional charges that may apply

Contact customer service if you are not sure if your order requires one or more of the above services. We will make every attempt to avoid the additional charges by giving options on what we can do within our standard delivery price.

CARRIER SELECTION

National reserves the right to select the most appropriate mode of shipment. National relinquishes all responsibility for the goods shipped upon a clean receipt from the carrier. Customer bears the risk of loss or damage during shipment.

PACKAGING

National's standard method of shipping is to carton all items. Certain full truck load items may qualify for special consideration. Contact customer service for guidelines. International shipments can be crated at the customer's request. The expense of crating or special packaging will be the responsibility of the customer.

LOSS, DAMAGE, OR DELAY

National shall not be liable for loss, damage, detention, or delay resulting from causes beyond its reasonable control including but not limited to fire, strike, weather, wreck, or delay in transportation. In the event of delay due to any such cause, the delivery date will be postponed by such length of time as may be reasonably necessary to compensate for the delay.

CLAIM PROCESS FOR MERCHANDISE DAMAGE/SHORTAGE/CARRIER DELAY

All the products produced by National are carefully inspected and properly cartoned prior to shipment. All shipments are delivered to the transportation company in good condition. If you receive a shipment that has damage, product shortage, or delivery has been delayed by the transportation carrier, **the following steps must be taken:**

1. Before signing for merchandise, **make notation** of all visible damage, shortages, and/or time of truck arrival on the freight bill (bill of lading).
2. **Contact National customer service within 15 calendar days of goods receipt to report issue.** We will advise whether a freight claim will need to be filed based on the mode of transportation. Claims must be filed by dealer on Redistribution/LTL carrier shipments. Claim will be disputed if product is moved from original consignee location.
3. If claim must be filed, carrier must be contacted **within 15 calendar days of goods receipt.** Retain all shipping cartons for inspection by the carrier agent.
4. **Copy of Carrier Disposition Letter must be sent to National** to receive additional credit on concealed damage issues via Redistribution/LTL carrier shipments.

For Concealed Damage, follow steps 2 through 4.

CLAIM PROCESS FOR WARRANTY ISSUES

If a warranty issue is discovered, contact customer service immediately. To file the warranty claim, the following information is required:

- Serial number and warranty number are **mandatory**
- Dealer purchase order number or National acknowledgement number
- Detailed description of issue

Customer service must **pre-approve** all resolutions such as replacement units, service parts, labor, and repair charges. We reserve the right to resolve the issue in the most cost effective manner. All approved resolutions will be assigned an authorization number which must be included on all replacement orders or invoices for reimbursement. Any unauthorized charge will not be the responsibility of National.

Please see page 562 for a full description of our Lifetime Product Warranty.

FINISH WARRANTY

Minor variations in finish color may occur due to the unique texture and grain of wood.

Finishes, when exposed to ultraviolet rays, may change color. Also, some desktop accessories with plastic or rubber feet can penetrate or burn the finish. These issues are not warranty defects and will not be the responsibility of National.

RETURN MERCHANDISE

We discourage product returns due to the likelihood of damage during the return transportation. In the event a product return is necessary, we will make every attempt to help keep the product in the field. Please contact customer service for assistance.

If attempts to keep the product in the field are unsuccessful, National will allow **returns on stocking items only** with the following stipulations:

50% Restocking fee
Freight Charge prepaid by dealer
Product NEVER removed from original carton
Product must be returned within 30 days of RGA issue date
Credit will not be issued if product returned is damaged

Please note most models in the Quick Delivery Program are produced on demand and cannot be returned.

Freight damage, signs of usage, removal from original carton, or missing parts will result in no credit being issued. All returns require written authorization; any unauthorized return will not receive credit.

National will not be responsible for resolving damage claims on returned product.

QUICK DELIVERY PROGRAM

Our most popular series and options are available to you on our "To You in 10 Days or Less" Quick Delivery program.

Need 10 tables in 10 business days or less? No problem, with our Quick Delivery program, we've got you covered. Need more than 10? Just give us a call, and we'll work with you to get what you need, when you need it. Once in a while, demand exceeds capacity. Then, orders are subject to availability.

QUICK DELIVERY MODEL NUMBERS

Quick Delivery models are available in select National finishes and have predetermined options. The Quick Delivery finishes are shaded in grey at the top of each page and the model numbers are tagged with a "Q" and/or shaded in grey throughout the price list.

QUICK DELIVERY ORDERING

Orders may not be changed or cancelled. Include only Quick Delivery models on your order. Create a separate order for any products that are not included in the Quick Delivery program. Remember that 10 business days does not include weekends or holidays. The day your order is placed with National counts as day zero.

LARGE QUANTITY ORDERING

Large quantities of models on an order, or large dollar volume orders, may receive lead times greater than those posted on www.NationalOfficeFurniture.com. Please work with your project management team to confirm availability on your specific project.

PIZAZZ PRODUCT MODIFICATIONS

We understand that sometimes customized solutions are needed. Through our Pizazz Product Modifications Program, you'll work directly with our dedicated team to ensure your needs are met. Modify National products to create a custom fit and a unique solution for your space. Change dimensions, customize with a logo, match a finish, add piping . . . the possibilities are nearly endless. It's just one more way we try to make your life easier and deliver that extraordinary experience you deserve. Visit nationalofficefurniture.com/pizazz for additional information.

SUSTAINABILITY INFORMATION

OUR STATEMENT ON SUSTAINABILITY

We aim to create lasting stakeholder value through responsible growth and deep commitment to the well-being of future generations. We cherish the Earth's natural resources and hold sustainability and environmental protection as our key priorities.

As our company fulfills its responsibilities to our customers, shareholders, employees, and the public, six commitments provide a framework for focusing our energies toward the greatest good:

- Product Stewardship
- Environmental Preservation
- Green Building Development
- Regulatory Compliance
- Social Accountability
- Economic Responsibility

OUR PRODUCTS REFLECT STEWARDSHIP

National is committed to providing quality products that will improve indoor air quality for the health of building occupants and visitors. Our products have achieved certification to the Indoor Advantage Gold label from Scientific Certification Systems (SCS) by meeting the BIFMA Furniture Emissions Standard (FES) for office furniture, and the California 01350 Special Environmental Requirements and Collaborative for High Performance Schools (CHPS).

In addition, virtually all National manufactured products carry the level® 2 or 3 label for meeting the far-reaching ANSI/BIFMA e3 Sustainability Standard. This standard addresses the areas of material and energy use, greenhouse gas impacts, human and eco-system health considerations, and social responsibility. Modeled after the LEED® building rating system, furniture products are evaluated against a variety of credit criteria (after first meeting certain prerequisites), accumulating points toward increasing levels of recognition associated with reduced environmental impact. Purchasing products certified to level® gives you the assurance that the product was produced in an environmentally and socially responsible manner.

National products that meet the above specifications are identified with corresponding logos throughout this price list.

In further support of our commitment to indoor air quality, National utilizes IntegraClear, an environmentally-friendly, ultra-violet finish. IntegraClear is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards and is standard on all tables. This proprietary finish is virtually VOC-free, has remarkable durability, and allows the natural beauty of veneers to show through.

National's casegoods include a recycled material content of at least 82 percent. A wide range of 100 percent recycled polyester choices are available for upholstered seating products. Our Corporate Recycling Center diverts over 4 million pounds of waste material per year from landfills by recycling 65 different types of materials.

National manufacturing facilities are registered to the ISO 14001:2015 standard. This management tool enables us to identify and control the environmental impact of our operations, continually improve our company's environmental performance, systematically set environmental objectives, and demonstrate their achievement.

GROWING WITH GREEN BUILDINGS

National facilities testify to our belief in sustainable building practices. As a member of the U.S. Green Building Council (USGBC), we prioritize building practices that support the LEED® (Leadership in Energy and Environmental Design) Green Building Rating System.

LEED® Registered Projects
Corporate Headquarters, Jasper, IN – LEED pending
Showroom, Atlanta, GA – LEED pending
Showroom, Boston, MA – LEED Silver
Showroom, Chicago, IL – LEED Silver
Showroom, Dallas, TX – LEED Gold
Showroom, Washington, DC – LEED Silver
Manufacturing Facility, Santa Claus, IN – LEED Silver

eco CHECKER

Our ecoChecker tool provides 24/7 access to research and compare the sustainable attributes of our products, making the specification of green products easier. EcoChecker also does the calculations necessary for rating systems such as LEED®, the Well Building Program, and others. This web-based tool produces the product documentation necessary for inclusion in the submission process.

CONFERENCE TABLE TOPS/BASES	INDOOR ADVANTAGE GOLD	LEVEL® 2	LEVEL® 3	HHI	TAKE BACK
Arrowood™, Barrington®, Captivate®, Clever®, Escalade® Veneer Tops	✔	✔		✔	✔
Arrowood™ Laminate Tops	✔	✔		✔	✔
Barrington®, Captivate® Laminate Tops with Wood Rim	✔	✔		✔	✔
Casbah® Veneer Tops	✔	✔		✔	✔
Epic® Tops	✔	✔		✔	✔
Flourish® Tops	✔	✔		✔	✔
Footings™ Tops	✔	✔		✔	✔
Maneuver™ Tables	✔	✔		✔	✔
Mio™ Tables	✔	✔		✔	✔
Strassa® Tables	✔	✔		✔	✔
Universal Tops	✔	✔		✔	✔
Universal Laminate Tops with Wood Rim	✔	✔		✔	✔
WaveWorks® Tops	✔	✔		✔	✔
Basic Veneer Bases	✔	✔		✔	✔
Basic Laminate Bases	✔	✔		✔	✔
Barrington®, Captivate®, Epic®, Escalade®, Queen Anne Veneer Bases	✔	✔		✔	✔
Metal Bases	✔			✔	✔
TRAINING TABLES					
WaveWorks® Flip/Nest Training Tables	✔	✔		✔	✔
WaveWorks® Training	✔	✔		✔	✔
Fold™ Nesting Tables	✔	✔		✔	✔
WALL RAIL SOLUTION					
Exhibit™	✔	✔		✔	✔
OCCASIONAL TABLES					
Arrowood™, Barrington®, Captivate®, Casbah®, Confide®, Clever®, Eloquence®, Escalade®, Farrah™, Footings™, Pegos®, Tessera™ Occasional Tables	✔	✔		✔	✔
Epic®, Fringe®, Myriad™, Reno®, Roosevelt™, Staccato®, Swift™, Tag®, Tessera™, Timberlane™ Occasional Tables	✔	✔		✔	✔

eco CHECKER Powered by Ecomedes

For comprehensive sustainability information that includes Green Building Rating System point contribution information, visit nationalofficefurniture.com/ecoChecker

GENERAL INFORMATION

LIFE CYCLE MANAGEMENT PROGRAM

National offers a diverse collection of surface materials as well as a Life Cycle Management Program. This program includes our Essentials collection and Discontinuation Policy to help make informed planning decisions.

DISCONTINUATION POLICY

National strives to give all business partners advanced notification of surface materials that are scheduled for deletion. Efforts will be made to support discontinued materials as specified in the deletion announcement. Extended lead times and minimum order requirements may apply. Pricing cannot be guaranteed.

DISCLAIMER

National will make every reasonable effort to maintain our commitments. If surface material changes must occur due to unforeseen circumstances, we will work with you on an alternative recommendation. National reserves the right to cancel or make changes to standard products and surface materials.

FINISHES AND MATERIALS

WOOD FINISH COLOR MATCHING

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. National carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

FABRIC COLOR MATCHING

National will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

CUSTOMER SPECIFIED LAMINATE (CSL) PROGRAM

PROGRAM DETAILS

- National understands that some orders have specialized needs regarding laminate specifications
- In order to better service our customers, National has partnered with suppliers to offer a CSL laminate program for **HPL worksurfaces only**
- A **10% upcharge** applies to all CSL laminate orders
- National orders and procures all CSL customer specified laminates
- CSL program is not available on all laminate products within our offering

CSL ORDERING PROCESS

- Laminate sheen level not to exceed 60º for maximum durability of worksurfaces
- Send purchase order and quantities to customer service
  Please include:
  1. Manufacturer's Name
  2. Laminate Name/Laminate Number
- Lead times may vary for certain laminates and quantities, contact customer service for details

CSL POLICY

- National reserves the right to decline a laminate which may not be suitable for application
- National assumes no responsibility for the durability, consistent coloration, or any other performance characteristic of a customer specified laminate

For more information about our products and services or to find a certified National® dealer near you, please visit us at NationalOfficeFurniture.com or contact our customer service team at 800.482.1717.

INTELLECTUAL PROPERTY

Acquaint®, Admire®, Alloy™, Arlington™, Arrowood™, Aurora™, Barrington®, Captivate®, Casbah®, Cinch®, Clever®, Confide®, Davari®, Ditto™, Eloquence®, Epic®, Epicenter®, Escalade®, Essay®, Exhibit™, Farrah®, Flourish®, Fold™, Footings™, Fringe®, Fuel®, Gotcha™, Grin™, IntegraClear®, Jewel™, Jiminy®, Kozmic™, Lavoro®, Maneuver™, Mio™, Mix-it®, Monterrey™, Myriad™, Pegos®, Pennant™, Remedy®, Renegade™, Reno®, Respect®, Result®, Roosevelt™, Staccato®, Strassa™, Swift™, Tag®, Tessera™, Timberlane™, Triumph™, Toss™, WaveWorks®, Wander™, and Whimsy® are registered trademarks of National Office Furniture. Trademarks of other parties are identified wherever possible and National acknowledges their rights.

BLOCKaide™ and Terratex® are registered trademarks of Interface, Inc.

Brisa®, Brisa® Distressed, Promessa®, and Ultraleather™ are registered trademarks of Ultrafabrics, LLC.

Byrne Interlink® is a registered trademark of Byrne Electrical Specialists, Inc.

Cradle to Cradle™ is a registered trademark of McDonough Braungart Design Chemistry, LLC.

Crypton®, Crypton® Green, and INCASE™ are registered trademarks of Crypton, Inc.

Hi-Loft™, Hi-Loft^{2}™, PERMABLOK^{3}®, SILVERGUARD®, and Silvertex™ are registered trademarks of Spradling Holdings, Inc.

Hilti® Toggler® is a registered trademark of Hilti Corporation.

Indoor Advantage™ is a trademark of Scientific Certification Systems.

Intercoupler™ is a trademark of Power Logic SA (Pty), Ltd.

LEED® is a registered trademark of the U.S. Green Building Council.

level® is a registered trademark of BIFMA International.

Post-it® and Scotchgard™ are registered trademarks of 3M.

Repreve® and U Trust™ are registered trademarks of UNIFI, Inc.

Silverguard® is a registered trademark of Life Bioscience USA, LLC.

Velcro® is a registered trademark of Velcro Industries B.V.

COM (CUSTOMER'S OWN MATERIAL)

Select casegoods can be upholstered with appropriate material furnished by the customer. Prices are listed under grade B.

Grade B tack board fabric – Exhibit and Mio

Customer's Own Leather (COL) is not available on casegoods.

COM is not available on Quick Delivery tack board models.

COM yardage requirements for Exhibit and Mio in this price list are based on the use of non-directional fabric 54" and 66" wide. The model number will determine if the fabric is cut "up the roll" or "railroad".

- When ordering 10 or more COM models, consult customer service for exact yardage requirements
- Reference page 541 for COM yardage requirements

COM DISPOSAL

- Leftover COM from an order is held for 6 weeks
- COM not tied to an order is held for 3 months

COM DECORATIVE/DIRECTIONAL FABRICS

Exhibit and Mio:

- Yardage requirements based upon roll width and tack board size. Pattern repeat is not taken into account. If the fabric pattern needs to be upholstered in a specific manner, a quote will be required to see if possible.
- Fabric will be wrapped on panel based upon the model number selected – standard or railroad
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered.

FLAMMABILITY

- Tack boards meet Universal Building Code requirement of ASTM-E84 Class C when specifying fabric that is 100% polyester (recycled polyester allowed), light or no backing, no finish, weight less/equal to 12.96 oz./lin. yd.
- If ASTM-E84 Class A is requested, a quote will be required
- If a fabric is selected with specifications different from those listed above, the customer has the option of having it burn tested to see if meets the requirements. ASTM-E84 testing requested by the customer will require a custom quote. For cost estimates, contact customer service. The fabric/tack board burn test results will determine whether future orders can be entered as standard product or custom quotes. Each instance may vary.
- Letters of assurance are available upon request. A letter of assurance verifies that an ASTM E-84 test was conducted on a combination of tack board/fabric comparable to the requested tack board/fabric.

COM EVALUATION

National reserves the right to inspect, approve, or reject any COM. National approval signifies only that such textile can be applied to the products for which intended. Such approval does not constitute any responsibility, liability, or warranty on the part of National as to appearance, behavior, durability, or tailoring of COM.

CONFIRM COM APPLICATION

Visit nationalofficefurniture.com to see if your COM has already been evaluated for application.

If the COM has not been evaluated prior to placing an order, please send the test fabric to the following locations depending upon model type.

Exhibit, Mio, and Privacy Screens:
Test yardage needs to be sent to <u>two</u> locations:

2.25 yards
Kimball - Jasper
Attn: National COM Testing
1037 E 15th Street
Dock 21/22
Jasper, IN 47549

2 yards
National Office Furniture
National COM Testing - Tack
340 E 11th Avenue
Jasper, IN 47549

Rarely, but occasionally, really light colored fabrics may allow the tackable substrate to telegraph through the material. We do not approve/reject based upon color. If you are concerned about a light color, make sure you send in that color for application evaluation. If the pattern is already listed in the COM Approval Listing, ask customer service if that color was evaluated. If that color was not evaluated, a memo needs to be sent to the two addresses listed above for color-only evaluation.

ALL COM ORDERS MUST:

1. Include fabric supplier's name, fabric name/number, and color name/number

To help expedite your order, we recommend the COM supplier to include the following information:

1. Dealer Name and Purchase Order Number
2. National Model Numbers
3. Ship Prepaid to

Exhibit Combo Slat/Tack Inserts (Exhibit Tack Board Inserts excluded)

Kimball - Jasper
Attn: National COM Department
1037 E 15th Street
Dock 21/22
Jasper, IN 47549

Exhibit Tack Board Inserts (Exhibit Combo Slat/Tack Inserts excluded), Vertical Cable Managers, and Fabric Wrapped Trim Channels, Exhibit TV Mount Inserts, Edge Mount/Set-On Privacy Screen models, and Alloy Privacy Screens.

National Office Furniture
National COM - Tack
340 E 11th Avenue
Jasper, IN 47549

Without all necessary information listed above to properly match the fabric to the dealer's purchase order, extended lead times may apply.

HOW TO ORDER NATIONAL CASEGOODS WITH COM

Specify:

1. Model Number
2. Fabric Manufacturer
3. Pattern Name and/or Number
4. Color Name and/or Number

SAMPLE ORDER NUMBERS:

Following is a sample order number for a Model 11N1834TB

11N1834TB—Exhibit Tack Board insert upholstered in Designtex Circuit in 5121 101 Pebble color

<u>11N1834TB</u>	/	<u>COM</u>	/	<u>Designtex</u>	/	<u>Circuit</u>	/	<u>5121 101 Pebble</u>
\		\		\		\		\
Model		Grade		Manufacturer		Pattern		Color

CONFERENCE TABLE TOP SHAPES AND SIZES

	SHAPES				
SERIES	**ROUND**	**SQUARE**	**RECTANGLE**	 **BOAT**	 **RACETRACK**
ARROWOOD MODIFIED SIZING AVAILABLE ON RECTANGLE SEE PAGE 14		30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"		
BARRINGTON MODIFIED SIZING AVAILABLE ON RECTANGLE AND BOAT SEE PAGE 14	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	
CAPTIVATE MODIFIED SIZING AVAILABLE ON RECTANGLE SEE PAGE 14		30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"		
CASBAH MODIFIED SIZING AVAILABLE ON RECTANGLE SEE PAGE 14		42" x 42" 48" x 48"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240"		
CLEVER MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK SEE PAGE 14	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"

CONFERENCE TABLE TOP SHAPES AND SIZES

SHAPES

SERIES	ROUND	SQUARE	RECTANGLE	 BOAT	 RACETRACK
EPIC MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK SEE PAGE 14	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"
ESCALADE MODIFIED SIZING AVAILABLE ON RECTANGLE AND BOAT SEE PAGE 14	30" 36" 42" 48"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	
FLOURISH	42"				
UNIVERSAL	24" 30" 36" 42" 48" 54" 60"	24" x 24" 30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"
WAVEWORKS MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK SEE PAGE 14	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size. Value ranges between how many can comfortably sit around the table and how many can tightly fit.

N/A denotes the shape is not applicable to a specific top size.

	TOP SHAPES				
TOP SIZES	ROUND	SQUARE	RECTANGLE	 BOAT	 RACETRACK
24" x 24"	4	4	N/A	N/A	N/A
30" x 30"	4	4	N/A	N/A	N/A
36" x 36"	4	4	N/A	N/A	N/A
42" x 42"	4	4	N/A	N/A	N/A
48" x 48"	4	4	N/A	N/A	N/A
54" x 54"	5	4	N/A	N/A	N/A
60" x 60"	6	4–6	N/A	N/A	N/A
36" x 72"	N/A	N/A	6	6	6
42" x 84"	N/A	N/A	6	6	6
48" x 96"	N/A	N/A	6–8	6–8	6–8
48" x 120"	N/A	N/A	8–10	8–10	8–10
48" x 144"	N/A	N/A	10–12	10–12	10–12
48" x 168"	N/A	N/A	12–14	12–14	12–14
48" x 192"	N/A	N/A	14–16	14–16	14–16
48" x 216"	N/A	N/A	16–18	16–18	16–18
48" x 240"	N/A	N/A	18–20	18–20	18–20
60" x 144"	N/A	N/A	10–12	10–12	10–12
60" x 168"	N/A	N/A	12–14	12–14	12–14
60" x 192"	N/A	N/A	14–16	14–16	14–16
60" x 216"	N/A	N/A	16–18	16–18	16–18
60" x 240"	N/A	N/A	18–20	18–20	18–20

NUMBER OF PIECES PER TABLE TOP

Larger top sizes are composed of multiple pieces. Reference the chart for the number of pieces for each top size.

N/A denotes the shape is not applicable to a specific top size.

	TOP SHAPES				
TOP SIZES	ROUND	SQUARE	RECTANGLE	 BOAT	 RACETRACK
24" x 24"	1	1	N/A	N/A	N/A
30" x 30"	1	1	N/A	N/A	N/A
36" x 36"	1	1	N/A	N/A	N/A
42" x 42"	1	1	N/A	N/A	N/A
48" x 48"	1	1	N/A	N/A	N/A
54" x 54"	1	1	N/A	N/A	N/A
60" x 60"	1	1	N/A	N/A	N/A
36" x 72"	N/A	N/A	1	1	1
42" x 84"	N/A	N/A	1	1	1
48" x 96"	N/A	N/A	1	1	1
48" x 120"	N/A	N/A	2	2	2
48" x 144"	N/A	N/A	2	2	2
48" x 168"	N/A	N/A	2	2	2
48" x 192"	N/A	N/A	2	2	2
48" x 216"	N/A	N/A	3	3	3
48" x 240"	N/A	N/A	3	3	3
60" x 144"	N/A	N/A	2	2	2
60" x 168"	N/A	N/A	2	2	2
60" x 192"	N/A	N/A	2	2	2
60" x 216"	N/A	N/A	3	3	3
60" x 240"	N/A	N/A	3	3	3

CONFERENCE TOP SIZE MODIFICATIONS

- Available on all series except Universal
- Modified sizing not available on round/square tables in any series
- Size modifications (cut downs) are available at no upcharge on rectangular, boat, and racetrack conference table tops
- The tops can be cut down in 6" increments on the depth, width, or both
- Available cut down sizes are noted in the chart below
- For specific conference top models that allow modified sizing, see notes under the individual models within the price list

• STANDARD SIZE
– MODIFIED SIZE

DEPTH

WIDTH	36"	42"	48"	54"	60"	NUMBER OF PIECES
240"		–	•	–	•	3
234"		–	–	–	–	3
228"		–	–	–	–	3
222"		–	–	–	–	3
216"		–	•	–	•	3
210"		–	–	–	–	3
204"		–	–	–	–	3
198"		–	–	–	–	3
192"		–	•	–	•	2
186"		–	–	–	–	2
180"		–	–	–	–	2
174"		–	–	–	–	2
168"		–	•	–	•	2
162"		–	–	–	–	2
156"		–	–	–	–	2
150"		–	–	–	–	2
144"		–	•	–	•	2
138"		–	–	–	–	2
132"		–	–	–	–	2
126"		–	–	–	–	2
120"	–	–	•			2
114"	–	–	–			2
108"	–	–	–			2
102"	–	–	–			2
96"	–	–	•			1
90"	–	–	–			1
84"	–	•				1
78"	–	–				1
72"	•					1
66"	–					1
	36"	42"	48"	54"	60"	NUMBER OF PIECES

DEPTH

ROUND GROMMET LOCATIONS

- Grommet also offered as field installable solution – reference page 524
- For 168", 192", 216", and 240" tops, the center grommet location consists of two grommets (upcharge will reflect two grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" two piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 52-53 for Base Placement Guide

***60" wide tops will be 29⅝" to the center of the side dimension**

- G10 Round Grommet

- NACG10EL Round Electrical Grommet

- Must be ordered separately

TABLE LENGTHS

GROMMET LOCATION/ OPTIONS	36"–60"	72"	84"	96"	120" 2 PIECE TOP
G10C CENTER	18" x 18" for 36" Top 21" x 21" for 42" Top 24" x 24" for 48" Top 27" x 27" for 54" Top 30" x 30" for 60" Top				
G10E END	N/A				
G10LR LEFT, RIGHT	N/A				
G10A ALL	N/A				
G10CE CENTER, END	N/A				

ROUND GROMMET LOCATIONS

TABLE LENGTHS

GROMMET LOCATION/ OPTIONS	144" 2 PIECE TOP	168" 2 PIECE TOP	192" 2 PIECE TOP	216" 3 PIECE TOP	240" 3 PIECE TOP
G10C CENTER					
G10E END					
G10LR LEFT, RIGHT					
G10A ALL					
G10CE CENTER, END					

ONE TOUCH DOUBLE PIVOTING POWER GROMMET CUTOUT LOCATIONS

- Grommet also available as field installable solution, reference page 526
- For 168", 192", 216", and 240" tops, the center grommet location consists of two grommets (upcharge will reflect two grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" two piece tops will be installed on each side of seam at designated locations shown below
- Wire managers (NAC0403WM) are included with conference top when CUT-G15 option is selected: 72", 84", and 96" tops will receive one, 120" and 144" tops will receive two and 168", 192", 216", and 240" tops will receive three
- Reference pages 52-53 for Base Placement Guide

***60" wide tops will be 29⁵⁄₁₆" to the center of the side dimension**

- CUT-G15 option



- NACG15EL Double Pivoting Power Grommet



- Must be ordered separately

TABLE LENGTHS

GROMMET LOCATION/ OPTIONS	36"–60"	72"	84"	96"	120" 2 PIECE TOP
CUT-G15C CENTER	 18" x 18" for 36" Top 21" x 21" for 42" Top 24" x 24" for 48" Top 27" x 27" for 54" Top 30" x 30" for 60" Top				
CUT-G15E END	N/A				
CUT-G15LR LEFT, RIGHT	N/A				
CUT-G15A ALL	N/A	N/A	N/A		
CUT-G15CE CENTER, END	N/A	N/A	N/A		

ONE TOUCH DOUBLE PIVOTING POWER GROMMET CUTOUT LOCATIONS

TABLE LENGTHS

GROMMET LOCATION/ OPTIONS	144" 2 PIECE TOP	168" 2 PIECE TOP	192" 2 PIECE TOP	216" 3 PIECE TOP	240" 3 PIECE TOP
CUT-G15C CENTER					
CUT-G15E END					
CUT-G15LR LEFT, RIGHT					
CUT-G15A ALL					
CUT-G15CE CENTER, END					

POWER/DATA OASIS CUTOUT LOCATIONS

- Grommet is not field installable
- The Power/Data Oasis may be utilized with any wire access base with the exception of 120" and 144" wide tops with the G16 grommet options will not allow for square or cylinder bases to be utilized with a G16 grommet cutout installed on the ends of the unit. However, for the cleanest aesthetic, specify the panel base kit
- Center grommet on 168" and 192" tops will be located on a seam
- Wire managers (NAC0403WM) are included with conference top when CUT-G16 option is selected: 72", 84", and 96" tops will receive one, 120" and 144" tops will receive two, and 168", 192", 216", and 240" tops will receive three
- Reference pages 52-53 for Base Placement Guide

***60" wide tops will be 29⁵⁄₁₆" to the center of the side dimension**

- CUT-G16 option



- NACG162EL Power/Data Oasis



- Must be ordered separately

TABLE LENGTHS

GROMMET LOCATION/ OPTIONS	72"	84"	96"	120" 2 PIECE TOP	144" 2 PIECE TOP
CUT-G16C CENTER				N/A	N/A
CUT-G16E END	N/A	N/A	N/A		
CUT-G16LR LEFT, RIGHT	N/A	N/A	N/A		
CUT-G16A ALL	N/A	N/A	N/A	N/A	N/A
CUT-G16CE CENTER, END	N/A	N/A	N/A	N/A	N/A

TABLE LENGTHS

GROMMET LOCATION/ OPTIONS	168" 2 PIECE TOP	192" 2 PIECE TOP	216" 3 PIECE TOP	240" 3 PIECE TOP
CUT-G16C CENTER				
CUT-G16E END				
CUT-G16LR LEFT, RIGHT				
CUT-G16A ALL				
CUT-G16CE CENTER, END				

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- All grommets are centered on the table top depth
- Grommet also offered as field installable solution – reference page 524
- For 168", 192", 216", and 240" tops, the center grommet location consists of two grommets (upcharge will reflect two grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" two piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 52-53 for Base Placement Guide

***60" wide tops will be 29⁵⁄₁₆" to the center of the side dimension**



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	72"					84"					96"					120"				
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G10C CENTER	72"	–	36"	–	–	84"	–	42"	–	–	96"	–	48"	–	–	120"	–	60"	–	–
	66"	–	33"	–	–	78"	–	39"	–	–	90"	–	45"	–	–	114"	–	57"	–	–
																108"	–	54"	–	–
																102"	–	51"	–	–
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G10E END	72"	16"	–	–	–	84"	19"	–	–	–	96"	22"	–	–	–	120"	18"	–	–	–
	66"	14½"	–	–	–	78"	17½"	–	–	–	90"	20½"	–	–	–	114"	17"	–	–	–
																108"	16"	–	–	–
																102"	15"	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G10LR LEFT, RIGHT	72"	16"	–	–	56"	84"	19"	–	–	65"	96"	22"	–	–	74"	120"	18"	–	–	102"
	66"	14½"	–	–	51½"	78"	17½"	–	–	60½"	90"	20½"	–	–	69½"	114"	17"	–	–	97"
																108"	16"	–	–	92"
																102"	15"	–	–	87"
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G10A ALL	72"	16"	36"	–	56"	84"	19"	42"	–	65"	96"	22"	48"	–	74"	120"	18"	60"	–	102"
	66"	14½"	33"	–	51½"	78"	17½"	39"	–	60½"	90"	20½"	45"	–	69½"	114"	17"	57"	–	97"
																108"	16"	54"	–	92"
																102"	15"	51"	–	87"
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G10CE CENTER, END	72"	16"	36"	–	–	84"	19"	42"	–	–	96"	22"	48"	–	–	120"	18"	60"	–	–
	66"	14½"	33"	–	–	78"	17½"	39"	–	–	90"	20½"	45"	–	–	114"	17"	57"	–	–
																108"	16"	54"	–	–
																102"	15"	51"	–	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 Round Grommet

- Cutout dimension is 89mm

- NACG10EL Round Electrical Grommet

- Must be ordered separately

	144"					168"					192"					216"					240"				
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	–	72"	–	–	168"	–	61"	107"	–	192"	–	70"	122"	–	216"	–	79"	137"	–	240"	–	88"	152"	–
	138"	–	69"	–	–	162"	–	58¾"	103¼"	–	186"	–	67¾"	118¼"	–	210"	–	76¾"	133¼"	–	234"	–	85¾"	148¼"	–
	132"	–	66"	–	–	156"	–	56½"	99½"	–	180"	–	65½"	114½"	–	204"	–	74½"	129½"	–	228"	–	83½"	144½"	–
	126"	–	63"	–	–	150"	–	54¼"	95¾"	–	174"	–	63¼"	110¾"	–	198"	–	72¼"	125¾"	–	222"	–	81¼"	140¾"	–
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	22"	–	–	–	168"	19"	–	–	–	192"	22¼"	–	122"	–	216"	25¼"	–	–	–	240"	28¼"	–	–	–
	138"	21"	–	–	–	162"	18¼"	–	–	–	186"	21½"	–	118¼"	–	210"	24½"	–	–	–	234"	27½"	–	–	–
	132"	20"	–	–	–	156"	17½"	–	–	–	180"	20¾"	–	114½"	–	204"	23¾"	–	–	–	228"	26¾"	–	–	–
	126"	19"	–	–	–	150"	16¾"	–	–	–	174"	19¾"	–	110¾"	–	198"	23"	–	–	–	222"	26"	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	22"	–	–	122"	168"	19"	–	–	149"	192"	22¼"	–	–	169¾"	216"	25¼"	–	–	190¾"	240"	28¼"	–	–	211¾"
	138"	21"	–	–	117"	162"	18¼"	–	–	143¾"	186"	21½"	–	–	164½"	210"	24½"	–	–	185½"	234"	27½"	–	–	206½"
	132"	20"	–	–	112"	156"	17½"	–	–	138½"	180"	20¾"	–	–	159¼"	204"	23¾"	–	–	180¼"	228"	26¾"	–	–	201¼"
	126"	19"	–	–	107"	150"	16¾"	–	–	133¼"	174"	19¾"	–	–	154¼"	198"	23"	–	–	175"	222"	26"	–	–	196"
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	22"	72"	–	122"	168"	19"	61"	107"	149"	192"	22¼"	70"	122"	169¾"	216"	25¼"	79"	137"	190¾"	240"	28¼"	88"	152"	211¾"
	138"	21"	69"	–	117"	162"	18¼"	58¾"	103¼"	143¾"	186"	21½"	67¾"	118¼"	164½"	210"	24½"	76¾"	133¼"	185½"	234"	27½"	85¾"	148¼"	206½"
	132"	20"	66"	–	112"	156"	17½"	56½"	99½"	138½"	180"	20¾"	65½"	114½"	159¼"	204"	23¾"	74½"	129½"	180¼"	228"	26¾"	83½"	144½"	201¼"
	126"	19"	63"	–	107"	150"	16¾"	54¼"	95¾"	133¼"	174"	19¾"	63¼"	110¾"	154¼"	198"	23"	72¼"	125¾"	175"	222"	26"	81¼"	140¾"	196"
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	22"	72"	–	–	168"	19"	61"	107"	–	192"	22¼"	70"	122"	–	216"	25¼"	79"	137"	–	240"	28¼"	88"	152"	–
	138"	21"	69"	–	–	162"	18¼"	58¾"	103¼"	–	186"	21½"	67¾"	118¼"	–	210"	24½"	76¾"	133¼"	–	234"	27½"	85¾"	148¼"	–
	132"	20"	66"	–	–	156"	17½"	56½"	99½"	–	180"	20¾"	65½"	114½"	–	204"	23¾"	74½"	129½"	–	228"	26¾"	83½"	144½"	–
	126"	19"	63"	–	–	150"	16¾"	54¼"	95¾"	–	174"	19¾"	63¼"	110¾"	–	198"	23"	72¼"	125¾"	–	222"	26"	81¼"	140¾"	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- All grommets are centered on the table top depth
- Grommet also offered as field installable solution – reference page 526
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" two piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 52-53 for Base Placement Guide

***60" wide tops will be 29⅝" to the center of the side dimension**



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	72"					84"					96"					120"				
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER	72"	–	36"	–	–	84"	–	42"	–	–	96"	–	48"	–	–	120"	–	60"	–	–
	66"	–	33"	–	–	78"	–	39"	–	–	90"	–	45"	–	–	114"	–	57"	–	–
																108"	–	54"	–	–
																102"	–	51"	–	–
G15E END		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	18"	–	–	–	84"	21"	–	–	–	96"	24"	–	–	–	120"	20"	–	–	–
	66"	16½"	–	–	–	78"	19½"	–	–	–	90"	22½"	–	–	–	114"	19"	–	–	–
																108"	18"	–	–	–
																102"	17"	–	–	–
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	18"	–	–	54"	84"	21"	–	–	63"	96"	24"	–	–	72"	120"	20"	–	–	100"
	66"	16½"	–	–	49½"	78"	19½"	–	–	58½"	90"	22½"	–	–	67½"	114"	19"	–	–	95"
																108"	18"	–	–	90"
																102"	17"	–	–	85"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	–	–	–	–	84"	–	–	–	–	96"	24"	48"	–	–	120"	20"	60"	–	100"
	66"	–	–	–	–	78"	–	–	–	–	90"	22½"	45"	–	–	114"	19"	57"	–	95"
																108"	18"	54"	–	90"
																102"	17"	51"	–	85"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	72"	–	–	–	–	84"	–	–	–	–	96"	24"	48"	–	–	120"	20"	60"	–	–
	66"	–	–	–	–	78"	–	–	–	–	90"	22½"	45"	–	–	114"	19"	57"	–	–
																108"	18"	54"	–	–
																102"	17"	51"	–	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

• CUT-G15 option



	144"					168"					192"					216"					240"				
	A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
144"	–	72"	–	–	168"	–	63"	105"	–	192"	–	72"	120"	–	216"	–	81"	135"	–	240"	–	90"	150"	–
138"	–	69"	–	–	162"	–	60¾"	101¼"	–	186"	–	69¾"	116¼	–	210"	–	78¾"	131¼	–	234"	–	87¾"	146¼	–
132"	–	66"	–	–	156"	–	58½"	97½"	–	180"	–	67½"	112½	–	204"	–	76½"	127½	–	228"	–	85½"	142½	–
126"	–	63"	–	–	150"	–	56¼"	93¾"	–	174"	–	65¼"	108¾	–	198"	–	74¼"	123¾	–	222"	–	83¼"	138¾	–
	A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
144"	24¼"	–	–	–	168"	21¼"	–	–	–	192"	24¼"	–	–	–	216"	27¼"	–	–	–	240"	30¼"	–	–	–
138"	23"	–	–	–	162"	20½"	–	–	–	186"	23½"	–	–	–	210"	26½"	–	–	–	234"	29½"	–	–	–
132"	22"	–	–	–	156"	19¾"	–	–	–	180"	22¾"	–	–	–	204"	25¾"	–	–	–	228"	28¾"	–	–	–
126"	21"	–	–	–	150"	19"	–	–	–	174"	22"	–	–	–	198"	25"	–	–	–	222"	28"	–	–	–
	A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
144"	24¼"	–	–	119¾"	168"	21¼"	–	–	146¾"	192"	24¼"	–	–	167¾"	216"	27¼"	–	–	188¾"	240"	30¼"	–	–	209¾"
138"	23"	–	–	115"	162"	20½"	–	–	141½"	186"	23½"	–	–	162½"	210"	26½"	–	–	183½"	234"	29½"	–	–	204½"
132"	22"	–	–	110"	156"	19¾"	–	–	136¼"	180"	22¾"	–	–	157¼"	204"	25¾"	–	–	178¼"	228"	28¾"	–	–	199¼"
126"	21"	–	–	105"	150"	19"	–	–	131"	174"	22"	–	–	152"	198"	25"	–	–	173"	222"	28"	–	–	194"
	A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
144"	24¼"	72"	–	119¾"	168"	21¼"	63"	105"	146¾"	192"	24¼"	72"	120"	167¾"	216"	27¼"	81"	135"	188¾"	240"	30¼"	90"	150"	209¾"
138"	23"	69"	–	115"	162"	20½"	60¾"	101¼"	141½"	186"	23½"	69¾"	116¼"	162½"	210"	26½"	78¾"	131¼"	183½"	234"	29½"	87¾"	146¼"	204½"
132"	22"	66"	–	110"	156"	19¾"	58½"	97½"	136¼"	180"	22¾"	67½"	112½"	157¼"	204"	25¾"	76½"	127½"	178¼"	228"	28¾"	85½"	142½"	199¼"
126"	21"	63"	–	105"	150"	19"	56¼"	93¾"	131"	174"	22"	65¼"	108¾"	152"	198"	25"	74¼"	123¾"	173"	222"	28"	83¼"	138¾"	194"
	A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
144"	24¼"	72"	–	–	168"	21¼"	63"	105"	–	192"	24¼"	72"	120"	–	216"	27¼"	81"	135"	–	240"	30¼"	90"	150"	–
138"	23"	69"	–	–	162"	20½"	60¾"	101¼"	–	186"	23½"	69¾"	116¼"	–	210"	26½"	78¾"	131¼"	–	234"	29½"	87¾"	146¼"	–
132"	22"	66"	–	–	156"	19¾"	58½"	97½"	–	180"	22¾"	67½"	112½"	–	204"	25¾"	76½"	127½"	–	228"	28¾"	85½"	142½"	–
126"	21"	63"	–	–	150"	19"	56¼"	93¾"	–	174"	22"	65¼"	108¾"	–	198"	25"	74¼"	123¾"	–	222"	28"	83¼"	138¾"	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- All grommets are centered on the table top depth
- Grommet also offered as field installable solution – reference page 526
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 52-53 for Base Placement Guide

***60" wide tops will be 29⅝" to the center of the side dimension**



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	72"				84"				96"				120"			
		A	B	C		A	B	C		A	B	C		A	B	C
G16C CENTER	72"	–	36"	–	84"	–	42"	–	96"	–	48"	–	120"	–	–	–
	66"	–	33"	–	78"	–	39"	–	90"	–	45"	–	114"	–	–	–
													108"	–	–	–
													102"	–	–	–
		A	B	C		A	B	C		A	B	C		A	B	C
G16E END	72"	–	–	–	72"	–	–	–	72"	–	–	–	120"	40"	–	–
	66"	–	–	–	66"	–	–	–	66"	–	–	–	114"	38"	–	–
													108"	36"	–	–
													102"	34"	–	–
		A	B	C		A	B	C		A	B	C		A	B	C
G16LR LEFT, RIGHT	72"	–	–	–	72"	–	–	–	72"	–	–	–	120"	40"	–	80"
	66"	–	–	–	66"	–	–	–	66"	–	–	–	114"	38"	–	76"
													108"	36"	–	72"
													102"	34"	–	68"
		A	B	C		A	B	C		A	B	C		A	B	C
G16A ALL	72"	–	–	–	72"	–	–	–	72"	–	–	–	120"	–	–	–
	66"	–	–	–	66"	–	–	–	66"	–	–	–	114"	–	–	–
													108"	–	–	–
													102"	–	–	–
		A	B	C		A	B	C		A	B	C		A	B	C
G16CE CENTER, END	72"	–	–	–	72"	–	–	–	72"	–	–	–	120"	–	–	–
	66"	–	–	–	66"	–	–	–	66"	–	–	–	114"	–	–	–
													108"	–	–	–
													102"	–	–	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

• CUT-G16 option



	144"				168"				192"				216"				240"			
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	144"	–	–	–	168"	–	84"	–	192"	–	96"	–	216"	–	108"	–	240"	–	120"	–
	138"	–	–	–	162"	–	81"	–	186"	–	93"	–	210"	–	105"	–	234"	–	117"	–
	132"	–	–	–	156"	–	78"	–	180"	–	90"	–	204"	–	102"	–	228"	–	114"	–
	126"	–	–	–	150"	–	75"	–	174"	–	87"	–	198"	–	99"	–	222"	–	111"	–
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	144"	48"	–	–	168"	42"	–	–	192"	48¼"	–	–	216"	54¼"	–	–	240"	60¼"	–	–
	138"	46"	–	–	162"	40½"	–	–	186"	46½"	–	–	210"	52¾"	–	–	234"	58¾"	–	–
	132"	44"	–	–	156"	39"	–	–	180"	45"	–	–	204"	51¼"	–	–	228"	57¼"	–	–
	126"	42"	–	–	150"	37½"	–	–	174"	43½"	–	–	198"	49¾"	–	–	222"	55¾"	–	–
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	144"	48"	–	96"	168"	42"	–	126"	192"	48¼"	–	143¾"	216"	54¼"	–	161¾"	240"	60¼"	–	179¾"
	138"	46"	–	92"	162"	40½"	–	121½"	186"	46½"	–	139½"	210"	52¾"	–	157¼"	234"	58¾"	–	175¼"
	132"	44"	–	88"	156"	39"	–	117"	180"	45"	–	135"	204"	51¼"	–	152¾"	228"	57¼"	–	170¾"
	126"	42"	–	84"	150"	37½"	–	112½"	174"	43½"	–	130½"	198"	49¾"	–	148¼"	222"	55¾"	–	166¼"
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	144"	–	–	–	168"	42"	84"	126"	192"	48¼"	96"	143¾"	216"	54¼"	108"	161¾"	240"	60¼"	120"	179¾"
	138"	–	–	–	162"	40½"	81"	121½"	186"	46½"	93"	139½"	210"	52¾"	105"	157¼"	234"	58¾"	117"	175¼"
	132"	–	–	–	156"	39"	78"	117"	180"	45"	90"	135"	204"	51¼"	102"	152¾"	228"	57¼"	114"	170¾"
	126"	–	–	–	150"	37½"	75"	112½"	174"	43½"	87"	130½"	198"	49¾"	99"	148¼"	222"	55¾"	111"	166¼"
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	144"	–	–	–	168"	42"	84"	–	192"	48¼"	96"	–	216"	54¼"	108"	–	240"	60¼"	120"	–
	138"	–	–	–	162"	40½"	81"	–	186"	46½"	93"	–	210"	52¾"	105"	–	234"	58¾"	117"	–
	132"	–	–	–	156"	39"	78"	–	180"	45"	90"	–	204"	51¼"	102"	–	228"	57¼"	114"	–
	126"	–	–	–	150"	37½"	75"	–	174"	43½"	87"	–	198"	49¾"	99"	–	222"	55¾"	111"	–

TABLE BASE GUIDE

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
24", 24" x 24" Bases at right applicable to 24" round or square tables	 **METAL** CBV0228COBP (Qty. 4) **METAL** CBV0228COBMP (Qty. 4) **METAL** CBV2215DRNBP (Qty. 1) **METAL** CBV2228DRNBP (Qty. 1)  **METAL** CBV2235DRNBP (Qty. 1)  **METAL** CBV2240DRNBP (Qty. 1) **METAL** CBV2215DSQBP (Qty. 1) **METAL** CBV2228DSQBP (Qty. 1)  **METAL** CBV2235DSQBP (Qty. 1)  **METAL** CBV2240DSQBP (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
30", 30" x 30" Bases at right applicable to 30" round or square tables	 **METAL** CBV0228COBP (Qty. 4) **METAL** CBV0228COBMP (Qty. 4) **METAL** CBV2728XBP (Qty. 1) **METAL** CBV2728XBMP (Qty. 1) **METAL** CBV2735XBP (Qty. 1) **METAL** CBV2741XBP (Qty. 1) **METAL** CBV2215DRNBP (Qty. 1) **METAL** CBV2228DRNBP (Qty. 1)  **METAL** CBV2235DRNBP (Qty. 1)  **METAL** CBV2240DRNBP (Qty. 1) **METAL** CBV2215DSQBP (Qty. 1) **METAL** CBV2228DSQBP (Qty. 1)  **METAL** CBV2235DSQBP (Qty. 1)  **METAL** CBV2240DSQBP (Qty. 1) **METAL** CBV2728U4SB CBV2728U4SS CBV2728U4SN (Qty. 1) **METAL** CBV2728U4MB CBV2728U4MS CBV2728U4MN (Qty. 1) **METAL** CBV2742U4AMB CBV2742U4AMS CBV2742U4AMN (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
36", 36" x 36" Bases at right applicable to 36" round or square tables	 **WOOD** 10N1628CYBW (P1) (Qty. 1) For use with round tops only **LAMINATE** 10N1628CYBL (P1) (Qty. 1) For use with round tops only **WOOD** BW-16 (Qty. 1) For use with round tops only **LAMINATE** BP-16 (Qty. 1) For use with round tops only **WOOD** 25N1628SQBW (Epic) (Qty. 1) **WOOD** 10N1628SQBW (P1) (Qty. 1)  **WOOD** 10N1628SQBW (P2) (Qty. 1)  **WOOD** 10N1628SQBW (P3) (Qty. 1) **WOOD** 10N1628SQBW (P4) (Qty. 1)  **LAMINATE** 25N1628SQBL (Epic) (Qty. 1) **LAMINATE** 10N1628SQBL (P1) (Qty. 1)  **WOOD** 25N1628SQBXW (Epic) (Qty. 1) **WOOD** 10N1628SQBXW (P1) (Qty. 1)  **WOOD** 10N1628SQBXW (P2) (Qty. 1)  **WOOD** 10N1628SQBXW (P3) (Qty. 1) **WOOD** 10N1628SQBXW (P4) (Qty. 1)  **LAMINATE** 25N1628SQBXL (Epic) (Qty. 1) **LAMINATE** 10N1628SQBXL (P1) (Qty. 1) **WOOD** BW-1616 (Qty. 1) **METAL** CBV0228COBP (Qty. 4) **METAL** CBV0228COBMP (Qty. 4) **METAL** CBV2828P4BP (Qty. 1) **METAL** BW-4 (Qty. 1) **METAL** CBV3228XBP (Qty. 1) **METAL** CBV2728U4SB CBV2728U4SS CBV2728U4SN (Qty. 1) **METAL** CBV2728U4MB CBV2728U4MS CBV2728U4MN (Qty. 1) **METAL** CBV2742U4AMB CBV2742U4AMS CBV2742U4AMN (Qty. 1)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
36", 36" x 36" (CONTINUED) Bases at right applicable to 36" round or square tables	 **METAL** CBV3228XBMP (Qty. 1) **METAL** CBV3235XBP (Qty. 1) **METAL** CBV3241XBP (Qty. 1) **METAL** CBV3226XBAB CBV3226XBAS CBV3226XBAN (Qty. 1) **METAL** CBV2215DRNBP (Qty. 1) For use with round tops only **METAL** CBV2228DRNBP (Qty. 1) Not for use with 36" soft square Corian tops  **METAL** CBV2235DRNBP (Qty. 1) For use with round tops only  **METAL** CBV2240DRNBP (Qty. 1) For use with round tops only **METAL** CBV2715DRNBP (Qty. 1) **METAL** CBV2728DRNBP (Qty. 1)  **METAL** CBV2735DRNBP (Qty. 1)  **METAL** CBV2740DRNBP (Qty. 1) **METAL** CBV2215DSQBP (Qty. 1) **METAL** CBV2228DSQBP (Qty. 1)  **METAL** CBV2235DSQBP (Qty. 1)  **METAL** CBV2240DSQBP (Qty. 1) **METAL** CBV2715DSQBP (Qty. 1) **METAL** CBV2728DSQBP (Qty. 1)  **METAL** CBV2735DSQBP (Qty. 1)  **METAL** CBV2740DSQBP (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
42", 42" x 42"  Bases at right applicable to 42" round or square tables	 **WOOD** 10N1828CYBW (P1) (Qty. 1) For use with round tops only **LAMINATE** 10N1828CYBL (P1) (Qty. 1) For use with round tops only **WOOD** BW-18 (Qty. 1) For use with round tops only **LAMINATE** BP-18 (Qty. 1) For use with round tops only **WOOD** 25N1828SQBW (Epic) (Qty. 1) **WOOD** 10N1828SQBW (P1) (Qty. 1)  **WOOD** 10N1828SQBW (P2) (Qty. 1)  **WOOD** 10N1828SQBW (P3) (Qty. 1) **WOOD** 10N1828SQBW (P4) (Qty. 1)  **LAMINATE** 25N1828SQBL (Epic) (Qty. 1) **LAMINATE** 10N1828SQBL (P1) (Qty. 1)  **WOOD** 25N1828SQBXW (Epic) (Qty. 1) **WOOD** 10N1828SQBXW (P1) (Qty. 1)  **WOOD** 10N1828SQBXW (P2) (Qty. 1)  **WOOD** 10N1828SQBXW (P3) (Qty. 1) **WOOD** 10N1828SQBXW (P4) (Qty. 1)  **LAMINATE** 25N1828SQBXL (Epic) (Qty. 1) **LAMINATE** 10N1828SQBXL (P1) (Qty. 1) **WOOD** BW-1616 (Qty. 1) **WOOD** TBW-4 (Qty. 1) **NYLON** TB-4P (Qty. 1) **METAL** CBV0228COBP (Qty. 4) **METAL** CBV0228COBMP (Qty. 4) **METAL** CBV2828P4BP (Qty. 1)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
42", 42" x 42" (CONTINUED) Bases at right applicable to 42" round or square tables	 **METAL** CBV3428P4BP (Qty. 1) **METAL** BW-4 (Qty. 1) **METAL** CBV4028XBP (Qty. 1) **METAL** CBV4028XBMP (Qty. 1) **METAL** CBV2728DRNBP (Qty. 1) For use with round tops only **METAL** CBV2728DSQBP (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
48", 48" x 48"  Bases at right applicable to 48" round or square tables	 **WOOD** 10N1828CYBW (P1) (Qty. 1) For use with round tops only **LAMINATE** 10N1828CYBL (P1) (Qty. 1) For use with round tops only **WOOD** BW-18 (Qty. 1) For use with round tops only **LAMINATE** BP-18 (Qty. 1) For use with round tops only **WOOD** 25N1828SQBW (Epic) (Qty. 1) **WOOD** 10N1828SQBW (P1) (Qty. 1)  **WOOD** 10N1828SQBW (P2) (Qty. 1)  **WOOD** 10N1828SQBW (P3) (Qty. 1) **WOOD** 10N1828SQBW (P4) (Qty. 1)  **LAMINATE** 25N1828SQBL (Epic) (Qty. 1) **LAMINATE** 10N1828SQBL (P1) (Qty. 1)  **WOOD** 25N1828SQBXW (Epic) (Qty. 1) **WOOD** 10N1828SQBXW (P1) (Qty. 1)  **WOOD** 10N1828SQBXW (P2) (Qty. 1)  **WOOD** 10N1828SQBXW (P3) (Qty. 1) **WOOD** 10N1828SQBXW (P4) (Qty. 1)  **LAMINATE** 25N1828SQBXL (Epic) (Qty. 1) **LAMINATE** 10N1828SQBXL (P1) (Qty. 1) **WOOD** BW-1616 (Qty. 1) **WOOD** TBW-4 (Qty. 1) For use with round tops only Not for use with 48" Corian tops **METAL** CBV0228COBP (Qty. 4) **METAL** CBV0228COBMP (Qty. 4) **METAL** CBV3428P4BP (Qty. 1) **METAL** BW-4 (Qty. 1) **METAL** CBV4028XBP (Qty. 1) **METAL** CBV4028XBMP (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
54", 54" x 54" **60", 60" x 60"** Bases at right applicable to 54" or 60" round or square tables	 **WOOD** 10N2428CYBW (P1) (Qty. 1) For use with round tops only **LAMINATE** 10N2428CYBL (P1) (Qty. 1) For use with round tops only **WOOD** BW-24 (Qty. 1) For use with round tops only **LAMINATE** BP-24 (Qty. 1) For use with round tops only **WOOD** 25N2428SQBW (Epic) (Qty. 1) **WOOD** 10N2428SQBW (P1) (Qty. 1)  **WOOD** 10N2428SQBW (P2) (Qty. 1)  **WOOD** 10N2428SQBW (P3) (Qty. 1) **WOOD** 10N2428SQBW (P4) (Qty. 1)  **LAMINATE** 25N2428SQBL (Epic) (Qty. 1) **LAMINATE** 10N2428SQBL (P1) (Qty. 1)  **WOOD** 25N2428SQBXW (Epic) (Qty. 1) **WOOD** 10N2428SQBXW (P1) (Qty. 1)  **WOOD** 10N2428SQBXW (P2) (Qty. 1)  **WOOD** 10N2428SQBXW (P3) (Qty. 1)  **WOOD** 10N2428SQBXW (P4) (Qty. 1)  **LAMINATE** 25N2428SQBXL (Epic) (Qty. 1) **LAMINATE** 10N2428SQBXL (P1) (Qty. 1) **METAL** CBV4728XB, CBV4728XS, CBV4728XN (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

36" x 72"
42" x 84"



Bases at right applicable to 36" x 72" or 42" x 84" rectangle, boat or racetrack tables

BASES

WOOD
10N1628CYBW (P1)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

LAMINATE
10N1628CYBL (P1)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
BW-16
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

LAMINATE
BP-16
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
25N1628SQBW (Epic)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
10N1628SQBW (P1)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top



WOOD
10N1628SQBW (P2)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top



WOOD
10N1628SQBW (P3)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top



WOOD
10N1628SQBW (P4)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top



LAMINATE
25N1628SQBL (Epic)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

LAMINATE
10N1628SQBL (P1)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top



WOOD
25N1628SQBXW (Epic)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
10N1628SQBXW (P1)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top



WOOD
10N1628SQBXW (P2)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top



WOOD
10N1628SQBXW (P3)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
10N1628SQBXW (P4)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

LAMINATE
25N1628SQBXL (Epic)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

LAMINATE
10N1628SQBXL (P1)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
BW-1616
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
TBW-4
(Qty. 2)

NYLON
TB-4P
(Qty. 2)

WOOD
BW-2427S
(Qty. 2)

LAMINATE
BP-2427S
(Qty. 2)

LAMINATE
BP-2427C
(Qty. 2)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
36" x 72" **42" x 84" (CONTINUED)**  Bases at right applicable to 36" x 72" or 42" x 84" rectangle, boat or racetrack tables	 **WOOD** 25N1828PNW (Epic) (Qty. 2)  **WOOD** 10N1828PNW (P1) (Qty. 2)  **WOOD** 10N1828PNW (P2) (Qty. 2)  **WOOD** 10N1828PNW (P3) (Qty. 2)  **WOOD** 10N1828PNW (P4) (Qty. 2)  **LAMINATE** 25N1828PNL (Epic) (Qty. 2)  **LAMINATE** 10N1828PNL (P1) (Qty. 2) **WOOD** 25N72PNKW (Epic) 25N84PNKW (Epic) (Qty. 1)  **WOOD** 10N72PNKW (P1) 10N84PNKW (P1) (Qty. 1)  **WOOD** 10N72PNKW (P2) 10N84PNKW (P2) (Qty. 1)  **WOOD** 10N72PNKW (P3) 10N84PNKW (P3) (Qty. 1)  **WOOD** 10N72PNKW (P4) 10N84PNKW (P4) (Qty. 1) **LAMINATE** 25N72PNKL (Epic) 25N84PNKL (Epic) (Qty. 1)  **LAMINATE** 10N72PNKL (P1) 10N84PNKL (P1) (Qty. 1)  **METAL** CBV2928P2BP (Qty. 2)  **METAL** CBW3428TT (Qty. 2)  **METAL** CBW3428H (Qty. 2)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48" x 96"



Bases at right applicable to 48" x 96" rectangle, boat or racetrack tables

BASES

WOOD
10N1828CYBW (P1)
(Qty. 2)

LAMINATE
10N1828CYBL (P1)
(Qty. 2)

WOOD
BW-18
(Qty. 2)

LAMINATE
BP-18
(Qty. 2)

WOOD
25N1828SQBW (Epic)
(Qty. 2)

WOOD
10N1828SQBW (P1)
(Qty. 2)



WOOD
10N1828SQBW (P2)
(Qty. 2)



WOOD
10N1828SQBW (P3)
(Qty. 2)

WOOD
10N1828SQBW (P4)
(Qty. 2)

LAMINATE
25N1828SQBL (Epic)
(Qty. 2)

LAMINATE
10N1828SQBL (P1)
(Qty. 2)



WOOD
25N1828SQBXW (Epic)
(Qty. 2)

WOOD
10N1828SQBXW (P1)
(Qty. 2)



WOOD
10N1828SQBXW (P2)
(Qty. 2)



WOOD
10N1828SQBXW (P3)
(Qty. 2)

WOOD
10N1828SQBXW (P4)
(Qty. 2)



LAMINATE
25N1828SQBXL (Epic)
(Qty. 2)

LAMINATE
10N1828SQBXL (P1)
(Qty. 2)

WOOD
TBW-4
(Qty. 2)

WOOD
BW-2427S
(Qty. 2)

LAMINATE
BP-2427S
(Qty. 2)

LAMINATE
BP-2427C
(Qty. 2)



WOOD
25N1828PNW (Epic)
(Qty. 2)



WOOD
10N1828PNW (P1)
(Qty. 2)



WOOD
10N1828PNW (P2)
(Qty. 2)



WOOD
10N1828PNW (P3)
(Qty. 2)



WOOD
10N1828PNW (P4)
(Qty. 2)



LAMINATE
25N1828PNL (Epic)
(Qty. 2)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
48" x 96" (CONTINUED)  Bases at right applicable to 48" x 96" rectangle, boat or racetrack tables	 **LAMINATE** 10N1828PNL (P1) (Qty. 2) **WOOD** 25N96PNKW (Epic) (Qty. 1)  **WOOD** 10N96PNKW (P1) (Qty. 1)  **WOOD** 10N96PNKW (P2) (Qty. 1)  **WOOD** 10N96PNKW (P3) (Qty. 1)  **WOOD** 10N96PNKW (P4) (Qty. 1) **LAMINATE** 25N96PNKL (Epic) (Qty. 1)  **LAMINATE** 10N96PNKL (P1) (Qty. 1)  **METAL** CBV2928P2BP (Qty. 3)  **METAL** CBW3428TT (Qty. 2)  **METAL** CBW3428H (Qty. 2)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48" x 120"
48" x 144"



Bases at right applicable to 48" x 120" or 48" x 144" rectangle, boat or racetrack tables

BASES

WOOD
10N1828CYBW (P1)
(Qty. 3)

LAMINATE
10N1828CYBL (P1)
(Qty. 3)

WOOD
BW-18
(Qty. 3)

LAMINATE
BP-18
(Qty. 3)

WOOD
25N1828SQBW (Epic)
(Qty. 3)

WOOD
10N1828SQBW (P1)
(Qty. 3)



WOOD
10N1828SQBW (P2)
(Qty. 3)



WOOD
10N1828SQBW (P3)
(Qty. 3)



WOOD
10N1828SQBW (P4)
(Qty. 3)

WOOD
25N1828SQBL (Epic)
(Qty. 3)

LAMINATE
10N1828SQBL (P1)
(Qty. 3)



WOOD
25N1828SQBXW (Epic)
(Qty. 3)

WOOD
10N1828SQBXW (P1)
(Qty. 3)



WOOD
10N1828SQBXW (P2)
(Qty. 3)



WOOD
10N1828SQBXW (P3)
(Qty. 3)

WOOD
10N1828SQBXW (P4)
(Qty. 3)



LAMINATE
25N1828SQBXL (Epic)
(Qty. 3)

LAMINATE
10N1828SQBXL (P1)
(Qty. 3)

WOOD
TBW-4
(Qty. 3)

NYLON
TB-4P
(Qty. 3)

WOOD
BW-2427S
(Qty. 3)

LAMINATE
BP-2427S
(Qty. 3)

LAMINATE
BP-2427C
(Qty. 3)



WOOD
25N1828PNW (Epic)
(Qty. 3)



WOOD
10N1828PNW (P1)
(Qty. 3)



WOOD
10N1828PNW (P2)
(Qty. 3)



WOOD
10N1828PNW (P3)
(Qty. 3)



WOOD
10N1828PNW (P4)
(Qty. 3)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
48" x 120" **48" x 144" (CONTINUED)**  Bases at right applicable to 48" x 120" or 48" x 144" rectangle, boat or racetrack tables	 **LAMINATE** 25N1828PNL (Epic) (Qty. 3)  **LAMINATE** 10N1828PNL (P1) (Qty. 3)  **WOOD** 25N120PNKW (Epic) 25N144PNKW (Epic) (Qty. 1)  **WOOD** 10N120PNKW (P1) 10N144PNKW (P1) (Qty. 1)  **WOOD** 10N120PNKW (P2) 10N144PNKW (P2) (Qty. 1)  **WOOD** 10N120PNKW (P3) 10N144PNKW (P3) (Qty. 1)  **WOOD** 10N120PNKW (P4) 10N144PNKW (P4) (Qty. 1)  **LAMINATE** 25N120PNKL (Epic) 25N144PNKL (Epic) (Qty. 1)  **LAMINATE** 10N120PNKL (P1) 10N144PNKL (P1) (Qty. 1)  **METAL** CBV2928P2BP (Qty. 3)  **METAL** CBW3428TT (Qty. 3)  **METAL** CBW3428H (Qty. 3)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48" x 168"
48" x 192"



Bases at right applicable to 48" x 168" or 48" x 192" rectangle, boat or racetrack tables

BASES

WOOD
10N1828CYBW (P1)
(Qty. 4)

LAMINATE
10N1828CYBL (P1)
(Qty. 4)

WOOD
BW-18
(Qty. 4)

LAMINATE
BP-18
(Qty. 4)

WOOD
25N1828SQBW (Epic)
(Qty. 4)

WOOD
10N1828SQBW (P1)
(Qty. 4)



WOOD
10N1828SQBW (P2)
(Qty. 4)



WOOD
10N1828SQBW (P3)
(Qty. 4)



WOOD
10N1828SQBW (P4)
(Qty. 4)

WOOD
25N1828SQBL (Epic)
(Qty. 4)

LAMINATE
10N1828SQBL (P1)
(Qty. 4)



WOOD
25N1828SQBXW (Epic)
(Qty. 4)

WOOD
10N1828SQBXW (P1)
(Qty. 4)



WOOD
10N1828SQBXW (P2)
(Qty. 4)



WOOD
10N1828SQBXW (P3)
(Qty. 4)

WOOD
10N1828SQBXW (P4)
(Qty. 4)



LAMINATE
25N1828SQBXL (Epic)
(Qty. 4)

LAMINATE
10N1828SQBXL (P1)
(Qty. 4)

WOOD
TBW-4
(Qty. 4)

NYLON
TB-4P
(Qty. 4)

WOOD
BW-2427S
(Qty. 4)

LAMINATE
BP-2427S
(Qty. 4)

LAMINATE
BP-2427C
(Qty. 4)



WOOD
25N1828PNW (Epic)
(Qty. 4)



WOOD
10N1828PNW (P1)
(Qty. 4)



WOOD
10N1828PNW (P2)
(Qty. 4)



WOOD
10N1828PNW (P3)
(Qty. 4)



WOOD
10N1828PNW (P4)
(Qty. 4)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
48" x 168" **48" x 192" (CONTINUED)**  Bases at right applicable to 48" x 168" or 48" x 192" rectangle, boat or racetrack tables	 **LAMINATE** 25N1828PNL (Epic) (Qty. 4)  **LAMINATE** 10N1828PNL (P1) (Qty. 4)  **WOOD** 25N168PNKW (Epic) 25N192PNKW (Epic) (Qty. 1)  **WOOD** 10N168PNKW (P1) 10N192PNKW (P1) (Qty. 1)  **WOOD** 10N168PNKW (P2) 10N192PNKW (P2) (Qty. 1)  **WOOD** 10N168PNKW (P3) 10N192PNKW (P3) (Qty. 1)  **WOOD** 10N168PNKW (P4) 10N192PNKW (P4) (Qty. 1)  **LAMINATE** 25N168PNKL (Epic) 25N192PNKL (Epic) (Qty. 1)  **LAMINATE** 10N168PNKL (P1) 10N192PNKL (P1) (Qty. 1)  **METAL** CBV2928P2BP (Qty. 4)  **METAL** CBW3428TT (Qty. 4)  **METAL** CBW3428H (Qty. 4)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48" x 216"
48" x 240"



Bases at right applicable to 48" x 216" or 48" x 240" rectangle, boat or racetrack tables

BASES

WOOD
10N1828CYBW (P1)
(Qty. 4)

LAMINATE
10N1828CYBL (P1)
(Qty. 4)

WOOD
BW-18
(Qty. 4)

LAMINATE
BP-18
(Qty. 4)



WOOD
25N1828SQBW (Epic)
(Qty. 4)

WOOD
10N1828SQBW (P1)
(Qty. 4)



WOOD
10N1828SQBW (P2)
(Qty. 4)



WOOD
10N1828SQBW (P3)
(Qty. 4)



WOOD
10N1828SQBW (P4)
(Qty. 4)

WOOD
25N1828SQBL (Epic)
(Qty. 4)

LAMINATE
10N1828SQBL (P1)
(Qty. 4)



WOOD
25N1828SQBXW (Epic)
(Qty. 4)

WOOD
10N1828SQBXW (P1)
(Qty. 4)



WOOD
10N1828SQBXW (P2)
(Qty. 4)



WOOD
10N1828SQBXW (P3)
(Qty. 4)

WOOD
10N1828SQBXW (P4)
(Qty. 4)



LAMINATE
25N1828SQBXL (Epic)
(Qty. 4)

LAMINATE
10N1828SQBXL (P1)
(Qty. 4)

WOOD
TBW-4
(Qty. 4)

NYLON
TB-4P
(Qty. 4)

WOOD
BW-2427S
(Qty. 5)

LAMINATE
BP-2427S
(Qty. 5)

LAMINATE
BP-2427C
(Qty. 5)



WOOD
25N1828PNW (Epic)
(Qty. 4)



WOOD
10N1828PNW (P1)
(Qty. 4)



WOOD
10N1828PNW (P2)
(Qty. 4)



WOOD
10N1828PNW (P3)
(Qty. 4)



WOOD
10N1828PNW (P4)
(Qty. 4)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
48" x 216" **48" x 240" (CONTINUED)**  Bases at right applicable to 48" x 216" or 48" x 240" rectangle, boat or racetrack tables	 **LAMINATE** 25N1828PNL (Epic) (Qty. 4)  **LAMINATE** 10N1828PNL (P1) (Qty. 4)  **WOOD** 25N216PNKW (Epic) 25N240PNKW (Epic) (Qty. 1)  **WOOD** 10N216PNKW (P1) 10N240PNKW (P1) (Qty. 1)  **WOOD** 10N216PNKW (P2) 10N240PNKW (P2) (Qty. 1)  **WOOD** 10N216PNKW (P3) 10N240PNKW (P3) (Qty. 1)  **WOOD** 10N216PNKW (P4) 10N240PNKW (P4) (Qty. 1)  **LAMINATE** 25N216PNKL (Epic) 25N240PNKL (Epic) (Qty. 1)  **LAMINATE** 10N216PNKL (P1) 10N240PNKL (P1) (Qty. 1)  **METAL** CBV2928P2BP (Qty. 5)  **METAL** CBW3428TT (Qty. 5)  **METAL** CBW3428H (Qty. 5)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

60" x 144"



Bases at right applicable to 60" x 144" rectangle, boat or racetrack tables

***When specifying tables modified to 54 inches wide, it is recommended to use the 18 inch deep bases to provide adequate kneespace**

BASES

WOOD
10N2428CYBW (P1)*
(Qty. 3)

LAMINATE
10N2428CYBL (P1)*
(Qty. 3)

WOOD
BW-24*
(Qty. 3)

LAMINATE
BP-24*
(Qty. 3)



WOOD
25N2428SQBW (Epic)*
(Qty. 3)

WOOD
10N2428SQBW (P1)*
(Qty. 3)



WOOD
10N2428SQBW (P2)*
(Qty. 3)



WOOD
10N2428SQBW (P3)*
(Qty. 3)

WOOD
10N2428SQBW (P4)*
(Qty. 3)



LAMINATE
25N2428SQBL (Epic)*
(Qty. 3)

LAMINATE
10N2428SQBL (P1)*
(Qty. 3)



WOOD
25N2428SQBXW (Epic)*
(Qty. 3)

WOOD
10N2428SQBXW (P1)*
(Qty. 3)



WOOD
10N2428SQBXW (P2)*
(Qty. 3)



WOOD
10N2428SQBXW (P3)*
(Qty. 3)

WOOD
10N2428SQBXW (P4)*
(Qty. 3)



LAMINATE
25N2428SQBXL (Epic)*
(Qty. 3)

LAMINATE
10N2428SQBXL (P1)*
(Qty. 3)



WOOD
25N2428PNW (Epic)
(Qty. 3)



WOOD
10N2428PNW (P1)
(Qty. 3)



WOOD
10N2428PNW (P2)
(Qty. 3)



WOOD
10N2428PNW (P3)
(Qty. 3)



WOOD
10N2428PNW (P4)
(Qty. 3)



LAMINATE
25N2428PNL (Epic)
(Qty. 3)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
60" x 144" (CONTINUED)  Bases at right applicable to 60" x 144" rectangle, boat or racetrack tables ***When specifying tables modified to 54 inches wide, it is recommended to use the 18 inch deep bases to provide adequate kneespace**	 **LAMINATE** 10N2428PNL (P1) (Qty. 3)  **WOOD** 25N60144PNKW (Epic) (Qty. 1)  **WOOD** 10N60144PNKW (P1) (Qty. 1)  **WOOD** 10N60144PNKW (P2) (Qty. 1)  **WOOD** 10N60144PNKW (P3) (Qty. 1)  **WOOD** 10N60144PNKW (P4) (Qty. 1)  **LAMINATE** 25N60144PNKL (Epic) (Qty. 1)  **LAMINATE** 10N60144PNKL (P1) (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

60" x 168"
60" x 192"
60" x 216"
60" x 240"



Bases at right applicable to 60" x 168", 60" x 192", 60" x 216", or 60" x 240" rectangle, boat or racetrack tables

***When specifying tables with a modified size, it is recommended to use the 18" deep bases to provide adequate kneespace.**

BASES

WOOD
10N2428CYBW (P1)*
(Qty. 4)

LAMINATE
10N2428CYBL (P1)*
(Qty. 4)

WOOD
BW-24*
(Qty. 4)

LAMINATE
BP-24*
(Qty. 4)

WOOD
25N2428SQBW (Epic)*
(Qty. 4)

WOOD
10N2428SQBW (P1)*
(Qty. 4)



WOOD
10N2428SQBW (P2)*
(Qty. 4)



WOOD
10N2428SQBW (P3)*
(Qty. 4)



WOOD
10N2428SQBW (P4)*
(Qty. 4)



LAMINATE
25N2428SQBL (Epic)*
(Qty. 4)

LAMINATE
10N2428SQBL (P1)*
(Qty. 4)



WOOD
25N2428SQBXW (Epic)*
(Qty. 4)

WOOD
10N2428SQBXW (P1)*
(Qty. 4)



WOOD
10N2428SQBXW (P2)*
(Qty. 4)



WOOD
10N2428SQBXW (P3)*
(Qty. 4)

WOOD
10N2428SQBXW (P4)*
(Qty. 4)



LAMINATE
25N2428SQBXL (Epic)*
(Qty. 4)

LAMINATE
10N2428SQBXL (P1)*
(Qty. 4)



WOOD
25N2428PNW (Epic)
(Qty. 4)



WOOD
10N2428PNW (P1)
(Qty. 4)

WOOD
10N2428PNW (P2)
(Qty. 4)



WOOD
10N2428PNW (P3)
(Qty. 4)



WOOD
10N2428PNW (P4)
(Qty. 4)

LAMINATE
25N2428PNL (Epic)
(Qty. 4)

Continued on next page

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
60" x 168" **60" x 192"** **60" x 216"** **60" x 240" (CONTINUED)**  Bases at right applicable to 60" x 168", 60" x 192", 60" x 216", or 60" x 240" rectangle, boat or racetrack tables ***When specifying tables with a modified size, it is recommended to use the 18" deep bases to provide adequate kneespace.**	 **LAMINATE** 10N2428PNL (P1) (Qty. 4)  **WOOD** 25N60168PNKW (Epic) 25N60192PNKW (Epic) 25N60216PNKW (Epic) 25N60240PNKW (Epic) (Qty. 1)  **WOOD** 10N60168PNKW (P1) 10N60192PNKW (P1) 10N60216PNKW (P1) 10N60240PNKW (P1) (Qty. 1)  **WOOD** 10N60168PNKW (P2) 10N60192PNKW (P2) 10N60216PNKW (P2) 10N60240PNKW (P2) (Qty. 1)  **WOOD** 10N60168PNKW (P3) 10N60192PNKW (P3) 10N60216PNKW (P3) 10N60240PNKW (P3) (Qty. 1)  **WOOD** 10N60168PNKW (P4) 10N60192PNKW (P4) 10N60216PNKW (P4) 10N60240PNKW (P4) (Qty. 1)  **LAMINATE** 25N60168PNKL (Epic) 25N60192PNKL (Epic) 25N60216PNKL (Epic) 25N60240PNKL (Epic) (Qty. 1)  **LAMINATE** 10N60168PNKL (P1) 10N60192PNKL (P1) 10N60216PNKL (P1) 10N60240PNKL (P1) (Qty. 1)

TABLE BASE PLACEMENT GUIDE

• All bases are centered on the table top depth

TABLE LENGTH (IN)	SECTION LENGTH	SQUARE AND ROUND BASES		QUEEN ANNE, THICK PANEL BASES, AND KITS		FIGURES (NOT TO SCALE)
	C	A	B	A	B	
240	81	30	9	28	7	
234	78	29¼	9¾	27¼	7¾	
228	75	28½	10½	26½	8½	
222	72	27¾	11¼	25¾	9¼	
216	69	27	12	25	10	
210	66	26¼	12¾	24¼	10¾	
204	63	25½	13½	23½	11½	
198	60	24¾	14¼	22¾	12¼	
192	96	24	24	22	26	
186	93	23¼	23¼	21¼	25¼	
180	90	22½	22½	20½	24½	
174	87	21¾	21¾	19¾	23¾	
168	84	21	21	19	23	
162	81	20¼	20¼	18¼	22¼	
156	78	19½	19½	17½	21½	
150	75	18¾	18¾	16¾	20¾	
144	72	24	centered	22	centered	
138	69	23	centered	21	centered	
132	66	22	centered	20	centered	
126	63	21	centered	19	centered	
120	60	20	centered	18	centered	
114	57	19	centered	17	centered	
108	54	18	centered	16	centered	
102	51	17	centered	15	centered	
96	N/A	24	N/A	22	N/A	
90	N/A	22½	N/A	20½	N/A	
84	N/A	21	N/A	19	N/A	
78	N/A	19½	N/A	17½	N/A	
72	N/A	18	N/A	16	N/A	
66	N/A	16½	N/A	14½	N/A	

TABLE LENGTH (IN)	SECTION LENGTH	THIN PANELS, CURVED PANELS, AND METAL BASES			
	C	NUMBER OF BASES	A	B	FIGURES (NOT TO SCALE)
240	81	5	24	72	
234	78	5	24	72	
228	75	5	24	72	
222	72	5	24	72	
216	69	5	24	66	
210	66	5	24	66	
204	63	5	24	66	
198	60	5	24	66	
192	96	4	24	72	
186	93	4	24	70	
180	90	4	24	68	
174	87	4	24	66	
168	84	4	24	64	
162	81	4	24	62	
156	78	4	24	60	
150	75	4	24	58	
144	72	3	24	centered	
138	69	3	24	centered	
132	66	3	24	centered	
126	63	3	24	centered	
120	60	3	24	centered	
114	57	3	24	centered	
108	54	3	24	centered	
102	51	3	24	centered	
96 (2 prong)	48	3	24	N/A	
90 (2 prong)	45	3	24	N/A	
96	N/A	2	24	N/A	
90	N/A	2	24	N/A	
84	N/A	2	18	N/A	
78	N/A	2	18	N/A	
72	N/A	2	18	N/A	
66	N/A	2	18	N/A	

TABLES SPECIFICATION GUIDE

CONFERENCE TABLE TOPS

ARROWOOD CONFERENCE TOP SPECIFICATIONS

TOPS

- Arrowood Veneer (31N) models feature 1⅜" or 1⅝" slipmatched cherry and maple, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim profile
- Arrowood Laminate (21N) models feature 1⅜" TFL (thermally fused laminate) with mitered rim
- Size modifications available at no upcharge; many Arrowood conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Sheen (wood only)**
6. **Finish/Laminate**

ARROWOOD SHAPES AND SIZES



SQUARE

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

RECTANGLE

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240

31N ARROWOOD VENEER TOP OPTIONS

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILE

21N ARROWOOD LAMINATE TOP OPTIONS

LAMINATE COLORS

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

RIM PROFILE

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 16-17 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

ARROWOOD SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 57 for options and upcharge
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

31NN3636SQW G10C N NM
31NN3636SQLW G10C MC

ARROWOOD SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅛" TOP THICKNESS**								
31NN3030SQW	Wood	$ 932	30	30	1⅛	—	—	33 lbs.	2.0
31NN3030SQLW	Laminate/Wood	932	30	30	1⅛	—	—	33 lbs.	2.0
36" SQUARE									
31NN3636SQW	Wood	$ 1097	36	36	1⅛	—	—	45 lbs.	2.4
31NN3636SQLW	Laminate/Wood	1097	36	36	1⅛	—	—	45 lbs.	2.4
42" SQUARE									
31NN4242SQW	Wood	$ 1230	42	42	1⅛	—	—	61 lbs.	3.2
31NN4242SQLW	Laminate/Wood	1230	42	42	1⅛	—	—	61 lbs.	3.2
48" SQUARE									
31NN4848SQW	Wood	$ 1368	48	48	1⅛	—	—	79 lbs.	4.2
31NN4848SQLW	Laminate/Wood	1368	48	48	1⅛	—	—	79 lbs.	4.2
54" SQUARE									
31NN5454SQW	Wood	$ 1607	54	54	1⅛	—	—	121 lbs.	6.9
31NN5454SQLW	Laminate/Wood	1607	54	54	1⅛	—	—	121 lbs.	6.9
60" SQUARE									
31NN6060SQW	Wood	$ 1845	58⅝	58⅝	1⅛	—	—	150 lbs.	8.3
31NN6060SQLW	Laminate/Wood	1845	58⅝	58⅝	1⅛	—	—	150 lbs.	8.3

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH (31N only)	LAMINATE (21N only)
	G10C Center	R Standard	AC Autumn	AC2 Autumn 2
	CUT-G15C Center	N Matte/Satin	CL Caramel	AD Almond
	X No Grommet		CW Cordovan	CL Caramel
			DW Judicial	CW Cordovan
			HN Honey	DW Judicial
			IM Brighton	HN2 Honey 2
			MC Amber	IM Brighton
			MH Mocha	MC Amber
			NM Natural	MH Mocha
			TF Truffle	NM Natural
				PB Portobello
				SM Sonoma
				TF Truffle
				791 Palisander
				792 Sable
				793 Acorn
31NN3636SQW	G10C	N	NM	

ARROWOOD SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
31N3030SQW	Wood	$ 830	30	30	1⅜	—	—	33 lbs.	2.0
31N3030SQLW	Laminate/Wood	830	30	30	1⅜	—	—	33 lbs.	2.0
21N3030SQL	Laminate	430	30	30	1⅜	—	—	33 lbs.	2.0
36" SQUARE									
31N3636SQW	Wood	$ 977	36	36	1⅜	—	—	42 lbs.	2.4
31N3636SQLW	Laminate/Wood	977	36	36	1⅜	—	—	42 lbs.	2.4
21N3636SQL	Laminate	505	36	36	1⅜	—	—	42 lbs.	2.4
42" SQUARE									
31N4242SQW	Wood	$ 1111	42	42	1⅜	—	—	58 lbs.	3.2
31N4242SQLW	Laminate/Wood	1111	42	42	1⅜	—	—	58 lbs.	3.2
21N4242SQL	Laminate	723	42	42	1⅜	—	—	58 lbs.	3.2
48" SQUARE									
31N4848SQW	Wood	$ 1249	48	48	1⅜	—	—	76 lbs.	4.2
31N4848SQLW	Laminate/Wood	1249	48	48	1⅜	—	—	76 lbs.	4.2
21N4848SQL	Laminate	992	48	48	1⅜	—	—	76 lbs.	4.2

ARROWOOD RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 57 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W	Wood Unit
LW	Laminate Top/Wood Rim

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

31NN48216RTW	CUT-G15LR	X	X	R	MH
31NN48216RTLW	X		X	X	CW

ARROWOOD RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
31NN3672RTW	Wood	$ 1739	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
31NN3672RTLW	Laminate/Wood	1739	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
31NN4284RTW	Wood	$ 2054	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
31NN4284RTLW	Laminate/Wood	2054	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
31NN4896RTW	Wood	$ 2366	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
31NN4896RTLW	Laminate/Wood	2366	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
31NN48120RTW	Wood	$ 3229	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
31NN48120RTLW	Laminate/Wood	3229	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
31NN48144RTW	Wood	$ 4002	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
31NN48144RTLW	Laminate/Wood	4002	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
31NN48168RTW	Wood	$ 4605	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
31NN48168RTLW	Laminate/Wood	4605	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
31NN48192RTW	Wood	$ 5207	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
31NN48192RTLW	Laminate/Wood	5207	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
48" x 216"									
31NN48216RTW	Wood	$ 5811	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
31NN48216RTLW	Laminate/Wood	5811	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
31NN48240RTW	Wood	$ 6414	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
31NN48240RTLW	Laminate/Wood	6414	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

Specify selections, left to right:

BASE MODEL

31NN48216RTW

GROMMET/CUTOUT OPTION

G10C	Center	CUT-G16C	Center
G10E	End	CUT-G16E	End
G10LR	Left, Right	CUT-G16LR	Left, Right
G10A	All	CUT-G16A	All
G10CE	Center, End	CUT-G16CE	Center, End
CUT-G15C	Center	X	No Grommet
CUT-G15E	End		
CUT-G15LR	Left, Right		
CUT-G15A	All		
CUT-G15CE	Center, End		

CUT-G15LR

MODIFIED DEPTH (see page 14 for available sizes)

X No Modified Depth

X

MODIFIED WIDTH (see page 14 for available sizes)

X No Modified Width

X

SHEEN (wood tops only)

R Standard
N Matte/Satin

R

FINISH (31N only)

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

MH

LAMINATE (21N only)

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

ARROWOOD RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜" TOP THICKNESS**								
31NN60144RTW	Wood	$ 5200	58⅝	144	1⅜	—	—	412 lbs.	18.0
31NN60144RTLW	Laminate/Wood	5200	58⅝	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
31NN60168RTW	Wood	$ 5986	58⅝	168	1⅜	—	—	480 lbs.	22.5
31NN60168RTLW	Laminate/Wood	5986	58⅝	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
31NN60192RTW	Wood	$ 6771	58⅝	192	1⅜	—	—	539 lbs.	29.0
31NN60192RTLW	Laminate/Wood	6771	58⅝	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
31NN60216RTW	Wood	$ 7553	58⅝	216	1⅜	—	—	647 lbs.	31.0
31NN60216RTLW	Laminate/Wood	7553	58⅝	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
31NN60240RTW	Wood	$ 8336	58⅝	240	1⅜	—	—	706 lbs.	34.0
31NN60240RTLW	Laminate/Wood	8336	58⅝	240	1⅜	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

BARRINGTON CONFERENCE TOP SPECIFICATIONS

TOPS

- 1⅜" bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Size modifications available at no upcharge; many Barrington conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Sheen (wood only)**
6. **Finish/Laminate**

BARRINGTON SHAPES AND SIZES



ROUND

30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



SQUARE

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



RECTANGLE

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

CW Cordovan
DW Judicial
MH Mocha
TF Truffle

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 16-17 for grommet locations



NACG10EL (Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

BARRINGTON ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 63 for options and upcharge
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W	Wood Unit
LW	Laminate Top/Wood Rim

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

SAMPLE MODEL NUMBERS:

50NN36RDW X N DW
50NN3636SQW X N MH

BARRINGTON ROUND TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⁹⁄₁₆" TOP THICKNESS**		**DI**		**H**				
50NN30RDW	Wood	$ 1228	30	–	1⁹⁄₁₆	–	–	33 lbs.	2.0
50NN30RDLW	Laminate/Wood	1228	36	–	1⁹⁄₁₆	–	–	33 lbs.	2.0
36" ROUND									
50NN36RDW	Wood	$ 1446	36	–	1⁹⁄₁₆	–	–	45 lbs.	2.4
50NN36RDLW	Laminate/Wood	1446	36	–	1⁹⁄₁₆	–	–	45 lbs.	2.4
42" ROUND									
50NN42RDW	Wood	$ 1580	42	–	1⁹⁄₁₆	–	–	61 lbs.	3.2
50NN42RDLW	Laminate/Wood	1580	42	–	1⁹⁄₁₆	–	–	61 lbs.	3.2
48" ROUND									
50NN48RDW	Wood	$ 1954	48	–	1⁹⁄₁₆	–	–	79 lbs.	4.2
50NN48RDLW	Laminate/Wood	1954	48	–	1⁹⁄₁₆	–	–	79 lbs.	4.2
54" ROUND									
50NN54RDW	Wood	$ 2382	54	–	1⁹⁄₁₆	–	–	121 lbs.	6.9
50NN54RDLW	Laminate/Wood	2382	54	–	1⁹⁄₁₆	–	–	121 lbs.	6.9
60" ROUND									
50NN60RDW	Wood	$ 2625	58⅜	–	1⁹⁄₁₆	–	–	150 lbs.	8.3
50NN60RDLW	Laminate/Wood	2625	58⅜	–	1⁹⁄₁₆	–	–	150 lbs.	8.3

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH
	G10C Center	R Standard	CW Cordovan
	CUT-G15C Center	N Matte/Satin	DW Judicial
	X No Grommet		MH Mocha
			TF Truffle
50NN36RDW	X	N	DW

BARRINGTON SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
50NN3030SQW	Wood	$ 1228	30	30	1⅜	—	—	33 lbs.	2.0
50NN3030SQLW	Laminate/Wood	1228	30	30	1⅜	—	—	33 lbs.	2.0
36" SQUARE									
50NN3636SQW	Wood	$ 1446	36	36	1⅜	—	—	45 lbs.	2.4
50NN3636SQLW	Laminate/Wood	1446	36	36	1⅜	—	—	45 lbs.	2.4
42" SQUARE									
50NN4242SQW	Wood	$ 1580	42	42	1⅜	—	—	61 lbs.	3.2
50NN4242SQLW	Laminate/Wood	1580	42	42	1⅜	—	—	61 lbs.	3.2
48" SQUARE									
50NN4848SQW	Wood	$ 1954	48	48	1⅜	—	—	79 lbs.	4.2
50NN4848SQLW	Laminate/Wood	1954	48	48	1⅜	—	—	79 lbs.	4.2
54" SQUARE									
50NN5454SQW	Wood	$ 2382	54	54	1⅜	—	—	121 lbs.	6.9
50NN5454SQLW	Laminate/Wood	2382	54	54	1⅜	—	—	121 lbs.	6.9
60" SQUARE									
50NN6060SQW	Wood	$ 2625	58⅝	58⅝	1⅜	—	—	150 lbs.	8.3
50NN6060SQLW	Laminate/Wood	2625	58⅝	58⅝	1⅜	—	—	150 lbs.	8.3

BARRINGTON RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 63 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

50NN48216RTW CUT-G15A X X R DW
50NN48216RTLW CUT-G15A X X DW

BARRINGTON RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
50NN3672RTW	Wood	$ 2258	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
50NN3672RTLW	Laminate/Wood	2258	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
50NN4284RTW	Wood	$ 2663	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
50NN4284RTLW	Laminate/Wood	2663	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
50NN4896RTW	Wood	$ 3066	47¹¹⁄₁₆	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
50NN4896RTLW	Laminate/Wood	3066	47¹¹⁄₁₆	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
50NN48120RTW	Wood	$ 4188	47¹¹⁄₁₆	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
50NN48120RTLW	Laminate/Wood	4188	47¹¹⁄₁₆	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
50NN48144RTW	Wood	$ 5189	47¹¹⁄₁₆	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
50NN48144RTLW	Laminate/Wood	5189	47¹¹⁄₁₆	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
50NN48168RTW	Wood	$ 5974	47¹¹⁄₁₆	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
50NN48168RTLW	Laminate/Wood	5974	47¹¹⁄₁₆	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
50NN48192RTW	Wood	$ 6754	47¹¹⁄₁₆	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
50NN48192RTLW	Laminate/Wood	6754	47¹¹⁄₁₆	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
48" x 216"									
50NN48216RTW	Wood	$ 7534	47¹¹⁄₁₆	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
50NN48216RTLW	Laminate/Wood	7534	47¹¹⁄₁₆	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
50NN48240RTW	Wood	$ 8317	47¹¹⁄₁₆	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
50NN48240RTLW	Laminate/Wood	8317	47¹¹⁄₁₆	240	1⁹⁄₁₆	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN (wood tops only)	FINISH
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	CW Cordovan
	G10E	End	CUT-G16E	End			N Matte/Satin	DW Judicial
	G10LR	Left, Right	CUT-G16LR	Left, Right				MH Mocha
	G10A	All	CUT-G16A	All				TF Truffle
	G10CE	Center, End	CUT-G16CE	Center, End				
	CUT-G15C	Center	X	No Grommet				
	CUT-G15E	End						
	CUT-G15LR	Left, Right						
	CUT-G15A	All						
	CUT-G15CE	Center, End						
50NN48216RTW	CUT-G15A				X	X	R	DW

BARRINGTON RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜" TOP THICKNESS**								
50NN60144RTW	Wood	$ 6744	58⅜	143⅛	1⅜	—	—	412 lbs.	18.0
50NN60144RTLW	Laminate/Wood	6744	58⅜	143⅛	1⅜	—	—	412 lbs.	18.0
60" x 168"									
50NN60168RTW	Wood	$ 7764	58⅜	168	1⅜	—	—	480 lbs.	22.5
50NN60168RTLW	Laminate/Wood	7764	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
50NN60192RTW	Wood	$ 8779	58⅜	192	1⅜	—	—	539 lbs.	29.0
50NN60192RTLW	Laminate/Wood	8779	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
50NN60216RTW	Wood	$ 9797	58⅜	216	1⅜	—	—	647 lbs.	31.0
50NN60216RTLW	Laminate/Wood	9797	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
50NN60240RTW	Wood	$ 10813	58⅜	240	1⅜	—	—	706 lbs.	34.0
50NN60240RTLW	Laminate/Wood	10813	58⅜	240	1⅜	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

BARRINGTON BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 63 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W	Wood Unit
LW	Laminate Top/Wood Rim

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

50NN48216BTW G10A X X N CW
50NN48216BTLW G10A X X CW

BARRINGTON BOAT TOP



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
50NN3672BTW	Wood	$ 2437	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
50NN3672BTLW	Laminate/Wood	2437	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
50NN4284BTW	Wood	$ 2838	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
50NN4284BTLW	Laminate/Wood	2838	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
50NN4896BTW	Wood	$ 3240	47¹⁄₁₆	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
50NN4896BTLW	Laminate/Wood	3240	47¹⁄₁₆	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
50NN48120BTW	Wood	$ 4551	47¹⁄₁₆	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
50NN48120BTLW	Laminate/Wood	4551	47¹⁄₁₆	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
50NN48144BTW	Wood	$ 5540	47¹⁄₁₆	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
50NN48144BTLW	Laminate/Wood	5540	47¹⁄₁₆	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
50NN48168BTW	Wood	$ 6317	47¹⁄₁₆	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
50NN48168BTLW	Laminate/Wood	6317	47¹⁄₁₆	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
50NN48192BTW	Wood	$ 7092	47¹⁄₁₆	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
50NN48192BTLW	Laminate/Wood	7092	47¹⁄₁₆	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
48" x 216"									
50NN48216BTW	Wood	$ 7865	47¹⁄₁₆	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
50NN48216BTLW	Laminate/Wood	7865	47¹⁄₁₆	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
50NN48240BTW	Wood	$ 8638	47¹⁄₁₆	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
50NN48240BTLW	Laminate/Wood	8638	47¹⁄₁₆	240	1⁹⁄₁₆	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN (wood tops only)	FINISH
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	CW Cordovan
	G10E	End	CUT-G16E	End			N Matte/Satin	DW Judicial
	G10LR	Left, Right	CUT-G16LR	Left, Right				MH Mocha
	G10A	All	CUT-G16A	All				TF Truffle
	G10CE	Center, End	CUT-G16CE	Center, End				
	CUT-G15C	Center	X	No Grommet				
	CUT-G15E	End						
	CUT-G15LR	Left, Right						
	CUT-G15A	All						
	CUT-G15CE	Center, End						
50NN48216BTW	G10A				X	X	N	CW

BARRINGTON BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⁹⁄₁₆" TOP THICKNESS**								
50NN60144BTW	Wood	$ 7201	58⅝	143⅛	1⁹⁄₁₆	—	—	412 lbs.	18.0
50NN60144BTLW	Laminate/Wood	7201	58⅝	143⅛	1⁹⁄₁₆	—	—	412 lbs.	18.0
60" x 168"									
50NN60168BTW	Wood	$ 8213	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
50NN60168BTLW	Laminate/Wood	8213	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
60" x 192"									
50NN60192BTW	Wood	$ 9220	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
50NN60192BTLW	Laminate/Wood	9220	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
60" x 216"									
50NN60216BTW	Wood	$ 10225	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
50NN60216BTLW	Laminate/Wood	10225	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
60" x 240"									
50NN60240BTW	Wood	$ 11229	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
50NN60240BTLW	Laminate/Wood	11229	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CAPTIVATE CONFERENCE TOP SPECIFICATIONS

TOPS

- 1⅜" or 1⅛" slipmatched cherry and maple veneer or HPL (high pressure laminate)
- Mitered wood rim with two rim profile options
- Size modifications available at no upcharge; many Captivate conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. **Model Number**
2. **Rim**
3. **Grommet**
4. **Modified Depth**
5. **Modified Width**
6. **Sheen (wood models)**
7. **Finish/Laminate**

CAPTIVATE SHAPES AND SIZES



SQUARE

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

RECTANGLE

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILE

Oblique (TA)

Slide (TB)

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 16-17 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

CAPTIVATE SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 71 for options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

36N3636SQW TA X N AC
36N3636SQLW TA G10C MH

CAPTIVATE SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⁹⁄₁₆" TOP THICKNESS**								
36N3030SQ2W	Wood	$ 1639	30	30	1⁹⁄₁₆	–	–	33 lbs.	2.0
36N3030SQ2LW	Laminate/Wood	1639	30	30	1⁹⁄₁₆	–	–	33 lbs.	2.0
36" SQUARE									
36N3636SQ2W	Wood	$ 1928	36	36	1⁹⁄₁₆	–	–	45 lbs.	2.4
36N3636SQ2LW	Laminate/Wood	1928	36	36	1⁹⁄₁₆	–	–	45 lbs.	2.4
42" SQUARE									
36N4242SQ2W	Wood	$ 2078	42	42	1⁹⁄₁₆	–	–	61 lbs.	3.2
36N4242SQ2LW	Laminate/Wood	2078	42	42	1⁹⁄₁₆	–	–	61 lbs.	3.2
48" SQUARE									
36N4848SQ2W	Wood	$ 2521	48	48	1⁹⁄₁₆	–	–	79 lbs.	4.2
36N4848SQ2LW	Laminate/Wood	2521	48	48	1⁹⁄₁₆	–	–	79 lbs.	4.2
54" SQUARE									
36N5454SQ2W	Wood	$ 2760	54	54	1⁹⁄₁₆	–	–	121 lbs.	6.9
36N5454SQ2LW	Laminate/Wood	2760	54	54	1⁹⁄₁₆	–	–	121 lbs.	6.9
60" SQUARE									
36N6060SQ2W	Wood	$ 2998	58⅝	58⅝	1⁹⁄₁₆	–	–	150 lbs.	8.3
36N6060SQ2LW	Laminate/Wood	2998	58⅝	58⅝	1⁹⁄₁₆	–	–	150 lbs.	8.3

Specify selections, left to right:

BASE MODEL	RIM PROFILE	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH
	TA Oblique TB Slide	G10C Center CUT-G15C Center X No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
36N3636SQW	TA	X	N	AC

CAPTIVATE SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
36N3030SQW	Wood	$ 1538	30	30	1⅜	—	—	33 lbs.	2.0
36N3030SQLW	Laminate/Wood	1538	30	30	1⅜	—	—	33 lbs.	2.0
36" SQUARE									
36N3636SQW	Wood	$ 1809	37¼	37¼	1⅜	—	—	42 lbs.	2.4
36N3636SQLW	Laminate/Wood	1809	37¼	37¼	1⅜	—	—	42 lbs.	2.4
42" SQUARE									
36N4242SQW	Wood	$ 1957	42	42	1⅜	—	—	58 lbs.	3.2
36N4242SQLW	Laminate/Wood	1957	42	42	1⅜	—	—	58 lbs.	3.2
48" SQUARE									
36N4848SQW	Wood	$ 2403	48	48	1⅜	—	—	76 lbs.	4.2
36N4848SQLW	Laminate/Wood	2403	48	48	1⅜	—	—	76 lbs.	4.2

CAPTIVATE RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 71 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W	Wood Unit
LW	Laminate Top/Wood Rim

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

36N48216RTW TB CUT-G16LR X X R CL
36N48216RTLW TB CUT-G16LR X X AC

CAPTIVATE RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
36N3672RTW	Wood	$ 2968	35¼	71⅛	1⁹⁄₁₆	—	—	136 lbs.	6.3
36N3672RTLW	Laminate/Wood	2968	35¼	71⅛	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
36N4284RTW	Wood	$ 3341	41¼	83⅛	1⁹⁄₁₆	—	—	180 lbs.	8.3
36N4284RTLW	Laminate/Wood	3341	41¼	83⅛	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
36N4896RTW	Wood	$ 3712	47¼	95⅛	1⁹⁄₁₆	—	—	233 lbs.	10.5
36N4896RTLW	Laminate/Wood	3712	47¼	95⅛	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
36N48120RTW	Wood	$ 5128	47¼	119¼	1⁹⁄₁₆	—	—	279 lbs.	10.6
36N48120RTLW	Laminate/Wood	5128	47¼	119¼	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
36N48144RTW	Wood	$ 6345	47¼	143⅜	1⁹⁄₁₆	—	—	332 lbs.	12.5
36N48144RTLW	Laminate/Wood	6345	47¼	143⅜	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
36N48168RTW	Wood	$ 7896	47¼	167¼	1⁹⁄₁₆	—	—	385 lbs.	14.3
36N48168RTLW	Laminate/Wood	7896	47¼	167¼	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
36N48192RTW	Wood	$ 9041	47¼	191⅜	1⁹⁄₁₆	—	—	438 lbs.	16.2
36N48192RTLW	Laminate/Wood	9041	47¼	191⅜	1⁹⁄₁₆	—	—	438 lbs.	16.2
48" x 216"									
36N48216RTW	Wood	$ 10187	47¼	215⅛	1⁹⁄₁₆	—	—	524 lbs.	20.0
36N48216RTLW	Laminate/Wood	10187	47¼	215⅛	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
36N48240RTW	Wood	$ 11334	47¼	239⅛	1⁹⁄₁₆	—	—	571 lbs.	22.0
36N48240RTLW	Laminate/Wood	11334	47¼	239⅛	1⁹⁄₁₆	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

Specify selections, left to right:

BASE MODEL	RIM PROFILE	GROMMET/CUTOUT OPTION		MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN (wood tops only)	FINISH
	TA Oblique TB Slide	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End	CUT-G16C Center CUT-G16E End CUT-G16LR Left, Right CUT-G16A All CUT-G16CE Center, End X No Grommet	X No Modified Depth	X No Modified Width	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
36N48216RTW	TB	CUT-G16LR		X	X	R	CL

CAPTIVATE RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜" TOP THICKNESS**								
36N60144RTW	Wood	$ 8246	59¼	143⅛	1⅜	—	—	412 lbs.	18.0
36N60144RTLW	Laminate/Wood	8246	59¼	143⅛	1⅜	—	—	412 lbs.	18.0
60" x 168"									
36N60168RTW	Wood	$ 10264	59¼	167¼	1⅜	—	—	480 lbs.	22.5
36N60168RTLW	Laminate/Wood	10264	59¼	167¼	1⅜	—	—	480 lbs.	22.5
60" x 192"									
36N60192RTW	Wood	$ 11754	59¼	191⅜	1⅜	—	—	539 lbs.	29.0
36N60192RTLW	Laminate/Wood	11754	59¼	191⅜	1⅜	—	—	539 lbs.	29.0
60" x 216"									
36N60216RTW	Wood	$ 13244	59¼	215⅛	1⅜	—	—	647 lbs.	31.0
36N60216RTLW	Laminate/Wood	13244	59¼	215⅛	1⅜	—	—	647 lbs.	31.0
60" x 240"									
36N60240RTW	Wood	$ 14736	59¼	239⅛	1⅜	—	—	706 lbs.	34.0
36N60240RTLW	Laminate/Wood	14736	59¼	239⅛	1⅜	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CASBAH CONFERENCE TOP SPECIFICATIONS

TOPS

- 1³⁄₁₆" slipmatched cherry and maple veneer on square tops
- 1³⁄₁₆" slipmatched cherry and maple veneer on rectangle tops
- Wood rim with softened edge profile
- Recessed façade available with Reed or Flat profiles
- Reed only available on wood façade models for a 10% list upcharge
- Flat profile is available in wood finishes, Satin Nickel Metallic, Cinder or Platinum Metallic painted MDF
- Recessed façade is ¾" thick x 1½" tall and is 26⁹⁄₁₆" from bottom of façade to floor
- Size modifications available at no upcharge; many Casbah conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. **Model Number**
2. **Façade Profile (wood only)**
3. **Grommet**
4. **Modified Depth**
5. **Modified Width**
6. **Sheen**
7. **Finish**
8. **Paint Color (painted only)**

CASBAH SHAPES AND SIZES



SQUARE
42" x 42"
48" x 48"

RECTANGLE
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

FAÇADE PROFILES

FL Flat
RE Reed (+10% list upcharge)



Softened Wood Rim with Reed Façade (RE)



Softened Wood Rim with Flat Façade (FL)

PAINT COLORS (FLAT FAÇADE)

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 16-17 for grommet locations

NACG10EL (Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

CASBAH SQUARE TOPS

PRODUCT SPECIFICATIONS

- **Reed profile available on wood façade models for a 10% list upcharge**
- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 77 for options and upcharge
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 77 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W	Wood Unit
WP	Wood Unit/Painted Façade

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

38N4848SQW	RE	G10C	R	AC		
38N3672RT2W	RE	G10A	X	X	R	CW
38N48192RT2WP	CUT-G16LR	R	X	X	CL	503

CASBAH SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" SQUARE	**1 3/16" TOP THICKNESS**								
38N4242SQW	Wood Façade	$ 2034	42 1/16	42 1/16	2 11/16	—	—	104 lbs.	6.9
38N4242SQWP	Painted Façade	2034	42 1/16	42 1/16	2 11/16	—	—	104 lbs.	6.9
48" SQUARE									
38N4848SQW	Wood Façade	$ 2498	48 1/16	48 1/16	2 11/16	—	—	131 lbs.	8.7
38N4848SQWP	Painted Façade	2498	48 1/16	48 1/16	2 11/16	—	—	131 lbs.	8.7

Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	GROMMET/CUTOUT OPTION		MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN	FINISH	PAINT COLOR (painted only)
	FL Flat RE Reed	G10C Center G10E End G10LR Left, Right G10A All G10CE Center, End CUT-G15C Center CUT-G15E End CUT-G15LR Left, Right CUT-G15A All CUT-G15CE Center, End	CUT-G16C Center CUT-G16E End CUT-G16LR Left, Right CUT-G16A All CUT-G16CE Center, End X No Grommet	X No Modified Depth	X No Modified Width	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Platinum Metallic 503 Satin Nickel Metallic
38N4848SQW	RE	G10C				R	AC	

CASBAH RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
38N3672RT2W	Wood Façade	$ 3087	36⅛	71⅝	3⅛	—	—	146 lbs.	9.7
38N3672RT2WP	Painted Façade	3087	36⅛	71⅝	3⅛	—	—	146 lbs.	9.7
42" x 84"									
38N4284RT2W	Wood Façade	$ 3472	42⅛	84	3⅛	—	—	185 lbs.	12.2
38N4284RT2WP	Painted Façade	3472	42⅛	84	3⅛	—	—	185 lbs.	12.2
48" x 96"									
38N4896RT2W	Wood Façade	$ 3859	48⅛	95⅞	3⅛	—	—	247 lbs.	16.3
38N4896RT2WP	Painted Façade	3859	48⅛	95⅞	3⅛	—	—	247 lbs.	16.3
48" x 120"									
38N48120RT2W	Wood Façade	$ 5334	48⅛	120	3⅛	—	—	299 lbs.	16.3
38N48120RT2WP	Painted Façade	5334	48⅛	120	3⅛	—	—	299 lbs.	16.3
48" x 144"									
38N48144RT2W	Wood Façade	$ 6596	48⅛	143⅝	3⅛	—	—	351 lbs.	19.2
38N48144RT2WP	Painted Façade	6596	48⅛	143⅝	3⅛	—	—	351 lbs.	19.2
48" x 168"									
38N48168RT2W	Wood Façade	$ 8210	48⅛	168⅛	3⅛	—	—	404 lbs.	22.2
38N48168RT2WP	Painted Façade	8210	48⅛	168⅛	3⅛	—	—	404 lbs.	22.2
48" x 192"									
38N48192RT2W	Wood Façade	$ 9405	48⅛	192⅛	3⅛	—	—	457 lbs.	25.1
38N48192RT2WP	Painted Façade	9405	48⅛	192⅛	3⅛	—	—	457 lbs.	25.1
48" x 216"									
38N48216RT2W	Wood Façade	$ 10612	48⅛	216	3⅛	—	—	556 lbs.	21.0
38N48216RT2WP	Painted Façade	10612	48⅛	216	3⅛	—	—	556 lbs.	21.0
48" x 240"									
38N48240RT2W	Wood Façade	$ 11808	48⅛	240	3⅛	—	—	592 lbs.	24.0
38N48240RT2WP	Painted Façade	11808	48⅛	240	3⅛	—	—	592 lbs.	24.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CLEVER CONFERENCE TOP SPECIFICATIONS

TOPS

- 1⅛" slipmatched cherry and maple or bookmatched walnut veneer or 1" TFL (thermally fused laminate)
- 1⅜" slipmatched cherry and maple or bookmatched walnut veneer
- Medium density fiber board with finished knife edge profile
- Size modifications available at no upcharge; many Clever conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Sheen (wood models)**
6. **Finish/Laminate**

CLEVER SHAPES AND SIZES



ROUND
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



SQUARE
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



RECTANGLE
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



RACETRACK
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILE

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 16-17 for grommet locations



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

CLEVER ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on 1⅜" round and square tops are G10C and CUT-G15C, reference page 81 for grommet options and upcharge
- Grommet option available on 1⅛" and 1" round tops is G10C, reference page 81 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W	Wood Unit
LW	Laminate Top

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

SAMPLE MODEL NUMBERS:

CLNN36RDW	G10C	N	MH
CLNN3636SQW	X	R	CW

CLEVER ROUND TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅜" TOP THICKNESS**		**DI**		**H**				
CLNN30RDW	Wood	$ 1200	30	–	1⅜	–	–	33 lbs.	2.0
36" ROUND									
CLNN36RDW	Wood	$ 1413	36	–	1⅜	–	–	45 lbs.	2.4
42" ROUND									
CLNN42RDW	Wood	$ 1716	42	–	1⅜	–	–	61 lbs.	3.2
48" ROUND									
CLNN48RDW	Wood	$ 2019	48	–	1⅜	–	–	79 lbs.	4.2
54" ROUND									
CLNN54RDW	Wood	$ 2261	54	–	1⅜	–	–	121 lbs.	6.9
60" ROUND									
CLNN60RDW	Wood	$ 2503	58⅝	–	1⅜	–	–	150 lbs.	8.3
30" ROUND	**1⅛" TOP THICKNESS**								
CLN30RDW	Wood	$ 1097	30	–	1⅛	–	–	33 lbs.	2.0
36" ROUND									
CLN36RDW	Wood	$ 1290	36	–	1⅛	–	–	42 lbs.	2.4
42" ROUND									
CLN42RDW	Wood	$ 1595	42	–	1⅛	–	–	58 lbs.	3.2
48" ROUND									
CLN48RDW	Wood	$ 1899	48	–	1⅛	–	–	76 lbs.	4.2
30" ROUND	**1" TOP THICKNESS**								
CLN30RDLW	Laminate	$ 1029	30	–	1	–	–	33 lbs.	2.0
36" ROUND									
CLN36RDLW	Laminate	$ 1210	36	–	1	–	–	42 lbs.	2.4
42" ROUND									
CLN42RDLW	Laminate	$ 1498	42	–	1	–	–	58 lbs.	3.2
48" ROUND									
CLN48RDLW	Laminate	$ 1783	48	–	1	–	–	76 lbs.	4.2

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN (wood tops only)	FINISH
	G10C Center	R Standard	AC Autumn
	CUT-G15C Center	N Matte/Satin	CL Caramel
	X No Grommet		CW Cordovan
			DW Judicial
			HN Honey
			IM Brighton
			MC Amber
			MH Mocha
			NM Natural
			TF Truffle
CLNN36RDW	G10C	N	MH

CLEVER SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⁹⁄₁₆" TOP THICKNESS**								
CLNN3030SQW	Wood	$ 1200	30	30	1⁹⁄₁₆	—	—	33 lbs.	2.0
36" SQUARE									
CLNN3636SQW	Wood	$ 1413	36	36	1⁹⁄₁₆	—	—	45 lbs.	2.4
42" SQUARE									
CLNN4242SQW	Wood	$ 1716	42	42	1⁹⁄₁₆	—	—	61 lbs.	3.2
48" SQUARE									
CLNN4848SQW	Wood	$ 2019	48	48	1⁹⁄₁₆	—	—	79 lbs.	4.2
54" SQUARE									
CLNN5454SQW	Wood	$ 2261	54	54	1⁹⁄₁₆	—	—	121 lbs.	6.9
60" SQUARE									
CLNN6060SQW	Wood	$ 2503	58⅝	58⅝	1⁹⁄₁₆	—	—	150 lbs.	8.3

CLEVER RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 81 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBER:

CLNN48216RTW CUT-G16C X X R MH

CLEVER RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
CLNN3672RTW	Wood	$ 2196	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
CLNN4284RTW	Wood	$ 2600	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
CLNN4896RTW	Wood	$ 3007	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
CLNN48120RTW	Wood	$ 4127	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
CLNN48144RTW	Wood	$ 5127	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
CLNN48168RTW	Wood	$ 5911	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
CLNN48192RTW	Wood	$ 6692	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
48" x 216"									
CLNN48216RTW	Wood	$ 7473	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
CLNN48240RTW	Wood	$ 8255	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN	FINISH
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	AC Autumn
	G10E	End	CUT-G16E	End			N Matte/Satin	CL Caramel
	G10LR	Left, Right	CUT-G16LR	Left, Right				CW Cordovan
	G10A	All	CUT-G16A	All				DW Judicial
	G10CE	Center, End	CUT-G16CE	Center, End				HN Honey
	CUT-G15C	Center	X	No Grommet				IM Brighton
	CUT-G15E	End						MC Amber
	CUT-G15LR	Left, Right						MH Mocha
	CUT-G15A	All						NM Natural
	CUT-G15CE	Center, End						TF Truffle
CLNN48216RTW	CUT-G16C				X	X	R	MH

CLEVER RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜" TOP THICKNESS**								
CLNN60144RTW	Wood	$ 6683	58⅜	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
CLNN60168RTW	Wood	$ 7702	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
CLNN60192RTW	Wood	$ 8718	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
CLNN60216RTW	Wood	$ 9734	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
CLNN60240RTW	Wood	$ 10750	58⅜	240	1⅜	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CLEVER BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 81 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

CLNN48216BTW X X X N DW
CLNN48216BTW CUT-G16C X X R HN

CLEVER BOAT TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
CLNN3672BTW	Wood	$ 2374	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
CLNN4284BTW	Wood	$ 2778	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
CLNN4896BTW	Wood	$ 3178	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
CLNN48120BTW	Wood	$ 4490	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
CLNN48144BTW	Wood	$ 5479	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
CLNN48168BTW	Wood	$ 6258	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
CLNN48192BTW	Wood	$ 7030	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
48" x 216"									
CLNN48216BTW	Wood	$ 7804	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
CLNN48240BTW	Wood	$ 8579	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN	FINISH
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	AC Autumn
	G10E	End	CUT-G16E	End			N Matte/Satin	CL Caramel
	G10LR	Left, Right	CUT-G16LR	Left, Right				CW Cordovan
	G10A	All	CUT-G16A	All				DW Judicial
	G10CE	Center, End	CUT-G16CE	Center, End				HN Honey
	CUT-G15C	Center	X	No Grommet				IM Brighton
	CUT-G15E	End						MC Amber
	CUT-G15LR	Left, Right						MH Mocha
	CUT-G15A	All						NM Natural
	CUT-G15CE	Center, End						TF Truffle
CLNN48216BTW	X				X	X	N	DW

CLEVER BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜" TOP THICKNESS**								
CLNN60144BTW	Wood	$ 7140	58⅝	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
CLNN60168BTW	Wood	$ 8150	58⅝	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
CLNN60192BTW	Wood	$ 9157	58⅝	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
CLNN60216BTW	Wood	$ 10162	58⅝	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
CLNN60240BTW	Wood	$ 11169	58⅝	240	1⅜	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

CLEVER RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 81 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

CLNN48216RCW X N MH

CLEVER RACETRACK TOP

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
CLNN3672RCW	Wood	$ 2400	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
CLNN4284RCW	Wood	$ 2806	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
CLNN4896RCW	Wood	$ 3212	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
CLNN48120RCW	Wood	$ 4535	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
CLNN48144RCW	Wood	$ 5535	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
CLNN48168RCW	Wood	$ 6321	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
CLNN48192RCW	Wood	$ 7102	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
48" x 216"									
CLNN48216RCW	Wood	$ 7883	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
CLNN48240RCW	Wood	$ 8663	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN	FINISH
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	AC Autumn
	G10E	End	CUT-G16E	End			N Matte/Satin	CL Caramel
	G10LR	Left, Right	CUT-G16LR	Left, Right				CW Cordovan
	G10A	All	CUT-G16A	All				DW Judicial
	G10CE	Center, End	CUT-G16CE	Center, End				HN Honey
	CUT-G15C	Center	X	No Grommet				IM Brighton
	CUT-G15E	End						MC Amber
	CUT-G15LR	Left, Right						MH Mocha
	CUT-G15A	All						NM Natural
	CUT-G15CE	Center, End						TF Truffle
CLNN48216RCW	X				X	X	N	MH

CLEVER RACETRACK TOP (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⁹⁄₁₆" TOP THICKNESS**								
CLNN60144RCW	Wood	$ 7212	58⅝	144	1⁹⁄₁₆	—	—	412 lbs.	18
60" x 168"									
CLNN60168RCW	Wood	$ 8234	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
60" x 192									
CLNN60192RCW	Wood	$ 9250	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
60" x 216"									
CLNN60216RCW	Wood	$ 10266	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
60" x 240"									
CLNN60240RCW	Wood	$ 11282	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

EPIC CONFERENCE TOP SPECIFICATIONS

TOPS

- Laminate surfaces are 1⅜" or 1⅝" HPL (high pressure laminate), and feature a 3mm PVC or wood rim or a knife rim profile
- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on all sides
- Refer to page 91 for rim profiles and colors
- Size modifications available at no upcharge; many Epic conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. **Model Number**
2. **Rim Profile**
3. **PVC Rim Color (laminate models)**
4. **Grommet**
5. **Modified Depth**
6. **Modified Width**
7. **Top Sheen (wood models)**
8. **Laminate Top Color/Wood Top Finish**
9. **Wood Rim Finish (combo models)**

EPIC SHAPES AND SIZES



ROUND

30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



SQUARE

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



RECTANGLE

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

RACETRACK

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
791 Palisander
792 Sable
793 Acorn

*Not available on occasional tables

- CSL available; see page 8 for program details and upcharge

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE*

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

RIM PROFILES

PVC RIM

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

WOOD RIM

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable



Softened PVC (V) **Knife (K)** **Softened Wood (F)**

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 16-17 for grommet locations

NACG10EL (Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round tops are G10C and CUT-G15C, reference page 91 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC ROUND TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⁹⁄₁₆" TOP THICKNESS**		**DI**		**H**				
25NN30RDW	Wood	$ 1217	30⅛	–	1⁹⁄₁₆	–	–	33 lbs.	2.0
25NN30RDL	Laminate	716	30⅛	–	1⁹⁄₁₆	–	–	33 lbs.	2.0
36" ROUND									
25NN36RDW	Wood	$ 1432	36⅛	–	1⁹⁄₁₆	–	–	40 lbs.	2.4
25NN36RDL	Laminate	843	36⅛	–	1⁹⁄₁₆	–	–	40 lbs.	2.4
42" ROUND									
25NN42RDW	Wood	$ 1738	42⅛	–	1⁹⁄₁₆	–	–	61 lbs.	3.2
25NN42RDL	Laminate	1154	42⅛	–	1⁹⁄₁₆	–	–	61 lbs.	3.2
48" ROUND									
25NN48RDW	Wood	$ 2120	48⅛	–	1⁹⁄₁₆	–	–	79 lbs.	4.2
25NN48RDL	Laminate	1539	48⅛	–	1⁹⁄₁₆	–	–	79 lbs.	4.2
54" ROUND									
25NN54RDW	Wood	$ 2360	54⅛	–	1⁹⁄₁₆	–	–	121 lbs.	6.9
25NN54RDL	Laminate	1779	54⅛	–	1⁹⁄₁₆	–	–	121 lbs.	6.9
60" ROUND									
25NN60RDW	Wood	$ 2598	60⅛	–	1⁹⁄₁₆	–	–	150 lbs.	8.3
25NN60RDL	Laminate	2020	60⅛	–	1⁹⁄₁₆	–	–	150 lbs.	8.3

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color
6. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25NN36RDW	F	X	N	MC
25NN36RDL	V461	X	461	

EPIC ROUND TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅜" TOP THICKNESS**		**DI**		**H**				
25N30RDW	Wood	$ 1115	30⅛	–	1⅜	–	–	33 lbs.	2.0
25N30RDL	Laminate	613	30⅛	–	1⅜	–	–	33 lbs.	2.0
36" ROUND									
25N36RDW	Wood	$ 1311	36⅛	–	1⅜	–	–	40 lbs.	2.4
25N36RDL	Laminate	722	36⅛	–	1⅜	–	–	40 lbs.	2.4
42" ROUND									
25N42RDW	Wood	$ 1619	42⅛	–	1⅜	–	–	61 lbs.	3.2
25N42RDL	Laminate	1032	42⅛	–	1⅜	–	–	61 lbs.	3.2
48" ROUND									
25N48RDW	Wood	$ 2000	48⅛	–	1⅜	–	–	79 lbs.	4.2
25N48RDL	Laminate	1418	48⅛	–	1⅜	–	–	79 lbs.	4.2

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round tops are G10C and CUT-G15C, reference page 91 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC ROUND TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⁹⁄₁₆" TOP THICKNESS**		**DI**		**H**				
25NN30RDWK	Wood	$ 1582	30⅛	–	1⁹⁄₁₆	–	–	33 lbs.	2.0
25NN30RDLK	Laminate	931	30⅛	–	1⁹⁄₁₆	–	–	33 lbs.	2.0
36" ROUND									
25NN36RDWK	Wood	$ 1861	36⅛	–	1⁹⁄₁₆	–	–	40 lbs.	2.4
25NN36RDLK	Laminate	1095	36⅛	–	1⁹⁄₁₆	–	–	40 lbs.	2.4
42" ROUND									
25NN42RDWK	Wood	$ 2260	42⅛	–	1⁹⁄₁₆	–	–	61 lbs.	3.2
25NN42RDLK	Laminate	1498	42⅛	–	1⁹⁄₁₆	–	–	61 lbs.	3.2
48" ROUND									
25NN48RDWK	Wood	$ 2755	48⅛	–	1⁹⁄₁₆	–	–	79 lbs.	4.2
25NN48RDLK	Laminate	2000	48⅛	–	1⁹⁄₁₆	–	–	79 lbs.	4.2
54" ROUND									
25NN54RDWK	Wood	$ 3067	54⅛	–	1⁹⁄₁₆	–	–	121 lbs.	6.9
25NN54RDLK	Laminate	2314	54⅛	–	1⁹⁄₁₆	–	–	121 lbs.	6.9
60" ROUND									
25NN60RDWK	Wood	$ 3377	60⅛	–	1⁹⁄₁₆	–	–	150 lbs.	8.3
25NN60RDLK	Laminate	2627	60⅛	–	1⁹⁄₁₆	–	–	150 lbs.	8.3

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color
6. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25N36RDWK	F	X	N	MC
25N36RDLK	V461	X	461	

EPIC ROUND TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅜" TOP THICKNESS**		**DI**		**H**				
25N30RDWK	Wood	$ 1450	30⅛	–	1⅜	–	–	33 lbs.	2.0
25N30RDLK	Laminate	798	30⅛	–	1⅜	–	–	33 lbs.	2.0
36" ROUND									
25N36RDWK	Wood	$ 1706	36⅛	–	1⅜	–	–	40 lbs.	2.4
25N36RDLK	Laminate	939	36⅛	–	1⅜	–	–	40 lbs.	2.4
42" ROUND									
25N42RDWK	Wood	$ 2104	42⅛	–	1⅜	–	–	61 lbs.	3.2
25N42RDLK	Laminate	1342	42⅛	–	1⅜	–	–	61 lbs.	3.2
48" ROUND									
25N48RDWK	Wood	$ 2602	48⅛	–	1⅜	–	–	79 lbs.	4.2
25N48RDLK	Laminate	1844	48⅛	–	1⅜	–	–	79 lbs.	4.2

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 91 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅛" TOP THICKNESS**								
25NN3030SQW	Wood	$ 1217	30⅛	30⅛	1⅛	—	—	33 lbs.	2.0
25NN3030SQL	Laminate	716	30⅛	30⅛	1⅛	—	—	33 lbs.	2.0
36" SQUARE									
25NN3636SQW	Wood	$ 1432	36⅛	36⅛	1⅛	—	—	45 lbs.	3.0
25NN3636SQL	Laminate	843	36⅛	36⅛	1⅛	—	—	45 lbs.	3.0
42" SQUARE									
25NN4242SQW	Wood	$ 1738	42⅛	42⅛	1⅛	—	—	59 lbs.	3.8
25NN4242SQL	Laminate	1154	42⅛	42⅛	1⅛	—	—	59 lbs.	3.8
48" SQUARE									
25NN4848SQW	Wood	$ 2120	48⅛	48⅛	1⅛	—	—	76 lbs.	4.5
25NN4848SQL	Laminate	1539	48⅛	48⅛	1⅛	—	—	76 lbs.	4.5
54" SQUARE									
25NN5454SQW	Wood	$ 2360	54⅛	54⅛	1⅛	—	—	121 lbs.	6.9
25NN5454SQL	Laminate	1779	54⅛	54⅛	1⅛	—	—	121 lbs.	6.9
60" SQUARE									
25NN6060SQW	Wood	$ 2598	58⅜	58⅜	1⅛	—	—	150 lbs.	8.3
25NN6060SQL	Laminate	2020	58⅜	58⅜	1⅛	—	—	150 lbs.	8.3

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color
6. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25NN3636SQW	F	G10C	N	TF
25NN3636SQL	V405	G10C	405	

EPIC SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
25N3030SQW	Wood	$ 1115	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
25N3030SQL	Laminate	613	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
36" SQUARE									
25N3636SQW	Wood	$ 1311	36⅛	36⅛	1⅜	—	—	45 lbs.	3.0
25N3636SQL	Laminate	722	36⅛	36⅛	1⅜	—	—	45 lbs.	3.0
42" SQUARE									
25N4242SQW	Wood	$ 1619	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
25N4242SQL	Laminate	1032	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
48" SQUARE									
25N4848SQW	Wood	$ 2000	48⅛	48⅛	1⅜	—	—	76 lbs.	4.5
25N4848SQL	Laminate	1418	48⅛	48⅛	1⅜	—	—	76 lbs.	4.5

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 91 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC SQUARE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
25NN3030SQWK	Wood	$ 1582	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
25NN3030SQLK	Laminate	931	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
36" SQUARE									
25NN3636SQWK	Wood	$ 1861	36⅛	36⅛	1⅜	—	—	45 lbs.	3.0
25NN3636SQLK	Laminate	1095	36⅛	36⅛	1⅜	—	—	45 lbs.	3.0
42" SQUARE									
25NN4242SQWK	Wood	$ 2260	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
25NN4242SQLK	Laminate	1498	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
48" SQUARE									
25NN4848SQWK	Wood	$ 2755	48⅛	48⅛	1⅜	—	—	76 lbs.	4.5
25NN4848SQLK	Laminate	2000	48⅛	48⅛	1⅜	—	—	76 lbs.	4.5
54" SQUARE									
25NN5454SQWK	Wood	$ 3067	54⅛	54⅛	1⅜	—	—	121 lbs.	6.9
25NN5454SQLK	Laminate	2314	54⅛	54⅛	1⅜	—	—	121 lbs.	6.9
60" SQUARE									
25NN6060SQWK	Wood	$ 3377	58⅜	58⅜	1⅜	—	—	150 lbs.	8.3
25NN6060SQLK	Laminate	2627	58⅜	58⅜	1⅜	—	—	150 lbs.	8.3

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color
6. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25NN3636SQWK	F	G10C	N	TF
25NN3636SQLK	V405	G10C	405	

EPIC SQUARE TOP
KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜6" TOP THICKNESS**								
25N3030SQWK	Wood	$ 1450	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
25N3030SQLK	Laminate	798	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
36" SQUARE	**1⅜6" TOP THICKNESS**								
25N3636SQWK	Wood	$ 1706	36⅛	36⅛	1⅜	—	—	45 lbs.	3.0
25N3636SQLK	Laminate	939	36⅛	36⅛	1⅜	—	—	45 lbs.	3.0
42" SQUARE									
25N4242SQWK	Wood	$ 2104	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
25N4242SQLK	Laminate	1342	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
48" SQUARE									
25N4848SQWK	Wood	$ 2602	48⅛	48⅛	1⅜	—	—	76 lbs.	4.5
25N4848SQLK	Laminate	1844	48⅛	48⅛	1⅜	—	—	76 lbs.	4.5

EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 91 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC RECTANGLE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
25NN3672RTW	Wood	$ 2234	36	72	1⅜	—	—	136 lbs.	6.3
25NN3672RTL	Laminate	1653	36	72	1⅜	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RTW	Wood	$ 2635	42	84	1⅜	—	—	180 lbs.	8.3
25NN4284RTL	Laminate	2057	42	84	1⅜	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RTW	Wood	$ 3036	48	96	1⅜	—	—	233 lbs.	10.5
25NN4896RTL	Laminate	2465	48	96	1⅜	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RTW	Wood	$ 4147	48	120	1⅜	—	—	279 lbs.	10.6
25NN48120RTL	Laminate	3584	48	120	1⅜	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RTW	Wood	$ 5136	48	144	1⅜	—	—	332 lbs.	12.5
25NN48144RTL	Laminate	4585	48	144	1⅜	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RTW	Wood	$ 5914	48	168	1⅜	—	—	385 lbs.	14.3
25NN48168RTL	Laminate	5368	48	168	1⅜	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RTW	Wood	$ 6687	48	192	1⅜	—	—	438 lbs.	16.2
25NN48192RTL	Laminate	6150	48	192	1⅜	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25NN48216RTW	F	G10LR	X	X	N	CW
25NN48216RTL	V480	G10LR	480			

EPIC RECTANGLE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⅞" TOP THICKNESS**								
25NN48216RTW	Wood	$ 7461	48	216	1⅞	—	—	524 lbs.	20.0
25NN48216RTL	Laminate	6934	48	216	1⅞	—	—	524 lbs.	20.0
48" x 240"									
25NN48240RTW	Wood	$ 8235	48	240	1⅞	—	—	571 lbs.	22.0
25NN48240RTL	Laminate	7720	48	240	1⅞	—	—	571 lbs.	22.0
60" x 144"									
25NN60144RTW	Wood	$ 6679	58⅜	144	1⅞	—	—	412 lbs.	18.0
25NN60144RTL	Laminate	5961	58⅜	144	1⅞	—	—	412 lbs.	18.0
60" x 168"									
25NN60168RTW	Wood	$ 7688	58⅜	168	1⅞	—	—	480 lbs.	22.5
25NN60168RTL	Laminate	6980	58⅜	168	1⅞	—	—	480 lbs.	22.5
60" x 192"									
25NN60192RTW	Wood	$ 8692	58⅜	192	1⅞	—	—	539 lbs.	29.0
25NN60192RTL	Laminate	7994	58⅜	192	1⅞	—	—	539 lbs.	29.0
60" x 216"									
25NN60216RTW	Wood	$ 9700	58⅜	216	1⅞	—	—	647 lbs.	31.0
25NN60216RTL	Laminate	9016	58⅜	216	1⅞	—	—	647 lbs.	31.0
60" x 240"									
25NN60240RTW	Wood	$ 10706	58⅜	240	1⅞	—	—	706 lbs.	34.0
25NN60240RTL	Laminate	10037	58⅜	240	1⅞	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 91 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC RECTANGLE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
25NN3672RTWK	Wood	$ 2905	36	72	1⅜	—	—	136 lbs.	6.3
25NN3672RTLK	Laminate	2150	36	72	1⅜	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RTWK	Wood	$ 3426	42	84	1⅜	—	—	180 lbs.	8.3
25NN4284RTLK	Laminate	2675	42	84	1⅜	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RTWK	Wood	$ 3947	48	96	1⅜	—	—	233 lbs.	10.5
25NN4896RTLK	Laminate	3203	48	96	1⅜	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RTWK	Wood	$ 5391	48	120	1⅜	—	—	279 lbs.	10.6
25NN48120RTLK	Laminate	4661	48	120	1⅜	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RTWK	Wood	$ 6676	48	144	1⅜	—	—	332 lbs.	12.5
25NN48144RTLK	Laminate	5960	48	144	1⅜	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RTWK	Wood	$ 7687	48	168	1⅜	—	—	385 lbs.	14.3
25NN48168RTLK	Laminate	6979	48	168	1⅜	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RTWK	Wood	$ 8694	48	192	1⅜	—	—	438 lbs.	16.2
25NN48192RTLK	Laminate	7996	48	192	1⅜	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25NN3672RTWK	K	G10LR	X	N	CL
25NN3672RTLK	K425	G10LR	X	425	

EPIC RECTANGLE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⅜" TOP THICKNESS**								
25NN48216RTWK	Wood	$ 9700	48	216	1⅜	—	—	524 lbs.	20.0
25NN48216RTLK	Laminate	9016	48	216	1⅜	—	—	524 lbs.	20.0
48" x 240"									
25NN48240RTWK	Wood	$ 10706	48	240	1⅜	—	—	571 lbs.	22.0
25NN48240RTLK	Laminate	10037	48	240	1⅜	—	—	571 lbs.	22.0
60" x 144"									
25NN60144RTWK	Wood	$ 8682	58⅜	144	1⅜	—	—	412 lbs.	18.0
25NN60144RTLK	Laminate	7747	58⅜	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
25NN60168RTWK	Wood	$ 9994	58⅜	168	1⅜	—	—	480 lbs.	22.5
25NN60168RTLK	Laminate	9074	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
25NN60192RTWK	Wood	$ 11300	58⅜	192	1⅜	—	—	539 lbs.	29.0
25NN60192RTLK	Laminate	10393	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
25NN60216RTWK	Wood	$ 12610	58⅜	216	1⅜	—	—	647 lbs.	31.0
25NN60216RTLK	Laminate	11719	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
25NN60240RTWK	Wood	$ 13918	58⅜	240	1⅜	—	—	706 lbs.	34.0
25NN60240RTLK	Laminate	13047	58⅜	240	1⅜	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 91 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC BOAT TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
25NN3672BTW	Wood	$ 2412	36	72	1⅜	–	–	136 lbs.	6.3
25NN3672BTL	Laminate	1839	36	72	1⅜	–	–	136 lbs.	6.3
42" x 84"									
25NN4284BTW	Wood	$ 2809	42	84	1⅜	–	–	180 lbs.	8.3
25NN4284BTL	Laminate	2240	42	84	1⅜	–	–	180 lbs.	8.3
48" x 96"									
25NN4896BTW	Wood	$ 3206	48	96	1⅜	–	–	233 lbs.	10.5
25NN4896BTL	Laminate	2642	48	96	1⅜	–	–	233 lbs.	10.5
48" x 120"									
25NN48120BTW	Wood	$ 4506	48	120	1⅜	–	–	279 lbs.	10.6
25NN48120BTL	Laminate	3953	48	120	1⅜	–	–	279 lbs.	10.6
48" x 144"									
25NN48144BTW	Wood	$ 5485	48	144	1⅜	–	–	332 lbs.	12.5
25NN48144BTL	Laminate	4943	48	144	1⅜	–	–	332 lbs.	12.5
48" x 168"									
25NN48168BTW	Wood	$ 6254	48	168	1⅜	–	–	385 lbs.	14.3
25NN48168BTL	Laminate	5720	48	168	1⅜	–	–	385 lbs.	14.3
48" x 192"									
25NN48192BTW	Wood	$ 7022	48	192	1⅜	–	–	438 lbs.	16.2
25NN48192BTL	Laminate	6493	48	192	1⅜	–	–	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25NN3672BTW	F	G10LR	X	N	CW
25NN3672BTL	V480	G10LR	480		

EPIC BOAT TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⅜" TOP THICKNESS**								
25NN48216BTW	Wood	$ 7787	48	216	1⅜	—	—	524 lbs.	20.0
25NN48216BTL	Laminate	7256	48	216	1⅜	—	—	524 lbs.	20.0
48" x 240"									
25NN48240BTW	Wood	$ 8554	48	240	1⅜	—	—	571 lbs.	22.0
25NN48240BTL	Laminate	8040	48	240	1⅜	—	—	571 lbs.	22.0
60" x 144"									
25NN60144BTW	Wood	$ 7131	58⅜	144	1⅜	—	—	412 lbs.	18.
25NN60144BTL	Laminate	6423	58⅜	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
25NN60168BTW	Wood	$ 8131	58⅜	168	1⅜	—	—	480 lbs.	22.5
25NN60168BTL	Laminate	7435	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
25NN60192BTW	Wood	$ 9129	58⅜	192	1⅜	—	—	539 lbs.	29.0
25NN60192BTL	Laminate	8441	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
25NN60216BTW	Wood	$ 10124	58⅜	216	1⅜	—	—	647 lbs.	31.0
25NN60216BTL	Laminate	9434	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
25NN60240BTW	Wood	$ 11120	58⅜	240	1⅜	—	—	706 lbs.	34.0
25NN60240BTL	Laminate	10452	58⅜	240	1⅜	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 91 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC BOAT TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
25NN3672BTWK	Wood	$ 3135	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
25NN3672BTLK	Laminate	2392	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
25NN4284BTWK	Wood	$ 3651	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
25NN4284BTLK	Laminate	2912	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
25NN4896BTWK	Wood	$ 4168	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
25NN4896BTLK	Laminate	3435	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
25NN48120BTWK	Wood	$ 5859	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
25NN48120BTLK	Laminate	5139	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
25NN48144BTWK	Wood	$ 7131	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
25NN48144BTLK	Laminate	6424	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
25NN48168BTWK	Wood	$ 8133	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
25NN48168BTLK	Laminate	7435	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
25NN48192BTWK	Wood	$ 9129	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
25NN48192BTLK	Laminate	8441	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25NN48216BTWK	K	G10A	X	X	N	AC
25NN48216BTLK	K461	G10A	X	X	461	

EPIC BOAT TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⁹⁄₁₆" TOP THICKNESS**								
25NN48216BTWK	Wood	$ 10124	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
25NN48216BTLK	Laminate	9434	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
25NN48240BTWK	Wood	$ 11120	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
25NN48240BTLK	Laminate	10455	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
60" x 144"									
25NN60144BTWK	Wood	$ 9268	58⅝	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
25NN60144BTLK	Laminate	8350	58⅝	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
60" x 168"									
25NN60168BTWK	Wood	$ 10571	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
25NN60168BTLK	Laminate	9666	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
60" x 192"									
25NN60192BTWK	Wood	$ 11866	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
25NN60192BTLK	Laminate	10972	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
60" x 216"									
25NN60216BTWK	Wood	$ 13160	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
25NN60216BTLK	Laminate	12264	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
60" x 240"									
25NN60240BTWK	Wood	$ 14456	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
25NN60240BTLK	Laminate	13588	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 91 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC RACETRACK TOP SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
25NN3672RCW	Wood	$ 2437	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
25NN3672RCL	Laminate	1858	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RCW	Wood	$ 2838	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
25NN4284RCL	Laminate	2263	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RCW	Wood	$ 3240	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
25NN4896RCL	Laminate	2668	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RCW	Wood	$ 4551	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
25NN48120RCL	Laminate	3992	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RCW	Wood	$ 5540	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
25NN48144RCL	Laminate	4991	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RCW	Wood	$ 6318	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
25NN48168RCL	Laminate	5778	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RCW	Wood	$ 7093	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
25NN48192RCL	Laminate	6559	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25NN48216RCW	F	G10LR	X	X	N		DW
25NN48216RCL	V405	G10LR	X	X	405		

EPIC RACETRACK TOP SOFTENED RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⁹⁄₁₆" TOP THICKNESS**								
25NN48216RCW	Wood	$ 7867	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
25NN48216RCL	Laminate	7329	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
25NN48240RCW	Wood	$ 8640	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
25NN48240RCL	Laminate	8121	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
60" x 144"									
25NN60144RCW	Wood	$ 7202	58⅝	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
25NN60144RCL	Laminate	6488	58⅝	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
60" x 168"									
25NN60168RCW	Wood	$ 8214	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
25NN60168RCL	Laminate	7510	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
60" x 192"									
25NN60192RCW	Wood	$ 9221	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
25NN60192RCL	Laminate	8526	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
60" x 216"									
25NN60216RCW	Wood	$ 10225	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
25NN60216RCL	Laminate	9530	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
60" x 240"									
25NN60240RCW	Wood	$ 11230	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
25NN60240RCL	Laminate	10558	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 91 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC RACETRACK TOP KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
25NN3672RCWK	Wood	$ 3167	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
25NN3672RCLK	Laminate	2413	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RCWK	Wood	$ 3688	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
25NN4284RCLK	Laminate	2942	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RCWK	Wood	$ 4212	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
25NN4896RCLK	Laminate	3469	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RCWK	Wood	$ 5916	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
25NN48120RCLK	Laminate	5189	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RCWK	Wood	$ 7203	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
25NN48144RCLK	Laminate	6490	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RCWK	Wood	$ 8214	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
25NN48168RCLK	Laminate	7510	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RCWK	Wood	$ 9221	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
25NN48192RCLK	Laminate	8526	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

For options, see page 91

SAMPLE MODEL NUMBERS:

25NN3672RCWK	K	G10A	X	N	CW
25NN3672RCLK	K425	G10A	X	CW	

EPIC RACETRACK TOP KNIFE RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⅜" TOP THICKNESS**								
25NN48216RCWK	Wood	$ 10227	48	216	1⅜	—	—	524 lbs.	20.0
25NN48216RCLK	Laminate	9530	48	216	1⅜	—	—	524 lbs.	20.0
48" x 240"									
25NN48240RCWK	Wood	$ 11230	48	240	1⅜	—	—	571 lbs.	22.0
25NN48240RCLK	Laminate	10558	48	240	1⅜	—	—	571 lbs.	22.0
60" x 144"									
25NN60144RCWK	Wood	$ 9363	58⅜	144	1⅜	—	—	412 lbs.	18.0
25NN60144RCLK	Laminate	8436	58⅜	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
25NN60168RCWK	Wood	$ 10678	58⅜	168	1⅜	—	—	480 lbs.	22.5
25NN60168RCLK	Laminate	9764	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
25NN60192RCWK	Wood	$ 11985	58⅜	192	1⅜	—	—	539 lbs.	29.0
25NN60192RCLK	Laminate	11084	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
25NN60216RCWK	Wood	$ 13293	58⅜	216	1⅜	—	—	647 lbs.	31.0
25NN60216RCLK	Laminate	12388	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
25NN60240RCWK	Wood	$ 14601	58⅜	240	1⅜	—	—	706 lbs.	34.0
25NN60240RCLK	Laminate	13725	58⅜	240	1⅜	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

ESCALADE CONFERENCE TOP SPECIFICATIONS

TOPS

- 1⅛" slipmatched cherry or maple and bookmatched walnut veneer
- Mitered wood rim
- Size modifications available at no upcharge; many Escalade conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Sheen**
6. **Finish**

ESCALADE SHAPES AND SIZES



ROUND

30" Diameter
36" Diameter
42" Diameter
48" Diameter



SQUARE

30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



RECTANGLE

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT

36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILE

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 16-17 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

ESCALADE ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 113 for options and upcharge
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

SAMPLE MODEL NUMBERS:

ECN42RDW G10C R DW
ECN3636SQW X N MH

ESCALADE ROUND TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⁹⁄₁₆" TOP THICKNESS**		**DI**		**H**				
ECN30RDW	Wood	$ 1382	30⅛	—	1⁹⁄₁₆	—	—	33 lbs.	2.0
36" ROUND									
ECN36RDW	Wood	$ 1628	36⅛	—	1⁹⁄₁₆	—	—	45 lbs.	2.4
42" ROUND									
ECN42RDW	Wood	$ 1834	42⅛	—	1⁹⁄₁₆	—	—	74 lbs.	4.0
48" ROUND									
ECN48RDW	Wood	$ 2252	48⅛	—	1⁹⁄₁₆	—	—	94 lbs.	5.1

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION	SHEEN	FINISH
	G10C Center CUT-G15C Center X No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
ECN42RDW	G10C	R	DW

ESCALADE SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⁹⁄₁₆" TOP THICKNESS**								
ECN3030SQW	Wood	$ 1382	30⅛	30⅛	1⁹⁄₁₆	—	—	33 lbs.	2.0
36" SQUARE									
ECN3636SQW	Wood	$ 1628	36⅛	36⅛	1⁹⁄₁₆	—	—	45 lbs.	2.4
42" SQUARE									
ECN4242SQW	Wood	$ 1834	42⅛	42⅛	1⁹⁄₁₆	—	—	61 lbs.	3.2
48" SQUARE									
ECN4848SQW	Wood	$ 2252	48⅛	48⅛	1⁹⁄₁₆	—	—	79 lbs.	4.2
54" SQUARE									
ECN5454SQW	Wood	$ 2490	54⅛	54⅛	1⁹⁄₁₆	—	—	121 lbs.	6.9
60" SQUARE									
ECN6060SQW	Wood	$ 2728	60⅛	60⅛	1⁹⁄₁₆	—	—	150 lbs.	8.3

ESCALADE RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 113 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

ECN3672RTW	X	X	N	MH	
ECN60144RTW	CUT-G15A	X	X	N	CL

ESCALADE RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
ECN3672RTW	Wood	$ 2786	35¼	71⁹⁄₁₆	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
ECN4284RTW	Wood	$ 3123	42⅛	84⅜	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
ECN4896RTW	Wood	$ 3458	47¼	95⅛	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
ECN48120RTW	Wood	$ 4747	47¼	119¼	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
ECN48144RTW	Wood	$ 5894	47¼	143⅜	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
ECN48168RTW	Wood	$ 7278	47¼	167¼	1⁹⁄₁₆	—	—	385 lbs.	14.4
48" x 192"									
ECN48192RTW	Wood	$ 8243	47¼	191¼	1⁹⁄₁₆	—	—	438 lbs.	16.3
48" x 216"									
ECN48216RTW	Wood	$ 9209	47¼	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
ECN48240RTW	Wood	$ 10175	47¼	240	1⁹⁄₁₆	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN	FINISH
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	AC Autumn
	G10E	End	CUT-G16E	End			N Matte/Satin	CL Caramel
	G10LR	Left, Right	CUT-G16LR	Left, Right				CW Cordovan
	G10A	All	CUT-G16A	All				DW Judicial
	G10CE	Center, End	CUT-G16CE	Center, End				HN Honey
	CUT-G15C	Center	X	No Grommet				IM Brighton
	CUT-G15E	End						MC Amber
	CUT-G15LR	Left, Right						MH Mocha
	CUT-G15A	All						NM Natural
	CUT-G15CE	Center, End						TF Truffle
ECN3672RTW	X				X	X	N	MH

ESCALADE RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜" TOP THICKNESS**								
ECN60144RTW	Wood	$ 7662	58⅝	143½	1⅜	—	—	412 lbs.	18.0
60" x 168"									
ECN60168RTW	Wood	$ 9461	58⅝	167¼	1⅜	—	—	480 lbs.	22.5
60" x 192"									
ECN60192RTW	Wood	$ 10715	58⅝	191¼	1⅜	—	—	539 lbs.	29.0
60" x 216"									
ECN60216RTW	Wood	$ 11972	58⅝	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
ECN60240RTW	Wood	$ 13228	58⅝	240	1⅜	—	—	706 lbs.	34.0

• Modified depth and width are available; refer to the chart on page 14 for conference top sizing

ESCALADE BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 113 for options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

ECN3672BTW X X N MH
ECN60144BTW CUT-G15A X X N NM

ESCALADE BOAT TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
ECN3672BTW	Wood	$ 2982	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
ECN4284BTW	Wood	$ 3341	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
ECN4896BTW	Wood	$ 3701	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
ECN48120BTW	Wood	$ 5080	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
ECN48144BTW	Wood	$ 6308	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
ECN48168BTW	Wood	$ 7787	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
ECN48192BTW	Wood	$ 8818	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
48" x 216"									
ECN48216BTW	Wood	$ 9853	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
ECN48240BTW	Wood	$ 10888	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

Specify selections, left to right:

BASE MODEL	GROMMET/CUTOUT OPTION				MODIFIED DEPTH (see page 14 for available sizes)	MODIFIED WIDTH (see page 14 for available sizes)	SHEEN	FINISH
	G10C	Center	CUT-G16C	Center	X No Modified Depth	X No Modified Width	R Standard	AC Autumn
	G10E	End	CUT-G16E	End			N Matte/Satin	CL Caramel
	G10LR	Left, Right	CUT-G16LR	Left, Right				CW Cordovan
	G10A	All	CUT-G16A	All				DW Judicial
	G10CE	Center, End	CUT-G16CE	Center, End				HN Honey
	CUT-G15C	Center	X	No Grommet				IM Brighton
	CUT-G15E	End						MC Amber
	CUT-G15LR	Left, Right						MH Mocha
	CUT-G15A	All						NM Natural
	CUT-G15CE	Center, End						TF Truffle
ECN3672BTW	X				X	X	N	MH

ESCALADE BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜" TOP THICKNESS**								
ECN60144BTW	Wood	$ 8199	58⅜	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
ECN60168BTW	Wood	$ 10123	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
ECN60192BTW	Wood	$ 11466	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
ECN60216BTW	Wood	$ 12810	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
ECN60240BTW	Wood	$ 14152	58⅜	240	1⅜	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing

FLOURISH CONFERENCE TOP SPECIFICATIONS

TOPS

- 1⅛" slipmatched cherry and maple veneer or 1" TFL (thermally fused laminate)
- Medium density fiberboard with profiled rim profile
- Grain direction runs left-to-right unless otherwise noted

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution

TO ORDER, SPECIFY:

1. **Model Number**
2. **Rim**
3. **Grommet**
4. **Sheen (wood models)**
5. **Finish/Laminate**

FLOURISH SHAPES AND SIZES



ROUND

42" Diameter

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

RIM PROFILES

Fluted (TC)

Eased (TD)

GROMMET OPTIONS

Conference table tops are available with grommet options to accommodate electrical and data management solutions. If no grommet is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C Center

- Reference pages 16-17 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

FLOURISH ROUND TOPS

PRODUCT SPECIFICATIONS

- Grommet option available is G10C, reference page 121 for grommet options and upcharge
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W Wood Unit
LW Laminate Top

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

SAMPLE MODEL NUMBER:

19N42RDW G10C R TD AC

FLOURISH ROUND TOP

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" ROUND	**1 1/16" TOP THICKNESS**		**DI**		**H**				
19N42RDW	Wood	$ 906	42	—	1 1/16	—	—	54 lbs.	3.2
42" ROUND	**1" TOP THICKNESS**								
19N42RDLW	TFL	$ 805	42	—	1	—	—	54 lbs.	3.2

Specify selections, left to right:

BASE MODEL	RIM PROFILE	GROMMET OPTION	SHEEN	FINISH
	TC Fluted TD Eased	G10C Center X No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
19N42RDW	TD	G10C	R	AC

UNIVERSAL CONFERENCE TOP SPECIFICATIONS

CP TOPS

- 1⅜" or 1⅝" HPL (high pressure laminate)
- HPL flat rim profile

CCW TOPS

- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), or plain sliced bookmatched walnut veneer (Cordovan, Judicial)
- Veneer surfaces feature wood rim with five profile options
- Laminate/wood models are 1⅜" or 1⅝" HPL (high pressure laminate) that feature wood rim with five profile options

CORIAN SOLID SURFACE TOPS

- 1½" Corian solid surface
- Knife rim profile
- Grommet cutouts not available
- Available in standard or matte/satin sheen

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER CP TOPS, SPECIFY:

1. **Model Number**
2. **Grommet**
3. **Laminate**

TO ORDER CCW TOPS, SPECIFY:

1. **Model Number**
2. **Rim**
3. **Grommet**
4. **Sheen (wood models)**
5. **Laminate Top Color/Wood Top Finish**
6. **Rim Finish (laminate/wood models)**

TO ORDER SOLID SURFACE TOPS, SPECIFY:

1. **Model Number**
2. **Sheen**
3. **Solid Surface Color**

UNIVERSAL SHAPES AND SIZES



ROUND
24" Diameter (solid surface only)
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



SQUARE
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



SOFT SQUARE
(solid surface only)
24" x 24"
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

RECTANGLE
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

RACETRACK
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile: Self (J) for CCW, Flat (E) for CP

Grommet not included

Sheen: Standard

Laminate/Finish: Must specify Honey (HN), Amber (MC) or Cordovan (CW)

CP TOP OPTIONS

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

CP RIM PROFILE

Flat (E)

CCW TOP OPTIONS

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

WOOD RIM

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

CCW RIM PROFILES

Radius (A)

Reed (M)

Bullnose (D)

Softened (F)

Self (J)
(all wood models only)

SOLID SURFACE TOP OPTIONS

CORIAN COLORS

7101 Bisque (Grade A)
7201 Glacier White (Grade A)
7301 Concrete (Grade C)
7302 Deep Night Sky (Grade C)

CORIAN RIM PROFILE

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End

- Reference pages 16-17 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

UNIVERSAL ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round tops are G10C and CUT-G15C, reference page 127 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

SAMPLE MODEL NUMBERS:

CCW36RD2W	D	G10C	N	NM
CCW60RD2LW	F	G10C	805	CL
CP-54E	G10C	461		

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

UNIVERSAL ROUND TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⁹⁄₁₆" TOP THICKNESS**		**DI**		**H**				
CCW30RD2W	Wood-J Rim	$ 625	30	—	1⁹⁄₁₆	—	—	33 lbs.	2.0
CCW30RD2W	Wood-A,M,D,F Rim	1097	30	—	1⁹⁄₁₆	—	—	33 lbs.	2.0
CCW30RD2LW	Laminate/Wood-A,M,D,F Rim	1097	30	—	1⁹⁄₁₆	—	—	33 lbs.	2.0
CP-30E	Laminate-E Rim	359	30	—	1⁹⁄₁₆	—	—	33 lbs.	2.0
36" ROUND									
CCW36RD2W	Wood-J Rim	$ 735	36	—	1⁹⁄₁₆	—	—	56 lbs.	3.1
CCW36RD2W	Wood-A,M,D,F Rim	1290	36	—	1⁹⁄₁₆	—	—	56 lbs.	3.1
CCW36RD2LW	Laminate/Wood-A,M,D,F Rim	1290	36	—	1⁹⁄₁₆	—	—	56 lbs.	3.1
CP-36E	Laminate-E Rim	422	36	—	1⁹⁄₁₆	—	—	56 lbs.	3.1
42" ROUND									
QCCW42RD2W	Wood-J Rim	$ 894	42	—	1⁹⁄₁₆	—	—	74 lbs.	4.0
CCW42RD2W	Wood-J Rim	894	42	—	1⁹⁄₁₆	—	—	74 lbs.	4.0
CCW42RD2W	Wood-A,M,D,F Rim	1595	42	—	1⁹⁄₁₆	—	—	74 lbs.	4.0
CCW42RD2LW	Laminate/Wood-A,M,D,F Rim	1595	42	—	1⁹⁄₁₆	—	—	74 lbs.	4.0
QCP-42E	Laminate-E Rim	486	42	—	1⁹⁄₁₆	—	—	74 lbs.	4.0
CP-42E	Laminate-E Rim	486	42	—	1⁹⁄₁₆	—	—	74 lbs.	4.0
48" ROUND									
CCW48RD2W	Wood-J Rim	$ 1135	48	—	1⁹⁄₁₆	—	—	94 lbs.	5.1
CCW48RD2W	Wood-A,M,D,F Rim	1973	48	—	1⁹⁄₁₆	—	—	94 lbs.	5.1
CCW48RD2LW	Laminate/Wood-A,M,D,F Rim	1973	48	—	1⁹⁄₁₆	—	—	94 lbs.	5.1
CP-48E	Laminate-E Rim	556	48	—	1⁹⁄₁₆	—	—	79 lbs.	4.2
54" ROUND									
CCW54RD2W	Wood-J Rim	$ 1378	54	—	1⁹⁄₁₆	—	—	121 lbs.	6.9
CCW54RD2W	Wood-A,M,D,F Rim	2215	54	—	1⁹⁄₁₆	—	—	121 lbs.	6.9
CCW54RD2LW	Laminate/Wood-A,M,D,F Rim	2215	54	—	1⁹⁄₁₆	—	—	121 lbs.	6.9
CP-54E	Laminate-E Rim	798	54	—	1⁹⁄₁₆	—	—	121 lbs.	6.9
60" ROUND									
CCW60RD2W	Wood-J Rim	$ 1618	58⅝	—	1⁹⁄₁₆	—	—	150 lbs.	8.3
CCW60RD2W	Wood-A,M,D,F Rim	2454	58⅝	—	1⁹⁄₁₆	—	—	150 lbs.	8.3
CCW60RD2LW	Laminate/Wood-A,M,D,F Rim	2454	58⅝	—	1⁹⁄₁₆	—	—	150 lbs.	8.3
CP-60E	Laminate-E Rim	1039	58⅝	—	1⁹⁄₁₆	—	—	150 lbs.	8.3

Specify selections, left to right:

BASE MODEL

CCW36RD2W

RIM PROFILE (CCW only)

- A Radius
- D Bullnose
- F Softened
- M Reed
- J Self (wood only)

D

GROMMET/CUTOUT OPTION

- G10C Center
- CUT-G15C Center
- X No Grommet

G10C

SHEEN (wood tops only)

- R Standard
- N Matte/Satin

N

FINISH (wood tops only)

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

NM

LAMINATE (laminate or laminate/wood only)

- AC2 Autumn 2
- AD Almond*
- CL Caramel
- CW Cordovan
- DW Judicial
- HN2 Honey 2
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- PB Portobello*
- PT Portico*
- SK Skyline*
- SM Sonoma*
- TF Truffle
- 405 Designer White
- 417 Mojave
- 418 Mouse
- 419 Wallaby
- 425 Shadow
- 440 Cloud
- 461 Graphite
- 462 Cinder
- 478 Platinum Grey
- 488 Frosty White
- 491 Designer White Linear
- 492 Cinder Linear
- 791 Palisander*
- 792 Sable*
- 793 Acorn*
- 809 Tungsten Evolv**
- 814 White Tigris**
- 818 Crisp Linen**
- 819 Flax Gauze**
- 820 Paloma Bisque**
- 821 Elemental Concrete**
- 822 Smoke Quarstone**
- 874 Bronze Legacy**

RIM FINISH (laminate/wood only)

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

*Only available on laminate models
**Only available on laminate/wood models

UNIVERSAL ROUND TOP

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1³⁄₁₆" TOP THICKNESS**		DI		H				
CCW30WSRNW	Wood-J Rim	$ 574	30	–	1³⁄₁₆	–	–	33 lbs.	2.0
CP-WS30E	Laminate-E Rim	307	30	–	1³⁄₁₆	–	–	33 lbs.	2.0
36" ROUND									
CCW36WSRNW	Wood-J Rim	$ 675	36	–	1³⁄₁₆	–	–	42 lbs.	2.4
CP-WS36E	Laminate-E Rim	362	36	–	1³⁄₁₆	–	–	42 lbs.	2.4
42" ROUND									
CCW42WSRNW	Wood-J Rim	$ 834	42	–	1³⁄₁₆	–	–	58 lbs.	3.2
CP-WS42E	Laminate-E Rim	425	42	–	1³⁄₁₆	–	–	58 lbs.	3.2
48" ROUND									
CCW48WSRNW	Wood-J Rim	$ 1076	48	–	1³⁄₁₆	–	–	76 lbs.	4.2
CP-WS48E	Laminate-E Rim	496	48	–	1³⁄₁₆	–	–	76 lbs.	4.2

UNIVERSAL CORIAN ROUND TOP



		GRADE A	GRADE C	DI		H				
24" ROUND	**1½" TOP THICKNESS**									
10N24RDS	Corian Solid Surface	$ 1515	$ 1747	24	–	1½	–	–	26 lbs.	1.3
30" ROUND										
10N30RDS	Corian Solid Surface	$ 1936	$ 2299	30	–	1½	–	–	41 lbs.	1.9
36" ROUND										
10N36RDS	Corian Solid Surface	$ 2413	$ 2935	36	–	1½	–	–	59 lbs.	2.7
42" ROUND										
10N42RDS	Corian Solid Surface	$ 2945	$ 3656	42	–	1½	–	–	80 lbs.	3.5
48" ROUND										
10N48RDS	Corian Solid Surface	$ 3556	$ 4484	48	–	1½	–	–	105 lbs.	4.5
54" ROUND										
10N54RDS	Corian Solid Surface	$ 4194	$ 5369	54	–	1½	–	–	133 lbs.	5.7
60" ROUND										
10N60RDS	Corian Solid Surface	$ 4890	$ 6340	58⅝	–	1½	–	–	165 lbs.	6.9

- Grommet cutout not available on Corian solid surface tops
- Available in 7101 Bisque (Grade A), 7201 Glacier White (Grade A), 7301 Concrete (Grade C), or 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen
- Not intended for use with adjustable height bases

UNIVERSAL SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 127 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

CCW5454SQW	A	X	R	CW
CCW5454SQLW	M	X	461	CL
CP-SQ54E	G10C	461		

UNIVERSAL SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⁹⁄₁₆" TOP THICKNESS**								
CCW3030SQW	Wood-J Rim	$ 625	30	30	1⁹⁄₁₆	—	—	33 lbs.	2.0
CCW3030SQW	Wood-A,M,D,F Rim	1097	30	30	1⁹⁄₁₆	—	—	33 lbs.	2.0
CCW3030SQLW	Laminate/Wood-A,M,D,F Rim	1097	30	30	1⁹⁄₁₆	—	—	33 lbs.	2.0
CP-SQ30E	Laminate-E Rim	359	30	30	1⁹⁄₁₆	—	—	33 lbs.	2.0
36" SQUARE									
CCW3636SQW	Wood-J Rim	$ 735	36	36	1⁹⁄₁₆	—	—	45 lbs.	2.4
CCW3636SQW	Wood-A,M,D,F Rim	1290	36	36	1⁹⁄₁₆	—	—	45 lbs.	2.4
CCW3636SQLW	Laminate/Wood-A,M,D,F Rim	1290	36	36	1⁹⁄₁₆	—	—	45 lbs.	2.4
CP-SQ36E	Laminate-E Rim	422	36	36	1⁹⁄₁₆	—	—	45 lbs.	2.4
42" SQUARE									
CCW4242SQW	Wood-J Rim	$ 894	42	42	1⁹⁄₁₆	—	—	61 lbs.	3.2
CCW4242SQW	Wood-A,M,D,F Rim	1595	42	42	1⁹⁄₁₆	—	—	61 lbs.	3.2
CCW4242SQLW	Laminate/Wood-A,M,D,F Rim	1595	42	42	1⁹⁄₁₆	—	—	61 lbs.	3.2
CP-SQ42E	Laminate-E Rim	486	42	42	1⁹⁄₁₆	—	—	61 lbs.	3.2
48" SQUARE									
CCW4848SQW	Wood-J Rim	$ 1135	48	48	1⁹⁄₁₆	—	—	79 lbs.	4.2
CCW4848SQW	Wood-A,M,D,F Rim	1973	48	48	1⁹⁄₁₆	—	—	79 lbs.	4.2
CCW4848SQLW	Laminate/Wood-A,M,D,F Rim	1973	48	48	1⁹⁄₁₆	—	—	79 lbs.	4.2
CP-SQ48E	Laminate-E Rim	556	48	48	1⁹⁄₁₆	—	—	79 lbs.	4.2
54" SQUARE									
CCW5454SQW	Wood-J Rim	$ 1378	54	54	1⁹⁄₁₆	—	—	121 lbs.	6.9
CCW5454SQW	Wood-A,M,D,F Rim	2215	54	54	1⁹⁄₁₆	—	—	121 lbs.	6.9
CCW5454SQLW	Laminate/Wood-A,M,D,F Rim	2215	54	54	1⁹⁄₁₆	—	—	121 lbs.	6.9
CP-SQ54E	Laminate-E Rim	798	54	54	1⁹⁄₁₆	—	—	121 lbs.	6.9
60" SQUARE									
CCW6060SQW	Wood-J Rim	$ 1618	58⅝	58⅝	1⁹⁄₁₆	—	—	150 lbs.	8.3
CCW6060SQW	Wood-A,M,D,F Rim	2454	58⅝	58⅝	1⁹⁄₁₆	—	—	150 lbs.	8.3
CCW6060SQLW	Laminate/Wood-A,M,D,F Rim	2454	58⅝	58⅝	1⁹⁄₁₆	—	—	150 lbs.	8.3
CP-SQ60E	Laminate-E Rim	1039	58⅝	58⅝	1⁹⁄₁₆	—	—	121 lbs.	6.9

Specify selections, left to right:

BASE MODEL

CCW5454SQW

RIM PROFILE (CCW only)

- A Radius
- D Bullnose
- F Softened
- M Reed
- J Self (wood only)

A

GROMMET/CUTOUT OPTION

- G10C Center
- CUT-G15C Center
- X No Grommet

X

SHEEN (wood tops only)

- R Standard
- N Matte/Satin

R

FINISH (wood tops only)

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

CW

LAMINATE (laminate or laminate/wood only)

- AC2 Autumn 2
- AD Almond*
- CL Caramel
- CW Cordovan
- DW Judicial
- HN2 Honey 2
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- PB Portobello*
- PT Portico*
- SK Skyline*
- SM Sonoma*
- TF Truffle
- 405 Designer White
- 417 Mojave
- 418 Mouse
- 419 Wallaby
- 425 Shadow
- 440 Cloud
- 461 Graphite
- 462 Cinder
- 478 Platinum Grey
- 488 Frosty White
- 491 Designer White Linear
- 492 Cinder Linear
- 791 Palisander*
- 792 Sable*
- 793 Acorn*
- 809 Tungsten Evolv**
- 814 White Tigris**
- 818 Crisp Linen**
- 819 Flax Gauze**
- 820 Paloma Bisque**
- 821 Elemental Concrete**
- 822 Smoke Quarstone**
- 874 Bronze Legacy**

RIM FINISH (laminate/wood only)

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

*Only available on laminate models
**Only available on laminate/wood models

UNIVERSAL SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1³⁄₁₆" TOP THICKNESS**								
CCW3030WSSQW	Wood-J Rim	$ 574	30	30	1³⁄₁₆	—	—	33 lbs.	2.0
CP-WSSQ30E	Laminate-E Rim	307	30	30	1³⁄₁₆	—	—	33 lbs.	2.0
36" SQUARE									
CCW3636WSSQW	Wood-J Rim	$ 675	36	36	1³⁄₁₆	—	—	42 lbs.	2.4
CP-WSSQ36E	Laminate-E Rim	362	36	36	1³⁄₁₆	—	—	42 lbs.	2.4
42" SQUARE									
CCW4242WSSQW	Wood-J Rim	$ 834	42	42	1³⁄₁₆	—	—	58 lbs.	3.2
CP-WSSQ42E	Laminate-E Rim	425	42	42	1³⁄₁₆	—	—	58 lbs.	3.2
48" SQUARE									
CCW4848WSSQW	Wood-J Rim	$ 1076	48	48	1³⁄₁₆	—	—	76 lbs.	4.2
CP-WSSQ48E	Laminate-E Rim	496	48	48	1³⁄₁₆	—	—	76 lbs.	4.2

UNIVERSAL CORIAN SOFT SQUARE TOP



		GRADE A	GRADE C						
24" SOFT SQUARE	**1½" TOP THICKNESS**								
10N2424SSQS	Corian Solid Surface	$ 1515	$ 1747	24	24	1½	—	—	38 lbs.	1.3
30" SOFT SQUARE									
10N3030SSQS	Corian Solid Surface	$ 1936	$ 2299	30	30	1½	—	—	57 lbs.	1.9
36" SOFT SQUARE									
10N3636SSQS	Corian Solid Surface	$ 2413	$ 2935	36	36	1½	—	—	79 lbs.	2.7
42" SOFT SQUARE									
10N4242SSQS	Corian Solid Surface	$ 2945	$ 3656	42	42	1½	—	—	105 lbs.	3.5
48" SOFT SQUARE									
10N4848SSQS	Corian Solid Surface	$ 3556	$ 4484	48	48	1½	—	—	135 lbs.	4.5
54" SOFT SQUARE									
10N5454SSQS	Corian Solid Surface	$ 4194	$ 5369	54	54	1½	—	—	169 lbs.	5.6
60" SOFT SQUARE									
10N6060SSQS	Corian Solid Surface	$ 4890	$ 6340	58⅝	58⅝	1½	—	—	206 lbs.	6.9

- Grommet cutout not available on Corian solid surface tops
- Available in 7101 Bisque (Grade A), 7201 Glacier White (Grade A), 7301 Concrete (Grade C), or 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen
- Not intended for use with adjustable height bases

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

CCW48144RT2W	J	CUT-G15LR	R	DW
CCW48144RT2LW	M	CUT-G15CE	CW	CW

UNIVERSAL RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
CCW3672RT2W	Wood-J Rim	$ 1511	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
CCW3672RT2W	Wood-A,M,D,F Rim	2086	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
CCW3672RT2LW	Laminate/Wood-A,M,D,F Rim	2086	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
CP-S72E	Laminate-E Rim	587	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
CCW4284RT2W	Wood-J Rim	$ 1800	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
CCW4284RT2W	Wood-A,M,D,F Rim	2483	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
CCW4284RT2LW	Laminate/Wood-A,M,D,F Rim	2483	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
CP-S84E	Laminate-E Rim	665	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
CCW4896RT2W	Wood-J Rim	$ 2088	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
CCW4896RT2W	Wood-A,M,D,F Rim	2884	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
CCW4896RT2LW	Laminate/Wood-A,M,D,F Rim	2884	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
CP-S96E	Laminate-E Rim	743	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
CCW48120RT2W	Wood-J Rim	$ 2886	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
CCW48120RT2W	Wood-A,M,D,F Rim	3982	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
CCW48120RT2LW	Laminate/Wood-A,M,D,F Rim	3982	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
CP-S120E	Laminate-E Rim	1066	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
CCW48144RT2W	Wood-J Rim	$ 3598	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
CCW48144RT2W	Wood-A,M,D,F Rim	4963	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
CCW48144RT2LW	Laminate/Wood-A,M,D,F Rim	4963	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
CP-S144E	Laminate-E Rim	1282	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5

Specify selections, left to right:

BASE MODEL

CCW48144RT2W

RIM PROFILE (CCW only)

A	Radius
D	Bullnose
F	Softened
M	Reed
J	Self (wood only)

J

GROMMET/CUTOUT OPTION

G10C	Center	CUT-G16C	Center
G10E	End	CUT-G16E	End
G10LR	Left, Right	CUT-G16LR	Left, Right
G10A	All	CUT-G16A	All
G10CE	Center, End	CUT-G16CE	Center, End
CUT-G15C	Center	X	No Grommet
CUT-G15E	End		
CUT-G15LR	Left, Right		
CUT-G15A	All		
CUT-G15CE	Center, End		

CUT-G15LR

SHEEN (wood tops only)

R	Standard
N	Matte/Satin

R

FINISH (wood tops only)

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

DW

LAMINATE (laminate or laminate/wood only)

AC2	Autumn 2	425	Shadow
AD	Almond*	440	Cloud
CL	Caramel	461	Graphite
CW	Cordovan	462	Cinder
DW	Judicial	478	Platinum Grey
HN2	Honey 2	488	Frosty White
IM	Brighton	491	Designer White Linear
MC	Amber	492	Cinder Linear
MH	Mocha	791	Palisander*
NM	Natural	792	Sable*
PB	Portobello*	793	Acorn*
PT	Portico*	809	Tungsten Evolv**
SK	Skyline*	814	White Tigris**
SM	Sonoma*	818	Crisp Linen**
TF	Truffle	819	Flax Gauze**
405	Des. White	820	Paloma Bisque**
417	Mojave	821	Elemental Concrete**
418	Mouse	822	Smoke Quarstone**
419	Wallaby	874	Bronze Legacy**

RIM FINISH (laminate/wood only)

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

*Only available on laminate models
**Only available on laminate/wood models

UNIVERSAL RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 168"	**1⅜" TOP THICKNESS**								
CCW48168RT2W	Wood-J Rim	$ 4127	48	168	1⅜	—	—	385 lbs.	14.4
CCW48168RT2W	Wood-A,M,D,F Rim	5732	48	168	1⅜	—	—	385 lbs.	14.4
CCW48168RT2LW	Laminate/Wood-A,M,D,F Rim	5732	48	168	1⅜	—	—	385 lbs.	14.4
CP-S168E	Laminate-E Rim	1705	48	168	1⅜	—	—	385 lbs.	14.4
48" x 192"									
CCW48192RT2W	Wood-J Rim	$ 4678	48	192	1⅜	—	—	438 lbs.	16.3
CCW48192RT2W	Wood-A,M,D,F Rim	6499	48	192	1⅜	—	—	438 lbs.	16.3
CCW48192RT2LW	Laminate/Wood-A,M,D,F Rim	6499	48	192	1⅜	—	—	438 lbs.	16.3
CP-S192E	Laminate-E Rim	2127	48	192	1⅜	—	—	438 lbs.	16.3
48" x 216"									
CCW48216RT2W	Wood-J Rim	$ 5342	48	216	1⅜	—	—	524 lbs.	20.0
CCW48216RT2W	Wood-A,M,D,F Rim	7415	48	216	1⅜	—	—	524 lbs.	20.0
CCW48216RT2LW	Laminate/Wood-A,M,D,F Rim	7415	48	216	1⅜	—	—	524 lbs.	20.0
CP-S216E	Laminate-E Rim	2549	48	216	1⅜	—	—	524 lbs.	20.0
48" x 240"									
CCW48240RT2W	Wood-J Rim	$ 6005	48	240	1⅜	—	—	571 lbs.	22.0
CCW48240RT2W	Wood-A,M,D,F Rim	8195	48	240	1⅜	—	—	571 lbs.	22.0
CCW48240RT2LW	Laminate/Wood-A,M,D,F Rim	8195	48	240	1⅜	—	—	571 lbs.	22.0
CP-S240E	Laminate-E Rim	2972	48	240	1⅜	—	—	571 lbs.	22.0

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

CCW60216RT2W F CUT-G16A N DW
CCW60216RT2LW F CUT-G16A 802 MH

UNIVERSAL RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⁹⁄₁₆" TOP THICKNESS**								
CCW60144RT2W	Wood-J Rim	$ 5036	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
CCW60144RT2W	Wood-A,M,D,F Rim	6623	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
CCW60144RT2LW	Laminate/Wood-A,M,D,F Rim	6623	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
CP-S60144E	Laminate-E Rim	1667	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
60" x 168"									
CCW60168RT2W	Wood-J Rim	$ 5778	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
CCW60168RT2W	Wood-A,M,D,F Rim	7644	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
CCW60168RT2LW	Laminate/Wood-A,M,D,F Rim	7644	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
CP-S60168E	Laminate-E Rim	2217	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
60" x 192"									
CCW60192RT2W	Wood-J Rim	$ 6551	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
CCW60192RT2W	Wood-A,M,D,F Rim	8658	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
CCW60192RT2LW	Laminate/Wood-A,M,D,F Rim	8658	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
CP-S60192E	Laminate-E Rim	2766	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
60" x 216"									
CCW60216RT2W	Wood-J Rim	$ 7478	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
CCW60216RT2W	Wood-A,M,D,F Rim	9675	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
CCW60216RT2LW	Laminate/Wood-A,M,D,F Rim	9675	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
CP-S60216E	Laminate-E Rim	3314	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
60" x 240"									
CCW60240RT2W	Wood-J Rim	$ 8408	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
CCW60240RT2W	Wood-A,M,D,F Rim	10689	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
CCW60240RT2LW	Laminate/Wood-A,M,D,F Rim	10689	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
CP-S60240E	Laminate-E Rim	3861	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0

Specify selections, left to right:

BASE MODEL

CCW60216RT2W

RIM PROFILE (CCW only)

- A Radius
- D Bullnose
- F Softened
- M Reed
- J Self (wood only)

F

GROMMET/CUTOUT OPTION

G10C	Center	CUT-G16C	Center
G10E	End	CUT-G16E	End
G10LR	Left, Right	CUT-G16LR	Left, Right
G10A	All	CUT-G16A	All
G10CE	Center, End	CUT-G16CE	Center, End
CUT-G15C	Center	X	No Grommet
CUT-G15E	End		
CUT-G15LR	Left, Right		
CUT-G15A	All		
CUT-G15CE	Center, End		

CUT-G16A

SHEEN (wood tops only)

- R Standard
- N Matte/Satin

N

FINISH (wood tops only)

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

DW

LAMINATE (laminate or laminate/wood only)

AC2	Autumn 2	425	Shadow
AD	Almond*	440	Cloud
CL	Caramel	461	Graphite
CW	Cordovan	462	Cinder
DW	Judicial	478	Platinum Grey
HN2	Honey 2	488	Frosty White
IM	Brighton	491	Designer White Linear
MC	Amber	492	Cinder Linear
MH	Mocha	791	Palisander*
NM	Natural	792	Sable*
PB	Portobello*	793	Acorn*
PT	Portico*	809	Tungsten Evolv**
SK	Skyline*	814	White Tigris**
SM	Sonoma*	818	Crisp Linen**
TF	Truffle	819	Flax Gauze**
405	Des. White	820	Paloma Bisque**
417	Mojave	821	Elemental Concrete**
418	Mouse	822	Smoke Quarstone**
419	Wallaby	874	Bronze Legacy**

*Only available on laminate models
**Only available on laminate/wood models

RIM FINISH (laminate/wood only)

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

UNIVERSAL BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

CCW48144BTW J G10A R HN
CCW48144BTLW A X HN HN

UNIVERSAL BOAT TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1 1⁄16" TOP THICKNESS**								
CCW3672BTW	Wood-J Rim	$ 1639	36	72	1 1⁄16	—	—	136 lbs.	6.3
CCW3672BTW	Wood-A,M,D,F Rim	2264	36	72	1 1⁄16	—	—	136 lbs.	6.3
CCW3672BTLW	Laminate/Wood-A,M,D,F Rim	2264	36	72	1 1⁄16	—	—	136 lbs.	6.3
CP-B72E	Laminate-E Rim	623	36	72	1 1⁄16	—	—	130 lbs.	6.3
42" x 84"									
CCW4284BTW	Wood-J Rim	$ 1926	42	84	1 1⁄16	—	—	180 lbs.	8.3
CCW4284BTW	Wood-A,M,D,F Rim	2658	42	84	1 1⁄16	—	—	180 lbs.	8.3
CCW4284BTLW	Laminate/Wood-A,M,D,F Rim	2658	42	84	1 1⁄16	—	—	180 lbs.	8.3
CP-B84E	Laminate-E Rim	706	42	84	1 1⁄16	—	—	180 lbs.	8.3
48" x 96"									
CCW4896BTW	Wood-J Rim	$ 2211	48	96	1 1⁄16	—	—	233 lbs.	10.5
CCW4896BTW	Wood-A,M,D,F Rim	3051	48	96	1 1⁄16	—	—	233 lbs.	10.5
CCW4896BTLW	Laminate/Wood-A,M,D,F Rim	3051	48	96	1 1⁄16	—	—	233 lbs.	10.5
CP-B96E	Laminate-E Rim	790	48	96	1 1⁄16	—	—	223 lbs.	10.5
48" x 120"									
CCW48120BTW	Wood-J Rim	$ 3143	48	120	1 1⁄16	—	—	279 lbs.	10.6
CCW48120BTW	Wood-A,M,D,F Rim	4340	48	120	1 1⁄16	—	—	279 lbs.	10.6
CCW48120BTLW	Laminate/Wood-A,M,D,F Rim	4340	48	120	1 1⁄16	—	—	279 lbs.	10.6
CP-B120E	Laminate-E Rim	1138	48	120	1 1⁄16	—	—	269 lbs.	10.6
48" x 144"									
CCW48144BTW	Wood-J Rim	$ 3847	48	144	1 1⁄16	—	—	332 lbs.	12.5
CCW48144BTW	Wood-A,M,D,F Rim	5310	48	144	1 1⁄16	—	—	332 lbs.	12.5
CCW48144BTLW	Laminate/Wood-A,M,D,F Rim	5310	48	144	1 1⁄16	—	—	332 lbs.	12.5
CP-B144E	Laminate-E Rim	1382	48	144	1 1⁄16	—	—	322 lbs.	12.5

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

Specify selections, left to right:

BASE MODEL

CCW48144BTW

RIM PROFILE (CCW only)

A	Radius
D	Bullnose
F	Softened
M	Reed
J	Self (wood only)

J

GROMMET/CUTOUT OPTION

G10C	Center	CUT-G16C	Center
G10E	End	CUT-G16E	End
G10LR	Left, Right	CUT-G16LR	Left, Right
G10A	All	CUT-G16A	All
G10CE	Center, End	CUT-G16CE	Center, End
CUT-G15C	Center	X	No Grommet
CUT-G15E	End		
CUT-G15LR	Left, Right		
CUT-G15A	All		
CUT-G15CE	Center, End		

G10A

SHEEN (wood tops only)

R	Standard
N	Matte/Satin

R

FINISH (wood tops only)

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

HN

LAMINATE (laminate or laminate/wood only)

AC2	Autumn 2	425	Shadow
AD	Almond*	440	Cloud
CL	Caramel	461	Graphite
CW	Cordovan	462	Cinder
DW	Judicial	478	Platinum Grey
HN2	Honey 2	488	Frosty White
IM	Brighton	491	Designer White Linear
MC	Amber	492	Cinder Linear
MH	Mocha	791	Palisander*
NM	Natural	792	Sable*
PB	Portobello*	793	Acorn*
PT	Portico*	809	Tungsten Evolv**
SK	Skyline*	814	White Tigris**
SM	Sonoma*	818	Crisp Linen**
TF	Truffle	819	Flax Gauze**
405	Des. White	820	Paloma Bisque**
417	Mojave	821	Elemental Concrete**
418	Mouse	822	Smoke Quarstone**
419	Wallaby	874	Bronze Legacy**

RIM FINISH (laminate/wood only)

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

*Only available on laminate models
**Only available on laminate/wood models

UNIVERSAL BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 168"	**1⅜" TOP THICKNESS**								
CCW48168BTW	Wood-J Rim	$ 4369	48	168	1⅜	—	—	385 lbs.	14.3
CCW48168BTW	Wood-A,M,D,F Rim	6073	48	168	1⅜	—	—	385 lbs.	14.3
CCW48168BTLW	Laminate/Wood-A,M,D,F Rim	6073	48	168	1⅜	—	—	385 lbs.	14.3
CP-B168E	Laminate-E Rim	1805	48	168	1⅜	—	—	385 lbs.	14.3
48" x 192"									
CCW48192BTW	Wood-J Rim	$ 4918	48	192	1⅜	—	—	438 lbs.	16.2
CCW48192BTW	Wood-A,M,D,F Rim	6833	48	192	1⅜	—	—	438 lbs.	16.2
CCW48192BTLW	Laminate/Wood-A,M,D,F Rim	6833	48	192	1⅜	—	—	438 lbs.	16.2
CP-B192E	Laminate-E Rim	2226	48	192	1⅜	—	—	438 lbs.	16.2
48" x 216"									
CCW48216BTW	Wood-J Rim	$ 5575	48	216	1⅜	—	—	524 lbs.	20.0
CCW48216BTW	Wood-A,M,D,F Rim	7744	48	216	1⅜	—	—	524 lbs.	20.0
CCW48216BTLW	Laminate/Wood-A,M,D,F Rim	7744	48	216	1⅜	—	—	524 lbs.	20.0
CP-B216E	Laminate-E Rim	2649	48	216	1⅜	—	—	524 lbs.	20.0
48" x 240"									
CCW48240BTW	Wood-J Rim	$ 6232	48	240	1⅜	—	—	571 lbs.	22.0
CCW48240BTW	Wood-A,M,D,F Rim	8518	48	240	1⅜	—	—	571 lbs.	22.0
CCW48240BTLW	Laminate/Wood-A,M,D,F Rim	8518	48	240	1⅜	—	—	571 lbs.	22.0
CP-B240E	Laminate-E Rim	3069	48	240	1⅜	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

UNIVERSAL BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

CCW60216BTW	D	X	N	CL
CCW60216BTLW	D	X	425	MH

UNIVERSAL BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⁹⁄₁₆" TOP THICKNESS**								
CCW60144BTW	Wood-J Rim	$ 5382	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
CCW60144BTW	Wood-A,M,D,F Rim	7080	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
CCW60144BTLW	Laminate/Wood-A,M,D,F Rim	7080	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
CP-B60144E	Laminate-E Rim	1797	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
60" x 168"									
CCW60168BTW	Wood-J Rim	$ 6117	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
CCW60168BTW	Wood-A,M,D,F Rim	8092	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
CCW60168BTLW	Laminate/Wood-A,M,D,F Rim	8092	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
CP-B60168E	Laminate-E Rim	2345	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
60" x 192"									
CCW60192BTW	Wood-J Rim	$ 6888	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
CCW60192BTW	Wood-A,M,D,F Rim	9097	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
CCW60192BTLW	Laminate/Wood-A,M,D,F Rim	9097	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
CP-B60192E	Laminate-E Rim	2893	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
60" x 216"									
CCW60216BTW	Wood-J Rim	$ 7805	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
CCW60216BTW	Wood-A,M,D,F Rim	10102	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
CCW60216BTLW	Laminate/Wood-A,M,D,F Rim	10102	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
CP-B60216E	Laminate-E Rim	3442	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
60" x 240"									
CCW60240BTW	Wood-J Rim	$ 8725	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
CCW60240BTW	Wood-A,M,D,F Rim	11109	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
CCW60240BTLW	Laminate/Wood-A,M,D,F Rim	11109	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
CP-B60240E	Laminate-E Rim	3990	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

Specify selections, left to right:

BASE MODEL

CCW60216BTW

RIM PROFILE (CCW only)

- A Radius
- D Bullnose
- F Softened
- M Reed
- J Self (wood only)

D

GROMMET/CUTOUT OPTION

G10C	Center	CUT-G16C	Center
G10E	End	CUT-G16E	End
G10LR	Left, Right	CUT-G16LR	Left, Right
G10A	All	CUT-G16A	All
G10CE	Center, End	CUT-G16CE	Center, End
CUT-G15C	Center	X	No Grommet
CUT-G15E	End		
CUT-G15LR	Left, Right		
CUT-G15A	All		
CUT-G15CE	Center, End		

X

SHEEN (wood tops only)

- R Standard
- N Matte/Satin

N

FINISH (wood tops only)

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

CL

LAMINATE (laminate or laminate/wood only)

AC2	Autumn 2	425	Shadow
AD	Almond*	440	Cloud
CL	Caramel	461	Graphite
CW	Cordovan	462	Cinder
DW	Judicial	478	Platinum Grey
HN2	Honey 2	488	Frosty White
IM	Brighton	491	Designer White Linear
MC	Amber	492	Cinder Linear
MH	Mocha	791	Palisander*
NM	Natural	792	Sable*
PB	Portobello*	793	Acorn*
PT	Portico*	809	Tungsten Evolv**
SK	Skyline*	814	White Tigris**
SM	Sonoma*	818	Crisp Linen**
TF	Truffle	819	Flax Gauze**
405	Des. White	820	Paloma Bisque**
417	Mojave	821	Elemental Concrete**
418	Mouse	822	Smoke Quarstone**
419	Wallaby	874	Bronze Legacy**

RIM FINISH (laminate/wood only)

- AC Autumn
- CL Caramel
- CW Cordovan
- DW Judicial
- HN Honey
- IM Brighton
- MC Amber
- MH Mocha
- NM Natural
- TF Truffle

*Only available on laminate models
**Only available on laminate/wood models

UNIVERSAL RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

CCW3672RC2W	F	G10LR	R	DW
CCW3672RC2LW	A	G10C	CW	CW

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

UNIVERSAL RACETRACK TOP

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅛" TOP THICKNESS**								
CCW3672RC2W	Wood-J Rim	$ 1656	36	72	1⅛	—	—	136 lbs.	6.3
CCW3672RC2W	Wood-A,M,D,F Rim	2288	36	72	1⅛	—	—	136 lbs.	6.3
CCW3672RC2LW	Laminate/Wood-A,M,D,F Rim	2288	36	72	1⅛	—	—	136 lbs.	6.3
CP-R72E	Laminate-E Rim	655	36	72	1⅛	—	—	124 lbs.	6.3
42" x 84"									
CCW4284RC2W	Wood-J Rim	$ 1946	42	84	1⅛	—	—	180 lbs.	8.3
CCW4284RC2W	Wood-A,M,D,F Rim	2685	42	84	1⅛	—	—	180 lbs.	8.3
CCW4284RC2LW	Laminate/Wood-A,M,D,F Rim	2685	42	84	1⅛	—	—	180 lbs.	8.3
CP-R84E	Laminate-E Rim	748	42	84	1⅛	—	—	180 lbs.	8.3
48" x 96"									
QCCW4896RC2W	Wood-J Rim	$ 2234	48	96	1⅛	—	—	233 lbs.	10.5
CCW4896RC2W	Wood-J Rim	2234	48	96	1⅛	—	—	233 lbs.	10.5
CCW4896RC2W	Wood-A,M,D,F Rim	3083	48	96	1⅛	—	—	233 lbs.	10.5
CCW4896RC2LW	Laminate/Wood-A,M,D,F Rim	3083	48	96	1⅛	—	—	233 lbs.	10.5
QCP-R96E	Laminate-E Rim	840	48	96	1⅛	—	—	213 lbs.	10.5
CP-R96E	Laminate-E Rim	840	48	96	1⅛	—	—	213 lbs.	10.5
48" x 120"									
CCW48120RC2W	Wood-J Rim	$ 3174	48	120	1⅛	—	—	279 lbs.	10.6
CCW48120RC2W	Wood-A,M,D,F Rim	4383	48	120	1⅛	—	—	279 lbs.	10.6
CCW48120RC2LW	Laminate/Wood-A,M,D,F Rim	4383	48	120	1⅛	—	—	279 lbs.	10.6
CP-R120E	Laminate-E Rim	1222	48	120	1⅛	—	—	258 lbs.	10.6
48" x 144"									
CCW48144RC2W	Wood-J Rim	$ 3885	48	144	1⅛	—	—	311 lbs.	12.5
CCW48144RC2W	Wood-A,M,D,F Rim	5363	48	144	1⅛	—	—	311 lbs.	12.5
CCW48144RC2LW	Laminate/Wood-A,M,D,F Rim	5363	48	144	1⅛	—	—	311 lbs.	12.5
CP-R144E	Laminate-E Rim	1477	48	144	1⅛	—	—	311 lbs.	12.5

Specify selections, left to right:

BASE MODEL

CCW3672RC2W

RIM PROFILE (CCW only)

A	Radius
D	Bullnose
F	Softened
M	Reed
J	Self (wood only)

F

GROMMET/CUTOUT OPTION

G10C	Center	CUT-G16C	Center
G10E	End	CUT-G16E	End
G10LR	Left, Right	CUT-G16LR	Left, Right
G10A	All	CUT-G16A	All
G10CE	Center, End	CUT-G16CE	Center, End
CUT-G15C	Center	X	No Grommet
CUT-G15E	End		
CUT-G15LR	Left, Right		
CUT-G15A	All		
CUT-G15CE	Center, End		

G10LR

SHEEN (wood tops only)

R	Standard
N	Matte/Satin

R

FINISH (wood tops only)

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

DW

LAMINATE (laminate or laminate/wood only)

AC2	Autumn 2	425	Shadow
AD	Almond*	440	Cloud
CL	Caramel	461	Graphite
CW	Cordovan	462	Cinder
DW	Judicial	478	Platinum Grey
HN2	Honey 2	488	Frosty White
IM	Brighton	491	Designer White Linear
MC	Amber	492	Cinder Linear
MH	Mocha	791	Palisander*
NM	Natural	792	Sable*
PB	Portobello*	793	Acorn*
PT	Portico*	809	Tungsten Evolv**
SK	Skyline*	814	White Tigris**
SM	Sonoma*	818	Crisp Linen**
TF	Truffle	819	Flax Gauze**
405	Des. White	820	Paloma Bisque**
417	Mojave	821	Elemental Concrete**
418	Mouse	822	Smoke Quarstone**
419	Wallaby	874	Bronze Legacy**

RIM FINISH (laminate/wood only)

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

*Only available on laminate models
**Only available on laminate/wood models

UNIVERSAL RACETRACK TOP (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 168"	**1⅜" TOP THICKNESS**								
CCW48168RC2W	Wood-J Rim	$ 4414	48	168	1⅜	—	—	365 lbs.	14.4
CCW48168RC2W	Wood-A,M,D,F Rim	6135	48	168	1⅜	—	—	365 lbs.	14.4
CCW48168RC2LW	Laminate/Wood-A,M,D,F Rim	6135	48	168	1⅜	—	—	365 lbs.	14.4
CP-R168E	Laminate-E Rim	1899	48	168	1⅜	—	—	385 lbs.	14.3
48" x 192"									
CCW48192RC2W	Wood-J Rim	$ 4968	48	192	1⅜	—	—	418 lbs.	16.3
CCW48192RC2W	Wood-A,M,D,F Rim	6901	48	192	1⅜	—	—	418 lbs.	16.3
CCW48192RC2LW	Laminate/Wood-A,M,D,F Rim	6901	48	192	1⅜	—	—	418 lbs.	16.3
CP-R192E	Laminate-E Rim	2322	48	192	1⅜	—	—	438 lbs.	16.2
48" x 216"									
CCW48216RC2W	Wood-J Rim	$ 5632	48	216	1⅜	—	—	524 lbs.	20.0
CCW48216RC2W	Wood-A,M,D,F Rim	7823	48	216	1⅜	—	—	524 lbs.	20.0
CCW48216RC2LW	Laminate/Wood-A,M,D,F Rim	7823	48	216	1⅜	—	—	524 lbs.	20.0
CP-R216E	Laminate-E Rim	2743	48	216	1⅜	—	—	524 lbs.	20.0
48" x 240"									
CCW48240RC2W	Wood-J Rim	$ 6295	48	240	1⅜	—	—	571 lbs.	22.0
CCW48240RC2W	Wood-A,M,D,F Rim	8603	48	240	1⅜	—	—	571 lbs.	22.0
CCW48240RC2LW	Laminate/Wood-A,M,D,F Rim	8603	48	240	1⅜	—	—	571 lbs.	22.0
CP-R240E	Laminate-E Rim	3164	48	240	1⅜	—	—	571 lbs.	22.0

UNIVERSAL RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 127 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

CCW60240RC2W J CUT-G16A N AC
CCW60240RC2LW A CUT-G16A 403 CW

UNIVERSAL RACETRACK TOP (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⁹⁄₁₆" TOP THICKNESS**								
CCW60144RC2W	Wood-J Rim	$ 5436	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
CCW60144RC2W	Wood-A,M,D,F Rim	7151	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
CCW60144RC2LW	Laminate/Wood-A,M,D,F Rim	7151	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
CP-R60144E	Laminate-E Rim	1921	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
60" x 168"									
CCW60168RC2W	Wood-J Rim	$ 6180	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
CCW60168RC2W	Wood-A,M,D,F Rim	8174	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
CCW60168RC2LW	Laminate/Wood-A,M,D,F Rim	8174	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
CP-R60168E	Laminate-E Rim	2470	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
60" x 192"									
CCW60192RC2W	Wood-J Rim	$ 6956	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
CCW60192RC2W	Wood-A,M,D,F Rim	9190	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
CCW60192RC2LW	Laminate/Wood-A,M,D,F Rim	9190	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
CP-R60192E	Laminate-E Rim	3017	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
60" x 216"									
CCW60216RC2W	Wood-J Rim	$ 7884	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
CCW60216RC2W	Wood-A,M,D,F Rim	10205	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
CCW60216RC2LW	Laminate/Wood-A,M,D,F Rim	10205	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
CP-R60216E	Laminate-E Rim	3566	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
60" x 240"									
CCW60240RC2W	Wood-J Rim	$ 8812	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
CCW60240RC2W	Wood-A,M,D,F Rim	11220	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
CCW60240RC2LW	Laminate/Wood-A,M,D,F Rim	11220	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
CP-R60240E	Laminate-E Rim	4116	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0

Specify selections, left to right:

BASE MODEL

CCW60240RC2W

RIM PROFILE (CCW only)

- A Radius
- D Bullnose
- F Softened
- M Reed
- J Self (wood only)

J

GROMMET/CUTOUT OPTION

G10C	Center	CUT-G16C	Center
G10E	End	CUT-G16E	End
G10LR	Left, Right	CUT-G16LR	Left, Right
G10A	All	CUT-G16A	All
G10CE	Center, End	CUT-G16CE	Center, End
CUT-G15C	Center	X	No Grommet
CUT-G15E	End		
CUT-G15LR	Left, Right		
CUT-G15A	All		
CUT-G15CE	Center, End		

CUT-G16A

SHEEN (wood tops only)

- R Standard
- N Matte/Satin

N

FINISH (wood tops only)

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

AC

LAMINATE (laminate or laminate/wood only)

AC2	Autumn 2	425	Shadow
AD	Almond*	440	Cloud
CL	Caramel	461	Graphite
CW	Cordovan	462	Cinder
DW	Judicial	478	Platinum Grey
HN2	Honey 2	488	Frosty White
IM	Brighton	491	Designer White Linear
MC	Amber	492	Cinder Linear
MH	Mocha	791	Palisander*
NM	Natural	792	Sable*
PB	Portobello*	793	Acorn*
PT	Portico*	809	Tungsten Evolv**
SK	Skyline*	814	White Tigris**
SM	Sonoma*	818	Crisp Linen**
TF	Truffle	819	Flax Gauze**
405	Des. White	820	Paloma Bisque**
417	Mojave	821	Elemental Concrete**
418	Mouse	822	Smoke Quarstone**
419	Wallaby	874	Bronze Legacy**

*Only available on laminate models
**Only available on laminate/wood models

RIM FINISH (laminate/wood only)

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

WAVEWORKS CONFERENCE TOP SPECIFICATIONS

TOPS

- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim profile
- Laminate surfaces are 1⅜" or 1⅝" HPL (high pressure laminate)
- Veneer surfaces feature a wood rim with six rim profile options
- Laminate surfaces feature a 3mm PVC rim
- Laminate/wood models are 1⅜" or 1⅝" HPL (high pressure laminate) that feature wood rim with six rim profiles
- Size modifications available at no upcharge; many WaveWorks conference tops can be cut down in 6" increments. See component section for specific models
- See page 14 for modified size options

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Power/Data Oasis (G162) comes in silver or black powder coat and features six power receptacles with two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. **Model Number**
2. **Rim**
3. **PVC Rim Color (laminate models)**
4. **Grommet**
5. **Modified Depth**
6. **Modified Width**
7. **Top Sheen (wood models)**
8. **Laminate Top Color/Wood Top Finish**
9. **Wood Rim Finish (combo models)**

WAVEWORKS SHAPES AND SIZES



ROUND
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



SQUARE
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

RECTANGLE
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



RACETRACK
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WAVEWORKS

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico*
SK Skyline*
SM Sonoma*
TF Truffle
791 Palisander*
792 Sable
793 Acorn*

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

*Not available on laminate/wood models

• CSL available; see page 8 for program details and upcharge

RIM PROFILES

PVC RIM

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

PVC REED RIM

AC2 Autumn 2
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
MC Amber
MH Mocha
NM Natural
TF Truffle

WOOD RIM

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

Softened Wood (F)

Reed Wood (R)

Cove Wood (P)

Zip Wood (Z)

Concave Wood (C)

Step Wood (T)

Softened PVC (V)

Reed PVC (N)

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End

- Reference pages 16-17 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 18-19 for cutout locations of CUT-G15



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 20-21 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

WAVEWORKS ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on round tops are G10C and CUT-G15C, reference page 147 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

SAMPLE MODEL NUMBERS:

WW48RDW	R	X	N	MH
WW48RDL	V	MH	G10C	MH
WW48RDLW	R	X	MH	MH

WAVEWORKS ROUND TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⁹⁄₁₆" TOP THICKNESS**		**DI**		**H**				
WWN30RDW	Wood	$ 1217	30⅛	–	1⁹⁄₁₆	–	–	33 lbs.	2.0
WWN30RDLW	Laminate/Wood	1217	30⅛	–	1⁹⁄₁₆	–	–	33 lbs.	2.0
WWN30RDL	Laminate	716	30⅛	–	1⁹⁄₁₆	–	–	33 lbs.	2.0
36" ROUND									
WWN36RDW	Wood	$ 1432	36⅛	–	1⁹⁄₁₆	–	–	40 lbs.	2.4
WWN36RDLW	Laminate/Wood	1432	36⅛	–	1⁹⁄₁₆	–	–	40 lbs.	2.4
WWN36RDL	Laminate	843	36⅛	–	1⁹⁄₁₆	–	–	40 lbs.	2.4
42" ROUND									
WWN42RDW	Wood	$ 1738	42⅛	–	1⁹⁄₁₆	–	–	54 lbs.	3.2
WWN42RDLW	Laminate/Wood	1738	42⅛	–	1⁹⁄₁₆	–	–	54 lbs.	3.2
WWN42RDL	Laminate	1154	42⅛	–	1⁹⁄₁₆	–	–	54 lbs.	3.2
48" ROUND									
WWN48RDW	Wood	$ 2120	48⅛	–	1⁹⁄₁₆	–	–	79 lbs.	4.2
WWN48RDLW	Laminate/Wood	2120	48⅛	–	1⁹⁄₁₆	–	–	79 lbs.	4.2
WWN48RDL	Laminate	1539	48⅛	–	1⁹⁄₁₆	–	–	79 lbs.	4.2
54" ROUND									
WWN54RDW	Wood	$ 2360	54⅛	–	1⁹⁄₁₆	–	–	121 lbs.	6.9
WWN54RDLW	Laminate/Wood	2360	54⅛	–	1⁹⁄₁₆	–	–	121 lbs.	6.9
WWN54RDL	Laminate	1779	54⅛	–	1⁹⁄₁₆	–	–	121 lbs.	6.9
60" ROUND									
WWN60RDW	Wood	$ 2598	58⅜	–	1⁹⁄₁₆	–	–	150 lbs.	8.3
WWN60RDLW	Laminate/Wood	2598	58⅜	–	1⁹⁄₁₆	–	–	150 lbs.	8.3
WWN60RDL	Laminate	2020	58⅜	–	1⁹⁄₁₆	–	–	150 lbs.	8.3

- Zip profile does not run out on round tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Laminate Top Color/Wood Top Finish
7. Wood Rim Finish (combo models)

For options, see pages 146-147

WAVEWORKS ROUND TOP

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅜" TOP THICKNESS**		**DI**		**H**				
WW30RDW	Wood	$ 1115	30⅛	–	1⅜	–	–	33 lbs.	2.0
WW30RDLW	Laminate/Wood	1115	30⅛	–	1⅜	–	–	33 lbs.	2.0
WW30RDL	Laminate	613	30⅛	–	1⅜	–	–	33 lbs.	2.0
36" ROUND									
WW36RDW	Wood	$ 1311	36⅛	–	1⅜	–	–	42 lbs.	3.0
WW36RDLW	Laminate/Wood	1311	36⅛	–	1⅜	–	–	42 lbs.	3.0
WW36RDL	Laminate	722	36⅛	–	1⅜	–	–	42 lbs.	3.0
42" ROUND									
WW42RDW	Wood	$ 1619	42⅛	–	1⅜	–	–	58 lbs.	3.8
WW42RDLW	Laminate/Wood	1619	42⅛	–	1⅜	–	–	58 lbs.	3.8
WW42RDL	Laminate	1032	42⅛	–	1⅜	–	–	58 lbs.	3.8
48" ROUND									
WW48RDW	Wood	$ 2000	48⅛	–	1⅜	–	–	76 lbs.	4.5
WW48RDLW	Laminate/Wood	2000	48⅛	–	1⅜	–	–	76 lbs.	4.5
WW48RDL	Laminate	1418	48⅛	–	1⅜	–	–	76 lbs.	4.5

• Zip profile does not run out on round tops

WAVEWORKS SQUARE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on square tops are G10C and CUT-G15C, reference page 147 for grommet options and upcharge
- Reference pages 16-19 for grommet and cutout locations
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

WW4848SQW	F	X	N	MH
WW4848SQL	V	480	X	MH
WW4848SQLW	F	G10C	805	MH

WAVEWORKS SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⁹⁄₁₆" TOP THICKNESS**								
WWN3030SQW	Wood	$ 1217	30⅛	30⅛	1⁹⁄₁₆	—	—	33 lbs.	2.0
WWN3030SQLW	Laminate/Wood	1217	30⅛	30⅛	1⁹⁄₁₆	—	—	33 lbs.	2.0
WWN3030SQL	Laminate	716	30⅛	30⅛	1⁹⁄₁₆	—	—	33 lbs.	2.0
36" SQUARE									
WWN3636SQW	Wood	$ 1432	36⅛	36⅛	1⁹⁄₁₆	—	—	45 lbs.	3.0
WWN3636SQLW	Laminate/Wood	1432	36⅛	36⅛	1⁹⁄₁₆	—	—	45 lbs.	3.0
WWN3636SQL	Laminate	843	36⅛	36⅛	1⁹⁄₁₆	—	—	45 lbs.	3.0
42" SQUARE									
WWN4242SQW	Wood	$ 1738	42⅛	42⅛	1⁹⁄₁₆	—	—	59 lbs.	3.8
WWN4242SQLW	Laminate/Wood	1738	42⅛	42⅛	1⁹⁄₁₆	—	—	59 lbs.	3.8
WWN4242SQL	Laminate	1154	42⅛	42⅛	1⁹⁄₁₆	—	—	59 lbs.	3.8
48" SQUARE									
WWN4848SQW	Wood	$ 2120	48⅛	48⅛	1⁹⁄₁₆	—	—	76 lbs.	4.5
WWN4848SQLW	Laminate/Wood	2120	48⅛	48⅛	1⁹⁄₁₆	—	—	76 lbs.	4.5
WWN4848SQL	Laminate	1539	48⅛	48⅛	1⁹⁄₁₆	—	—	76 lbs.	4.5
54" SQUARE									
WWN5454SQW	Wood	$ 2360	54⅛	54⅛	1⁹⁄₁₆	—	—	121 lbs.	6.9
WWN5454SQLW	Laminate/Wood	2360	54⅛	54⅛	1⁹⁄₁₆	—	—	121 lbs.	6.9
WWN5454SQL	Laminate	1779	54⅛	54⅛	1⁹⁄₁₆	—	—	121 lbs.	6.9
60" SQUARE									
WWN6060SQW	Wood	$ 2598	58⅝	58⅝	1⁹⁄₁₆	—	—	150 lbs.	8.3
WWN6060SQLW	Laminate/Wood	2598	58⅝	58⅝	1⁹⁄₁₆	—	—	150 lbs.	8.3
WWN6060SQL	Laminate	2020	58⅝	58⅝	1⁹⁄₁₆	—	—	150 lbs.	8.3

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Laminate Top Color/Wood Top Finish
7. Wood Rim Finish (combo models)

For options, see pages 146-147

WAVEWORKS SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1¾₁₆" TOP THICKNESS**								
WW3030SQW	Wood	$ 1115	30⅛	30⅛	1¾₁₆	—	—	33 lbs.	2.0
WW3030SQLW	Laminate/Wood	1115	30⅛	30⅛	1¾₁₆	—	—	33 lbs.	2.0
WW3030SQL	Laminate	613	30⅛	30⅛	1¾₁₆	—	—	33 lbs.	2.0
36" SQUARE									
WW3636SQW	Wood	$ 1311	36⅛	36⅛	1¾₁₆	—	—	45 lbs.	3.0
WW3636SQLW	Laminate/Wood	1311	36⅛	36⅛	1¾₁₆	—	—	45 lbs.	3.0
WW3636SQL	Laminate	722	36⅛	36⅛	1¾₁₆	—	—	45 lbs.	3.0
42" SQUARE									
WW4242SQW	Wood	$ 1619	42⅛	42⅛	1¾₁₆	—	—	59 lbs.	3.8
WW4242SQLW	Laminate/Wood	1619	42⅛	42⅛	1¾₁₆	—	—	59 lbs.	3.8
WW4242SQL	Laminate	1032	42⅛	42⅛	1¾₁₆	—	—	59 lbs.	3.8
48" SQUARE									
WW4848SQW	Wood	$ 2000	48⅛	48⅛	1¾₁₆	—	—	76 lbs.	4.5
WW4848SQLW	Laminate/Wood	2000	48⅛	48⅛	1¾₁₆	—	—	76 lbs.	4.5
WW4848SQL	Laminate	1418	48⅛	48⅛	1¾₁₆	—	—	76 lbs.	4.5

WAVEWORKS RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 147 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

WWN3672RT2W	P	CUT-G16C	X	R	NM
WWN3672RT2LW	P	X	X	480	NM
WWN3672RT2L	V	462	X	G10LR	HN2

WAVEWORKS RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
WWN3672RT2W	Wood	$ 2234	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
WWN3672RT2LW	Laminate/Wood	2234	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
WWN3672RT2L	Laminate	1653	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
WWN4284RT2W	Wood	$ 2635	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
WWN4284RT2LW	Laminate/Wood	2635	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
WWN4284RT2L	Laminate	2057	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
WWN4896RT2W	Wood	$ 3036	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
WWN4896RT2LW	Laminate/Wood	3036	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
WWN4896RT2L	Laminate	2465	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
WWN48120RT2W	Wood	$ 4147	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
WWN48120RT2LW	Laminate/Wood	4147	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
WWN48120RT2L	Laminate	3584	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
WWN48144RT2W	Wood	$ 5136	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
WWN48144RT2LW	Laminate/Wood	5136	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
WWN48144RT2L	Laminate	4585	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
WWN48168RT2W	Wood	$ 5914	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
WWN48168RT2LW	Laminate/Wood	5914	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
WWN48168RT2L	Laminate	5368	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
WWN48192RT2W	Wood	$ 6687	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
WWN48192RT2LW	Laminate/Wood	6687	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
WWN48192RT2L	Laminate	6150	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

For options, see pages 146-147

WAVEWORKS RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⅜" TOP THICKNESS**								
WWN48216RT2W	Wood	$ 7461	48	216	1⅜	—	—	524 lbs.	20.0
WWN48216RT2LW	Laminate/Wood	7461	48	216	1⅜	—	—	524 lbs.	20.0
WWN48216RT2L	Laminate	6934	48	216	1⅜	—	—	524 lbs.	20.0
48" x 240"									
WWN48240RT2W	Wood	$ 8235	48	240	1⅜	—	—	571 lbs.	22.0
WWN48240RT2LW	Laminate/Wood	8235	48	240	1⅜	—	—	571 lbs.	22.0
WWN48240RT2L	Laminate	7720	48	240	1⅜	—	—	571 lbs.	22.0
60" x 144"									
WWN60144RT2W	Wood	$ 6679	58⅜	144	1⅜	—	—	412 lbs.	18.0
WWN60144RT2LW	Laminate/Wood	6679	58⅜	144	1⅜	—	—	412 lbs.	18.0
WWN60144RT2L	Laminate	5961	58⅜	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
WWN60168RT2W	Wood	$ 7688	58⅜	168	1⅜	—	—	480 lbs.	22.5
WWN60168RT2LW	Laminate/Wood	7688	58⅜	168	1⅜	—	—	480 lbs.	22.5
WWN60168RT2L	Laminate	6980	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
WWN60192RT2W	Wood	$ 8692	58⅜	192	1⅜	—	—	539 lbs.	29.0
WWN60192RT2LW	Laminate/Wood	8692	58⅜	192	1⅜	—	—	539 lbs.	29.0
WWN60192RT2L	Laminate	7994	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
WWN60216RT2W	Wood	$ 9700	58⅜	216	1⅜	—	—	647 lbs.	31.0
WWN60216RT2LW	Laminate/Wood	9700	58⅜	216	1⅜	—	—	647 lbs.	31.0
WWN60216RT2L	Laminate	9016	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
WWN60240RT2W	Wood	$ 10706	58⅜	240	1⅜	—	—	706 lbs.	34.0
WWN60240RT2LW	Laminate/Wood	10706	58⅜	240	1⅜	—	—	706 lbs.	34.0
WWN60240RT2L	Laminate	10037	58⅜	240	1⅜	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS BOAT TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 147 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

WWN3672BTW	P	CUT-G16C	X	R	NM
WWN3672BTLW	P	X	X	480	NM
WWN3672BTL	V	480	X	X	CW

WAVEWORKS BOAT TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
WWN3672BTW	Wood	$ 2412	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
WWN3672BTLW	Laminate/Wood	2412	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
WWN3672BTL	Laminate	1839	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
WWN4284BTW	Wood	$ 2809	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
WWN4284BTLW	Laminate/Wood	2809	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
WWN4284BTL	Laminate	2240	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
WWN4896BTW	Wood	$ 3206	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
WWN4896BTLW	Laminate/Wood	3206	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
WWN4896BTL	Laminate	2642	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
WWN48120BTW	Wood	$ 4506	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
WWN48120BTLW	Laminate/Wood	4506	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
WWN48120BTL	Laminate	3953	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
WWN48144BTW	Wood	$ 5485	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
WWN48144BTLW	Laminate/Wood	5485	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
WWN48144BTL	Laminate	4943	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
WWN48168BTW	Wood	$ 6254	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
WWN48168BTLW	Laminate/Wood	6254	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
WWN48168BTL	Laminate	5720	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
WWN48192BTW	Wood	$ 7022	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
WWN48192BTLW	Laminate/Wood	7022	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
WWN48192BTL	Laminate	6493	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

For options, see pages 146-147

WAVEWORKS BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⅜" TOP THICKNESS**								
WWN48216BTW	Wood	$ 7787	48	216	1⅜	—	—	524 lbs.	20.0
WWN48216BTLW	Laminate/Wood	7787	48	216	1⅜	—	—	524 lbs.	20.0
WWN48216BTL	Laminate	7256	48	216	1⅜	—	—	524 lbs.	20.0
48" x 240"									
WWN48240BTW	Wood	$ 8554	48	240	1⅜	—	—	571 lbs.	22.0
WWN48240BTLW	Laminate/Wood	8554	48	240	1⅜	—	—	571 lbs.	22.0
WWN48240BTL	Laminate	8040	48	240	1⅜	—	—	571 lbs.	22.0
60" x 144"									
WWN60144BTW	Wood	$ 7131	58⅜	144	1⅜	—	—	412 lbs.	18.0
WWN60144BTLW	Laminate/Wood	7131	58⅜	144	1⅜	—	—	412 lbs.	18.0
WWN60144BTL	Laminate	6423	58⅜	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
WWN60168BTW	Wood	$ 8131	58⅜	168	1⅜	—	—	480 lbs.	22.5
WWN60168BTLW	Laminate/Wood	8131	58⅜	168	1⅜	—	—	480 lbs.	22.5
WWN60168BTL	Laminate	7435	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
WWN60192BTW	Wood	$ 9129	58⅜	192	1⅜	—	—	539 lbs.	29.0
WWN60192BTLW	Laminate/Wood	9129	58⅜	192	1⅜	—	—	539 lbs.	29.0
WWN60192BTL	Laminate	8441	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
WWN60216BTW	Wood	$ 10124	58⅜	216	1⅜	—	—	647 lbs.	31.0
WWN60216BTLW	Laminate/Wood	10124	58⅜	216	1⅜	—	—	647 lbs.	31.0
WWN60216BTL	Laminate	9434	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
WWN60240BTW	Wood	$ 11120	58⅜	240	1⅜	—	—	706 lbs.	34.0
WWN60240BTLW	Laminate/Wood	11120	58⅜	240	1⅜	—	—	706 lbs.	34.0
WWN60240BTL	Laminate	10452	58⅜	240	1⅜	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases with the exception of the double doric base
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 147 for grommet options and upcharge
- Reference pages 16-21 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of two grommets on the G10 and CUT-G15 options
- Reference pages 30-51 for table base guide

BASE MODEL KEY

W	Wood Unit
LW	Laminate Top/Wood Rim
L	Laminate Unit

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

WWN3672RC2W	P	CUT-G16C	X	R		NM
WWN3672RC2LW	P	X	X	480		NM
WWN3672RC2L	N	CW	X	G10C		CW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WAVEWORKS RACETRACK TOP	**36" x 72"**	**1⁹⁄₁₆" TOP THICKNESS**								
	WWN3672RC2W	Wood	$ 2437	36	72	1⁹⁄₁₆	–	–	136 lbs.	6.3
	WWN3672RC2LW	Laminate/Wood	2437	36	72	1⁹⁄₁₆	–	–	136 lbs.	6.3
	WWN3672RC2L	Laminate	1858	36	72	1⁹⁄₁₆	–	–	136 lbs.	6.3
	42" x 84"									
	WWN4284RC2W	Wood	$ 2838	42	84	1⁹⁄₁₆	–	–	180 lbs.	8.3
	WWN4284RC2LW	Laminate/Wood	2838	42	84	1⁹⁄₁₆	–	–	180 lbs.	8.3
	WWN4284RC2L	Laminate	2263	42	84	1⁹⁄₁₆	–	–	180 lbs.	8.3
	48" x 96"									
	WWN4896RC2W	Wood	$ 3240	48	96	1⁹⁄₁₆	–	–	233 lbs.	10.5
	WWN4896RC2LW	Laminate/Wood	3240	48	96	1⁹⁄₁₆	–	–	233 lbs.	10.5
	WWN4896RC2L	Laminate	2668	48	96	1⁹⁄₁₆	–	–	233 lbs.	10.5
	48" x 120"									
	WWN48120RC2W	Wood	$ 4551	48	120	1⁹⁄₁₆	–	–	279 lbs.	10.6
	WWN48120RC2LW	Laminate/Wood	4551	48	120	1⁹⁄₁₆	–	–	279 lbs.	10.6
	WWN48120RC2L	Laminate	3992	48	120	1⁹⁄₁₆	–	–	279 lbs.	10.6
	48" x 144"									
	WWN48144RC2W	Wood	$ 5540	48	144	1⁹⁄₁₆	–	–	332 lbs.	12.5
	WWN48144RC2LW	Laminate/Wood	5540	48	144	1⁹⁄₁₆	–	–	332 lbs.	12.5
	WWN48144RC2L	Laminate	4991	48	144	1⁹⁄₁₆	–	–	332 lbs.	12.5
	48" x 168"									
	WWN48168RC2W	Wood	$ 6318	48	168	1⁹⁄₁₆	–	–	385 lbs.	14.3
	WWN48168RC2LW	Laminate/Wood	6318	48	168	1⁹⁄₁₆	–	–	385 lbs.	14.3
	WWN48168RC2L	Laminate	5778	48	168	1⁹⁄₁₆	–	–	385 lbs.	14.3
	48" x 192"									
	WWN48192RC2W	Wood	$ 7093	48	192	1⁹⁄₁₆	–	–	438 lbs.	16.2
	WWN48192RC2LW	Laminate/Wood	7093	48	192	1⁹⁄₁₆	–	–	438 lbs.	16.2
	WWN48192RC2L	Laminate	6559	48	192	1⁹⁄₁₆	–	–	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Top Sheen (wood models)
8. Laminate Top Color/Wood Top Finish
9. Wood Rim Finish (combo models)

For options, see pages 146-147

WAVEWORKS RACETRACK TOP (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⅜" TOP THICKNESS**								
WWN48216RC2W	Wood	$ 7867	48	216	1⅜	—	—	524 lbs.	20.0
WWN48216RC2LW	Laminate/Wood	7867	48	216	1⅜	—	—	524 lbs.	20.0
WWN48216RC2L	Laminate	7329	48	216	1⅜	—	—	524 lbs.	20.0
48" x 240"									
WWN48240RC2W	Wood	$ 8640	48	240	1⅜	—	—	571 lbs.	22.0
WWN48240RC2LW	Laminate/Wood	8640	48	240	1⅜	—	—	571 lbs.	22.0
WWN48240RC2L	Laminate	8121	48	240	1⅜	—	—	571 lbs.	22.0
60" x 144"									
WWN60144RC2W	Wood	$ 7202	58⅜	144	1⅜	—	—	412 lbs.	18.0
WWN60144RC2LW	Laminate/Wood	7202	58⅜	144	1⅜	—	—	412 lbs.	18.0
WWN60144RC2L	Laminate	6488	58⅜	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
WWN60168RC2W	Wood	$ 8214	58⅜	168	1⅜	—	—	480 lbs.	22.5
WWN60168RC2LW	Laminate/Wood	8214	58⅜	168	1⅜	—	—	480 lbs.	22.5
WWN60168RC2L	Laminate	7510	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
WWN60192RC2W	Wood	$ 9221	58⅜	192	1⅜	—	—	539 lbs.	29.0
WWN60192RC2LW	Laminate/Wood	9221	58⅜	192	1⅜	—	—	539 lbs.	29.0
WWN60192RC2L	Laminate	8526	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
WWN60216RC2W	Wood	$ 10225	58⅜	216	1⅜	—	—	647 lbs.	31.0
WWN60216RC2LW	Laminate/Wood	10225	58⅜	216	1⅜	—	—	647 lbs.	31.0
WWN60216RC2L	Laminate	9530	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
WWN60240RC2W	Wood	$ 11230	58⅜	240	1⅜	—	—	706 lbs.	34.0
WWN60240RC2LW	Laminate/Wood	11230	58⅜	240	1⅜	—	—	706 lbs.	34.0
WWN60240RC2L	Laminate	10558	58⅜	240	1⅜	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 14 for conference top sizing
- Almond, Portobello and Sable veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RACETRACK TOPS

CONFERENCE TABLE BASES

CONFERENCE TABLE BASES

SQUARE BASES

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable which are quarter cut walnut
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel

CYLINDER BASES

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable which are quarter cut walnut
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- Wire access door is hinged with touch latch

PANEL BASE KITS AND THICK PANELS

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable which are quarter cut walnut
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel
- Panel base kit features two support rails that run from base to base

FINISH APPLICATION

- Veneer tops are finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

METAL BASES

- Bases are formed metal with a powder coat finish in four colors
- Both mobile and fixed height bases are available
- Mobile bases have locking casters
- Glides are standard on fixed height bases
- Oval wire management cutout optional on some bases for an additional upcharge

TABLE BASE GUIDE CAN BE FOUND ON PAGES 30-51

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

LAMINATE COLORS

WOODGRAIN LAMINATES

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

SOLID LAMINATES

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

BASE DETAIL OPTIONS



Basic (P1)

Barrington (P2) (wood only)

Escalade (P3) (wood only)

Captivate (P4) (wood only)

EPIC BASE DETAIL

FOOT COLORS (EPIC ONLY)

FR462 Cinder
FR501 Platinum Metallic
FR503 Satin Nickel Metallic

METAL BASE COLUMN PAINT COLORS

265 Polished
405 Designer White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

METAL BASE FOOT PAINT COLORS

265 Polished
405 Designer White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

METAL BASE COLUMN WIRE MANAGEMENT

• Ellipse shaped wire management cutout optional

CUL Cutouts, Upper & Lower
CU Cutout, Upper
X No Cutout

$25 list upcharge for cutout



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Finish/Laminate: Must specify Honey (HN/HN2), Amber (MC) or Cordovan (CW)

CONFERENCE TABLE BASES

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

SAMPLE MODEL NUMBERS:

BW-16 CW
10N1628SQBW P3 MH
10N1628SQBL P1 MH

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

CYLINDER BASE (NO WIRE ACCESS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD			**DI**		**H**				
BW-16	16" Diameter	$ 1098	16	–	27¾	–	–	145 lbs.	5.3
QBW-18	18" Diameter	1226	18	–	27¾	–	–	160 lbs.	5.3
BW-18	18" Diameter	1226	18	–	27¾	–	–	160 lbs.	5.3
BW-24	24" Diameter	1267	24	–	27¾	–	–	180 lbs.	7.2
LAMINATE									
BP-16	16" Diameter	$ 655	16	–	27¾	–	–	145 lbs.	5.3
QBP-18	18" Diameter	814	18	–	27¾	–	–	160 lbs.	5.3
BP-18	18" Diameter	814	18	–	27¾	–	–	160 lbs.	5.3
BP-24	24" Diameter	940	24	–	27¾	–	–	180 lbs.	7.2

- Do not specify base detail
- Bases are weighted for stabilization
- Reference pages 30-51 for table base guide
- Adjustable glides standard

CYLINDER BASE WITH WIRE ACCESS



Basic (P1)

WOOD									
10N1628CYBW	16" Diameter	$ 1809	16	–	27¾	–	–	145 lbs.	6.3
10N1828CYBW	18" Diameter	1959	18	–	27¾	–	–	150 lbs.	5.3
10N2428CYBW	24" Diameter	2110	24	–	27¾	–	–	180 lbs.	7.2
LAMINATE									
10N1628CYBL	16" Diameter	$ 1267	16	–	27¾	–	–	145 lbs.	6.3
10N1828CYBL	18" Diameter	1417	18	–	27¾	–	–	150 lbs.	5.3
10N2428CYBL	24" Diameter	1868	24	–	27¾	–	–	180 lbs.	7.2

- Only the Basic (P1) option is available
- Bases are weighted for stabilization
- Reference pages 30-51 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

SOFTENED SQUARE BASE (NO WIRE ACCESS)

			D	W	H	A	KW		
BW-1616	Wood	$ 998	16	16	27½	–	–	140 lbs.	5.3

- Do not specify base detail
- Base is weighted for stabilization
- Reference pages 30-51 for table base guide
- AD Almond, PB Portobello and 792 Sable not available

Specify selections, left to right:

BASE MODEL

BW-16

BASE DETAIL

P1 Basic
P2 Barrington
P3 Escalade
P4 Captivate

FOOT COLOR (Epic only)

FR462 Cinder
FR501 Platinum Metallic
FR503 Satin Nickel Metallic

FINISH (wood only)

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

CW

LAMINATE (laminate only)

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

EPIC SQUARE BASE (NO WIRE ACCESS)



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
25N1628SQBXW	16" Square	$ 1326	16	16	28	—	—	145 lbs.	5.3
25N1828SQBXW	18" Square	1343	18	18	28	—	—	150 lbs.	6.3
25N2428SQBXW	24" Square	1405	24	24	28	—	—	180 lbs.	7.2
LAMINATE									
25N1628SQBXL	16" Square	$ 756	16	16	28	—	—	145 lbs.	5.3
25N1828SQBXL	18" Square	912	18	18	28	—	—	150 lbs.	6.3
25N2428SQBXL	24" Square	1053	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 30-51 for table base guide
- Adjustable glides standard

SQUARE BASE (NO WIRE ACCESS)



Basic (P1)



Barrington (P2) (wood only)



Escalade (P3) (wood only)



Captivate (P4) (wood only)

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
10N1628SQBXW	16" Square	$ 1195	16	16	28	—	—	145 lbs.	5.3
10N1828SQBXW	18" Square	1210	18	18	28	—	—	150 lbs.	6.3
10N2428SQBXW	24" Square	1267	24	24	28	—	—	180 lbs.	7.2
LAMINATE									
10N1628SQBXL	16" Square	$ 675	16	16	28	—	—	145 lbs.	5.3
10N1828SQBXL	18" Square	814	18	18	28	—	—	150 lbs.	6.3
10N2428SQBXL	24" Square	940	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 30-51 for table base guide
- Adjustable glides standard

CONFERENCE TABLE BASES

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBER:

BW-2427S CW

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

EPIC SQUARE BASE WITH WIRE ACCESS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
25N1628SQBW	16" Square	$ 1538	16	16	28	—	—	145 lbs.	5.3
25N1828SQBW	18" Square	1705	18	18	28	—	—	150 lbs.	6.3
25N2428SQBW	24" Square	1873	24	24	28	—	—	180 lbs.	7.2
LAMINATE									
25N1628SQBL	16" Square	$ 1082	16	16	28	—	—	145 lbs.	5.3
25N1828SQBL	18" Square	1316	18	18	28	—	—	150 lbs.	6.3
25N2428SQBL	24" Square	1620	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 30-51 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

SQUARE BASE WITH WIRE ACCESS



Basic (P1)



Barrington (P2) (wood only)



Escalade (P3) (wood only)



Captivate (P4) (wood only)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
10N1628SQBW	16" Square	$ 1386	16	16	28	—	—	145 lbs.	5.3
10N1828SQBW	18" Square	1537	18	18	28	—	—	150 lbs.	6.3
10N2428SQBW	24" Square	1688	24	24	28	—	—	180 lbs.	7.2
LAMINATE									
10N1628SQBL	16" Square	$ 964	16	16	28	—	—	145 lbs.	5.3
10N1828SQBL	18" Square	1174	18	18	28	—	—	150 lbs.	6.3
10N2428SQBL	24" Square	1447	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 30-51 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

Specify selections, left to right:

BASE MODEL

BW-2427S

BASE DETAIL

P1 Basic
P2 Barrington
P3 Escalade
P4 Captivate

FOOT COLOR (Epic only)

FR462 Cinder
FR501 Platinum Metallic
FR503 Satin Nickel Metallic

FINISH (wood only)

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

CW

LAMINATE (laminate only)

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD QUEEN ANNE BASE	TBW-4	Wood	$ 1341	–	38	27¾	–	–	35 lbs.	25.0

- Available in Judicial, Cordovan, Mocha or Truffle
- Do not specify base detail
- Reference pages 30-51 for table base guide
- Cannot be used with grommet or cutout options on conference tops
- Not to be used with 48" square tops

NYLON QUEEN ANNE BASE	TB-4P	Nylon	$ 474	–	30½	27	–	–	35 lbs.	25.0

- Available in Judicial, Cordovan or Mocha
- Do not specify base detail
- Reference pages 30-51 for table base guide
- Cannot be used with grommet or cutout options on conference tops
- Not to be used with 48" square or round tops

THIN PANEL BASE	QBW-2427S	Wood	$ 547	2	24	27½	–	–	37 lbs.	1.7
	BW-2427S	Wood	547	2	24	27½	–	–	37 lbs.	1.7
	QBP-2427S	Laminate	224	1½	24	27½	–	–	37 lbs.	1.7
	BP-2427S	Laminate	224	1½	24	27½	–	–	37 lbs.	1.7



- Do not specify base detail
- Reference pages 30-51 for table base guide
- Not to be used with a 48" x 240", 216", 144", or 120" top that has a grommet cutout
- Laminate base comes with additional angle bracket for installation

CURVED PANEL BASE	BP-2427C	Laminate	$ 375	2	22⅝	27½	–	–	39 lbs.	2.9

- Do not specify base detail
- Reference pages 30-51 for table base guide

CONFERENCE TABLE BASES

BASE MODEL KEY

W Wood Unit
L Laminate Unit

SAMPLE MODEL NUMBERS:

10N1828PNW P3 DW
10N1828PNL P1 MC

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC
THICK PANEL BASE
WITH WIRE ACCESS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
25N1828PNW	18"	$ 1538	8	18	27¾	—	—	73 lbs.	5.3
25N2428PNW	24"	1738	8	24	27¾	—	—	95 lbs.	7.0
LAMINATE									
25N1828PNL	18"	$ 1048	8	18	27¾	—	—	73 lbs.	5.3
25N2428PNL	24"	1213	8	24	27¾	—	—	95 lbs.	7.0

• Reference pages 30-51 for table base guide

Specify selections, left to right:

BASE MODEL	BASE DETAIL	FOOT COLOR (Epic only)	FINISH (wood only)	LAMINATE (laminate only)
10N1828PNW	P1 Basic P2 Barrington P3 Escalade P4 Captivate	FR462 Cinder FR501 Platinum Metallic FR503 Satin Nickel Metallic	AC Autumn AD Almond CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural PB Portobello TF Truffle 792 Sable DW	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello PT Portico SK Skyline SM Sonoma TF Truffle 405 Designer White 417 Mojave 418 Mouse 419 Wallaby 425 Shadow 440 Cloud 461 Graphite 462 Cinder 478 Platinum Grey 488 Frosty White 491 Designer White Linear 492 Cinder Linear 791 Palisander 792 Sable 793 Acorn

THICK PANEL BASE WITH WIRE ACCESS



Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)



Captivate (P4)
(wood only)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
10N1828PNW	18"	$ 1386	8	18	27¾	—	—	73 lbs.	5.3
10N2428PNW	24"	1568	8	24	27¾	—	—	95 lbs.	7.0
LAMINATE									
10N1828PNL	18"	$ 934	8	18	27¾	—	—	73 lbs.	5.3
10N2428PNL	24"	1086	8	24	27¾	—	—	95 lbs.	7.0

• Reference pages 30-51 for table base guide

CONFERENCE TABLE BASES

BASE MODEL KEY

W Wood Unit
L Laminate Unit

SAMPLE MODEL NUMBERS:

10N72PNKW P4 AC
10N72PNKL P1 AC

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC
THICK PANEL BASE KIT
(FOR USE WITH 36", 42" AND 48" DEEP TOPS)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
25N72PNKW	For 72" Top	$ 3303	18	47	27¾	—	33	145 lbs.	5.3
25N84PNKW	For 84" Top	3370	18	53	27¾	—	39	150 lbs.	5.3
25N96PNKW	For 96" Top	3437	18	59	27¾	—	45	150 lbs.	5.3
25N120PNKW	For 120" Top	4881	18	91	27¾	—	69¾	170 lbs.	6.2
25N144PNKW	For 144" Top	5014	18	107	27¾	—	85¾	175 lbs.	6.2
25N168PNKW	For 168" Top	6419	18	136¾	27¾	—	108½	195 lbs.	7.9
25N192PNKW	For 192" Top	6553	18	154¾	27¾	—	126½	200 lbs.	7.9
25N216PNKW	For 216" Top	6686	18	172¾	27¾	—	144½	210 lbs.	8.2
25N240PNKW	For 240" Top	6820	18	190¾	27¾	—	162½	210 lbs.	8.2
LAMINATE									
25N72PNKL	For 72" Top	$ 2565	18	47	27¾	—	33	145 lbs.	5.3
25N84PNKL	For 84" Top	2632	18	53	27¾	—	39	150 lbs.	5.3
25N96PNKL	For 96" Top	2701	18	59	27¾	—	45	150 lbs.	5.3
25N120PNKL	For 120" Top	3510	18	91	27¾	—	69¾	170 lbs.	6.2
25N144PNKL	For 144" Top	3645	18	107	27¾	—	85¾	175 lbs.	6.2
25N168PNKL	For 168" Top	4591	18	136¾	27¾	—	108½	195 lbs.	7.9
25N192PNKL	For 192" Top	4727	18	154¾	27¾	—	126½	200 lbs.	7.9
25N216PNKL	For 216" Top	4861	18	172¾	27¾	—	144½	210 lbs.	8.2
25N240PNKL	For 240" Top	4996	18	190¾	27¾	—	162½	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 30-51 for table base guide
- Modified width is available; refer to the chart on page 14 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

Specify selections, left to right:

BASE MODEL	BASE DETAIL	FOOT COLOR (Epic only)	MODIFIED WIDTH	FINISH (wood only)	LAMINATE (laminate only)
10N72PNKW	P1 Basic P2 Barrington P3 Escalade P4 Captivate P4	FR462 Cinder FR501 Platinum Metallic FR503 Satin Nickel Metallic		AC Autumn AD Almond CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural PB Portobello TF Truffle 792 Sable AC	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello PT Portico SK Skyline SM Sonoma TF Truffle 405 Designer White 417 Mojave 418 Mouse 419 Wallaby 425 Shadow 440 Cloud 461 Graphite 462 Cinder 478 Platinum Grey 488 Frosty White 491 Designer White Linear 492 Cinder Linear 791 Palisander 792 Sable 793 Acorn

THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)



Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)



Captivate (P4)
(wood only)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
10N72PNKW	For 72" Top	$ 2978	18	47	27¾	—	33	145 lbs.	5.3
10N84PNKW	For 84" Top	3039	18	53	27¾	—	39	150 lbs.	5.3
10N96PNKW	For 96" Top	3099	18	59	27¾	—	45	150 lbs.	5.3
10N120PNKW	For 120" Top	4400	18	91	27¾	—	69¾	170 lbs.	6.2
10N144PNKW	For 144" Top	4522	18	107	27¾	—	85¾	175 lbs.	6.2
10N168PNKW	For 168" Top	5788	18	136¾	27¾	—	108½	195 lbs.	7.9
10N192PNKW	For 192" Top	5907	18	154¾	27¾	—	126½	200 lbs.	7.9
10N216PNKW	For 216" Top	6029	18	172¾	27¾	—	144½	210 lbs.	8.2
10N240PNKW	For 240" Top	6149	18	190¾	27¾	—	162½	210 lbs.	8.2
LAMINATE									
10N72PNKL	For 72" Top	$ 2291	18	47	27¾	—	33	145 lbs.	5.3
10N84PNKL	For 84" Top	2353	18	53	27¾	—	39	150 lbs.	5.3
10N96PNKL	For 96" Top	2410	18	59	27¾	—	45	150 lbs.	5.3
10N120PNKL	For 120" Top	3135	18	91	27¾	—	69¾	170 lbs.	6.2
10N144PNKL	For 144" Top	3255	18	107	27¾	—	85¾	175 lbs.	6.2
10N168PNKL	For 168" Top	4099	18	136¾	27¾	—	108½	195 lbs.	7.9
10N192PNKL	For 192" Top	4219	18	154¾	27¾	—	126½	200 lbs.	7.9
10N216PNKL	For 216" Top	4340	18	172¾	27¾	—	144½	210 lbs.	8.2
10N240PNKL	For 240" Top	4460	18	190¾	27¾	—	162½	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 30-51 for table base guide
- Modified width is available; refer to the chart on page 14 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

BASE MODEL KEY

W Wood Unit
L Laminate Unit

SAMPLE MODEL NUMBERS:

10N60144PNKW P4 AC
10N60144PNKL P1 AC

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EPIC
THICK PANEL BASE KIT
(FOR USE WITH 60" DEEP TOPS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
25N60144PNKW	For 144" Top	$ 6518	24	107	27¾	—	85¾	181 lbs.	6.5
25N60168PNKW	For 168" Top	8345	24	136¾	27¾	—	108½	198 lbs.	6.5
25N60192PNKW	For 192" Top	8518	24	154¾	27¾	—	126½	218 lbs.	7.9
25N60216PNKW	For 216" Top	8691	24	172¾	27¾	—	144½	223 lbs.	7.9
25N60240PNKW	For 240" Top	8866	24	190¾	27¾	—	162½	243 lbs.	8.3
LAMINATE									
25N60144PNKL	For 144" Top	$ 4739	24	107	27¾	—	85¾	181 lbs.	6.5
25N60168PNKL	For 168" Top	5969	24	136¾	27¾	—	108½	198 lbs.	6.5
25N60192PNKL	For 192" Top	6145	24	154¾	27¾	—	126½	218 lbs.	7.9
25N60216PNKL	For 216" Top	6319	24	172¾	27¾	—	144½	223 lbs.	7.9
25N60240PNKL	For 240" Top	6494	24	190¾	27¾	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 30-51 for table base guide
- Modified width is available; refer to the chart on page 14 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

Specify selections, left to right:

BASE MODEL	BASE DETAIL	FOOT COLOR (Epic only)	MODIFIED WIDTH	FINISH (wood only)	LAMINATE (laminate only)
10N60144PNKW	P1 Basic P2 Barrington P3 Escalade P4 Captivate P4	FR462 Cinder FR501 Platinum Metallic FR503 Satin Nickel Metallic		AC Autumn AD Almond CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural PB Portobello TF Truffle 792 Sable AC	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello PT Portico SK Skyline SM Sonoma TF Truffle 405 Designer White 417 Mojave 418 Mouse 419 Wallaby 425 Shadow 440 Cloud 461 Graphite 462 Cinder 478 Platinum Grey 488 Frosty White 491 Designer White Linear 492 Cinder Linear 791 Palisander 792 Sable 793 Acorn

THICK PANEL BASE KIT (FOR USE WITH 60" DEEP TOPS)



Basic (P1)



Barrington (P2) (wood only)



Escalade (P3) (wood only)



Captivate (P4) (wood only)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
10N60144PNKW	For 144" Top	$ 5877	24	107	27¾	—	85¾	181 lbs.	6.5
10N60168PNKW	For 168" Top	7525	24	136¾	27¾	—	108½	198 lbs.	6.5
10N60192PNKW	For 192" Top	7681	24	154¾	27¾	—	126½	218 lbs.	7.9
10N60216PNKW	For 216" Top	7837	24	172¾	27¾	—	144½	223 lbs.	7.9
10N60240PNKW	For 240" Top	7993	24	190¾	27¾	—	162½	243 lbs.	8.3
LAMINATE									
10N60144PNKL	For 144" Top	$ 4232	24	107	27¾	—	85¾	181 lbs.	6.5
10N60168PNKL	For 168" Top	5329	24	136¾	27¾	—	108½	198 lbs.	6.5
10N60192PNKL	For 192" Top	5486	24	154¾	27¾	—	126½	218 lbs.	7.9
10N60216PNKL	For 216" Top	5642	24	172¾	27¾	—	144½	223 lbs.	7.9
10N60240PNKL	For 240" Top	5799	24	190¾	27¾	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 30-51 for table base guide
- Modified width is available; refer to the chart on page 14 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DOUBLE DORIC BASE	CBW3428TT	Black Metal	$ 553	8	30	28	—	—	29 lbs.	2.8



- Some assembly is required
- Features side holes at the top and bottom of each leg for wire management
- Reference pages 30-51 for table base guide

2-PRONG BASE	CBV2928P2BP		$ 253	—	29	28	—	—	22 lbs.	1.5



- Reference pages 30-51 for table base guide
- Some assembly required
- Optional upper and lower (CUL) base column wire management
- Specify base column and base foot paint colors

H-STYLE LEG BASE	CBW3428H	Black Metal	$ 385	6	29⅛	28	—	—	17 lbs.	3.4

- Reference pages 30-51 for table base guide

			DI		H				
COLUMN LEG STATIC	CBV0228COBP	$ 100	2	—	27¾	—	—	6 lbs.	0.6



- Adjustable glide standard
- Reference pages 30-51 for table base guide
- Optional upper and lower (CUL) base column wire management

COLUMN LEG MOBILE	CBV0228COBMP	$ 120	2	—	27¾	—	—	6 lbs.	0.6



- Dual wheel locking caster
- Some assembly required
- Reference pages 30-51 for table base guide
- Optional upper and lower (CUL) base column wire management

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV2828P4BP CUL 265 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
4-PRONG BASE	CBV2828P4BP		$ 325	–	28	28	–	–	32 lbs.	1.4
	CBV3428P4BP		424	–	34	28	–	–	32 lbs.	2.5
	• Reference pages 30-51 for table base guide • Some assembly required • Optional upper and lower (CUL) base column wire management • Specify base column and base foot paint colors									
WOOD CAPPED BASE	BW-4	Black Metal with Wood Caps	$ 430	–	32½	27½	–	–	21 lbs.	3.0
	• Specify wood finish after model number • Reference pages 30-51 for table base guide									
X BASE WORKSURFACE HEIGHT	CBV4028XBP		$ 697	–	38⅛	27¾	–	–	36 lbs.	12.0
	CBV3228XBP		521	–	31⅝	27¾	–	–	33 lbs.	12.0
	CBV2728XBP		443	–	27⅝	27¾	–	–	33 lbs.	12.0
	• Adjustable glides standard • Some assembly required • Reference pages 30-51 for table base guide • Optional upper (CU) base column wire management • Specify base column and base foot paint colors									

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

X BASE WORKSURFACE HEIGHT, MOBILE



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV4028XBMP	$ 727	–	38 1/16	27 3/4	–	–	36 lbs.	12.0
CBV3228XBMP	560	–	31 15/16	27 3/4	–	–	33 lbs.	12.0
CBV2728XBMP	476	–	27 5/16	27 3/4	–	–	33 lbs.	12.0

- Dual wheel locking casters
- Some assembly required
- Reference pages 30-51 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors

X BASE WORKSURFACE HEIGHT, WIRE MANAGEMENT



			DI	W	H				
CBV4728XB	Cinder	$ 802	4	47	27 3/4	–	–	55 lbs.	15.0
CBV4728XS	Platinum Metallic	802	4	47	27 3/4	–	–	55 lbs.	15.0
CBV4728XN	Satin Nickel Metallic	802	4	47	27 3/4	–	–	55 lbs.	15.0

- Base can be used with 54" and 60" round or square conference tops
- Adjustable glides are standard
- Some assembly required
- 4" column has hole through center to allow wire access and can be used with the G10 and NACG10EL Conference Grommet

X BASE COUNTER HEIGHT



CBV3235XBP	$ 726	2½	32	33 13/16	–	–	32 lbs.	12.0
CBV2735XBP	617	2½	27 5/16	33 13/16	–	–	32 lbs.	12.0

- Adjustable glides standard
- Some assembly required
- Reference pages 30-51 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBERS:

CBV4028XBMP	CU	265	462
CBV3241XBP	X	462	462

	MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
X BASE BAR HEIGHT	CBV3241XBP		$ 798	2½	32	40 13/16	—	—	33 lbs.	14.0
	CBV2741XBP		679	2½	27 5/16	40 13/16	—	—	33 lbs.	14.0
	• Adjustable glides standard • Some assembly required • Reference pages 30-51 for table base guide • Optional upper (CU) base column wire management • Specify base column and base foot paint colors									
ADJUSTABLE HEIGHT BASE MOBILE	CBV3226XBAB	Cinder	$ 1809	2½	32	26-40 13/16	—		33 lbs.	12.0
	CBV3226XBAS	Platinum Metallic	1809	2½	32	26-40 13/16	—		33 lbs.	12.0
	CBV3226XBAN	Satin Nickel Metallic	1809	2½	32	26-40 13/16	—		33 lbs.	12.0
	• Some assembly required • Paddle arm release allows pneumatic adjustment • Locking casters only • Reference pages 30-51 for table base guide									

CONFERENCE TABLE BASES

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UMBRELLA BASE FIXED	CBV2728U4SB	Cinder	$ 929	30	30	27⅞	—	—	32 lbs.	10.3
	CBV2728U4SS	Platinum Metallic	929	30	30	27⅞	—	—	32 lbs.	10.3
	CBV2728U4SN	Satin Nickel Metallic	929	30	30	27⅞	—	—	32 lbs.	10.3



- Some assembly required
- 4 leveling glides

UMBRELLA BASE MOBILE	CBV2728U4MB	Cinder	$ 929	30	30	27⅞	—	—	32 lbs.	10.3
	CBV2728U4MS	Platinum Metallic	929	30	30	27⅞	—	—	32 lbs.	10.3
	CBV2728U4MN	Satin Nickel Metallic	929	30	30	27⅞	—	—	32 lbs.	10.3



- Some assembly required
- 4 locking casters

UMBRELLA BASE ADJUSTABLE HEIGHT MOBILE	CBV2742U4AMB	Cinder	$ 1619	30	30	25½-41⅞	—	—	36 lbs.	10.3
	CBV2742U4AMS	Platinum Metallic	1619	30	30	25½-41⅞	—	—	36 lbs.	10.3
	CBV2742U4AMN	Satin Nickel Metallic	1619	30	30	25½-41⅞	—	—	36 lbs.	10.3



- Some assembly required
- Release paddle to adjust height
- 4 locking casters

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2715DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE OCCASIONAL TABLE HEIGHT	CBV2715DRNBP	$ 687	3	27 3/16	16	—	—	60 lbs.	1.9
	CBV2215DRNBP	519	3	22	16	—	—	43 lbs.	1.9



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

SOFT SQUARE BASE OCCASIONAL TABLE HEIGHT	CBV2715DSQBP	$ 800	3	27 3/16	16	—	—	60 lbs.	1.9
	CBV2215DSQBP	631	3	22	16	—	—	50 lbs.	1.9



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

DISC BASE WORKSURFACE HEIGHT	CBV2728DRNBP	$ 732	3	27 3/16	27 7/16	—	—	73 lbs.	2.8
	CBV2228DRNBP	547	3	22	27 7/16	—	—	56 lbs.	2.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

CONFERENCE TABLE BASES

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFT SQUARE BASE WORKSURFACE HEIGHT	CBV2728DSQBP	$ 845	3	27 3/16	27 1/16	—	—	84 lbs.	2.8
	CBV2228DSQBP	660	3	22	27 1/16	—	—	63 lbs.	2.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

DISC BASE COUNTER HEIGHT	CBV2735DRNBP	$ 790	3	27 3/16	35	—	—	75 lbs.	3.4
	CBV2235DRNBP	762	3	22	35	—	—	58 lbs.	3.4



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

SOFT SQUARE BASE COUNTER HEIGHT	CBV2735DSQBP	$ 903	3	27 3/16	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	874	3	22	35	—	—	65 lbs.	3.4



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2740DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE BAR HEIGHT	CBV2740DRNBP	$ 845	3	27⅜	40¾	—	—	76 lbs.	3.8
	CBV2240DRNBP	816	3	22	40¾	—	—	59 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

SOFT SQUARE BASE BAR HEIGHT	CBV2740DSQBP	$ 957	3	27⅜	40¾	—	—	87 lbs.	3.8
	CBV2240DSQBP	929	3	22	40¾	—	—	66 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

COLLABORATIVE TABLES

FOOTINGS PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1⅜" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate), and feature a softened 3mm PVC rim or knife rim surface
- Veneer surfaces are 1⅜" plain, sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim or knife rim surface
- Refer to page 184 for rim profile and colors
- Grain direction runs left-to-right
- 120" tops and smaller are a one piece top

FINISH APPLICATION

- Veneer tops that are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen
- IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

BASE

- Intended to be used with Footings tops. However, an equal size 1⅜" top from Wave or Epic can be used
- Ellipse shaped wire management cutout optional on X bases and standard on the Y and quad bases
- Available in five paint colors: (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, (503) Satin Nickel Metallic
- The column and foot can be specified as different paint colors
- Adjustable glides are standard
- Column diameter is 2½"

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features two 120 volt receptacles and two Cat5E data ports and 6' AC cord rated at 15 Amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- Eight adapter plates are provided

ONE TOUCH PIVOTING POWER GROMMET (G17, G172, G173)

- Field installable
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- (G17) Includes one power outlet and one blank voice/data port
- (G172) Includes two power outlets
- (G173) Includes one power outlet and two charging USB (2.1)
- 10 foot, 15 Amp cord
- Includes a voice/adapter kit to accept couplers and jacks when required
- UL Listed

BYRNE INTERLINK IQ SYSTEM (G17)

- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system can be used with Epic, Renegade, and WaveWorks
- Interlink IQ system must begin with NACELIQ1, NACG17ELIQ_1 or NACG172ELIQ_1 unit
- Can add a daisy chain for a total of eight NACG17ELIQ, NACG172ELIQ, or NACELIQJ units in any combination
- G17EL includes a Voice/Adapter kit to accept couplers and jacks when required
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat

POWER GROMMET (G23)

- 9 foot, 15 Amp cord
- ETL listed to UL962A Standard

DAISY LINK (G23)

- Field installable in tables when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes two 15 Amp power receptacles (no data) and two USB (3.0 power) power ports
- Thumbscrew version with two backerplates and two ¼"-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48⅜" conduit and 24" power cord with 20 Amp molded plug
- 72⅜" multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60" jumper; jumper cable is 60⅜" metal conduit with female to female ends for connecting two daisy link power grommets
- ETL listed to UL962A Standard

DAISY LINK JUMPER

- 80" jumper cable is metal conduit with female to female ends to connect two daisy link power grommets when the power is jumped between tables

FOOTINGS SHAPES AND SIZES



ROUND
24" Diameter
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



SOFT SQUARE
24" x 24"
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

OVAL
24" x 48"
30" x 60"
36" x 72"
42" x 84"
48" x 96"

SOFT RECTANGLE
24" x 48"
30" x 60" and 72"
36" x 60", 72", 84" and 96"
42" x 72", 84" and 96"
48" x 72", 84", 96" and 120"

ARC RECTANGLE
24" x 48"
30" x 60" and 72"
36" x 60", 72", 84" and 96"
42" x 72", 84" and 96"
48" x 72", 84", 96" and 120"

BOAT
24" x 48"
30" x 60" and 72"
36" x 60", 72", 84" and 96"
42" x 72", 84" and 96"
48" x 72", 84", 96" and 120"

TAPERED
36" x 72"
42" x 84"
48" x 96"
48" x 120"

RIM PROFILE OPTIONS



Softened Wood (F)
(wood tops only)



Softened PVC (V)
(laminate tops only)



Knife (K)

RIM PROFILES

SOFTENED PVC RIM

AC2	Autumn 2
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
791	Palisander
792	Sable
793	Acorn

WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
TF	Truffle
792	Sable

GROMMET AND CUTOUT OPTIONS

Footings tops are available with grommet cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right

- Reference pages 186-187 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

Cutout Option for One Touch Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G17C	Center
CUT-G17E	End
CUT-G17LR	Left & Right



- Reference pages 188-189 for cutout locations of CUT-G17



NACG17ELB (Sold Separately)
NACG17ELS (Sold Separately)



NACG172ELB (Sold Separately)
NACG172ELS (Sold Separately)



NACG173ELB (Sold Separately)
NACG173ELS (Sold Separately)

- Reference page 528 for pricing and details

Cutout Option for G23 Power Grommet and Daisy Link

$25 list upcharge per cutout

- CUT-G23C Cutout only for G23 Power Grommet (+$25 list)

CUT-G23C	Center
CUT-G23E	End
CUT-G23LR	Left, Right



- Reference pages 190-191 for cutout locations of CUT-G23



NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

- Reference page 532 for pricing and details

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

TOP WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

• CSL available; see page 8 for program details and upcharge

BASE COLUMN PAINT COLORS

265 Polished
405 Designer White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

BASE FOOT PAINT COLORS

265 Polished
405 Designer White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

BASE COLUMN WIRE MANAGEMENT

• Ellipse shaped wire management cutout optional in X bases

CU Cutout, Upper
X No Cutout

$25 list upcharge for cutout in X bases



FOOTINGS - GROMMET LOCATIONS

- All grommets are centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- For 120" tops, the center grommet location consists of two grommets (upcharge will reflect two grommets)



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"					84"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–	84"	–	41 15/16"	–	–
		–	–	–	–		–	–	–	–		–	–	–	–		–	–	–	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	–	–	–	60"	24"	–	–	–	72"	26 15/16"	–	–	–	84"	29 15/16"	–	–	–
		–	–	–	–		–	–	–	–		–	–	–	–		–	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	–	–	N/A	60"	24"	–	–	36"	72"	26 15/16"	–	–	45"	84"	29 15/16"	–	–	54"
		–	–	–	–		–	–	–	–		–	–	–	–		–	–	–	–

• G10 Round Grommet

	96"					120"				
		A	B	C	D		A	B	C	D
	96"	—	47 15/16"	—	—	120"	—	50 15/16"	68 7/8"	—
		—	—	—	—		—	—	—	—
		A	B	C	D		A	B	C	D
	96"	32 15/16"	—	—	—	120"	29 15/16"	—	—	—
		—	—	—	—		—	—	—	—
		A	B	C	D		A	B	C	D
	96"	32 15/16"	—	—	62 15/16"	120"	29 15/16"	—	—	89 7/8"
		—	—	—	—		—	—	—	—

FOOTINGS - GROMMET LOCATIONS

- All grommets are centered on the table top depth
- For 60", 72", 84" 96" and 120" tops, the center grommet location consists of two grommets (upcharge will reflect two grommets)



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"					84"				
G17C CENTER		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	24"	N/A	–	60"	–	26"	34"	–	72"	–	32"	39 15/16"	–	84"	–	38"	45 15/16"	–
		–	–	–	–		–	–	–	–		–	–	–	–		–	–	–	–
G17E END		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	–	–	–	60"	24"	–	–	–	72"	26 15/16"	–	–	–	84"	29 15/16"	–	–	–
		–	–	–	–		–	–	–	–		–	–	–	–		–	–	–	–
G17LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	–	–	N/A	60"	24"	–	–	36"	72"	26 15/16"	–	–	45"	84"	29 15/16"	–	–	54"
		–	–	–	–		–	–	–	–		–	–	–	–		–	–	–	–

• CUT-G17 option



• One Touch Pivoting Power/Data Grommet



• Must be ordered separately

	96"					120"				
		A	B	C	D		A	B	C	D
	96"	—	44"	51 15/16"	—	120"	—	50 15/16"	68 7/8"	—
		—	—	—	—		—	—	—	—
		A	B	C	D		A	B	C	D
	96"	32 15/16"	—	—	—	120"	29 15/16"	—	—	—
		—	—	—	—		—	—	—	—
		A	B	C	D		A	B	C	D
	96"	32 15/16"	—	—	62 15/16"	120"	29 15/16"	—	—	89 7/8"
		—	—	—	—		—	—	—	—

FOOTINGS - GROMMET LOCATIONS

- All grommets are centered on the table top depth
- For 120" tops, the center grommet location consists of two grommets (upcharge will reflect two grommets)



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"					84"				
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–	84"	–	41 15/16"	–	–
		–	–	–	–		–	–	–	–		–	–	–	–		–	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G23E END	48"	N/A	–	–	–	60"	24"	–	–	–	72"	26 15/16"	–	–	–	84"	29 15/16"	–	–	–
		–	–	–	–		–	–	–	–		–	–	–	–		–	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G23LR LEFT, RIGHT	48"	N/A	–	–	N/A	60"	24"	–	–	36"	72"	26 15/16"	–	–	45"	84"	29 15/16"	–	–	54"
		–	–	–	–		–	–	–	–		–	–	–	–		–	–	–	–

• CUT-G23 option



• Power Grommet



• Must be ordered separately

	96"					120"				
		A	B	C	D		A	B	C	D
	96"	–	47 15/16"	–	–	120"	–	50 15/16"	68⅞"	–
		–	–	–	–		–	–	–	–
		A	B	C	D		A	B	C	D
	96"	32 15/16"	–	–	–	120"	29 15/16"	–	–	–
		–	–	–	–		–	–	–	–
		A	B	C	D		A	B	C	D
	96"	32 15/16"	–	–	62 15/16"	120"	29 15/16"	–	–	89⅞"
		–	–	–	–		–	–	–	–

FOOTINGS - BASE MATRIX

TOP SIZE DEPTH	TOP SIZE WIDTH		ROUND	SOFT SQUARE	
					
24"	24"	X Base Occasional Height X Base End Table Height X Base Worksurface Height X Base Counter Height  X Base Bar Height	CBV2115XBP	CBV2115XBP	
			CBV2119XBP	CBV2119XBP	
			CBV2128XBP	CBV2128XBP	
			CBV2135XBP	CBV2135XBP	
			CBV2141XBP	CBV2141XBP	
24"	48"	Y Bases with Rail Occasional Height			
30"	30"	X Base Occasional Height X Base End Table Height X Base Worksurface Height X Base Counter Height  X Base Bar Height	CBV2715XBP	CBV2715XBP	
			CBV2719XBP	CBV2719XBP	
			CBV2728XBP	CBV2728XBP	
			CBV2728XBMP	CBV2728XBMP	
			CBV2735XBP	CBV2735XBP	
			CBV2741XBP	CBV2741XBP	
30"	60"	Y Bases with Rail Occasional Height Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height  Y Bases with Rail Bar Height			
30"	72"	Y Bases with Rail Occasional Height Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height  Y Bases with Rail Bar Height			
36"	36"	X Base Occasional Height X Base Worksurface Height X Base Worksurface Height, Mobile  X Base Counter Height  X Base Bar Height	CBV3215XBP	CBV3215XBP	
			CBV3228XBP	CBV3228XBP	
			CBV3228XBMP	CBV3228XBMP	
			CBV3235XBP	CBV3235XBP	
			CBV3241XBP	CBV3241XBP	
36"	60"	Y Bases with Rail Occasional Height Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height  Y Bases with Rail Bar Height			

	OVAL	SOFT RECTANGLE	ARC RECTANGLE	BOAT	TAPERED
	CBV183115YBKP	CBV183515YBKP	CBV183515YBKP	CBV183515YBKP	
	CBV243815YBKP	CBV244415YBKP	CBV244415YBKP	CBV244415YBKP	
	CBV243828YBKP	CBV244428YBKP	CBV244428YBKP	CBV244428YBKP	
	CBV243835YBKP	CBV244435YBKP	CBV244435YBKP	CBV244435YBKP	
	CBV243841YBKP	CBV244441YBKP	CBV244441YBKP	CBV244441YBKP	
		CBV245015YBKP	CBV245015YBKP	CBV245015YBKP	
		CBV245028YBKP	CBV245028YBKP	CBV245028YBKP	
		CBV245035YBKP	CBV245035YBKP	CBV245035YBKP	
		CBV245041YBKP	CBV245041YBKP	CBV245041YBKP	
		CBV244415YBKP	CBV244415YBKP	CBV244415YBKP	
		CBV244428YBKP	CBV244428YBKP	CBV244428YBKP	
		CBV244435YBKP	CBV244435YBKP	CBV244435YBKP	
		CBV244441YBKP	CBV244441YBKP	CBV244441YBKP	

FOOTINGS - BASE MATRIX

TOP SIZE DEPTH	TOP SIZE WIDTH		ROUND	SOFT SQUARE	
					
36"	72"	Y Bases with Rail Occasional Height Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height  Y Bases with Rail Bar Height			
36"	84"	Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height  Y Bases with Rail Bar Height			
36"	96"	Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height  Y Bases with Rail Bar Height			
42"	42"	X Base Occasional Height X Base Worksurface Height X Base Worksurface Height, Mobile X Base Counter Height  X Base Bar Height	CBV3215XBP CBV3228XBP CBV4028XBP CBV3228XBMP CBV4028XBMP CBV3235XBP CBV3241XBP	CBV3215XBP CBV3228XBP CBV4028XBP CBV3228XBMP CBV4028XBMP CBV3235XBP CBV3241XBP	
42"	72"	Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height  Y Bases with Rail Bar Height			

	OVAL	SOFT RECTANGLE	ARC RECTANGLE	BOAT	TAPERED
	CBV245015YBKP	CBV245015YBKP	CBV245015YBKP	CBV245015YBKP	CBV245015YBKP
	CBV245028YBKP	CBV245028YBKP	CBV245028YBKP	CBV245028YBKP	CBV245028YBKP
	CBV245035YBKP	CBV245035YBKP	CBV245035YBKP	CBV245035YBKP	CBV245035YBKP
	CBV245041YBKP	CBV245041YBKP	CBV245041YBKP	CBV245041YBKP	CBV245041YBKP
		CBV245628YBKP	CBV245628YBKP	CBV245628YBKP	
		CBV245635YBKP	CBV245635YBKP	CBV245635YBKP	
		CBV245641YBKP	CBV245641YBKP	CBV245641YBKP	
		CBV246228YBKP	CBV246228YBKP	CBV246228YBKP	
		CBV246235YBKP	CBV246235YBKP	CBV246235YBKP	
		CBV246241YBKP	CBV246241YBKP	CBV246241YBKP	
		CBV285228YBKP	CBV285228YBKP	CBV285228YBKP	
		CBV285235YBKP	CBV285235YBKP	CBV285235YBKP	
		CBV285241YBKP	CBV285241YBKP	CBV285241YBKP	

FOOTINGS - BASE MATRIX

TOP SIZE DEPTH	TOP SIZE WIDTH				ROUND	SOFT SQUARE	
							
42"	84"	Y Bases with Rail Worksurface Height	Y Bases with Rail Counter Height	 Y Bases with Rail Bar Height			
42"	96"	Y Bases with Rail Worksurface Height	Y Bases with Rail Counter Height	 Y Bases with Rail Bar Height			
48"	48"	X Base Worksurface Height	X Base Worksurface Height, Mobile	 X Base Counter Height	 X Base Bar Height	CBV4028XBP	CBV4028XBP
						CBV4028XBMP	CBV4028XBMP
						CBV4035XBP	CBV4035XBP
						CBV4041XBP	CBV4041XBP
48"	72"	Y Bases with Rail Worksurface Height	Y Bases with Rail Counter Height	 Y Bases with Rail Bar Height			
48"	84"	Y Bases with Rail Worksurface Height	Y Bases with Rail Counter Height	 Y Bases with Rail Bar Height			
48"	96"	 Y Bases with Rail Worksurface Height	Y Bases with Rail Counter Height	 Y Bases with Rail Bar Height			
48"	120"	 Y Bases with Rail Worksurface Height					

	OVAL	SOFT RECTANGLE	ARC RECTANGLE	BOAT	TAPERED
	CBV285828YBKP	CBV285828YBKP	CBV285828YBKP	CBV285828YBKP	CBV285828YBKP
	CBV285835YBKP	CBV285835YBKP	CBV285835YBKP	CBV285835YBKP	CBV285835YBKP
	CBV285841YBKP	CBV285841YBKP	CBV285841YBKP	CBV285841YBKP	CBV285841YBKP
		CBV286428YBKP	CBV286428YBKP	CBV286428YBKP	
		CBV286435YBKP	CBV286435YBKP	CBV286435YBKP	
		CBV286441YBKP	CBV286441YBKP	CBV286441YBKP	
		CBV285228YBKP	CBV285228YBKP	CBV285228YBKP	
		CBV285235YBKP	CBV285235YBKP	CBV285235YBKP	
		CBV285241YBKP	CBV285241YBKP	CBV285241YBKP	
		CBV285828YBKP	CBV285828YBKP	CBV285828YBKP	
		CBV285835YBKP	CBV285835YBKP	CBV285835YBKP	
		CBV285841YBKP	CBV285841YBKP	CBV285841YBKP	
	CBV286428YBKP	CBV286428YBKP	CBV286428YBKP	CBV286428YBKP	CBV286428YBKP
	CBV286435YBKP	CBV286435YBKP	CBV286435YBKP	CBV286435YBKP	CBV286435YBKP
	CBV286441YBKP	CBV286441YBKP	CBV286441YBKP	CBV286441YBKP	CBV286441YBKP
		CBV2810028YBKP	CBV2810028YBKP	CBV2810028YBKP	CBV2810028YBKP

FOOTINGS - BASE MATRIX

TOP SIZE DEPTH	TOP SIZE WIDTH				ROUND	SOFT SQUARE 	
54"	54"	Quad X Base Worksurface Height	Quad X Base Counter Height	Quad X Base Bar Height	CBV3028QBP	CBV3528QBP	
					CBV3035QBP	CBV3535QBP	
					CBV3041QBP	CBV3541QBP	
60"	60"	Quad X Base Worksurface Height	Quad X Base Counter Height	Quad X Base Bar Height	CBV3528QBP	CBV3528QBP	
					CBV3535QBP	CBV3535QBP	
					CBV3541QBP	CBV3541QBP	

	OVAL	SOFT RECTANGLE	ARC RECTANGLE	BOAT	TAPERED

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 186-191 for grommet options and locations
- Reference pages 192-199 for table base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

ROUND TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" ROUND	**1⅜6" TOP THICKNESS**		**DI**		**H**				
83N24RDW	Wood	$ 710	24	24	1⅜6	–	–	22 lbs.	1.3
83N24RDL	Laminate	359	24	24	1⅜6	–	–	22 lbs.	1.3
83N24RDLL	TFL	287	24	24	1⅛	–	–	22 lbs.	1.3
30" ROUND									
83N30RDW	Wood	$ 834	30	30	1⅜6	–	–	43 lbs.	1.9
83N30RDL	Laminate	422	30	30	1⅜6	–	–	43 lbs.	1.9
83N30RDLL	TFL	338	30	30	1⅛	–	–	43 lbs.	1.9
36" ROUND									
83N36RDW	Wood	$ 1156	36	36	1⅜6	–	–	59 lbs.	2.5
83N36RDL	Laminate	496	36	36	1⅜6	–	–	59 lbs.	2.5
83N36RDLL	TFL	398	36	36	1⅛	–	–	59 lbs.	2.5
42" ROUND									
83N42RDW	Wood	$ 1198	42	42	1⅜6	–	–	62 lbs.	3.3
83N42RDL	Laminate	689	42	42	1⅜6	–	–	62 lbs.	3.3
83N42RDLL	TFL	551	42	42	1⅛	–	–	62 lbs.	3.3
48" ROUND									
83N48RDW	Wood	$ 1437	48	48	1⅜6	–	–	95 lbs.	4.2
83N48RDL	Laminate	907	48	48	1⅜6	–	–	95 lbs.	4.2
83N48RDLL	TFL	726	48	48	1⅛	–	–	95 lbs.	4.2
54" ROUND									
83N54RDW	Wood	$ 1652	54	54	1⅜6	–	–	100 lbs.	5.1
83N54RDL	Laminate	1043	54	54	1⅜6	–	–	100 lbs.	5.1
83N54RDLL	TFL	835	54	54	1⅛	–	–	100 lbs.	5.1
60" ROUND									
83N60RDW	Wood	$ 1900	58⅝	58⅝	1⅜6	–	–	117 lbs.	5.9
83N60RDL	Laminate	1200	58⅝	58⅝	1⅜6	–	–	117 lbs.	5.9
83N60RDLL	TFL	960	58⅝	58⅝	1⅛	–	–	117 lbs.	5.9

- Modified depth and width not available
- For use with Footings base; reference pages 192-199
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen
5. Finish/Laminate

• See pages 183-185 for all options available in Footings

SAMPLE MODEL NUMBERS:

83N24RDWK	K	R	HN	
83N24RDLK	K461	461		
83N54RDWK	K	G10C	R	HN

ROUND TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" ROUND	**1¾₁₆" TOP THICKNESS**		**DI**		**H**				
83N24RDWK	Wood	$ 872	24	24	1⅜₁₆	—	—	22 lbs.	1.3
83N24RDLK	Laminate	442	24	24	1⅜₁₆	—	—	22 lbs.	1.3
30" ROUND									
83N30RDWK	Wood	$ 1026	30	30	1⅜₁₆	—	—	43 lbs.	1.9
83N30RDLK	Laminate	519	30	30	1⅜₁₆	—	—	43 lbs.	1.9
36" ROUND									
83N36RDWK	Wood	$ 1421	36	36	1⅜₁₆	—	—	59 lbs.	2.5
83N36RDLK	Laminate	611	36	36	1⅜₁₆	—	—	59 lbs.	2.5
42" ROUND									
83N42RDWK	Wood	$ 1473	42	42	1⅜₁₆	—	—	62 lbs.	3.3
83N42RDLK	Laminate	848	42	42	1⅜₁₆	—	—	62 lbs.	3.3
48" ROUND									
83N48RDWK	Wood	$ 1767	48	48	1⅜₁₆	—	—	95 lbs.	4.2
83N48RDLK	Laminate	1117	48	48	1⅜₁₆	—	—	95 lbs.	4.2
54" ROUND									
83N54RDWK	Wood	$ 2032	54	54	1⅜₁₆	—	—	100 lbs.	5.1
83N54RDLK	Laminate	1283	54	54	1⅜₁₆	—	—	100 lbs.	5.1
60" ROUND									
83N60RDWK	Wood	$ 2337	58⅝	58⅝	1⅜₁₆	—	—	117 lbs.	5.9
83N60RDLK	Laminate	1476	58⅝	58⅝	1⅜₁₆	—	—	117 lbs.	5.9

• Modified depth and width not available
• For use with Footings base; reference pages 192-199
• No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
• Center grommet option available on 54" and 60" round and soft square tops

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 186-191 for grommet options and locations
- Reference pages 192-199 for table base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SOFT SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" SQUARE	**1 3/16" TOP THICKNESS**								
83N2424SSQW	Wood	$ 730	24	24	1 3/16	—	—	26 lbs.	1.4
83N2424SSQL	Laminate	370	24	24	1 3/16	—	—	26 lbs.	1.4
83N2424SSQLL	TFL	296	24	24	1⅛	—	—	26 lbs.	1.4
30" SQUARE									
83N3030SSQW	Wood	$ 859	30	30	1 3/16	—	—	40 lbs.	1.9
83N3030SSQL	Laminate	435	30	30	1 3/16	—	—	40 lbs.	1.9
83N3030SSQLL	TFL	348	30	30	1⅛	—	—	40 lbs.	1.9
36" SQUARE									
83N3636SSQW	Wood	$ 1191	36	36	1 3/16	—	—	55 lbs.	2.6
83N3636SSQL	Laminate	511	36	36	1 3/16	—	—	55 lbs.	2.6
83N3636SSQLL	TFL	409	36	36	1⅛	—	—	55 lbs.	2.6
42" SQUARE									
83N4242SSQW	Wood	$ 1557	42	42	1 3/16	—	—	78 lbs.	3.6
83N4242SSQL	Laminate	896	42	42	1 3/16	—	—	78 lbs.	3.6
83N4242SSQLL	TFL	717	42	42	1⅛	—	—	78 lbs.	3.6
48" SQUARE									
83N4848SSQW	Wood	$ 1480	48	48	1 3/16	—	—	101 lbs.	4.6
83N4848SSQL	Laminate	934	48	48	1 3/16	—	—	101 lbs.	4.6
83N4848SSQLL	TFL	748	48	48	1⅛	—	—	101 lbs.	4.6
54" SQUARE									
83N5454SSQW	Wood	$ 1702	54	54	1 3/16	—	—	127 lbs.	5.7
83N5454SSQL	Laminate	1075	54	54	1 3/16	—	—	127 lbs.	5.7
83N5454SSQLL	TFL	860	54	54	1⅛	—	—	127 lbs.	5.7
60" SQUARE									
83N6060SSQW	Wood	$ 1957	58⅝	58⅝	1 3/16	—	—	148 lbs.	6.6
83N6060SSQL	Laminate	1236	58⅝	58⅝	1 3/16	—	—	148 lbs.	6.6
83N6060SSQLL	TFL	989	58⅝	58⅝	1⅛	—	—	148 lbs.	6.6

- Modified depth and width not available
- For use with Footings base; reference pages 192-199
- Profiled corners have a 4" radius
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen
5. Finish/Laminate

• See pages 183-185 for all options available in Footings

SAMPLE MODEL NUMBERS:

83N2424SSQWK	K	R	HN
83N2424SSQLK	L461	461	
83N5454SSQWK	K	G10C	R HN

SOFT SQUARE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" SQUARE	**1⅜6" TOP THICKNESS**								
83N2424SSQWK	Wood	$ 898	24	24	1⅜6	—	—	26 lbs.	1.4
83N2424SSQLK	Laminate	455	24	24	1⅜6	—	—	26 lbs.	1.4
30" SQUARE									
83N3030SSQWK	Wood	$ 1057	30	30	1⅜6	—	—	40 lbs.	1.9
83N3030SSQLK	Laminate	535	30	30	1⅜6	—	—	40 lbs.	1.9
36" SQUARE									
83N3636SSQWK	Wood	$ 1464	36	36	1⅜6	—	—	55 lbs.	2.6
83N3636SSQLK	Laminate	629	36	36	1⅜6	—	—	55 lbs.	2.6
42" SQUARE									
83N4242SSQWK	Wood	$ 1916	42	42	1⅜6	—	—	78 lbs.	3.6
83N4242SSQLK	Laminate	1102	42	42	1⅜6	—	—	78 lbs.	3.6
48" SQUARE									
83N4848SSQWK	Wood	$ 1820	48	48	1⅜6	—	—	101 lbs.	4.6
83N4848SSQLK	Laminate	1149	48	48	1⅜6	—	—	101 lbs.	4.6
54" SQUARE									
83N5454SSQWK	Wood	$ 2093	54	54	1⅜6	—	—	127 lbs.	5.7
83N5454SSQLK	Laminate	1323	54	54	1⅜6	—	—	127 lbs.	5.7
60" SQUARE									
83N6060SSQWK	Wood	$ 2407	58⅝	58⅝	1⅜6	—	—	148 lbs.	6.6
83N6060SSQLK	Laminate	1520	58⅝	58⅝	1⅜6	—	—	148 lbs.	6.6

• Modified depth and width not available
• For use with Footings base; reference pages 192-199
• Profiled corners have a 4" radius
• No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
• Center grommet option available on 54" and 60" round and soft square tops

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 186-191 for grommet options and locations
- Reference pages 192-199 for table base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

OVAL TOP SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" x 48"	**1⅜" TOP THICKNESS**								
83N2448OVW	Wood	$ 952	24	48	1⅜	–	–	42 lbs.	2.3
83N2448OVL	Laminate	680	24	48	1⅜	–	–	42 lbs.	2.3
83N2448OVLL	TFL	544	24	48	1⅛	–	–	42 lbs.	2.3
30" x 60"									
83N3060OVW	Wood	$ 1120	30	60	1⅜	–	–	63 lbs.	3.7
83N3060OVL	Laminate	800	30	60	1⅜	–	–	63 lbs.	3.7
83N3060OVLL	TFL	640	30	60	1⅛	–	–	63 lbs.	3.7
36" x 72"									
83N3672OVW	Wood	$ 1402	36	72	1⅜	–	–	90 lbs.	5.2
83N3672OVL	Laminate	1001	36	72	1⅜	–	–	90 lbs.	5.2
83N3672OVLL	TFL	801	36	72	1⅛	–	–	90 lbs.	5.2
42" x 84"									
83N4284OVW	Wood	$ 1670	42	84	1⅜	–	–	121 lbs.	6.8
83N4284OVL	Laminate	1193	42	84	1⅜	–	–	121 lbs.	6.8
83N4284OVLL	TFL	954	42	84	1⅛	–	–	121 lbs.	6.8
48" x 96"									
83N4896OVW	Wood	$ 1990	48	96	1⅜	–	–	199 lbs.	8.7
83N4896OVL	Laminate	1545	48	96	1⅜	–	–	199 lbs.	8.7
83N4896OVLL	TFL	1236	48	96	1⅛	–	–	199 lbs.	8.7

- Modified depth and width not available
- For use with Footings base; reference pages 192-199
- 48" deep tops only available with a center grommet option

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen
5. Finish/Laminate

• See pages 183-185 for all options available in Footings

SAMPLE MODEL NUMBERS:

83N2448OVWK	K	X	R	HN
83N2448OVLK	K461	X	461	

OVAL TOP KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" x 48"	**1⅜" TOP THICKNESS**								
83N2448OVWK	Wood	$ 1171	24	48	1⅜	—	—	42 lbs.	2.3
83N2448OVLK	Laminate	836	24	48	1⅜	—	—	42 lbs.	2.3
30" x 60"									
83N3060OVWK	Wood	$ 1192	30	60	1⅜	—	—	63 lbs.	3.7
83N3060OVLK	Laminate	851	30	60	1⅜	—	—	63 lbs.	3.7
36" x 72"									
83N3672OVWK	Wood	$ 1724	36	72	1⅜	—	—	90 lbs.	5.2
83N3672OVLK	Laminate	1232	36	72	1⅜	—	—	90 lbs.	5.2
42" x 84"									
83N4284OVWK	Wood	$ 2054	42	84	1⅜	—	—	121 lbs.	6.8
83N4284OVLK	Laminate	1467	42	84	1⅜	—	—	121 lbs.	6.8
48" x 96"									
83N4896OVWK	Wood	$ 2447	48	96	1⅜	—	—	199 lbs.	8.7
83N4896OVLK	Laminate	1900	48	96	1⅜	—	—	199 lbs.	8.7

• Modified depth and width not available
• For use with Footings base; reference pages 192-199
• 48" deep tops only available with a center grommet option

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 186-191 for grommet options and locations
- Reference pages 192-199 for table base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SOFT RECTANGLE TOP
SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" x 48"	**1⅜6" TOP THICKNESS**								
83N2448SRTW	Wood	$ 952	24	48	1⅜6	–	–	48 lbs.	2.5
83N2448SRTL	Laminate	680	24	48	1⅜6	–	–	48 lbs.	2.5
83N2448SRTLL	TFL	544	24	48	1⅛	–	–	48 lbs.	2.5
30" x 60"									
83N3060SRTW	Wood	$ 1120	30	60	1⅜6	–	–	89 lbs.	3.4
83N3060SRTL	Laminate	800	30	60	1⅜6	–	–	89 lbs.	3.4
83N3060SRTLL	TFL	640	30	60	1⅛	–	–	89 lbs.	3.4
30" x 72"									
83N3072SRTW	Wood	$ 1192	30	72	1⅜6	–	–	100 lbs.	4.0
83N3072SRTL	Laminate	851	30	72	1⅜6	–	–	100 lbs.	4.0
83N3072SRTLL	TFL	681	30	72	1⅛	–	–	100 lbs.	4.0
36" x 60"									
83N3660SRTW	Wood	$ 1317	36	60	1⅜6	–	–	126 lbs.	4.4
83N3660SRTL	Laminate	941	36	60	1⅜6	–	–	126 lbs.	4.4
83N3660SRTLL	TFL	753	36	60	1⅛	–	–	126 lbs.	4.4
36" x 72"									
83N3672SRTW	Wood	$ 1402	36	72	1⅜6	–	–	144 lbs.	5.2
83N3672SRTL	Laminate	1001	36	72	1⅜6	–	–	144 lbs.	5.2
83N3672SRTLL	TFL	801	36	72	1⅛	–	–	144 lbs.	5.2
36" x 84"									
83N3684SRTW	Wood	$ 1491	36	84	1⅜6	–	–	150 lbs.	6.0
83N3684SRTL	Laminate	1065	36	84	1⅜6	–	–	150 lbs.	6.0
83N3684SRTLL	TFL	852	36	84	1⅛	–	–	150 lbs.	6.0
36" x 96"									
83N3696SRTW	Wood	$ 1586	36	96	1⅜6	–	–	155 lbs.	6.8
83N3696SRTL	Laminate	1133	36	96	1⅜6	–	–	155 lbs.	6.8
83N3696SRTLL	TFL	906	36	96	1⅛	–	–	155 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 192-199
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen
5. Finish/Laminate

• See pages 183-185 for all options available in Footings

SAMPLE MODEL NUMBERS:

83N4272SRTW	F	X	R	HN
83N4272SRTL	V461	X	461	

SOFT RECTANGLE TOP SOFTENED RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 72"	**1⅜" TOP THICKNESS**								
83N4272SRTW	Wood	$ 1570	42	72	1⅜	—	—	148 lbs.	5.9
83N4272SRTL	Laminate	1122	42	72	1⅜	—	—	148 lbs.	5.9
83N4272SRTLL	TFL	897	42	72	1⅛	—	—	148 lbs.	5.9
42" x 84"									
83N4284SRTW	Wood	$ 1670	42	84	1⅜	—	—	168 lbs.	6.8
83N4284SRTL	Laminate	1193	42	84	1⅜	—	—	168 lbs.	6.8
83N4284SRTLL	TFL	954	42	84	1⅛	—	—	168 lbs.	6.8
42" x 96"									
83N4296SRTW	Wood	$ 1777	42	96	1⅜	—	—	191 lbs.	7.7
83N4296SRTL	Laminate	1269	42	96	1⅜	—	—	191 lbs.	7.7
83N4296SRTLL	TFL	1016	42	96	1⅛	—	—	191 lbs.	7.7
48" x 72"									
83N4872SRTW	Wood	$ 1758	48	72	1⅜	—	—	173 lbs.	6.7
83N4872SRTL	Laminate	1256	48	72	1⅜	—	—	173 lbs.	6.7
83N4872SRTLL	TFL	1004	48	72	1⅛	—	—	173 lbs.	6.7
48" x 84"									
83N4884SRTW	Wood	$ 1870	48	84	1⅜	—	—	203 lbs.	7.7
83N4884SRTL	Laminate	1421	48	84	1⅜	—	—	203 lbs.	7.7
83N4884SRTLL	TFL	1137	48	84	1⅛	—	—	203 lbs.	7.7
48" x 96"									
83N4896SRTW	Wood	$ 1990	48	96	1⅜	—	—	234 lbs.	8.7
83N4896SRTL	Laminate	1545	48	96	1⅜	—	—	234 lbs.	8.7
83N4896SRTLL	TFL	1236	48	96	1⅛	—	—	234 lbs.	8.7
48" x 120"									
83N48120SRTW	Wood	$ 2157	48	120	1⅜	—	—	247 lbs.	10.8
83N48120SRTL	Laminate	1931	48	120	1⅜	—	—	247 lbs.	10.8
83N48120SRTLL	TFL	1545	48	120	1⅛	—	—	247 lbs.	10.8

• Modified depth and width not available
• For use with Footings base; reference pages 192-199
• Profiled corners have a 4" radius

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 186-191 for grommet options and locations
- Reference pages 192-199 for table base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SOFT RECTANGLE TOP KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" x 48"	**1 3/16" TOP THICKNESS**								
83N2448SRTWK	Wood	$ 1171	24	48	1 3/16	–	–	48 lbs.	2.5
83N2448SRTLK	Laminate	836	24	48	1 3/16	–	–	48 lbs.	2.5
30" x 60"									
83N3060SRTWK	Wood	$ 1377	30	60	1 3/16	–	–	89 lbs.	3.4
83N3060SRTLK	Laminate	984	30	60	1 3/16	–	–	89 lbs.	3.4
30" x 72"									
83N3072SRTWK	Wood	$ 1466	30	72	1 3/16	–	–	100 lbs.	4.0
83N3072SRTLK	Laminate	1046	30	72	1 3/16	–	–	100 lbs.	4.0
36" x 60"									
83N3660SRTWK	Wood	$ 1620	36	60	1 3/16	–	–	126 lbs.	4.4
83N3660SRTLK	Laminate	1158	36	60	1 3/16	–	–	126 lbs.	4.4
36" x 72"									
83N3672SRTWK	Wood	$ 1724	36	72	1 3/16	–	–	144 lbs.	5.2
83N3672SRTLK	Laminate	1232	36	72	1 3/16	–	–	144 lbs.	5.2
36" x 84"									
83N3684SRTWK	Wood	$ 1834	36	84	1 3/16	–	–	150 lbs.	6.0
83N3684SRTLK	Laminate	1310	36	84	1 3/16	–	–	150 lbs.	6.0
36" x 96"									
83N3696SRTWK	Wood	$ 1951	36	96	1 3/16	–	–	155 lbs.	6.8
83N3696SRTLK	Laminate	1394	36	96	1 3/16	–	–	155 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 192-199
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen
5. Finish/Laminate

• See pages 183-185 for all options available in Footings

SAMPLE MODEL NUMBERS:

83N4272SRTWK	K	X	R	HN
83N4272SRTLK	K461	X	461	

SOFT RECTANGLE TOP KNIFE RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 72"	**1⅜6" TOP THICKNESS**								
83N4272SRTWK	Wood	$ 1931	42	72	1⅜6	—	—	148 lbs.	5.9
83N4272SRTLK	Laminate	1379	42	72	1⅜6	—	—	148 lbs.	5.9
42" x 84"									
83N4284SRTWK	Wood	$ 2054	42	84	1⅜6	—	—	168 lbs.	6.8
83N4284SRTLK	Laminate	1467	42	84	1⅜6	—	—	168 lbs.	6.8
42" x 96"									
83N4296SRTWK	Wood	$ 2186	42	96	1⅜6	—	—	191 lbs.	7.7
83N4296SRTLK	Laminate	1560	42	96	1⅜6	—	—	191 lbs.	7.7
48 X 72"									
83N4872SRTWK	Wood	$ 2163	48	72	1⅜6	—	—	173 lbs.	6.7
83N4872SRTLK	Laminate	1545	48	72	1⅜6	—	—	173 lbs.	6.7
48" x 84"									
83N4884SRTWK	Wood	$ 2301	48	84	1⅜6	—	—	203 lbs.	7.7
83N4884SRTLK	Laminate	1748	48	84	1⅜6	—	—	203 lbs.	7.7
48" x 96"									
83N4896SRTWK	Wood	$ 2447	48	96	1⅜6	—	—	234 lbs.	8.7
83N4896SRTLK	Laminate	1900	48	96	1⅜6	—	—	234 lbs.	8.7
48" x 120"									
83N48120SRTWK	Wood	$ 2653	48	120	1⅜6	—	—	247 lbs.	10.8
83N48120SRTLK	Laminate	2375	48	120	1⅜6	—	—	247 lbs.	10.8

• Modified depth and width not available
• For use with Footings base; reference pages 192-199
• Profiled corners have a 4" radius

PRODUCT SPECIFICATIONS

- Reference pages 186-191 for grommet options and locations
- Reference pages 192-199 for table base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ARC RECTANGLE TOP SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" x 48"	**1⅜6" TOP THICKNESS**								
83N2448ARTW	Wood	$ 952	24	48	1⅜6	–	–	47 lbs.	2.5
83N2448ARTL	Laminate	680	24	48	1⅜6	–	–	47 lbs.	2.5
83N2448ARTLL	TFL	544	24	48	1⅛	–	–	47 lbs.	2.5
30" x 60"									
83N3060ARTW	Wood	$ 1120	30	60	1⅜6	–	–	87 lbs.	3.4
83N3060ARTL	Laminate	800	30	60	1⅜6	–	–	87 lbs.	3.4
83N3060ARTLL	TFL	640	30	60	1⅛	–	–	87 lbs.	3.4
30" x 72"									
83N3072ARTW	Wood	$ 1192	30	72	1⅜6	–	–	119 lbs.	4.0
83N3072ARTL	Laminate	851	30	72	1⅜6	–	–	119 lbs.	4.0
83N3072ARTLL	TFL	681	30	72	1⅛	–	–	119 lbs.	4.0
36" x 60"									
83N3660ARTW	Wood	$ 1317	36	60	1⅜6	–	–	124 lbs.	4.4
83N3660ARTL	Laminate	941	36	60	1⅜6	–	–	124 lbs.	4.4
83N3660ARTLL	TFL	753	36	60	1⅛	–	–	124 lbs.	4.4
36" x 72"									
83N3672ARTW	Wood	$ 1402	36	72	1⅜6	–	–	130 lbs.	5.2
83N3672ARTL	Laminate	1001	36	72	1⅜6	–	–	130 lbs.	5.2
83N3672ARTLL	TFL	801	36	72	1⅛	–	–	130 lbs.	5.2
36" x 84"									
83N3684ARTW	Wood	$ 1491	36	84	1⅜6	–	–	142 lbs.	6.0
83N3684ARTL	Laminate	1065	36	84	1⅜6	–	–	142 lbs.	6.0
83N3684ARTLL	TFL	852	36	84	1⅛	–	–	142 lbs.	6.0
36" x 96"									
83N3696ARTW	Wood	$ 1586	36	96	1⅜6	–	–	173 lbs.	6.8
83N3696ARTL	Laminate	1133	36	96	1⅜6	–	–	173 lbs.	6.8
83N3696ARTLL	TFL	906	36	96	1⅛	–	–	173 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 192-199
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Arc width is 6" less than the overall width

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen
5. Finish/Laminate

• See pages 183-185 for all options available in Footings

SAMPLE MODEL NUMBERS:

83N4272ARTW	F	X	R	HN
83N4272ARTL	V461	X	461	

ARC RECTANGLE TOP SOFTENED RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 72"	**1⅜6" TOP THICKNESS**								
83N4272ARTW	Wood	$ 1570	42	72	1⅜6	—	—	145 lbs.	5.9
83N4272ARTL	Laminate	1122	42	72	1⅜6	—	—	145 lbs.	5.9
83N4272ARTLL	TFL	897	42	72	1⅛	—	—	145 lbs.	5.9
42" x 84"									
83N4284ARTW	Wood	$ 1670	42	84	1⅜6	—	—	166 lbs.	6.8
83N4284ARTL	Laminate	1193	42	84	1⅜6	—	—	166 lbs.	6.8
83N4284ARTLL	TFL	954	42	84	1⅛	—	—	166 lbs.	6.8
42" x 96"									
83N4296ARTW	Wood	$ 1777	42	96	1⅜6	—	—	189 lbs.	7.7
83N4296ARTL	Laminate	1269	42	96	1⅜6	—	—	189 lbs.	7.7
83N4296ARTLL	TFL	1016	42	96	1⅛	—	—	189 lbs.	7.7
48" x 72"									
83N4872ARTW	Wood	$ 1758	48	72	1⅜6	—	—	170 lbs.	6.7
83N4872ARTL	Laminate	1256	48	72	1⅜6	—	—	170 lbs.	6.7
83N4872ARTLL	TFL	1004	48	72	1⅛	—	—	170 lbs.	6.7
48" x 84"									
83N4884ARTW	Wood	$ 1870	48	84	1⅜6	—	—	200 lbs.	7.7
83N4884ARTL	Laminate	1421	48	84	1⅜6	—	—	200 lbs.	7.7
83N4884ARTLL	TFL	1137	48	84	1⅛	—	—	200 lbs.	7.7
48" x 96"									
83N4896ARTW	Wood	$ 1990	48	96	1⅜6	—	—	231 lbs.	8.7
83N4896ARTL	Laminate	1545	48	96	1⅜6	—	—	231 lbs.	8.7
83N4896ARTLL	TFL	1236	48	96	1⅛	—	—	231 lbs.	8.7
48" x 120"									
83N48120ARTW	Wood	$ 2157	48	120	1⅜6	—	—	244 lbs.	10.8
83N48120ARTL	Laminate	1931	48	120	1⅜6	—	—	244 lbs.	10.8
83N48120ARTLL	TFL	1648	48	120	1⅛	—	—	244 lbs.	10.8

• Modified depth and width not available
• For use with Footings base; reference pages 192-199
• Profiled corners have a 4" radius
• Arc width is 6" less than the overall width

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 186-191 for grommet options and locations
- Reference pages 192-199 for table base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ARC RECTANGLE TOP KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" x 48"	**1 3/16" TOP THICKNESS**								
83N2448ARTWK	Wood	$ 1171	24	48	1 3/16	–	–	47 lbs.	2.5
83N2448ARTLK	Laminate	836	24	48	1 3/16	–	–	47 lbs.	2.5
30" x 60"									
83N3060ARTWK	Wood	$ 1377	30	60	1 3/16	–	–	87 lbs.	3.4
83N3060ARTLK	Laminate	984	30	60	1 3/16	–	–	87 lbs.	3.4
30" x 72"									
83N3072ARTWK	Wood	$ 1466	30	72	1 3/16	–	–	119 lbs.	4.0
83N3072ARTLK	Laminate	1046	30	72	1 3/16	–	–	119 lbs.	4.0
36" x 60"									
83N3660ARTWK	Wood	$ 1620	36	60	1 3/16	–	–	124 lbs.	4.4
83N3660ARTLK	Laminate	1158	36	60	1 3/16	–	–	124 lbs.	4.4
36" x 72"									
83N3672ARTWK	Wood	$ 1724	36	72	1 3/16	–	–	130 lbs.	5.2
83N3672ARTLK	Laminate	1232	36	72	1 3/16	–	–	130 lbs.	5.2
36" x 84"									
83N3684ARTWK	Wood	$ 1834	36	84	1 3/16	–	–	142 lbs.	6.0
83N3684ARTLK	Laminate	1310	36	84	1 3/16	–	–	142 lbs.	6.0
36" x 96"									
83N3696ARTWK	Wood	$ 1951	36	96	1 3/16	–	–	173 lbs.	6.8
83N3696ARTLK	Laminate	1394	36	96	1 3/16	–	–	173 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 192-199
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Arc width is 6" less than the overall width

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen
5. Finish/Laminate

• See pages 183-185 for all options available in Footings

SAMPLE MODEL NUMBERS:

83N4272ARTWK	K	X	R	HN
83N4272ARTLK	K461	X	461	

ARC RECTANGLE TOP KNIFE RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 72"	**1⅜6" TOP THICKNESS**								
83N4272ARTWK	Wood	$ 1931	42	72	1⅜6	—	—	145 lbs.	5.9
83N4272ARTLK	Laminate	1379	42	72	1⅜6	—	—	145 lbs.	5.9
42" x 84"									
83N4284ARTWK	Wood	$ 2054	42	84	1⅜6	—	—	166 lbs.	6.8
83N4284ARTLK	Laminate	1467	42	84	1⅜6	—	—	166 lbs.	6.8
42" x 96"									
83N4296ARTWK	Wood	$ 2186	42	96	1⅜6	—	—	189 lbs.	7.7
83N4296ARTLK	Laminate	1560	42	96	1⅜6	—	—	189 lbs.	7.7
48 X 72"									
83N4872ARTWK	Wood	$ 2163	48	72	1⅜6	—	—	170 lbs.	6.7
83N4872ARTLK	Laminate	1545	48	72	1⅜6	—	—	170 lbs.	6.7
48" x 84"									
83N4884ARTWK	Wood	$ 2301	48	84	1⅜6	—	—	200 lbs.	7.7
83N4884ARTLK	Laminate	1748	48	84	1⅜6	—	—	200 lbs.	7.7
48" x 96"									
83N4896ARTWK	Wood	$ 2447	48	96	1⅜6	—	—	231 lbs.	8.7
83N4896ARTLK	Laminate	1900	48	96	1⅜6	—	—	231 lbs.	8.7
48" x 120"									
83N48120ARTWK	Wood	$ 2653	48	120	1⅜6	—	—	244 lbs.	10.8
83N48120ARTLK	Laminate	2375	48	120	1⅜6	—	—	244 lbs.	10.8

• Modified depth and width not available
• For use with Footings base; reference pages 192-199
• Profiled corners have a 4" radius
• Arc width is 6" less than the overall width

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 186-191 for grommet options and locations
- Reference pages 192-199 for table base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

BOAT TOP
SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" x 48"	**1 3/16" TOP THICKNESS**								
83N2448BTW	Wood	$ 952	24	48	1 3/16	–	–	48 lbs.	2.3
83N2448BTL	Laminate	680	24	48	1 3/16	–	–	48 lbs.	2.3
83N2448BTLL	TFL	544	24	48	1⅛	–	–	48 lbs.	2.3
30" x 60"									
83N3060BTW	Wood	$ 1120	30	60	1 3/16	–	–	85 lbs.	3.7
83N3060BTL	Laminate	800	30	60	1 3/16	–	–	85 lbs.	3.7
83N3060BTLL	TFL	640	30	60	1⅛	–	–	85 lbs.	3.7
30" x 72"									
83N3072BTW	Wood	$ 1192	30	72	1 3/16	–	–	116 lbs.	4.4
83N3072BTL	Laminate	851	30	72	1 3/16	–	–	116 lbs.	4.4
83N3072BTLL	TFL	681	30	72	1⅛	–	–	116 lbs.	4.4
36" x 60"									
83N3660BTW	Wood	$ 1317	36	60	1 3/16	–	–	122 lbs.	4.4
83N3660BTL	Laminate	941	36	60	1 3/16	–	–	122 lbs.	4.4
83N3660BTLL	TFL	753	36	60	1⅛	–	–	122 lbs.	4.4
36" x 72"									
83N3672BTW	Wood	$ 1402	36	72	1 3/16	–	–	139 lbs.	5.2
83N3672BTL	Laminate	1001	36	72	1 3/16	–	–	139 lbs.	5.2
83N3672BTLL	TFL	801	36	72	1⅛	–	–	139 lbs.	5.2
36" x 84"									
83N3684BTW	Wood	$ 1491	36	84	1 3/16	–	–	149 lbs.	6.0
83N3684BTL	Laminate	1065	36	84	1 3/16	–	–	149 lbs.	6.0
83N3684BTLL	TFL	852	36	84	1⅛	–	–	149 lbs.	6.0
36" x 96"									
83N3696BTW	Wood	$ 1586	36	96	1 3/16	–	–	169 lbs.	6.8
83N3696BTL	Laminate	1133	36	96	1 3/16	–	–	169 lbs.	6.8
83N3696BTLL	TFL	906	36	96	1⅛	–	–	169 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 192-199
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Boat top end depth is 6" less than the overall depth

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen
5. Finish/Laminate

• See pages 183-185 for all options available in Footings

SAMPLE MODEL NUMBERS:

83N4272BTW F X R HN
83N4272BTL V461 X 461

BOAT TOP SOFTENED RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 72"	**1¾₁₆" TOP THICKNESS**								
83N4272BTW	Wood	$ 1570	42	72	1¾₁₆	—	—	143 lbs.	5.9
83N4272BTL	Laminate	1122	42	72	1¾₁₆	—	—	143 lbs.	5.9
83N4272BTLL	TFL	897	42	72	1⅛	—	—	143 lbs.	5.9
42" x 84"									
83N4284BTW	Wood	$ 1670	42	84	1¾₁₆	—	—	162 lbs.	6.8
83N4284BTL	Laminate	1193	42	84	1¾₁₆	—	—	162 lbs.	6.8
83N4284BTLL	TFL	954	42	84	1⅛	—	—	162 lbs.	6.8
42" x 96"									
83N4296BTW	Wood	$ 1777	42	96	1¾₁₆	—	—	206 lbs.	7.7
83N4296BTL	Laminate	1269	42	96	1¾₁₆	—	—	206 lbs.	7.7
83N4296BTLL	TFL	1016	42	96	1⅛	—	—	206 lbs.	7.7
48" x 72"									
83N4872BTW	Wood	$ 1758	48	72	1¾₁₆	—	—	144 lbs.	6.7
83N4872BTL	Laminate	1256	48	72	1¾₁₆	—	—	144 lbs.	6.7
83N4872BTLL	TFL	1004	48	72	1⅛	—	—	144 lbs.	6.7
48" x 84"									
83N4884BTW	Wood	$ 1870	48	84	1¾₁₆	—	—	197 lbs.	7.7
83N4884BTL	Laminate	1421	48	84	1¾₁₆	—	—	197 lbs.	7.7
83N4884BTLL	TFL	1137	48	84	1⅛	—	—	197 lbs.	7.7
48" x 96"									
83N4896BTW	Wood	$ 1990	48	96	1¾₁₆	—	—	227 lbs.	8.7
83N4896BTL	Laminate	1545	48	96	1¾₁₆	—	—	227 lbs.	8.7
83N4896BTLL	TFL	1236	48	96	1⅛	—	—	227 lbs.	8.7
48" x 120"									
83N48120BTW	Wood	$ 2157	48	120	1¾₁₆	—	—	237 lbs.	10.8
83N48120BTL	Laminate	1931	48	120	1¾₁₆	—	—	237 lbs.	10.8
83N48120BTLL	TFL	1648	48	120	1⅛	—	—	237 lbs.	10.8

• Modified depth and width not available
• For use with Footings base; reference pages 192-199
• Profiled corners have a 4" radius
• Boat top end depth is 6" less than the overall depth

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 186-191 for grommet options and locations
- Reference pages 192-199 for table base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

BOAT TOP
KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" x 48"	**1⅜6" TOP THICKNESS**								
83N2448BTWK	Wood	$ 1171	24	48	1⅜6	–	–	48 lbs.	2.3
83N2448BTLK	Laminate	836	24	48	1⅜6	–	–	48 lbs.	2.3
30" x 60"									
83N3060BTWK	Wood	$ 1267	30	60	1⅜6	–	–	85 lbs.	3.7
83N3060BTLK	Laminate	905	30	60	1⅜6	–	–	85 lbs.	3.7
30" x 72"									
83N3072BTWK	Wood	$ 724	30	72	1⅜6	–	–	116 lbs.	4.4
83N3072BTLK	Laminate	1348	30	72	1⅜6	–	–	116 lbs.	4.4
36" x 60"									
83N3660BTWK	Wood	$ 1620	36	60	1⅜6	–	–	122 lbs.	4.4
83N3660BTLK	Laminate	1158	36	60	1⅜6	–	–	122 lbs.	4.4
36" x 72"									
83N3672BTWK	Wood	$ 1724	36	72	1⅜6	–	–	139 lbs.	5.2
83N3672BTLK	Laminate	1232	36	72	1⅜6	–	–	139 lbs.	5.2
36" x 84"									
83N3684BTWK	Wood	$ 1834	36	84	1⅜6	–	–	149 lbs.	6.0
83N3684BTLK	Laminate	1310	36	84	1⅜6	–	–	149 lbs.	6.0
36" x 96"									
83N3696BTWK	Wood	$ 1951	36	96	1⅜6	–	–	169 lbs.	6.8
83N3696BTLK	Laminate	1394	36	96	1⅜6	–	–	169 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 192-199
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Boat top end depth is 6" less than the overall depth

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen
5. Finish/Laminate

• See pages 183-185 for all options available in Footings

SAMPLE MODEL NUMBERS:

83N4272BTWK	K	X	R	HN
83N4272BTLK	K461	X	461	

BOAT TOP KNIFE RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 72"	**1¾₁₆" TOP THICKNESS**								
83N4272BTWK	Wood	$ 1931	42	72	1¾₁₆	—	—	143 lbs.	5.9
83N4272BTLK	Laminate	1379	42	72	1¾₁₆	—	—	143 lbs.	5.9
42" x 84"									
83N4284BTWK	Wood	$ 2054	42	84	1¾₁₆	—	—	162 lbs.	6.8
83N4284BTLK	Laminate	1467	42	84	1¾₁₆	—	—	162 lbs.	6.8
42" x 96"									
83N4296BTWK	Wood	$ 2186	42	96	1¾₁₆	—	—	206 lbs.	7.7
83N4296BTLK	Laminate	1560	42	96	1¾₁₆	—	—	206 lbs.	7.7
48 X 72"									
83N4872BTWK	Wood	$ 2163	48	72	1¾₁₆	—	—	144 lbs.	6.7
83N4872BTLK	Laminate	1545	48	72	1¾₁₆	—	—	144 lbs.	6.7
48" x 84"									
83N4884BTWK	Wood	$ 2301	48	84	1¾₁₆	—	—	197 lbs.	7.7
83N4884BTLK	Laminate	1748	48	84	1¾₁₆	—	—	197 lbs.	7.7
48" x 96"									
83N4896BTWK	Wood	$ 2447	48	96	1¾₁₆	—	—	227 lbs.	8.7
83N4896BTLK	Laminate	1900	48	96	1¾₁₆	—	—	227 lbs.	8.7
48" x 120"									
83N48120BTWK	Wood	$ 2653	48	120	1¾₁₆	—	—	237 lbs.	10.8
83N48120BTLK	Laminate	2375	48	120	1¾₁₆	—	—	237 lbs.	10.8

• Modified depth and width not available
• For use with Footings base; reference pages 192-199
• Profiled corners have a 4" radius
• Boat top end depth is 6" less than the overall depth

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 186-191 for grommet options and locations
- Reference pages 192-199 for table base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

TAPERED TOP SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜6" TOP THICKNESS**								
83N3672TPW	Wood	$ 1402	36	72	1⅜6	—	—	111 lbs.	5.2
83N3672TPL	Laminate	1001	36	72	1⅜6	—	—	111 lbs.	5.2
83N3672TPLL	TFL	801	36	72	1⅛	—	—	111 lbs.	5.2
42" x 84"									
83N4284TPW	Wood	$ 1670	42	84	1⅜6	—	—	183 lbs.	6.8
83N4284TPL	Laminate	1193	42	84	1⅜6	—	—	183 lbs.	6.8
83N4284TPLL	TFL	954	42	84	1⅛	—	—	183 lbs.	6.8
48" x 96"									
83N4896TPW	Wood	$ 1990	48	96	1⅜6	—	—	233 lbs.	8.7
83N4896TPL	Laminate	1545	48	96	1⅜6	—	—	233 lbs.	8.7
83N4896TPLL	TFL	1236	48	96	1⅛	—	—	233 lbs.	8.7
48" x 120"									
83N48120TPW	Wood	$ 2157	48	120	1⅜6	—	—	245 lbs.	10.8
83N48120TPL	Laminate	1931	48	120	1⅜6	—	—	245 lbs.	10.8
83N48120TPLL	TFL	1648	48	120	1⅛	—	—	245 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 192-199
- Profiled corners have a 4" radius
- Taper top end depth is 6" less than the overall depth

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Sheen
5. Finish/Laminate

• See pages 183-185 for all options available in Footings

SAMPLE MODEL NUMBERS:

83N3672TPWK	K	X	R	HN
83N3672TPLK	K461	X	461	

TAPERED TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
83N3672TPWK	Wood	$ 1724	36	72	1⅜	—	—	111 lbs.	5.2
83N3672TPLK	Laminate	1232	36	72	1⅜	—	—	111 lbs.	5.2
42" x 84"									
83N4284TPWK	Wood	$ 2054	42	84	1⅜	—	—	183 lbs.	6.8
83N4284TPLK	Laminate	1467	42	84	1⅜	—	—	183 lbs.	6.8
48" x 96"									
83N4896TPWK	Wood	$ 2447	48	96	1⅜	—	—	233 lbs.	8.7
83N4896TPLK	Laminate	1900	48	96	1⅜	—	—	233 lbs.	8.7
48" x 120"									
83N48120TPWK	Wood	$ 2653	48	120	1⅜	—	—	245 lbs.	10.8
83N48120TPLK	Laminate	1520	48	120	1⅜	—	—	245 lbs.	10.8

• Modified depth and width not available
• For use with Footings base; reference pages 192-199
• Profiled corners have a 4" radius
• Taper top end depth is 6" less than the overall depth

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 192-199 for table base guide
- Adjustable glides standard
- Specify ellipse shaped wire management cutout in the X base column

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
X BASE OCCASIONAL HEIGHT	CBV2115XBP	$ 361	20⁹⁄₁₆	20⁹⁄₁₆	14¹⁄₁₆	—	—	26 lbs.	4.2
	CBV2715XBP	407	27¼	27¼	14¹⁄₁₆	—	—	28 lbs.	6.3
	CBV3215XBP	453	31⁹⁄₁₆	31⁹⁄₁₆	14¹⁄₁₆	—	—	28 lbs.	7.9
	• 1⅛" diameter glide								
X BASE END TABLE HEIGHT	CBV2119XBP	$ 386	20⁹⁄₁₆	20⁹⁄₁₆	18	—	—	28 lbs.	5.1
	CBV2719XBP	412	27¼	27¼	18	—	—	29 lbs.	7.8
X BASE WORKSURFACE HEIGHT	CBV2128XBP	$ 397	20⁹⁄₁₆	20⁹⁄₁₆	27¹³⁄₁₆	—	—	31 lbs.	7.5
	CBV2728XBP	443	27¼	27¼	27¹³⁄₁₆	—	—	33 lbs.	11.3
	CBV3228XBP	521	31⁹⁄₁₆	31⁹⁄₁₆	27¹³⁄₁₆	—	—	34 lbs.	14.2
	CBV4028XBP	697	39¹³⁄₁₆	39¹³⁄₁₆	27¹³⁄₁₆	—	—	35 lbs.	20.6
X BASE WORKSURFACE HEIGHT, MOBILE	CBV2728XBMP	$ 476	27¼	27¼	27¹³⁄₁₆	—	—	33 lbs.	10.6
	CBV3228XBMP	560	31⁹⁄₁₆	31⁹⁄₁₆	27¹³⁄₁₆	—	—	34 lbs.	13.2
	CBV4028XBMP	727	39¹³⁄₁₆	39¹³⁄₁₆	27¹³⁄₁₆	—	—	35 lbs.	19.1
	• Mobile base has dual wheel locking casters								
X BASE COUNTER HEIGHT	CBV2135XBP	$ 508	20⁹⁄₁₆	20⁹⁄₁₆	34⅞	—	—	34 lbs.	9.2
	CBV2735XBP	617	27¼	27¼	34⅞	—	—	36 lbs.	13.9
	CBV3235XBP	726	31⁹⁄₁₆	31⁹⁄₁₆	34⅞	—	—	36 lbs.	17.4
	CBV4035XBP	835	39¹³⁄₁₆	39¹³⁄₁₆	34⅞	—	—	38 lbs.	25.3

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (X base only)
3. Column Paint Color
4. Foot Paint Color

• See pages 183-185 for all options available in Footings

SAMPLE MODEL NUMBERS:

CBV3028QXBP 462 265
CBV2115XBP CU 462 265

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
X BASE BAR HEIGHT	CBV2141XBP	$ 559	20 9/16	20 9/16	40 15/16	—	—	36 lbs.	10.6
	CBV2741XBP	679	27 1/4	27 1/4	40 15/16	—	—	38 lbs.	16.1
	CBV3241XBP	798	31 9/16	31 9/16	40 15/16	—	—	39 lbs.	20.2
	CBV4041XBP	965	39 13/16	39 13/16	40 15/16	—	—	40 lbs.	29.3
QUAD X BASE WORKSURFACE HEIGHT	CBV3028QXBP	$ 953	29 15/16	29 15/16	27 13/16	—	—	115 lbs.	22.4
	CBV3528QXBP	1004	34 3/4	34 3/4	27 13/16	—	—	117 lbs.	28.8
	• G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base • Ellipse shaped wire management cutout standard in all four columns of the quad base								
QUAD X BASE COUNTER HEIGHT	CBV3035QXBP	$ 1020	29 15/16	29 15/16	34 7/8	—	—	126 lbs.	27.6
	CBV3535QXBP	1071	34 3/4	34 3/4	34 7/8	—	—	127 lbs.	35.5
	• G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base • Ellipse shaped wire management cutout standard in all four columns of the quad base								
QUAD X BASE BAR HEIGHT	CBV3041QXBP	$ 1087	29 15/16	29 15/16	40 15/16	—	—	135 lbs.	31.9
	CBV3541QXBP	1138	34 3/4	34 3/4	40 15/16	—	—	137 lbs.	41.0
	• G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base • Ellipse shaped wire management cutout standard in all four columns of the quad base								

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 192-199 for table base guide
- Adjustable glides standard
- Shipped in three separate cartons
- Standard ellipse shaped wire management cutout in the column

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Y BASES WITH RAIL OCCASIONAL HEIGHT	CBV183115YBKP	$ 567	30⅞	18⅛	14⅛	—	—	49 lbs.	7.1
	CBV183515YBKP	592	34⅞	18⅛	14⅛	—	—	49 lbs.	7.2
	CBV243815YBKP	618	38⅝	24	14⅛	—	—	51 lbs.	9.8
	CBV244415YBKP	644	44⅝	24	14⅛	—	—	52 lbs.	9.8
	CBV245015YBKP	670	50⅝	24	14⅛	—	—	52 lbs.	9.8
	• 1⅛" diameter glide								
Y BASES WITH RAIL WORKSURFACE HEIGHT	CBV243828YBKP	$ 670	38⅝	24	27¹³⁄₁₆	—	—	61 lbs.	17.2
	CBV244428YBKP	695	44⅝	24	27¹³⁄₁₆	—	—	62 lbs.	17.2
	CBV245028YBKP	721	50⅝	24	27¹³⁄₁₆	—	—	63 lbs.	17.2
	CBV245628YBKP	747	56⅝	24	27¹³⁄₁₆	—	—	64 lbs.	17.2
	CBV246228YBKP	773	62⅝	24	27¹³⁄₁₆	—	—	65 lbs.	17.2
	CBV285228YBKP	773	52⅜	27½	27¹³⁄₁₆	—	—	64 lbs.	20.7
	CBV285828YBKP	798	58⅜	27½	27¹³⁄₁₆	—	—	65 lbs.	20.8
	CBV286428YBKP	798	64⅜	27½	27¹³⁄₁₆	—	—	66 lbs.	20.8
	CBV2810028YBKP	824	100⅜	27½	27¹³⁄₁₆	—	—	100 lbs.	29.9
	• G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base • Some assembly required								





44" shown



64" shown



100" shown

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color
3. Foot Paint Color

• See pages 183-185 for all options available in Footings

SAMPLE MODEL NUMBER:

CBV243835YBKP 462 265

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Y BASES WITH RAIL COUNTER HEIGHT	CBV243835YBKP	$ 695	38⅝	24	34⅞	–	–	67 lbs.	21.2
	CBV244435YBKP	721	44⅝	24	34⅞	–	–	68 lbs.	21.2
	CBV245035YBKP	747	50⅝	24	34⅞	–	–	68 lbs.	21.3
	CBV245635YBKP	773	56⅝	24	34⅞	–	–	69 lbs.	21.4
	CBV246235YBKP	798	62⅝	24	34⅞	–	–	70 lbs.	21.4
	CBV285235YBKP	824	52⅜	27½	34⅞	–	–	69 lbs.	25.3
	CBV285835YBKP	850	58⅜	27½	34⅞	–	–	70 lbs.	25.4
	CBV286435YBKP	876	64⅜	27½	34⅞	–	–	71 lbs.	25.4
Y BASES WITH RAIL BAR HEIGHT	CBV243841YBKP	$ 773	38⅝	24	40⅝	–	–	71 lbs.	24.4
	CBV244441YBKP	798	44⅝	24	40⅝	–	–	72 lbs.	24.4
	CBV245041YBKP	824	50⅝	24	40⅝	–	–	73 lbs.	24.5
	CBV245641YBKP	850	56⅝	24	40⅝	–	–	74 lbs.	24.6
	CBV246241YBKP	850	62⅝	24	40⅝	–	–	75 lbs.	24.6
	CBV285241YBKP	876	52⅜	27½	40⅝	–	–	74 lbs.	29.3
	CBV285841YBKP	901	58⅜	27½	40⅝	–	–	75 lbs.	29.4
	CBV286441YBKP	927	64⅜	27½	40⅝	–	–	76 lbs.	29.4





• G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
• Some assembly required

MIO PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1⅜" HPL (high pressure laminate) and feature a softened 3mm PVC rim or a PVC knife rim profile
- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surface available on three sides
- Refer to page 226 for rim profiles and colors

FINISH APPLICATION

- Veneer tops that are 48" and smaller are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen.
- IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through
- Veneer tops that are 54"/60" wide feature a semi-open pore finish in standard or matte/satin sheen

TAPERED BASES

- MDF material available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Adjustable glides are standard
- Features removable panels for wire access

VERTICAL CABLE MANAGER

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet
- Available in fabric, laminate, or veneer to match the insert

POWER POLE

- Available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

WALLS

- Walls available in laminate, veneer, or HPL marker board
- Wall features aluminum powder coated trim; available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Features removable panels for wire access in the same paint color as the wall trim
- Wall available with no TV mount, single TV mount, or dual TV mount (dual is 60" wide wall only)

EXHIBIT TV MOUNT INSERT

- Fabric insert is not tackable; see page 225 for fabric options
- Laminate, veneer, or fabric inserts; TV mount included with insert
- Optional single or dual mount on 60" wide inserts

POWER/DATA ELECTRICAL SPECIFICATIONS

ONE TOUCH DOUBLE PIVOTING POWER GROMMET (G15 AND G152)

- UL Listed
- To be ordered with G15 cutout options
- Must be inserted and installed into CUT-G15C cutout in field
- One touch door remains open during use
- Silver or black anodized aluminum available
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) Two power outlets (110 volts each), two blank communication ports, one port with two charging USB, and one HDMI
- Corded units have two 72" long power cords (one each side) rated at 15 Amps 120 volts
- Hardwire units have two 72" long power cords (one each side) rated at 15 Amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable
- For more specification information: www.byrne-electrical.com

POWER/DATA OASIS (G162)

- To be ordered with G16 cutout options
- Must be inserted and installed into CUT-G16C cutout in field
- Silver or black powder coat available
- Power/Data Oasis (G162) unit will feature six power receptacles with two 108" power cords and molded plugs rated at 12 Amps 120 volts, two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis hardwire unit (G162) will feature six power receptacles with one 72" long hardwire conduit covered pigtail cable on one end which carries two 20 Amp 120 volt circuits to power two sides of the Power/Data Oasis, two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Standard units have cords that are 9 ft. long rated at 15 Amps 120 volts and molded plug. Hardwire units have cords that are 6 ft. long rated at 20 Amps 120 volts and molded plug
- Cannot be field scribed for cutout
- For more specification information: www.electri-cable.com

BYRNE INTERLINK IQ SYSTEM (G17)

- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system can be used with Epic, Renegade, and WaveWorks
- Interlink IQ system must begin with NACELIQ1, NACG17ELIQ_1 or NACG172ELIQ_1 unit
- Can add a daisy chain for a total of eight NACG17ELIQ, NACG172ELIQ, or NACELIQJ units in any combination
- G17EL includes a Voice/Adapter kit to accept couplers and jacks when required
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat

POWER GROMMET (G23)

- Field installable in tables when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes two power outlets and two power USB ports
- 9 foot, 15 Amp cord
- ETL listed to UL962A Standard

MARINA™ HDMI COLLABORATIVE MEETING TECHNOLOGY SOLUTION (G26)

- ETL Listed
- Must be inserted and installed into CUT-G26C cutout in field
- HDMI switcher
- Four HDMI Show Me cables, 6 ft.
- 15 ft. HDMI video output cord
- Four 15 Amp power receptacles
- Four 3.0, 2.1 Amp USB ports
- Two blank telecom plates
- 72" power cord
- Graphite Gray powder coat interior
- Powder coat bezel with sliding doors; available in silver or black
- For more specification information: www.electri-cable.com

GETAWAY™ PORTABLE MEETING TECHNOLOGY SOLUTION (G26 MOBILE)

- ETL Listed
- Freestanding portable unit
- HDMI 4 power switcher
- Four 6 ft. Show Me cables
- 15 ft. HDMI video output cord
- Four 15 Amp power receptacles
- Four 2.1 Amp USB ports
- 108" power cord
- Carrying case
- Powder coat finish; available in silver or black
- For more specification information: www.electri-cable.com

EXTENSION - FRONT BAR HEIGHT

ET41 Bar Height Access Panel, Front

- Front extension is always bar height on 79" height walls

EXTENSION - FRONT DESK HEIGHT

ET29 Desk Height Access Panel, Front

- Front extension is always desk height on 67" height walls

TV MOUNT - FRONT

TS Single TV Mount, Front ($343 list upcharge)
TD Dual TV Mount, Front ($980 list upcharge)
X No TV Mount, Front

- Dual TV mount available on 60" walls only

EXTENSION - BACK BAR HEIGHT

ET41 Bar Height Access Panel, Back
ET29 Desk Height Access Panel, Back
1F462 Full Epicenter Mount, Cinder
1F501 Full Epicenter Mount, Platinum Metallic
1F503 Full Epicenter Mount, Satin Nickel Metallic
1U462 Upper Epicenter Mount, Cinder
1U501 Upper Epicenter Mount, Platinum Metallic
1U503 Upper Epicenter Mount, Satin Nickel Metallic
X No Back Side Extension

EXTENSION - BACK DESK HEIGHT

ET29 Desk Height Access Panel, Back
1F462 Full Epicenter Mount, Cinder
1F501 Full Epicenter Mount, Platinum Metallic
1F503 Full Epicenter Mount, Satin Nickel Metallic
1U462 Upper Epicenter Mount, Cinder
1U501 Upper Epicenter Mount, Platinum Metallic
1U503 Upper Epicenter Mount, Satin Nickel Metallic
X No Back Side Extension

- TV mount option should not be selected with an Epicenter extension

TV MOUNT - BACK

TS Single TV Mount, Back ($343 list upcharge)
TD Dual TV Mount, Back ($980 list upcharge)
X No TV Mount, Back

- Dual TV mount available on 60" walls only

POWER POLE CUTOUT OPTIONS

CUT-P1 Power Pole Cutout ($25 list upcharge)
X No Power Pole Cutout

WALL ACCESS PANEL/ TRIM PAINT COLOR

405 Designer White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

EXHIBIT INSERT TV MOUNT

TS Single TV Mount, Front
TD Dual TV Mount, Front ($636 list upcharge)

WALL, TV MOUNT EXHIBIT INSERT, AND VERTICAL WIRE MANAGER FINISHES

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

VENEER WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

FABRIC TV MOUNT EXHIBIT INSERT AND VERTICAL WIRE MANAGER OPTIONS

Dune (Grade A)
100% Polyester

8600 Drift
8601 Windblown
8602 Erosion
8603 Haze
8604 Kamelos
8606 Pebble
8607 Gecho
8608 Nectar
8610 Clear Sky
8614 Basin
8615 Raven
8620 Darkness
8621 Golden

Repetition (Grade A)
100% Pre-Consumer Recycled Polyester

3700 Ash
3703 White
3705 Willow
3709 Java
3713 Stainless
3715 Almond
3721 Reed
3744 Tawny
3775 Grey Green

COM (Grade B)

Pact (Grade B)
65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25407 Dragon
25408 Eureka
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25417 Roast
25418 Roma
25419 Rubine
25420 Sketch
25421 Tanzanite
25422 Taupe
25423 Toasty

MDF TAPER BASE PAINT COLORS

405 Designer White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

BASE WIRE CHANNEL HEIGHT



6 STD Channel Height
G15 and G16 Grommet Channel (6" deep)



8 G26 Marina™ Channel Height
G26 Grommet Channel (8" deep)

TOP SHAPES AND SIZES

Square

48" x 48"
54" x 54"
60" x 60"



Rectangle

36" x 48", 54", 60", 66", 72", 78" and 84"
42" x 48", 54", 60", 66", 72", 78" and 84"
48" x 54", 60", 66", 72", 78" and 84"
54" x 48", 60", 66", 72", 78" and 84"
60" x 48", 54", 66", 72", 78" and 84"

Wedge

36" x 48", 54", 60", 66", 72", 78" and 84"
42" x 48", 54", 60", 66", 72", 78" and 84"
48" x 48", 54", 60", 66", 72", 78" and 84"
54" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"

U-Shaped

36" x 48", 54", 60", 66", 72", 78" and 84"
42" x 48", 54", 60", 66", 72", 78" and 84"
48" x 48", 54", 60", 66", 72", 78" and 84"
54" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"

TOP WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

- CSL available; see page 8 for program details and upcharge

RIM PROFILE OPTIONS



Softened Wood (F)
(wood tops only)



Softened PVC (V)
(laminate tops only)



Knife (K)

WOODGRAIN PVC RIM

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

SOLID PVC RIM

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

GROMMET CUTOUT OPTIONS

Mio tops are available with grommet cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Cutout Option for One Touch Double Pivoting Power Grommet

$25 list upcharge per cutout

CUT-G15C Center
CUT-G15E End



- Reference below for cutout locations of CUT-G15C



NACG15EL, NACG15ELH, NACG15ELB, and NACG15ELHB (Sold Separately)



NACG152ELS, NACG152ELHS, NACG152ELB, and NACG152ELHB (Sold Separately)

- Must order model NACG15EL, NACG15ELH, NACG15ELB, NACG15ELHB, NACG152ELS, NACG152ELHS, NACG152ELB, or NACG152ELHB to fit into CUT-G15 option
- Reference page 526 for pricing and details

Cutout Option for Power/Data Oasis

$25 list upcharge per cutout

CUT-G16C Center
CUT-G16E End



- Reference below for cutout locations of CUT-G16C



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 526 for pricing and details

Cutout Option for One Touch Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G17C Center
CUT-G17E End



- Reference below for cutout locations of CUT-G17



NACG17ELB (Sold Separately)
NACG17ELS (Sold Separately)



NACG172ELB (Sold Separately)
NACG172ELS (Sold Separately)



NACG173ELB (Sold Separately)
NACG173ELS (Sold Separately)

- Must order model NACG17ELB, NACG17ELS, NACG172ELB, NACG172ELS, NACG173ELB, or NACG173ELS to fit into CUT-G17 option
- Reference page 528 for pricing and details

Cutout Option for G23 Power Grommet

$25 list upcharge per cutout

CUT-G23C Center
CUT-G23E End
CUT-G23CE Center, End



- Reference page 229 for cutout locations of CUT-G23



NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

- Must order model NACG23ELB or NACG23ELS to fit into CUT-G23 option
- Reference page 532 for pricing and details

Cutout Option for Marina™ HDMI Collaborative Meeting Technology Solution

$25 list upcharge per cutout

CUT-G26C Center
CUT-G26E End



- Reference below for cutout locations of CUT-G26C



NACG26ELB and NACG26ELS (Sold Separately)

- Must order model NACG26ELB or NACG26ELS to fit into CUT-G26 option
- Reference page 533 for pricing and details

WORKSURFACE WIRE MANAGER OPTIONS

Only available on Exhibit mount tops

If no wire manager is desired, specify an X
(No Wire Manager)

Specify location and color option
Comes attached to worksurface



Locations:

X	No Wire Manager	
NT1	Notch with Sleeve	$25 list upcharge
D1B	Back	$40 list upcharge

Colors:

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

Notch



WORKSURFACE WIRE MANAGER COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

WIRE MANAGER FILLER CAP COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
485 Dark Chocolate

NOTE: 478 not available. Recommended to use 440 Cloud for 478 Platinum Grey on filler caps.

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
WOODGRAINS	
AC2 Autumn 2	403 Chamois 419 Wallaby 485 Dark Chocolate
AD Almond	485 Dark Chocolate
CL Caramel	403 Chamois 419 Wallaby
CW Cordovan	485 Dark Chocolate
DW Judicial	485 Dark Chocolate
HN2 Honey 2	403 Chamois 419 Wallaby
IM Brighton	403 Chamois 405 Designer White 419 Wallaby
MC Amber	403 Chamois 419 Wallaby 485 Dark Chocolate
MH Mocha	485 Dark Chocolate
NM Natural	403 Chamois 419 Wallaby
PB Portobello	425 Shadow 461 Graphite
PT Portico	461 Graphite 478 Platinum Grey
SK Skyline	485 Dark Chocolate
SM Sonoma	403 Chamois 419 Wallaby
TF Truffle	403 Chamois 425 Shadow 485 Dark Chocolate
791 Palisander	462 Cinder 485 Dark Chocolate
792 Sable	425 Shadow 485 Dark Chocolate
793 Acorn	419 Wallaby 425 Shadow 485 Dark Chocolate

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
SOLID LAMINATES	
405 Designer White	405 Designer White
417 Mojave	419 Wallaby
418 Mouse	478 Platinum Grey
419 Wallaby	419 Wallaby
425 Shadow	425 Shadow
440 Cloud	440 Cloud
461 Graphite	461 Graphite
462 Cinder	462 Cinder
478 Platinum Grey	478 Platinum Grey
488 Frosty White	405 Designer White
491 Designer White Linear	405 Designer White
492 Cinder Linear	462 Cinder

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
PATTERN LAMINATES	
809 Tungsten Evolv	403 Chamois 425 Shadow
814 White Tigris	440 Cloud 478 Platinum Grey
818 Crisp Linen	440 Cloud
819 Flax Gauze	403 Chamois 419 Wallaby
820 Paloma Bisque	419 Wallaby 425 Shadow
821 Elemental Concrete	440 Cloud 478 Platinum Grey
822 Smoke Quarstone	461 Graphite
874 Bronze Legacy	425 Shadow

GROMMET LOCATIONS

- Option CUT-G23CE (Center & End) is only available on tops 60", 66", 72", 78", and 84" wide

TABLE LENGTHS

	48"	54"	60"	66"
END & CENTER GROMMET LOCATIONS				

TABLE LENGTHS

	72"	78"	84"
END & CENTER GROMMET LOCATIONS			

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size. Value ranges between how many can comfortably sit around the table and how many can tightly fit.

N/A denotes the shape is not applicable to a specific top size.

TOP SHAPES

TOP SIZE WIDTH	SQUARE	 RECTANGLE	 WEDGE	 U-SHAPED
48"	4	4	3–4	4
54"	4–6	5	4	4
60"	4–6	5	4–5	4–6
66"	N/A	5–6	5–6	5–6
72"	N/A	6	6	6
78"	N/A	6–7	6–7	6–7
84"	N/A	7–8	7	7

MIO - WALL, TOP, AND BASE GUIDE

WALL	TOP					BASE
SIZE	MIO TOP SIZE	SQUARE	RECTANGLE	WEDGE	U-SHAPED	
48" DESK HEIGHT 	36"/42" x 48"		✔	✔	✔	4828
	48" x 48"	✔		✔	✔	4828
	36"/42"/48" x 54"		✔	✔	✔	5428
	36"/42"/48" x 60"		✔	✔	✔	6028
	36"/42"/48" x 66"			✔	✔	6628
	36"/42"/48" x 72"			✔	✔	7228
	36"/42"/48" x 78"			✔		7828
	36"/42"/48" x 84"			✔		8428
60" DESK HEIGHT 	48"/54"/60" x 48"		✔	✔	✔	4828
	48"/54" x 54"	✔				5428
	48"/54" x 60"		✔	✔	✔	6028
	60" x 54"		✔	✔	✔	5428
	60" x 60"	✔		✔	✔	6028
	48"/54"/60" x 66"			✔	✔	6628
	48"/54"/60" x 72"			✔	✔	7228
	48"/54"/60" x 78"			✔		7828
	48"/54"/60" x 84"			✔		8428
48" BAR HEIGHT 	36"/42" x 48"		✔	✔	✔	4840
	48" x 48"	✔		✔	✔	4840
	36"/42"/48" x 54"		✔	✔	✔	5440
	36"/42"/48" x 60"		✔	✔	✔	6040
	36"/42"/48" x 66"			✔	✔	6640
	36"/42"/48" x 72"			✔	✔	7240
60" BAR HEIGHT 	48"/54"/60" x 48"		✔	✔	✔	4840
	48"/54" x 54"	✔				5440
	48"/54" x 60"		✔	✔	✔	6040
	60" x 54"		✔	✔	✔	5440
	60" x 60"	✔		✔	✔	6040
	48"/54"/60" x 66"			✔	✔	6640
	48"/54"/60" x 72"			✔	✔	7240

✔ denotes the size of top that goes with each wall and the corresponding base size

• Customer determines the size of the Exhibit TV Mount Insert; no restrictions

MIO EXHIBIT MOUNT TOP					MIO EXHIBIT MOUNT BASE
	width	width	width	width	
TOP SIZE WIDTH	SQUARE	RECTANGLE	WEDGE	U-SHAPED	
48"	✔	✔	✔	✔	4828
54"		✔	✔	✔	5428
60"		✔	✔	✔	6028
66"		✔	✔	✔	6628
72"		✔	✔	✔	7228
78"		✔	✔	✔	7828
84"		✔	✔	✔	8428
48"	✔	✔	✔	✔	4840
54"		✔	✔	✔	5440
60"		✔	✔	✔	6040
66"		✔	✔	✔	6640
72"		✔	✔	✔	7240
78"		✔	✔	✔	7840
84"		✔	✔	✔	8440

✔ denotes the size of top that goes with each corresponding base size

• Example of cord routing through the base into the Mio wall



60" WIDE FREESTANDING MIO WALL DESK HEIGHT



PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N6067MW2L	Mio, Media Wall, Desk Height Laminate	1	$ 4024
ET29	Desk Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		$ 343
X	No Backside Extension		
TD	Dual TV Mount, Back (upcharge)		$ 980
X	No Power Pole Cutout		
–	*Skipped Option*		
–	*Skipped Option*		
–	*Skipped Option*		
15N6072WGLK	Mio, 60D x 72W, Conference Top, Wedge, Laminate	1	$ 3029
–	*Skipped Option*		
–	*Skipped Option*		
–	*Skipped Option*		
15N7228TPBP	Mio, 72W x 28H, Taper Height, Paint	1	$ 2486
–	*Skipped Option*		
–	*Skipped Option*		
Total			$10,862

48" WIDE FREESTANDING MIO WALL BAR HEIGHT

PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N4879MW2W	Mio, Media Wall, Bar Height, Wood	1	$ 4379
ET41	Bar Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		$ 343
ET29	Desk Height Access Panel, Back		
X	No TV Mount, Back		
CUT-P1	Power Pole Cutout (upcharge)		$ 25
–	*Skipped Option*		
–	*Skipped Option*		
15N4872WGL		2	$ 1982
–	*Skipped Option*		
–	*Skipped Option*		
–	*Skipped Option*		
15N7240TPBP	Mio, 72W x 40H, Taper Height, Paint	1	$ 2736
–	*Skipped Option*		
–	*Skipped Option*		
15N7228TPBP	Mio, 72W x 28H, Taper Height, Paint	1	$ 2486
–	*Skipped Option*		
–	*Skipped Option*		
15N93ELC	Power Pole	1	$ 261
Total			$14,194



48" WIDE FREESTANDING MIO WALL BAR HEIGHT



Front Side

Back Side

PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N4879MW2WMB	Mio, Media Wall, Bar Height, Wood/Marker Board	1	$ 5288
ET41	Bar Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		$ 343
X	No Backside Extension		
X	No TV Mount, Back		
X	No Power Pole Cutout		
–	*Skipped Option*		
–	*Skipped Option*		
15N4866WGLK	Mio, 48D x 66W, Conference Top, Wedge, Laminate, Knife Rim	1	$ 2415
–	*Skipped Option*		
–	*Skipped Option*		
–	*Skipped Option*		
15N6640TPBP	Mio, 66W x 40H, Taper Base, Bar Height, Paint	1	$ 2660
–	*Skipped Option*		
–	*Skipped Option*		
Total			$10,706

48" WIDE FREESTANDING MIO WALL BAR HEIGHT



Front Side

Back Side

PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N4879MW2L	Mio, Media Wall, Bar Height, Laminate	1	$ 4093
ET41	Bar Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		$ 343
1U462	Upper Epicenter Mount, Cinder		
X	No TV Mount, Back		
X	No Power Pole Cutout		
—	*Skipped Option*		
—	*Skipped Option*		
—	*Skipped Option*		
15N4860RTL	Mio, 48D x 60W, Conference Top, Rectangle, Laminate	1	$ 1606
—	*Skipped Option*		
—	*Skipped Option*		
—	*Skipped Option*		
15N6040TPBP	Mio, 60W x 40H, Taper Base, Bar Height, Paint	1	$ 2588
—	*Skipped Option*		
—	*Skipped Option*		
Total			$ 8630

- Epicenter components must be ordered separately

MIO TV INSERT WITH EXHIBIT



PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
11N6049TVL TS	TV Mount Exhibit Insert Single TV Mount	1	$ 2023
15N6060WGDLK	Mio, 60D x 60W, Conference Top, Wedge, Knife Rim, Laminate	1	$ 2707
–	*Skipped Option*		
–	*Skipped Option*		
–	*Skipped Option*		
–	*Skipped Option*		
15N6028TPOBP	Mio, 60W x 28H, Taper Base, Desk Height, Paint	1	$ 2707
–	*Skipped Option*		
–	*Skipped Option*		
Total			$ 7437

PRODUCT SPECIFICATIONS

- Front side of the wall will always have a worksurface extension that is bar height for bar height walls and desk height for desk height walls
- Bar height extension only available on bar height walls
- Dual TV mount available on 60" walls only
- Power pole cutout option on the top of the wall to allow for use with a power pole in open plan applications; located in the top center of the wall
- When pushing a Mio wall against an architectural wall, a back access panel can be selected as an option to allow cord access to the architectural wall
- When TV mount option is selected, it will ship in separate carton
- TV not included; recommended that TV overall width not be greater than Mio wall width
- For detailed specifications, see page 225

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

FREESTANDING MIO WALL BAR HEIGHT



Without Mount



With Single Mount

With Dual Mount

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BAR HEIGHT									
15N6079MW2W	Wood	$ 4521	3	60⅜	78¼	—	—	235 lbs.	14.6
15N6079MW2L	Laminate	4236	3	60⅜	78¼	—	—	235 lbs.	14.6
15N4879MW2W	Wood	$ 4379	3	48⅛	78¼	—	—	185 lbs.	11.8
15N4879MW2L	Laminate	4093	3	48⅛	78¼	—	—	185 lbs.	11.8
BAR HEIGHT WITH MARKER BOARD									
15N6079MW2MBW	Marker Board/Wood	$ 5436	3	60⅜	78¼	—	—	235 lbs.	14.6
15N6079MW2MBL	Marker Board/Laminate	5138	3	60⅜	78¼	—	—	235 lbs.	14.6
15N6079MW2WMB	Wood/Marker Board	5436	3	60⅜	78¼	—	—	235 lbs.	14.6
15N6079MW2LMB	Laminate/Marker Board	5138	3	60⅜	78¼	—	—	235 lbs.	14.6
15N6079MW2MB	Marker Board/Marker Board	6352	3	60⅜	78¼	—	—	235 lbs.	14.6
15N4879MW2MBW	Marker Board/Wood	$ 5288	3	48⅛	78¼	—	—	185 lbs.	11.8
15N4879MW2MBL	Marker Board/Laminate	4989	3	48⅛	78¼	—	—	185 lbs.	11.8
15N4879MW2WMB	Wood/Marker Board	5288	3	48⅛	78¼	—	—	185 lbs.	11.8
15N4879MW2LMB	Laminate/Marker Board	4989	3	48⅛	78¼	—	—	185 lbs.	11.8
15N4879MW2MB	Marker Board/Marker Board	6204	3	48⅛	78¼	—	—	185 lbs.	11.8

- Grain direction runs vertically
- Laminate wall is LPL; marker board wall is non-magnetic white HPL
- Wall should only be used with National certified TV mount that is included
- Some assembly required
- Must be used with Mio base and top
- Painted access panel will match the trim of the wall; removable for access to cables
- Adjustable glides standard; 2¼" adjustment
- For marker board walls, the material listed first is on the front (marker board/wood means marker board on the front and wood on the back)
- 260 lbs. weight limit for each TV mount

TO ORDER, SPECIFY:

1. Model Number
2. Extension - Front
3. TV Mount - Front
4. Extension - Back
5. TV Mount - Back
6. Power Pole Cutout
7. Trim Paint Color
8. Finish/Laminate

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N6079MW2W	ET41	TS	ET29	TS	X	501	MC	
15N6079MW2L	ET41	TD	ET41	TS	X	501	478	PB
15N6079MW2WMB	ET41	TS	ET29	X	X	501	MC	

FREESTANDING MIO WALL DESK HEIGHT



Without Mount

With Single Mount



With Dual Mount

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DESK HEIGHT									
15N6067MW2W	Wood	$ 4297	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N6067MW2L	Laminate	4024	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N4867MW2W	Wood	$ 4160	3	48⅛	66⅜	–	–	170 lbs.	10.2
15N4867MW2L	Laminate	3887	3	48⅛	66⅜	–	–	170 lbs.	10.2
DESK HEIGHT WITH MARKER BOARD									
15N6067MW2MBW	Marker Board/Wood	$ 5202	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N6067MW2MBL	Marker Board/Laminate	4917	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N6067MW2WMB	Wood/Marker Board	5202	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N6067MW2LMB	Laminate/Marker Board	4917	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N6067MW2MB	Marker Board/Marker Board	6117	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N4867MW2MBW	Marker Board/Wood	$ 5059	3	48⅛	66⅜	–	–	170 lbs.	10.2
15N4867MW2MBL	Marker Board/Laminate	4775	3	48⅛	66⅜	–	–	170 lbs.	10.2
15N4867MW2WMB	Wood/Marker Board	5059	3	48⅛	66⅜	–	–	170 lbs.	10.2
15N4867MW2LMB	Laminate/Marker Board	4775	3	48⅛	66⅜	–	–	170 lbs.	10.2
15N4867MW2MB	Marker Board/Marker Board	5975	3	48⅛	66⅜	–	–	170 lbs.	10.2

- Grain direction runs vertically
- Laminate wall is LPL; marker board wall is non-magnetic white HPL
- Wall should only be used with National certified TV mount that is included
- Some assembly required
- Must be used with Mio base and top
- Painted access panel will match the trim of the wall; removable for access to cables
- Adjustable glides standard; 2¼" adjustment
- For marker board walls, the material listed first is on the front (marker board/wood means marker board on the front and wood on the back)
- 260 lbs. weight limit for each TV mount

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 230 for wall, top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

MIO WALL MOUNT SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" SQUARE									
15N4848SQW	Wood	$ 1961	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
15N4848SQL	Laminate	1377	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
54" SQUARE									
15N5454SQW	Wood	$ 2187	54	54	1 3/16	—	—	121 lbs.	7.1
15N5454SQL	Laminate	1653	54	54	1 3/16	—	—	121 lbs.	7.1
60" SQUARE									
15N6060SQW	Wood	$ 2412	58 3/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060SQL	Laminate	1928	58 3/8	60	1 3/16	—	—	150 lbs.	8.3

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479

MIO WALL MOUNT SQUARE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" SQUARE									
15N4848SQWK	Wood	$ 2550	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
15N4848SQLK	Laminate	1790	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
54" SQUARE									
15N5454SQWK	Wood	$ 2880	54	54	1 3/16	—	—	121 lbs.	7.1
15N5454SQLK	Laminate	1888	54	54	1 3/16	—	—	121 lbs.	7.1
60" SQUARE									
15N6060SQWK	Wood	$ 3137	58 3/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060SQLK	Laminate	2506	58 3/8	60	1 3/16	—	—	150 lbs.	8.3

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N6060SQW	F	CUT-G15C	N	MC
15N6060SQLK	K425	CUT-G15C	425	

MIO WALL MOUNT RECTANGLE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648RTW	Wood	$ 1709	36⅛	48⅛	1⅜	—	—	50 lbs.	3.9
15N3648RTL	Laminate	1124	36⅛	48⅛	1⅜	—	—	50 lbs.	3.9
36" x 54"									
15N3654RTW	Wood	$ 1833	36⅛	54	1⅜	—	—	55 lbs.	4.4
15N3654RTL	Laminate	1248	36⅛	54	1⅜	—	—	55 lbs.	4.4
36" x 60"									
15N3660RTW	Wood	$ 1958	36⅛	60	1⅜	—	—	59 lbs.	5.0
15N3660RTL	Laminate	1373	36⅛	60	1⅜	—	—	59 lbs.	5.0
42" x 48"									
15N4248RTW	Wood	$ 1825	42	48⅛	1⅜	—	—	65 lbs.	4.4
15N4248RTL	Laminate	1240	42	48⅛	1⅜	—	—	65 lbs.	4.4
42" x 54"									
15N4254RTW	Wood	$ 1950	42	54	1⅜	—	—	76 lbs.	5.0
15N4254RTL	Laminate	1365	42	54	1⅜	—	—	76 lbs.	5.0
42" x 60"									
15N4260RTW	Wood	$ 2074	42	60	1⅜	—	—	92 lbs.	5.6
15N4260RTL	Laminate	1489	42	60	1⅜	—	—	92 lbs.	5.6
48" x 54"									
15N4854RTW	Wood	$ 2076	48	54	1⅜	—	—	92 lbs.	5.5
15N4854RTL	Laminate	1491	48	54	1⅜	—	—	92 lbs.	5.5
48" x 60"									
15N4860RTW	Wood	$ 2191	48	60	1⅜	—	—	110 lbs.	6.2
15N4860RTL	Laminate	1606	48	60	1⅜	—	—	110 lbs.	6.2

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 230 for wall, top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

MIO WALL MOUNT RECTANGLE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 48"									
15N5448RTW	Wood	$ 2076	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
15N5448RTL	Laminate	1491	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
54" x 60"									
15N5460RTW	Wood	$ 2248	54	60	1 3/16	—	—	135 lbs.	7.5
15N5460RTL	Laminate	1663	54	60	1 3/16	—	—	135 lbs.	7.5
60" x 48"									
15N6048RTW	Wood	$ 2191	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048RTL	Laminate	1606	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTW	Wood	$ 2248	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054RTL	Laminate	1663	58 3/8	54	1 3/16	—	—	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479

MIO WALL MOUNT RECTANGLE TOP KNIFE RIM



36" x 48"									
15N3648RTWK	Wood	$ 2367	36 1/8	48 1/16	1 3/16	—	—	50 lbs.	3.9
15N3648RTLK	Laminate	1606	36 1/8	48 1/16	1 3/16	—	—	50 lbs.	3.9
36" x 54"									
15N3654RTWK	Wood	$ 2492	36 1/8	54	1 3/16	—	—	55 lbs.	4.4
15N3654RTLK	Laminate	1730	36 1/8	54	1 3/16	—	—	55 lbs.	4.4
36" x 60"									
15N3660RTWK	Wood	$ 2616	36 1/8	60	1 3/16	—	—	59 lbs.	5.0
15N3660RTLK	Laminate	1855	36 1/8	60	1 3/16	—	—	59 lbs.	5.0

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N5448RTW F X R PB
15N5448RTL V478 X 478

MIO WALL MOUNT RECTANGLE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 48"									
15N4248RTWK	Wood	$ 2483	42	48⅛	1⅜	—	—	65 lbs.	4.4
15N4248RTLK	Laminate	1722	42	48⅛	1⅜	—	—	65 lbs.	4.4
42" x 54"									
15N4254RTWK	Wood	$ 2608	42	54	1⅜	—	—	76 lbs.	5.0
15N4254RTLK	Laminate	1847	42	54	1⅜	—	—	76 lbs.	5.0
42" x 60"									
15N4260RTWK	Wood	$ 2733	42	60	1⅜	—	—	92 lbs.	5.6
15N4260RTLK	Laminate	1971	42	60	1⅜	—	—	92 lbs.	5.6
48" x 54"									
15N4854RTWK	Wood	$ 2699	48	54	1⅜	—	—	92 lbs.	5.5
15N4854RTLK	Laminate	1939	48	54	1⅜	—	—	92 lbs.	5.5
48" x 60"									
15N4860RTWK	Wood	$ 2849	48	60	1⅜	—	—	110 lbs.	6.2
15N4860RTLK	Laminate	2088	48	60	1⅜	—	—	110 lbs.	6.2
54" x 48"									
15N5448RTWK	Wood	$ 2699	54	48⅛	1⅜	—	—	92 lbs.	6.6
15N5448RTLK	Laminate	1939	54	48⅛	1⅜	—	—	92 lbs.	6.6
54" x 60"									
15N5460RTWK	Wood	$ 2923	54	60	1⅜	—	—	135 lbs.	7.5
15N5460RTLK	Laminate	2162	54	60	1⅜	—	—	135 lbs.	7.5
60" x 48"									
15N6048RTWK	Wood	$ 2849	58⅝	48⅛	1⅜	—	—	121 lbs.	6.9
15N6048RTLK	Laminate	2088	58⅝	48⅛	1⅜	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTWK	Wood	$ 2923	58⅝	54	1⅜	—	—	135 lbs.	7.5
15N6054RTLK	Laminate	2162	58⅝	54	1⅜	—	—	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 230 for wall, top and base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

MIO WALL MOUNT
WEDGE TOP
SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648WGW	Wood	$ 1886	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
15N3648WGL	Laminate	1255	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
36" x 54"									
15N3654WGW	Wood	$ 2010	36⅛	54	1⅜	—	—	55 lbs.	4.4
15N3654WGL	Laminate	1378	36⅛	54	1⅜	—	—	55 lbs.	4.4
36" x 60"									
15N3660WGW	Wood	$ 2133	36⅛	60	1⅜	—	—	59 lbs.	5.0
15N3660WGL	Laminate	1502	36⅛	60	1⅜	—	—	59 lbs.	5.0
36" x 66"									
15N3666WGW	Wood	$ 2257	36⅛	66	1⅜	—	—	65 lbs.	6.0
15N3666WGL	Laminate	1731	36⅛	66	1⅜	—	—	65 lbs.	6.0
36" x 72"									
15N3672WGW	Wood	$ 2380	36⅛	71⅝	1⅜	—	—	76 lbs.	6.3
15N3672WGL	Laminate	1749	36⅛	71⅝	1⅜	—	—	76 lbs.	6.3
36" x 78"									
15N3678WGW	Wood	$ 2504	36⅛	77⅝	1⅜	—	—	92 lbs.	6.6
15N3678WGL	Laminate	1874	36⅛	77⅝	1⅜	—	—	92 lbs.	6.6
36" x 84"									
15N3684WGW	Wood	$ 2629	36⅛	83⅝	1⅜	—	—	105 lbs.	8.0
15N3684WGL	Laminate	1997	36⅛	83⅝	1⅜	—	—	105 lbs.	8.0
42" x 48"									
15N4248WGW	Wood	$ 2002	42	48⅛	1⅜	—	—	65 lbs.	3.6
15N4248WGL	Laminate	1371	42	48⅛	1⅜	—	—	65 lbs.	3.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N4254WGW F X R PB
15N4254WGL V478 X 478

MIO WALL MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 54"									
15N4254WGW	Wood	$ 2126	42	54	1 3/16	—	—	76 lbs.	5.0
15N4254WGL	Laminate	1495	42	54	1 3/16	—	—	76 lbs.	5.0
42" x 60"									
15N4260WGW	Wood	$ 2250	42	60	1 3/16	—	—	92 lbs.	5.6
15N4260WGL	Laminate	1618	42	60	1 3/16	—	—	92 lbs.	5.6
42" x 66"									
15N4266WGW	Wood	$ 2373	42	66	1 3/16	—	—	105 lbs.	6.8
15N4266WGL	Laminate	1848	42	66	1 3/16	—	—	105 lbs.	6.8
42" x 72"									
15N4272WGW	Wood	$ 2497	42	71 15/16	1 3/16	—	—	110 lbs.	7.1
15N4272WGL	Laminate	1865	42	71 15/16	1 3/16	—	—	110 lbs.	7.1
42" x 78"									
15N4278WGW	Wood	$ 2620	42	77 15/16	1 3/16	—	—	115 lbs.	7.5
15N4278WGL	Laminate	1990	42	77 15/16	1 3/16	—	—	115 lbs.	7.5
42" x 84"									
15N4284WGW	Wood	$ 2745	42	83 15/16	1 3/16	—	—	120 lbs.	9.0
15N4284WGL	Laminate	2114	42	83 15/16	1 3/16	—	—	120 lbs.	9.0
48" x 48"									
15N4848WGW	Wood	$ 2119	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
15N4848WGL	Laminate	1487	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854WGW	Wood	$ 2242	48	54	1 3/16	—	—	92 lbs.	5.5
15N4854WGL	Laminate	1611	48	54	1 3/16	—	—	92 lbs.	5.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 230 for wall, top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

MIO WALL MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 60"									
15N4860WGW	Wood	$ 2366	48	60	1 3/16	—	—	110 lbs.	6.2
15N4860WGL	Laminate	1735	48	60	1 3/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGW	Wood	$ 2490	48	66	1 3/16	—	—	135 lbs.	7.5
15N4866WGL	Laminate	1859	48	66	1 3/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGW	Wood	$ 2613	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
15N4872WGL	Laminate	1982	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGW	Wood	$ 2737	48	77 15/16	1 3/16	—	—	180 lbs.	8.3
15N4878WGL	Laminate	2106	48	77 15/16	1 3/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGW	Wood	$ 2861	48	83 15/16	1 3/16	—	—	210 lbs.	10.0
15N4884WGL	Laminate	2230	48	83 15/16	1 3/16	—	—	210 lbs.	10.0
54" x 48"									
15N5448WGW	Wood	$ 2235	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
15N5448WGL	Laminate	1604	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
54" x 54"									
15N5454WGW	Wood	$ 2359	54	54	1 3/16	—	—	121 lbs.	7.1
15N5454WGL	Laminate	1727	54	54	1 3/16	—	—	121 lbs.	7.1
54" x 60"									
15N5460WGW	Wood	$ 2482	54	60	1 3/16	—	—	135 lbs.	7.9
15N5460WGL	Laminate	1851	54	60	1 3/16	—	—	135 lbs.	7.9

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N6048WGL	478	CUT-G15C	478	
15N6048WGW	F	CUT-G15C	N	CW

MIO WALL MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 66"									
15N5466WGW	Wood	$ 2606	54	66	1 3/16	—	—	135 lbs.	8.6
15N5466WGL	Laminate	1976	54	66	1 3/16	—	—	135 lbs.	8.6
54" x 72"									
15N5472WGW	Wood	$ 2730	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
15N5472WGL	Laminate	2098	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
54" x 78"									
15N5478WGW	Wood	$ 2853	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
15N5478WGL	Laminate	2223	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
54" x 84"									
15N5484WGW	Wood	$ 2978	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
15N5484WGL	Laminate	2346	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
60" x 48"									
15N6048WGW	Wood	$ 2366	58 5/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048WGL	Laminate	1735	58 5/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGW	Wood	$ 2429	58 5/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054WGL	Laminate	1796	58 5/8	54	1 3/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGW	Wood	$ 2606	58 5/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060WGL	Laminate	2083	58 5/8	60	1 3/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066WGW	Wood	$ 2730	58 5/8	66	1 3/16	—	—	182 lbs.	9.1
15N6066WGL	Laminate	2205	58 5/8	66	1 3/16	—	—	182 lbs.	9.1

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 5/8" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 230 for wall, top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

MIO WALL MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 72"									
15N6072WGW	Wood	$ 2853	58⅜	71¹⁵⁄₁₆	1³⁄₁₆	—	—	210 lbs.	9.6
15N6072WGL	Laminate	2330	58⅜	71¹⁵⁄₁₆	1³⁄₁₆	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGW	Wood	$ 2977	58⅜	77¹⁵⁄₁₆	1³⁄₁₆	—	—	245 lbs.	10.0
15N6078WGL	Laminate	2452	58⅜	77¹⁵⁄₁₆	1³⁄₁₆	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGW	Wood	$ 3101	58⅜	83¹⁵⁄₁₆	1³⁄₁₆	—	—	270 lbs.	10.8
15N6084WGL	Laminate	2577	58⅜	83¹⁵⁄₁₆	1³⁄₁₆	—	—	270 lbs.	10.8

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N3648WGWK	K	CUT-G15C	N	MC
15N3648WGLK	K478	CUT-G15C	478	

MIO WALL MOUNT
WEDGE TOP
KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648WGWK	Wood	$ 2521	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
15N3648WGLK	Laminate	1701	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
36" x 54"									
15N3654WGWK	Wood	$ 2682	36⅛	54	1⅜	—	—	55 lbs.	4.4
15N3654WGLK	Laminate	1861	36⅛	54	1⅜	—	—	55 lbs.	4.4
36" x 60"									
15N3660WGWK	Wood	$ 2843	36⅛	60	1⅜	—	—	59 lbs.	5.0
15N3660WGLK	Laminate	2023	36⅛	60	1⅜	—	—	59 lbs.	5.0
36" x 66"									
15N3666WGWK	Wood	$ 3005	36⅛	66	1⅜	—	—	65 lbs.	6.0
15N3666WGLK	Laminate	2183	36⅛	66	1⅜	—	—	65 lbs.	6.0
36" x 72"									
15N3672WGWK	Wood	$ 3165	36⅛	71⅝	1⅜	—	—	76 lbs.	6.3
15N3672WGLK	Laminate	2344	36⅛	71⅝	1⅜	—	—	76 lbs.	6.3
36" x 78"									
15N3678WGWK	Wood	$ 3326	36⅛	77⅝	1⅜	—	—	92 lbs.	6.6
15N3678WGLK	Laminate	2505	36⅛	77⅝	1⅜	—	—	92 lbs.	6.6
36" x 84"									
15N3684WGWK	Wood	$ 3487	36⅛	83⅝	1⅜	—	—	105 lbs.	8.0
15N3684WGLK	Laminate	2666	36⅛	83⅝	1⅜	—	—	105 lbs.	8.0
42" x 48"									
15N4248WGWK	Wood	$ 2638	42	48⅛	1⅜	—	—	65 lbs.	3.6
15N4248WGLK	Laminate	1817	42	48⅛	1⅜	—	—	65 lbs.	3.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 230 for wall, top and base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

MIO WALL MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 54"									
15N4254WGWK	Wood	$ 2799	42	54	1 3/16	—	—	76 lbs.	5.0
15N4254WGLK	Laminate	1978	42	54	1 3/16	—	—	76 lbs.	5.0
42" x 60"									
15N4260WGWK	Wood	$ 2959	42	60	1 3/16	—	—	92 lbs.	5.6
15N4260WGLK	Laminate	2139	42	60	1 3/16	—	—	92 lbs.	5.6
42" x 66"									
15N4266WGWK	Wood	$ 3121	42	66	1 3/16	—	—	105 lbs.	6.8
15N4266WGLK	Laminate	2299	42	66	1 3/16	—	—	105 lbs.	6.8
42" x 72"									
15N4272WGWK	Wood	$ 3282	42	71 15/16	1 3/16	—	—	110 lbs.	7.1
15N4272WGLK	Laminate	2461	42	71 15/16	1 3/16	—	—	110 lbs.	7.1
42" x 78"									
15N4278WGWK	Wood	$ 3442	42	77 15/16	1 3/16	—	—	115 lbs.	7.5
15N4278WGLK	Laminate	2621	42	77 15/16	1 3/16	—	—	115 lbs.	7.5
42" x 84"									
15N4284WGWK	Wood	$ 3603	42	83 15/16	1 3/16	—	—	120 lbs.	9.0
15N4284WGLK	Laminate	2782	42	83 15/16	1 3/16	—	—	120 lbs.	9.0
48" x 48"									
15N4848WGWK	Wood	$ 2754	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
15N4848WGLK	Laminate	1933	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854WGWK	Wood	$ 2915	48	54	1 3/16	—	—	92 lbs.	5.5
15N4854WGLK	Laminate	2094	48	54	1 3/16	—	—	92 lbs.	5.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N4860WGWK	K	CUT-G16C	R	AC
15N4860WGLK	K405	CUT-G16C	461	

MIO WALL MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 60"									
15N4860WGWK	Wood	$ 3076	48	60	1 3/16	—	—	110 lbs.	6.2
15N4860WGLK	Laminate	2256	48	60	1 3/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGWK	Wood	$ 3237	48	66	1 3/16	—	—	135 lbs.	7.5
15N4866WGLK	Laminate	2415	48	66	1 3/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGWK	Wood	$ 3398	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
15N4872WGLK	Laminate	2577	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGWK	Wood	$ 3559	48	77 15/16	1 3/16	—	—	180 lbs.	8.3
15N4878WGLK	Laminate	2738	48	77 15/16	1 3/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGWK	Wood	$ 3719	48	83 15/16	1 3/16	—	—	210 lbs.	10.0
15N4884WGLK	Laminate	2898	48	83 15/16	1 3/16	—	—	210 lbs.	10.0
54" x 48"									
15N5448WGWK	Wood	$ 2871	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
15N5448WGLK	Laminate	2050	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
54" x 54"									
15N5454WGWK	Wood	$ 3031	54	54	1 3/16	—	—	121 lbs.	7.1
15N5454WGLK	Laminate	2210	54	54	1 3/16	—	—	121 lbs.	7.1
54" x 60"									
15N5460WGWK	Wood	$ 3192	54	60	1 3/16	—	—	135 lbs.	7.9
15N5460WGLK	Laminate	2372	54	60	1 3/16	—	—	135 lbs.	7.9

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 230 for wall, top and base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

MIO WALL MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 66"									
15N5466WGWK	Wood	$ 3354	54	66	1 3/16	—	—	135 lbs.	8.6
15N5466WGLK	Laminate	2532	54	66	1 3/16	—	—	135 lbs.	8.6
54" x 72"									
15N5472WGWK	Wood	$ 3514	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
15N5472WGLK	Laminate	2693	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
54" x 78"									
15N5478WGWK	Wood	$ 3675	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
15N5478WGLK	Laminate	2854	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
54" x 84"									
15N5484WGWK	Wood	$ 3836	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
15N5484WGLK	Laminate	3015	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
60" x 48"									
15N6048WGWK	Wood	$ 3076	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048WGLK	Laminate	2256	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGWK	Wood	$ 3156	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054WGLK	Laminate	2335	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGWK	Wood	$ 3388	58 3/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060WGLK	Laminate	2707	58 3/8	60	1 3/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066WGWK	Wood	$ 3548	58 3/8	66	1 3/16	—	—	182 lbs.	9.1
15N6066WGLK	Laminate	2868	58 3/8	66	1 3/16	—	—	182 lbs.	9.1

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅜" on a 60" top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N6072WGWK	K	CUT-G16C	N	PB
15N6072WGLK	K405	CUT-G16C	461	

MIO WALL MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 72"									
15N6072WGWK	Wood	$ 3709	58⅝	71¹⁵⁄₁₆	1⅜	—	—	210 lbs.	9.6
15N6072WGLK	Laminate	3029	58⅝	71¹⁵⁄₁₆	1⅜	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGWK	Wood	$ 3870	58⅝	77¹⁵⁄₁₆	1⅜	—	—	245 lbs.	10.0
15N6078WGLK	Laminate	3189	58⅝	77¹⁵⁄₁₆	1⅜	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGWK	Wood	$ 4031	58⅝	83¹⁵⁄₁₆	1⅜	—	—	270 lbs.	10.8
15N6084WGLK	Laminate	3351	58⅝	83¹⁵⁄₁₆	1⅜	—	—	270 lbs.	10.8

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 230 for wall, top and base guide

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

MIO WALL MOUNT U-SHAPED TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648UW	Wood	$ 2026	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
15N3648UL	Laminate	1388	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
36" x 54"									
15N3654UW	Wood	$ 2151	36⅛	54	1⅜	—	—	55 lbs.	4.4
15N3654UL	Laminate	1513	36⅛	54	1⅜	—	—	55 lbs.	4.4
36" x 60"									
15N3660UW	Wood	$ 2275	36⅛	60	1⅜	—	—	59 lbs.	5.0
15N3660UL	Laminate	1638	36⅛	60	1⅜	—	—	59 lbs.	5.0
36" x 66"									
15N3666UW	Wood	$ 2400	36⅛	66	1⅜	—	—	65 lbs.	6.0
15N3666UL	Laminate	1762	36⅛	66	1⅜	—	—	65 lbs.	6.0
36" x 72"									
15N3672UW	Wood	$ 2525	36⅛	71⁵⁄₁₆	1⅜	—	—	76 lbs.	6.3
15N3672UL	Laminate	1887	36⅛	71⁵⁄₁₆	1⅜	—	—	76 lbs.	6.3
42" x 48"									
15N4248UW	Wood	$ 2025	42	48⅛	1⅜	—	—	92 lbs.	3.6
15N4248UL	Laminate	1387	42	48⅛	1⅜	—	—	92 lbs.	3.6
42" x 54"									
15N4254UW	Wood	$ 2150	42	54	1⅜	—	—	105 lbs.	5.0
15N4254UL	Laminate	1512	42	54	1⅜	—	—	105 lbs.	5.0
42" x 60"									
15N4260UW	Wood	$ 2274	42	60	1⅜	—	—	65 lbs.	5.6
15N4260UL	Laminate	1637	42	60	1⅜	—	—	65 lbs.	5.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N4266UW F X N PB
15N4266UL VPB X PB

MIO WALL MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 66"									
15N4266UW	Wood	$ 2399	42	66	1 3/16	—	—	76 lbs.	6.8
15N4266UL	Laminate	1761	42	66	1 3/16	—	—	76 lbs.	6.8
42" x 72"									
15N4272UW	Wood	$ 2524	42	71 15/16	1 3/16	—	—	92 lbs.	7.1
15N4272UL	Laminate	1886	42	71 15/16	1 3/16	—	—	92 lbs.	7.1
48" x 48"									
15N4848UW	Wood	$ 2140	48	48 1/16	1 3/16	—	—	105 lbs.	4.5
15N4848UL	Laminate	1502	48	48 1/16	1 3/16	—	—	105 lbs.	4.5
48" x 54"									
15N4854UW	Wood	$ 2265	48	54	1 3/16	—	—	110 lbs.	5.5
15N4854UL	Laminate	1627	48	54	1 3/16	—	—	110 lbs.	5.5
48" x 60"									
15N4860UW	Wood	$ 2391	48	60	1 3/16	—	—	115 lbs.	6.2
15N4860UL	Laminate	1752	48	60	1 3/16	—	—	115 lbs.	6.2
48" x 66"									
15N4866UW	Wood	$ 2514	48	66	1 3/16	—	—	120 lbs.	7.5
15N4866UL	Laminate	1877	48	66	1 3/16	—	—	120 lbs.	7.5
48" x 72"									
15N4872UW	Wood	$ 2640	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
15N4872UL	Laminate	2002	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
54" x 48"									
15N5448UW	Wood	$ 2202	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
15N5448UL	Laminate	1565	54	48 1/16	1 3/16	—	—	92 lbs.	6.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 230 for wall, top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

MIO WALL MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 54"									
15N5454UW	Wood	$ 2327	54	54	1 3/16	—	—	121 lbs.	7.1
15N5454UL	Laminate	1689	54	54	1 3/16	—	—	121 lbs.	7.1
54" x 60"									
15N5460UW	Wood	$ 2451	54	60	1 3/16	—	—	135 lbs.	7.9
15N5460UL	Laminate	1814	54	60	1 3/16	—	—	135 lbs.	7.9
54" x 66"									
15N5466UW	Wood	$ 2576	54	66	1 3/16	—	—	135 lbs.	8.6
15N5466UL	Laminate	1938	54	66	1 3/16	—	—	135 lbs.	8.6
54" x 72"									
15N5472UW	Wood	$ 2701	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
15N5472UL	Laminate	2063	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
60" x 48"									
15N6048UW	Wood	$ 2391	58 5/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048UL	Laminate	1752	58 5/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054UW	Wood	$ 2451	58 5/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054UL	Laminate	1814	58 5/8	54	1 3/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060UW	Wood	$ 2632	58 5/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060UL	Laminate	2102	58 5/8	60	1 3/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066UW	Wood	$ 2757	58 5/8	66	1 3/16	—	—	182 lbs.	9.1
15N6066UL	Laminate	2228	58 5/8	66	1 3/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072UW	Wood	$ 2881	58 5/8	71 15/16	1 3/16	—	—	210 lbs.	9.6
15N6072UL	Laminate	2354	58 5/8	71 15/16	1 3/16	—	—	210 lbs.	9.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N5454UW F X R AC
15N5454UL V425 X 425

MIO WALL MOUNT U-SHAPED TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648UWK	Wood	$ 2892	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
15N3648ULK	Laminate	2064	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
36" x 54"									
15N3654UWK	Wood	$ 3017	36⅛	54	1⅜	—	—	55 lbs.	4.4
15N3654ULK	Laminate	2189	36⅛	54	1⅜	—	—	55 lbs.	4.4
36" x 60"									
15N3660UWK	Wood	$ 3142	36⅛	60	1⅜	—	—	59 lbs.	5.0
15N3660ULK	Laminate	2313	36⅛	60	1⅜	—	—	59 lbs.	5.0
36" x 66"									
15N3666UWK	Wood	$ 3266	36⅛	66	1⅜	—	—	65 lbs.	6.0
15N3666ULK	Laminate	2438	36⅛	66	1⅜	—	—	65 lbs.	6.0
36" x 72"									
15N3672UWK	Wood	$ 3391	36⅛	71⁵⁄₁₆	1⅜	—	—	76 lbs.	6.3
15N3672ULK	Laminate	2563	36⅛	71⁵⁄₁₆	1⅜	—	—	76 lbs.	6.3
42" x 48"									
15N4248UWK	Wood	$ 2492	42	48⅛	1⅜	—	—	65 lbs.	3.6
15N4248ULK	Laminate	1988	42	48⅛	1⅜	—	—	65 lbs.	3.6
42" x 54"									
15N4254UWK	Wood	$ 2616	42	54	1⅜	—	—	76 lbs.	5.0
15N4254ULK	Laminate	2113	42	54	1⅜	—	—	76 lbs.	5.0
42" x 60"									
15N4260UWK	Wood	$ 2741	42	60	1⅜	—	—	92 lbs.	5.6
15N4260ULK	Laminate	2237	42	60	1⅜	—	—	92 lbs.	5.6

• Modified depth and width not available
• For use with Mio wall and base
• Tops only have a rim profile on three sides
• When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 230 for wall, top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

MIO WALL MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 66"									
15N4266UWK	Wood	$ 2865	42	66	1 3/16	—	—	105 lbs.	6.8
15N4266ULK	Laminate	2362	42	66	1 3/16	—	—	105 lbs.	6.8
42" x 72"									
15N4272UWK	Wood	$ 2990	42	71 15/16	1 3/16	—	—	110 lbs.	7.1
15N4272ULK	Laminate	2486	42	71 15/16	1 3/16	—	—	110 lbs.	7.1
48" x 48"									
15N4848UWK	Wood	$ 2782	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
15N4848ULK	Laminate	1953	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854UWK	Wood	$ 2944	48	54	1 3/16	—	—	92 lbs.	5.5
15N4854ULK	Laminate	2116	48	54	1 3/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860UWK	Wood	$ 3106	48	60	1 3/16	—	—	110 lbs.	6.2
15N4860ULK	Laminate	2277	48	60	1 3/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866UWK	Wood	$ 3268	48	66	1 3/16	—	—	135 lbs.	7.5
15N4866ULK	Laminate	2440	48	66	1 3/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872UWK	Wood	$ 3432	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
15N4872ULK	Laminate	2603	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
54" x 48"									
15N5448UWK	Wood	$ 2939	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
15N5448ULK	Laminate	2176	54	48 1/16	1 3/16	—	—	92 lbs.	6.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (wood models)
6. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N6048UWK K X R AC
15N6048ULK K462 X 405

MIO WALL MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 54"									
15N5454UWK	Wood	$ 3063	54	54	1 3/16	—	—	121 lbs.	7.1
15N5454ULK	Laminate	2301	54	54	1 3/16	—	—	121 lbs.	7.1
54" x 60"									
15N5460UWK	Wood	$ 3188	54	60	1 3/16	—	—	135 lbs.	7.9
15N5460ULK	Laminate	2359	54	60	1 3/16	—	—	135 lbs.	7.9
54" x 66"									
15N5466UWK	Wood	$ 3312	54	66	1 3/16	—	—	135 lbs.	8.6
15N5466ULK	Laminate	2483	54	66	1 3/16	—	—	135 lbs.	8.6
54" x 72"									
15N5472UWK	Wood	$ 3437	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
15N5472ULK	Laminate	2608	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
60" x 48"									
15N6048UWK	Wood	$ 3106	58 5/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048ULK	Laminate	2277	58 5/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054UWK	Wood	$ 3188	58 5/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054ULK	Laminate	2359	58 5/8	54	1 3/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060UWK	Wood	$ 3422	58 5/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060ULK	Laminate	2734	58 5/8	60	1 3/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066UWK	Wood	$ 3583	58 5/8	66	1 3/16	—	—	182 lbs.	9.1
15N6066ULK	Laminate	2896	58 5/8	66	1 3/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072UWK	Wood	$ 3746	58 5/8	71 15/16	1 3/16	—	—	210 lbs.	9.6
15N6072ULK	Laminate	3058	58 5/8	71 15/16	1 3/16	—	—	210 lbs.	9.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on three sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 479

PRODUCT SPECIFICATIONS

- STD channel height is 6" tall and should be specified when using the G15, G16, G17, G23, or no grommet
- G26 Marina™ channel height is 8" tall and should be specified when using the G26 Marina™ grommet
- Taper base shipped in three separate cartons

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

MIO WALL MOUNT TAPER BASE BAR HEIGHT



STD Channel Height



G26 Marina™ Channel Height

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
15N4840TPBP	Painted	$ 2449	12	36 1/16	39 3/4	—	—	105 lbs.	12.9
15N5440TPBP	Painted	2518	12	42	39 3/4	—	—	115 lbs.	14.3
15N6040TPBP	Painted	2588	12	48	39 3/4	—	—	125 lbs.	15.6
15N6640TPBP	Painted	2660	12	54	39 3/4	—	—	135 lbs.	17.0
15N7240TPBP	Painted	2736	12	59 15/16	39 3/4	—	—	145 lbs.	18.3

- Bases are only intended for use with the Mio wall and tops
- Some assembly required
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5 3/16"; desk height bottom channel inside dimension is 5 31/32"; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 9 3/16"; top channel bottom inside dimension for G26 Marina™ is 8¾"
- Reference page 230 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Base Wire Channel Height
3. Paint Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBER:

15N4828TPBP 6 405

MIO WALL MOUNT TAPER BASE DESK HEIGHT



STD Channel Height



G26 Marina™ Channel Height

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
15N4828TPBP	Painted	$ 2227	12	36⅛	27¼	—	—	95 lbs.	11.7
15N5428TPBP	Painted	2290	12	42	27¼	—	—	105 lbs.	13.5
15N6028TPBP	Painted	2354	12	48	27¼	—	—	115 lbs.	14.5
15N6628TPBP	Painted	2418	12	54	27¼	—	—	125 lbs.	15.7
15N7228TPBP	Painted	2486	12	59⅛	27¼	—	—	135 lbs.	17.5
15N7828TPBP	Painted	2556	12	65⅛	27¼	—	—	145 lbs.	18.5
15N8428TPBP	Painted	2628	12	71⅛	27¼	—	—	155 lbs.	19.7

- Bases are only intended for use with the Mio wall and tops
- Some assembly required
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5⅜"; desk height bottom channel inside dimension is 5³½"; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 9⅜"; top channel bottom inside dimension for G26 Marina™ is 8¾"
- Reference page 230 for wall, top and base guide

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- Fabric Inserts are not tackable
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 476
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

FABRIC TV MOUNT EXHIBIT INSERTS





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H FABRIC TV MOUNT EXHIBIT INSERTS										
11N3634TVFA	Railroad	$ 1321	$ 1366	½	35⅛	34⅛	—	—	47 lbs.	3.1
11N3634TVF	Standard	1317	1355	½	35⅛	34⅛	—	—	47 lbs.	3.1
11N4234TVFA	Railroad	$ 1323	$ 1368	½	41⅛	34⅛	—	—	53 lbs.	3.3
11N4234TVF	Standard	1318	1356	½	41⅛	34⅛	—	—	53 lbs.	3.3
11N4834TVFA	Railroad	$ 1451	$ 1504	½	47⅛	34⅛	—	—	58 lbs.	3.5
11N4834TVF	Standard	1447	1485	½	47⅛	34⅛	—	—	58 lbs.	3.5
11N5434TVFA	Railroad	$ 1581	$ 1641	½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434TVF	Standard	1577	1615	½	53⅞	34⅛	—	—	64 lbs.	3.5
11N6034TVFA	Railroad	$ 1723	$ 1783	½	59⅛	34⅛	—	—	71 lbs.	3.9
11N6034TVF	Standard	1719	1757	½	59⅛	34⅛	—	—	71 lbs.	3.9
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H FABRIC TV MOUNT EXHIBIT INSERTS										
11N3636TVFA	Railroad	$ 1338	$ 1383	½	35⅛	36⅛	—	—	51 lbs.	3.4
11N3636TVF	Standard	1334	1372	½	35⅛	36⅛	—	—	51 lbs.	3.4
11N4236TVFA	Railroad	$ 1340	$ 1385	½	41⅛	36⅛	—	—	57 lbs.	3.6
11N4236TVF	Standard	1336	1374	½	41⅛	36⅛	—	—	57 lbs.	3.6
11N4836TVFA	Railroad	$ 1471	$ 1524	½	47⅛	36⅛	—	—	62 lbs.	3.9
11N4836TVF	Standard	1466	1504	½	47⅛	36⅛	—	—	62 lbs.	3.9
11N5436TVFA	Railroad	$ 1601	$ 1661	½	53⅞	36⅛	—	—	68 lbs.	4.1
11N5436TVF	Standard	1597	1635	½	53⅞	36⅛	—	—	68 lbs.	4.1
11N6036TVFA	Railroad	$ 1745	$ 1805	½	59⅛	36⅛	—	—	74 lbs.	4.3
11N6036TVF	Standard	1741	1779	½	59⅛	36⅛	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.
- Reference Exhibit section for guidelines

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Fabric Grade
4. Fabric Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

11N3637TVFA B 25413
11N6037TVFA TS B 25413





Shaded rectangle portrays a railroaded insert.

FABRIC TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	DIMENSIONS W	DIMENSIONS H	DIMENSIONS A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H FABRIC TV MOUNT EXHIBIT INSERTS										
11N3637TVFA	Railroad	$ 1338	$ 1383	½	35 15/16	37	—	—	51 lbs.	3.4
11N3637TVF	Standard	1334	1372	½	35 15/16	37	—	—	51 lbs.	3.4
11N4237TVFA	Railroad	$ 1340	$ 1385	½	41 15/16	37	—	—	57 lbs.	3.6
11N4237TVF	Standard	1336	1374	½	41 15/16	37	—	—	57 lbs.	3.6
11N4837TVFA	Railroad	$ 1471	$ 1524	½	47 15/16	37	—	—	62 lbs.	3.9
11N4837TVF	Standard	1466	1504	½	47 15/16	37	—	—	62 lbs.	3.9
11N5437TVFA	Railroad	$ 1601	$ 1661	½	53⅞	37	—	—	68 lbs.	4.1
11N5437TVF	Standard	1597	1635	½	53⅞	37	—	—	68 lbs.	4.1
11N6037TVFA	Railroad	$ 1745	$ 1805	½	59 15/16	37	—	—	74 lbs.	4.3
11N6037TVF	Standard	1741	1779	½	59 15/16	37	—	—	74 lbs.	4.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H FABRIC TV MOUNT EXHIBIT INSERTS										
11N3648TVFA	Railroad	$ 1550	$ 1595	½	35 15/16	48⅜	—	—	69 lbs.	5.0
11N3648TVF	Standard	1546	1591	½	35 15/16	48⅜	—	—	69 lbs.	5.0
11N4248TVFA	Railroad	$ 1552	$ 1597	½	41 15/16	48⅜	—	—	77 lbs.	5.2
11N4248TVF	Standard	1548	1593	½	41 15/16	48⅜	—	—	77 lbs.	5.2
11N4848TVFA	Railroad	$ 1705	$ 1758	½	47 15/16	48⅜	—	—	85 lbs.	5.5
11N4848TVF	Standard	1701	1746	½	47 15/16	48⅜	—	—	85 lbs.	5.5
11N5448TVFA	Railroad	$ 1860	$ 1920	½	53⅞	48⅜	—	—	93 lbs.	5.8
11N5448TVF	Standard	1855	1900	½	53⅞	48⅜	—	—	93 lbs.	5.8
11N6048TVFA	Railroad	$ 2028	$ 2088	½	59 15/16	48⅜	—	—	101 lbs.	6.1
11N6048TVF	Standard	2024	2069	½	59 15/16	48⅜	—	—	101 lbs.	6.1

• TV mount included; some assembly required; VESA mounting compliant
• Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
• Two trim channels included with each fabric insert in the same fabric
• Maximum TV weight is 120 lbs.
• Reference Exhibit section for guidelines

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- Fabric Inserts are not tackable
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 476
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

FABRIC TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS
49"H FABRIC TV MOUNT EXHIBIT INSERTS

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3649TVFA	Railroad	$ 1550	$ 1595	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649TVF	Standard	1546	1591	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N4249TVFA	Railroad	$ 1552	$ 1597	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249TVF	Standard	1548	1593	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4849TVFA	Railroad	$ 1705	$ 1758	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849TVF	Standard	1701	1746	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N5449TVFA	Railroad	$ 1860	$ 1920	½	53⅞	48 13/16	—	—	93 lbs.	5.8
11N5449TVF	Standard	1855	1900	½	53⅞	48 13/16	—	—	93 lbs.	5.8
11N6049TVFA	Railroad	$ 2028	$ 2088	½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049TVF	Standard	2024	2069	½	59 15/16	48 13/16	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.
- Reference Exhibit section for guidelines

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color (veneer/laminate insert only)
4. Fabric Grade (fabric insert only)
5. Fabric Color (fabric insert only)

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

11N3649TVFA	B	25413
11N6034TVW	TD	MC
11N6034TVL	TS	462





Shaded rectangle portrays a railroaded insert.

TV MOUNT EXHIBIT INSERTS





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H TV MOUNT EXHIBIT INSERTS									
11N3634TVW	Wood	$ 1838	½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N3634TVL	Laminate	1316	½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N4234TVW	Wood	$ 1839	½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4234TVL	Laminate	1317	½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4834TVW	Wood	$ 2025	½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N4834TVL	Laminate	1446	½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N5434TVW	Wood	$ 2212	½	53⅞	34⅛	–	–	64 lbs.	3.5
11N5434TVL	Laminate	1576	½	53⅞	34⅛	–	–	64 lbs.	3.5
11N6034TVW	Wood	$ 2417	½	59 15/16	34⅛	–	–	71 lbs.	3.9
11N6034TVL	Laminate	1718	½	59 15/16	34⅛	–	–	71 lbs.	3.9
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TV MOUNT EXHIBIT INSERTS									
11N3636TVW	Wood	$ 1861	½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636TVL	Laminate	1333	½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N4236TVW	Wood	$ 1864	½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236TVL	Laminate	1335	½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4836TVW	Wood	$ 2053	½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836TVL	Laminate	1465	½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N5436TVW	Wood	$ 2241	½	53⅞	36 9/16	–	–	68 lbs.	4.1
11N5436TVL	Laminate	1595	½	53⅞	36 9/16	–	–	68 lbs.	4.1
11N6036TVW	Wood	$ 2450	½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036TVL	Laminate	1740	½	59 15/16	36 9/16	–	–	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Palisander Horizontal (791H) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.
- Reference Exhibit section for guidelines

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 476
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H TV MOUNT EXHIBIT INSERTS									
11N3637TVW	Wood	$ 1861	½	35⅛	37	—	—	51 lbs.	3.4
11N3637TVL	Laminate	1333	½	35⅛	37	—	—	51 lbs.	3.4
11N4237TVW	Wood	$ 1864	½	41⅛	37	—	—	57 lbs.	3.6
11N4237TVL	Laminate	1335	½	41⅛	37	—	—	57 lbs.	3.6
11N4837TVW	Wood	$ 2053	½	47⅛	37	—	—	62 lbs.	3.9
11N4837TVL	Laminate	1465	½	47⅛	37	—	—	62 lbs.	3.9
11N5437TVW	Wood	$ 2241	½	53⅞	37	—	—	68 lbs.	4.1
11N5437TVL	Laminate	1595	½	53⅞	37	—	—	68 lbs.	4.1
11N6037TVW	Wood	$ 2450	½	59⅛	37	—	—	74 lbs.	4.3
11N6037TVL	Laminate	1740	½	59⅛	37	—	—	74 lbs.	4.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H TV MOUNT EXHIBIT INSERTS									
11N3648TVW	Wood	$ 2168	½	35⅛	48⅜	—	—	69 lbs.	5.0
11N3648TVL	Laminate	1545	½	35⅛	48⅜	—	—	69 lbs.	5.0
11N4248TVW	Wood	$ 2171	½	41⅛	48⅜	—	—	77 lbs.	5.2
11N4248TVL	Laminate	1547	½	41⅛	48⅜	—	—	77 lbs.	5.2
11N4848TVW	Wood	$ 2394	½	47⅛	48⅜	—	—	85 lbs.	5.5
11N4848TVL	Laminate	1700	½	47⅛	48⅜	—	—	85 lbs.	5.5
11N5448TVW	Wood	$ 2618	½	53⅞	48⅜	—	—	93 lbs.	5.8
11N5448TVL	Laminate	1854	½	53⅞	48⅜	—	—	93 lbs.	5.8
11N6048TVW	Wood	$ 2863	½	59⅛	48⅜	—	—	101 lbs.	6.1
11N6048TVL	Laminate	2023	½	59⅛	48⅜	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Palisander Horizontal (791H) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.
- Reference Exhibit section for guidelines

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

- See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

11N3637TVL 462
11N3637TVW MC
11N6037TVW TS MC

TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H TV MOUNT EXHIBIT INSERTS									
11N3649TVW	Wood	$ 2168	½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649TVL	Laminate	1545	½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N4249TVW	Wood	$ 2171	½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249TVL	Laminate	1547	½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4849TVW	Wood	$ 2394	½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849TVL	Laminate	1700	½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N5449TVW	Wood	$ 2618	½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449TVL	Laminate	1854	½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N6049TVW	Wood	$ 2863	½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049TVL	Laminate	2023	½	59 15/16	48 13/16	–	–	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Palisander Horizontal (791H) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.
- Reference Exhibit section for guidelines

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" SQUARE									
15N4848SQDW	Wood	$ 1961	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
15N4848SQDL	Laminate	1377	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
54" SQUARE									
15N5454SQDW	Wood	$ 2187	54	54	1 3/16	—	—	121 lbs.	7.1
15N5454SQDL	Laminate	1653	54	54	1 3/16	—	—	121 lbs.	7.1
60" SQUARE									
15N6060SQDW	Wood	$ 2412	58 3/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060SQDL	Laminate	1928	58 3/8	60	1 3/16	—	—	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

EXHIBIT MOUNT SQUARE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" SQUARE									
15N4848SQDWK	Wood	$ 2550	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
15N4848SQDLK	Laminate	1790	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
54" SQUARE									
15N5454SQDWK	Wood	$ 2880	54	54	1 3/16	—	—	121 lbs.	7.1
15N5454SQDLK	Laminate	1888	54	54	1 3/16	—	—	121 lbs.	7.1
60" SQUARE									
15N6060SQDWK	Wood	$ 3137	58 3/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060SQDLK	Laminate	2506	58 3/8	60	1 3/16	—	—	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N6060SQDL	V425	CUT-G15C	NT1	425	
15N6060SQDW	F	X	NT1	N	MC

EXHIBIT MOUNT RECTANGLE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648RTDW	Wood	$ 1709	36⅛	48⅛	1⅜	—	—	50 lbs.	4.5
15N3648RTDL	Laminate	1124	36⅛	48⅛	1⅜	—	—	50 lbs.	4.5
36" x 54"									
15N3654RTDW	Wood	$ 1833	36⅛	54	1⅜	—	—	55 lbs.	4.9
15N3654RTDL	Laminate	1248	36⅛	54	1⅜	—	—	55 lbs.	4.9
36" x 60"									
15N3660RTDW	Wood	$ 1958	36⅛	60	1⅜	—	—	59 lbs.	5.3
15N3660RTDL	Laminate	1373	36⅛	60	1⅜	—	—	59 lbs.	5.3
36" x 66"									
15N3666RTDW	Wood	$ 2042	36⅛	66	1⅜	—	—	65 lbs.	6.0
15N3666RTDL	Laminate	1457	36⅛	66	1⅜	—	—	65 lbs.	6.0
36" x 72"									
15N3672RTDW	Wood	$ 2167	36⅛	71⁵⁄₁₆	1⅜	—	—	76 lbs.	6.3
15N3672RTDL	Laminate	1582	36⅛	71⁵⁄₁₆	1⅜	—	—	76 lbs.	6.3
36" x 78"									
15N3678RTDW	Wood	$ 2292	36⅛	77⁵⁄₁₆	1⅜	—	—	92 lbs.	6.6
15N3678RTDL	Laminate	1707	36⅛	77⁵⁄₁₆	1⅜	—	—	92 lbs.	6.6
36" x 84"									
15N3684RTDW	Wood	$ 2416	36⅛	83⁵⁄₁₆	1⅜	—	—	105 lbs.	8.0
15N3684RTDL	Laminate	1831	36⅛	83⁵⁄₁₆	1⅜	—	—	105 lbs.	8.0
42" x 48"									
15N4248RTDW	Wood	$ 1825	42	48⅛	1⅜	—	—	65 lbs.	4.9
15N4248RTDL	Laminate	1240	42	48⅛	1⅜	—	—	65 lbs.	4.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT RECTANGLE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 54"									
15N4254RTDW	Wood	$ 1950	42	54	1 3/16	–	–	76 lbs.	5.6
15N4254RTDL	Laminate	1365	42	54	1 3/16	–	–	76 lbs.	5.6
42" x 60"									
15N4260RTDW	Wood	$ 2074	42	60	1 3/16	–	–	92 lbs.	6.4
15N4260RTDL	Laminate	1489	42	60	1 3/16	–	–	92 lbs.	6.4
42" x 66"									
15N4266RTDW	Wood	$ 2237	42	66	1 3/16	–	–	105 lbs.	6.8
15N4266RTDL	Laminate	1653	42	66	1 3/16	–	–	105 lbs.	6.8
42" x 72"									
15N4272RTDW	Wood	$ 2362	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
15N4272RTDL	Laminate	1778	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
42" x 78"									
15N4278RTDW	Wood	$ 2408	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
15N4278RTDL	Laminate	1823	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
42" x 84"									
15N4284RTDW	Wood	$ 2533	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
15N4284RTDL	Laminate	1948	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
48" x 54"									
15N4854RTDW	Wood	$ 2076	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854RTDL	Laminate	1491	48	54	1 3/16	–	–	92 lbs.	5.5
48" x 60"									
15N4860RTDW	Wood	$ 2191	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860RTDL	Laminate	1606	48	60	1 3/16	–	–	110 lbs.	6.2

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N4866RTDW F X D1B462 N MC
15N4866RTDW V462 X D1B462 405

EXHIBIT MOUNT RECTANGLE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 66"									
15N4866RTDW	Wood	$ 2305	48	66	1 3/16	—	—	135 lbs.	7.5
15N4866RTDL	Laminate	1721	48	66	1 3/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872RTDW	Wood	$ 2419	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
15N4872RTDL	Laminate	1835	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878RTDW	Wood	$ 2535	48	77 15/16	1 3/16	—	—	180 lbs.	8.3
15N4878RTDL	Laminate	1950	48	77 15/16	1 3/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884RTDW	Wood	$ 2649	48	83 15/16	1 3/16	—	—	210 lbs.	10.0
15N4884RTDL	Laminate	2064	48	83 15/16	1 3/16	—	—	210 lbs.	10.0
54" x 48"									
15N5448RTDW	Wood	$ 2076	54	48 1/16	1 3/16	—	—	92 lbs.	6.4
15N5448RTDL	Laminate	1491	54	48 1/16	1 3/16	—	—	92 lbs.	6.4
54" x 60"									
15N5460RTDW	Wood	$ 2248	54	60	1 3/16	—	—	121 lbs.	7.7
15N5460RTDL	Laminate	1663	54	60	1 3/16	—	—	121 lbs.	7.7
54" x 66"									
15N5466RTDW	Wood	$ 2380	54	66	1 3/16	—	—	135 lbs.	8.6
15N5466RTDL	Laminate	1895	54	66	1 3/16	—	—	135 lbs.	8.6
54" x 72"									
15N5472RTDW	Wood	$ 2505	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
15N5472RTDL	Laminate	2020	54	71 15/16	1 3/16	—	—	145 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT RECTANGLE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 78"									
15N5478RTDW	Wood	$ 2630	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
15N5478RTDL	Laminate	2144	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
54" x 84"									
15N5484RTDW	Wood	$ 2754	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
15N5484RTDL	Laminate	2269	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
60" x 48"									
15N6048RTDW	Wood	$ 2191	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048RTDL	Laminate	1606	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTDW	Wood	$ 2248	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054RTDL	Laminate	1663	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
60" x 66"									
15N6066RTDW	Wood	$ 2527	58 3/8	66	1 3/16	—	—	182 lbs.	9.1
15N6066RTDL	Laminate	2042	58 3/8	66	1 3/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072RTDW	Wood	$ 2642	58 3/8	71 15/16	1 3/16	—	—	210 lbs.	9.6
15N6072RTDL	Laminate	2157	58 3/8	71 15/16	1 3/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078RTDW	Wood	$ 2756	58 3/8	77 15/16	1 3/16	—	—	245 lbs.	10.0
15N6078RTDL	Laminate	2271	58 3/8	77 15/16	1 3/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084RTDW	Wood	$ 2871	58 3/8	83 15/16	1 3/16	—	—	270 lbs.	10.8
15N6084RTDL	Laminate	2385	58 3/8	83 15/16	1 3/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N3648RTDWK	K	X	X	N		PB
15N3648RTDLK	K461	X	X	461		

EXHIBIT MOUNT RECTANGLE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648RTDWK	Wood	$ 2367	36⅛	48⅛	1⅜	–	–	50 lbs.	4.5
15N3648RTDLK	Laminate	1606	36⅛	48⅛	1⅜	–	–	50 lbs.	4.5
36" x 54"									
15N3654RTDWK	Wood	$ 2492	36⅛	54	1⅜	–	–	55 lbs.	4.9
15N3654RTDLK	Laminate	1730	36⅛	54	1⅜	–	–	55 lbs.	4.9
36" x 60									
15N3660RTDWK	Wood	$ 2616	36⅛	60	1⅜	–	–	59 lbs.	5.3
15N3660RTDLK	Laminate	1855	36⅛	60	1⅜	–	–	59 lbs.	5.3
36" x 66"									
15N3666RTDWK	Wood	$ 2837	36⅛	66	1⅜	–	–	65 lbs.	6.0
15N3666RTDLK	Laminate	2078	36⅛	66	1⅜	–	–	65 lbs.	6.0
36" x 72"									
15N3672RTDWK	Wood	$ 2961	36⅛	71⅝	1⅜	–	–	76 lbs.	6.3
15N3672RTDLK	Laminate	2202	36⅛	71⅝	1⅜	–	–	76 lbs.	6.3
36" x 78"									
15N3678RTDWK	Wood	$ 3086	36⅛	77⅝	1⅜	–	–	92 lbs.	6.6
15N3678RTDLK	Laminate	2327	36⅛	77⅝	1⅜	–	–	92 lbs.	6.6
36" x 84"									
15N3684RTDWK	Wood	$ 3211	36⅛	83⅝	1⅜	–	–	105 lbs.	8.0
15N3684RTDLK	Laminate	2451	36⅛	83⅝	1⅜	–	–	105 lbs.	8.0
42" x 48"									
15N4248RTDWK	Wood	$ 2483	42	48⅛	1⅜	–	–	65 lbs.	4.9
15N4248RTDLK	Laminate	1722	42	48⅛	1⅜	–	–	65 lbs.	4.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT RECTANGLE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 54"									
15N4254RTDWK	Wood	$ 2608	42	54	1 3/16	–	–	76 lbs.	5.6
15N4254RTDLK	Laminate	1847	42	54	1 3/16	–	–	76 lbs.	5.6
42" x 60"									
15N4260RTDWK	Wood	$ 2733	42	60	1 3/16	–	–	92 lbs.	6.4
15N4260RTDLK	Laminate	1971	42	60	1 3/16	–	–	92 lbs.	6.4
42" x 66"									
15N4266RTDWK	Wood	$ 2963	42	66	1 3/16	–	–	105 lbs.	6.8
15N4266RTDLK	Laminate	2203	42	66	1 3/16	–	–	105 lbs.	6.8
42" x 72"									
15N4272RTDWK	Wood	$ 3088	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
15N4272RTDLK	Laminate	2328	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
42" x 78"									
15N4278RTDWK	Wood	$ 3202	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
15N4278RTDLK	Laminate	2443	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
42" x 84"									
15N4284RTDWK	Wood	$ 3327	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
15N4284RTDLK	Laminate	2568	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
48" x 54"									
15N4854RTDWK	Wood	$ 2699	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854RTDLK	Laminate	1939	48	54	1 3/16	–	–	92 lbs.	5.5
48" x 60"									
15N4860RTDWK	Wood	$ 2849	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860RTDLK	Laminate	2088	48	60	1 3/16	–	–	110 lbs.	6.2

For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297

- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N4854RTDWK	K	CUT-G26C	D1B425	R	AC
15N4854RTDLK	K425	CUT-G26C	D1B425	AC2	

EXHIBIT MOUNT RECTANGLE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 66"									
15N4866RTDWK	Wood	$ 2997	48	66	1 3/16	—	—	135 lbs.	7.5
15N4866RTDLK	Laminate	2237	48	66	1 3/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872RTDWK	Wood	$ 3146	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
15N4872RTDLK	Laminate	2385	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878RTDWK	Wood	$ 3295	48	77 15/16	1 3/16	—	—	180 lbs.	8.3
15N4878RTDLK	Laminate	2535	48	77 15/16	1 3/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884RTDWK	Wood	$ 3443	48	83 15/16	1 3/16	—	—	210 lbs.	10.0
15N4884RTDLK	Laminate	2684	48	83 15/16	1 3/16	—	—	210 lbs.	10.0
54" x 48"									
15N5448RTDWK	Wood	$ 2699	54	48 3/16	1 3/16	—	—	92 lbs.	6.4
15N5448RTDLK	Laminate	1939	54	48 3/16	1 3/16	—	—	92 lbs.	6.4
54" x 60"									
15N5460RTDWK	Wood	$ 2923	54	60	1 3/16	—	—	135 lbs.	7.7
15N5460RTDLK	Laminate	2162	54	60	1 3/16	—	—	135 lbs.	7.7
54" x 66"									
15N5466RTDWK	Wood	$ 3242	54	66	1 3/16	—	—	135 lbs.	8.6
15N5466RTDLK	Laminate	2612	54	66	1 3/16	—	—	135 lbs.	8.6
54" x 72"									
15N5472RTDWK	Wood	$ 3367	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
15N5472RTDLK	Laminate	2737	54	71 15/16	1 3/16	—	—	145 lbs.	9.1

For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297

- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT RECTANGLE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 78"									
15N5478RTDWK	Wood	$ 3492	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
15N5478RTDLK	Laminate	2861	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
54" x 84"									
15N5484RTDWK	Wood	$ 3616	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
15N5484RTDLK	Laminate	2986	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
60" x 48"									
15N6048RTDWK	Wood	$ 2849	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048RTDLK	Laminate	2088	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTDWK	Wood	$ 2923	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054RTDLK	Laminate	2162	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
60" x 66"									
15N6066RTDWK	Wood	$ 3286	58 3/8	66	1 3/16	—	—	182 lbs.	9.1
15N6066RTDLK	Laminate	2655	58 3/8	66	1 3/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072RTDWK	Wood	$ 3434	58 3/8	71 15/16	1 3/16	—	—	210 lbs.	9.6
15N6072RTDLK	Laminate	2804	58 3/8	71 15/16	1 3/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078RTDWK	Wood	$ 3583	58 3/8	77 15/16	1 3/16	—	—	245 lbs.	10.0
15N6078RTDLK	Laminate	2954	58 3/8	77 15/16	1 3/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084RTDWK	Wood	$ 3733	58 3/8	83 15/16	1 3/16	—	—	270 lbs.	10.8
15N6084RTDLK	Laminate	3102	58 3/8	83 15/16	1 3/16	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N3648WGDW F CUT-G15C X N TF
15N3648WGDL VTF CUT-G15C X TF

EXHIBIT MOUNT WEDGE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648WGDW	Wood	$ 1886	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
15N3648WGDL	Laminate	1255	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
36" x 54"									
15N3654WGDW	Wood	$ 2010	36⅛	54	1⅜	—	—	55 lbs.	4.4
15N3654WGDL	Laminate	1378	36⅛	54	1⅜	—	—	55 lbs.	4.4
36" x 60"									
15N3660WGDW	Wood	$ 2133	36⅛	60	1⅜	—	—	59 lbs.	5.0
15N3660WGDL	Laminate	1502	36⅛	60	1⅜	—	—	59 lbs.	5.0
36" x 66"									
15N3666WGDW	Wood	$ 2257	36⅛	66	1⅜	—	—	65 lbs.	6.0
15N3666WGDL	Laminate	1731	36⅛	66	1⅜	—	—	65 lbs.	6.0
36" x 72"									
15N3672WGDW	Wood	$ 2380	36⅛	71⅝	1⅜	—	—	76 lbs.	6.3
15N3672WGDL	Laminate	1749	36⅛	71⅝	1⅜	—	—	76 lbs.	6.3
36" x 78"									
15N3678WGDW	Wood	$ 2504	36⅛	77⅝	1⅜	—	—	92 lbs.	6.6
15N3678WGDL	Laminate	1874	36⅛	77⅝	1⅜	—	—	92 lbs.	6.6
36" x 84"									
15N3684WGDW	Wood	$ 2629	36⅛	83⅝	1⅜	—	—	105 lbs.	8.0
15N3684WGDL	Laminate	1997	36⅛	83⅝	1⅜	—	—	105 lbs.	8.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 48"									
15N4248WGDW	Wood	$ 2002	42	48 1/16	1 3/16	—	—	65 lbs.	3.6
15N4248WGDL	Laminate	1371	42	48 1/16	1 3/16	—	—	65 lbs.	3.6
42" x 54"									
15N4254WGDW	Wood	$ 2126	42	54	1 3/16	—	—	76 lbs.	5.0
15N4254WGDL	Laminate	1495	42	54	1 3/16	—	—	76 lbs.	5.0
42" x 60"									
15N4260WGDW	Wood	$ 2250	42	60	1 3/16	—	—	92 lbs.	5.6
15N4260WGDL	Laminate	1618	42	60	1 3/16	—	—	92 lbs.	5.6
42" x 66"									
15N4266WGDW	Wood	$ 2373	42	66	1 3/16	—	—	105 lbs.	6.8
15N4266WGDL	Laminate	1848	42	66	1 3/16	—	—	105 lbs.	6.8
42" x 72"									
15N4272WGDW	Wood	$ 2497	42	71 15/16	1 3/16	—	—	110 lbs.	7.1
15N4272WGDL	Laminate	1865	42	71 15/16	1 3/16	—	—	110 lbs.	7.1
42" x 78"									
15N4278WGDW	Wood	$ 2620	42	77 15/16	1 3/16	—	—	115 lbs.	7.5
15N4278WGDL	Laminate	1990	42	77 15/16	1 3/16	—	—	115 lbs.	7.5
42" x 84"									
15N4284WGDW	Wood	$ 2745	42	83 15/16	1 3/16	—	—	120 lbs.	9.0
15N4284WGDL	Laminate	2114	42	83 15/16	1 3/16	—	—	120 lbs.	9.0
48" x 48"									
15N4848WGDW	Wood	$ 2119	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
15N4848WGDL	Laminate	1487	48	48 1/16	1 3/16	—	—	59 lbs.	4.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N4248WGDL	V478	CUT-G15C	NT1	478	
15N4248WGDW	F	CUT-G15C	NT1	N	CW

EXHIBIT MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 54"									
15N4854WGDW	Wood	$ 2242	48	54	1 3/16	—	—	92 lbs.	5.5
15N4854WGDL	Laminate	1611	48	54	1 3/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860WGDW	Wood	$ 2366	48	60	1 3/16	—	—	110 lbs.	6.2
15N4860WGDL	Laminate	1735	48	60	1 3/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866WGDW	Wood	$ 2490	48	66	1 3/16	—	—	135 lbs.	7.5
15N4866WGDL	Laminate	1859	48	66	1 3/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872WGDW	Wood	$ 2613	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
15N4872WGDL	Laminate	1982	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878WGDW	Wood	$ 2737	48	77 15/16	1 3/16	—	—	180 lbs.	8.3
15N4878WGDL	Laminate	2106	48	77 15/16	1 3/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884WGDW	Wood	$ 2861	48	83 15/16	1 3/16	—	—	210 lbs.	10.0
15N4884WGDL	Laminate	2230	48	83 15/16	1 3/16	—	—	210 lbs.	10.0
54" x 48"									
15N5448WGDW	Wood	$ 2235	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
15N5448WGDL	Laminate	1604	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
54" x 54"									
15N5454WGDW	Wood	$ 2359	54	54	1 3/16	—	—	121 lbs.	7.1
15N5454WGDL	Laminate	1727	54	54	1 3/16	—	—	121 lbs.	7.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 60"									
15N5460WGDW	Wood	$ 2482	54	60	1 3/16	—	—	135 lbs.	7.9
15N5460WGDL	Laminate	1851	54	60	1 3/16	—	—	135 lbs.	7.9
54" x 66"									
15N5466WGDW	Wood	$ 2606	54	66	1 3/16	—	—	135 lbs.	8.6
15N5466WGDL	Laminate	1976	54	66	1 3/16	—	—	135 lbs.	8.6
54" x 72"									
15N5472WGDW	Wood	$ 2730	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
15N5472WGDL	Laminate	2098	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
54" x 78"									
15N5478WGDW	Wood	$ 2853	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
15N5478WGDL	Laminate	2223	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
54" x 84"									
15N5484WGDW	Wood	$ 2978	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
15N5484WGDL	Laminate	2346	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
60" x 48"									
15N6048WGDW	Wood	$ 2366	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048WGDL	Laminate	1735	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGDW	Wood	$ 2429	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054WGDL	Laminate	1796	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGDW	Wood	$ 2606	58 3/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060WGDL	Laminate	2083	58 3/8	60	1 3/16	—	—	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 5/8" on a 60" top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N6084WGDW F CUT-G17C X R CW
15N6084WGDL V461 CUT-G17C X CW

EXHIBIT MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 66"									
15N6066WGDW	Wood	$ 2730	58⅝	66	1⅜	—	—	182 lbs.	9.1
15N6066WGDL	Laminate	2205	58⅝	66	1⅜	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGDW	Wood	$ 2853	58⅝	71¹⁵⁄₁₆	1⅜	—	—	210 lbs.	9.6
15N6072WGDL	Laminate	2330	58⅝	71¹⁵⁄₁₆	1⅜	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGDW	Wood	$ 2977	58⅝	77¹⁵⁄₁₆	1⅜	—	—	245 lbs.	10.0
15N6078WGDL	Laminate	2452	58⅝	77¹⁵⁄₁₆	1⅜	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGDW	Wood	$ 3101	58⅝	83¹⁵⁄₁₆	1⅜	—	—	270 lbs.	10.8
15N6084WGDL	Laminate	2577	58⅝	83¹⁵⁄₁₆	1⅜	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT
WEDGE TOP
KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648WGDWK	Wood	$ 2521	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
15N3648WGDLK	Laminate	1701	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
36" x 54"									
15N3654WGDWK	Wood	$ 2682	36⅛	54	1⅜	—	—	55 lbs.	4.4
15N3654WGDLK	Laminate	1861	36⅛	54	1⅜	—	—	55 lbs.	4.4
36" x 60"									
15N3660WGDWK	Wood	$ 2843	36⅛	60	1⅜	—	—	59 lbs.	5.0
15N3660WGDLK	Laminate	2023	36⅛	60	1⅜	—	—	59 lbs.	5.0
36" x 66"									
15N3666WGDWK	Wood	$ 3005	36⅛	66	1⅜	—	—	65 lbs.	6.0
15N3666WGDLK	Laminate	2183	36⅛	66	1⅜	—	—	65 lbs.	6.0
36" x 72"									
15N3672WGDWK	Wood	$ 3165	36⅛	71⅝	1⅜	—	—	76 lbs.	6.3
15N3672WGDLK	Laminate	2344	36⅛	71⅝	1⅜	—	—	76 lbs.	6.3
36" x 78"									
15N3678WGDWK	Wood	$ 3326	36⅛	77⅝	1⅜	—	—	92 lbs.	6.6
15N3678WGDLK	Laminate	2505	36⅛	77⅝	1⅜	—	—	92 lbs.	6.6
36" x 84"									
15N3684WGDWK	Wood	$ 3487	36⅛	83⅝	1⅜	—	—	105 lbs.	8.0
15N3684WGDLK	Laminate	2666	36⅛	83⅝	1⅜	—	—	105 lbs.	8.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N4248WGDWK K CUT-G16C X R AC
15N4248WGDLK K405 CUT-G16C X 461

EXHIBIT MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 48"									
15N4248WGDWK	Wood	$ 2638	42	48⅛	1⅜	—	—	65 lbs.	3.6
15N4248WGDLK	Laminate	1817	42	48⅛	1⅜	—	—	65 lbs.	3.6
42" x 54"									
15N4254WGDWK	Wood	$ 2799	42	54	1⅜	—	—	76 lbs.	5.0
15N4254WGDLK	Laminate	1978	42	54	1⅜	—	—	76 lbs.	5.0
42" x 60"									
15N4260WGDWK	Wood	$ 2959	42	60	1⅜	—	—	92 lbs.	5.6
15N4260WGDLK	Laminate	2139	42	60	1⅜	—	—	92 lbs.	5.6
42" x 66"									
15N4266WGDWK	Wood	$ 3121	42	66	1⅜	—	—	105 lbs.	6.8
15N4266WGDLK	Laminate	2299	42	66	1⅜	—	—	105 lbs.	6.8
42" x 72"									
15N4272WGDWK	Wood	$ 3282	42	71⅝	1⅜	—	—	110 lbs.	7.1
15N4272WGDLK	Laminate	2461	42	71⅝	1⅜	—	—	110 lbs.	7.1
42" x 78"									
15N4278WGDWK	Wood	$ 3442	42	77⅝	1⅜	—	—	115 lbs.	7.5
15N4278WGDLK	Laminate	2621	42	77⅝	1⅜	—	—	115 lbs.	7.5
42" x 84"									
15N4284WGDWK	Wood	$ 3603	42	83⅝	1⅜	—	—	120 lbs.	9.0
15N4284WGDLK	Laminate	2782	42	83⅝	1⅜	—	—	120 lbs.	9.0
48" x 48"									
15N4848WGDWK	Wood	$ 2754	48	48⅛	1⅜	—	—	59 lbs.	4.5
15N4848WGDLK	Laminate	1933	48	48⅛	1⅜	—	—	59 lbs.	4.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 54"									
15N4854WGDWK	Wood	$ 2915	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854WGDLK	Laminate	2094	48	54	1 3/16	–	–	92 lbs.	5.5
48" x 60"									
15N4860WGDWK	Wood	$ 3076	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860WGDLK	Laminate	2256	48	60	1 3/16	–	–	110 lbs.	6.2
48" x 66"									
15N4866WGDWK	Wood	$ 3237	48	66	1 3/16	–	–	135 lbs.	7.5
15N4866WGDLK	Laminate	2415	48	66	1 3/16	–	–	135 lbs.	7.5
48" x 72"									
15N4872WGDWK	Wood	$ 3398	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
15N4872WGDLK	Laminate	2577	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
48" x 78"									
15N4878WGDWK	Wood	$ 3559	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
15N4878WGDLK	Laminate	2738	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
48" x 84"									
15N4884WGDWK	Wood	$ 3719	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
15N4884WGDLK	Laminate	2898	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
54" x 48"									
15N5448WGDWK	Wood	$ 2871	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
15N5448WGDLK	Laminate	2050	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
54" x 54"									
15N5454WGDWK	Wood	$ 3031	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454WGDLK	Laminate	2210	54	54	1 3/16	–	–	121 lbs.	7.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N5460WGDWK K X X 792
15N5460WGDLK V792 X X 792

EXHIBIT MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 60"									
15N5460WGDWK	Wood	$ 3192	54	60	1 3/16	—	—	135 lbs.	7.9
15N5460WGDLK	Laminate	2372	54	60	1 3/16	—	—	135 lbs.	7.9
54" x 66"									
15N5466WGDWK	Wood	$ 3354	54	66	1 3/16	—	—	135 lbs.	8.6
15N5466WGDLK	Laminate	2532	54	66	1 3/16	—	—	135 lbs.	8.6
54" x 72"									
15N5472WGDWK	Wood	$ 3514	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
15N5472WGDLK	Laminate	2693	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
54" x 78"									
15N5478WGDWK	Wood	$ 3675	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
15N5478WGDLK	Laminate	2854	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
54" x 84"									
15N5484WGDWK	Wood	$ 3836	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
15N5484WGDLK	Laminate	3015	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
60" x 48"									
15N6048WGDWK	Wood	$ 3076	58 5/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048WGDLK	Laminate	2256	58 5/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGDWK	Wood	$ 3156	58 5/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054WGDLK	Laminate	2335	58 5/8	54	1 3/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGDWK	Wood	$ 3388	58 5/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060WGDLK	Laminate	2707	58 5/8	60	1 3/16	—	—	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 66"									
15N6066WGDWK	Wood	$ 3548	58⅜	66	1³⁄₁₆	—	—	182 lbs.	9.1
15N6066WGDLK	Laminate	2868	58⅜	66	1³⁄₁₆	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGDWK	Wood	$ 3709	58⅜	71¹⁵⁄₁₆	1³⁄₁₆	—	—	210 lbs.	9.6
15N6072WGDLK	Laminate	3029	58⅜	71¹⁵⁄₁₆	1³⁄₁₆	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGDWK	Wood	$ 3870	58⅜	77¹⁵⁄₁₆	1³⁄₁₆	—	—	245 lbs.	10.0
15N6078WGDLK	Laminate	3189	58⅜	77¹⁵⁄₁₆	1³⁄₁₆	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGDWK	Wood	$ 4031	58⅜	83¹⁵⁄₁₆	1³⁄₁₆	—	—	270 lbs.	10.8
15N6084WGDLK	Laminate	3351	58⅜	83¹⁵⁄₁₆	1³⁄₁₆	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N3648UDW	F	X	D1B485	MH
15N3648UDL	V405	X	X	405

EXHIBIT MOUNT
U-SHAPED TOP
SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648UDW	Wood	$ 2026	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
15N3648UDL	Laminate	1388	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
36" x 54"									
15N3654UDW	Wood	$ 2151	36⅛	54	1⅜	—	—	55 lbs.	4.4
15N3654UDL	Laminate	1513	36⅛	54	1⅜	—	—	55 lbs.	4.4
36" x 60"									
15N3660UDW	Wood	$ 2275	36⅛	60	1⅜	—	—	59 lbs.	5.0
15N3660UDL	Laminate	1638	36⅛	60	1⅜	—	—	59 lbs.	5.0
36" x 66"									
15N3666UDW	Wood	$ 2400	36⅛	66	1⅜	—	—	65 lbs.	6.0
15N3666UDL	Laminate	1762	36⅛	66	1⅜	—	—	65 lbs.	6.0
36" x 72"									
15N3672UDW	Wood	$ 2525	36⅛	71⅝	1⅜	—	—	76 lbs.	6.3
15N3672UDL	Laminate	1887	36⅛	71⅝	1⅜	—	—	76 lbs.	6.3
36" x 78"									
15N3678UDW	Wood	$ 2533	36⅛	77⅝	1⅜	—	—	92 lbs.	6.6
15N3678UDL	Laminate	1895	36⅛	77⅝	1⅜	—	—	92 lbs.	6.6
36" x 84"									
15N3684UDW	Wood	$ 2657	36⅛	83⅝	1⅜	—	—	105 lbs.	8.0
15N3684UDL	Laminate	2020	36⅛	83⅝	1⅜	—	—	105 lbs.	8.0
42" x 48"									
15N4248UDW	Wood	$ 2025	42	48⅛	1⅜	—	—	65 lbs.	3.6
15N4248UDL	Laminate	1387	42	48⅛	1⅜	—	—	65 lbs.	3.6

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 54"									
15N4254UDW	Wood	$ 2150	42	54	1 3/16	–	–	76 lbs.	5.0
15N4254UDL	Laminate	1512	42	54	1 3/16	–	–	76 lbs.	5.0
42" x 60"									
15N4260UDW	Wood	$ 2274	42	60	1 3/16	–	–	92 lbs.	5.6
15N4260UDL	Laminate	1637	42	60	1 3/16	–	–	92 lbs.	5.6
42" x 66"									
15N4266UDW	Wood	$ 2399	42	66	1 3/16	–	–	105 lbs.	6.8
15N4266UDL	Laminate	1761	42	66	1 3/16	–	–	105 lbs.	6.8
42" x 72"									
15N4272UDW	Wood	$ 2524	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
15N4272UDL	Laminate	1886	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
42" x 78"									
15N4278UDW	Wood	$ 2649	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
15N4278UDL	Laminate	2012	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
42" x 84"									
15N4284UDW	Wood	$ 2774	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
15N4284UDL	Laminate	2136	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
48" x 48"									
15N4848UDW	Wood	$ 2140	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
15N4848UDL	Laminate	1502	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
48" x 54"									
15N4854UDW	Wood	$ 2265	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854UDL	Laminate	1627	48	54	1 3/16	–	–	92 lbs.	5.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N4860UDW	F	X	NT1	R	AC
15N4860UDL	V462	X	NT1	405	

EXHIBIT MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 60"									
15N4860UDW	Wood	$ 2391	48	60	1 3/16	—	—	110 lbs.	6.2
15N4860UDL	Laminate	1752	48	60	1 3/16	—	—	110 lbs.	6.2
48" x 66"									
15N4866UDW	Wood	$ 2514	48	66	1 3/16	—	—	135 lbs.	7.5
15N4866UDL	Laminate	1877	48	66	1 3/16	—	—	135 lbs.	7.5
48" x 72"									
15N4872UDW	Wood	$ 2640	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
15N4872UDL	Laminate	2002	48	71 15/16	1 3/16	—	—	158 lbs.	7.9
48" x 78"									
15N4878UDW	Wood	$ 2765	48	77 15/16	1 3/16	—	—	180 lbs.	8.3
15N4878UDL	Laminate	2127	48	77 15/16	1 3/16	—	—	180 lbs.	8.3
48" x 84"									
15N4884UDW	Wood	$ 2890	48	83 15/16	1 3/16	—	—	210 lbs.	10.0
15N4884UDL	Laminate	2253	48	83 15/16	1 3/16	—	—	210 lbs.	10.0
54" x 48"									
15N5448UDW	Wood	$ 2202	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
15N5448UDL	Laminate	1565	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
54" x 54"									
15N5454UDW	Wood	$ 2327	54	54	1 3/16	—	—	121 lbs.	7.1
15N5454UDL	Laminate	1689	54	54	1 3/16	—	—	121 lbs.	7.1
54" x 60"									
15N5460UDW	Wood	$ 2451	54	60	1 3/16	—	—	135 lbs.	7.9
15N5460UDL	Laminate	1814	54	60	1 3/16	—	—	135 lbs.	7.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 66"									
15N5466UDW	Wood	$ 2576	54	66	1 3/16	–	–	135 lbs.	8.6
15N5466UDL	Laminate	1938	54	66	1 3/16	–	–	135 lbs.	8.6
54" x 72"									
15N5472UDW	Wood	$ 2701	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
15N5472UDL	Laminate	2063	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
54" x 78"									
15N5478UDW	Wood	$ 2881	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
15N5478UDL	Laminate	2243	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
54" x 84"									
15N5484UDW	Wood	$ 3007	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
15N5484UDL	Laminate	2369	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
60" x 48"									
15N6048UDW	Wood	$ 2391	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
15N6048UDL	Laminate	1752	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
60" x 54"									
15N6054UDW	Wood	$ 2451	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
15N6054UDL	Laminate	1814	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
60" x 60"									
15N6060UDW	Wood	$ 2632	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
15N6060UDL	Laminate	2102	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
60" x 66"									
15N6066UDW	Wood	$ 2757	58 3/8	66	1 3/16	–	–	182 lbs.	9.1
15N6066UDL	Laminate	2228	58 3/8	66	1 3/16	–	–	182 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N6072UDW F CUT-G23C X R TF
15N6072UDL VTF CUT-G23C X TF

EXHIBIT MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 72"									
15N6072UDW	Wood	$ 2881	58⅝	71¹⁵⁄₁₆	1⅜	—	—	210 lbs.	9.6
15N6072UDL	Laminate	2354	58⅝	71¹⁵⁄₁₆	1⅜	—	—	210 lbs.	9.6
60" x 78"									
15N6078UDW	Wood	$ 3007	58⅝	77¹⁵⁄₁₆	1⅜	—	—	245 lbs.	10.0
15N6078UDL	Laminate	2478	58⅝	77¹⁵⁄₁₆	1⅜	—	—	245 lbs.	10.0
60" x 84"									
15N6084UDW	Wood	$ 3132	58⅝	83¹⁵⁄₁₆	1⅜	—	—	270 lbs.	10.8
15N6084UDL	Laminate	2603	58⅝	83¹⁵⁄₁₆	1⅜	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT
U-SHAPED TOP
KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648UDWK	Wood	$ 2892	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
15N3648UDLK	Laminate	2064	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
36" x 54"									
15N3654UDWK	Wood	$ 3017	36⅛	54	1⅜	—	—	55 lbs.	4.4
15N3654UDLK	Laminate	2189	36⅛	54	1⅜	—	—	55 lbs.	4.4
36" x 60"									
15N3660UDWK	Wood	$ 3142	36⅛	60	1⅜	—	—	59 lbs.	5.0
15N3660UDLK	Laminate	2313	36⅛	60	1⅜	—	—	59 lbs.	5.0
36" x 66"									
15N3666UDWK	Wood	$ 3266	36⅛	66	1⅜	—	—	65 lbs.	6.0
15N3666UDLK	Laminate	2438	36⅛	66	1⅜	—	—	65 lbs.	6.0
36" x 72"									
15N3672UDWK	Wood	$ 3391	36⅛	71⅝	1⅜	—	—	76 lbs.	6.3
15N3672UDLK	Laminate	2563	36⅛	71⅝	1⅜	—	—	76 lbs.	6.3
36" x 78"									
15N3678UDWK	Wood	$ 3399	36⅛	77⅝	1⅜	—	—	92 lbs.	6.6
15N3678UDLK	Laminate	2571	36⅛	77⅝	1⅜	—	—	92 lbs.	6.6
36" x 84"									
15N3684UDWK	Wood	$ 3524	36⅛	83⅝	1⅜	—	—	105 lbs.	8.0
15N3684UDLK	Laminate	2696	36⅛	83⅝	1⅜	—	—	105 lbs.	8.0
42" x 48"									
15N4248UDWK	Wood	$ 2492	42	48⅛	1⅜	—	—	65 lbs.	3.6
15N4248UDLK	Laminate	1988	42	48⅛	1⅜	—	—	65 lbs.	3.6

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N4254UDWK	K	X	X	R	AC
15N4254UDLK	K462	X	X	405	

EXHIBIT MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 54"									
15N4254UDWK	Wood	$ 2616	42	54	1 3/16	—	—	76 lbs.	5.0
15N4254UDLK	Laminate	2113	42	54	1 3/16	—	—	76 lbs.	5.0
42" x 60"									
15N4260UDWK	Wood	$ 2741	42	60	1 3/16	—	—	92 lbs.	5.6
15N4260UDLK	Laminate	2237	42	60	1 3/16	—	—	92 lbs.	5.6
42" x 66"									
15N4266UDWK	Wood	$ 2865	42	66	1 3/16	—	—	105 lbs.	6.8
15N4266UDLK	Laminate	2362	42	66	1 3/16	—	—	105 lbs.	6.8
42" x 72"									
15N4272UDWK	Wood	$ 2990	42	71 15/16	1 3/16	—	—	110 lbs.	7.1
15N4272UDLK	Laminate	2486	42	71 15/16	1 3/16	—	—	110 lbs.	7.1
42" x 78"									
15N4278UDWK	Wood	$ 3515	42	77 15/16	1 3/16	—	—	115 lbs.	7.5
15N4278UDLK	Laminate	2687	42	77 15/16	1 3/16	—	—	115 lbs.	7.5
42" x 84"									
15N4284UDWK	Wood	$ 3640	42	83 15/16	1 3/16	—	—	120 lbs.	9.0
15N4284UDLK	Laminate	2812	42	83 15/16	1 3/16	—	—	120 lbs.	9.0
48" x 48"									
15N4848UDWK	Wood	$ 2782	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
15N4848UDLK	Laminate	1953	48	48 1/16	1 3/16	—	—	59 lbs.	4.5
48" x 54"									
15N4854UDWK	Wood	$ 2944	48	54	1 3/16	—	—	92 lbs.	5.5
15N4854UDLK	Laminate	2116	48	54	1 3/16	—	—	92 lbs.	5.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 60"									
15N4860UDWK	Wood	$ 3106	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860UDLK	Laminate	2277	48	60	1 3/16	–	–	110 lbs.	6.2
48" x 66"									
15N4866UDWK	Wood	$ 3268	48	66	1 3/16	–	–	135 lbs.	7.5
15N4866UDLK	Laminate	2440	48	66	1 3/16	–	–	135 lbs.	7.5
48" x 72"									
15N4872UDWK	Wood	$ 3432	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
15N4872UDLK	Laminate	2603	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
48" x 78"									
15N4878UDWK	Wood	$ 3595	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
15N4878UDLK	Laminate	2765	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
48" x 84"									
15N4884UDWK	Wood	$ 3756	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
15N4884UDLK	Laminate	2928	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
54" x 48"									
15N5448UDWK	Wood	$ 2939	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
15N5448UDLK	Laminate	2176	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
54" x 54"									
15N5454UDWK	Wood	$ 3063	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454UDLK	Laminate	2301	54	54	1 3/16	–	–	121 lbs.	7.1
54" x 60"									
15N5460UDWK	Wood	$ 3188	54	60	1 3/16	–	–	135 lbs.	7.9
15N5460UDLK	Laminate	2359	54	60	1 3/16	–	–	135 lbs.	7.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N4860UDWK	K	X	X	N	MC
15N4860UDLK	K478	X	X	478	

EXHIBIT MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 66"									
15N5466UDWK	Wood	$ 3312	54	66	1 3/16	—	—	135 lbs.	8.6
15N5466UDLK	Laminate	2483	54	66	1 3/16	—	—	135 lbs.	8.6
54" x 72"									
15N5472UDWK	Wood	$ 3437	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
15N5472UDLK	Laminate	2608	54	71 15/16	1 3/16	—	—	145 lbs.	9.1
54" x 78"									
15N5478UDWK	Wood	$ 3711	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
15N5478UDLK	Laminate	2881	54	77 15/16	1 3/16	—	—	165 lbs.	9.5
54" x 84"									
15N5484UDWK	Wood	$ 3873	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
15N5484UDLK	Laminate	3045	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
60" x 48"									
15N6048UDWK	Wood	$ 3106	58 5/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048UDLK	Laminate	2277	58 5/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054UDWK	Wood	$ 3188	58 5/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054UDLK	Laminate	2359	58 5/8	54	1 3/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060UDWK	Wood	$ 3422	58 5/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060UDLK	Laminate	2734	58 5/8	60	1 3/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066UDWK	Wood	$ 3583	58 5/8	66	1 3/16	—	—	182 lbs.	9.1
15N6066UDLK	Laminate	2896	58 5/8	66	1 3/16	—	—	182 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 227 for grommet and cutout locations
- Reference page 231 for top and base guide

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 66"									
15N6066UDWK	Wood	$ 3583	58⅜	66	1³⁄₁₆	—	—	182 lbs.	9.1
15N6066UDLK	Laminate	2896	58⅜	66	1³⁄₁₆	—	—	182 lbs.	9.1
60" x 72"									
15N6072UDWK	Wood	$ 3746	58⅜	71¹⁵⁄₁₆	1³⁄₁₆	—	—	210 lbs.	9.6
15N6072UDLK	Laminate	3058	58⅜	71¹⁵⁄₁₆	1³⁄₁₆	—	—	210 lbs.	9.6
60" x 78"									
15N6078UDWK	Wood	$ 3909	58⅜	77¹⁵⁄₁₆	1³⁄₁₆	—	—	245 lbs.	10.0
15N6078UDLK	Laminate	3221	58⅜	77¹⁵⁄₁₆	1³⁄₁₆	—	—	245 lbs.	10.0
60" x 84"									
15N6084UDWK	Wood	$ 4072	58⅜	83¹⁵⁄₁₆	1³⁄₁₆	—	—	270 lbs.	10.8
15N6084UDLK	Laminate	3384	58⅜	83¹⁵⁄₁₆	1³⁄₁₆	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on pages 296-297
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on three sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 228 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 299
- Notch cutout option available on back side, see page 228 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 298
- Four Exhibit worksurface mounting brackets included with each Exhibit mount top

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Top Sheen (wood models)
7. Veneer Top Finish/Laminate Top Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBERS:

15N6066UDWK	K	X	X	N	MC
15N6066UDLK	K478	X	X	478	

PRODUCT SPECIFICATIONS

- STD channel height is 6" tall and should be specified when using the G15, G16, G17, G23, or no grommet
- G26 Marina™ channel height is 8" tall and should be specified when using the G26 Marina™ grommet
- Taper base shipped in three separate cartons

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT MOUNT TAPER BASE BAR HEIGHT



STD Channel Height



G26 Marina™ Channel Height

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
15N4840TPOBP	Painted	$ 2817	12	36⅛	39¾	—	—	105 lbs.	18.1
15N5440TPOBP	Painted	2896	12	42	39¾	—	—	115 lbs.	20.7
15N6040TPOBP	Painted	2977	12	48	39¾	—	—	125 lbs.	23.3
15N6640TPOBP	Painted	3060	12	54	39¾	—	—	135 lbs.	25.9
15N7240TPOBP	Painted	3147	12	59⅛	39¾	—	—	145 lbs.	28.5
15N7840TPOBP	Painted	3231	12	65⅛	39¾	—	—	155 lbs.	31.1
15N8440TPOBP	Painted	3317	12	71⅛	39¾	—	—	165 lbs.	33.7

- Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5⅜"; desk height bottom channel inside dimension is 5³½"; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 9⅜"; top channel bottom inside dimension for G26 Marina™ is 8¾"
- Reference page 231 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Base Wire Channel Height
3. Paint Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBER:

15N4828TPOBP 6 405

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EXHIBIT MOUNT TAPER BASE DESK HEIGHT	15N4828TPOBP	Painted	$ 2561	12	36⅛	27¼	—	—	95 lbs.	13.0
	15N5428TPOBP	Painted	2633	12	42	27¼	—	—	105 lbs.	14.8
	15N6028TPOBP	Painted	2707	12	48	27¼	—	—	115 lbs.	16.7
	15N6628TPOBP	Painted	2782	12	54	27¼	—	—	125 lbs.	18.6
	15N7228TPOBP	Painted	2860	12	59⅛	27¼	—	—	135 lbs.	20.4
	15N7828TPOBP	Painted	2941	12	65⅛	27¼	—	—	145 lbs.	22.3
	15N8428TPOBP	Painted	3022	12	71⅛	27¼	—	—	155 lbs.	24.2



STD Channel Height



G26 Marina™ Channel Height

- Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5⅜"; desk height bottom channel inside dimension is 5³⁄₃₂"; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 9⅜"; top channel bottom inside dimension for G26 Marina™ is 8¾"
- Reference page 231 for top and base guide





Shaded rectangle portrays a railroaded wire manager.

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EXHIBIT WALL RAIL AND FACEPLATE	**WALL RAIL AND FACEPLATE**									
	11N72EXFP2	Set of Two	$ 255	⅞	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP2	Set of Two	365	⅞	144	1¾	—	—	12 lbs.	1.4
	11N72EXFP1	Set of One	$ 147	⅞	72	1¾	—	—	6 lbs.	0.7
	11N144EXFP1	Set of One	203	⅞	144	1¾	—	—	12 lbs.	1.4

- Set of two includes two rails, two faceplates, and four alignment brackets
- Set of one includes one rail, one faceplate, and two alignment brackets
- Exhibit wall rail available in Cinder, Platinum Metallic or Satin Nickel Metallic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EXHIBIT WALL RAIL	**WALL RAIL**									
	11N72EXP1	One Rail/No faceplate	$ 88	¾	72	1¾	—	—	6 lbs.	0.7
	11N144EXP1	One Rail/No faceplate	129	¾	144	1¾	—	—	12 lbs.	1.4

- Includes one wall rail and two alignment brackets
- Exhibit wall rail available in Cinder, Platinum Metallic or Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

			GRADE A	GRADE B/COM						
EXHIBIT TV MOUNT VERTICAL WIRE MANAGER										
	11N0615WMVW	Wood	$ 318		1½	5⅜	15⁷⁄₁₆	—	—	8 lbs.	0.6
	11N0615WMVL	Laminate	212		1½	5⅜	15⁷⁄₁₆	—	—	8 lbs.	0.6
	11N0615WMVFA	Fabric, Railroad	318	$ 326	1½	5⅜	15⁷⁄₁₆	—	—	8 lbs.	0.6
	11N0615WMVF	Fabric, Standard	318	326	1½	5⅜	15⁷⁄₁₆	—	—	8 lbs.	0.6

- Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables
- When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBER:

NAC01WMFM 501

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WORKSURFACE WIRE MANAGER FILLER 	NAC01WMFM		$ 15	1	1	1	–	–	1 lbs.	0.5
	• Specify paint color • Paint options and recommendations are listed on page 228									
FLAT PANEL WALL MOUNT KIT 	15NTVMAS	Black	$ 318	15¾-47¼		15¾-31¼		–	25 lbs.	2.0
	• Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel • Must mount onto an architectural wall • Black powder coat • VESA mounting compliant									
TV MOUNT ADJUSTABLE, DUAL 	15NTVMAD	Black	$ 955	57	2¼	17⅛₀	–	–	lbs.	2.1
	• Adjustable Universal Wall Mount • Must mount onto an architectural wall • Black powder coat • VESA mounting compliant									

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNIVERSAL MOBILE MARKER BOARD FLIP CHART HOLDER	10N3372MBFCHB	Cinder	$ 1683	23⅜	32⅝	71¼	—	—	50 lbs.	8.6
	10N3372MBFCHS	Platinum Metallic	1683	23⅜	32⅝	71¼	—	—	50 lbs.	8.6
	10N3372MBFCHN	Satin Nickel Metallic	1683	23⅜	32⅝	71¼	—	—	50 lbs.	8.6



- Some assembly required
- High gloss, white laminate marker board
- 4 locking casters
- Adjustable brackets to hang flip chart
- Casters are black on the Cinder and Satin Nickel Metallic models; Platinum Metallic model has black casters with silver hubcaps

UNIVERSAL MOBILE MEDIA CART	10N3661MMCM	Gun Metal Grey	$ 4668	26	36¼	61	—	—	80 lbs.	9.1



- Some assembly required
- Supports one plasma or LCD screen 37" to 70"; includes mounting bracket, one adjustable height shelf, wire management in rear, adjustable camera platform, and six port power module
- Gun Metal Grey powder coat
- 5" dual wheel casters; 2 locking

CAMERA SHELF	NAC0711SHM	Powder Coated	$ 266	7	11	1¼	—	—	10 lbs.	1.5

- Available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- 20 lb. maximum weight capacity
- Only intended for use with the Mio Wall or Exhibit TV mount insert

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

• See pages 225-228 for all options available in Mio

SAMPLE MODEL NUMBER:

15N93ELC 501

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
POWER POLE	15N93ELC	$ 261	2⅛	2	93	—	—	lbs.	0.9



• Power pole will need to be cut to desired length in the field
• Available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

STRASSA PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1⅜" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate), and feature a softened 3mm PVC rim
- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim
- Refer to page 303 for rim profile and colors
- Grain direction runs left-to-right
- Work table size modifications available at no upcharge; the work tables can be cut down in 6" increments
- See page 305 for modified size options

FINISH APPLICATION

- Veneer tops that are finished with IntegraClear® UV technology that features a full finish in standard or matte/satin sheen
- IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- End panels are 1⅛" thick
- Laminate modesty panels have horizontal grain direction unless otherwise noted
- Wood modesty panels have vertical grain direction unless otherwise noted
- Laminate with horizontal grain (Palisander Horizontal 791H, Sable Horizontal 792H, Designer White Linear Horizontal 491H, Cinder Linear Horizontal 492H) will always have horizontal grain direction

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features two 120 volt receptacles and two Cat5E data ports and 6' AC cord rated at 15 Amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- Eight adapter plates are provided

ONE TOUCH PIVOTING POWER GROMMET (G17, G172, G173)

- Field installable
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- (G17) Includes one power outlet and one blank voice/data port
- (G172) Includes two power outlets
- (G173) Includes one power outlet and two charging USB (2.1)
- 10 foot, 15 Amp cord
- Includes a voice/adapter kit to accept couplers and jacks when required
- UL Listed

BYRNE INTERLINK IQ SYSTEM (G17)

- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system can be used with Epic, Renegade, and WaveWorks
- Interlink IQ system must begin with NACELIQ1, NACG17ELIQ_1 or NACG172ELIQ_1 unit
- Can add a daisy chain for a total of eight NACG17ELIQ, NACG172ELIQ, or NACELIQJ units in any combination
- G17EL includes a Voice/Adapter kit to accept couplers and jacks when required
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat

POWER GROMMET (G23)

- 9 foot, 15 Amp cord
- ETL listed to UL962A Standard

DAISY LINK (G23)

- Field installable in tables when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes two 15 Amp power receptacles (no data) and two USB (3.0 power) power ports
- Thumbscrew version with two backerplates and two ¼"-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48⅜" conduit and 24" power cord with 20 Amp molded plug
- 72⅜" multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60" jumper; jumper cable is 60⅜" metal conduit with female to female ends for connecting two daisy link power grommets
- ETL listed to UL962A Standard

DAISY LINK JUMPER

- 80" jumper cable is metal conduit with female to female ends to connect two daisy link power grommets when the power is jumped between tables

STRASSA SIZES



Standard Height (29")

36" x 48", 60", 72", 84", 96", 108" and 120"
42" x 48", 60", 72", 84", 96", 108" and 120"
48" x 48", 60", 72", 84", 96", 108" and 120"



Counter Height (35")

36" x 48", 60", 72", 84", 96", 108" and 120"
42" x 48", 60", 72", 84", 96", 108" and 120"
48" x 48", 60", 72", 84", 96", 108" and 120"



Bar Height (41")

36" x 48", 60", 72", 84", 96", 108" and 120"
42" x 48", 60", 72", 84", 96", 108" and 120"
48" x 48", 60", 72", 84", 96", 108" and 120"

TOP/END PANEL/ MODESTY PANEL WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico*
SK Skyline*
SM Sonoma*
TF Truffle
791 Palisander*
792 Sable
793 Acorn*

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

*Not available on laminate/wood models

• CSL available; see page 8 for program details and upcharge

RIM PROFILE OPTIONS



Softened Wood (F)
(wood tops only)



Softened PVC (V)
(laminate tops only)

PVC SOFTENED RIM

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

END PANEL/MODESTY PANEL LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
ADH	Almond Horizontal
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PBH	Portobello Horizontal
PT	Portico
PTH	Portico Horizontal
SK	Skyline
SKH	Skyline Horizontal
SM	Sonoma
SMH	Sonoma Horizontal
TF	Truffle
791	Palisander
791H	Palisander Horizontal
792	Sable
792H	Sable Horizontal
793	Acorn

SOLID LAMINATE

405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
491H	Designer White Linear Horizontal
492	Cinder Linear
492H	Cinder Linear Horizontal

END PANEL GROMMET

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic
$25 list for each grommet

GE1L	Left
GE1R	Right
GE1LR	Left & Right



GROMMET CUTOUT OPTIONS

Strassa tops are available with grommet cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$75 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End

- Reference pages 306-307 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 524 for pricing and details

Cutout Option for One Touch Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center



- Reference pages 308-309 for cutout locations of CUT-G17



NACG17ELB (Sold Separately)
NACG17ELS (Sold Separately)



NACG172ELB (Sold Separately)
NACG172ELS (Sold Separately)



NACG173ELB (Sold Separately)
NACG173ELS (Sold Separately)

- Reference page 528 for pricing and details

Cutout Option for G23 Power Grommet

$25 list upcharge per cutout

- CUT-G23C Cutout only for G23 Power Grommet (+$25 list)

CUT-G23C	Center
CUT-G23E	End
CUT-G23LR	Left, Right
CUT-G23A	All
CUT-G23CE	Center, End

- Reference pages 310-311 for cutout locations of CUT-G23



NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

- Reference page 532 for pricing and details

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size.

TOP SIZES	
36"/42"/48" x 48"	2
36"/42"/48" x 60"	4
36"/42"/48" x 72"	4
36"/42"/48" x 84"	4
36"/42"/48" x 96"	6
36"/42"/48" x 108"	6
36"/42"/48" x 120"	8

TOP SIZE MODIFICATIONS

- Size modifications (cut downs) are available at no upcharge
- The tops can be cut down in 6" increments on the width
- Available cut down sizes are noted in the chart below

• Standard size
– Modified size

	DEPTH			
WIDTH	**36"**	**42"**	**48"**	**NUMBER OF PIECES**
120"	•	•	•	1
114"	–	–	–	1
108"	•	•	•	1
102"	–	–	–	1
96"	•	•	•	1
90"	–	–	–	1
84"	•	•	•	1
78"	–	–	–	1
72"	•	•	•	1
66"	–	–	–	1

STRASSA - GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- All grommets are centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL electrical grommet is available as a substitute fo G10 grommet, if desired



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"				60"				72"				84"				96"			
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
G10C CENTER	48"	–	24"	–	60"	–	30"	–	72"	–	36"	–	84"	–	42"	–	96"	–	48"	–
		–		–	54"	–	27"	–	66"	–	33"	–	78"	–	39"	–	90"	–	45"	–
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
G10E END	48"	12"	–	–	60"	15"	–	–	72"	17¼"	–	–	84"	20"	–	–	96"	23"	–	–
			–	–	54"	13½"	–	–	66"	15¾"	–	–	78"	18½"	–	–	90"	21½"	–	–
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
G10LR LEFT, RIGHT	48"	12"	–	36"	60"	15"	–	45"	72"	17¼"	–	54¾"	84"	20"	–	63¾"	96"	23"	–	72¾"
			–		54"	13½"	–	40½"	66"	15¾"	–	50¼"	78"	18½"	–	59¼"	90"	21½"	–	68¼"
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
G10A ALL	48"	–	–	–	60"	–	–	–	72"	17¼"	36"	54¾"	84"	20"	42"	63¾"	96"	23"	48"	72¾"
		–	–	–	54"	–	–	–	66"	15¾"	33"	50¼"	78"	18½"	39"	59¼"	90"	21½"	45"	68¼"
		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
G10CE CENTER, END	48"	12"	24"	–	60"	15"	30"	–	72"	17¼"	36"	–	84"	20"	42"	–	96"	23"	48"	–
					54"	13½"	27"	–	66"	15¾"	33"	–	78"	18½"	39"	–	90"	21½"	45"	–

• G10 Round Grommet

	108"				120"			
		A	B	C		A	B	C
	108"	—	54"	—	120"	—	60"	—
	102"	—	51"	—	114"	—	57"	—
		A	B	C		A	B	C
	108"	26"	—	—	120"	29"	—	—
	102"	24½"	—	—	114"	27½"	—	—
		A	B	C		A	B	C
	108"	26"	—	81¾"	120"	29"	—	90¾
	102"	24½"	—	77¼"	114"	27½"	—	86¼
		A	B	C		A	B	C
	108"	26"	54"	81¾"	120"	29"	60"	90¾
	102"	24½"	51"	77¼"	114"	27½"	57"	86¼
		A	B	C		A	B	C
	108"	26"	54"	—	120"	29"	60"	—
	102"	24½"	51"	—	114"	27½"	57"	—

STRASSA - GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- All grommets are centered on the table top depth
- For G17, the center grommet location consists of two grommet cutouts (upcharge will reflect two grommet cutouts)



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"					84"				
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
CUT-G17L / CUT-G17R LOCATION FROM LEFT OR RIGHT	48"	6"	–	–	–	60"	6"	–	–	–	72"	6"	–	–	–	84"	6"	–	–	–
			–	–	–	54"	6"	–	–	–	66"	6"	–	–	–	78"	6"	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
CUT-G17LR LEFT & RIGHT	48"	6"	–	–	42"	60"	6"	–	–	54"	72"	6"	–	–	66"	84"	6"	–	–	78"
			–	–		54"	6"	–	–	48"	66"	6"	–	–	60"	78"	6"	–	–	72"
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
CUT-G17C CENTER	48"	–	20"	28"	–	60"	–	26"	34"	–	72"	–	32"	40"	–	84"	–	38"	46"	–
		–			–	54"	–	23"	31"	–	66"	–	29"	37"	–	78"	–	35"	43"	–
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
CUT-G17LC / CUT G17-RC LEFT & CENTER OR RIGHT & CENTER	48"	6"	20"	28"	–	60"	6"	26"	34"	–	72"	6"	32"	40"	–	84"	6"	38"	46"	–
					–	54"	6"	23"	31"	–	66"	6"	29"	37"	–	78"	6"	35"	43"	–
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
CUT-G17A LEFT, RIGHT & CENTER	48"	–	–	–	–	60"	–	–	–	–	72"	–	–	–	–	84"	–	–	–	–
		–	–	–	–	54"	–	–	–	–	66"	–	–	–	–	78"	–	–	–	–

• CUT-G17 option



	96"					108"					120"				
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	6"	–	–	–	108"	6"	–	–	–	120"	6"	–	–	–
	90"	6"	–	–	–	102"	6"	–	–	–	114"	6"	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	6"	–	–	90"	108"	6"	–	–	102"	120"	6"	–	–	113¾
	90"	6"	–	–	84"	102"	6"	–	–	96"	114"	6"	–	–	107¾
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	–	44"	52"	–	108"	–	50"	57¾"	–	120"	–	56"	63¾"	–
	90"	–	41"	49"	–	102"	–	47"	55"	–	114"	–	53"	60¾"	–
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	6"	44"	52"	–	108"	6"	50"	57¾"	–	120"	6"	56"	63¾"	–
	90"	6"	41"	49"	–	102"	6"	47"	55"	–	114"	6"	53"	60¾"	–
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	6"	44"	52"	90"	108"	6"	50"	57¾"	102"	120"	6"	56"	63¾"	113¾
	90"	6"	41"	49"	84"	102"	6"	47"	55"	96"	114"	6"	53"	60¾"	107¾

STRASSA - GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- All grommets are centered on the table top depth



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"					84"				
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–	84"	–	42"	–	–
		–			–	54"	–	27"	–	–	66"	–	33"	–	–	78"	–	39"	–	–
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G23E END	48"	12"	–	–	–	60"	15"	–	–	–	72"	16¾"	–	–	–	84"	19¾"	–	–	–
			–		–	54"	13½"	–	–	–	66"	15¼"	–	–	–	78"	18¼"	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G23LR LEFT, RIGHT	48"	12"	–	–	36"	60"	15"	–	–	45"	72"	16¾"	–	–	55¼"	84"	19¾"	–	–	64¼"
			–			54"	13½"	–	–	40½"	66"	15¼"	–	–	50¾"	78"	18¼"	–	–	59¾"
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G23A ALL	48"	–	–	–	–	60"	–	–	–	–	72"	16¾"	36"	–	55¼"	84"	19¾"	42"	–	64¼"
		–	–	–	–	54"	–	–	–	–	66"	15¼"	33"	–	50¾"	78"	18¼"	39"	–	59¾"
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
G23CE CENTER, END	48"	12"	24"	–	–	60"	15"	30"	–	–	72"	16¾"	36"	–	–	84"	19¾"	42"	–	–
					–	54"	13½"	27"	–	–	66"	15¼"	33"	–	–	78"	18¼"	39"	–	–

• CUT-G23 option



	96"					108"					120"				
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	–	48"	–	–	108"	–	54"	–	–	120"	–	60"	–	–
	90"	–	45"	–	–	102"	–	51"	–	–	114"	–	57"	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22¾"	–	–	–	108"	25¾"	–	–	–	120"	28¾"	–	–	–
	90"	21¼"	–	–	–	102"	24¼"	–	–	–	114"	27¼"	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22¾"	–	–	73¼"	108"	25¾"	–	–	82¼"	120"	28¾"	–	–	91¼
	90"	21¼"	–	–	68¾"	102"	24¼"	–	–	77¾"	114"	27¼"	–	–	86¾
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22¾"	48"	–	73¼"	108"	25¾"	54"	–	82¼"	120"	28¾"	60"	–	91¼
	90"	21¼"	45"	–	68¾"	102"	24¼"	51"	–	77¾"	114"	27¼"	57"	–	86¾
		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22¾"	48"	–	–	108"	25¾"	54"	–	–	120"	28¾"	60"	–	–
	90"	21¼"	45"	–	–	102"	24¼"	51"	–	–	114"	27¼"	57"	–	–

PRODUCT SPECIFICATIONS

- Reference pages 306-311 for grommet cutout locations
- Veneer grain direction runs vertical on end panel and modesty panel
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in three separate cartons

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Chassis
L Laminate Unit
LL TFL Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N364829WKF2W	Wood	$ 3196	36⅛	48⅛	28⅞	—	14⅛	221 lbs.	15.2
86N364829WKF2LW	Laminate/Wood	2549	36⅛	48⅛	28⅞	—	14⅛	221 lbs.	15.2
86N364829WKF2L	Laminate	1274	36⅛	48⅛	28⅞	—	14⅛	221 lbs.	15.2
86N364829WKF2LL	TFL	1127	36⅛	48⅛	28⅞	—	14⅛	221 lbs.	15.2
86N366029WKF2W	Wood	$ 3329	36⅛	60	28⅞	—	14⅛	265 lbs.	18.1
86N366029WKF2LW	Laminate/Wood	2712	36⅛	60	28⅞	—	14⅛	265 lbs.	18.1
86N366029WKF2L	Laminate	1355	36⅛	60	28⅞	—	14⅛	265 lbs.	18.1
86N366029WKF2LL	TFL	1199	36⅛	60	28⅞	—	14⅛	265 lbs.	18.1
86N367229WKF2W	Wood	$ 3468	36⅛	71⅝	28⅞	—	14⅛	301 lbs.	20.9
86N367229WKF2LW	Laminate/Wood	2885	36⅛	71⅝	28⅞	—	14⅛	301 lbs.	20.9
86N367229WKF2L	Laminate	1443	36⅛	71⅝	28⅞	—	14⅛	301 lbs.	20.9
86N367229WKF2LL	TFL	1275	36⅛	71⅝	28⅞	—	14⅛	301 lbs.	20.9
86N368429WKF2W	Wood	$ 3612	36⅛	83⅝	28⅞	—	14⅛	334 lbs.	23.8
86N368429WKF2LW	Laminate/Wood	3069	36⅛	83⅝	28⅞	—	14⅛	334 lbs.	23.8
86N368429WKF2L	Laminate	1534	36⅛	83⅝	28⅞	—	14⅛	334 lbs.	23.8
86N368429WKF2LL	TFL	1357	36⅛	83⅝	28⅞	—	14⅛	334 lbs.	23.8
86N369629WKF2W	Wood	$ 3763	36⅛	95⅞	28⅞	—	14⅛	368 lbs.	26.6
86N369629WKF2LW	Laminate/Wood	3265	36⅛	95⅞	28⅞	—	14⅛	368 lbs.	26.6
86N369629WKF2L	Laminate	1633	36⅛	95⅞	28⅞	—	14⅛	368 lbs.	26.6
86N369629WKF2LL	TFL	1443	36⅛	95⅞	28⅞	—	14⅛	368 lbs.	26.6
86N3610829WKF2W	Wood	$ 4796	36⅛	107⅞	28⅞	—	14⅛	402 lbs.	29.5
86N3610829WKF2LW	Laminate/Wood	3989	36⅛	107⅞	28⅞	—	14⅛	402 lbs.	29.5
86N3610829WKF2L	Laminate	1994	36⅛	107⅞	28⅞	—	14⅛	402 lbs.	29.5
86N3610829WKF2LL	TFL	1763	36⅛	107⅞	28⅞	—	14⅛	402 lbs.	29.5
86N3612029WKF2W	Wood	$ 5370	36⅛	119¹³⁄₁₆	28⅞	—	14⅛	436 lbs.	32.4
86N3612029WKF2LW	Laminate/Wood	4467	36⅛	119¹³⁄₁₆	28⅞	—	14⅛	436 lbs.	32.4
86N3612029WKF2L	Laminate	2234	36⅛	119¹³⁄₁₆	28⅞	—	14⅛	436 lbs.	32.4
86N3612029WKF2LL	TFL	1975	36⅛	119¹³⁄₁₆	28⅞	—	14⅛	436 lbs.	32.4

- Kneespace on 36" deep top is 14⅛"
- Modesty panel is removable on one side to allow wire management access
- Optional end panel grommets available

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. End Panel Grommet
6. Modified Width
7. Worksurface Sheen (wood models)
8. Veneer Top Finish/Laminate Top Color
9. Modesty Laminate Color (Laminate/TFL models)
10. Veneer Chassis Finish/Laminate Chassis Color

• See pages 303-304 for all options available in Strassa

SAMPLE MODEL NUMBERS:

86N424829WKF2W	F	X	X	N	MC	
86N424829WKF2L	V462	X	X	MC	MC	MC
86N424829WKF2LW	V462	X	X	462	MC	

WORKSURFACE HEIGHT (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N424829WKF2W	Wood	$ 3329	42 1/16	48 1/16	28 7/8	–	17 1/16	244 lbs.	16.1
86N424829WKF2LW	Laminate/Wood	2712	42 1/16	48 1/16	28 7/8	–	17 1/16	244 lbs.	16.1
86N424829WKF2L	Laminate	1355	42 1/16	48 1/16	28 7/8	–	17 1/16	244 lbs.	16.1
86N424829WKF2LL	TFL	1199	42 1/16	48 1/16	28 7/8	–	17 1/16	244 lbs.	16.1
86N426029WKF2W	Wood	$ 3468	42 1/16	60	28 7/8	–	17 1/16	290 lbs.	19.1
86N426029WKF2LW	Laminate/Wood	2885	42 1/16	60	28 7/8	–	17 1/16	290 lbs.	19.1
86N426029WKF2L	Laminate	1443	42 1/16	60	28 7/8	–	17 1/16	290 lbs.	19.1
86N426029WKF2LL	TFL	1275	42 1/16	60	28 7/8	–	17 1/16	290 lbs.	19.1
86N427229WKF2W	Wood	$ 3612	42 1/16	71 15/16	28 7/8	–	17 1/16	328 lbs.	22.0
86N427229WKF2LW	Laminate/Wood	3069	42 1/16	71 15/16	28 7/8	–	17 1/16	328 lbs.	22.0
86N427229WKF2L	Laminate	1534	42 1/16	71 15/16	28 7/8	–	17 1/16	328 lbs.	22.0
86N427229WKF2LL	TFL	1357	42 1/16	71 15/16	28 7/8	–	17 1/16	328 lbs.	22.0
86N428429WKF2W	Wood	$ 3763	42 1/16	83 15/16	28 7/8	–	17 1/16	364 lbs.	25.0
86N428429WKF2LW	Laminate/Wood	3265	42 1/16	83 15/16	28 7/8	–	17 1/16	364 lbs.	25.0
86N428429WKF2L	Laminate	1633	42 1/16	83 15/16	28 7/8	–	17 1/16	364 lbs.	25.0
86N428429WKF2LL	TFL	1443	42 1/16	83 15/16	28 7/8	–	17 1/16	364 lbs.	25.0
86N429629WKF2W	Wood	$ 3920	42 1/16	95 7/8	28 7/8	–	17 1/16	401 lbs.	27.9
86N429629WKF2LW	Laminate/Wood	3473	42 1/16	95 7/8	28 7/8	–	17 1/16	401 lbs.	27.9
86N429629WKF2L	Laminate	1737	42 1/16	95 7/8	28 7/8	–	17 1/16	401 lbs.	27.9
86N429629WKF2LL	TFL	1535	42 1/16	95 7/8	28 7/8	–	17 1/16	401 lbs.	27.9
86N4210829WKF2W	Wood	$ 4994	42 1/16	107 7/8	28 7/8	–	17 1/16	437 lbs.	31.0
86N4210829WKF2LW	Laminate/Wood	4244	42 1/16	107 7/8	28 7/8	–	17 1/16	437 lbs.	31.0
86N4210829WKF2L	Laminate	2122	42 1/16	107 7/8	28 7/8	–	17 1/16	437 lbs.	31.0
86N4210829WKF2LL	TFL	1876	42 1/16	107 7/8	28 7/8	–	17 1/16	437 lbs.	31.0
86N4212029WKF2W	Wood	$ 5594	42 1/16	119 13/16	28 7/8	–	17 1/16	473 lbs.	34.0
86N4212029WKF2LW	Laminate/Wood	4752	42 1/16	119 13/16	28 7/8	–	17 1/16	473 lbs.	34.0
86N4212029WKF2L	Laminate	2376	42 1/16	119 13/16	28 7/8	–	17 1/16	473 lbs.	34.0
86N4212029WKF2LL	TFL	2100	42 1/16	119 13/16	28 7/8	–	17 1/16	473 lbs.	34.0

• Modesty panel is removable on one side to allow wire management access
• Optional end panel grommets available

PRODUCT SPECIFICATIONS

- Reference pages 306-311 for grommet cutout locations
- Veneer grain direction runs vertical on end panel and modesty panel
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in three separate cartons

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Chassis
L Laminate Unit
LL TFL Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

WORKSURFACE HEIGHT (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N484829WKF2W	Wood	$ 3468	48⅛	48⅛	28⅞	—	20⅛	265 lbs.	17.0
86N484829WKF2LW	Laminate/Wood	2885	48⅛	48⅛	28⅞	—	20⅛	265 lbs.	17.0
86N484829WKF2L	Laminate	1443	48⅛	48⅛	28⅞	—	20⅛	265 lbs.	17.0
86N484829WKF2LL	TFL	1275	48⅛	48⅛	28⅞	—	20⅛	265 lbs.	17.0
86N486029WKF2W	Wood	$ 3612	48⅛	60	28⅞	—	20⅛	315 lbs.	20.1
86N486029WKF2LW	Laminate/Wood	3069	48⅛	60	28⅞	—	20⅛	315 lbs.	20.1
86N486029WKF2L	Laminate	1534	48⅛	60	28⅞	—	20⅛	315 lbs.	20.1
86N486029WKF2LL	TFL	1357	48⅛	60	28⅞	—	20⅛	315 lbs.	20.1
86N487229WKF2W	Wood	$ 3763	48⅛	71⅝	28⅞	—	20⅛	355 lbs.	23.2
86N487229WKF2LW	Laminate/Wood	3265	48⅛	71⅝	28⅞	—	20⅛	355 lbs.	23.2
86N487229WKF2L	Laminate	1633	48⅛	71⅝	28⅞	—	20⅛	355 lbs.	23.2
86N487229WKF2LL	TFL	1443	48⅛	71⅝	28⅞	—	20⅛	355 lbs.	23.2
86N488429WKF2W	Wood	$ 3920	48⅛	83⅝	28⅞	—	20⅛	394 lbs.	26.3
86N488429WKF2LW	Laminate/Wood	3473	48⅛	83⅝	28⅞	—	20⅛	394 lbs.	26.3
86N488429WKF2L	Laminate	1737	48⅛	83⅝	28⅞	—	20⅛	394 lbs.	26.3
86N488429WKF2LL	TFL	1535	48⅛	83⅝	28⅞	—	20⅛	394 lbs.	26.3
86N489629WKF2W	Wood	$ 4083	48⅛	95⅞	28⅞	—	20⅛	432 lbs.	29.3
86N489629WKF2LW	Laminate/Wood	3695	48⅛	95⅞	28⅞	—	20⅛	432 lbs.	29.3
86N489629WKF2L	Laminate	1848	48⅛	95⅞	28⅞	—	20⅛	432 lbs.	29.3
86N489629WKF2LL	TFL	1633	48⅛	95⅞	28⅞	—	20⅛	432 lbs.	29.3
86N4810829WKF2W	Wood	$ 5203	48⅛	107⅞	28⅞	—	20⅛	471 lbs.	32.5
86N4810829WKF2LW	Laminate/Wood	4514	48⅛	107⅞	28⅞	—	20⅛	471 lbs.	32.5
86N4810829WKF2L	Laminate	2258	48⅛	107⅞	28⅞	—	20⅛	471 lbs.	32.5
86N4810829WKF2LL	TFL	1995	48⅛	107⅞	28⅞	—	20⅛	471 lbs.	32.5
86N4812029WKF2W	Wood	$ 5828	48⅛	119¹³⁄₁₆	28⅞	—	20⅛	511 lbs.	35.6
86N4812029WKF2LW	Laminate/Wood	5056	48⅛	119¹³⁄₁₆	28⅞	—	20⅛	511 lbs.	35.6
86N4812029WKF2L	Laminate	2528	48⅛	119¹³⁄₁₆	28⅞	—	20⅛	511 lbs.	35.6
86N4812029WKF2LL	TFL	2234	48⅛	119¹³⁄₁₆	28⅞	—	20⅛	511 lbs.	35.6

- Modesty panel is removable on one side to allow wire management access
- Optional end panel grommets available

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. End Panel Grommet
6. Modified Width
7. Worksurface Sheen (wood models)
8. Veneer Top Finish/Laminate Top Color
9. Modesty Laminate Color (Laminate/TFL models)
10. Veneer Chassis Finish/Laminate Chassis Color

• See pages 303-304 for all options available in Strassa

SAMPLE MODEL NUMBERS:

86N364835WKF2W	F	X	X	N	MC	
86N364835WKF2L	V462	X	X	MC	MC	MC
86N364835WKF2LW	V462	X	X	462	MC	

COUNTER HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N364835WKF2W	Wood	$ 3550	36⅛	48⅛	35⅜	–	14⅛	253 lbs.	17.4
86N364835WKF2LW	Laminate/Wood	2833	36⅛	48⅛	35⅜	–	14⅛	253 lbs.	17.4
86N364835WKF2L	Laminate	1416	36⅛	48⅛	35⅜	–	14⅛	253 lbs.	17.4
86N364835WKF2LL	TFL	1251	36⅛	48⅛	35⅜	–	14⅛	253 lbs.	17.4
86N366035WKF2W	Wood	$ 3700	36⅛	60	35⅜	–	14⅛	303 lbs.	20.7
86N366035WKF2LW	Laminate/Wood	3013	36⅛	60	35⅜	–	14⅛	303 lbs.	20.7
86N366035WKF2L	Laminate	1507	36⅛	60	35⅜	–	14⅛	303 lbs.	20.7
86N366035WKF2LL	TFL	1332	36⅛	60	35⅜	–	14⅛	303 lbs.	20.7
86N367235WKF2W	Wood	$ 3853	36⅛	71⅝	35⅜	–	14⅛	341 lbs.	23.9
86N367235WKF2LW	Laminate/Wood	3205	36⅛	71⅝	35⅜	–	14⅛	341 lbs.	23.9
86N367235WKF2L	Laminate	1603	36⅛	71⅝	35⅜	–	14⅛	341 lbs.	23.9
86N367235WKF2LL	TFL	1416	36⅛	71⅝	35⅜	–	14⅛	341 lbs.	23.9
86N368435WKF2W	Wood	$ 4013	36⅛	83⅛	35⅜	–	14⅛	377 lbs.	27.2
86N368435WKF2LW	Laminate/Wood	3409	36⅛	83⅛	35⅜	–	14⅛	377 lbs.	27.2
86N368435WKF2L	Laminate	1705	36⅛	83⅛	35⅜	–	14⅛	377 lbs.	27.2
86N368435WKF2LL	TFL	1508	36⅛	83⅛	35⅜	–	14⅛	377 lbs.	27.2
86N369635WKF2W	Wood	$ 4181	36⅛	95⅞	35⅜	–	14⅛	414 lbs.	30.5
86N369635WKF2LW	Laminate/Wood	3629	36⅛	95⅞	35⅜	–	14⅛	414 lbs.	30.5
86N369635WKF2L	Laminate	1814	36⅛	95⅞	35⅜	–	14⅛	414 lbs.	30.5
86N369635WKF2LL	TFL	1603	36⅛	95⅞	35⅜	–	14⅛	414 lbs.	30.5
86N3610835WKF2W	Wood	$ 4994	36⅛	107⅞	35⅜	–	14⅛	452 lbs.	33.7
86N3610835WKF2LW	Laminate/Wood	4244	36⅛	107⅞	35⅜	–	14⅛	452 lbs.	33.7
86N3610835WKF2L	Laminate	2122	36⅛	107⅞	35⅜	–	14⅛	452 lbs.	33.7
86N3610835WKF2LL	TFL	1876	36⅛	107⅞	35⅜	–	14⅛	452 lbs.	33.7
86N3612035WKF2W	Wood	$ 5594	36⅛	119⅜	35⅜	–	14⅛	488 lbs.	37.0
86N3612035WKF2LW	Laminate/Wood	4752	36⅛	119⅜	35⅜	–	14⅛	488 lbs.	37.0
86N3612035WKF2L	Laminate	2376	36⅛	119⅜	35⅜	–	14⅛	488 lbs.	37.0
86N3612035WKF2LL	TFL	2100	36⅛	119⅜	35⅜	–	14⅛	488 lbs.	37.0

- Kneespace on 36" deep top is 14⅛"
- Modesty panel is removable on one side to allow wire management access
- Optional end panel grommets available

PRODUCT SPECIFICATIONS

- Reference pages 306-311 for grommet cutout locations
- Veneer grain direction runs vertical on end panel and modesty panel
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in three separate cartons

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Chassis
L Laminate Unit
LL TFL Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

COUNTER HEIGHT (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N424835WKF2W	Wood	$ 3700	42⅛	48⅛	35⅜	—	17⅛	278 lbs.	18.4
86N424835WKF2LW	Laminate/Wood	3013	42⅛	48⅛	35⅜	—	17⅛	278 lbs.	18.4
86N424835WKF2L	Laminate	1507	42⅛	48⅛	35⅜	—	17⅛	278 lbs.	18.4
86N424835WKF2LL	TFL	1332	42⅛	48⅛	35⅜	—	17⅛	278 lbs.	18.4
86N426035WKF2W	Wood	$ 3853	42⅛	60	35⅜	—	17⅛	330 lbs.	21.8
86N426035WKF2LW	Laminate/Wood	3205	42⅛	60	35⅜	—	17⅛	330 lbs.	21.8
86N426035WKF2L	Laminate	1603	42⅛	60	35⅜	—	17⅛	330 lbs.	21.8
86N426035WKF2LL	TFL	1416	42⅛	60	35⅜	—	17⅛	330 lbs.	21.8
86N427235WKF2W	Wood	$ 4013	42⅛	71⅝	35⅜	—	17⅛	325 lbs.	25.1
86N427235WKF2LW	Laminate/Wood	3409	42⅛	71⅝	35⅜	—	17⅛	325 lbs.	25.1
86N427235WKF2L	Laminate	1705	42⅛	71⅝	35⅜	—	17⅛	325 lbs.	25.1
86N427235WKF2LL	TFL	1508	42⅛	71⅝	35⅜	—	17⅛	325 lbs.	25.1
86N428435WKF2W	Wood	$ 4181	42⅛	83⅝	35⅜	—	17⅛	409 lbs.	28.5
86N428435WKF2LW	Laminate/Wood	3629	42⅛	83⅝	35⅜	—	17⅛	409 lbs.	28.5
86N428435WKF2L	Laminate	1814	42⅛	83⅝	35⅜	—	17⅛	409 lbs.	28.5
86N428435WKF2LL	TFL	1603	42⅛	83⅝	35⅜	—	17⅛	409 lbs.	28.5
86N429635WKF2W	Wood	$ 4355	42⅛	95⅞	35⅜	—	17⅛	449 lbs.	31.9
86N429635WKF2LW	Laminate/Wood	3859	42⅛	95⅞	35⅜	—	17⅛	449 lbs.	31.9
86N429635WKF2L	Laminate	1930	42⅛	95⅞	35⅜	—	17⅛	449 lbs.	31.9
86N429635WKF2LL	TFL	1706	42⅛	95⅞	35⅜	—	17⅛	449 lbs.	31.9
86N4210835WKF2W	Wood	$ 5203	42⅛	107⅞	35⅜	—	17⅛	489 lbs.	35.3
86N4210835WKF2LW	Laminate/Wood	4514	42⅛	107⅞	35⅜	—	17⅛	489 lbs.	35.3
86N4210835WKF2L	Laminate	2258	42⅛	107⅞	35⅜	—	17⅛	489 lbs.	35.3
86N4210835WKF2LL	TFL	1995	42⅛	107⅞	35⅜	—	17⅛	489 lbs.	35.3
86N4212035WKF2W	Wood	$ 5828	42⅛	119¹³⁄₁₆	35⅜	—	17⅛	528 lbs.	38.7
86N4212035WKF2LW	Laminate/Wood	5056	42⅛	119¹³⁄₁₆	35⅜	—	17⅛	528 lbs.	38.7
86N4212035WKF2L	Laminate	2528	42⅛	119¹³⁄₁₆	35⅜	—	17⅛	528 lbs.	38.7
86N4212035WKF2LL	TFL	2234	42⅛	119¹³⁄₁₆	35⅜	—	17⅛	528 lbs.	38.7

- Modesty panel is removable on one side to allow wire management access
- Optional end panel grommets available

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. End Panel Grommet
6. Modified Width
7. Worksurface Sheen (wood models)
8. Veneer Top Finish/Laminate Top Color
9. Modesty Laminate Color (Laminate/TFL models)
10. Veneer Chassis Finish/Laminate Chassis Color

• See pages 303-304 for all options available in Strassa

SAMPLE MODEL NUMBERS:

86N484835WKF2W	F	X	X	N	MC	
86N484835WKF2L	V462	X	X	MC	MC	MC
86N484835WKF2LW	V462	X	X	462	MC	

COUNTER HEIGHT (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N484835WKF2W	Wood	$ 3853	48 1/16	48 1/16	35 3/16	–	20 1/16	302 lbs.	19.4
86N484835WKF2LW	Laminate/Wood	3205	48 1/16	48 1/16	35 3/16	–	20 1/16	302 lbs.	19.4
86N484835WKF2L	Laminate	1603	48 1/16	48 1/16	35 3/16	–	20 1/16	302 lbs.	19.4
86N484835WKF2LL	TFL	1416	48 1/16	48 1/16	35 3/16	–	20 1/16	302 lbs.	19.4
86N486035WKF2W	Wood	$ 4013	48 1/16	60	35 3/16	–	20 1/16	358 lbs.	22.9
86N486035WKF2LW	Laminate/Wood	3409	48 1/16	60	35 3/16	–	20 1/16	358 lbs.	22.9
86N486035WKF2L	Laminate	1705	48 1/16	60	35 3/16	–	20 1/16	358 lbs.	22.9
86N486035WKF2LL	TFL	1508	48 1/16	60	35 3/16	–	20 1/16	358 lbs.	22.9
86N487235WKF2W	Wood	$ 4181	48 1/16	71 15/16	35 3/16	–	20 1/16	400 lbs.	26.4
86N487235WKF2LW	Laminate/Wood	3629	48 1/16	71 15/16	35 3/16	–	20 1/16	400 lbs.	26.4
86N487235WKF2L	Laminate	1814	48 1/16	71 15/16	35 3/16	–	20 1/16	400 lbs.	26.4
86N487235WKF2LL	TFL	1603	48 1/16	71 15/16	35 3/16	–	20 1/16	400 lbs.	26.4
86N488435WKF2W	Wood	$ 4355	48 1/16	83 15/16	35 3/16	–	20 1/16	442 lbs.	29.9
86N488435WKF2LW	Laminate/Wood	3859	48 1/16	83 15/16	35 3/16	–	20 1/16	442 lbs.	29.9
86N488435WKF2L	Laminate	1930	48 1/16	83 15/16	35 3/16	–	20 1/16	442 lbs.	29.9
86N488435WKF2LL	TFL	1706	48 1/16	83 15/16	35 3/16	–	20 1/16	442 lbs.	29.9
86N489635WKF2W	Wood	$ 4536	48 1/16	95 7/8	35 3/16	–	20 1/16	483 lbs.	33.4
86N489635WKF2LW	Laminate/Wood	4106	48 1/16	95 7/8	35 3/16	–	20 1/16	483 lbs.	33.4
86N489635WKF2L	Laminate	2053	48 1/16	95 7/8	35 3/16	–	20 1/16	483 lbs.	33.4
86N489635WKF2LL	TFL	1814	48 1/16	95 7/8	35 3/16	–	20 1/16	483 lbs.	33.4
86N4810835WKF2W	Wood	$ 5420	48 1/16	107 7/8	35 3/16	–	20 1/16	526 lbs.	36.9
86N4810835WKF2LW	Laminate/Wood	4803	48 1/16	107 7/8	35 3/16	–	20 1/16	526 lbs.	36.9
86N4810835WKF2L	Laminate	2402	48 1/16	107 7/8	35 3/16	–	20 1/16	526 lbs.	36.9
86N4810835WKF2LL	TFL	2123	48 1/16	107 7/8	35 3/16	–	20 1/16	526 lbs.	36.9
86N4812035WKF2W	Wood	$ 6071	48 1/16	119 13/16	35 3/16	–	20 1/16	568 lbs.	40.4
86N4812035WKF2LW	Laminate/Wood	5379	48 1/16	119 13/16	35 3/16	–	20 1/16	568 lbs.	40.4
86N4812035WKF2L	Laminate	2689	48 1/16	119 13/16	35 3/16	–	20 1/16	568 lbs.	40.4
86N4812035WKF2LL	TFL	2377	48 1/16	119 13/16	35 3/16	–	20 1/16	568 lbs.	40.4

• Modesty panel is removable on one side to allow wire management access
• Optional end panel grommets available

PRODUCT SPECIFICATIONS

- Reference pages 306-311 for grommet cutout locations
- Veneer grain direction runs vertical on end panel and modesty panel
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in three separate cartons

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Chassis
L Laminate Unit
LL TFL Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

BAR HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N364841WKF2W	Wood	$ 3946	36⅛	48⅛	41½	—	14⅛	284 lbs.	19.5
86N364841WKF2LW	Laminate/Wood	3147	36⅛	48⅛	41½	—	14⅛	284 lbs.	19.5
86N364841WKF2L	Laminate	1573	36⅛	48⅛	41½	—	14⅛	284 lbs.	19.5
86N364841WKF2LL	TFL	1391	36⅛	48⅛	41½	—	14⅛	284 lbs.	19.5
86N366041WKF2W	Wood	$ 4110	36⅛	60	41½	—	14⅛	340 lbs.	23.1
86N366041WKF2LW	Laminate/Wood	3349	36⅛	60	41½	—	14⅛	340 lbs.	23.1
86N366041WKF2L	Laminate	1674	36⅛	60	41½	—	14⅛	340 lbs.	23.1
86N366041WKF2LL	TFL	1480	36⅛	60	41½	—	14⅛	340 lbs.	23.1
86N367241WKF2W	Wood	$ 4282	36⅛	71⅝	41½	—	14⅛	381 lbs.	26.8
86N367241WKF2LW	Laminate/Wood	3562	36⅛	71⅝	41½	—	14⅛	381 lbs.	26.8
86N367241WKF2L	Laminate	1781	36⅛	71⅝	41½	—	14⅛	381 lbs.	26.8
86N367241WKF2LL	TFL	1575	36⅛	71⅝	41½	—	14⅛	381 lbs.	26.8
86N368441WKF2W	Wood	$ 4460	36⅛	83⅝	41½	—	14⅛	421 lbs.	30.4
86N368441WKF2LW	Laminate/Wood	3789	36⅛	83⅝	41½	—	14⅛	421 lbs.	30.4
86N368441WKF2L	Laminate	1895	36⅛	83⅝	41½	—	14⅛	421 lbs.	30.4
86N368441WKF2LL	TFL	1674	36⅛	83⅝	41½	—	14⅛	421 lbs.	30.4
86N369641WKF2W	Wood	$ 4645	36⅛	95⅞	41½	—	14⅛	461 lbs.	34.0
86N369641WKF2LW	Laminate/Wood	4030	36⅛	95⅞	41½	—	14⅛	461 lbs.	34.0
86N369641WKF2L	Laminate	2016	36⅛	95⅞	41½	—	14⅛	461 lbs.	34.0
86N369641WKF2LL	TFL	1781	36⅛	95⅞	41½	—	14⅛	461 lbs.	34.0
86N3610841WKF2W	Wood	$ 5203	36⅛	107⅞	41½	—	14⅛	502 lbs.	37.7
86N3610841WKF2LW	Laminate/Wood	4514	36⅛	107⅞	41½	—	14⅛	502 lbs.	37.7
86N3610841WKF2L	Laminate	2258	36⅛	107⅞	41½	—	14⅛	502 lbs.	37.7
86N3610841WKF2LL	TFL	1995	36⅛	107⅞	41½	—	14⅛	502 lbs.	37.7
86N3612041WKF2W	Wood	$ 5828	36⅛	119¹³⁄₁₆	41½	—	14⅛	542 lbs.	41.3
86N3612041WKF2LW	Laminate/Wood	5056	36⅛	119¹³⁄₁₆	41½	—	14⅛	542 lbs.	41.3
86N3612041WKF2L	Laminate	2528	36⅛	119¹³⁄₁₆	41½	—	14⅛	542 lbs.	41.3
86N3612041WKF2LL	TFL	2234	36⅛	119¹³⁄₁₆	41½	—	14⅛	542 lbs.	41.3

- Kneespace on 36" deep top is 14⅛"
- Modesty panel is removable on one side to allow wire management access
- Optional end panel grommets available

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. End Panel Grommet
6. Modified Width
7. Worksurface Sheen (wood models)
8. Veneer Top Finish/Laminate Top Color
9. Modesty Laminate Color (Laminate/TFL models)
10. Veneer Chassis Finish/Laminate Chassis Color

• See pages 303-304 for all options available in Strassa

SAMPLE MODEL NUMBERS:

86N424841WKF2W	F	X	X	N	MC	
86N424841WKF2L	V462	X	X	MC	MC	MC
86N424841WKF2LW	V462	X	X	462	MC	

BAR HEIGHT (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N424841WKF2W	Wood	$ 4110	42⅛	48⅛	41½	—	17⅛	312 lbs.	20.6
86N424841WKF2LW	Laminate/Wood	3349	42⅛	48⅛	41½	—	17⅛	312 lbs.	20.6
86N424841WKF2L	Laminate	1674	42⅛	48⅛	41½	—	17⅛	312 lbs.	20.6
86N424841WKF2LL	TFL	1480	42⅛	48⅛	41½	—	17⅛	312 lbs.	20.6
86N426041WKF2W	Wood	$ 4282	42⅛	60	41½	—	17⅛	370 lbs.	24.3
86N426041WKF2LW	Laminate/Wood	3562	42⅛	60	41½	—	17⅛	370 lbs.	24.3
86N426041WKF2L	Laminate	1781	42⅛	60	41½	—	17⅛	370 lbs.	24.3
86N426041WKF2LL	TFL	1575	42⅛	60	41½	—	17⅛	370 lbs.	24.3
86N427241WKF2W	Wood	$ 4460	42⅛	71⅝	41½	—	17⅛	413 lbs.	28.1
86N427241WKF2LW	Laminate/Wood	3789	42⅛	71⅝	41½	—	17⅛	413 lbs.	28.1
86N427241WKF2L	Laminate	1895	42⅛	71⅝	41½	—	17⅛	413 lbs.	28.1
86N427241WKF2LL	TFL	1674	42⅛	71⅝	41½	—	17⅛	413 lbs.	28.1
86N428441WKF2W	Wood	$ 4645	42⅛	83⅝	41½	—	17⅛	455 lbs.	31.8
86N428441WKF2LW	Laminate/Wood	4030	42⅛	83⅝	41½	—	17⅛	455 lbs.	31.8
86N428441WKF2L	Laminate	2016	42⅛	83⅝	41½	—	17⅛	455 lbs.	31.8
86N428441WKF2LL	TFL	1781	42⅛	83⅝	41½	—	17⅛	455 lbs.	31.8
86N429641WKF2W	Wood	$ 4839	42⅛	95⅞	41½	—	17⅛	499 lbs.	35.5
86N429641WKF2LW	Laminate/Wood	4288	42⅛	95⅞	41½	—	17⅛	499 lbs.	35.5
86N429641WKF2L	Laminate	2144	42⅛	95⅞	41½	—	17⅛	499 lbs.	35.5
86N429641WKF2LL	TFL	1895	42⅛	95⅞	41½	—	17⅛	499 lbs.	35.5
86N4210841WKF2W	Wood	$ 5420	42⅛	107⅞	41½	—	17⅛	542 lbs.	39.4
86N4210841WKF2LW	Laminate/Wood	4803	42⅛	107⅞	41½	—	17⅛	542 lbs.	39.4
86N4210841WKF2L	Laminate	2402	42⅛	107⅞	41½	—	17⅛	542 lbs.	39.4
86N4210841WKF2LL	TFL	2123	42⅛	107⅞	41½	—	17⅛	542 lbs.	39.4
86N4212041WKF2W	Wood	$ 6071	42⅛	119⅜	41½	—	17⅛	584 lbs.	43.1
86N4212041WKF2LW	Laminate/Wood	5379	42⅛	119⅜	41½	—	17⅛	584 lbs.	43.1
86N4212041WKF2L	Laminate	2689	42⅛	119⅜	41½	—	17⅛	584 lbs.	43.1
86N4212041WKF2LL	TFL	2377	42⅛	119⅜	41½	—	17⅛	584 lbs.	43.1

• Modesty panel is removable on one side to allow wire management access
• Optional end panel grommets available

PRODUCT SPECIFICATIONS

- Reference pages 306-311 for grommet cutout locations
- Veneer grain direction runs vertical on end panel and modesty panel
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in three separate cartons

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Chassis
L Laminate Unit
LL TFL Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

BAR HEIGHT (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N484841WKF2W	Wood	$ 4282	48⅛	48⅛	41½	—	20⅛	338 lbs.	21.7
86N484841WKF2LW	Laminate/Wood	3562	48⅛	48⅛	41½	—	20⅛	338 lbs.	21.7
86N484841WKF2L	Laminate	1781	48⅛	48⅛	41½	—	20⅛	338 lbs.	21.7
86N484841WKF2LL	TFL	1575	48⅛	48⅛	41½	—	20⅛	338 lbs.	21.7
86N486041WKF2W	Wood	$ 4460	48⅛	60	41½	—	20⅛	400 lbs.	25.5
86N486041WKF2LW	Laminate/Wood	3789	48⅛	60	41½	—	20⅛	400 lbs.	25.5
86N486041WKF2L	Laminate	1895	48⅛	60	41½	—	20⅛	400 lbs.	25.5
86N486041WKF2LL	TFL	1674	48⅛	60	41½	—	20⅛	400 lbs.	25.5
86N487241WKF2W	Wood	$ 4645	48⅛	71⅝	41½	—	20⅛	445 lbs.	29.5
86N487241WKF2LW	Laminate/Wood	4030	48⅛	71⅝	41½	—	20⅛	445 lbs.	29.5
86N487241WKF2L	Laminate	2016	48⅛	71⅝	41½	—	20⅛	445 lbs.	29.5
86N487241WKF2LL	TFL	1781	48⅛	71⅝	41½	—	20⅛	445 lbs.	29.5
86N488441WKF2W	Wood	$ 4839	48⅛	83⅝	41½	—	20⅛	490 lbs.	33.3
86N488441WKF2LW	Laminate/Wood	4288	48⅛	83⅝	41½	—	20⅛	490 lbs.	33.3
86N488441WKF2L	Laminate	2144	48⅛	83⅝	41½	—	20⅛	490 lbs.	33.3
86N488441WKF2LL	TFL	1895	48⅛	83⅝	41½	—	20⅛	490 lbs.	33.3
86N489641WKF2W	Wood	$ 5042	48⅛	95⅞	41½	—	20⅛	535 lbs.	37.1
86N489641WKF2LW	Laminate/Wood	4562	48⅛	95⅞	41½	—	20⅛	535 lbs.	37.1
86N489641WKF2L	Laminate	2281	48⅛	95⅞	41½	—	20⅛	535 lbs.	37.1
86N489641WKF2LL	TFL	2016	48⅛	95⅞	41½	—	20⅛	535 lbs.	37.1
86N4810841WKF2W	Wood	$ 5646	48⅛	107⅞	41½	—	20⅛	581 lbs.	41.1
86N4810841WKF2LW	Laminate/Wood	5109	48⅛	107⅞	41½	—	20⅛	581 lbs.	41.1
86N4810841WKF2L	Laminate	2554	48⅛	107⅞	41½	—	20⅛	581 lbs.	41.1
86N4810841WKF2LL	TFL	2258	48⅛	107⅞	41½	—	20⅛	581 lbs.	41.1
86N4812041WKF2W	Wood	$ 6323	48⅛	119¹³⁄₁₆	41½	—	20⅛	626 lbs.	44.9
86N4812041WKF2LW	Laminate/Wood	5723	48⅛	119¹³⁄₁₆	41½	—	20⅛	626 lbs.	44.9
86N4812041WKF2L	Laminate	2861	48⅛	119¹³⁄₁₆	41½	—	20⅛	626 lbs.	44.9
86N4812041WKF2LL	TFL	2530	48⅛	119¹³⁄₁₆	41½	—	20⅛	626 lbs.	44.9

- Modesty panel is removable on one side to allow wire management access
- Optional end panel grommets available

TRAINING TABLES

FOLD NESTING TABLES

FOLD NESTING TABLES PRODUCT SPECIFICATIONS

TOP SIZES

- Concave Top – 29½" width x 21⅝" depth
- Rectangular Top – 59" width x 21⅝" depth

TOPS

- Laminate surfaces are 1⅛" thick HPL (high pressure laminate)
- Laminate surfaces feature a 3 mm PVC or T-mold rim

GROMMET OPTION

- Optional G1 grommet

FLIP/NEST FUNCTIONALITY

- Flip mechanism allows top to flip vertically for nesting capabilities
- Locking casters are standard on user side; non-locking on approach side
- Tables can still nest when optional grommet and standard modesty panel is attached



LAMINATE TOPS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

SOLID LAMINATE

404 Frosty White Marker*
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

*Only available on T-mold rim models

PATTERN LAMINATE

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

RIM PROFILE OPTIONS

PVC SOFTENED RIM

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
405 Designer White Linear
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

Softened PVC (V)

TABLE LEG COLORS

1 Designer White
2 Silver
3 Black

GROMMET

Fold Nesting Tables are available with a G1C grommet to accommodate electrical and data management solutions. If no grommet is desired, specify an X.

- G1C Grommet, Center (+$25 list)
- X No Grommet

FOLD NESTING TABLES

BASE MODEL KEY

L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBERS:

61N2430CCFMVL V405 X 405 1
61N2460CCFMYL X 405 1

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
CONCAVE TABLE PVC RIM	61N2430CCFMVL	Laminate	$ 751	23⅜	29½	29⅝	—	—	43 lbs.	4.2

- Some assembly required
- Features modesty panel in Graphite color
- Locking casters standard on user side
- Not recommended for use with edge mount or clamp mount monitor arms
- Not recommended to be ganged

CONCAVE TABLE T-MOLD RIM	61N2430CCFMYL	Laminate	$ 751	23⅜	29½	29⅝	—	—	43 lbs.	4.2

- Some assembly required
- Features modesty panel in Graphite color
- Locking casters standard on user side
- Not recommended for use with edge mount or clamp mount monitor arms
- Features T-mold rim in Graphite color
- Not recommended to be ganged
- Due to high gloss of marker board, it may scratch. This is deemed inherent and not deemed a quality issue

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color (PVC models only)
3. Grommet
4. Laminate
5. Paint

For options, see page 323

	Model No./Description		List Price	Dimensions D	W	H	A	KW	Cartoned Weight	Cubic Feet
RECTANGULAR TABLE PVC RIM	61N2460RTFMVL	Laminate	$ 1004	24⅛	59	29⅝	—	—	66 lbs.	7.0

- Some assembly required
- Features modesty panel in Graphite color
- Locking casters standard on user side
- Not recommended for use with edge mount or clamp mount monitor arms
- PVC rim and T-mold rim tops can not be ganged together
- Tables must be unganged when putting tables in the flip position

RECTANGULAR TABLE T-MOLD RIM	61N2460RTFMYL	Laminate	$ 1004	24⅛	59	29⅝	—	—	66 lbs.	7.0

- Some assembly required
- Features modesty panel in Graphite color
- Locking casters standard on user side
- Not recommended for use with edge mount or clamp mount monitor arms
- Features T-mold rim in Graphite color
- PVC rim and T-mold rim tops can not be ganged together
- Tables must be unganged when putting tables in the flip position
- Due to high gloss of marker board, it may scratch. This is deemed inherent and not deemed a quality issue

GANGING BRACKET	61NGB1	Two per package	$ 54	2	6½	⅝	—	—	2 lbs.	0.5



- Featured in Graphite color
- Only to be used with 24" x 60" rectangular tables

MANEUVER

MANEUVER FACILITATOR DESK SPECIFICATIONS

WORKSURFACES

- Laminate surfaces are 1⅜" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate)
- Laminate surfaces feature a 3mm PVC rim
- Grain direction runs left-to-right

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Back panels are fully finished

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 632 in the Casegoods Book 2 Price List

BASE

- Powder coated base available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, and (503) Satin Nickel Metallic
- Two locking casters are standard
- Wire management cutout in base column is standard

MANEUVER TABLES SPECIFICATIONS

TOPS

- Laminate (HPL) worksurfaces feature a 3mm softened PVC rim

BASE

- Powder coated legs available in (462) Cinder or (501) Platinum Metallic for C-legs and (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic for column legs

POWER/DATA ELECTRICAL SPECIFICATIONS

UNDERSURFACE POWER/DATA

- Contains 1 electrical outlet and 2 USB ports
- Mounts under surface
- 72" power cord included
- Reference page 343

ONE TOUCH PIVOTING POWER GROMMET (G12 AND G122)

- Field installable
- One touch door remains open during use
- Clear or black anodized aluminum
- (G12) Two power outlets and two blank ports can accommodate one of eight provided adapter plates
- (G122) Two power outlets, one port with two charging USB, and one blank port that can accommodate one of eight provided adapter plates
- Hardwire solution must be ordered separately and installed in the field – top should be ordered with CUT-G12C option
- Specify model number only
- Standard units have 10 ft. cords and hardwire cords have 6 ft. cords
- UL Listed

ONE TOUCH PIVOTING POWER GROMMET (G17, G172, G173)

- Field installable
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- (G17) Includes one power outlet and one blank voice/data port
- (G172) Includes two power outlets
- (G173) Includes one power outlet and two charging USB (2.1)
- 10 foot, 15 Amp cord
- Includes a voice/adapter kit to accept couplers and jacks when required
- UL Listed

BYRNE INTERLINK IQ SYSTEM (G17)

- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system can be used with Epic, Renegade, and WaveWorks
- Interlink IQ system must begin with NACELIQ1, NACG17ELIQ_1 or NACG172ELIQ_1 unit
- Can add a daisy chain for a total of eight NACG17ELIQ, NACG172ELIQ, or NACELIQJ units in any combination
- G17EL includes a Voice/Adapter kit to accept couplers and jacks when required
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat

POWER GROMMET (G23)

- Field installable in tables when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes two power outlets and two power USB ports
- 9 foot, 15 Amp cord
- ETL listed to UL962A Standard

DAISY LINK (G23)

- Field installable in tables when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes two 15 Amp power receptacles (no data) and two USB (3.0 power) power ports
- Thumbscrew version with two backerplates and two ¼"-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48⅜" conduit and 24" power cord with 20 Amp molded plug
- 72⅜" multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60" jumper; jumper cable is 60⅜" metal conduit with female to female ends for connecting two daisy link power grommets
- ETL listed to UL962A Standard

DAISY LINK JUMPER

- 80" jumper cable is metal conduit with female to female ends to connect two daisy link power grommets when the power is jumped between tables

NODE POWER GROMMET (G33)

- For use with select Maneuver tables
- Available in black or silver
- Contains 1 electrical outlet and 2 USB ports
- 72" 15 amp power cord included
- Maximum worksurface thickness is 1½"
- UL approved
- For G33C, reference page 532

RIM PROFILE OPTIONS



Softened PVC (V)

PVC SOFTENED RIM

AC2	Autumn 2	405	Designer White
AD	Almond	417	Mojave
CL	Caramel	418	Mouse
CW	Cordovan	419	Wallaby
DW	Judicial	425	Shadow
HN2	Honey 2	440	Cloud
IM	Brighton	461	Graphite
MC	Amber	462	Cinder
MH	Mocha	478	Platinum Grey
NM	Natural	488	Frosty White
PB	Portobello	491	Designer White Linear
PT	Portico	492	Cinder Linear
SK	Skyline	791	Palisander
SM	Sonoma	792	Sable
TF	Truffle	793	Acorn

PULL OPTIONS

Nantucket (6)

6SN Satin Nickel Metallic
6MB Cinder
6PL Platinum Metallic
(Boring Pattern 128mm)



Malibu (7)

7SN Satin Nickel Metallic
7MB Cinder
7PL Platinum Metallic
(Boring Pattern 128mm)

Beam (87)

87SN Satin Nickel Metallic
87MB Cinder
87PL Platinum Metallic
(Boring Pattern 128mm)

GROMMET OPTIONS - FACILITATOR DESK

If no grommet is desired, specify an X (No Grommet)



- CUT-G12C Cutout for G12 One Touch Pivoting Power Grommet (+$25 list)
- CUT-G17C Cutout for G17 One Touch Pivoting Power Grommet (+$25 list)
- CUT-G23C Cutout for G23 Power Grommet (+$25 list)

- For G12, G17, or hardwire solution, reference pages 524-532

CUT-G12C



CUT-G17C



CUT-G23C



GROMMET OPTION - TABLES

If no grommet is desired, specify an X (No Grommet)

- CUT-G33C Cutout for G33 Node Power Grommet (+$25 list)

- For G33, reference page 532

END PANEL GROMMET

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic
$25 list for each grommet

GE1L Left
GE1R Right
X No Grommet





- When a grommet is selected there will always be a top and bottom grommet
- The grommet cutouts are always located in the kneespace area

MANEUVER - CONFIGURATION OPTIONS

LOCKING

KEY RANDOM

KRB Black
KRS Silver

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit

Unit list price will be reduced by $15 per lock when selecting Key Specific option.
Must order specific lock cores separately ($15 list each).
See page 632 in the Casegoods Book 2 Price List for Key Specific model numbers.

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

LAMINATE DRAWER/DOOR FRONT & CHASSIS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
ADH Almond Horizontal
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PBH Portobello Horizontal
PT Portico
PTH Portico Horizontal
SK Skyline
SKH Skyline Horizontal
SM Sonoma
SMH Sonoma Horizontal
TF Truffle
791 Palisander
791H Palisander Horizontal
792 Sable
792H Sable Horizontal
793 Acorn

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

- CSL available; see page 8 for program details and upcharge

PAINT COLORS - FACILITATOR DESK

405 Designer White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

PAINT COLORS - TABLE

*265 Polished
*405 Designer White
462 Cinder
501 Platinum Metallic
*503 Satin Nickel Metallic

*Not available on C-legs

BASE COLUMN WIRE MANAGEMENT - FACILITATOR DESK

- Ellipse shaped wire management cutout comes standard in the column of the base



MANEUVER - THOUGHT STARTERS



(4) 29N60120TDEG1L



(1) 29N60120TDEG1L
(3) 29N3060TRT1L



(4) 29N3648TFG2L



(1) 29N3648TFG2L
(2) 29N3348THDS2L



(2) 29N3648TFG1L
(2) 29N3060TRT1L



(3) 29N2448TTZ1L



(6) 29N2448TTZ1L



(2) 29N2460TRT1L
(3) 29N2448TTZ1L



(4) 29N3630TKT2L



(3) 29N3630TKT2L
(3) 29N3060TRT2L

MANEUVER

PRODUCT SPECIFICATIONS

- Two locking casters on the base and two locking casters on the user side of the pedestal
- Hinged door units come standard with touch latch
- Some assembly required
- 18" pedestal standard with 24" deep models and 24" pedestal standard with 30" deep models
- Standard wire management in the base column

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

FACILITATOR DESK WITH BOX/BOX/FILE PEDESTAL

Left shown

Left shown with lectern

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
LEFT	RIGHT								
29N2460DTLM1L	29N2460DTRM1L	HPL	$ 1880	24	60	29⅛	—	—	20.3
29N2460DTLM1LL	29N2460DTRM1LL	TFL	1635	24	60	29⅛	—	—	20.3
29N2472DTLM1L	29N2472DTRM1L	HPL	$ 2014	24	72	29⅛	—	—	20.8
29N2472DTLM1LL	29N2472DTRM1LL	TFL	1751	24	72	29⅛	—	—	20.8
29N3060DTLM1L	29N3060DTRM1L	HPL	$ 2014	30⅛	60	29⅛	—	—	24.5
29N3060DTLM1LL	29N3060DTRM1LL	TFL	1751	30⅛	60	29⅛	—	—	24.5
29N3072DTLM1L	29N3072DTRM1L	HPL	$ 2091	30⅛	72	29⅛	—	—	25.1
29N3072DTLM1LL	29N3072DTRM1LL	TFL	1818	30⅛	72	29⅛	—	—	25.1

- Lectern sold separately

FACILITATOR DESK WITH HINGED DOOR

Left shown



Left shown with lectern

LEFT	RIGHT								
29N2460DTLMHL	29N2460DTRMHL	HPL	$ 1880	24	60	29⅛			20.3
29N2460DTLMHLL	29N2460DTRMHLL	TFL	1635	24	60	29⅛			20.3
29N2472DTLMHL	29N2472DTRMHL	HPL	$ 2014	24	72	29⅛			20.8
29N2472DTLMHLL	29N2472DTRMHLL	TFL	1751	24	72	29⅛			20.8
29N3060DTLMHL	29N3060DTRMHL	HPL	$ 2014	30⅛	60	29⅛			24.5
29N3060DTLMHLL	29N3060DTRMHLL	TFL	1751	30⅛	60	29⅛			24.5
29N3072DTLMHL	29N3072DTRMHL	HPL	$ 2091	30⅛	72	29⅛			25.1
29N3072DTLMHLL	29N3072DTRMHLL	TFL	1818	30⅛	72	29⅛			25.1

- Lectern sold separately
- 1 adjustable height shelf behind the door

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Pull (if applicable)
4. Grommet
5. End Panel Grommet
6. Locking (if applicable)
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Laminate Chassis Color
10. Paint Color

• See pages 327-329 for all options available in Maneuver

SAMPLE MODEL NUMBERS:

29N2460DTLM1L	V418	6SN	CUT-G17C	GE1R	KRS	418	405	418	405
29N2460DTLMOL	V418	CUT-G17C	GE1R	418	418	405			
29N1818LCL	501	TF							

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW		CUBIC FEET
FACILITATOR DESK WITH OPEN CABINET	**LEFT**	**RIGHT**									
	29N2460DTLMOL	29N2460DTRMOL	HPL	$ 1736	24	60	29⅛	—	—		19.9
	29N2460DTLMOLL	29N2460DTRMOLL	TFL	1509	24	60	29⅛	—	—		19.9
	29N2472DTLMOL	29N2472DTRMOL	HPL	$ 1813	24	72	29⅛	—	—		20.4
	29N2472DTLMOLL	29N2472DTRMOLL	TFL	1576	24	72	29⅛	—	—		20.4
Right shown without lectern	29N3060DTLMOL	29N3060DTRMOL	HPL	$ 1813	30⅛	60	29⅛	—	—		24.2
	29N3060DTLMOLL	29N3060DTRMOLL	TFL	1576	30⅛	60	29⅛	—	—		24.2
	29N3072DTLMOL	29N3072DTRMOL	HPL	$ 1890	30⅛	72	29⅛	—	—		24.8
	29N3072DTLMOLL	29N3072DTRMOLL	TFL	1644	30⅛	72	29⅛	—	—		24.8
Left shown with lectern	• Lectern sold separately										
LECTERN	29N1818LCL			$ 515	18	18	13¾	—	—	21 lbs.	6.0
	29N2418LCL			618	23⅛	18	13¾	—	—	23 lbs.	7.5
Approach view	• Pencil ledge available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, and (503) Satin Nickel Metallic • Specify paint color and laminate color only • 18" lectern for use with 24" deep desk and 24" lectern for use with 30" deep desk										
											
User view											

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

ROUND TABLE



Static



Mobile

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
STATIC BASE			**DI**		**H**			
29N36TRD2L	HPL	$ 662	36⅛	—	29⅛	—	—	3.3
29N48TRD2L	HPL	817	48⅛	—	29⅛	—	—	3.3
29N60TRD2L	HPL	971	58⅜	—	29⅛	—	—	3.3
MOBILE BASE								
29N36TRD2ML	HPL	$ 708	36⅛	—	29⅛	—	—	3.3
29N48TRD2ML	HPL	862	48⅛	—	29⅛	—	—	3.3
29N60TRD2ML	HPL	1017	58⅜	—	29⅛	—	—	3.3

- 4 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Do not specify grommet option

SQUARE TABLE



Static



Mobile

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CUBIC FEET
STATIC BASE								
29N3636TSQ2L	HPL	$ 662	36⅛	36⅛	29⅛	—	—	3.3
29N4848TSQ2L	HPL	817	48⅛	48⅛	29⅛	—	—	3.3
29N6060TSQ2L	HPL	971	58⅜	58⅜	29⅛	—	—	3.3
MOBILE BASE								
29N3636TSQ2ML	HPL	$ 708	36⅛	36⅛	29⅛	—	—	3.3
29N4848TSQ2ML	HPL	862	48⅛	48⅛	29⅛	—	—	3.3
29N6060TSQ2ML	HPL	1017	58⅜	58⅜	29⅛	—	—	3.3

- 4 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Do not specify grommet option

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet (if applicable)
4. Laminate Top Color
5. Paint Color

• See pages 327-329 for all options available in Maneuver

SAMPLE MODEL NUMBERS:

29N36TRD2L VCW 462
29N60TGR2L VCW CW 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
KITE TABLE	**STATIC BASE**								
Static	29N3630TKT2L	HPL	$ 1007	29⅞	36⅛	29⅛	—	—	3.3
	MOBILE BASE								
Mobile	29N3630TKT2ML	HPL	$ 1053	29⅞	36⅛	29⅛	—	—	3.3

- 4 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Do not specify grommet option

	MODEL NO./DESCRIPTION		LIST PRICE	DI		H			CUBIC FEET
GEAR TABLE	**STATIC BASE**								
Static	29N60TGR2L	HPL	$ 1516	58⅜	—	29⅛	—	—	4.5
	MOBILE BASE								
 Mobile	29N60TGR2ML	HPL	$ 1584	58⅜	—	29⅛	—	—	4.5

- 6 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Specify center grommet option

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

SHIELD TABLE

Static

Mobile

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
STATIC BASE								
29N60TSD1L	HPL	$ 1448	58⅜	—	29⅛	—	—	9.9
MOBILE BASE								
29N60TSD1ML	HPL	$ 1489	58⅜	—	29⅛	—	—	9.9

- 3 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Specify center grommet option

SHIELD TABLE

Static



Mobile

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
STATIC BASE								
29N60TSD2L	HPL	$ 1312	58⅜	—	29⅛	—	—	9.9
MOBILE BASE								
29N60TSD2ML	HPL	$ 1399	58⅜	—	29⅛	—	—	9.9

- 3 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Specify center grommet option

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet (if applicable)
4. Laminate Top Color
5. Paint Color

• See pages 327-329 for all options available in Maneuver

SAMPLE MODEL NUMBER:

29N60TSD1L VCW CUT-G33C CW 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
120° TABLE	**STATIC BASE**			**DI**		**H**			
Static	29N60120TDEG1L	HPL	$ 1448	58⅜	–	29⅛	–	–	9.9
	MOBILE BASE								
Mobile	29N60120TDEG1ML	HPL	$ 1489	58⅜	–	29⅛	–	–	9.9

- 3 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Specify center grommet option

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
120° TABLE	**STATIC BASE**			**DI**		**H**			
Static	29N60120TDEG2L	HPL	$ 1582	58⅜	–	29⅛	–	–	9.9
	MOBILE BASE								
 Mobile	29N60120TDEG2ML	HPL	$ 1708	58⅜	–	29⅛	–	–	9.9

- 6 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Specify center grommet option

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
HALF ELLIPSE TABLE	**STATIC BASE**								
 Static	29N3348THDS1L	HPL	$ 909	33	48⅛	29⅛	–	–	6.9
	MOBILE BASE								
Mobile	29N3348THDS1ML	HPL	$ 951	33	48⅛	29⅛	–	–	6.9
	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
HALF ELLIPSE TABLE	**STATIC BASE**								
Static	29N3348THDS2L	HPL	$ 1004	33	48⅛	29⅛	–	–	6.9
	MOBILE BASE								
Mobile	29N3348THDS2ML	HPL	$ 1045	33	48⅛	29⅛	–	–	6.9
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
FLAG TABLE	**STATIC BASE**								
Static	29N3648TFG1L	HPL	$ 828	36⅛	48⅛	29⅛	–	–	8.5
	MOBILE BASE								
Mobile	29N3648TFG1ML	HPL	$ 880	36⅛	48⅛	29⅛	–	–	8.5
	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet (if applicable)
4. Laminate Top Color
5. Paint Color

• See pages 327-329 for all options available in Maneuver

SAMPLE MODEL NUMBER:

29N3348THDS1L VCW CW 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
FLAG TABLE	**STATIC BASE**								
Static	29N3648TFG2L	HPL	$ 882	36⅛	48⅛	29⅛	—	—	8.5
	MOBILE BASE								
Mobile	29N3648TFG2ML	HPL	$ 933	36⅛	48⅛	29⅛	—	—	8.5
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
TRAPEZOID TABLE	**STATIC BASE**								
Static	29N2448TTZ1L	HPL	$ 689	24	48⅛	29⅛	—	—	6.9
	MOBILE BASE								
Mobile	29N2448TTZ1ML	HPL	$ 730	24	48⅛	29⅛	—	—	6.9
	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								
TRAPEZOID TABLE	**STATIC BASE**								
Static	29N2448TTZ2L	HPL	$ 784	24	48⅛	29⅛	—	—	6.9
	MOBILE BASE								
Mobile	29N2448TTZ2ML	HPL	$ 825	24	48⅛	29⅛	—	—	6.9
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option								

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
KIDNEY BEAN TABLE	**STATIC BASE**								
Static	29N3060TKB1L	HPL	$ 859	30⅛	60	29⅛	—	—	6.9
	MOBILE BASE								
Mobile	29N3060TKB1ML	HPL	$ 900	30⅛	60	29⅛	—	—	6.9

- 2 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Do not specify grommet option

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
KIDNEY BEAN TABLE	**STATIC BASE**								
Static	29N3060TKB2L	HPL	$ 954	30⅛	60	29⅛	—	—	6.9
	MOBILE BASE								
Mobile	29N3060TKB2ML	HPL	$ 995	30⅛	60	29⅛	—	—	6.9

- 4 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Do not specify grommet option

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet (if applicable)
4. Laminate Top Color
5. Paint Color

• See pages 327-329 for all options available in Maneuver

SAMPLE MODEL NUMBER:

29N3060TKB1L VCW CW

RECTANGLE TABLE



Static



Mobile

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
STATIC BASE								
29N2448TRT1L	HPL	$ 619	24	48⅛	29⅛	—	—	6.9
29N2460TRT1L	HPL	667	24	60	29⅛	—	—	6.9
29N2472TRT1L	HPL	716	24	71¹⁵⁄₁₆	29⅛	—	—	6.9
29N3048TRT1L	HPL	$ 707	30⅛	48⅛	29⅛	—	—	8.5
29N3060TRT1L	HPL	755	30⅛	60	29⅛	—	—	8.5
29N3072TRT1L	HPL	803	30⅛	71¹⁵⁄₁₆	29⅛	—	—	8.5
MOBILE BASE								
29N2448TRT1ML	HPL	$ 660	24	48⅛	29⅛	—	—	6.9
29N2460TRT1ML	HPL	709	24	60	29⅛	—	—	6.9
29N2472TRT1ML	HPL	757	24	71¹⁵⁄₁₆	29⅛	—	—	6.9
29N3048TRT1ML	HPL	$ 758	30⅛	48⅛	29⅛	—	—	8.5
29N3060TRT1ML	HPL	806	30⅛	60	29⅛	—	—	8.5
29N3072TRT1ML	HPL	855	30⅛	71¹⁵⁄₁₆	29⅛	—	—	8.5

- 2 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Do not specify grommet option

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

RECTANGLE TABLE



Static



Mobile

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CUBIC FEET
STATIC BASE								
29N2448TRT2L	HPL	$ 714	24	48 1/16	29 1/8	—	—	6.9
29N2460TRT2L	HPL	735	24	60	29 1/8	—	—	6.9
29N2472TRT2L	HPL	811	24	71 15/16	29 1/8	—	—	6.9
29N3048TRT2L	HPL	$ 760	30 1/16	48 1/16	29 1/8	—	—	8.5
29N3060TRT2L	HPL	809	30 1/16	60	29 1/8	—	—	8.5
29N3072TRT2L	HPL	857	30 1/16	71 15/16	29 1/8	—	—	8.5
MOBILE BASE								
29N2448TRT2ML	HPL	$ 755	24	48 1/16	29 1/8	—	—	6.9
29N2460TRT2ML	HPL	777	24	60	29 1/8	—	—	6.9
29N2472TRT2ML	HPL	852	24	71 15/16	29 1/8	—	—	6.9
29N3048TRT2ML	HPL	$ 801	30 1/16	48 1/16	29 1/8	—	—	8.5
29N3060TRT2ML	HPL	850	30 1/16	60	29 1/8	—	—	8.5
29N3072TRT2ML	HPL	898	30 1/16	71 15/16	29 1/8	—	—	8.5

- 4 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Do not specify grommet option

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet (if applicable)
4. Laminate Top Color
5. Paint Color

• See pages 327-329 for all options available in Maneuver

SAMPLE MODEL NUMBERS:

29N2448TRT2L VCL CL 501
NAC03ELUPDC

	MODEL NO./DESCRIPTION	GRADE 1	GRADE 2	GRADE 3	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR MODESTY PANEL ⅓ HEIGHT RESIN											
	NAC4212MPA	$ 422	$ 627	$ 699	3/16	41¾	12⅝	—	—	4 lbs.	3.7
	NAC3012MPA	302	448	499	3/16	29¾	12⅝	—	—	3 lbs.	3.6

• Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
• Double sided 3/16" resin
• Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
• 72" desk requires 42" modesty and 60" desk requires 30" modesty

RECTANGULAR MODESTY PANEL ⅓ HEIGHT METAL										
	NAC4212MP2M	$ 422	1/16	41¾	12⅝	—	—	8 lbs.	3.7
	NAC3012MP2M	302	1/16	29¾	12⅝	—	—	6 lbs.	3.6

• Specify Style E for embossed design
• Specify metal color: 462 Cinder, 501 Platinum Metallic, 503 Satin Nickel Metallic and 405 Designer White
• Modesty comes with brackets that attach to the underside of the worksurface
• Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
• Modesty is 16-gauge steel
• 72" desk requires 42" modesty and 60" desk requires 30" modesty

UNDERSURFACE POWER/DATA										
	NAC03ELUPDC	$ 255	3	3	1½	—	—	2 lbs.	0.3

• Can be mounted to the underside of any surface
• Contains 1 electrical outlet and 2 USB ports
• Mounts under surface
• 72" power cord included

WAVEWORKS FLIP/NEST TRAINING TABLES

WAVEWORKS FLIP/NEST TRAINING TABLE SPECIFICATIONS

SIZES

- 18" deep in widths of 48", 60", 72"
- 24" deep in widths of 48", 60", 72"
- 30" deep in widths of 48", 60", 72"

TOPS

- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim profile
- Laminate surfaces are 1⅜" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate)

FINISH APPLICATION

- Veneer tops are finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

RIM PROFILE OPTIONS

- Veneer tops feature a wood rim with six rim profile options
- Laminate tops feature a 3mm PVC rim

MODESTY PANEL OPTION
RESIN OR METAL

- ⅛" thick resin with a white printed film pattern
- Steel stiffener rail flexes to insert into corresponding holes on the table frame
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel

GROMMET/POWER DATA OPTIONS

- Round black nylon grommet (G1C) available for an upcharge
- CUT-G12C or CUT-G17C optional cutouts available for an upcharge
- G12 or G17 one touch pivoting power grommet available; see pages 524-525 and 528-529
- When CUT-G12C or CUT-G17C is ordered with flip/nest table, two undersurface wire managers are installed on underside of surface
- Hardwire solution available for field installation on the one touch pivoting power grommet, see page 524
- Wire/data manager is available for additional cable management, see page 533 for accessories
- Undersurface wire managers available, see page 533 for accessories

FLIP/NEST FUNCTIONALITY

- Release lever allows top to flip vertical for nesting capabilities
- Bases are angled at 20° to allow tables to nest
- Locking casters are standard on user side; non-locking on approach side
- Tables can still nest when optional grommets and/or modesty panels are attached
- Depth of base is 22⅛" for 18" and 24" tables and 28⅜" for 30" tables
- 18" deep training tables will have a 6" gap between the tables when configuring from the approach side due to the base size
- When nesting the tables, the first table is 16" from the wall. Each additional table adds 6½" to the depth
  Example: 18 x 72 flip nest = 72" width x (16" + (6½*9)) = 75" depth for 10 tables

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

LAMINATE TOPS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

• CSL available; see page 8 for program details and upcharge

WOOD RIM

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

RIM PROFILE OPTIONS

PVC SOFTENED RIM

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

PVC REED RIM

NM Natural
HN2 Honey 2
CL Caramel
TF Truffle
AC2 Autumn 2
MC Amber
CW Cordovan
DW Judicial
MH Mocha

TABLE LEG COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

RESIN COLORS

Grade 1
1677 Frosted

Grade 2
2877 Ting Ting
2977 Scribble Cloud

Grade 3
3377 Wisp Silver



Softened Wood (F) **Reed Wood (R)** **Cove Wood (P)** **Zip Wood (Z)** **Concave Wood (C)** **Step Wood (T)** **Softened PVC (V)** **Reed PVC (N)**

GROMMET AND CUTOUT OPTIONS

WaveWorks Flip/Nest Training Tables are available with a G1C grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

- G1C Round Grommet, Black (+$25 list)
- CUT-G12C Cutout for G12 One Touch Pivoting Power Grommet when used with Byrne Interlink System (+$25 list)
- CUT-G17C Cutout for G17 One Touch Pivoting Power Grommet when used with Byrne Interlink System (+$25 list)

• For G12, G17, or hardwire solution, reference pages 524-525 and 528-529

CUT-G12C



CUT-G17C



WAVEWORKS FLIP/NEST TRAINING TABLES

BASE MODEL KEY

W Wood Top/Wood Rim
L Laminate Top/PVC Rim
LL TFL Top

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

FLIP/NEST TABLES

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD TOP—18" DEPTH								
WW1848RTFMW	$ 1553	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFMW	1635	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFMW	1706	18	72	29½	—	—	93 lbs.	6.9
WOOD TOP—24" DEPTH								
WW2448RTFMW	$ 1672	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFMW	1754	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFMW	1826	24	72	29½	—	—	96 lbs.	6.9
WOOD TOP—30" DEPTH								
WW3048RTFMW	$ 1811	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFMW	1894	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFMW	1964	30	72	29½	—	—	98 lbs.	7.1
LAMINATE TOP—18" DEPTH								
WW1848RTFML	$ 1217	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFML	1410	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFML	1447	18	72	29½	—	—	93 lbs.	6.9
LAMINATE TOP—24" DEPTH								
WW2448RTFML	$ 1340	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFML	1531	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFML	1568	24	72	29½	—	—	96 lbs.	6.9
LAMINATE TOP—30" DEPTH								
WW3048RTFML	$ 1480	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFML	1672	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFML	1709	30	72	29½	—	—	98 lbs.	7.1

- Some assembly required
- Locking casters standard on user side
- Depth of base is 22⅝" for 18" and 24" deep training tables
- Depth of base is 28⅜" for 30" deep training tables
- Not recommended for use with edge or clamp mount monitor arms

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Top Sheen (veneer models)
6. Finish/Laminate
7. Paint Color (for legs)

For options, see page 345

SAMPLE MODEL NUMBERS:

WW1848RTFMW	R	X	N	CL	501
WW1848RTFML	V	62	CUT-G12C	462	501

FLIP/NEST TABLES (CONTINUED)

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
TFL TOP—18" DEPTH								
WW1848RTFMLL	$ 975	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFMLL	1128	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFMLL	1158	18	72	29½	—	—	93 lbs.	6.9
TFL TOP—24" DEPTH								
WW2448RTFMLL	$ 1071	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFMLL	1225	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFMLL	1254	24	72	29½	—	—	96 lbs.	6.9
TFL TOP—30" DEPTH								
WW3048RTFMLL	$ 1183	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFMLL	1338	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFMLL	1368	30	72	29½	—	—	98 lbs.	7.1

- Some assembly required
- Locking casters standard on user side
- Depth of base is 22 15/16" for 18" and 24" deep training tables
- Depth of base is 28 3/16" for 30" deep training tables
- Not recommended for use with edge or clamp mount monitor arms

WAVEWORKS FLIP/NEST TRAINING TABLES

PRODUCT SPECIFICATIONS

- Reference Accessories section for wire managers

BASE MODEL KEY

W Wood Top/Wood Rim
L Laminate Top/PVC Rim

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

MODESTY PANEL ⅓ HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW4011MPA9	For 48" Table	$ 447	⅛	40	11	—	—	3 lbs.	3.6
WW5211MPA9	For 60" Table	568	⅛	52	11	—	—	4 lbs.	3.8
WW6411MPA9	For 72" Table	687	⅛	64	11	—	—	5 lbs.	3.9

- Can only be used with flip/nest training tables
- Specify model number only
- ⅛" thick resin with a white printed film pattern
- Modesty is attached to a powder coated steel stiffener rail for rigidity
- Modesty spans from leg-to-leg
- Not recommended for use with 30" deep flip/nest training tables

RECTANGULAR MODESTY PANEL ⅓ HEIGHT RESIN

	GRADE 1	GRADE 2	GRADE 3						
NAC6012MPA	$ 604	$ 896	$ 998	3⁄16	59 11⁄16	12 5⁄8	—	—	5 lbs.	3.9
NAC5412MPA	542	807	900	3⁄16	53 11⁄16	12 5⁄8	—	—	5 lbs.	3.8
NAC4812MPA	482	714	796	3⁄16	47 11⁄16	12 5⁄8	—	—	4 lbs.	3.7
NAC4212MPA	422	627	699	3⁄16	41¾	12 5⁄8	—	—	4 lbs.	3.7
NAC3612MPA	362	540	603	3⁄16	35¾	12 5⁄8	—	—	4 lbs.	3.7
NAC3012MPA	302	448	499	3⁄16	29¾	12 5⁄8	—	—	3 lbs.	3.6
NAC2412MPA	241	360	402	3⁄16	23 13⁄16	12 5⁄8	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided 3⁄16" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

TAPERED MODESTY PANEL ⅓ HEIGHT RESIN

	GRADE 1	GRADE 2	GRADE 3						
NAC6012MPTA	$ 604	$ 896	$ 998	3⁄16	59 11⁄16	12 5⁄8	—	—	5 lbs.	3.9
NAC5412MPTA	542	807	900	3⁄16	53 11⁄16	12 5⁄8	—	—	5 lbs.	3.8
NAC4812MPTA	482	714	796	3⁄16	47 11⁄16	12 5⁄8	—	—	4 lbs.	3.7
NAC4212MPTA	422	627	699	3⁄16	41¾	12 5⁄8	—	—	4 lbs.	3.7
NAC3612MPTA	362	540	603	3⁄16	35¾	12 5⁄8	—	—	4 lbs.	3.7
NAC3012MPTA	302	448	499	3⁄16	29¾	12 5⁄8	—	—	3 lbs.	3.6
NAC2412MPTA	241	360	402	3⁄16	23 13⁄16	12 5⁄8	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided 3⁄16" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

TO ORDER, SPECIFY:

1. Model Number

For options, see page 345

SAMPLE MODEL NUMBER:

NAC6012MP2M E 501

RECTANGULAR MODESTY PANEL
⅓ HEIGHT
METAL



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC6012MP2M	$ 604	1/16	59 11/16	12 5/8	—	—	10 lbs.	3.9
NAC5412MP2M	542	1/16	53 11/16	12 5/8	—	—	10 lbs.	3.8
NAC4812MP2M	482	1/16	47 11/16	12 5/8	—	—	8 lbs.	3.7
NAC4212MP2M	422	1/16	41 3/4	12 5/8	—	—	8 lbs.	3.7
NAC3612MP2M	362	1/16	35 3/4	12 5/8	—	—	8 lbs.	3.7
NAC3012MP2M	302	1/16	29 3/4	12 5/8	—	—	6 lbs.	3.6
NAC2412MP2M	241	1/16	23 13/16	12 5/8	—	—	6 lbs.	3.6

- Specify Style E for embossed design
- Specify metal color: 462 Cinder, 501 Platinum Metallic, 503 Satin Nickel Metallic and 405 Designer White
- Metal modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Modesty comes with brackets that attach to the underside of the worksurface
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

WAVEWORKS FLIP/NEST TRAINING TABLES

TO ORDER, SPECIFY:

1. Model Number

For options, see page 345

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBER:

NACGBT2

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
GANGING BRACKET	NACGBT2	Table Ganging Bracket Kit	$ 79	–	–	–	–	–	1 lbs.	0.1

- Quantity of 6 (set of 3 pairs) hook and loop "dog bone" shaped brackets
- All hardware included
- Available in black only
- Specify model number only

LEVELING GANGING BRACKET	NAC18LGB	Table Ganging Bracket Kit	$ 72	–	–	–	–	–	1 lbs.	0.03
	NAC24LGB	Table Ganging Bracket Kit	97	–	–	–	–	–	2 lbs.	0.03



- NAC18LGB to be used with 18" deep flip/nest table surfaces
- NAC24LGB to be used with 24" and 30" deep flip/nest table surfaces
- For use when completely level surfaces are desired
- Tables feature threaded inserts for ganging brackets
- One model to be ordered per flip/nest training table

WAVEWORKS TRAINING WORKSURFACE SPECIFICATIONS

SIZES

- 18" deep in widths of 30"–72"
- 24" deep in widths of 30"–72"
- 30" deep in widths of 48"–72"

TOPS

- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim
- Laminate surfaces are 1⅜" HPL [high pressure laminate) or 1⅛" TFL (thermally fused laminate)

FINISH APPLICATION

- Veneer tops are finished with IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

RIM PROFILE OPTIONS

- Veneer tops feature a wood rim with six rim profile options
- Laminate tops feature a 3mm PVC rim or a wood rim with six rim profile options

GROMMET OPTIONS

- Cutout option for (G17) One Touch Pivoting Power Grommet
- Round black nylon grommet (G1) available
- Racetrack zinc grommet (G11) available in four colors
- Wire/data managers are available for additional cable management, see page 533 for accessories
- Undersurface wire managers available, see page 533 for accessories

BASES

- Reference page 366 for base matrix requirements
- See pages 370-375 for base options available

WAVEWORKS TRAINING WORKSURFACE SPECIFICATIONS

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

TOP SHEEN OPTIONS

R Standard
N Matte/Satin

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico*
SK Skyline*
SM Sonoma*
TF Truffle
791 Palisander*
792 Sable
793 Acorn*

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

*Not available on laminate/wood models

• CSL available; see page 8 for program details and upcharge

WOOD RIM

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

RIM PROFILE OPTIONS

PVC SOFTENED RIM

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

PVC REED RIM

AC2 Autumn 2
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
MC Amber
MH Mocha
NM Natural
TF Truffle



Softened Wood (F) **Reed Wood (R)** **Cove Wood (P)** **Zip Wood (Z)** **Concave Wood (C)** **Step Wood (T)** **Softened PVC (V)** **Reed PVC (N)**

WORKSURFACE GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Nylon



$25 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1A	Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$30 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNA	Left, Right & Center

Racetrack Grommet, Platinum Metallic



$30 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLA	Left, Right & Center

Racetrack Grommet, Cinder



$30 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBA	Left, Right & Center

Cutout Option for One Touch Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center



- Reference page 248 in the Casegoods Book 2 Price List for cutout locations of CUT-G17



NACG17ELB (Sold Separately)
NACG17ELS (Sold Separately)

- Reference page 528 for pricing and details



NACG172ELB (Sold Separately)
NACG172ELS (Sold Separately)

- Reference page 528 for pricing and details



NACG173ELB (Sold Separately)
NACG173ELS (Sold Separately)

- Reference page 528 for pricing and details

WORKSURFACE WIRE MANAGER

If no wire manager is desired, specify an X (No Wire Manager)

Specify locations and color option
Comes attached to worksurface
$40 list for each location



Locations:

D1B	Back	$40 list
D1L	Left	$40 list
D1R	Right	$40 list
D1LR	Left & Right	$80 list
D1BL	Back & Left	$80 list
D1BR	Back & Right	$80 list

Colors:

403	Chamois
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
485	Dark Chocolate

Sample Option Selections:

D1B425 Wire Manager on Back in Shadow, $40 list
D1BL403 Wire Manager on Back and Left in Chamois, $80 list

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all four sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 248 in the Casegoods Book 2 Price List for grommet locations
- Refer to page 353 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅝" worksurface spans should not exceed 60"; see page 417 in the Casegoods Book 2 Price List for support options
- Refer to pages 519-539 for accessories
- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

W Wood Top/Wood Rim
LW Laminate Top/Wood Rim
L Laminate Top/PVC Rim
LL TFL Top/PVC Rim

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

RECTANGULAR WORKSURFACE
18" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅛" TOP THICKNESS									
WWN1872WSSDW	Wood	$ 797	18⅛	71¹⁵⁄₁₆	1⅛	—	—	57 lbs.	2.3
WWN1872WSSDLW	Laminate/Wood	797	18⅛	71¹⁵⁄₁₆	1⅛	—	—	57 lbs.	2.3
WWN1872WSSDL	Laminate	503	18⅛	71¹⁵⁄₁₆	1⅛	—	—	57 lbs.	2.3
WWN1866WSSDW	Wood	$ 773	18⅛	66	1⅛	—	—	52 lbs.	2.2
WWN1866WSSDLW	Laminate/Wood	773	18⅛	66	1⅛	—	—	52 lbs.	2.2
WWN1866WSSDL	Laminate	476	18⅛	66	1⅛	—	—	52 lbs.	2.2
WWN1860WSSDW	Wood	$ 753	18⅛	60	1⅛	—	—	48 lbs.	2.0
WWN1860WSSDLW	Laminate/Wood	753	18⅛	60	1⅛	—	—	48 lbs.	2.0
WWN1860WSSDL	Laminate	457	18⅛	60	1⅛	—	—	48 lbs.	2.0
WWN1854WSSDW	Wood	$ 736	18⅛	54	1⅛	—	—	43 lbs.	1.8
WWN1854WSSDLW	Laminate/Wood	736	18⅛	54	1⅛	—	—	43 lbs.	1.8
WWN1854WSSDL	Laminate	418	18⅛	54	1⅛	—	—	43 lbs.	1.8
WWN1848WSSDW	Wood	$ 723	18⅛	48⅛	1⅛	—	—	38 lbs.	1.6
WWN1848WSSDLW	Laminate/Wood	723	18⅛	48⅛	1⅛	—	—	38 lbs.	1.6
WWN1848WSSDL	Laminate	388	18⅛	48⅛	1⅛	—	—	38 lbs.	1.6
WWN1842WSSDW	Wood	$ 695	18⅛	42⅛	1⅛	—	—	34 lbs.	1.5
WWN1842WSSDLW	Laminate/Wood	695	18⅛	42⅛	1⅛	—	—	34 lbs.	1.5
WWN1842WSSDL	Laminate	362	18⅛	42⅛	1⅛	—	—	34 lbs.	1.5
WWN1836WSSDW	Wood	$ 676	18⅛	36⅛	1⅛	—	—	29 lbs.	1.3
WWN1836WSSDLW	Laminate/Wood	676	18⅛	36⅛	1⅛	—	—	29 lbs.	1.3
WWN1836WSSDL	Laminate	340	18⅛	36⅛	1⅛	—	—	29 lbs.	1.3
WWN1830WSSDW	Wood	$ 660	18⅛	30⅛	1⅛	—	—	24 lbs.	1.1
WWN1830WSSDLW	Laminate/Wood	660	18⅛	30⅛	1⅛	—	—	24 lbs.	1.1
WWN1830WSSDL	Laminate	317	18⅛	30⅛	1⅛	—	—	24 lbs.	1.1

- Reference page 366 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 353 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 421 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 376
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 376

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Worksurface Sheen (wood models)
10. Laminate Top Color/Veneer Top Finish
11. Veneer Rim Finish (laminate/wood models)

For options, see pages 352-353

SAMPLE MODEL NUMBERS:

WWN1848WSSDW	M	F	X	D1BL403	X	45½	N	MH
WWN1848WSSDL	M	V420	X	D1L420	X	45	420	
WWN1848WSSDLW	M	F	X	D1B420	X	X	MH	MH

RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WW1872WSSDW	Wood	$ 679	18⅛	71⁵⁄₁₆	1⅜	—	—	57 lbs.	2.3
WW1872WSSDLW	Laminate/Wood	679	18⅛	71⁵⁄₁₆	1⅜	—	—	57 lbs.	2.3
WW1872WSSDL	Laminate	387	18⅛	71⁵⁄₁₆	1⅜	—	—	57 lbs.	2.3
WW1872WSSDLL	TFL	310	18⅛	71⁵⁄₁₆	1⅛	—	—	57 lbs.	2.3
WW1866WSSDW	Wood	$ 653	18⅛	66	1⅜	—	—	52 lbs.	2.2
WW1866WSSDLW	Laminate/Wood	653	18⅛	66	1⅜	—	—	52 lbs.	2.2
WW1866WSSDL	Laminate	359	18⅛	66	1⅜	—	—	52 lbs.	2.2
WW1866WSSDLL	TFL	287	18⅛	66	1⅛	—	—	52 lbs.	2.2
WW1860WSSDW	Wood	$ 634	18⅛	60	1⅜	—	—	48 lbs.	2.0
WW1860WSSDLW	Laminate/Wood	634	18⅛	60	1⅜	—	—	48 lbs.	2.0
WW1860WSSDL	Laminate	341	18⅛	60	1⅜	—	—	48 lbs.	2.0
WW1860WSSDLL	TFL	273	18⅛	60	1⅛	—	—	48 lbs.	2.0
WW1854WSSDW	Wood	$ 618	18⅛	54	1⅜	—	—	43 lbs.	1.8
WW1854WSSDLW	Laminate/Wood	618	18⅛	54	1⅜	—	—	43 lbs.	1.8
WW1854WSSDL	Laminate	302	18⅛	54	1⅜	—	—	43 lbs.	1.8
WW1854WSSDLL	TFL	241	18⅛	54	1⅛	—	—	43 lbs.	1.8
WW1848WSSDW	Wood	$ 605	18⅛	48⅛	1⅜	—	—	38 lbs.	1.6
WW1848WSSDLW	Laminate/Wood	605	18⅛	48⅛	1⅜	—	—	38 lbs.	1.6
WW1848WSSDL	Laminate	272	18⅛	48⅛	1⅜	—	—	38 lbs.	1.6
WW1848WSSDLL	TFL	217	18⅛	48⅛	1⅛	—	—	38 lbs.	1.6

- Reference page 366 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 353 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 421 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 376
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 376

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all four sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 248 in the Casegoods Book 2 Price List for grommet locations
- Refer to page 353 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅝" worksurface spans should not exceed 60"; see page 417 in the Casegoods Book 2 Price List for support options
- Refer to pages 519-539 for accessories
- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

W Wood Top/Wood Rim
LW Laminate Top/Wood Rim
L Laminate Top/PVC Rim
LL TFL Top/PVC Rim

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)									
WW1842WSSDW	Wood	$ 577	18⅛	42⅛	1⅜	—	—	34 lbs.	1.5
WW1842WSSDLW	Laminate/Wood	577	18⅛	42⅛	1⅜	—	—	34 lbs.	1.5
WW1842WSSDL	Laminate	246	18⅛	42⅛	1⅜	—	—	34 lbs.	1.5
WW1842WSSDLL	TFL	197	18⅛	42⅛	1⅛	—	—	34 lbs.	1.5
WW1836WSSDW	Wood	$ 556	18⅛	36⅛	1⅜	—	—	29 lbs.	1.3
WW1836WSSDLW	Laminate/Wood	556	18⅛	36⅛	1⅜	—	—	29 lbs.	1.3
WW1836WSSDL	Laminate	224	18⅛	36⅛	1⅜	—	—	29 lbs.	1.3
WW1836WSSDLL	TFL	179	18⅛	36⅛	1⅛	—	—	29 lbs.	1.3
WW1830WSSDW	Wood	$ 541	18⅛	30⅛	1⅜	—	—	24 lbs.	1.1
WW1830WSSDLW	Laminate/Wood	541	18⅛	30⅛	1⅜	—	—	24 lbs.	1.1
WW1830WSSDL	Laminate	202	18⅛	30⅛	1⅜	—	—	24 lbs.	1.1
WW1830WSSDLL	TFL	162	18⅛	30⅛	1⅛	—	—	24 lbs.	1.1

- Reference page 366 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 353 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 421 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 376
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 376

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Worksurface Sheen (wood models)
10. Laminate Top Color/Veneer Top Finish
11. Veneer Rim Finish (laminate/wood models)

For options, see pages 352-353

SAMPLE MODEL NUMBERS:

WW1842WSSDW	M	F	X	D1BL403	X	39⅜	N	MH
WW1842WSSDL	M	V420	X	D1L420	X	39	420	
WW1842WSSDLW	M	F	X	D1B420	X	X	MH	MH

RECTANGULAR WORKSURFACE
24" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅛" TOP THICKNESS									
WWN2472WSSDW	Wood	$ 857	24	71⅝	1⅛	—	—	85 lbs.	3.2
WWN2472WSSDLW	Laminate/Wood	857	24	71⅝	1⅛	—	—	85 lbs.	3.2
WWN2472WSSDL	Laminate	541	24	71⅝	1⅛	—	—	85 lbs.	3.2
WWN2466WSSDW	Wood	$ 831	24	66	1⅛	—	—	81 lbs.	3.0
WWN2466WSSDLW	Laminate/Wood	831	24	66	1⅛	—	—	81 lbs.	3.0
WWN2466WSSDL	Laminate	511	24	66	1⅛	—	—	81 lbs.	3.0
WWN2460WSSDW	Wood	$ 809	24	60	1⅛	—	—	76 lbs.	2.8
WWN2460WSSDLW	Laminate/Wood	809	24	60	1⅛	—	—	76 lbs.	2.8
WWN2460WSSDL	Laminate	492	24	60	1⅛	—	—	76 lbs.	2.8
WWN2454WSSDW	Wood	$ 792	24	54	1⅛	—	—	74 lbs.	2.5
WWN2454WSSDLW	Laminate/Wood	792	24	54	1⅛	—	—	74 lbs.	2.5
WWN2454WSSDL	Laminate	450	24	54	1⅛	—	—	74 lbs.	2.5
WWN2448WSSDW	Wood	$ 778	24	48⅛	1⅛	—	—	67 lbs.	2.3
WWN2448WSSDLW	Laminate/Wood	778	24	48⅛	1⅛	—	—	67 lbs.	2.3
WWN2448WSSDL	Laminate	418	24	48⅛	1⅛	—	—	67 lbs.	2.3
WWN2442WSSDW	Wood	$ 749	24	42⅛	1⅛	—	—	65 lbs.	2.0
WWN2442WSSDLW	Laminate/Wood	749	24	42⅛	1⅛	—	—	65 lbs.	2.0
WWN2442WSSDL	Laminate	389	24	42⅛	1⅛	—	—	65 lbs.	2.0
WWN2436WSSDW	Wood	$ 725	24	36⅛	1⅛	—	—	63 lbs.	1.8
WWN2436WSSDLW	Laminate/Wood	725	24	36⅛	1⅛	—	—	63 lbs.	1.8
WWN2436WSSDL	Laminate	365	24	36⅛	1⅛	—	—	63 lbs.	1.8
WWN2430WSSDW	Wood	$ 711	24	30⅛	1⅛	—	—	61 lbs.	1.5
WWN2430WSSDLW	Laminate/Wood	711	24	30⅛	1⅛	—	—	61 lbs.	1.5
WWN2430WSSDL	Laminate	341	24	30⅛	1⅛	—	—	61 lbs.	1.5

- Reference page 366 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 353 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 421 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 376
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 376

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all four sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 248 in the Casegoods Book 2 Price List for grommet locations
- Refer to page 353 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅜" worksurface spans should not exceed 60"; see page 417 in the Casegoods Book 2 Price List for support options
- Refer to pages 519-539 for accessories
- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

W Wood Top/Wood Rim
LW Laminate Top/Wood Rim
L Laminate Top/PVC Rim
LL TFL Top/PVC Rim

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WW2472WSSDW	Wood	$ 729	24	71⅝	1⅜	—	—	85 lbs.	3.2
WW2472WSSDLW	Laminate/Wood	729	24	71⅝	1⅜	—	—	85 lbs.	3.2
WW2472WSSDL	Laminate	417	24	71⅝	1⅜	—	—	85 lbs.	3.2
WW2472WSSDLL	TFL	334	24	71⅝	1⅛	—	—	85 lbs.	3.2
WW2466WSSDW	Wood	$ 701	24	66	1⅜	—	—	81 lbs.	3.0
WW2466WSSDLW	Laminate/Wood	701	24	66	1⅜	—	—	81 lbs.	3.0
WW2466WSSDL	Laminate	387	24	66	1⅜	—	—	81 lbs.	3.0
WW2466WSSDLL	TFL	310	24	66	1⅛	—	—	81 lbs.	3.0
WW2460WSSDW	Wood	$ 682	24	60	1⅜	—	—	76 lbs.	2.8
WW2460WSSDLW	Laminate/Wood	682	24	60	1⅜	—	—	76 lbs.	2.8
WW2460WSSDL	Laminate	366	24	60	1⅜	—	—	76 lbs.	2.8
WW2460WSSDLL	TFL	293	24	60	1⅛	—	—	76 lbs.	2.8
WW2454WSSDW	Wood	$ 663	24	54	1⅜	—	—	74 lbs.	2.5
WW2454WSSDLW	Laminate/Wood	663	24	54	1⅜	—	—	74 lbs.	2.5
WW2454WSSDL	Laminate	324	24	54	1⅜	—	—	74 lbs.	2.5
WW2454WSSDLL	TFL	260	24	54	1⅛	—	—	74 lbs.	2.5
WW2448WSSDW	Wood	$ 649	24	48⅛	1⅜	—	—	67 lbs.	2.3
WW2448WSSDLW	Laminate/Wood	649	24	48⅛	1⅜	—	—	67 lbs.	2.3
WW2448WSSDL	Laminate	294	24	48⅛	1⅜	—	—	67 lbs.	2.3
WW2448WSSDLL	TFL	236	24	48⅛	1⅛	—	—	67 lbs.	2.3

- Reference page 366 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 353 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 421 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 376
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 376

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Worksurface Sheen (wood models)
10. Laminate Top Color/Veneer Top Finish
11. Veneer Rim Finish (laminate/wood models)

For options, see pages 352-353

SAMPLE MODEL NUMBERS:

WW2448WSSDW	M	F	X	D1BL403	X	45½	N	MH
WW2448WSSDL	M	V420	X	D1L420	X	45	420	
WW2448WSSDLW	M	F	X	D1B420	X	X	MH	MH

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)									
WW2442WSSDW	Wood	$ 620	24	42⅛	1⅜	—	—	65 lbs.	2.0
WW2442WSSDLW	Laminate/Wood	620	24	42⅛	1⅜	—	—	65 lbs.	2.0
WW2442WSSDL	Laminate	264	24	42⅛	1⅜	—	—	65 lbs.	2.0
WW2442WSSDLL	TFL	211	24	42⅛	1⅛	—	—	65 lbs.	2.0
WW2436WSSDW	Wood	$ 597	24	36⅛	1⅜	—	—	63 lbs.	1.8
WW2436WSSDLW	Laminate/Wood	597	24	36⅛	1⅜	—	—	63 lbs.	1.8
WW2436WSSDL	Laminate	241	24	36⅛	1⅜	—	—	63 lbs.	1.8
WW2436WSSDLL	TFL	192	24	36⅛	1⅛	—	—	63 lbs.	1.8
WW2430WSSDW	Wood	$ 581	24	30⅛	1⅜	—	—	61 lbs.	1.5
WW2430WSSDLW	Laminate/Wood	581	24	30⅛	1⅜	—	—	61 lbs.	1.5
WW2430WSSDL	Laminate	216	24	30⅛	1⅜	—	—	61 lbs.	1.5
WW2430WSSDLL	TFL	173	24	30⅛	1⅛	—	—	61 lbs.	1.5

- Reference page 366 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 353 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 421 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 376
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 376

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all four sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 248 in the Casegoods Book 2 Price List for grommet locations
- Refer to page 353 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅝" worksurface spans should not exceed 60"; see page 417 in the Casegoods Book 2 Price List for support options
- Refer to pages 519-539 for accessories
- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

W Wood Top/Wood Rim
LW Laminate Top/Wood Rim
L Laminate Top/PVC Rim
LL TFL Top/PVC Rim

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

RECTANGULAR WORKSURFACE 30" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅛" TOP THICKNESS									
WWN3072WSSDW	Wood	$ 943	30⅛	71⅝	1⅛	—	—	95 lbs.	4.0
WWN3072WSSDLW	Laminate/Wood	943	30⅛	71⅝	1⅛	—	—	95 lbs.	4.0
WWN3072WSSDL	Laminate	623	30⅛	71⅝	1⅛	—	—	95 lbs.	4.0
WWN3066WSSDW	Wood	$ 914	30⅛	66	1⅛	—	—	88 lbs.	3.7
WWN3066WSSDLW	Laminate/Wood	914	30⅛	66	1⅛	—	—	88 lbs.	3.7
WWN3066WSSDL	Laminate	582	30⅛	66	1⅛	—	—	88 lbs.	3.7
WWN3060WSSDW	Wood	$ 895	30⅛	60	1⅛	—	—	81 lbs.	3.3
WWN3060WSSDLW	Laminate/Wood	895	30⅛	60	1⅛	—	—	81 lbs.	3.3
WWN3060WSSDL	Laminate	541	30⅛	60	1⅛	—	—	81 lbs.	3.3
WWN3054WSSDW	Wood	$ 879	30⅛	54	1⅛	—	—	74 lbs.	3.0
WWN3054WSSDLW	Laminate/Wood	879	30⅛	54	1⅛	—	—	74 lbs.	3.0
WWN3054WSSDL	Laminate	508	30⅛	54	1⅛	—	—	74 lbs.	3.0
WWN3048WSSDW	Wood	$ 863	30⅛	48	1⅛	—	—	67 lbs.	2.7
WWN3048WSSDLW	Laminate/Wood	863	30⅛	48	1⅛	—	—	67 lbs.	2.7
WWN3048WSSDL	Laminate	473	30⅛	48	1⅛	—	—	67 lbs.	2.7

- Reference page 366 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 353 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 421 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 376
- For undersurface wire manager, see page 376

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Worksurface Sheen (wood models)
10. Laminate Top Color/Veneer Top Finish
11. Veneer Rim Finish (laminate/wood models)

For options, see pages 352-353

SAMPLE MODEL NUMBERS:

WWN3048WSSDW	M	F	X	D1BL403	X	45½	N	MH
WWN3048WSSDL	M	V420	X	D1L420	X	45	420	
WWN3048WSSDLW	M	F	X	D1B420	X	X	MH	MH

RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WW3072WSSDW	Wood	$ 816	30⅛	71⅝	1⅜	—	—	95 lbs.	4.0
WW3072WSSDLW	Laminate/Wood	816	30⅛	71⅝	1⅜	—	—	95 lbs.	4.0
WW3072WSSDL	Laminate	499	30⅛	71⅝	1⅜	—	—	95 lbs.	4.0
WW3072WSSDLL	TFL	399	30⅛	71⅝	1⅛	—	—	95 lbs.	4.0
WW3066WSSDW	Wood	$ 786	30⅛	66	1⅜	—	—	88 lbs.	3.7
WW3066WSSDLW	Laminate/Wood	786	30⅛	66	1⅜	—	—	88 lbs.	3.7
WW3066WSSDL	Laminate	458	30⅛	66	1⅜	—	—	88 lbs.	3.7
WW3066WSSDLL	TFL	366	30⅛	66	1⅛	—	—	88 lbs.	3.7
WW3060WSSDW	Wood	$ 768	30⅛	60	1⅜	—	—	81 lbs.	3.3
WW3060WSSDLW	Laminate/Wood	768	30⅛	60	1⅜	—	—	81 lbs.	3.3
WW3060WSSDL	Laminate	417	30⅛	60	1⅜	—	—	81 lbs.	3.3
WW3060WSSDLL	TFL	334	30⅛	60	1⅛	—	—	81 lbs.	3.3
WW3054WSSDW	Wood	$ 751	30⅛	54	1⅜	—	—	74 lbs.	3.0
WW3054WSSDLW	Laminate/Wood	751	30⅛	54	1⅜	—	—	74 lbs.	3.0
WW3054WSSDL	Laminate	384	30⅛	54	1⅜	—	—	74 lbs.	3.0
WW3054WSSDLL	TFL	307	30⅛	54	1⅛	—	—	74 lbs.	3.0
WW3048WSSDW	Wood	$ 735	30⅛	48	1⅜	—	—	67 lbs.	2.7
WW3048WSSDLW	Laminate/Wood	735	30⅛	48	1⅜	—	—	67 lbs.	2.7
WW3048WSSDL	Laminate	349	30⅛	48	1⅜	—	—	67 lbs.	2.7
WW3048WSSDLL	TFL	279	30⅛	48	1⅛	—	—	67 lbs.	2.7

- Reference page 366 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 353 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 421 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 376
- For undersurface wire manager, see page 376

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all four sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 248 in the Casegoods Book 2 Price List for grommet locations
- Refer to page 353 for grommet upcharge
- Unsupported 1¾6" worksurface spans should not exceed 48"; unsupported 1⅝6" worksurface spans should not exceed 60"; see page 417 in the Casegoods Book 2 Price List for support options
- Refer to pages 519-539 for accessories
- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

W Wood Top/Wood Rim
LW Laminate Top/Wood Rim
L Laminate Top/PVC Rim
LL TFL Top/PVC Rim

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

CONCAVE WORKSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅝6" THICKNESS									
WWN2472WSCCRDW	Wood	$ 1152	24	71¹⁵⁄₁₆	1⅝6	—	—	85 lbs.	3.2
WWN2472WSCCRDLW	Laminate/Wood	1152	24	71¹⁵⁄₁₆	1⅝6	—	—	85 lbs.	3.2
WWN2472WSCCRDL	Laminate	636	24	71¹⁵⁄₁₆	1⅝6	—	—	85 lbs.	3.2
WWN2466WSCCRDW	Wood	$ 1079	24	66	1⅝6	—	—	81 lbs.	3.0
WWN2466WSCCRDLW	Laminate/Wood	1079	24	66	1⅝6	—	—	81 lbs.	3.0
WWN2466WSCCRDL	Laminate	597	24	66	1⅝6	—	—	81 lbs.	3.0
WWN2460WSCCRDW	Wood	$ 1026	24	60	1⅝6	—	—	76 lbs.	2.8
WWN2460WSCCRDLW	Laminate/Wood	1026	24	60	1⅝6	—	—	76 lbs.	2.8
WWN2460WSCCRDL	Laminate	575	24	60	1⅝6	—	—	76 lbs.	2.8
1¾6" THICKNESS									
WW2472WSCCRDW	Wood	$ 1023	24	71¹⁵⁄₁₆	1¾6	—	—	85 lbs.	3.2
WW2472WSCCRDLW	Laminate/Wood	1023	24	71¹⁵⁄₁₆	1¾6	—	—	85 lbs.	3.2
WW2472WSCCRDL	Laminate	511	24	71¹⁵⁄₁₆	1¾6	—	—	85 lbs.	3.2
WW2472WSCCRDLL	TFL	410	24	71¹⁵⁄₁₆	1⅛	—	—	85 lbs.	3.2
WW2466WSCCRDW	Wood	$ 952	24	66	1¾6	—	—	81 lbs.	3.0
WW2466WSCCRDLW	Laminate/Wood	952	24	66	1¾6	—	—	81 lbs.	3.0
WW2466WSCCRDL	Laminate	473	24	66	1¾6	—	—	81 lbs.	3.0
WW2466WSCCRDLL	TFL	379	24	66	1⅛	—	—	81 lbs.	3.0
WW2460WSCCRDW	Wood	$ 896	24	60	1¾6	—	—	76 lbs.	2.8
WW2460WSCCRDLW	Laminate/Wood	896	24	60	1¾6	—	—	76 lbs.	2.8
WW2460WSCCRDL	Laminate	451	24	60	1¾6	—	—	76 lbs.	2.8
WW2460WSCCRDLL	TFL	361	24	60	1⅛	—	—	76 lbs.	2.8

- For use with 23" deep pedestals or for table desking applications
- Wire manager locations: back, right or left, or back and left, or back and right; see page 353 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 421 in the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛6" increments in depth to 9" minimum at no upcharge
- When ordering a worksurface with a size modification, specify desired depth
- For additional worksurface support, specify Undersurface Support Rail, see page 376
- For undersurface wire manager, see page 376

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Worksurface Sheen (wood models)
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

For options, see pages 352-353

SAMPLE MODEL NUMBERS:

WWN2472WSCCRDW	M	F	X	X	23½	R	MH
WWN2472WSCCRDLW	M	F	X	D1L420	X	420	MH
WWN2472WSCCRDL	M	V	420	X	X	420	

HALF ROUND WORKSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN60WSHRDW	Wood	$ 840	30	60	1⁹⁄₁₆	—	—	69 lbs.	2.8
WWN60WSHRDLW	Laminate/Wood	840	30	60	1⁹⁄₁₆	—	—	69 lbs.	2.8
WWN60WSHRDL	Laminate	534	30	60	1⁹⁄₁₆	—	—	69 lbs.	2.8
WWN48WSHRDW	Wood	$ 721	24	48⅛	1⁹⁄₁₆	—	—	57 lbs.	2.3
WWN48WSHRDLW	Laminate/Wood	721	24	48⅛	1⁹⁄₁₆	—	—	57 lbs.	2.3
WWN48WSHRDL	Laminate	465	24	48⅛	1⁹⁄₁₆	—	—	57 lbs.	2.3
1³⁄₁₆" TOP THICKNESS									
WW60WSHRDW	Wood	$ 714	30	60	1³⁄₁₆	—	—	69 lbs.	2.8
WW60WSHRDLW	Laminate/Wood	714	30	60	1³⁄₁₆	—	—	69 lbs.	2.8
WW60WSHRDL	Laminate	409	30	60	1³⁄₁₆	—	—	69 lbs.	2.8
WW60WSHRDLL	TFL	327	30	60	1⅛	—	—	69 lbs.	2.8
WW48WSHRDW	Wood	$ 593	24	48⅛	1³⁄₁₆	—	—	57 lbs.	2.3
WW48WSHRDLW	Laminate/Wood	593	24	48⅛	1³⁄₁₆	—	—	57 lbs.	2.3
WW48WSHRDL	Laminate	341	24	48⅛	1³⁄₁₆	—	—	57 lbs.	2.3
WW48WSHRDLL	TFL	273	24	48⅛	1⅛	—	—	57 lbs.	2.3

- Rim profile on radius edge of surface only
- Only available grommet option is center location
- Do not specify worksurface type
- Wire Manager available on back side-the straight side of the worksurface; see page 353 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 421 in the Casegoods Book 2 Price List
- Modified width and depth not available on this shape
- For undersurface wire manager, see page 376

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- For worksurface type option, specify M (main)

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit
LL TFL Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

QUARTER ROUND WORKSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2424WSQRW	Wood	$ 711	24	24	1³⁄₁₆	—	—	25 lbs.	1.1
WWN2424WSQRLW	Laminate/Wood	711	24	24	1³⁄₁₆	—	—	25 lbs.	1.1
WWN2424WSQRL	Laminate	457	24	24	1³⁄₁₆	—	—	25 lbs.	1.1
• Utilize with 24" deep worksurfaces									
WWN3030WSQRW	Wood	$ 828	30¹⁄₁₆	30¹⁄₁₆	1³⁄₁₆	—	—	33 lbs.	2.0
WWN3030WSQRLW	Laminate/Wood	828	30¹⁄₁₆	30¹⁄₁₆	1³⁄₁₆	—	—	33 lbs.	2.0
WWN3030WSQRL	Laminate	525	30¹⁄₁₆	30¹⁄₁₆	1³⁄₁₆	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurfaces									
WWN3024WSQRW	Wood	$ 1160	30¹⁄₁₆	24	1³⁄₁₆	—	—	33 lbs.	2.0
WWN3024WSQRLW	Laminate/Wood	1160	30¹⁄₁₆	24	1³⁄₁₆	—	—	33 lbs.	2.0
WWN3024WSQRL	Laminate	775	30¹⁄₁₆	24	1³⁄₁₆	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									
WWN2430WSQRW	Wood	$ 1160	24	30¹⁄₁₆	1³⁄₁₆	—	—	33 lbs.	2.0
WWN2430WSQRLW	Laminate/Wood	1160	24	30¹⁄₁₆	1³⁄₁₆	—	—	33 lbs.	2.0
WWN2430WSQRL	Laminate	775	24	30¹⁄₁₆	1³⁄₁₆	—	—	33 lbs.	2.0
• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									

- Rim profile on radius edge of worksurface
- Grommet option not available
- Worksurface uses flat brackets to attach to other worksurfaces and does not require a base

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Worksurface Sheen (wood models)
5. Laminate Top Color/Veneer Top Finish
6. Veneer Rim Finish (combo models)

For options, see pages 352-353

SAMPLE MODEL NUMBERS:

WWN2424WSQRW	R	N	HN
WWN2424WSQRL	V	403	403
WWN2424WSQRLW	R	403	HN

QUARTER ROUND WORKSURFACE (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WW2424WSQRW	Wood	$ 581	24	24	1⅜	—	—	25 lbs.	1.1
WW2424WSQRLW	Laminate/Wood	581	24	24	1⅜	—	—	25 lbs.	1.1
WW2424WSQRL	Laminate	332	24	24	1⅜	—	—	25 lbs.	1.1
WW2424WSQRLL	TFL	266	24	24	1⅜	—	—	25 lbs.	1.1
• Utilize with 24" deep worksurfaces									
WW3030WSQRW	Wood	$ 698	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
WW3030WSQRLW	Laminate/Wood	698	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
WW3030WSQRL	Laminate	400	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
WW3030WSQRLL	TFL	320	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurfaces									
WW3024WSQRW	Wood	$ 1063	30⅛	24	1⅜	—	—	33 lbs.	2.0
WW3024WSQRLW	Laminate/Wood	1063	30⅛	24	1⅜	—	—	33 lbs.	2.0
WW3024WSQRL	Laminate	668	30⅛	24	1⅜	—	—	33 lbs.	2.0
WW3024WSQRLL	TFL	535	30⅛	24	1⅜	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									
WW2430WSQRW	Wood	$ 1063	24	30⅛	1⅜	—	—	33 lbs.	2.0
WW2430WSQRLW	Laminate/Wood	1063	24	30⅛	1⅜	—	—	33 lbs.	2.0
WW2430WSQRL	Laminate	668	24	30⅛	1⅜	—	—	33 lbs.	2.0
WW2430WSQRLL	TFL	535	24	30⅛	1⅜	—	—	33 lbs.	2.0
• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									

- Rim profile on radius edge of worksurface
- Grommet option not available
- Worksurface uses flat brackets to attach to other worksurfaces and does not require a base

METAL BASES

BASE REQUIREMENTS

	18" D  48" - 72"	24" D  48" - 72"	30" D  48" - 72"	24" D  60" - 72"	24" & 30" D  48" & 60"
3" Square Support Base 3" or 4" Round Support Base	(4)	(4)	(4)	(4)	(3)
Static Column Mobile Column	(4) (N/A) for mobile column	(4)	(4)	(4)	(3) 48" (N/A) for mobile column
Adjustable Height Column Pin Leg Adjustable Height Mobile Column Pin Leg	(N/A)	(4)	(4)	(4)	(N/A)
  21" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(2)	(N/A)	(2)	(N/A)
  27" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(N/A)	(2)	(N/A)	(N/A)
21" Static T 21" Mobile T (Sold 2 per box)	(N/A)	(2)	(N/A)	(2)	(N/A)
 Electric Adjustable Base 30" and 24" models	(N/A)	(1) for 24" models (N/A) for 30" models	(1) for 30" models (N/A) for 24" models	(1) for 24" models (N/A) for 30" models	(N/A)
 Manual (Hand Crank) Adjustable Height Base 30" and 24" models	(N/A)	(1) for 24" models (N/A) for 30" models	(1) for 30" models (N/A) for 24" models	(1) for 24" models (N/A) for 30" models	(N/A)

SPAN BETWEEN TABLE LEGS

For leg-based applications, the maximum recommended span of an unsupported 1⅜" thick top is 48" between legs. Additional support is recommended for deflection for longer distances. When using mobile legs with tops that are 60" and greater, undersupport rails are recommended. Reference page 376 for undersurface support rail.

RECTANGULAR TOPS
RECOMMENDED SPAN BETWEEN LEGS
FOR STABILITY AND VISUAL APPEARANCE

LENGTH	1⅜" TOP	
	C-LEG / T-LEG	COLUMN LEG
72"	48"	48"
66"	48"	48"
60"	42"	48"
54"	36"	46"
48"	30"	40"
42"	24"	34"

METAL BASES

PRODUCT SPECIFICATIONS

- Reference page 366 for base requirements

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

4" SUPPORT BASE ROUND



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
			DI		H				
NAC0428SFRNB	Metal	$ 190	4	—	27¾-29¼		—	10 lbs.	1.0
NAC2804SFBW	Wood	516	4	—	27¾-29¼		—	6 lbs.	1.0

- Adjustable glide standard
- Metal base, specify paint colors: (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Metal base, optional upper and lower (CUL) wire management cutout
- Wood base, specify finish: Brighton (IM), Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn (AC), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH)

3" SUPPORT BASE ROUND



NAC0328SFRNB	$ 145	3	—	27¾-29¼		—	8 lbs.	0.8

- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

3" SUPPORT BASE ROUND COUNTER HEIGHT



NAC0334SFRNB	$ 220	3	—	34⅛	—	—	10 lbs.	1.0

- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

3" SUPPORT BASE ROUND BAR HEIGHT



NAC0340SFRNB	$ 250	3	—	40⅜	—	—	11 lbs.	1.1

- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Paint Color (if applicable)
4. Finish (if applicable)

SAMPLE MODEL NUMBERS:

NAC0428SFRNB CUL 501
NAC2804SFBW TF

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
3" SUPPORT BASE SQUARE	NAC0328SFSQB	$ 145	3	3	27¾-29¼		–	8 lbs.	0.8



- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

3" SUPPORT BASE SQUARE COUNTER HEIGHT	NAC0334SFSQB	$ 220	3	–	34⅛	–	–	10 lbs.	1.0



- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

3" SUPPORT BASE SQUARE BAR HEIGHT	NAC0340SFSQB	$ 250	3	–	40⅜	–	–	11 lbs.	1.1



- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

2" SUPPORT BASE SQUARE	NAC0228SFSQB	$ 120	2	2	27¾	–	–	6 lbs.	0.6



- Adjustable glide standard
- Not intended for use with U- and P-shaped desks with modesty
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

METAL BASES

PRODUCT SPECIFICATIONS

- Reference page 366 for base requirements

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COLUMN LEG STATIC			**DI**	**W**	**H**				
	CBV0228COBP	$ 100	2	—	27¾	—	—	6 lbs.	0.6
	• Adjustable glide standard • Some assembly required • Sold one per box • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
COLUMN LEG MOBILE	CBV0228COBMP	$ 120	2	—	27¾	—	—	6 lbs.	0.6
	• Dual wheel locking caster • Some assembly required • Sold one per box • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
ADJUSTABLE HEIGHT COLUMN PIN LEG STATIC	CBV0228COA2BP	$ 200	1½	—	24⅝-33⅜	—		6 lbs.	0.6
	• Sold two per box • Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed • Optional paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
ADJUSTABLE HEIGHT COLUMN PIN LEG MOBILE	CBV0228COA2BMP	$ 220	1½	—	26⅜-35⅜	—		6 lbs.	0.6
	• Sold two per box • Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed • Optional paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic								

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBERS:

CBV0228COBP CUL 501 462
CBV2728CL2BP CUL 501 501

C-LEG BASE STATIC



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV2728CL2BP		$ 560	2½	26⅝	27¾	—	—	30 lbs.	7.2
CBV2128CL2BP		500	2½	20½	27¾	—	—	26 lbs.	2.8

- Adjustable glides standard
- Some assembly required
- Sold two per box
- Grommets should be field installed on surfaces utilizing a C-leg
- Optional upper and lower (CUL) wire management cutout
- Optional column and foot paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

C-LEG BASE MOBILE



			DI	W	H				
CBV2728CL2BMP		$ 585	2½	26⅝	27¾	—	—	30 lbs.	7.2
CBV2128CL2BMP		525	2½	20½	27¾	—	—	26 lbs.	2.8

- Dual wheel locking casters
- Some assembly required
- Sold two per box
- Grommets should be field installed on surfaces utilizing a C-leg
- Optional upper and lower (CUL) wire management cutout
- Optional column and foot paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

BASIC C-LEG BASE STATIC



CBV2728CL1	Black	$ 243	2	26⅝	27¾	—	—	10 lbs.	3.8
CBV2728CL1S	Platinum Metallic	243	2	26⅝	27¾	—	—	10 lbs.	3.8
CBV2128CL1	Black	$ 222	2	20½	27¾	—	—	9 lbs.	3.0
CBV2128CL1S	Platinum Metallic	222	2	20½	27¾	—	—	9 lbs.	3.0

- Adjustable glides standard
- Grommets should be field installed on surfaces utilizing a C Leg
- Sold one per box

METAL BASES

PRODUCT SPECIFICATIONS

- Reference page 366 for base requirements

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

BASIC C-LEG BASE MOBILE



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV2728CLM1	Black	$ 268	2	26⁹⁄₁₆	27¾	—	—	10 lbs.	3.8
CBV2728CLM1S	Platinum Metallic	268	2	26⁹⁄₁₆	27¾	—	—	10 lbs.	3.8
CBV2128CLM1	Black	$ 243	2	20½	27¾	—	—	9 lbs.	3.0
CBV2128CLM1S	Platinum Metallic	243	2	20½	27¾	—	—	9 lbs.	3.0

- Dual wheel locking casters
- Grommets should be field installed on surfaces utilizing a C Leg
- Sold one per box

ADJUSTABLE HEIGHT STATIC C-LEG PIN ADJUSTMENT



CBV2628CLA2B	Cinder	$ 845	2¼	26¾	24¾-33⅜	—		11 lbs.	7.2
CBV2628CLA2S	Platinum Metallic	845	2¼	26¾	24¾-33⅜	—		11 lbs.	7.2
CBV2628CLA2N	Satin Nickel Metallic	845	2¼	26¾	24¾-33⅜	—		11 lbs.	7.2
CBV2128CLA2B	Cinder	$ 788	2¼	21¾	24¾-33⅜	—		11 lbs.	2.8
CBV2128CLA2S	Platinum Metallic	788	2¼	21¾	24¾-33⅜	—		11 lbs.	2.8
CBV2128CLA2N	Satin Nickel Metallic	788	2¼	21¾	24¾-33⅜	—		11 lbs.	2.8

- Sold two per box
- Ships fully assembled
- Grommets should be field installed on surfaces utilizing a C-leg

T-LEG BASE STATIC



		DI	W	H				
CBV2128TL2BP	$ 500	2½	20½	27¾	—	—	28 lbs.	5.6

- Adjustable glides standard
- Some assembly required
- Sold two per box
- Optional upper and lower (CUL) wire management cutout
- Optional column and foot paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

T-LEG BASE MOBILE



CBV2128TL2BMP	$ 525	2½	20½	27¾	—	—	28 lbs.	5.6

- Dual wheel locking casters
- Some assembly required
- Sold two per box
- Optional upper and lower (CUL) wire management cutout
- Optional column and foot paint colors available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color (if applicable)
4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBERS:

CBV2728CLM1
CBV2128TL2BP CUL 501 501

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BASIC T-LEG BASE STATIC	CBV2128T1	Black	$ 229	2	20½	27¾	—	—	10 lbs.	3.0
	CBV2128T1S	Platinum Metallic	229	2	20½	27¾	—	—	10 lbs.	3.0



- Adjustable glides standard
- Sold one per box

BASIC T-LEG BASE MOBILE	CBV2128TM1	Black	$ 243	2	20½	27¾	—	—	10 lbs.	3.0
	CBV2128TM1S	Platinum Metallic	243	2	20½	27¾	—	—	10 lbs.	3.0



- Dual wheel locking casters
- Sold one per box

BASIC FOLDING LEG	CBV2128TF (Set)	Black	$ 684	2	20½	27¾	—	—	21 lbs.	2.3



- Includes 2 legs per carton
- Folding leg to be used with 24", 30", and 36" deep worksurfaces
- Folding leg to be used on all 48", 54" and 60" long worksurfaces

METAL BASES

PRODUCT SPECIFICATIONS

- Reference page 366 for base requirements

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

ELECTRIC ADJUSTABLE HEIGHT BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV3072ABEB	Cinder	$ 2093	29	62⅞	25⅜-44⅛		–	67 lbs.	2.3
CBV3072ABES	Platinum Metallic	2093	29	62⅞	25⅜-44⅛		–	67 lbs.	2.3
CBV3072ABEN	Satin Nickel Metallic	2093	29	62⅞	25⅜-44⅛		–	67 lbs.	2.3
CBV3066ABEB	Cinder	$ 2088	29	56⅞	25⅜-44⅛		–	67 lbs.	2.3
CBV3066ABES	Platinum Metallic	2088	29	56⅞	25⅜-44⅛		–	67 lbs.	2.3
CBV3066ABEN	Satin Nickel Metallic	2088	29	56⅞	25⅜-44⅛		–	67 lbs.	2.3
CBV3060ABEB	Cinder	$ 2083	29	50⅞	25⅜-44⅛		–	65 lbs.	2.1
CBV3060ABES	Platinum Metallic	2083	29	50⅞	25⅜-44⅛		–	65 lbs.	2.1
CBV3060ABEN	Satin Nickel Metallic	2083	29	50⅞	25⅜-44⅛		–	65 lbs.	2.1
CBV3048ABEB	Cinder	$ 2026	29	38⅞	25⅜-44⅛		–	65 lbs.	2.1
CBV3048ABES	Platinum Metallic	2026	29	38⅞	25⅜-44⅛		–	65 lbs.	2.1
CBV3048ABEN	Satin Nickel Metallic	2026	29	38⅞	25⅜-44⅛		–	65 lbs.	2.1
CBV2472ABEB	Cinder	$ 1981	23	62⅞	25⅜-44⅛		–	65 lbs.	2.1
CBV2472ABES	Platinum Metallic	1981	23	62⅞	25⅜-44⅛		–	65 lbs.	2.1
CBV2472ABEN	Satin Nickel Metallic	1981	23	62⅞	25⅜-44⅛		–	65 lbs.	2.1
CBV2466ABEB	Cinder	$ 1976	23	56⅞	25⅜-44⅛		–	65 lbs.	2.1
CBV2466ABES	Platinum Metallic	1976	23	56⅞	25⅜-44⅛		–	65 lbs.	2.1
CBV2466ABEN	Satin Nickel Metallic	1976	23	56⅞	25⅜-44⅛		–	65 lbs.	2.1
CBV2460ABEB	Cinder	$ 1970	23	50⅞	25⅜-44⅛		–	64 lbs.	2.1
CBV2460ABES	Platinum Metallic	1970	23	50⅞	25⅜-44⅛		–	64 lbs.	2.1
CBV2460ABEN	Satin Nickel Metallic	1970	23	50⅞	25⅜-44⅛		–	64 lbs.	2.1
CBV2448ABEB	Cinder	$ 1914	23	38⅞	25⅜-44⅛		–	64 lbs.	2.1
CBV2448ABES	Platinum Metallic	1914	23	38⅞	25⅜-44⅛		–	64 lbs.	2.1
CBV2448ABEN	Satin Nickel Metallic	1914	23	38⅞	25⅜-44⅛		–	64 lbs.	2.1

- Reference the model number to specify the approximate worksurface size (ex. CBV**3072**ABEB uses a 30 x 72 top)
- For use with 30" and 24" WaveWorks and Epic worksurfaces
- Rated for maximum of 250 lbs.
- Some assembly required
- All hardware and electrical included
- One touch button allows for up/down adjustment
- Electrical cord is 9' long (108")
- Adjustable glides

TO ORDER, SPECIFY:

1. Model Number

MANUAL (HAND CRANK) ADJUSTABLE HEIGHT BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV3072ABCB	Cinder	$ 1688	29	62⅞	25³⁄₁₆-43½		–	67 lbs.	2.3
CBV3072ABCS	Platinum Metallic	1688	29	62⅞	25³⁄₁₆-43½		–	67 lbs.	2.3
CBV3072ABCN	Satin Nickel Metallic	1688	29	62⅞	25³⁄₁₆-43½		–	67 lbs.	2.3
CBV3066ABCB	Cinder	$ 1633	29	56⅞	25³⁄₁₆-43½		–	67 lbs.	2.3
CBV3066ABCS	Platinum Metallic	1633	29	56⅞	25³⁄₁₆-43½		–	67 lbs.	2.3
CBV3066ABCN	Satin Nickel Metallic	1633	29	56⅞	25³⁄₁₆-43½		–	67 lbs.	2.3
CBV3060ABCB	Cinder	$ 1576	29	50⅞	25³⁄₁₆-43½		–	65 lbs.	2.1
CBV3060ABCS	Platinum Metallic	1576	29	50⅞	25³⁄₁₆-43½		–	65 lbs.	2.1
CBV3060ABCN	Satin Nickel Metallic	1576	29	50⅞	25³⁄₁₆-43½		–	65 lbs.	2.1
CBV3048ABCB	Cinder	$ 1520	29	38⅞	25³⁄₁₆-43½		–	65 lbs.	2.1
CBV3048ABCS	Platinum Metallic	1520	29	38⅞	25³⁄₁₆-43½		–	65 lbs.	2.1
CBV3048ABCN	Satin Nickel Metallic	1520	29	38⅞	25³⁄₁₆-43½		–	65 lbs.	2.1
CBV2472ABCB	Cinder	$ 1418	23	62⅞	25³⁄₁₆-43½		–	65 lbs.	2.1
CBV2472ABCS	Platinum Metallic	1418	23	62⅞	25³⁄₁₆-43½		–	65 lbs.	2.1
CBV2472ABCN	Satin Nickel Metallic	1418	23	62⅞	25³⁄₁₆-43½		–	65 lbs.	2.1
CBV2466ABCB	Cinder	$ 1413	23	56⅞	25³⁄₁₆-43½		–	65 lbs.	2.1
CBV2466ABCS	Platinum Metallic	1413	23	56⅞	25³⁄₁₆-43½		–	65 lbs.	2.1
CBV2466ABCN	Satin Nickel Metallic	1413	23	56⅞	25³⁄₁₆-43½		–	65 lbs.	2.1
CBV2460ABCB	Cinder	$ 1408	23	50⅞	25³⁄₁₆-43½		–	64 lbs.	2.1
CBV2460ABCS	Platinum Metallic	1408	23	50⅞	25³⁄₁₆-43½		–	64 lbs.	2.1
CBV2460ABCN	Satin Nickel Metallic	1408	23	50⅞	25³⁄₁₆-43½		–	64 lbs.	2.1
CBV2448ABCB	Cinder	$ 1350	23	38⅞	25³⁄₁₆-43½		–	64 lbs.	2.1
CBV2448ABCS	Platinum Metallic	1350	23	38⅞	25³⁄₁₆-43½		–	64 lbs.	2.1
CBV2448ABCN	Satin Nickel Metallic	1350	23	38⅞	25³⁄₁₆-43½		–	64 lbs.	2.1

- Reference the model number to specify the approximate worksurface size (ex. CBV**3072**ABCB uses a 30 x 72 top)
- For use with 30" and 24" WaveWorks and Epic worksurfaces
- Rated for maximum of 250 lbs.
- Some assembly required
- All hardware included
- Hand crank takes five full turns per inch of adjustment
- Adjustable glides

METAL BASES

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNDERSURFACE SUPPORT RAIL (WORKSURFACE)	NAC0248SUR		$ 178	2¾	48	1	—	—	5 lbs.	0.5
	NAC0236SUR		152	2¾	36	1	—	—	3 lbs.	0.3



- Specify model number only
- Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1⅜" worksurface and greater than 60" on a 1⅛" worksurface
- Specify the 36" model to be used up to 66" worksurfaces
- Specify the 48" model to be used up to 72" worksurfaces
- Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces

UNDERSURFACE WIRE MANAGER	NAC0403WM	Set of two	$ 41	5¼	2⅝	1¾	—	—	1 lbs.	0.1

- Specify model number only
- Black
- When one touch pivoting power grommet is ordered with flip/nest table, two undersurface wire managers are installed on underside of surface

MESH WIRE MANAGER	NAC0318WMM	Black	$ 88	—	3	17½	—	—	2 lbs.	0.1

- Applicable to all 2½" diameter C, T and X bases
- Wraps around leg and is secured with Velcro®

VERTICAL WIRE MANAGER	NAC0318WMV	Cinder	$ 181	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVS	Platinum Metallic	181	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVN	Satin Nickel Metallic	181	—	3	18	—	—	2 lbs.	0.1

- Applicable to all 2½" diameter C, T and X bases
- Clamps to leg; no hardware required

TO ORDER, SPECIFY:

1. Model Number

MESH MODESTY PANEL



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC5408MPM	$ 243	¼	54	8	—	—	5 lbs.	0.7
NAC4808MPM	215	¼	48	8	—	—	4 lbs.	0.6
NAC4208MPM	191	¼	42	8	—	—	4 lbs.	0.5

- Specify base model only
- Used only for privacy, not support
- Offers horizontal cable management
- Fabric is a black mesh material

"L" ADJUSTABLE HEIGHT BASES

"L" ADJUSTABLE HEIGHT BASE AND WORKSURFACE MATRIX



- The "L" adjustable height base, extended corner component worksurface, and the rectangular component top worksurfaces are all specified separately; base can be used as right handed or left handed
- Extended corner can be ordered as left hand or right hand component tops
- Extended corner component tops should be configured as an extension so there are worksurface mounting brackets
- Rectangular component tops must be ordered in the vertical grain direction
- Epic or WaveWorks component worksurfaces can be utilized with the "L" adjustable height bases
- Rectangular component knife tops must be K1 models
- Not recommended to modify the size of the top from the standard size
- The following matrix shows what size extended corner worksurface and rectangular component top should be specified when ordering the Adjustable Height "L" Base

ELECTRICAL ADJUSTABLE HEIGHT "L" BASE	BASE MODEL NUMBER	COLOR	DEPTH A	DEPTH B	WIDTH A	WIDTH B	EXTENDED CORNER (LEFT OR RIGHT)	RECTANGULAR COMPONENT TOP
	CBV7272ALBEB	Cinder	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBES	Platinum Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBEN	Satin Nickel Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7266ALBEB	Cinder	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBEB	Cinder	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV6666ALBEB	Cinder	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBES	Platinum Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBEN	Satin Nickel Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6072ALBEB	Cinder	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBES	Platinum Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBEN	Satin Nickel Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6066ALBEB	Cinder	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBES	Platinum Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBEN	Satin Nickel Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)

MANUAL (HAND CRANK) ADJUSTABLE HEIGHT "L" BASE	BASE MODEL NUMBER	COLOR	DEPTH A	DEPTH B	WIDTH A	WIDTH B	EXTENDED CORNER (LEFT OR RIGHT)	RECTANGULAR COMPONENT TOP
	CBV7272ALBCB	Cinder	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBCS	Platinum Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBCN	Satin Nickel Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7266ALBCB	Cinder	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCS	Platinum Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCN	Satin Nickel Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCB	Cinder	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBCS	Platinum Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBCN	Satin Nickel Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV6666ALBCB	Cinder	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBCS	Platinum Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBCN	Satin Nickel Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6072ALBCB	Cinder	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBCS	Platinum Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBCN	Satin Nickel Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6066ALBCB	Cinder	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBCS	Platinum Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBCN	Satin Nickel Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)

"L" ADJUSTABLE HEIGHT BASES

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ELECTRICAL ADJUSTABLE HEIGHT "L" BASE KIT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV7272ALBEB	Cinder	$ 3128	23	62⅞	25⅜-44⅛		—	87 lbs.	3.1
CBV7272ALBES	Platinum Metallic	3128	23	62⅞	25⅜-44⅛		—	87 lbs.	3.1
CBV7272ALBEN	Satin Nickel Metallic	3128	23	62⅞	25⅜-44⅛		—	87 lbs.	3.1
CBV7266ALBEB	Cinder	$ 3050	23	62⅞	25⅜-44⅛		—	87 lbs.	3.1
CBV7266ALBES	Platinum Metallic	3050	23	62⅞	25⅜-44⅛		—	87 lbs.	3.1
CBV7266ALBEN	Satin Nickel Metallic	3050	23	62⅞	25⅜-44⅛		—	87 lbs.	3.1
CBV6666ALBEB	Cinder	$ 2972	23	56⅞	25⅜-44⅛		—	87 lbs.	3.1
CBV6666ALBES	Platinum Metallic	2972	23	56⅞	25⅜-44⅛		—	87 lbs.	3.1
CBV6666ALBEN	Satin Nickel Metallic	2972	23	56⅞	25⅜-44⅛		—	87 lbs.	3.1
CBV6072ALBEB	Cinder	$ 2972	23	50⅞	25⅜-44⅛		—	87 lbs.	3.1
CBV6072ALBES	Platinum Metallic	2972	23	50⅞	25⅜-44⅛		—	87 lbs.	3.1
CBV6072ALBEN	Satin Nickel Metallic	2972	23	50⅞	25⅜-44⅛		—	87 lbs.	3.1
CBV6066ALBEB	Cinder	$ 2892	23	50⅞	25⅜-44⅛		—	80 lbs.	2.8
CBV6066ALBES	Platinum Metallic	2892	23	50⅞	25⅜-44⅛		—	80 lbs.	2.8
CBV6066ALBEN	Satin Nickel Metallic	2892	23	50⅞	25⅜-44⅛		—	80 lbs.	2.8

- Rated for a maximum of 300 lbs.
- Reference the matrix on pages 378-379 when specifying the Adjustable Height "L" Base Kit, extended corner component worksurface, and the rectangular component top worksurface
- Can be configured as right or left handed
- Hold button in to move up and down
- Electrical cord is 9' long (108")
- Adjustable glides

TO ORDER, SPECIFY:

1. Model Number

MANUAL (HAND CRANK) ADJUSTABLE HEIGHT "L" BASE KIT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV7272ALBCB	Cinder	$ 2354	23	62⅞	25³⁄₁₆-43½		—	87 lbs.	3.1
CBV7272ALBCS	Platinum Metallic	2354	23	62⅞	25³⁄₁₆-43½		—	87 lbs.	3.1
CBV7272ALBCN	Satin Nickel Metallic	2354	23	62⅞	25³⁄₁₆-43½		—	87 lbs.	3.1
CBV7266ALBCB	Cinder	$ 2273	23	62⅞	25³⁄₁₆-43½		—	87 lbs.	3.1
CBV7266ALBCS	Platinum Metallic	2273	23	62⅞	25³⁄₁₆-43½		—	87 lbs.	3.1
CBV7266ALBCN	Satin Nickel Metallic	2273	23	62⅞	25³⁄₁₆-43½		—	87 lbs.	3.1
CBV6666ALBCB	Cinder	$ 2195	23	56⅞	25³⁄₁₆-43½		—	87 lbs.	3.1
CBV6666ALBCS	Platinum Metallic	2195	23	56⅞	25³⁄₁₆-43½		—	87 lbs.	3.1
CBV6666ALBCN	Satin Nickel Metallic	2195	23	56⅞	25³⁄₁₆-43½		—	87 lbs.	3.1
CBV6072ALBCB	Cinder	$ 2195	23	50⅞	25³⁄₁₆-43½		—	87 lbs.	3.1
CBV6072ALBCS	Platinum Metallic	2195	23	50⅞	25³⁄₁₆-43½		—	87 lbs.	3.1
CBV6072ALBCN	Satin Nickel Metallic	2195	23	50⅞	25³⁄₁₆-43½		—	87 lbs.	3.1
CBV6066ALBCB	Cinder	$ 2116	23	50⅞	25³⁄₁₆-43½		—	80 lbs.	2.8
CBV6066ALBCS	Platinum Metallic	2116	23	50⅞	25³⁄₁₆-43½		—	80 lbs.	2.8
CBV6066ALBCN	Satin Nickel Metallic	2116	23	50⅞	25³⁄₁₆-43½		—	80 lbs.	2.8

- Rated for a maximum of 300 lbs.
- Reference the matrix on pages 378-379 when specifying the Adjustable Height "L" Base Kit, extended corner component worksurface, and the rectangular component top worksurface
- Can be configured as right or left handed
- Hand crank takes five full turns per inch of adjustment
- Adjustable glides

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WAVEWORKS PRODUCT SPECIFICATIONS

WORKSURFACE
- Laminate surfaces are 1³⁄₁₆" or 1⁹⁄₁₆" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate), and feature a 3mm PVC rim or six veneer rim options
- Veneer surfaces are 1³⁄₁₆" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim profile

FINISH APPLICATION
- WaveWorks products finished using IntegraClear® UV technology. IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

RIM PROFILE OPTIONS



Softened Wood (F)

Reed Wood (R)



Cove Wood (P)

Zip Wood (Z)

Concave Wood (C)

Step Wood (T)



Softened PVC (V)

Reed PVC (N)

PVC REED RIM

AC2	Autumn 2
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

PVC SOFTENED RIM

AC2	Autumn 2
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
791	Palisander
792	Sable
793	Acorn

WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
TF	Truffle
792	Sable

WOOD FINISHES

AC2	Autumn 2	MC	Amber
AD	Almond	MH	Mocha
CL	Caramel	NM	Natural
CW	Cordovan	PB	Portobello
DW	Judicial	TF	Truffle
HN2	Honey 2	792	Sable
IM	Brighton		

WORKSURFACE SHEEN OPTIONS

R	Standard
N	Matte/Satin

WORKSURFACE/MODESTY TYPE

M	Main
E	Extension
F	Filler

M = 0 Connecting Worksurface Flat Brackets
E = 2 Connecting Worksurface Flat Brackets
F = 4 Connecting Worksurface Flat Brackets

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2	Autumn 2	NM	Natural
AD	Almond	PB	Portobello
CL	Caramel	PT	Portico*
CW	Cordovan	SK	Skyline*
DW	Judicial	SM	Sonoma*
HN2	Honey 2	TF	Truffle
IM	Brighton	791	Palisander*
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Not available on laminate/wood models

SOLID LAMINATE

405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

• CSL available; see page 8 for program details and upcharge

PATTERN LAMINATE

809	Tungsten Evolv
814	White Tigris
818	Crisp Linen
819	Flax Gauze
820	Paloma Bisque
821	Elemental Concrete
822	Smoke Quarstone
874	Bronze Legacy

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic



$25 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$30 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center

Racetrack Grommet, Cinder



$30 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center

Racetrack Grommet, Platinum Metallic



$30 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center

Cutout Option for One Touch Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center



• Reference page 248 in the Casegoods Book 2 Price List for cutout locations of CUT-G17



NACG17ELB (Sold Separately)
NACG17ELS (Sold Separately)

• Reference page 528 for pricing and details



NACG172ELB (Sold Separately)
NACG172ELS (Sold Separately)

• Reference page 528 for pricing and details

NACG173ELB (Sold Separately)
NACG173ELS (Sold Separately)

• Reference page 528 for pricing and details

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	425	Shadow	462	Cinder
405	Designer White	440	Cloud	478	Platinum Grey
419	Wallaby	461	Graphite	485	Dark Chocolate

"L" CONFIGURATION EPIC WORKSURFACES

EPIC PRODUCT SPECIFICATIONS

WORKSURFACE

- Laminate surfaces are 1⅜" HPL (high pressure laminate), and feature a 3mm PVC or wood rim or a knife rim profile
- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on one (K1) and/or two (K2) sides to simplify space planning

FINISH APPLICATION

- Epic products finished using IntegraClear® UV technology
- IntegraClear® is a water-based, high-performance wood finish that meets or exceeds indoor air quality standards. This proprietary finish is virtually VOC-free, has remarkable durability and allows the natural beauty of veneers to show through

RIM PROFILE OPTIONS



Softened PVC (V)



Softened Wood (F)



Knife (K)

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

WORKSURFACE SHEEN OPTIONS

R Standard
N Matte/Satin

SOFTENED PVC RIM

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
791 Palisander
792 Sable
793 Acorn

WOOD RIM

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
791 Palisander
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

• CSL available; see page 8 for program details and upcharge

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic



$25 list for each grommet

G1L Left
G1R Right
G1LR Left & Right
G1C Center
G1LC Left & Center
G1RC Right & Center
G1A Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$30 list for each grommet

G11SNL Left
G11SNR Right
G11SNLR Left & Right
G11SNC Center
G11SNLC Left & Center
G11SNRC Right & Center
G11SNA Left, Right & Center

Racetrack Grommet, Cinder



$30 list for each grommet

G11MBL Left
G11MBR Right
G11MBLR Left & Right
G11MBC Center
G11MBLC Left & Center
G11MBRC Right & Center
G11MBA Left, Right & Center

Racetrack Grommet, Platinum Metallic



$30 list for each grommet

G11PLL Left
G11PLR Right
G11PLLR Left & Right
G11PLC Center
G11PLLC Left & Center
G11PLRC Right & Center
G11PLA Left, Right & Center

Cutout Option for One Touch Pivoting Power Grommet

$25 list upcharge per cutout location

CUT-G17L Left
CUT-G17R Right
CUT-G17LR Left & Right
CUT-G17C Center
CUT-G17LC Left & Center
CUT-G17RC Right & Center
CUT-G17A Left, Right & Center



• Reference page 248 in the Casegoods Book 2 Price List for cutout locations of CUT-G17



NACG17ELB (Sold Separately)
NACG17ELS (Sold Separately)

• Reference page 528 for pricing and details



NACG172ELB (Sold Separately)
NACG172ELS (Sold Separately)

• Reference page 528 for pricing and details



NACG173ELB (Sold Separately)
NACG173ELS (Sold Separately)

• Reference page 528 for pricing and details

WORKSURFACE/MODESTY TYPE

M Main
E Extension
F Filler

M = 0 Connecting Worksurface Flat Brackets
E = 2 Connecting Worksurface Flat Brackets
F = 4 Connecting Worksurface Flat Brackets

WORKSURFACE WIRE MANAGER COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WAVEWORKS PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all four sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to page 248 in the Casegoods Book 2 Price List for grommet locations; and page 383 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

W	Wood Top/Wood Rim
LW	Laminate Top/Wood Rim
L	Laminate Top/PVC Rim
LL	TFL Top/PVC Rim

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

EXTENDED CORNER WORKSURFACE



Left shown



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS LEFT	**RIGHT**									
WWN3672WSCEDLW2	WWN3672WSCEDRW2	Wood	$ 1370	35¹³⁄₁₆	72	1⁹⁄₁₆	—	—	79 lbs.	3.9
WWN3672WSCEDLLW2	WWN3672WSCEDRLW2	Laminate/Wood	1370	35¹³⁄₁₆	72	1⁹⁄₁₆	—	—	79 lbs.	3.9
WWN3672WSCEDLL2	WWN3672WSCEDRL2	Laminate	1163	35¹³⁄₁₆	72	1⁹⁄₁₆	—	—	79 lbs.	3.9
WWN3666WSCEDLW2	WWN3666WSCEDRW2	Wood	$ 1330	35¹³⁄₁₆	66	1⁹⁄₁₆	—	—	72 lbs.	3.6
WWN3666WSCEDLLW2	WWN3666WSCEDRLW2	Laminate/Wood	1330	35¹³⁄₁₆	66	1⁹⁄₁₆	—	—	72 lbs.	3.6
WWN3666WSCEDLL2	WWN3666WSCEDRL2	Laminate	1108	35¹³⁄₁₆	66	1⁹⁄₁₆	—	—	72 lbs.	3.6
WWN3660WSCEDLW2	WWN3660WSCEDRW2	Wood	$ 1249	35¹³⁄₁₆	60	1⁹⁄₁₆	—	—	65 lbs.	3.3
WWN3660WSCEDLLW2	WWN3660WSCEDRLW2	Laminate/Wood	1249	35¹³⁄₁₆	60	1⁹⁄₁₆	—	—	65 lbs.	3.3
WWN3660WSCEDLL2	WWN3660WSCEDRL2	Laminate	1059	35¹³⁄₁₆	60	1⁹⁄₁₆	—	—	65 lbs.	3.3

- Modified width and depth not available on this shape
- For undersurface wire manager, see page 376

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Worksurface Sheen (wood models)
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

• See pages 382-383 for options

SAMPLE MODEL NUMBERS:

WWN3672WSCEDLW2	E	F		X	D1B403	N	MH
WWN3672WSCEDLL2	E	V420	X	D1L420	420		
WWN3672WSCEDLLW2	E	F		X	D1R420	MH	MH

EXTENDED CORNER WORKSURFACE (CONTINUED)



Left shown



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1¾₁₆" TOP THICKNESS LEFT	**RIGHT**									
WW3672WSCEDLW2	WW3672WSCEDRW2	Wood	$ 1241	35¹³⁄₁₆	72	1³⁄₁₆	—	—	79 lbs.	3.9
WW3672WSCEDLLW2	WW3672WSCEDRLW2	Laminate/Wood	1241	35¹³⁄₁₆	72	1³⁄₁₆	—	—	79 lbs.	3.9
WW3672WSCEDLL2	WW3672WSCEDRL2	Laminate	1036	35¹³⁄₁₆	72	1³⁄₁₆	—	—	79 lbs.	3.9
WW3672WSCEDLLL2	WW3672WSCEDRLL2	TFL	829	35¹³⁄₁₆	72	1⅛	—	—	79 lbs.	3.9
WW3666WSCEDLW2	WW3666WSCEDRW2	Wood	$ 1199	35¹³⁄₁₆	66	1³⁄₁₆	—	—	72 lbs.	3.6
WW3666WSCEDLLW2	WW3666WSCEDRLW2	Laminate/Wood	1199	35¹³⁄₁₆	66	1³⁄₁₆	—	—	72 lbs.	3.6
WW3666WSCEDLL2	WW3666WSCEDRL2	Laminate	984	35¹³⁄₁₆	66	1³⁄₁₆	—	—	72 lbs.	3.6
WW3666WSCEDLLL2	WW3666WSCEDRLL2	TFL	787	35¹³⁄₁₆	66	1⅛	—	—	72 lbs.	3.6
WW3660WSCEDLW2	WW3660WSCEDRW2	Wood	$ 1118	35¹³⁄₁₆	60	1³⁄₁₆	—	—	65 lbs.	3.3
WW3660WSCEDLLW2	WW3660WSCEDRLW2	Laminate/Wood	1118	35¹³⁄₁₆	60	1³⁄₁₆	—	—	65 lbs.	3.3
WW3660WSCEDLL2	WW3660WSCEDRL2	Laminate	934	35¹³⁄₁₆	60	1³⁄₁₆	—	—	65 lbs.	3.3
WW3660WSCEDLLL2	WW3660WSCEDRLL2	TFL	748	35¹³⁄₁₆	60	1⅛	—	—	65 lbs.	3.3

• Modified width and depth not available on this shape
• For undersurface wire manager, see page 376

"L" CONFIGURATION EPIC WORKSURFACES

EPIC PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all four sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXTENDED CORNER WORKSURFACE



Left shown



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM										
LEFT	**RIGHT**									
25N3672WSCELW2	25N3672WSCERW2	Wood	$ 1241	35 15/16	72	1 3/16	–	–	79 lbs.	3.9
25N3672WSCELL2	25N3672WSCERL2	Laminate	1036	35 15/16	72	1 3/16	–	–	79 lbs.	3.9
25N3666WSCELW2	25N3666WSCERW2	Wood	$ 1199	35 15/16	66	1 3/16	–	–	72 lbs.	3.6
25N3666WSCELL2	25N3666WSCERL2	Laminate	984	35 15/16	66	1 3/16	–	–	72 lbs.	3.6
25N3660WSCELW2	25N3660WSCERW2	Wood	$ 1118	35 15/16	60	1 3/16	–	–	65 lbs.	3.3
25N3660WSCELL2	25N3660WSCERL2	Laminate	934	35 15/16	60	1 3/16	–	–	65 lbs.	3.3
KNIFE RIM										
LEFT	**RIGHT**									
25N3672WSCELW2K1	25N3672WSCERW2K1	Wood	$ 1615	36 1/16	71 15/16	1 3/16	–	–	79 lbs.	3.9
25N3672WSCELL2K1	25N3672WSCERL2K1	Laminate	1607	36 1/16	71 15/16	1 3/16	–	–	79 lbs.	3.9
25N3666WSCELW2K1	25N3666WSCERW2K1	Wood	$ 1560	36 1/16	66	1 3/16	–	–	72 lbs.	3.6
25N3666WSCELL2K1	25N3666WSCERL2K1	Laminate	1525	36 1/16	66	1 3/16	–	–	72 lbs.	3.6
25N3660WSCELW2K1	25N3660WSCERW2K1	Wood	$ 1453	36 1/16	60	1 3/16	–	–	65 lbs.	3.3
25N3660WSCELL2K1	25N3660WSCERL2K1	Laminate	1448	36 1/16	60	1 3/16	–	–	65 lbs.	3.3

- Modified width and depth not available on this shape
- For undersurface wire manager, see page 376

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color
8. Worksurface Sheen (wood models)

• See pages 384-385 for options

SAMPLE MODEL NUMBER:

25N3672WSCERW2 E V G1A X R MC

EXTENDED CORNER WORKSURFACE (CONTINUED)

Left shown

Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM (CONTINUED)										
LEFT	**RIGHT**									
25N3872WSCELW2K2	25N3872WSCERW2K2	Wood	$ 1615	37½	71¹⁵⁄₁₆	1³⁄₁₆	—	—	79 lbs.	3.9
25N3872WSCELL2K2	25N3872WSCERL2K2	Laminate	1607	37½	71¹⁵⁄₁₆	1³⁄₁₆	—	—	79 lbs.	3.9
25N3866WSCELW2K2	25N3866WSCERW2K2	Wood	$ 1560	37½	66	1³⁄₁₆	—	—	72 lbs.	3.6
25N3866WSCELL2K2	25N3866WSCERL2K2	Laminate	1525	37½	66	1³⁄₁₆	—	—	72 lbs.	3.6
25N3860WSCELW2K2	25N3860WSCERW2K2	Wood	$ 1453	37½	60	1³⁄₁₆	—	—	65 lbs.	3.3
25N3860WSCELL2K2	25N3860WSCERL2K2	Laminate	1448	37½	60	1³⁄₁₆	—	—	65 lbs.	3.3

• Modified width and depth not available on this shape
• For undersurface wire manager, see page 376

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WAVEWORKS PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all four sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to page 248 in the Casegoods Book 2 Price List for grommet locations; and page 383 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim
L Laminate Unit
LL TFL Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

RECTANGULAR WORKSURFACE 24" DEPTH



Direction of arrow designates woodgrain direction

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 9/16" TOP THICKNESS									
WWN2436WSSVDW	Wood	$ 725	24	36 1/16	1 9/16	—	—	63 lbs.	1.8
WWN2436WSSVDLW	Laminate/Wood	725	24	36 1/16	1 9/16	—	—	63 lbs.	1.8
WWN2436WSSVDL	Laminate	365	24	36 1/16	1 9/16	—	—	63 lbs.	1.8
WWN2430WSSVDW	Wood	$ 711	24	30 1/16	1 9/16	—	—	61 lbs.	1.5
WWN2430WSSVDLW	Laminate/Wood	711	24	30 1/16	1 9/16	—	—	61 lbs.	1.5
WWN2430WSSVDL	Laminate	341	24	30 1/16	1 9/16	—	—	61 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing component worksurfaces

1 3/16" TOP THICKNESS									
WW2436WSSVDW	Wood	$ 597	24	36 1/16	1 3/16	—	—	63 lbs.	1.8
WW2436WSSVDLW	Laminate/Wood	597	24	36 1/16	1 3/16	—	—	63 lbs.	1.8
WW2436WSSVDL	Laminate	241	24	36 1/16	1 3/16	—	—	63 lbs.	1.8
WW2436WSSVDLL	TFL	192	24	36 1/16	1 1/8	—	—	63 lbs.	1.8
WW2430WSSVDW	Wood	$ 581	24	30 1/16	1 3/16	—	—	61 lbs.	1.5
WW2430WSSVDLW	Laminate/Wood	581	24	30 1/16	1 3/16	—	—	61 lbs.	1.5
WW2430WSSVDL	Laminate	216	24	30 1/16	1 3/16	—	—	61 lbs.	1.5
WW2430WSSVDLL	TFL	173	24	30 1/16	1 1/8	—	—	61 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing component worksurfaces
- For undersurface wire manager, see page 376

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Worksurface Sheen (wood models)
10. Laminate Top Color/Veneer Top Finish
11. Veneer Rim Finish (laminate/wood models)

• See pages 384-385 for options

SAMPLE MODEL NUMBERS:

WWN2436WSSVDW	M	F	X	D1BL403	X	55½	N	MH
WWN2436WSSVDL	M	V420	X	D1L420	X	55	420	
WWN2436WSSVDLW	M	F	X	D1B420	X	X	MH	MH

RECTANGULAR WORKSURFACE 24" DEPTH



Grain direction runs front-to-back

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N2436WSSVW	Wood	$ 597	24	36⅛	1⅜	—	—	33 lbs.	1.8
25N2436WSSVL	Laminate	241	24	36⅛	1⅜	—	—	33 lbs.	1.8
25N2430WSSVW	Wood	$ 581	24	30⅛	1⅜	—	—	28 lbs.	1.5
25N2430WSSVL	Laminate	216	24	30⅛	1⅜	—	—	28 lbs.	1.5
KNIFE RIM									
25N2636WSSVWK1	Wood	$ 777	25½	36⅛	1⅜	—	—	33 lbs.	1.8
25N2636WSSVLK1	Laminate	374	25½	36⅛	1⅜	—	—	33 lbs.	1.8
25N2630WSSVWK1	Wood	$ 755	25½	30⅛	1⅜	—	—	28 lbs.	1.5
25N2630WSSVLK1	Laminate	334	25½	30⅛	1⅜	—	—	28 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing components
- For undersurface wire manager, see page 376

"L" CONFIGURATION WORKSURFACES

STORAGE COMPONENTS AND ACCESSORIES

ARROWOOD

Specify selections, left to right:

BASE MODEL	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH (31N only)	LAMINATE (21N only)
31N2472CBVLW	G13LR Black, Left & Right G13C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 AD Almond CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural PB Portobello SM Sonoma TF Truffle 791 Palisander 792 Sable 793 Acorn
31N2472CBVLW	X			MC	

For details and product specifications, see pages 40-41 in the Casegoods Book 1 Price List

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ENTERTAINMENT CREDENZA	31N2472CBVW	Wood	$ 3950	22 25/32	71 13/16	34 15/16	—	—	309 lbs.	36.4
	31N2472CBVLW	Laminate/Wood	3950	22 25/32	71 13/16	34 15/16	—	—	309 lbs.	36.4



- 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick)
- Inside dimension of each storage section is 21" deep x 34½" wide x 23¼" high
- Unfinished back panel
- Cutouts in back panel for venting
- Grommet (G13LR) available
- Rim on front and sides of model
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRINTER/TELEPHONE STAND	31N2430PTLW	Laminate/Wood	$ 1130	23¾	29½	29½	—	—	89 lbs.	18.7
	MPK-4	Set of 4 Casters	69	For use as a mobile unit					1 lbs.	0.2



- Fixed shelf is 12" deep, 27⅜" wide and ¾" thick
- Open back
- Grommet (G13C) available

PRINTER/TELEPHONE STAND	21N2430PTL		$ 721	23¾	29¾	29½	—	—	91 lbs.	14.3
	MPK-4	Set of 4 Casters	69	For use as a mobile unit					1 lbs.	0.2

- Fixed shelf is 12" deep and 27¾" wide and ¾" thick
- Open back
- Grommet (G13C) available

Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
	80AB Provincial 81AB Classic 85AB Verona, Antique Brass 85CN Verona, Classic Nickel	G13C Black, Center X No Grommet	KRB Key Random, Black KS1B Key Specific, Black	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle
50N2172CBVW	80AB	G13C	KRB	R	DW

For details and product specifications, see pages 64-65 in the Casegoods Book 1 Price List

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ENTERTAINMENT CREDENZA	50N2172CBVW	Wood	$ 3884	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBVLW	Laminate/Wood	3884	21	71¾	34½	—	—	379 lbs.	42.9

- Center storage section features an adjustable shelf
- Inside dimension of center storage section is 18½" deep x 32⅜" wide x 30¼" high
- Locking featured on doors only
- Cutouts in back panel for venting
- Unfinished back panel
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

BUFFET CREDENZA	50N2172CBW	Wood	$ 3884	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBLW	Laminate/Wood	3884	21	71¾	34½	—	—	379 lbs.	42.9

- Center storage section features an adjustable shelf
- Inside dimension of center storage section is 18½" deep x 32⅜" wide x 30¼" high
- Locking featured on doors only
- Unfinished back panel
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS1B) available

TELEPHONE STAND	50N2421PTHW	Wood	$ 1374	23¾	20¾	29½	—	—	115 lbs.	13.9
	50N2421PTHLW	Laminate/Wood	1374	23¾	20¾	29½	—	—	115 lbs.	16.0

- Left-hinged door on unit
- Grommet option not available

BARRINGTON

Specify selections, left to right:

BASE MODEL	GROMMET OPTION	SHEEN (wood tops only)	FINISH
	G13C Black, Center X No Grommet	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle
50N2430PTW	G13C	R	DW

For details and product specifications, see pages 64-65 in the Casegoods Book 1 Price List

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PRINTER/TELEPHONE STAND	50N2430PTW	Wood	$ 1464	23¾	29¾	30	—	—	81 lbs.	18.7
	50N2430PTLW	Laminate/Wood	1464	23¾	29¾	30	—	—	81 lbs.	12.3
	MPK-4	Set of 4 casters	69	For use as a mobile unit					1 lbs.	0.2



- Fixed shelf is 12" deep, 26⅛" wide and ¾" thick
- Height from top of shelf to bottom of top is 18³⁄₁₆"
- Open back
- Picture frame molding on sides
- Grommet (G13C) available

TRADITIONAL VISUAL BOARD	50N4240VBW		$ 2370	5	41⅞	39⅔	—	—	72 lbs.	7.4



- Tackable black fabric covers inside panels
- A set of 4 dry erase markers and an eraser are standard
- Frame of visual board is black
- Grommet option not available

Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
36N2473CBVW	TA Oblique TB Slide	70SN Summit, Satin Nickel Metallic 70MB Summit, Cinder 70PL Summit, Platinum Metallic 71SN Spiral, Satin Nickel Metallic 71MB Spiral, Cinder 71PL Spiral, Platinum Metallic	G11SNLR Satin Nickel Metallic, Left & Right G11MBLR Cinder, Left & Right G11PLLR Platinum Metallic, Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
36N2473CBVW	TA	70SN	G11SNLR		R	CW

For details and product specifications, see pages 88-89 in the Casegoods Book 1 Price List

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ENTERTAINMENT CREDENZA	36N2473CBVW	Wood	$ 4607	24	73¼	35⅞	—	—	382 lbs.	49.6
	36N2473CBVLW	HPL Top	4607	24	73¼	35⅞	—	—	382 lbs.	49.6



- Rim and base molding on front and sides of model
- Credenza features an adjustable shelf (21⅛" deep, 33¾" wide and 1" thick)
- Inside dimension of each storage section is 21¼" deep x 34" wide x 25¾" high
- Cutouts in back panel for venting
- Doors are non-locking
- Grommets (G11SNLR, G11MBLR, G11PLLR) available $60 list upcharge
- Unfinished back panel

BUFFET CREDENZA	36N2473CBW	Wood	$ 4607	24	73¼	35⅞	—	—	382 lbs.	49.6
	36N2473CBLW	HPL Top	4607	24	73¼	35⅞	—	—	382 lbs.	49.6



- Rim and base molding on front and sides of model
- Credenza features an adjustable shelf (21⅛" deep, 33¾" wide and 1" thick)
- Inside dimension of each storage section is 21¼" deep x 34" wide x 25¾" high
- Grommet option not available
- Doors are non-locking

ENTERTAINMENT CABINET	36N3773VVHW	Wood	$ 5143	23½	37	73	—	—	311 lbs.	52.1



- Specify rim, pull and finish only
- Cornice and base molding on front and sides of model
- Interior dimensions 21¼" D, 34" W, upper storage 431⅜" H, lower storage 25½" H
- Shaded shelves are adjustable
- Features standard sheen
- Includes grommets in back panel for wire access and venting
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

CASBAH

Specify selections, left to right:

BASE MODEL	FAÇADE PROFILE (wood only)	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH	PAINT COLOR (painted only)
	FL Flat RE Reed*	72SN Balance, Sat. Nick. Met. 72MB Balance, Cinder 72PL Balance, Plat. Met. 73SN Sweep, Sat. Nick. Met. 73MB Sweep, Cinder 73PL Sweep, Plat. Met. 74SN Groove, Sat. Nick. Met. 74MB Groove, Cinder 74PL Groove, Plat. Met.	G11SNC Sat. Nick. Met., Center G11SNLR Sat. Nick. Met., Left & Right G11MBC Cinder, Center G11MBLR Cinder, Left & Right G11PLC Plat. Met., Center G11PLLR Plat. Met., Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS2B Key Specific, Black KS2S Key Specific, Silver KS3B Key Specific, Black KS3S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	462 Cinder 501 Plat. Met. 503 Sat. Nick. Met.
38N2472CBVW	RE	72SN	X	KRB	R	MH	

*10% list upcharge

For details and product specifications, see pages 111-112 in the Casegoods Book 1 Price List

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ENTERTAINMENT CREDENZA									
	**WOOD FAÇADE**								
38N2490CBVW		$ 5782	24	89 15/16	34 1/16	—	—	469 lbs.	56.9
38N2472CBVW		4792	24	71 15/16	34 1/16	—	—	381 lbs.	46.7
	PAINTED FAÇADE								
38N2490CBVWP		$ 5782	24	89 15/16	34 1/16	—	—	469 lbs.	56.9
38N2472CBVWP		4792	24	71 15/16	34 1/16	—	—	381 lbs.	46.7

- Drawers are in the recessed façade detail
- Locking standard on doors
- Credenza features an adjustable shelf (1" thick and 21 3/8" deep)
- (3) shelves in 90" cabinet are each 28 7/16" wide
- (2) shelves in 72" cabinet are each 34 7/16" wide
- Cutouts in back panel for venting
- Grommets available for $30 list upcharge per grommet; 72" unit (G11SNLR, G11MBLR, G11PLLR), 90" unit (G11SNLR, G11MBLR, G11PLLR, G11SNC, G11MBC, G11PLC)
- Unfinished back panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72" units or specified lock core (KS3B, KS3S) available on 90" units

BUFFET CREDENZA									
	**WOOD FAÇADE**								
38N2490CBW	Wood	$ 5782	24	89 15/16	34 1/16	—	—	469 lbs.	56.9
38N2472CBW	Wood	4792	24	71 15/16	34 1/16	—	—	381 lbs.	46.7
	PAINTED FAÇADE								
38N2490CBWP	Wood	$ 5782	24	89 15/16	34 1/16	—	—	469 lbs.	56.9
38N2472CBWP	Wood	4792	24	71 15/16	34 1/16	—	—	381 lbs.	46.7

- Drawers are in the recessed façade detail
- Locking standard on doors
- Credenza features an adjustable laminate shelf (1" thick and 21 3/8" deep)
- (3) shelves in 90" cabinet are each 28 7/16" wide
- (2) shelves in 72" cabinet are each 34 7/16" wide
- Grommet option not available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72" units or specified lock core (KS3B, KS3S) available on 90" units

ENTERTAINMENT CABINET									
	38N3680VVHW	$ 5987	23 9/16	35 7/8	79 1/4	—	—	345 lbs.	56.5
	38N3668VVHW	5347	23 9/16	35 7/8	67 7/16	—	—	299 lbs.	48.6

- Specify pull and finish only
- Features standard sheen
- Interior dimensions for 80" unit:
  22" D, 34 7/16" W, upper storage from the fixed shelf 45 1/2" H, lower storage 23 13/16" H
- Interior dimensions for 68" unit:
  22" D, 34 7/16" W, upper storage from the fixed shelf 33 11/16" H, lower storage 23 13/16" H
- Features an adjustable shelf in lower storage
- Includes grommets in back panel for wire access and venting
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
CLN2472CBVW	77SN Keen, Satin Nickel	G14LR Black, Left & Right X No Grommet	KRB Key Random, Black KS2B Key Specific, Black	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
CLN2472CBVW	77SN	G14LR		R	AC

For details and product specifications, see pages 148-149 in the Casegoods Book 1 Price List

	MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ENTERTAINMENT CREDENZA	CLN2472CBVW	Wood	$ 5358	25½	73¾	34¹³⁄₁₆	–	–	275 lbs.	37.8
	CLN2472CBVLW	Laminate/Wood	5358	25½	73¾	34¹³⁄₁₆	–	–	275 lbs.	37.8

- Cutouts in back panel for venting
- Unit features a semi-finished back
- Features an adjustable shelf behind each set of doors
- Grommet (G14LR) available
- Inside dimension of each storage section is 22" deep x 34½" wide x 24½" high
- Random lock core (KRB) and specified lock core (KS2B) available

SQUARE NESTING TABLE TOP	CLN2424SQW	Wood Top	$ 587	24	24	1¹⁄₁₆	–	–	21 lbs.	0.7
	CLN2424SQLW	Laminate Top	552	24	24	1¹⁄₁₆	–	–	21 lbs.	0.7

- For use with 22" disc base

PRODUCT SPECIFICATION

- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

W Wood Unit
LW Laminate Top/Wood Rim/ Wood Chassis
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBER:

25NN2448CVMSL VMH 89PL G1LR KS2S FR501 461 MH MH

MEDIA STORAGE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM 72"—1⁹⁄₁₆" TOP THICKNESS									
25NN2472CVMSW	Wood	$ 6320	24	72	35⁷⁄₁₆	—	—	383 lbs.	36.3
25NN2472CVMSL	Laminate	5573	24	72	35⁷⁄₁₆	—	—	383 lbs.	36.3
60"—1⁹⁄₁₆" TOP THICKNESS									
25NN2460CVMSW	Wood	$ 6121	24	60	35⁷⁄₁₆	—	—	325 lbs.	28.9
25NN2460CVMSL	Laminate	5369	24	60	35⁷⁄₁₆	—	—	325 lbs.	28.9
48"—1⁹⁄₁₆" TOP THICKNESS									
25NN2448CVMSW	Wood	$ 5919	24	48⅛	35⁷⁄₁₆	—	—	290 lbs.	24.7
25NN2448CVMSL	Laminate	5169	24	48⅛	35⁷⁄₁₆	—	—	290 lbs.	24.7
KNIFE RIM 72"—1⁹⁄₁₆" TOP THICKNESS									
25NN2672CVMSWK1	Wood	$ 6578	25½	72	35⁷⁄₁₆	—	—	383 lbs.	36.3
25NN2672CVMSLK1	Laminate	5870	25½	72	35⁷⁄₁₆	—	—	383 lbs.	36.3
60"—1⁹⁄₁₆" TOP THICKNESS									
25NN2660CVMSWK1	Wood	$ 6362	25½	60	35⁷⁄₁₆	—	—	325 lbs.	28.9
25NN2660CVMSLK1	Laminate	5639	25½	60	35⁷⁄₁₆	—	—	325 lbs.	28.9
48"—1⁹⁄₁₆" TOP THICKNESS									
25NN2648CVMSWK1	Wood	$ 6153	25½	48⅛	35⁷⁄₁₆	—	—	290 lbs.	24.7
25NN2648CVMSLK1	Laminate	5399	25½	48⅛	35⁷⁄₁₆	—	—	290 lbs.	24.7

- Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors
- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front only, 1⁹⁄₁₆" top thickness
- Matching wood grommets in end panels for wire access
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the 25NN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the 25NN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the 25NN2448CVMS models
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Worksurface Sheen (wood models)
11. Veneer Chassis Finish/Laminate Chassis Color

For details and product specifications, see pages 58-63 in the Casegoods Book 2 Price List

ENTERTAINMENT CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM 1⁹⁄₁₆" TOP THICKNESS									
25NN2472CBVW	Wood	$ 4983	24	71¹⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
25NN2472CBVL	Laminate	4070	24	71¹⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
1³⁄₁₆" TOP THICKNESS									
25N2472CBVW	Wood	$ 4443	24	71¹⁵⁄₁₆	35¹⁄₁₆	—	—	381 lbs.	46.7
25N2472CBVL	Laminate	3628	24	71¹⁵⁄₁₆	35¹⁄₁₆	—	—	381 lbs.	46.7
KNIFE RIM 1⁹⁄₁₆" TOP THICKNESS									
25NN2672CBVWK1	Wood	$ 5241	25½	71¹⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
25NN2672CBVLK1	Laminate	4368	25½	71¹⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
1³⁄₁₆" TOP THICKNESS									
25N2672CBVWK1	Wood	$ 4662	25½	71¹⁵⁄₁₆	35¹⁄₁₆	—	—	381 lbs.	46.7
25N2672CBVLK1	Laminate	3856	25½	71¹⁵⁄₁₆	35¹⁄₁₆	—	—	381 lbs.	46.7

- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front only
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATION

- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

BUFFET CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM 1⅜" TOP THICKNESS									
25NN2472CBW	Wood	$ 4983	24	71⅛	35⅞	—	—	381 lbs.	46.7
25NN2472CBL	Laminate	4070	24	71⅛	35⅞	—	—	381 lbs.	46.7
1⅜" TOP THICKNESS									
25N2472CBW	Wood	$ 4443	24	71⅛	35⅛	—	—	381 lbs.	46.7
25N2472CBL	Laminate	3628	24	71⅛	35⅛	—	—	381 lbs.	46.7
KNIFE RIM 1⅜" TOP THICKNESS									
25NN2672CBWK1	Wood	$ 5241	25½	71⅛	35⅞	—	—	381 lbs.	46.7
25NN2672CBLK1	Laminate	4368	25½	71⅛	35⅞	—	—	381 lbs.	46.7
1⅜" TOP THICKNESS									
25N2672CBWK1	Wood	$ 4662	25½	71⅛	35⅛	—	—	381 lbs.	46.7
25N2672CBLK1	Laminate	3856	25½	71⅛	35⅛	—	—	381 lbs.	46.7

- Grommet option not available
- Features an adjustable shelf behind each set of doors
- Rim profile on front only
- Features a fully finished back
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Worksurface Sheen (wood models)
11. Veneer Chassis Finish/Laminate Chassis Color

For details and product specifications, see pages 58-63 in the Casegoods Book 2 Price List

MEDIA STORAGE TOWER SINGLE DOOR



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT HINGED	**RIGHT HINGED**									
25NN1880VSHLW	25NN1880VSHRW	Wood	$ 3235	23⅜	17⅛	79¼	—	—	197 lbs.	31.0
25NN1880VSHLL	25NN1880VSHRL	Laminate	1920	23⅜	17⅛	79¼	—	—	197 lbs.	31.0

- Shaded shelves are adjustable one fixed and four adjustable shelves
- Shortened shelves allow for easy wire access in the back of the cabinet
- Features grommets in end panels for wire access
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less

ESCALADE

Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN	FINISH
ECN2273CBVW	79SN Fluid, Satin Nickel	G1C Black, Center X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
	79SN	G1C	KRB	N	CL

For details and product specifications, see pages 168-169 in the Casegoods Book 1 Price List

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ENTERTAINMENT CREDENZA	ECN2273CBVW	Wood	$ 4449	22¼	72½	35¹¹⁄₁₆	—	—	380 lbs.	45.2



- Rim and base molding on front and sides of model
- Center two doors lock
- Unit features three standard adjustable shelves
- Unit features a functional, non-locking drawer
- Cutouts in back panel for venting
- Grommet (G1C) available
- Inside dimension of center storage section is 19¾" deep x 33¼" wide x 25¼" high
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

BUFFET CREDENZA	ECN2273CBW	Wood	$ 4449	22¼	72½	35¹¹⁄₁₆	—	—	380 lbs.	45.2



- Rim and base molding on front and sides of model
- Center two doors lock
- Unit features three standard adjustable shelves
- Unit features a functional, non-locking drawer
- Grommet option not available
- Inside dimension of center storage section is 19¾" deep x 33¼" wide x 25¼" high
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ENTERTAINMENT CABINET	ECN3879VVHW	Wood	$ 5013	23⁷⁄₁₆	38³⁄₁₆	78½	—	—	340 lbs.	48.9



- Unit features 170º hinges on top two doors
- Back of unit has standard grommets for cord management and for ventilation
- Unit features an adjustable shelf in both the upper and lower sections
- Interior dimensions for upper section 20¹³⁄₁₆" D, 34⅝" W, 47⅛" H
- Do not specify sheen option; features standard sheen
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

MOBILE UTILITY CART	ECN2238MUCW	Wood	$ 2236	22¼	38⅛	35¹¹⁄₁₆	—	—	145 lbs.	24.7

- Can function as a service cart, overhead projector stand or TV cabinet
- Unit features a single adjustable shelf
- Four dual wheel non-locking casters are standard
- Grommet (G1C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL	FINISH	LAMINATE
	IM Brighton	AC2 Autumn 2
	NM Natural	CL Caramel
	HN Honey	CW Cordovan
	CL Caramel	DW Judicial
	TF Truffle	HN2 Honey 2
	AC Autumn	IM Brighton
	MC Amber	MC Amber
	CW Cordovan	MH Mocha
	DW Judicial	NM Natural
	MH Mocha	TF Truffle
ECN0637CPCFW	NM	

For details and product specifications, see pages 168-169 in the Casegoods Book 1 Price List

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
VISUAL BOARD	**WOOD**									
	NAC3639VBW	36"	$ 1806	4 15/16	35 7/8	39 11/16	—	—	65 lbs.	5.9
	NAC4239VBW	42"	2324	4 15/16	41 15/16	39 11/16	—	—	82 lbs.	7.1
	LAMINATE									
	NAC3639VBL	36"	$ 1490	4 15/16	35 7/8	39 11/16	—	—	65 lbs.	5.9
	NAC4239VBL	42"	1727	4 15/16	41 15/16	39 11/16	—	—	82 lbs.	7.1

- All installation hardware included
- Frame of visual board is black
- Tackable black fabric covers inside door panels
- A set of four dry erase markers and an eraser are standard
- Marker board is not magnetic

ESCALADE VISUAL BOARD CORNICE TOP	ECN0637CPCFW	$ 497	5 3/4	37 7/16	3 15/16	—	—	35 lbs.	1.1
	ECN0643CPCFW	575	5 3/4	43 3/8	3 15/16	—	—	40 lbs.	1.3

- ECN0637CPCFW fits on top of NAC3639VBW
- ECN0643CPCFW fits on top of NAC4239VBW

FLOURISH

Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	GROMMET OPTION	LOCKING	FINISH
19N2472CSFW2	TC Fluted TD Eased	83MB Curved, Black 83SV Curved, Platinum Metallic 84MB Elongated, Black 84SV Elongated, Platinum Metallic	G13LR Left & Right X No Grommet	KRB Key Random, Black KRS Key Random, Silver KS1B Key Specific, Black KS1S Key Specific, Silver KS2B Key Specific, Black KS2S Key Specific, Silver	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
TC	83MB		KRB		NM

For details and product specifications, see pages 192-193 in the Casegoods Book 1 Price List

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STORAGE CREDENZA	Q19N2472CSFW2	Wood Top	$ 2692	23⅜	72¼	29	7⁄16	—	320 lbs.	34.4
	19N2472CSFW2	Wood Top	2642	23⅜	72¼	29	7⁄16	—	320 lbs.	34.4
	19N2472CSFLW2	TFL Top	2417	23⅜	72¼	29	7⁄16	—	320 lbs.	34.4
	19N2467CSFW2	Wood Top	$ 2516	23⅜	66½	29	7⁄16	—	299 lbs.	31.1
	19N2467CSFLW2	TFL Top	2294	23⅜	66½	29	7⁄16	—	299 lbs.	31.1

- Features an adjustable shelf measuring 12" deep, 32¾" wide, and 1" thick
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE DOOR UNIT	19N2436PFHW	Wood Top	$ 1463	23⅜	36	29	—	—	156 lbs.	17.0
	19N2436PFHLW	TFL Top	1404	23⅜	36	29	—	—	156 lbs.	17.0

- Unit features an adjustable shelf
- Grommets not available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL	PULL OPTION	GROMMET OPTION	LOCKING	SHEEN (wood tops only)	FINISH
	82AB Antique Brass 82CN Classic Nickel	G13LR Left & Right G13C Center X No Grommet	KRB Key Random, Black KS2B Key Specific, Black	R Standard N Matte/Satin	CW Cordovan DW Judicial MH Mocha TF Truffle
51N2172CSFW2	82AB	X	KRB	N	MH

For details and product specifications, see pages 258-259 in the Casegoods Book 1 Price List

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STORAGE CREDENZA	51N2172CSFW2	Wood Top	$ 2715	21	71¾	29½	—	—	340 lbs.	36.4
	Q51N2172CSFLW2	Laminate Top	2565	21	71¾	29½	—	—	340 lbs.	36.4
	51N2172CSFLW2	Laminate Top	2515	21	71¾	29½	—	—	340 lbs.	36.4

- Features an adjustable laminate shelf which measures 12" deep, 32¼" wide and 1" thick
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

PRINTER/TELEPHONE STAND	51N2430PTW	Wood Top	$ 1450	23¾	29¾	30	—	—	81 lbs.	18.7
	51N2430PTLW	Laminate Top	1420	23¾	29¾	30	—	—	81 lbs.	12.3
	MPK-4	Set of 4 casters	69	For use as a mobile unit					4 lbs.	0.2

- Grommet (G13C) available
- Fixed shelf is 12" deep, 26⅛" wide and ¾" thick
- Height between shelves is 18¾₁₆"
- Open back

UNIVERSAL SPECIFICATIONS

MEDIA WALL
- Internal construction is extruded aluminum
- Four access panels are removable for cord and wire management
- Can be wall mounted, suspended or ganged with WaveWorks media towers and WaveWorks media credenzas
- Maximum TV/Flat panel load not to exceed 200 lbs
- Flat panel mount kit is set for screens weighing 75–125 lbs; if screen weighs less than 75 lbs or more than 125 lbs, an adjustment will be necessary
- Note: It is the responsibility of the installer and/or contractor to select and install the proper fasteners in the structural wall to support the media wall. National does not furnish fasteners or assume liability for their use

MEDIA SHELF
- Sized to coincide with the media walls
- Clear glass shelf (½" thick) on 6⅜" clear anodized aluminum stanchions attached to veneer base
- Can be mounted to underside of media wall or set on a credenza for additional storage space

FLAT SCREEN MOUNT KIT

FIXED
- Tilt range up to 20° (depending on screen size)
- 180° portrait-to-landscape rotation – easy to level
- Lateral shift of 12" (6" left or right)
- No buttons or knobs to adjust
- VESA compliant
- Bolts can be loosened to vertical wall track to allow for easy centering
- Variety of fasteners and spacers included to accommodate most flat panels
- Supports screen sizes 37" to 65" up to 200 lbs
- Flat screen mount kit is set for screens weighing 75–125 lbs; if screen weighs less than 75 lbs or more than 125 lbs, an adjustment will be necessary

VISUAL BOARD
- Tackable black fabric on inside of each door
- A set of 4 dry erase markers and an eraser are included
- Equipped with 165° hinges
- Doors only open to 165°, not flat
- All installation hardware included
- Frame of visual board is black
- Visual board includes pegs to hang flip chart paper

CORD MANAGEMENT
- See individual models for cord management information

FINISH APPLICATION
- IntegraClear® environmentally-friendly UV finish
- IntegraClear® is a water base high-performance wood finish that meets or exceeds indoor air quality standards
- Veneer surfaces are 1⅜₁₆" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim profile

LOCKING
- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked at the factory
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 632 in the Casegoods Book 2 Price List

Specify selections, left to right:

BASE MODEL	RIM PROFILE	PULL OPTION	GROMMET OPTION	SHEEN (wood tops only)	WOOD FINISH	LAMINATES (laminate/wood only)	RIM FINISH (laminate/ wood only)
CCW2472CBVW	A Radius D Bullnose F Softened M Reed J Self (wood only)	6MB Nantucket, Cinder	G1LR Black, Left & Right X No Grommet	R Standard N Matte/Satin	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle	AC2 Autumn 2 CL Caramel CW Cordovan DW Judicial HN2 Honey 2 IM Brighton MC Amber MH Mocha NM Natural TF Truffle 405 Designer White 417 Mojave 418 Mouse 419 Wallaby 425 Shadow 440 Cloud 461 Graphite 462 Cinder 478 Platinum Grey 488 Frosty White 491 Des. White Linear 492 Cinder Linear 809 Tungsten Evolv 814 White Tigris 818 Crisp Linen 819 Flax Gauze 820 Paloma Bisque 821 Elemen. Concrete 822 Smoke Quarstone 874 Bronze Legacy	AC Autumn CL Caramel CW Cordovan DW Judicial HN Honey IM Brighton MC Amber MH Mocha NM Natural TF Truffle
CCW2472CBVW	A	6MB	G1LR	R	AC		

ENTERTAINMENT CREDENZA



1⅜" TOP THICKNESS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CCW2472CBVW	Wood-J	$ 3436	24	72	35	—	—	320 lbs.	43.0
CCW2472CBVW	Wood-A,D,F,M	4009	24	72	35	—	—	320 lbs.	43.0
CCW2472CBVLW	Laminate/Wood-A,D,F,M	4009	24	72	35	—	—	320 lbs.	43.0

- Rim and chassis must be the same finish
- Cutouts in back panel for venting
- Grommet (G1LR) available $50 list upcharge
- Features WaveWorks Nantucket pulls in cinder
- Unfinished back panel
- Features an adjustable shelf behind each set of double doors
- Inside dimension of each storage section is 22" deep x 34½" wide x 24½" high
- Unit is non-locking

BUFFET CREDENZA



1⅜" TOP THICKNESS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CCW2472CBW	Wood-J	$ 3436	24	72	35	—	—	381 lbs.	49.0
CCW2472CBW	Wood-A,D,F,M	4009	24	72	35	—	—	381 lbs.	49.0
CCW2472CBLW	Laminate/Wood-A,D,F,M	4009	24	72	35	—	—	381 lbs.	49.0

- Rim and chassis must be the same finish
- Features WaveWorks Nantucket pulls in cinder
- Unfinished back panel
- Features an adjustable shelf behind each set of double doors
- Grommet option not available
- Inside dimension of each storage section is 22" deep x 34½" wide x 24½" high
- Unit is non-locking

PRODUCT SPECIFICATION

- WALL MOUNTED SOLUTION – Order wall mounted media wall – media wall will be attached to wall and will not be ganged between media storage towers
- GANGING/WALL MOUNTED SOLUTION – Order ganging/storage mounted media wall – media wall to be mounted to wall but ganged between two media storage towers (page 419) – all ganging bolts to attach to credenza and towers are included
- GANGING/SUSPENDED SOLUTION – Order ganging/storage mounted media wall – media wall to be suspended and attached to media storage towers (page 419). Media storage towers must attach to media credenza (page 418) – all ganging bolts to attach to credenza and towers are included
- For detailed specifications see page 408

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MEDIA WALL	**WOOD—WALL MOUNTED**									
	10N5046MWMW	48"	$ 4281	4	50⅝	46⅜	–	–	72 lbs.	4.9
	10N6246MWMW	60"	4400	4	62⅝	46⅜	–	–	80 lbs.	5.3
	10N7446MWMW	72"	4522	4	74⅝	46⅜	–	–	96 lbs.	5.8
	WOOD—GANGING/STORAGE MOUNTED									
	10N4844MWSW	48"	$ 4281	4	47¹⁵⁄₁₆	43¹³⁄₁₆	–	–	72 lbs.	4.9
	10N6044MWSW	60"	4400	4	59¹⁵⁄₁₆	43¹³⁄₁₆	–	–	80 lbs.	5.3
	10N7244MWSW	72"	4522	4	71¹⁵⁄₁₆	43¹³⁄₁₆	–	–	96 lbs.	5.8
	LAMINATE—WALL MOUNTED									
	10N5046MWML	48"	$ 4040	4	50⅝	46⅜	–	–	72 lbs.	4.9
	10N6246MWML	60"	4160	4	62⅝	46⅜	–	–	80 lbs.	5.3
	10N7446MWML	72"	4281	4	74⅝	46⅜	–	–	96 lbs.	5.8
	LAMINATE—GANGING/STORAGE MOUNTED									
	10N4844MWSL	48"	$ 4040	4	47¹⁵⁄₁₆	43¹³⁄₁₆	–	–	72 lbs.	4.9
	10N6044MWSL	60"	4160	4	59¹⁵⁄₁₆	43¹³⁄₁₆	–	–	80 lbs.	5.3
	10N7244MWSL	72"	4281	4	71¹⁵⁄₁₆	43¹³⁄₁₆	–	–	96 lbs.	5.8

- Flat screen mount kit is included with media wall – customer must specify fixed (F) option
- Media wall can only be suspended when mounted to two media towers and a media credenza
- TV NOT included
- Mounting, suspending or exceeding weight limit on any of the above regulations will result in the warranty being null and void
- Accent margins between panels and around unit are clear anodized aluminum
- Displays exceeding 110 lbs are not recommended for media walls equipped with fixed flat screen mount kits

MEDIA SHELF	10N1848SHGW	48"	$ 2410	18	48	7¼	–	–	40 lbs.	1.6
	10N1860SHGW	60"	2534	18	60	7¼	–	–	48 lbs.	2.0
	10N1872SHGW	72"	2653	18	72	7¼	–	–	56 lbs.	2.3

- Specify finish only
- Set-on surface or media wall mounted
- Media shelf cannot be used when media wall is suspended/ganged to storage credenza and storage towers
- Glass shelf is 13¹³⁄₁₆" deep; wood base is 18" deep
- Stanchions are 6⅜" high
- Weight limits: 48" wide–72 lbs, 60" wide–90 lbs and 72" wide–108 lbs

Specify selections, left to right:

BASE MODEL

10N6246MWMW

FLAT SCREEN MOUNT KIT (media wall)

F Fixed

F

FINISH (wood only)

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

HN

LAMINATES (laminate only)

AC2 Autumn 2
AD Almond
ADH Almond Horizontal
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PBH Portobello Horizontal
PT Portico
PTH Portico Horizontal
SK Skyline
SKH Skyline Horizontal
SM Sonoma
SMH Sonoma Horizontal
TF Truffle
418 Mouse
405 Designer White
417 Mojave
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal
791 Palisander
791H Palisander Horizontal
792 Sable
792H Sable Horizontal
793 Acorn

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
VISUAL BOARD	**WOOD**									
	NAC3639VBW	36"	$ 1806	4 15/16	35 7/8	39 11/16	—	—	65 lbs.	5.9
	NAC4239VBW	42"	2324	4 15/16	41 15/16	39 11/16	—	—	82 lbs.	7.1
	LAMINATE									
	NAC3639VBL	36"	$ 1490	4 15/16	35 7/8	39 11/16	—	—	65 lbs.	5.9
	NAC4239VBL	42"	1727	4 15/16	41 15/16	39 11/16	—	—	82 lbs.	7.1

- All installation hardware included
- Frame of visual board is black
- Tackable black fabric covers inside door panels
- A set of four dry erase markers and an eraser are standard
- Marker board is not magnetic

MARKER BOARD	NAC3048MBW		$ 415	5/8	47 7/8	30	—	—	35 lbs.	1.4



- Installation hardware included
- Specify model number only

UNIVERSAL MOBILE MARKER BOARD FLIP CHART HOLDER	10N3372MBFCHB	Cinder	$ 1683	23 3/8	32 5/8	71 1/4	—	—	50 lbs.	8.6
	10N3372MBFCHS	Platinum Metallic	1683	23 3/8	32 5/8	71 1/4	—	—	50 lbs.	8.6
	10N3372MBFCHN	Satin Nickel Metallic	1683	23 3/8	32 5/8	71 1/4	—	—	50 lbs.	8.6

- Some assembly required
- High gloss, white laminate marker board
- 4 locking casters
- Adjustable brackets to hang flip chart
- Casters are black on the Cinder and Satin Nickel Metallic models; Platinum Metallic models have casters that are black with silver hubcaps

PERSONAL PULL-UP TABLE	10N1622RTPUW	Wood	$ 984	13 3/4	22	28 1/2	—	—	32 lbs.	9.25
	10N1622RTPUL	Laminate	984	13 3/4	22	28 1/2	—	—	32 lbs.	9.25

- 50 lb. weight limit
- Specify metal finish (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Veneer species is maple
- Specify laminate or wood finish; **Laminates** (AC2) Autumn 2, (AD) Almond, (CL) Caramel, (CW) Cordovan, (DW) Judicial, (HN2) Honey 2, (IM) Brighton, (MC) Amber, (MH) Mocha, (NM) Natural, (PB) Portobello, (PT) Portico, (SK) Skyline, (SM) Sonoma, (TF) Truffle, (405) Designer White, (417) Mojave, (418) Mouse, (419) Wallaby, (425) Shadow, (440) Cloud, (461) Graphite, (462) Cinder, (478) Platinum Grey, (488) Frosty White, (491) Designer White Linear, (492) Cinder Linear, (791) Palisander, (792) Sable, or (793) Acorn; **Wood Finishes** (AC) Autumn, (AD) Almond, (CL) Caramel, (CW) Cordovan, (DW) Judicial, (HN) Honey, (IM) Brighton, (MC) Amber, (MH) Mocha, (NM) Natural, (PB) Portobello, (PT) Portico, (SK) Skyline, (SM) Sonoma, (TF) Truffle, (405) Designer White, (462) Cinder, (792) Sable, or (793) Acorn

BASE MODEL KEY

W Wood Unit
L Laminate Unit

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

LECTERNS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SET-ON SURFACE									
10N2712LCW	Wood	$ 2164	24	27	12	—	—	45 lbs.	5.9
10N2712LCL	Laminate	1748	24	27	12	—	—	45 lbs.	5.9



Set-on Surface

- Tilted writing surface and trim are Platinum Metallic color, specify 501
- For use on conference tops or any top for impromptu meetings



Basic

BASIC

10N2746LCW	Wood	$ 3616	24	27	46	—	—	160 lbs.	26.2
10N2746LCL	Laminate	3316	24	27	46	—	—	160 lbs.	26.2

- Tilted writing surface and trim are Platinum Metallic color, specify 501
- Adjustable shelf
- Back panels are fully finished



Deluxe

DELUXE

10N2746LC2W	Wood	$ 5727	24	27	46	—	—	175 lbs.	26.2
10N2746LC2L	Laminate	4941	24	27	46	—	—	175 lbs.	26.2

- Tilted writing surface, slide out shelf, step stool and trim are Platinum Metallic color, specify 501
- Included with the deluxe lectern is a microphone, light, slide out shelf and slide out step stool
- Adjustable shelf
- Convenience outlet NAC0902EL5C is included in the deluxe model
- Back panels are fully finished and hinged to allow for wire access
- Slide out shelf dimensions: 12⅞" D x 19⅞" W and has a weight limit of 30 lbs
- Slide out step stool has a weight limit of 250 lbs
- Features two dual wheel casters
- Microphone does not include speakers, must be wired to customer's sound system
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE LECTERN

10N2142LCML	Laminate	$ 929	16⅝	21⅛	42⅜	—	—	30 lbs.	3.5

- HPL writing surface
- Pencil ledge is only available in black
- No CSL on lectern top
- Four double wheel locking casters standard
- Specify Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503) base
- 12° slope for top; not adjustable
- Some assembly required

MULTI-FUNCTIONAL CART



10N2427MUCW	Wood	$ 2622	24	27	34 11/16	—	—	145 lbs.	24.7
10N2427MUCL	Laminate	2261	24	27	34 11/16	—	—	145 lbs.	24.7

- Top surface is Platinum Metallic color, specify 501
- Back panel is fully finished and hinged for easy access to wiring
- Features adjustable shelf
- Grommet standard in top
- Four double wheel non-locking casters standard
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

Specify selections, left to right:

BASE MODEL

10N2427MUCW

LOCKING

KRB	Key Random, Black
KRS	Key Random, Silver
KS1B	Key Specific, Black
KS1S	Key Specific, Silver

KRB

FINISH (wood only)

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
TF	Truffle
792	Sable

CW

LAMINATES (laminate only)

AC2	Autumn 2
AD	Almond
ADH	Almond Horizontal
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PBH	Portobello Horizontal
PT	Portico
PTH	Portico Horizontal
SK	Skyline
SKH	Skyline Horizontal
SM	Sonoma
SMH	Sonoma Horizontal
TF	Truffle
418	Mouse
405	Designer White
417	Mojave
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
491H	Designer White Linear Horizontal
492	Cinder Linear
492H	Cinder Linear Horizontal
791	Palisander
791H	Palisander Horizontal
792	Sable
792H	Sable Horizontal
793	Acorn

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNIVERSAL MOBILE MEDIA CART									
10N3661MMCM	Gun Metal Grey	$ 4668	26	36¼	61	—	—	80 lbs.	9.1



- Some assembly required
- Supports one plasma or LCD screen 37" to 70"; includes mounting bracket, one adjustable height shelf, wire management in rear, adjustable camera platform, and six port power module
- Gun Metal Grey powder coat
- 5" dual wheel casters; 2 locking

WAVEWORKS MEDIA STORAGE SPECIFICATIONS

WORKSURFACES

- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable). All veneer surfaces feature a 3mm wood rim profile
- Laminate surfaces are 1⅜" HPL (high pressure laminate)
- Veneer surfaces feature wood rim which is shaped on front side, with six rim profile options
- Laminate surfaces feature a 3mm PVC rim or a wood rim
- Grain direction runs left-to-right unless otherwise noted

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- ¾" thick modesty panels
- End panels and support panels are 1⅛" thick
- Laminate modesty panels have horizontal grain direction unless noted
- Wood modesty panels have vertical grain direction unless noted
- Back panels are fully finished unless noted

DRAWERS

- Drawers feature five-sided construction allowing for easy removal of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain

DRAWER PULLS

- Available in sixteen pull styles

DRAWER SUSPENSION

- Box drawers are equipped with ¾ extension slides with ball bearing rollers
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- All suspensions have a lifetime warranty

CORD MANAGEMENT

- Refer to page 417 for grommet options

LOCKING

- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked at the factory
- Key Specific means you can pick any number (1-200) for black or (1-50) for silver lock core/key. Must specify the lock core model separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 632 in the Casegoods Book 2 Price List

FINISH APPLICATION

- IntegraClear® environmentally-friendly UV finish
- IntegraClear® is a water based high-performance wood finish that meets or exceeds indoor air quality standards

WAVEWORKS MEDIA STORAGE OPTIONS

RIM PROFILE OPTIONS



Softened Wood (F)

Reed Wood (R)



Cove Wood (P)

Zip Wood (Z)

Concave Wood (C)

Step Wood (T)



Softened PVC (V)

Reed PVC (N)

PVC REED RIM

AC2	Autumn 2
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
TF	Truffle
792	Sable

PVC SOFTENED RIM

AC2	Autumn 2
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
405	Designer White
417	Mojave
418	Mouse
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
791	Palisander
792	Sable
793	Acorn

WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
TF	Truffle
792	Sable

TOP SHEEN OPTIONS

R	Standard
N	Matte/Satin

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico*
SK Skyline*
SM Sonoma*
TF Truffle
791 Palisander*
792 Sable
793 Acorn*

*Not available on laminate/wood models

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

- CSL available; see page 8 for program details and upcharge

PATTERN LAMINATE

809 Tungsten Evolv
814 White Tigris
818 Crisp Linen
819 Flax Gauze
820 Paloma Bisque
821 Elemental Concrete
822 Smoke Quarstone
874 Bronze Legacy

LAMINATE DRAWER/DOOR FRONTS & CHASSIS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
ADH Almond Horizontal
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PBH Portobello Horizontal
PT Portico
PTH Portico Horizontal
SK Skyline
SKH Skyline Horizontal
SM Sonoma
SMH Sonoma Horizontal
TF Truffle
791 Palisander
791H Palisander Horizontal
792 Sable
792H Sable Horizontal
793 Acorn

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

GLASS DOOR ALUMINUM FRAME COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

WAVEWORKS MEDIA STORAGE OPTIONS

PULL OPTIONS



Nantucket (6)
6SN Satin Nickel Metallic
6MB Cinder
6PL Platinum Metallic
(Boring Pattern 128mm)

Malibu (7)
7SN Satin Nickel Metallic
7MB Cinder
7PL Platinum Metallic
(Boring Pattern 128mm)

Newport (75)
75SN Satin Nickel Metallic
75MB Cinder
75PL Platinum Metallic
(Boring Pattern 44.5mm)

Laguna (76)
76SN Satin Nickel Metallic
76MB Cinder
76PL Platinum Metallic
(Boring Pattern 128mm)

Summit (70)
70SN Satin Nickel Metallic
70MB Cinder
70PL Platinum Metallic
(Boring Pattern 128mm)

Spiral (71)
71SN Satin Nickel Metallic
71MB Cinder
71PL Platinum Metallic
(Boring Pattern 128mm)



Balance (72)
72SN Satin Nickel Metallic
72MB Cinder
72PL Platinum Metallic
(Boring Pattern 128mm)

Sweep (73)
73SN Satin Nickel Metallic
73MB Cinder
73PL Platinum Metallic
(Boring Pattern 128mm)

Groove (74)
74SN Satin Nickel Metallic
74MB Cinder
74PL Platinum Metallic
(Boring Pattern 128mm)

Beam (87)
87SN Satin Nickel Metallic
87PL Platinum Metallic
87MB Cinder
(Boring Pattern 128mm)

Level (88)
88SN Satin Nickel Metallic
88MB Cinder
88PL Platinum Metallic
(Boring Pattern 128mm)



Waterfall (89)
89SN Satin Nickel Metallic
89MB Cinder
89PL Platinum Metallic
(Boring Pattern 96mm)



Horizon (91)
91SN Satin Nickel Metallic
91MB Cinder
91PL Platinum Metallic
(Boring Pattern 96mm)

- Horizon pull is always flush to the top left of the door or drawer front

Triangle (1)
1MB Cinder
1PL Platinum Metallic
(Boring Pattern 32mm)

Crescent (2)
2MB Cinder
2PL Platinum Metallic
(Boring Pattern 32mm)

Bar (3)
3MB Cinder
3PL Platinum Metallic
(Boring Pattern 32mm)

Boca (8)
8MB Cinder
8PL Platinum Metallic
(Boring Pattern 128mm)

Marina (9)
9MB Cinder
9PL Platinum Metallic
(Boring Pattern 128mm)

Allure (78)
78MB Cinder
78PL Platinum Metallic
(Boring Pattern 96mm)

Curved (83)
83MB Black
83PL Platinum Metallic
(Boring Pattern 128mm)



Elongated (84)
84MB Black
84PL Platinum Metallic
(Boring Pattern 128mm)

Keen (77)
77SN Satin Nickel
(Boring Pattern 96mm)

GROMMET OPTIONS

Media storage credenzas and entertainment credenzas are available with optional grommets
If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Nylon

$25 list for each grommet

G1LR Left & Right

Racetrack Grommet

$30 list for each grommet

G11SNLR Satin Nickel Metallic Left & Right
G11PLLR Platinum Metallic Left & Right
G11MBLR Cinder Left & Right

LOCKING

KEY RANDOM

KRB Black
KRS Silver

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit
KS2B Black, 2 locks per unit
KS2S Silver, 2 locks per unit

Unit list price will be reduced by $15 per lock when selecting Key Specific option. Must order specific lock cores separately ($15 list each). See page 632 in the Casegoods Book 2 Price List for Key Specific model numbers.

WAVEWORKS

PRODUCT SPECIFICATION

- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

W	Wood Unit
LW	Wood Unit/Laminate Top
L	Laminate Unit
LL	TFL Unit
GW	Glass Door/Wood Unit
GL	Glass Door/Laminate Unit

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

SAMPLE MODEL NUMBERS:

WWN2448CVMSL	N462	7MB	X	462	462
WWN2448CVMSW	Z	7MB	G1LR	N	MH
WWN1880VSHLGW	462	MH			

MEDIA STORAGE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48"—1⅜" TOP THICKNESS									
WWN2448CVMSW	Wood	$ 5286	24	48⅛	35⅞	—	—	290 lbs.	24.7
WWN2448CVMSLW	Laminate/Wood	5286	24	48⅛	35⅞	—	—	290 lbs.	24.7
WWN2448CVMSL	Laminate	4613	24	48⅛	35⅞	—	—	290 lbs.	24.7
60"—1⅜" TOP THICKNESS									
WWN2460CVMSW	Wood	$ 5465	24	60	35⅞	—	—	325 lbs.	28.9
WWN2460CVMSLW	Laminate/Wood	5465	24	60	35⅞	—	—	325 lbs.	28.9
WWN2460CVMSL	Laminate	4796	24	60	35⅞	—	—	325 lbs.	28.9
72"—1⅜" TOP THICKNESS									
WWN2472CVMSW	Wood	$ 5642	24	72	35⅞	—	—	383 lbs.	36.3
WWN2472CVMSLW	Laminate/Wood	5642	24	72	35⅞	—	—	383 lbs.	36.3
WWN2472CVMSL	Laminate	4977	24	72	35⅞	—	—	383 lbs.	36.3

- Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors
- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front and sides only, 1⅜" thick worksurface available
- Matching wood grommets in end panels for wire access
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the WWN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the WWN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the WWN2448CVMS models
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

ENTERTAINMENT CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN2472CBVW	Wood	$ 4450	24	71⅝	35⅞	—	—	381 lbs.	46.7
WWN2472CBVLW	Laminate/Wood	4450	24	71⅝	35⅞	—	—	381 lbs.	46.7
WWN2472CBVL	Laminate	3635	24	71⅝	35⅞	—	—	381 lbs.	46.7
1⅜" TOP THICKNESS									
WW2472CBVW	Wood	$ 3968	24	71⅝	35⅛	—	—	381 lbs.	46.7
WW2472CBVLW	Laminate/Wood	3968	24	71⅝	35⅛	—	—	381 lbs.	46.7
WW2472CBVL	Laminate	3238	24	71⅝	35⅛	—	—	381 lbs.	46.7
WW2472CBVLL	TFL	2590	24	71⅝	35	—	—	381 lbs.	46.7

- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front and sides only
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Top Finish (laminate/combo models)
8. Laminate Drawer/Door Color (laminate models)
9. Top Sheen (wood models)
10. Frame Color (glass models only)
11. Veneer Chassis Finish/Laminate Chassis Color

For options, see pages 415-417

BUFFET CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2472CBW	Wood	$ 4450	24	71¹⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
WWN2472CBLW	Laminate/Wood	4450	24	71¹⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
WWN2472CBL	Laminate	3635	24	71¹⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
1³⁄₁₆" TOP THICKNESS									
WW2472CBW	Wood	$ 3968	24	71¹⁵⁄₁₆	35¹⁄₁₆	—	—	381 lbs.	46.7
WW2472CBLW	Laminate/Wood	3968	24	71¹⁵⁄₁₆	35¹⁄₁₆	—	—	381 lbs.	46.7
WW2472CBL	Laminate	3238	24	71¹⁵⁄₁₆	35¹⁄₁₆	—	—	381 lbs.	46.7
WW2472CBLL	TFL	2590	24	71¹⁵⁄₁₆	35	—	—	381 lbs.	46.7

- Grommet option not available
- Features an adjustable shelf behind each set of doors
- Rim profile on front and sides only
- Features a fully finished back
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

MEDIA STORAGE TOWER SINGLE DOOR



Left shown

LEFT HINGE	RIGHT HINGE		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WWN1880VSHLW	WWN1880VSHRW	Wood	$ 2887	23⁹⁄₁₆	17¹⁵⁄₁₆	79¼	—	—	197 lbs.	31.0
WWN1880VSHLL	WWN1880VSHRL	Laminate	1714	23⁹⁄₁₆	17¹⁵⁄₁₆	79¼	—	—	197 lbs.	31.0
WWN1880VSHLGW	WWN1880VSHRGW	Glass/Wood	3709	23⁹⁄₁₆	17¹⁵⁄₁₆	79¼	—	—	197 lbs.	31.0
WWN1880VSHLGL	WWN1880VSHRGL	Glass/Lam	2445	23⁹⁄₁₆	17¹⁵⁄₁₆	79¼	—	—	197 lbs.	31.0

- Glass units feature opaque glass with aluminum frame
- Shaded shelves are adjustable one fixed and four adjustable shelves
- Shortened shelves allow for easy wire access in the back of the cabinet
- Features grommets in end panels for wire access
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH) Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminate options available on models 60" H or less

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 416 for options
- Pedestal locking is standard
- If specifying wood, you must specify the same finish for all options

BASE MODEL KEY

W	Wood Unit
LW	Laminate Top/Wood Rim/ Wood Chassis
L	Laminate Unit
LL	TFL Unit
WWL	Wood Top/Wood Drawer Fronts/ Laminate Chassis
LWL	Laminate Top/Wood Rim/ Laminate Chassis
GW	Glass Door/Wood Unit
GL	Glass Door/Laminate Unit
WL	Wood Doors/Laminate Chassis

SAMPLE MODEL NUMBERS:

WWN2436MUCW	F	7MB	G1C	KRB	R	MC	
WWN2436MUCLW	F	7MB	G1C	KRB	420	MC	
WWN2436MUCLWL	F	7MB	G1C	KRB	420	MC	420

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

MOBILE UTILITY CART



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2436MUCW	Wood	$ 2032	26⁷⁄₁₆	36¹⁄₁₆	34⅞	—	—	155 lbs.	17.1
WWN2436MUCLW	Laminate/Wood	2032	26⁷⁄₁₆	36¹⁄₁₆	34⅞	—	—	155 lbs.	17.1
WWN2436MUCL	Laminate	1523	26⁷⁄₁₆	36¹⁄₁₆	34⅞	—	—	155 lbs.	17.1
WWN2436MUCWWL	Wood/Wood/Laminate	1726	26⁷⁄₁₆	36¹⁄₁₆	34⅞	—	—	155 lbs.	17.1
WWN2436MUCLWL	Laminate/Wood/Laminate	1726	26⁷⁄₁₆	36¹⁄₁₆	34⅞	—	—	155 lbs.	17.1
1¾₁₆" TOP THICKNESS									
WW2436MUCW	Wood	$ 1847	26⁷⁄₁₆	36¹⁄₁₆	34½	—	—	155 lbs.	17.1
WW2436MUCLW	Laminate/Wood	1847	26⁷⁄₁₆	36¹⁄₁₆	34½	—	—	155 lbs.	17.1
WW2436MUCL	Laminate	1384	26⁷⁄₁₆	36¹⁄₁₆	34½	—	—	155 lbs.	17.1
WW2436MUCLL	TFL	1107	26⁷⁄₁₆	36¹⁄₁₆	34⁷⁄₁₆	—	—	155 lbs.	17.1
WW2436MUCWWL	Wood/Wood/Laminate	1571	26⁷⁄₁₆	36¹⁄₁₆	34½	—	—	155 lbs.	17.1
WW2436MUCLWL	Laminate/Wood/Laminate	1571	26⁷⁄₁₆	36¹⁄₁₆	34½	—	—	155 lbs.	17.1

- Can function as a serving cart or media cart
- One adjustable shelf behind hinged doors
- Four double wheel non-locking casters standard
- Center grommet option available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE COMPUTER CART



WW2436MCCW	Wood	$ 2331	27³⁄₁₆	36⅛	43¼	—	—	85 lbs.	24.5
WW2436MCCL	Laminate	1865	27³⁄₁₆	36⅛	43¼	—	—	85 lbs.	24.5

- Do not specify pull, grommet or door finish
- Mesh cord manager included
- Power director included in worksurface
- Four double wheel locking casters standard
- Worksurface height is 28¹⁵⁄₁₆"
- This unit is available with Cinder (462) or Silver Platinum (508) metal components; must specify metal color

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Rim Color (laminate units only)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Door Frame Color (glass units only)
8. Drawer Finish (laminate units only)
9. Sheen (wood units only)
10. Chassis Finish

For options, see pages 415-417

DOUBLE DOOR UNIT



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2436PFHW	Wood	$ 2263	24	36⅛	29⅜	—	—	130 lbs.	22.2
WWN2436PFHLW	Laminate/Wood	2263	24	36⅛	29⅜	—	—	130 lbs.	22.2
WWN2436PFHL	Laminate	1317	24	36⅛	29⅜	—	—	130 lbs.	22.2
1⅜" TOP THICKNESS									
WW2436PFHW	Wood	$ 2056	24	36⅛	28¹⁵⁄₁₆	—	—	130 lbs.	22.2
WW2436PFHLW	Laminate/Wood	2056	24	36⅛	28¹⁵⁄₁₆	—	—	130 lbs.	22.2
WW2436PFHL	Laminate	1199	24	36⅛	28¹⁵⁄₁₆	—	—	130 lbs.	22.2
WW2436PFHLL	TFL	959	24	36⅛	28⅞	—	—	130 lbs.	22.2

- Features an adjustable shelf
- Unit features a 110° door hinge
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ENTERTAINMENT CABINET



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
50" HIGH									
WW3650VOVHGW	Glass/Wood	$ 2792	23⁹⁄₁₆	35⅞	50	—	—	299 lbs.	48.0
WW3650VOVHGL	Glass/Laminate	1663	23⁹⁄₁₆	35⅞	50	—	—	299 lbs.	48.0
WW3650VOVHW	Wood	2409	23⁹⁄₁₆	35⅞	50	—	—	299 lbs.	48.0
WW3650VOVHWL	Wood/Laminate	2050	23⁹⁄₁₆	35⅞	50	—	—	299 lbs.	48.0
WW3650VOVHL	Laminate	1288	23⁹⁄₁₆	35⅞	50	—	—	299 lbs.	48.0



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38" HIGH									
WW3638VOVHGW	Glass/Wood	$ 2263	23⁹⁄₁₆	35⅞	38⅛	—	—	145 lbs.	37.9
WW3638VOVHGL	Glass/Laminate	1351	23⁹⁄₁₆	35⅞	38⅛	—	—	145 lbs.	37.9
WW3638VOVHW	Wood	1942	23⁹⁄₁₆	35⅞	38⅛	—	—	145 lbs.	37.9
WW3638VOVHWL	Wood/Laminate	1651	23⁹⁄₁₆	35⅞	38⅛	—	—	145 lbs.	37.9
WW3638VOVHL	Laminate	1039	23⁹⁄₁₆	35⅞	38⅛	—	—	145 lbs.	37.9

- Top of unit is finished with flat edge detail and has no profile shape
- Features standard fixed shelf
- Unit doors have 165° hinges
- Unit includes black fabric tack boards on inside of wood or laminate doors
- For set-on surface application only
- Includes grommets in back panel for wire access and venting
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

EXHIBIT
WALL RAIL SOLUTION

PRODUCT SPECIFICATIONS

HORIZONTAL WALL RAIL AND FACEPLATE

- Wall rail and faceplate are a powder coated aluminum extrusion
- Available in lengths of 72" and 144"
- Wall rails come in sets of one or two and include faceplate and alignment brackets
- Wall rails can also be ordered without faceplates
- When attaching worksurfaces to the wall rail without the use of tack board, marker board, or slat wall inserts, wall rail can be ordered without the faceplate
- Faceplate snaps onto wall rail to secure marker board, tack board and slat wall inserts in place; Inserts can be removed or replaced without removing wall rail
- Faceplate conceals alignment brackets, fasteners and provides a clean aesthetic look
- Wall rail is mounted horizontally providing tie in to appropriate load bearing studs
- Alignment bracket is required to align two adjacent sections of wall rail and is included with wall rails
- Alignment bracket is hidden from view once installation is complete
- Wall rails can be cut to size in the field
- WaveWorks and Epic worksurfaces can be attached to wall rails with worksurface brackets
- Worksurfaces that are attached to the wall rail can be ordered with or without a wire manager; Worksurfaces with a wire manager have a flexible PVC trough that allows cords and cables to be routed along the back edge or sides of worksurface

MARKER BOARD/TACK BOARD/SLAT WALL/ORGANIZER SHELF INSERTS

- Marker board inserts have erasable writing surface and are available in HPL or magnetic porcelain models
- Marker board inserts are available in white only
- HPL marker board and tack board insert models can be scribed in field
- Marker board, tack board and slat wall inserts include two trim channels
- Tack board insert is available in fabric, see page 425 for fabric options
- Slat wall inserts are powder coated aluminum and available in Cinder, Platinum Metallic or Satin Nickel Metallic
- Slat wall inserts offer flexibility in placement of work tools; Combo slat wall inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area and is an economical alternative when overhead storage will be used
- Veneer organizer shelf inserts are plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable).

EXHIBIT TV MOUNT INSERT

- Fabric insert is not tackable; see page 425 for fabric options
- Single TV Mount included with laminate, veneer, and fabric inserts
- Dual TV Mount available as an option on 60" inserts for additional upcharge

TAPERED BASES

- MDF material available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Adjustable glides are standard
- Features removable panels for wire access

TRIM CHANNELS

- Quantity of two is standard with each board/insert
- Available in powder coat paint or fabric; Paint options of White, Cinder, Platinum Metallic or Satin Nickel Metallic and in the same fabric option as the tack board inserts
- Provides an expansion joint, vertical cable manager attachment and compensates for out-of-plumb walls
- Trim Channels can be ordered separately for boards/inserts that have been scribed in the field

FULL END TRIM

- Full end trim is steel and powder coated
- Full end trim finishes the end of a run and connects the top and bottom wall rail

SINGLE END CAP

- Single end cap is steel and powder coated
- Single end cap finishes the end of a single wall rail by capping off the wall rail, perfect for when a wall rail is used without inserts and a faceplate

VERTICAL CABLE MANAGER

- Vertical cable manager attaches between the insert and trim channel
- Conceals and allows for power cords to be managed and routed from overhead to outlet
- Available in fabric to match tack board insert or black plastic

VERTICAL CABLE MANAGER FOR TV MOUNT INSERT

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet
- Available in fabric, laminate, or veneer to match the insert

WORKSURFACE BRACKETS

- Exhibit worksurface brackets attach worksurfaces to lower wall rail
- A worksurface bracket is required every 48" along back edge of worksurface
- Worksurface bracket is anodized aluminum

PLANNING TIPS

- Wall rails can be mounted at any height if not utilizing with WaveWorks or Epic vertical storage units
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from one surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations
- Knife rim adds 1½" per side to worksurface depth. Knife rim is not recommended on lower storage as it affects user's kneespace
- Consider where you specify a worksurface with Worksurface wire manager. When attached to Exhibit lower wall rail, do not use at the end of run for a cleaner aesthetic
- Tack boards may be field scribed to match Epic knife rim worksurface depth

WALL RAIL/FACEPLATE/ SLAT WALL INSERT PAINT COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

TRIM CHANNEL PAINT COLORS

401 White
462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

END TRIM/END CAP PAINT COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

WORK TOOLS (METAL)

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

TACK BOARD INSERT/TRIM CHANNEL/WIRE MANAGER FABRIC OPTIONS

Dune (Grade A)
100% Polyester

8600 Drift
8601 Windblown
8602 Erosion
8603 Haze
8604 Kamelos
8606 Pebble
8607 Gecho
8608 Nectar
8610 Clear Sky
8614 Basin
8615 Raven
8620 Darkness
8621 Golden

Repetition (Grade A)
100% Pre-Consumer Recycled Polyester

3700 Ash
3703 White
3705 Willow
3709 Java
3713 Stainless
3715 Almond
3721 Reed
3744 Tawny
3775 Grey Green

COM (Grade B)

Pact (Grade B)
65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25407 Dragon
25408 Eureka
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25417 Roast
25418 Roma
25419 Rubine
25420 Sketch
25421 Tanzanite
25422 Taupe
25423 Toasty

EXHIBIT TV MOUNT INSERT OPTIONS

TS Single TV Mount, Front
TD Dual TV Mount, Front ($636 list upcharge)

EXHIBIT COMPONENTS



WOOD FINISHES (ORGANIZER SHELF INSERT)

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
TF Truffle
792 Sable

SH6 ORGANIZER SHELF HEIGHT OPTIONS FOR 36"/37"/48"/49" HIGH MODELS

A Align with 13H Overhead
B Align with 18H Overhead
C Align with 30H Overhead*
*48"/49" high models only
D Align with SH1 top shelf

LAMINATE COLORS (ORGANIZER SHELF INSERT)

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
ADH Almond Horizontal
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle
PB Portobello
PBH Portobello Horizontal
PT Portico*
PTH Portico Horizontal*
SK Skyline*
SKH Skyline Horizontal*
SM Sonoma*
SMH Sonoma Horizontal*
791 Palisander*
791H Palisander Horizontal*
792 Sable
792H Sable Horizontal
793 Acorn*

SOLID LAMINATE

405 Designer White
417 Mojave
418 Mouse
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

*Not available on laminate/wood models

EXHIBIT

OVERVIEW

Exhibit is a series consisting of a horizontal rail, marker board, tack board, and slat wall inserts, and work tools.

Exhibit can be used in numerous applications. Here are a few examples of how it can be used with National Office Furniture products.

EXHIBIT WITH WAVEWORKS AND EPIC MODELS

The Exhibit rail is a horizontal rail that attaches to walls to accommodate WaveWorks and Epic worksurfaces and components. Attaching worksurfaces directly to the wall rail allows the reduction of modesty panels and opens the space for a clean aesthetic.



APPLICATION GUIDELINES

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Exhibit wall rail. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

MINIMUM REQUIREMENTS

- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/240 of the span for walls with brittle finishes and 1/120 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Exhibit wall rail may not extend more than 6" beyond the last solid attachment point
- Minimum width of Exhibit wall rail that can be attached to a wall is 16" mounted to studs 16" apart
- If an overhead is being mounted, the minimum width for Exhibit is 30" with the Exhibit wall rail being centered on studs 24" apart, so as not to extend more than 6" beyond the last solid attachment point

RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer

Type and Size	Description
Steel Studs (½" to ¾" drywall) Hilti® Toggler® anchor toggle bolts, ¼"–20 x 2" grade 5 bolts	
Wood Studs (¼" to ½" drywall) Meets or exceeds ANSI/ASME B18.6.4 and SAE J933. Pan head sheet metal screw	10-2 PHPMS
Solid Masonry Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	
Masonry Block Hilti Toggler anchor toggle bolts, ¼"–20 x 2" grade 5 bolts Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	

- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered
- Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical
- Exhibit wall rail extends ⅞" from the wall. This dimensional loss should be considered when space planning for components, when Exhibit wall rails are being used on 2 or more walls of a space
- Select worksurfaces and inserts can be field scribed to fit space
- In fixed wall Exhibit applications, choose your insert height based on your specific application or height of corresponding WaveWorks vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface

34" Tall Inserts



36" and 48" Tall Inserts

Compatible with WaveWorks and Epic 68" and WaveWorks 79" High WW Models



37" and 49" Tall Inserts

Compatible with WaveWorks 69" and 80" High WWN Models



- Conference and training rooms commonly use 49" tall inserts, but with Exhibit, you can use any of the five heights to achieve the customer's needs.

WALL

- Trim when using full insert

EXHIBIT

PRODUCT SPECIFICATIONS

- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align two sections of Exhibit rail in line
- Exhibit mount overheads available in the WaveWorks and Epic series, see Casegoods Book 2 Price List
- For worksurface brackets, end trim and end caps see pages 476-479

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

EXHIBIT WALL RAIL AND FACEPLATE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WALL RAIL AND FACEPLATE									
11N72EXFP2	Set of Two	$ 255	⅞	72	1¾	—	—	6 lbs.	0.7
11N144EXFP2	Set of Two	365	⅞	144	1¾	—	—	12 lbs.	1.4
11N72EXFP1	Set of One	$ 147	⅞	72	1¾	—	—	6 lbs.	0.7
11N144EXFP1	Set of One	203	⅞	144	1¾	—	—	12 lbs.	1.4

- Set of two includes two rails, two faceplates, and four alignment brackets
- Set of one includes one rail, one faceplate, and two alignment brackets
- Exhibit wall rail available in Cinder, Platinum Metallic or Satin Nickel Metallic

EXHIBIT WALL RAIL



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WALL RAIL									
11N72EXP1	One Rail/No faceplate	$ 88	¾	72	1½	—	—	6 lbs.	0.7
11N144EXP1	One Rail/No faceplate	129	¾	144	1½	—	—	12 lbs.	1.4

- Includes one wall rail and two alignment brackets
- Exhibit wall rail available in Cinder, Platinum Metallic or Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Fabric Grade (tack board insert only)
4. Fabric Color (tack board insert only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N72EXFP2 462
11N1834TB B 25413





Shaded rectangle portrays a railroaded tack board.

TACK BOARD INSERTS



MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H TACK BOARD INSERTS										
11N1834TBA	Railroad	$ 215	$ 253	½	18	34⅛	–	–	3 lbs.	0.5
11N1834TB	Standard	209	247	½	18	34⅛	–	–	3 lbs.	0.5
11N2434TBA	Railroad	$ 225	$ 263	½	24	34⅛	–	–	4 lbs.	0.6
11N2434TB	Standard	219	257	½	24	34⅛	–	–	4 lbs.	0.6
11N3034TBA	Railroad	$ 263	$ 301	½	30	34⅛	–	–	5 lbs.	0.8
11N3034TB	Standard	258	296	½	30	34⅛	–	–	5 lbs.	0.8
11N3634TBA	Railroad	$ 276	$ 321	½	36	34⅛	–	–	6 lbs.	0.9
11N3634TB	Standard	264	302	½	36	34⅛	–	–	6 lbs.	0.9
11N4234TBA	Railroad	$ 283	$ 328	½	42	34⅛	–	–	7 lbs.	1.0
11N4234TB	Standard	271	309	½	42	34⅛	–	–	7 lbs.	1.0
11N4834TBA	Railroad	$ 304	$ 357	½	48	34⅛	–	–	8 lbs.	1.2
11N4834TB	Standard	280	318	½	48	34⅛	–	–	8 lbs.	1.2
11N5434TBA	Railroad	$ 345	$ 405	½	54	34⅛	–	–	9 lbs.	1.3
11N5434TB	Standard	311	349	½	54	34⅛	–	–	9 lbs.	1.3
11N6034TBA	Railroad	$ 347	$ 407	½	60	34⅛	–	–	10 lbs.	1.4
11N6034TB	Standard	312	350	½	60	34⅛	–	–	10 lbs.	1.4

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

TACK BOARD INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS

36"H TACK BOARD INSERTS

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N1836TBA	Railroad	$ 229	$ 267	½	18	36⅝	—	—	3 lbs.	0.5
11N1836TB	Standard	224	262	½	18	36⅝	—	—	3 lbs.	0.5
11N2436TBA	Railroad	$ 240	$ 278	½	24	36⅝	—	—	4 lbs.	0.6
11N2436TB	Standard	234	272	½	24	36⅝	—	—	4 lbs.	0.6
11N3036TBA	Railroad	$ 278	$ 316	½	30	36⅝	—	—	5 lbs.	0.8
11N3036TB	Standard	272	310	½	30	36⅝	—	—	5 lbs.	0.8
11N3636TBA	Railroad	$ 294	$ 339	½	36	36⅝	—	—	6 lbs.	0.9
11N3636TB	Standard	282	320	½	36	36⅝	—	—	6 lbs.	0.9
11N4236TBA	Railroad	$ 302	$ 347	½	42	36⅝	—	—	7 lbs.	1.0
11N4236TB	Standard	290	328	½	42	36⅝	—	—	7 lbs.	1.0
11N4836TBA	Railroad	$ 322	$ 375	½	48	36⅝	—	—	8 lbs.	1.2
11N4836TB	Standard	299	337	½	48	36⅝	—	—	8 lbs.	1.2
11N5436TBA	Railroad	$ 365	$ 425	½	54	36⅝	—	—	9 lbs.	1.3
11N5436TB	Standard	331	369	½	54	36⅝	—	—	9 lbs.	1.3
11N6036TBA	Railroad	$ 368	$ 428	½	60	36⅝	—	—	10 lbs.	1.4
11N6036TB	Standard	333	371	½	60	36⅝	—	—	10 lbs.	1.4

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBER:

11N6036TB A 8600



Shaded rectangle portrays a railroaded tack board.

TACK BOARD INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS
37"H TACK BOARD INSERTS

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N1837TBA	Railroad	$ 229	$ 267	½	18	37	—	—	3 lbs.	0.5
11N1837TB	Standard	224	262	½	18	37	—	—	3 lbs.	0.5
11N2437TBA	Railroad	$ 240	$ 278	½	24	37	—	—	4 lbs.	0.6
11N2437TB	Standard	234	272	½	24	37	—	—	4 lbs.	0.6
11N3037TBA	Railroad	$ 278	$ 316	½	30	37	—	—	5 lbs.	0.8
11N3037TB	Standard	272	310	½	30	37	—	—	5 lbs.	0.8
11N3637TBA	Railroad	$ 294	$ 339	½	36	37	—	—	6 lbs.	0.9
11N3637TB	Standard	282	320	½	36	37	—	—	6 lbs.	0.9
11N4237TBA	Railroad	$ 302	$ 347	½	42	37	—	—	7 lbs.	1.0
11N4237TB	Standard	290	328	½	42	37	—	—	7 lbs.	1.0
11N4837TBA	Railroad	$ 322	$ 375	½	48	37	—	—	8 lbs.	1.2
11N4837TB	Standard	299	337	½	48	37	—	—	8 lbs.	1.2
11N5437TBA	Railroad	$ 365	$ 425	½	54	37	—	—	9 lbs.	1.3
11N5437TB	Standard	331	369	½	54	37	—	—	9 lbs.	1.3
11N6037TBA	Railroad	$ 368	$ 428	½	60	37	—	—	10 lbs.	1.4
11N6037TB	Standard	333	371	½	60	37	—	—	10 lbs.	1.4

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

TACK BOARD INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS

48"H TACK BOARD INSERTS

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N1848TBA	Railroad	$ 263	$ 308	½	18	48⅜	—	—	4 lbs.	1.2
11N1848TB	Standard	258	303	½	18	48⅜	—	—	4 lbs.	1.2
11N2448TBA	Railroad	$ 275	$ 320	½	24	48⅜	—	—	5 lbs.	1.3
11N2448TB	Standard	269	314	½	24	48⅜	—	—	5 lbs.	1.3
11N3048TBA	Railroad	$ 320	$ 365	½	30	48⅜	—	—	6 lbs.	1.7
11N3048TB	Standard	314	359	½	30	48⅜	—	—	6 lbs.	1.7
11N3648TBA	Railroad	$ 325	$ 370	½	36	48⅜	—	—	7 lbs.	2.0
11N3648TB	Standard	320	365	½	36	48⅜	—	—	7 lbs.	2.0
11N4248TBA	Railroad	$ 338	$ 383	½	42	48⅜	—	—	8 lbs.	2.3
11N4248TB	Standard	332	377	½	42	48⅜	—	—	8 lbs.	2.3
11N4848TBA	Railroad	$ 353	$ 406	½	48	48⅜	—	—	9 lbs.	2.7
11N4848TB	Standard	342	387	½	48	48⅜	—	—	9 lbs.	2.7
11N5448TBA	Railroad	$ 403	$ 463	½	54	48⅜	—	—	10 lbs.	3.0
11N5448TB	Standard	380	425	½	54	48⅜	—	—	10 lbs.	3.0
11N6048TBA	Railroad	$ 406	$ 466	½	60	48⅜	—	—	11 lbs.	3.3
11N6048TB	Standard	383	428	½	60	48⅜	—	—	11 lbs.	3.3

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBER:

11N6049TB A 8600



Shaded rectangle portrays a railroaded tack board.

TACK BOARD INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS
49"H TACK BOARD INSERTS

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N1849TBA	Railroad	$ 263	$ 308	½	18	48⅜₁₆	—	—	4 lbs.	1.2
11N1849TB	Standard	258	303	½	18	48⅜₁₆	—	—	4 lbs.	1.2
11N2449TBA	Railroad	$ 275	$ 320	½	24	48⅜₁₆	—	—	5 lbs.	1.3
11N2449TB	Standard	269	314	½	24	48⅜₁₆	—	—	5 lbs.	1.3
11N3049TBA	Railroad	$ 320	$ 365	½	30	48⅜₁₆	—	—	6 lbs.	1.7
11N3049TB	Standard	314	359	½	30	48⅜₁₆	—	—	6 lbs.	1.7
11N3649TBA	Railroad	$ 325	$ 370	½	36	48⅜₁₆	—	—	7 lbs.	2.0
11N3649TB	Standard	320	365	½	36	48⅜₁₆	—	—	7 lbs.	2.0
11N4249TBA	Railroad	$ 338	$ 383	½	42	48⅜₁₆	—	—	8 lbs.	2.3
11N4249TB	Standard	332	377	½	42	48⅜₁₆	—	—	8 lbs.	2.3
11N4849TBA	Railroad	$ 353	$ 406	½	48	48⅜₁₆	—	—	9 lbs.	2.7
11N4849TB	Standard	342	387	½	48	48⅜₁₆	—	—	9 lbs.	2.7
11N5449TBA	Railroad	$ 403	$ 463	½	54	48⅜₁₆	—	—	10 lbs.	3.0
11N5449TB	Standard	380	425	½	54	48⅜₁₆	—	—	10 lbs.	3.0
11N6049TBA	Railroad	$ 406	$ 466	½	60	48⅜₁₆	—	—	11 lbs.	3.3
11N6049TB	Standard	383	428	½	60	48⅜₁₆	—	—	11 lbs.	3.3

- Two trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

MARKER BOARD INSERTS



34"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2434MB	$ 400	11N2434MBP	$ 417	½	24	34⅛	—	—	14 lbs.	0.6
11N3034MB	401	11N3034MBP	421	½	30	34⅛	—	—	18 lbs.	0.8
11N3634MB	450	11N3634MBP	486	½	36	34⅛	—	—	22 lbs.	0.9
11N4234MB	484	11N4234MBP	487	½	42	34⅛	—	—	25 lbs.	1.0
11N4834MB	591	11N4834MBP	676	½	48	34⅛	—	—	29 lbs.	1.2
11N5434MB	592	11N5434MBP	682	½	54	34⅛	—	—	32 lbs.	1.3
11N6034MB	594	11N6034MBP	688	½	60	34⅛	—	—	36 lbs.	1.4

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2436MB	$ 415	11N2436MBP	$ 434	½	24	36⅝	—	—	14 lbs.	0.6
11N3036MB	416	11N3036MBP	436	½	30	36⅝	—	—	18 lbs.	0.8
11N3636MB	467	11N3636MBP	503	½	36	36⅝	—	—	22 lbs.	0.9
11N4236MB	501	11N4236MBP	505	½	42	36⅝	—	—	25 lbs.	1.0
11N4836MB	610	11N4836MBP	695	½	48	36⅝	—	—	29 lbs.	1.2
11N5436MB	612	11N5436MBP	701	½	54	36⅝	—	—	32 lbs.	1.3
11N6036MB	615	11N6036MBP	709	½	60	36⅝	—	—	36 lbs.	1.4

COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS
37"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2437MB	$ 415	11N2437MBP	$ 434	½	24	37	—	—	14 lbs.	0.6
11N3037MB	416	11N3037MBP	436	½	30	37	—	—	18 lbs.	0.8
11N3637MB	467	11N3637MBP	503	½	36	37	—	—	22 lbs.	0.9
11N4237MB	501	11N4237MBP	505	½	42	37	—	—	25 lbs.	1.0
11N4837MB	610	11N4837MBP	695	½	48	37	—	—	29 lbs.	1.2
11N5437MB	612	11N5437MBP	701	½	54	37	—	—	32 lbs.	1.3
11N6037MB	615	11N6037MBP	709	½	60	37	—	—	36 lbs.	1.4

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Specify model number only
- Two trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2434MB

MARKER BOARD INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2448MB	$ 485	11N2448MBP	$ 529	½	24	48⅜	—	—	16 lbs.	1.3
11N3048MB	486	11N3048MBP	531	½	30	48⅜	—	—	20 lbs.	1.7
11N3648MB	541	11N3648MBP	610	½	36	48⅜	—	—	24 lbs.	2.0
11N4248MB	588	11N4248MBP	671	½	42	48⅜	—	—	27 lbs.	2.3
11N4848MB	711	11N4848MBP	836	½	48	48⅜	—	—	31 lbs.	2.7
11N5448MB	714	11N5448MBP	997	½	54	48⅜	—	—	34 lbs.	3.0
11N6048MB	720	11N6048MBP	1090	½	60	48⅜	—	—	38 lbs.	3.3

COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS
49"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2449MB	$ 485	11N2449MBP	$ 529	½	24	48⅜	—	—	16 lbs.	1.3
11N3049MB	486	11N3049MBP	531	½	30	48⅜	—	—	20 lbs.	1.7
11N3649MB	541	11N3649MBP	610	½	36	48⅜	—	—	24 lbs.	2.0
11N4249MB	588	11N4249MBP	671	½	42	48⅜	—	—	27 lbs.	2.3
11N4849MB	711	11N4849MBP	836	½	48	48⅜	—	—	31 lbs.	2.7
11N5449MB	714	11N5449MBP	997	½	54	48⅜	—	—	34 lbs.	3.0
11N6049MB	720	11N6049MBP	1090	½	60	48⅜	—	—	38 lbs.	3.3

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Specify model number only
- Two trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SLAT WALL INSERTS



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H FULL SLAT								
11N2434SW	$ 1038	½	24	34⅛	–	–	45 lbs.	1.2
11N3034SW	1044	½	30	34⅛	–	–	57 lbs.	1.4
11N3634SW	1193	½	36	34⅛	–	–	69 lbs.	1.7
11N4234SW	1194	½	42	34⅛	–	–	79 lbs.	2.0
11N4834SW	1325	½	48	34⅛	–	–	91 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H FULL SLAT								
11N2436SW	$ 1053	½	24	36⅜	–	–	48 lbs.	1.2
11N3036SW	1059	½	30	36⅜	–	–	60 lbs.	1.4
11N3636SW	1208	½	36	36⅜	–	–	72 lbs.	1.7
11N4236SW	1210	½	42	36⅜	–	–	82 lbs.	2.0
11N4836SW	1345	½	48	36⅜	–	–	94 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H FULL SLAT								
11N2437SW	$ 1053	½	24	37	–	–	48 lbs.	1.2
11N3037SW	1059	½	30	37	–	–	60 lbs.	1.4
11N3637SW	1208	½	36	37	–	–	72 lbs.	1.7
11N4237SW	1210	½	42	37	–	–	82 lbs.	2.0
11N4837SW	1345	½	48	37	–	–	94 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H FULL SLAT								
11N2448SW	$ 1241	½	24	48⅜	–	–	63 lbs.	1.6
11N3048SW	1249	½	30	48⅜	–	–	80 lbs.	1.9
11N3648SW	1427	½	36	48⅜	–	–	97 lbs.	2.0
11N4248SW	1429	½	42	48⅜	–	–	111 lbs.	2.2
11N4848SW	1587	½	48	48⅜	–	–	128 lbs.	2.5

- Two trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 480-483

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBER:

11N2434SW 462

SLAT WALL INSERTS (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H FULL SLAT								
11N2449SW	$ 1241	½	24	48 13/16	–	–	63 lbs.	1.6
11N3049SW	1249	½	30	48 13/16	–	–	80 lbs.	1.9
11N3649SW	1427	½	36	48 13/16	–	–	97 lbs.	2.0
11N4249SW	1429	½	42	48 13/16	–	–	111 lbs.	2.2
11N4849SW	1587	½	48	48 13/16	–	–	128 lbs.	2.5

- Two trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 480-483

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SLAT WALL INSERTS
COMBO SLAT/TACK



MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23"H SLAT WITH 11"H TACK			**GRADE A**	**GRADE B/**							
FABRIC TRIM	**PAINTED TRIM**			**COM**							
11N2434SWTBFA	11N2434SWTBPA	Railroad	$ 940	$ 963	½	24	34⅛	—	—	32 lbs.	1.2
11N2434SWTBF	11N2434SWTBP	Standard	934	949	½	24	34⅛	—	—	32 lbs.	1.2
11N3034SWTBFA	11N3034SWTBPA	Railroad	$ 943	$ 971	½	30	34⅛	—	—	41 lbs.	1.4
11N3034SWTBF	11N3034SWTBP	Standard	938	953	½	30	34⅛	—	—	41 lbs.	1.4
11N3634SWTBFA	11N3634SWTBPA	Railroad	$ 1076	$ 1108	½	36	34⅛	—	—	50 lbs.	1.7
11N3634SWTBF	11N3634SWTBP	Standard	1070	1085	½	36	34⅛	—	—	50 lbs.	1.7
11N4234SWTBFA	11N4234SWTBPA	Railroad	$ 1077	$ 1115	½	42	34⅛	—	—	59 lbs.	2.0
11N4234SWTBF	11N4234SWTBP	Standard	1071	1086	½	42	34⅛	—	—	59 lbs.	2.0
11N4834SWTBFA	11N4834SWTBPA	Railroad	$ 1198	$ 1241	½	48	34⅛	—	—	68 lbs.	2.3
11N4834SWTBF	11N4834SWTBP	Standard	1193	1208	½	48	34⅛	—	—	68 lbs.	2.3

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS

23"H SLAT WITH 13"H TACK			**GRADE A**	**GRADE B/**							
FABRIC TRIM	**PAINTED TRIM**			**COM**							
11N2436SWTBFA	11N2436SWTBPA	Railroad	$ 955	$ 978	½	24	36⅜	—	—	35 lbs.	1.2
11N2436SWTBF	11N2436SWTBP	Standard	950	965	½	24	36⅜	—	—	35 lbs.	1.2
11N3036SWTBFA	11N3036SWTBPA	Railroad	$ 960	$ 988	½	30	36⅜	—	—	44 lbs.	1.4
11N3036SWTBF	11N3036SWTBP	Standard	954	969	½	30	36⅜	—	—	44 lbs.	1.4
11N3636SWTBFA	11N3636SWTBPA	Railroad	$ 1093	$ 1125	½	36	36⅜	—	—	53 lbs.	1.7
11N3636SWTBF	11N3636SWTBP	Standard	1088	1103	½	36	36⅜	—	—	53 lbs.	1.7
11N4236SWTBFA	11N4236SWTBPA	Railroad	$ 1095	$ 1133	½	42	36⅜	—	—	62 lbs.	2.0
11N4236SWTBF	11N4236SWTBP	Standard	1090	1105	½	42	36⅜	—	—	62 lbs.	2.0
11N4836SWTBFA	11N4836SWTBPA	Railroad	$ 1214	$ 1257	½	48	36⅜	—	—	71 lbs.	2.3
11N4836SWTBF	11N4836SWTBP	Standard	1209	1224	½	48	36⅜	—	—	71 lbs.	2.3

- Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 480-483
- Slat section must be located on the lower portion of the insert
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Not recommended to use more than two monitor arms per combo slat/tack model

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color
4. Paint Color

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBER:

11N2434SWTBF A 8600 501





Shaded rectangle portrays a railroaded tack board.

SLAT WALL INSERTS COMBO SLAT/TACK (CONTINUED)



MODEL NO./DESCRIPTION			LIST PRICE		DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS											
23"H SLAT WITH 14"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2437SWTBFA	11N2437SWTBPA	Railroad	$ 955	$ 978	½	24	37	—	—	35 lbs.	1.2
11N2437SWTBF	11N2437SWTBP	Standard	950	969	½	24	37	—	—	35 lbs.	1.2
11N3037SWTBFA	11N3037SWTBPA	Railroad	$ 960	$ 988	½	30	37	—	—	44 lbs.	1.4
11N3037SWTBF	11N3037SWTBP	Standard	954	973	½	30	37	—	—	44 lbs.	1.4
11N3637SWTBFA	11N3637SWTBPA	Railroad	$ 1093	$ 1125	½	36	37	—	—	53 lbs.	1.7
11N3637SWTBF	11N3637SWTBP	Standard	1088	1107	½	36	37	—	—	53 lbs.	1.7
11N4237SWTBFA	11N4237SWTBPA	Railroad	$ 1095	$ 1133	½	42	37	—	—	62 lbs.	2.0
11N4237SWTBF	11N4237SWTBP	Standard	1090	1109	½	42	37	—	—	62 lbs.	2.0
11N4837SWTBFA	11N4837SWTBPA	Railroad	$ 1214	$ 1257	½	48	37	—	—	71 lbs.	2.3
11N4837SWTBF	11N4837SWTBP	Standard	1209	1228	½	48	37	—	—	71 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS											
23"H SLAT WITH 25"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2448SWTBFA	11N2448SWTBPA	Railroad	$ 1126	$ 1149	½	24	48⅜	—	—	45 lbs.	1.4
11N2448SWTBF	11N2448SWTBP	Standard	1121	1144	½	24	48⅜	—	—	45 lbs.	1.4
11N3048SWTBFA	11N3048SWTBPA	Railroad	$ 1131	$ 1159	½	30	48⅜	—	—	58 lbs.	1.7
11N3048SWTBF	11N3048SWTBP	Standard	1126	1149	½	30	48⅜	—	—	58 lbs.	1.7
11N3648SWTBFA	11N3648SWTBPA	Railroad	$ 1288	$ 1320	½	36	48⅜	—	—	71 lbs.	2.1
11N3648SWTBF	11N3648SWTBP	Standard	1282	1305	½	36	48⅜	—	—	71 lbs.	2.1
11N4248SWTBFA	11N4248SWTBPA	Railroad	$ 1290	$ 1328	½	42	48⅜	—	—	83 lbs.	2.5
11N4248SWTBF	11N4248SWTBP	Standard	1284	1307	½	42	48⅜	—	—	83 lbs.	2.5
11N4848SWTBFA	11N4848SWTBPA	Railroad	$ 1434	$ 1477	½	48	48⅜	—	—	96 lbs.	2.9
11N4848SWTBF	11N4848SWTBP	Standard	1428	1451	½	48	48⅜	—	—	96 lbs.	2.9

- Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 480-483
- Slat section must be located on the lower portion of the insert
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Not recommended to use more than two monitor arms per combo slat/tack model

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SLAT WALL INSERTS COMBO SLAT/TACK (CONTINUED)



MODEL NO./DESCRIPTION			LIST PRICE		DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS											
23"H SLAT WITH 26"H TACK FABRIC TRIM	**PAINTED TRIM**		**GRADE A**	**GRADE B/ COM**							
11N2449SWTBFA	11N2449SWTBPA	Railroad	$ 1126	$ 1149	½	24	48 13/16	—	—	45 lbs.	1.4
11N2449SWTBF	11N2449SWTBP	Standard	1121	1144	½	24	48 13/16	—	—	45 lbs.	1.4
11N3049SWTBFA	11N3049SWTBPA	Railroad	$ 1131	$ 1159	½	30	48 13/16	—	—	58 lbs.	1.7
11N3049SWTBF	11N3049SWTBP	Standard	1126	1149	½	30	48 13/16	—	—	58 lbs.	1.7
11N3649SWTBFA	11N3649SWTBPA	Railroad	$ 1288	$ 1320	½	36	48 13/16	—	—	71 lbs.	2.1
11N3649SWTBF	11N3649SWTBP	Standard	1282	1305	½	36	48 13/16	—	—	71 lbs.	2.1
11N4249SWTBFA	11N4249SWTBPA	Railroad	$ 1290	$ 1328	½	42	48 13/16	—	—	83 lbs.	2.5
11N4249SWTBF	11N4249SWTBP	Standard	1284	1307	½	42	48 13/16	—	—	83 lbs.	2.5
11N4849SWTBFA	11N4849SWTBPA	Railroad	$ 1434	$ 1477	½	48	48 13/16	—	—	96 lbs.	2.9
11N4849SWTBF	11N4849SWTBP	Standard	1428	1451	½	48	48 13/16	—	—	96 lbs.	2.9

- Two trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 480-483
- Slat section must be located on the lower portion of the insert
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Not recommended to use more than two monitor arms per combo slat/tack model

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3634SH1W MH
11N3634SH1LW 462 CW
11N3634SH1L 405 478



Shaded rectangle portrays a railroaded tack board.

ORGANIZER SHELF INSERTS





MODEL NO./DESCRIPTION			LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS										
11N3634SH1W	Wood	$	1728	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634SH1LW	Laminate Shelves, Wood Wall		1728	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634SH1L	Laminate		1193	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634SH1WL	Wood Shelves, Laminate Wall		1728	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N4234SH1W	Wood	$	1729	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234SH1LW	Laminate Shelves, Wood Wall		1729	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234SH1L	Laminate		1194	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234SH1WL	Wood Shelves, Laminate Wall		1729	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4834SH1W	Wood	$	1922	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834SH1LW	Laminate Shelves, Wood Wall		1922	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834SH1L	Laminate		1325	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834SH1WL	Wood Shelves, Laminate Wall		1922	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N5434SH1W	Wood	$	2115	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH1LW	Laminate Shelves, Wood Wall		2115	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH1L	Laminate		1458	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH1WL	Wood Shelves, Laminate Wall		2115	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N6034SH1W	Wood	$	2327	10½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034SH1LW	Laminate Shelves, Wood Wall		2327	10½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034SH1L	Laminate		1605	10½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034SH1WL	Wood Shelves, Laminate Wall		2327	10½	59 15/16	34⅛	—	—	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH2W	Wood	$ 1728	10½	35¹⁵⁄₁₆	34⅛	—	—	47 lbs.	3.1
11N3634SH2LW	Laminate Shelves, Wood Wall	1728	10½	35¹⁵⁄₁₆	34⅛	—	—	47 lbs.	3.1
11N3634SH2L	Laminate	1193	10½	35¹⁵⁄₁₆	34⅛	—	—	47 lbs.	3.1
11N3634SH2WL	Wood Shelves, Laminate Wall	1728	10½	35¹⁵⁄₁₆	34⅛	—	—	47 lbs.	3.1
11N4234SH2W	Wood	$ 1729	10½	41¹⁵⁄₁₆	34⅛	—	—	53 lbs.	3.3
11N4234SH2LW	Laminate Shelves, Wood Wall	1729	10½	41¹⁵⁄₁₆	34⅛	—	—	53 lbs.	3.3
11N4234SH2L	Laminate	1194	10½	41¹⁵⁄₁₆	34⅛	—	—	53 lbs.	3.3
11N4234SH2WL	Wood Shelves, Laminate Wall	1729	10½	41¹⁵⁄₁₆	34⅛	—	—	53 lbs.	3.3
11N4834SH2W	Wood	$ 1922	10½	47¹⁵⁄₁₆	34⅛	—	—	58 lbs.	3.5
11N4834SH2LW	Laminate Shelves, Wood Wall	1922	10½	47¹⁵⁄₁₆	34⅛	—	—	58 lbs.	3.5
11N4834SH2L	Laminate	1325	10½	47¹⁵⁄₁₆	34⅛	—	—	58 lbs.	3.5
11N4834SH2WL	Wood Shelves, Laminate Wall	1922	10½	47¹⁵⁄₁₆	34⅛	—	—	58 lbs.	3.5
11N5434SH2W	Wood	$ 2115	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH2LW	Laminate Shelves, Wood Wall	2115	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH2L	Laminate	1458	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH2WL	Wood Shelves, Laminate Wall	2115	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N6034SH2W	Wood	$ 2327	10½	59¹⁵⁄₁₆	34⅛	—	—	71 lbs.	3.9
11N6034SH2LW	Laminate Shelves, Wood Wall	2327	10½	59¹⁵⁄₁₆	34⅛	—	—	71 lbs.	3.9
11N6034SH2L	Laminate	1605	10½	59¹⁵⁄₁₆	34⅛	—	—	71 lbs.	3.9
11N6034SH2WL	Wood Shelves, Laminate Wall	2327	10½	59¹⁵⁄₁₆	34⅛	—	—	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3634SH3W	MH	
11N3634SH3WL	MH	405
11N3634SH3L	405	478

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH3W	Wood	$ 1470	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N3634SH3LW	Laminate Shelves, Wood Wall	1470	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N3634SH3L	Laminate	1014	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N3634SH3WL	Wood Shelves, Laminate Wall	1470	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N4234SH3W	Wood	$ 1471	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4234SH3LW	Laminate Shelves, Wood Wall	1471	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4234SH3L	Laminate	1015	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4234SH3WL	Wood Shelves, Laminate Wall	1471	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4834SH3W	Wood	$ 1634	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N4834SH3LW	Laminate Shelves, Wood Wall	1634	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N4834SH3L	Laminate	1127	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N4834SH3WL	Wood Shelves, Laminate Wall	1634	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N5434SH3W	Wood	$ 1797	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N5434SH3LW	Laminate Shelves, Wood Wall	1797	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N5434SH3L	Laminate	1240	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N5434SH3WL	Wood Shelves, Laminate Wall	1797	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N6034SH3W	Wood	$ 1978	10½	59 15/16	34⅛	—	—	66 lbs.	5.3
11N6034SH3LW	Laminate Shelves, Wood Wall	1978	10½	59 15/16	34⅛	—	—	66 lbs.	5.3
11N6034SH3L	Laminate	1365	10½	59 15/16	34⅛	—	—	66 lbs.	5.3
11N6034SH3WL	Wood Shelves, Laminate Wall	1978	10½	59 15/16	34⅛	—	—	66 lbs.	5.3

- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH4W	Wood	$ 1504	10½	35¹⁵⁄₁₆	34⅛	—	—	49 lbs.	3.3
11N3634SH4LW	Laminate Shelves, Wood Wall	1504	10½	35¹⁵⁄₁₆	34⅛	—	—	49 lbs.	3.3
11N3634SH4L	Laminate	1037	10½	35¹⁵⁄₁₆	34⅛	—	—	49 lbs.	3.3
11N3634SH4WL	Wood Shelves, Laminate Wall	1504	10½	35¹⁵⁄₁₆	34⅛	—	—	49 lbs.	3.3
11N4234SH4W	Wood	$ 1505	10½	41¹⁵⁄₁₆	34⅛	—	—	57 lbs.	3.8
11N4234SH4LW	Laminate Shelves, Wood Wall	1505	10½	41¹⁵⁄₁₆	34⅛	—	—	57 lbs.	3.8
11N4234SH4L	Laminate	1038	10½	41¹⁵⁄₁₆	34⅛	—	—	57 lbs.	3.8
11N4234SH4WL	Wood Shelves, Laminate Wall	1505	10½	41¹⁵⁄₁₆	34⅛	—	—	57 lbs.	3.8
11N4834SH4W	Wood	$ 1672	10½	47¹⁵⁄₁₆	34⅛	—	—	65 lbs.	4.3
11N4834SH4LW	Laminate Shelves, Wood Wall	1672	10½	47¹⁵⁄₁₆	34⅛	—	—	65 lbs.	4.3
11N4834SH4L	Laminate	1154	10½	47¹⁵⁄₁₆	34⅛	—	—	65 lbs.	4.3
11N4834SH4WL	Wood Shelves, Laminate Wall	1672	10½	47¹⁵⁄₁₆	34⅛	—	—	65 lbs.	4.3
11N5434SH4W	Wood	$ 1840	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N5434SH4LW	Laminate Shelves, Wood Wall	1840	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N5434SH4L	Laminate	1269	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N5434SH4WL	Wood Shelves, Laminate Wall	1840	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N6034SH4W	Wood	$ 2024	10½	59¹⁵⁄₁₆	34⅛	—	—	81 lbs.	5.3
11N6034SH4LW	Laminate Shelves, Wood Wall	2024	10½	59¹⁵⁄₁₆	34⅛	—	—	81 lbs.	5.3
11N6034SH4L	Laminate	1396	10½	59¹⁵⁄₁₆	34⅛	—	—	81 lbs.	5.3
11N6034SH4WL	Wood Shelves, Laminate Wall	2024	10½	59¹⁵⁄₁₆	34⅛	—	—	81 lbs.	5.3



- Some assembly required
- "SH4" models have two shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3634SH6W	MH	
11N3634SH6WL	MH	405
11N3634SH6L	405	478

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH6W	Wood	$ 1470	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N3634SH6LW	Laminate Shelves, Wood Wall	1470	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N3634SH6L	Laminate	1014	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N3634SH6WL	Wood Shelves, Laminate Wall	1470	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N4234SH6W	Wood	$ 1471	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4234SH6LW	Laminate Shelves, Wood Wall	1471	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4234SH6L	Laminate	1015	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4234SH6WL	Wood Shelves, Laminate Wall	1471	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4834SH6W	Wood	$ 1634	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N4834SH6LW	Laminate Shelves, Wood Wall	1634	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N4834SH6L	Laminate	1127	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N4834SH6WL	Wood Shelves, Laminate Wall	1634	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N5434SH6W	Wood	$ 1797	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N5434SH6LW	Laminate Shelves, Wood Wall	1797	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N5434SH6L	Laminate	1240	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N5434SH6WL	Wood Shelves, Laminate Wall	1797	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N6034SH6W	Wood	$ 1978	10½	59 15/16	34⅛	—	—	66 lbs.	5.3
11N6034SH6LW	Laminate Shelves, Wood Wall	1978	10½	59 15/16	34⅛	—	—	66 lbs.	5.3
11N6034SH6L	Laminate	1365	10½	59 15/16	34⅛	—	—	66 lbs.	5.3
11N6034SH6WL	Wood Shelves, Laminate Wall	1978	10½	59 15/16	34⅛	—	—	66 lbs.	5.3

- Some assembly required
- "SH6" 34" high models have one shelf that aligns with the bottom of a metal overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)





COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H ORGANIZER SHELF INSERTS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3636SH1W	Wood	$ 1753	10½	35¹⁵⁄₁₆	36⁹⁄₁₆	—	—	51 lbs.	3.4
11N3636SH1LW	Laminate Shelves, Wood Wall	1753	10½	35¹⁵⁄₁₆	36⁹⁄₁₆	—	—	51 lbs.	3.4
11N3636SH1L	Laminate	1208	10½	35¹⁵⁄₁₆	36⁹⁄₁₆	—	—	51 lbs.	3.4
11N3636SH1WL	Wood Shelves, Laminate Wall	1753	10½	35¹⁵⁄₁₆	36⁹⁄₁₆	—	—	51 lbs.	3.4
11N4236SH1W	Wood	$ 1756	10½	41¹⁵⁄₁₆	36⁹⁄₁₆	—	—	57 lbs.	3.6
11N4236SH1LW	Laminate Shelves, Wood Wall	1756	10½	41¹⁵⁄₁₆	36⁹⁄₁₆	—	—	57 lbs.	3.6
11N4236SH1L	Laminate	1210	10½	41¹⁵⁄₁₆	36⁹⁄₁₆	—	—	57 lbs.	3.6
11N4236SH1WL	Wood Shelves, Laminate Wall	1756	10½	41¹⁵⁄₁₆	36⁹⁄₁₆	—	—	57 lbs.	3.6
11N4836SH1W	Wood	$ 1951	10½	47¹⁵⁄₁₆	36⁹⁄₁₆	—	—	62 lbs.	3.9
11N4836SH1LW	Laminate Shelves, Wood Wall	1951	10½	47¹⁵⁄₁₆	36⁹⁄₁₆	—	—	62 lbs.	3.9
11N4836SH1L	Laminate	1345	10½	47¹⁵⁄₁₆	36⁹⁄₁₆	—	—	62 lbs.	3.9
11N4836SH1WL	Wood Shelves, Laminate Wall	1951	10½	47¹⁵⁄₁₆	36⁹⁄₁₆	—	—	62 lbs.	3.9
11N5436SH1W	Wood	$ 2145	10½	53⅞	36⁹⁄₁₆	—	—	68 lbs.	4.1
11N5436SH1LW	Laminate Shelves, Wood Wall	2145	10½	53⅞	36⁹⁄₁₆	—	—	68 lbs.	4.1
11N5436SH1L	Laminate	1480	10½	53⅞	36⁹⁄₁₆	—	—	68 lbs.	4.1
11N5436SH1WL	Wood Shelves, Laminate Wall	2145	10½	53⅞	36⁹⁄₁₆	—	—	68 lbs.	4.1
11N6036SH1W	Wood	$ 2361	10½	59¹⁵⁄₁₆	36⁹⁄₁₆	—	—	74 lbs.	4.3
11N6036SH1LW	Laminate Shelves, Wood Wall	2361	10½	59¹⁵⁄₁₆	36⁹⁄₁₆	—	—	74 lbs.	4.3
11N6036SH1L	Laminate	1628	10½	59¹⁵⁄₁₆	36⁹⁄₁₆	—	—	74 lbs.	4.3
11N6036SH1WL	Wood Shelves, Laminate Wall	2361	10½	59¹⁵⁄₁₆	36⁹⁄₁₆	—	—	74 lbs.	4.3

- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3636SH2W	MH	
11N3636SH2WL	MH	405
11N3636SH2L	405	478

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH2W	Wood	$ 1753	10½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636SH2LW	Laminate Shelves, Wood Wall	1753	10½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636SH2L	Laminate	1208	10½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636SH2WL	Wood Shelves, Laminate Wall	1753	10½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N4236SH2W	Wood	$ 1756	10½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236SH2LW	Laminate Shelves, Wood Wall	1756	10½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236SH2L	Laminate	1210	10½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236SH2WL	Wood Shelves, Laminate Wall	1756	10½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4836SH2W	Wood	$ 1951	10½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836SH2LW	Laminate Shelves, Wood Wall	1951	10½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836SH2L	Laminate	1345	10½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836SH2WL	Wood Shelves, Laminate Wall	1951	10½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N5436SH2W	Wood	$ 2145	10½	53⅞	36 9/16	—	—	68 lbs.	4.1
11N5436SH2LW	Laminate Shelves, Wood Wall	2145	10½	53⅞	36 9/16	—	—	68 lbs.	4.1
11N5436SH2L	Laminate	1480	10½	53⅞	36 9/16	—	—	68 lbs.	4.1
11N5436SH2WL	Wood Shelves, Laminate Wall	2145	10½	53⅞	36 9/16	—	—	68 lbs.	4.1
11N6036SH2W	Wood	$ 2361	10½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036SH2LW	Laminate Shelves, Wood Wall	2361	10½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036SH2L	Laminate	1628	10½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036SH2WL	Wood Shelves, Laminate Wall	2361	10½	59 15/16	36 9/16	—	—	74 lbs.	4.3

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH3W	Wood	$ 1489	10½	35¹⁵⁄₁₆	36⁹⁄₁₆	—	—	43 lbs.	3.5
11N3636SH3LW	Laminate Shelves, Wood Wall	1489	10½	35¹⁵⁄₁₆	36⁹⁄₁₆	—	—	43 lbs.	3.5
11N3636SH3L	Laminate	1027	10½	35¹⁵⁄₁₆	36⁹⁄₁₆	—	—	43 lbs.	3.5
11N3636SH3WL	Wood Shelves, Laminate Wall	1489	10½	35¹⁵⁄₁₆	36⁹⁄₁₆	—	—	43 lbs.	3.5
11N4236SH3W	Wood	$ 1492	10½	41¹⁵⁄₁₆	36⁹⁄₁₆	—	—	49 lbs.	4.1
11N4236SH3LW	Laminate Shelves, Wood Wall	1492	10½	41¹⁵⁄₁₆	36⁹⁄₁₆	—	—	49 lbs.	4.1
11N4236SH3L	Laminate	1029	10½	41¹⁵⁄₁₆	36⁹⁄₁₆	—	—	49 lbs.	4.1
11N4236SH3WL	Wood Shelves, Laminate Wall	1492	10½	41¹⁵⁄₁₆	36⁹⁄₁₆	—	—	49 lbs.	4.1
11N4836SH3W	Wood	$ 1658	10½	47¹⁵⁄₁₆	36⁹⁄₁₆	—	—	56 lbs.	4.6
11N4836SH3LW	Laminate Shelves, Wood Wall	1658	10½	47¹⁵⁄₁₆	36⁹⁄₁₆	—	—	56 lbs.	4.6
11N4836SH3L	Laminate	1143	10½	47¹⁵⁄₁₆	36⁹⁄₁₆	—	—	56 lbs.	4.6
11N4836SH3WL	Wood Shelves, Laminate Wall	1658	10½	47¹⁵⁄₁₆	36⁹⁄₁₆	—	—	56 lbs.	4.6
11N5436SH3W	Wood	$ 1824	10½	53⅞	36⁹⁄₁₆	—	—	63 lbs.	5.1
11N5436SH3LW	Laminate Shelves, Wood Wall	1824	10½	53⅞	36⁹⁄₁₆	—	—	63 lbs.	5.1
11N5436SH3L	Laminate	1259	10½	53⅞	36⁹⁄₁₆	—	—	63 lbs.	5.1
11N5436SH3WL	Wood Shelves, Laminate Wall	1824	10½	53⅞	36⁹⁄₁₆	—	—	63 lbs.	5.1



11N6036SH3W	Wood	$ 2006	10½	59¹⁵⁄₁₆	36⁹⁄₁₆	—	—	69 lbs.	5.6
11N6036SH3LW	Laminate Shelves, Wood Wall	2006	10½	59¹⁵⁄₁₆	36⁹⁄₁₆	—	—	69 lbs.	5.6
11N6036SH3L	Laminate	1384	10½	59¹⁵⁄₁₆	36⁹⁄₁₆	—	—	69 lbs.	5.6
11N6036SH3WL	Wood Shelves, Laminate Wall	2006	10½	59¹⁵⁄₁₆	36⁹⁄₁₆	—	—	69 lbs.	5.6

- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3636SH4W	MH	
11N3636SH4WL	MH	405
11N3636SH4L	405	478

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH4W	Wood	$ 1524	10½	35 15/16	36 9/16	—	—	51 lbs.	3.5
11N3636SH4LW	Laminate Shelves, Wood Wall	1524	10½	35 15/16	36 9/16	—	—	51 lbs.	3.5
11N3636SH4L	Laminate	1052	10½	35 15/16	36 9/16	—	—	51 lbs.	3.5
11N3636SH4WL	Wood Shelves, Laminate Wall	1524	10½	35 15/16	36 9/16	—	—	51 lbs.	3.5
11N4236SH4W	Wood	$ 1527	10½	41 15/16	36 9/16	—	—	59 lbs.	4.1
11N4236SH4LW	Laminate Shelves, Wood Wall	1527	10½	41 15/16	36 9/16	—	—	59 lbs.	4.1
11N4236SH4L	Laminate	1054	10½	41 15/16	36 9/16	—	—	59 lbs.	4.1
11N4236SH4WL	Wood Shelves, Laminate Wall	1527	10½	41 15/16	36 9/16	—	—	59 lbs.	4.1
11N4836SH4W	Wood	$ 1697	10½	47 15/16	36 9/16	—	—	68 lbs.	4.6
11N4836SH4LW	Laminate Shelves, Wood Wall	1697	10½	47 15/16	36 9/16	—	—	68 lbs.	4.6
11N4836SH4L	Laminate	1170	10½	47 15/16	36 9/16	—	—	68 lbs.	4.6
11N4836SH4WL	Wood Shelves, Laminate Wall	1697	10½	47 15/16	36 9/16	—	—	68 lbs.	4.6
11N5436SH4W	Wood	$ 1866	10½	53⅞	36 9/16	—	—	76 lbs.	5.1
11N5436SH4LW	Laminate Shelves, Wood Wall	1866	10½	53⅞	36 9/16	—	—	76 lbs.	5.1
11N5436SH4L	Laminate	1288	10½	53⅞	36 9/16	—	—	76 lbs.	5.1
11N5436SH4WL	Wood Shelves, Laminate Wall	1866	10½	53⅞	36 9/16	—	—	76 lbs.	5.1
11N6036SH4W	Wood	$ 2054	10½	59 15/16	36 9/16	—	—	85 lbs.	5.6
11N6036SH4LW	Laminate Shelves, Wood Wall	2054	10½	59 15/16	36 9/16	—	—	85 lbs.	5.6
11N6036SH4L	Laminate	1416	10½	59 15/16	36 9/16	—	—	85 lbs.	5.6
11N6036SH4WL	Wood Shelves, Laminate Wall	2054	10½	59 15/16	36 9/16	—	—	85 lbs.	5.6

- Some assembly required
- "SH4" models have two shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH6W	Wood	$ 1489	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH6LW	Laminate Shelves, Wood Wall	1489	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH6L	Laminate	1027	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH6WL	Wood Shelves, Laminate Wall	1489	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N4236SH6W	Wood	$ 1492	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH6LW	Laminate Shelves, Wood Wall	1492	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH6L	Laminate	1029	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH6WL	Wood Shelves, Laminate Wall	1492	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4836SH6W	Wood	$ 1658	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH6LW	Laminate Shelves, Wood Wall	1658	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH6L	Laminate	1143	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH6WL	Wood Shelves, Laminate Wall	1658	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N5436SH6W	Wood	$ 1824	10½	53⅞	36 9/16	—	—	63 lbs.	5.1
11N5436SH6LW	Laminate Shelves, Wood Wall	1824	10½	53⅞	36 9/16	—	—	63 lbs.	5.1
11N5436SH6L	Laminate	1259	10½	53⅞	36 9/16	—	—	63 lbs.	5.1
11N5436SH6WL	Wood Shelves, Laminate Wall	1824	10½	53⅞	36 9/16	—	—	63 lbs.	5.1
11N6036SH6W	Wood	$ 2006	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH6LW	Laminate Shelves, Wood Wall	2006	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH6L	Laminate	1384	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH6WL	Wood Shelves, Laminate Wall	2006	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6



- Some assembly required
- "SH6" 36"/37" high models have one shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3637SH1W	MH	
11N3637SH1WL	MH	405
11N3637SH1L	405	478

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS									
11N3637SH1W	Wood	$ 1753	10½	35 15/16	37	—	—	51 lbs.	3.4
11N3637SH1LW	Laminate Shelves, Wood Wall	1753	10½	35 15/16	37	—	—	51 lbs.	3.4
11N3637SH1L	Laminate	1208	10½	35 15/16	37	—	—	51 lbs.	3.4
11N3637SH1WL	Wood Shelves, Laminate Wall	1753	10½	35 15/16	37	—	—	51 lbs.	3.4
11N4237SH1W	Wood	$ 1756	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4237SH1LW	Laminate Shelves, Wood Wall	1756	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4237SH1L	Laminate	1210	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4237SH1WL	Wood Shelves, Laminate Wall	1756	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4837SH1W	Wood	$ 1951	10½	47 15/16	37	—	—	62 lbs.	3.9
11N4837SH1LW	Laminate Shelves, Wood Wall	1951	10½	47 15/16	37	—	—	62 lbs.	3.9
11N4837SH1L	Laminate	1345	10½	47 15/16	37	—	—	62 lbs.	3.9
11N4837SH1WL	Wood Shelves, Laminate Wall	1951	10½	47 15/16	37	—	—	62 lbs.	3.9
11N5437SH1W	Wood	$ 2145	10½	53⅞	37	—	—	68 lbs.	4.1
11N5437SH1LW	Laminate Shelves, Wood Wall	2145	10½	53⅞	37	—	—	68 lbs.	4.1
11N5437SH1L	Laminate	1480	10½	53⅞	37	—	—	68 lbs.	4.1
11N5437SH1WL	Wood Shelves, Laminate Wall	2145	10½	53⅞	37	—	—	68 lbs.	4.1
11N6037SH1W	Wood	$ 2361	10½	59 15/16	37	—	—	74 lbs.	4.3
11N6037SH1LW	Laminate Shelves, Wood Wall	2361	10½	59 15/16	37	—	—	74 lbs.	4.3
11N6037SH1L	Laminate	1628	10½	59 15/16	37	—	—	74 lbs.	4.3
11N6037SH1WL	Wood Shelves, Laminate Wall	2361	10½	59 15/16	37	—	—	74 lbs.	4.3

- Some assembly required
- 34", 36" and 37" high shelf inserts have three shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH2W	Wood	$ 1753	10½	35 15/16	37	—	—	51 lbs.	3.4
11N3637SH2LW	Laminate Shelves, Wood Wall	1753	10½	35 15/16	37	—	—	51 lbs.	3.4
11N3637SH2L	Laminate	1208	10½	35 15/16	37	—	—	51 lbs.	3.4
11N3637SH2WL	Wood Shelves, Laminate Wall	1753	10½	35 15/16	37	—	—	51 lbs.	3.4
11N4237SH2W	Wood	$ 1756	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4237SH2LW	Laminate Shelves, Wood Wall	1756	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4237SH2L	Laminate	1210	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4237SH2WL	Wood Shelves, Laminate Wall	1756	10½	41 15/16	37	—	—	57 lbs.	3.6
11N4837SH2W	Wood	$ 1951	10½	47 15/16	37	—	—	62 lbs.	3.9
11N4837SH2LW	Laminate Shelves, Wood Wall	1951	10½	47 15/16	37	—	—	62 lbs.	3.9
11N4837SH2L	Laminate	1345	10½	47 15/16	37	—	—	62 lbs.	3.9
11N4837SH2WL	Wood Shelves, Laminate Wall	1951	10½	47 15/16	37	—	—	62 lbs.	3.9
11N5437SH2W	Wood	$ 2145	10½	53⅞	37	—	—	68 lbs.	4.1
11N5437SH2LW	Laminate Shelves, Wood Wall	2145	10½	53⅞	37	—	—	68 lbs.	4.1
11N5437SH2L	Laminate	1480	10½	53⅞	37	—	—	68 lbs.	4.1
11N5437SH2WL	Wood Shelves, Laminate Wall	2145	10½	53⅞	37	—	—	68 lbs.	4.1
11N6037SH2W	Wood	$ 2361	10½	59 15/16	37	—	—	74 lbs.	4.3
11N6037SH2LW	Laminate Shelves, Wood Wall	2361	10½	59 15/16	37	—	—	74 lbs.	4.3
11N6037SH2L	Laminate	1628	10½	59 15/16	37	—	—	74 lbs.	4.3
11N6037SH2WL	Wood Shelves, Laminate Wall	2361	10½	59 15/16	37	—	—	74 lbs.	4.3

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3637SH3W	MH	
11N3637SH3WL	MH	405
11N3637SH3L	405	478

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH3W	Wood	$ 1489	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH3LW	Laminate Shelves, Wood Wall	1489	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH3L	Laminate	1027	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH3WL	Wood Shelves, Laminate Wall	1489	10½	35 15/16	37	—	—	43 lbs.	3.6
11N4237SH3W	Wood	$ 1492	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH3LW	Laminate Shelves, Wood Wall	1492	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH3L	Laminate	1029	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH3WL	Wood Shelves, Laminate Wall	1492	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4837SH3W	Wood	$ 1658	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH3LW	Laminate Shelves, Wood Wall	1658	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH3L	Laminate	1143	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH3WL	Wood Shelves, Laminate Wall	1658	10½	47 15/16	37	—	—	56 lbs.	4.6
11N5437SH3W	Wood	$ 1824	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH3LW	Laminate Shelves, Wood Wall	1824	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH3L	Laminate	1259	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH3WL	Wood Shelves, Laminate Wall	1824	10½	53⅞	37	—	—	63 lbs.	5.1
11N6037SH3W	Wood	$ 2006	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH3LW	Laminate Shelves, Wood Wall	2006	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH3L	Laminate	1384	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH3WL	Wood Shelves, Laminate Wall	2006	10½	59 15/16	37	—	—	70 lbs.	5.7

- Some assembly required
- "SH3" models have one shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH4W	Wood	$ 1524	10½	35¹⁵⁄₁₆	37	—	—	51 lbs.	3.6
11N3637SH4LW	Laminate Shelves, Wood Wall	1524	10½	35¹⁵⁄₁₆	37	—	—	51 lbs.	3.6
11N3637SH4L	Laminate	1052	10½	35¹⁵⁄₁₆	37	—	—	51 lbs.	3.6
11N3637SH4WL	Wood Shelves, Laminate Wall	1524	10½	35¹⁵⁄₁₆	37	—	—	51 lbs.	3.6
11N4237SH4W	Wood	$ 1527	10½	41¹⁵⁄₁₆	37	—	—	60 lbs.	4.1
11N4237SH4LW	Laminate Shelves, Wood Wall	1527	10½	41¹⁵⁄₁₆	37	—	—	60 lbs.	4.1
11N4237SH4L	Laminate	1054	10½	41¹⁵⁄₁₆	37	—	—	60 lbs.	4.1
11N4237SH4WL	Wood Shelves, Laminate Wall	1527	10½	41¹⁵⁄₁₆	37	—	—	60 lbs.	4.1
11N4837SH4W	Wood	$ 1697	10½	47¹⁵⁄₁₆	37	—	—	68 lbs.	4.6
11N4837SH4LW	Laminate Shelves, Wood Wall	1697	10½	47¹⁵⁄₁₆	37	—	—	68 lbs.	4.6
11N4837SH4L	Laminate	1170	10½	47¹⁵⁄₁₆	37	—	—	68 lbs.	4.6
11N4837SH4WL	Wood Shelves, Laminate Wall	1697	10½	47¹⁵⁄₁₆	37	—	—	68 lbs.	4.6
11N5437SH4W	Wood	$ 1866	10½	53⅞	37	—	—	77 lbs.	5.1
11N5437SH4LW	Laminate Shelves, Wood Wall	1866	10½	53⅞	37	—	—	77 lbs.	5.1
11N5437SH4L	Laminate	1288	10½	53⅞	37	—	—	77 lbs.	5.1
11N5437SH4WL	Wood Shelves, Laminate Wall	1866	10½	53⅞	37	—	—	77 lbs.	5.1
11N6037SH4W	Wood	$ 2054	10½	59¹⁵⁄₁₆	37	—	—	85 lbs.	5.7
11N6037SH4LW	Laminate Shelves, Wood Wall	2054	10½	59¹⁵⁄₁₆	37	—	—	85 lbs.	5.7
11N6037SH4L	Laminate	1416	10½	59¹⁵⁄₁₆	37	—	—	85 lbs.	5.7
11N6037SH4WL	Wood Shelves, Laminate Wall	2054	10½	59¹⁵⁄₁₆	37	—	—	85 lbs.	5.7



- Some assembly required
- "SH4" models have two shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3637SH6W	MH	
11N3637SH6WL	MH	405
11N3637SH6L	405	478

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH6W	Wood	$ 1489	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH6LW	Laminate Shelves, Wood Wall	1489	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH6L	Laminate	1027	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH6WL	Wood Shelves, Laminate Wall	1489	10½	35 15/16	37	—	—	43 lbs.	3.6
11N4237SH6W	Wood	$ 1492	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH6LW	Laminate Shelves, Wood Wall	1492	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH6L	Laminate	1029	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH6WL	Wood Shelves, Laminate Wall	1492	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4837SH6W	Wood	$ 1658	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH6LW	Laminate Shelves, Wood Wall	1658	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH6L	Laminate	1143	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH6WL	Wood Shelves, Laminate Wall	1658	10½	47 15/16	37	—	—	56 lbs.	4.6
11N5437SH6W	Wood	$ 1824	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH6LW	Laminate Shelves, Wood Wall	1824	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH6L	Laminate	1259	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH6WL	Wood Shelves, Laminate Wall	1824	10½	53⅞	37	—	—	63 lbs.	5.1
11N6037SH6W	Wood	$ 2006	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH6LW	Laminate Shelves, Wood Wall	2006	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH6L	Laminate	1384	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH6WL	Wood Shelves, Laminate Wall	2006	10½	59 15/16	37	—	—	70 lbs.	5.7

- Some assembly required
- "SH6" 36"/37" high models have one shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H ORGANIZER SHELF INSERTS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3648SH1W	Wood	$ 2070	10½	35¹⁵⁄₁₆	48⅜	—	—	69 lbs.	5.0
11N3648SH1LW	Laminate Shelves, Wood Wall	2070	10½	35¹⁵⁄₁₆	48⅜	—	—	69 lbs.	5.0
11N3648SH1L	Laminate	1427	10½	35¹⁵⁄₁₆	48⅜	—	—	69 lbs.	5.0
11N3648SH1WL	Wood Shelves, Laminate Wall	2070	10½	35¹⁵⁄₁₆	48⅜	—	—	69 lbs.	5.0
11N4248SH1W	Wood	$ 2073	10½	41¹⁵⁄₁₆	48⅜	—	—	77 lbs.	5.2
11N4248SH1LW	Laminate Shelves, Wood Wall	2073	10½	41¹⁵⁄₁₆	48⅜	—	—	77 lbs.	5.2
11N4248SH1L	Laminate	1429	10½	41¹⁵⁄₁₆	48⅜	—	—	77 lbs.	5.2
11N4248SH1WL	Wood Shelves, Laminate Wall	2073	10½	41¹⁵⁄₁₆	48⅜	—	—	77 lbs.	5.2
11N4848SH1W	Wood	$ 2301	10½	47¹⁵⁄₁₆	48⅜	—	—	85 lbs.	5.5
11N4848SH1LW	Laminate Shelves, Wood Wall	2301	10½	47¹⁵⁄₁₆	48⅜	—	—	85 lbs.	5.5
11N4848SH1L	Laminate	1587	10½	47¹⁵⁄₁₆	48⅜	—	—	85 lbs.	5.5
11N4848SH1WL	Wood Shelves, Laminate Wall	2301	10½	47¹⁵⁄₁₆	48⅜	—	—	85 lbs.	5.5
11N5448SH1W	Wood	$ 2534	10½	53⅞	48⅜	—	—	93 lbs.	5.8
11N5448SH1LW	Laminate Shelves, Wood Wall	2534	10½	53⅞	48⅜	—	—	93 lbs.	5.8
11N5448SH1L	Laminate	1746	10½	53⅞	48⅜	—	—	93 lbs.	5.8
11N5448SH1WL	Wood Shelves, Laminate Wall	2534	10½	53⅞	48⅜	—	—	93 lbs.	5.8
11N6048SH1W	Wood	$ 2785	10½	59¹⁵⁄₁₆	48⅜	—	—	101 lbs.	6.1
11N6048SH1LW	Laminate Shelves, Wood Wall	2785	10½	59¹⁵⁄₁₆	48⅜	—	—	101 lbs.	6.1
11N6048SH1L	Laminate	1920	10½	59¹⁵⁄₁₆	48⅜	—	—	101 lbs.	6.1
11N6048SH1WL	Wood Shelves, Laminate Wall	2785	10½	59¹⁵⁄₁₆	48⅜	—	—	101 lbs.	6.1



- Some assembly required
- 48" and 49" high shelf inserts have five shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3648SH2W	MH	
11N3648SH2WL	MH	405
11N3648SH2L	405	478

ORGANIZER SHELF INSERTS (CONTINUED)





COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3648SH2W	Wood	$ 2070	10½	35 15/16	48⅜	—	—	69 lbs.	5.0
11N3648SH2LW	Laminate Shelves, Wood Wall	2070	10½	35 15/16	48⅜	—	—	69 lbs.	5.0
11N3648SH2L	Laminate	1427	10½	35 15/16	48⅜	—	—	69 lbs.	5.0
11N3648SH2WL	Wood Shelves, Laminate Wall	2070	10½	35 15/16	48⅜	—	—	69 lbs.	5.0
11N4248SH2W	Wood	$ 2073	10½	41 15/16	48⅜	—	—	77 lbs.	5.2
11N4248SH2LW	Laminate Shelves, Wood Wall	2073	10½	41 15/16	48⅜	—	—	77 lbs.	5.2
11N4248SH2L	Laminate	1429	10½	41 15/16	48⅜	—	—	77 lbs.	5.2
11N4248SH2WL	Wood Shelves, Laminate Wall	2073	10½	41 15/16	48⅜	—	—	77 lbs.	5.2
11N4848SH2W	Wood	$ 2301	10½	47 15/16	48⅜	—	—	85 lbs.	5.5
11N4848SH2LW	Laminate Shelves, Wood Wall	2301	10½	47 15/16	48⅜	—	—	85 lbs.	5.5
11N4848SH2L	Laminate	1587	10½	47 15/16	48⅜	—	—	85 lbs.	5.5
11N4848SH2WL	Wood Shelves, Laminate Wall	2301	10½	47 15/16	48⅜	—	—	85 lbs.	5.5
11N5448SH2W	Wood	$ 2534	10½	53⅞	48⅜	—	—	93 lbs.	5.8
11N5448SH2LW	Laminate Shelves, Wood Wall	2534	10½	53⅞	48⅜	—	—	93 lbs.	5.8
11N5448SH2L	Laminate	1746	10½	53⅞	48⅜	—	—	93 lbs.	5.8
11N5448SH2WL	Wood Shelves, Laminate Wall	2534	10½	53⅞	48⅜	—	—	93 lbs.	5.8
11N6048SH2W	Wood	$ 2785	10½	59 15/16	48⅜	—	—	101 lbs.	6.1
11N6048SH2LW	Laminate Shelves, Wood Wall	2785	10½	59 15/16	48⅜	—	—	101 lbs.	6.1
11N6048SH2L	Laminate	1920	10½	59 15/16	48⅜	—	—	101 lbs.	6.1
11N6048SH2WL	Wood Shelves, Laminate Wall	2785	10½	59 15/16	48⅜	—	—	101 lbs.	6.1

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3648SH3W	Wood	$ 1759	10½	35¹⁵⁄₁₆	48⅜	—	—	53 lbs.	4.5
11N3648SH3LW	Laminate Shelves, Wood Wall	1759	10½	35¹⁵⁄₁₆	48⅜	—	—	53 lbs.	4.5
11N3648SH3L	Laminate	1212	10½	35¹⁵⁄₁₆	48⅜	—	—	53 lbs.	4.5
11N3648SH3WL	Wood Shelves, Laminate Wall	1759	10½	35¹⁵⁄₁₆	48⅜	—	—	53 lbs.	4.5
11N4248SH3W	Wood	$ 1762	10½	41¹⁵⁄₁₆	48⅜	—	—	61 lbs.	5.2
11N4248SH3LW	Laminate Shelves, Wood Wall	1762	10½	41¹⁵⁄₁₆	48⅜	—	—	61 lbs.	5.2
11N4248SH3L	Laminate	1214	10½	41¹⁵⁄₁₆	48⅜	—	—	61 lbs.	5.2
11N4248SH3WL	Wood Shelves, Laminate Wall	1762	10½	41¹⁵⁄₁₆	48⅜	—	—	61 lbs.	5.2
11N4848SH3W	Wood	$ 1956	10½	47¹⁵⁄₁₆	48⅜	—	—	69 lbs.	5.9
11N4848SH3LW	Laminate Shelves, Wood Wall	1956	10½	47¹⁵⁄₁₆	48⅜	—	—	69 lbs.	5.9
11N4848SH3L	Laminate	1349	10½	47¹⁵⁄₁₆	48⅜	—	—	69 lbs.	5.9
11N4848SH3WL	Wood Shelves, Laminate Wall	1956	10½	47¹⁵⁄₁₆	48⅜	—	—	69 lbs.	5.9
11N5448SH3W	Wood	$ 2154	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH3LW	Laminate Shelves, Wood Wall	2154	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH3L	Laminate	1484	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH3WL	Wood Shelves, Laminate Wall	2154	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N6048SH3W	Wood	$ 2367	10½	59¹⁵⁄₁₆	48⅜	—	—	86 lbs.	7.2
11N6048SH3LW	Laminate Shelves, Wood Wall	2367	10½	59¹⁵⁄₁₆	48⅜	—	—	86 lbs.	7.2
11N6048SH3L	Laminate	1633	10½	59¹⁵⁄₁₆	48⅜	—	—	86 lbs.	7.2
11N6048SH3WL	Wood Shelves, Laminate Wall	2367	10½	59¹⁵⁄₁₆	48⅜	—	—	86 lbs.	7.2



- Some assembly required
- "SH3" models have one shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3648SH4W	MH	
11N3648SH4WL	MH	405
11N3648SH4L	405	478

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH4W	Wood	$ 1800	10½	35 15/16	48⅜	—	—	60 lbs.	4.5
11N3648SH4LW	Laminate Shelves, Wood Wall	1800	10½	35 15/16	48⅜	—	—	60 lbs.	4.5
11N3648SH4L	Laminate	1241	10½	35 15/16	48⅜	—	—	60 lbs.	4.5
11N3648SH4WL	Wood Shelves, Laminate Wall	1800	10½	35 15/16	48⅜	—	—	60 lbs.	4.5
11N4248SH4W	Wood	$ 1804	10½	41 15/16	48⅜	—	—	71 lbs.	5.2
11N4248SH4LW	Laminate Shelves, Wood Wall	1804	10½	41 15/16	48⅜	—	—	71 lbs.	5.2
11N4248SH4L	Laminate	1243	10½	41 15/16	48⅜	—	—	71 lbs.	5.2
11N4248SH4WL	Wood Shelves, Laminate Wall	1804	10½	41 15/16	48⅜	—	—	71 lbs.	5.2
11N4848SH4W	Wood	$ 2002	10½	47 15/16	48⅜	—	—	81 lbs.	5.9
11N4848SH4LW	Laminate Shelves, Wood Wall	2002	10½	47 15/16	48⅜	—	—	81 lbs.	5.9
11N4848SH4L	Laminate	1381	10½	47 15/16	48⅜	—	—	81 lbs.	5.9
11N4848SH4WL	Wood Shelves, Laminate Wall	2002	10½	47 15/16	48⅜	—	—	81 lbs.	5.9
11N5448SH4W	Wood	$ 2204	10½	53⅞	48⅜	—	—	90 lbs.	6.5
11N5448SH4LW	Laminate Shelves, Wood Wall	2204	10½	53⅞	48⅜	—	—	90 lbs.	6.5
11N5448SH4L	Laminate	1519	10½	53⅞	48⅜	—	—	90 lbs.	6.5
11N5448SH4WL	Wood Shelves, Laminate Wall	2204	10½	53⅞	48⅜	—	—	90 lbs.	6.5
11N6048SH4W	Wood	$ 2424	10½	59 15/16	48⅜	—	—	100 lbs.	7.2
11N6048SH4LW	Laminate Shelves, Wood Wall	2424	10½	59 15/16	48⅜	—	—	100 lbs.	7.2
11N6048SH4L	Laminate	1671	10½	59 15/16	48⅜	—	—	100 lbs.	7.2
11N6048SH4WL	Wood Shelves, Laminate Wall	2424	10½	59 15/16	48⅜	—	—	100 lbs.	7.2

- Some assembly required
- "SH4" models have two shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3648SH5W	Wood	$ 1863	10½	35¹⁵⁄₁₆	48⅜	—	—	69 lbs.	4.5
11N3648SH5LW	Laminate Shelves, Wood Wall	1863	10½	35¹⁵⁄₁₆	48⅜	—	—	69 lbs.	4.5
11N3648SH5L	Laminate	1284	10½	35¹⁵⁄₁₆	48⅜	—	—	69 lbs.	4.5
11N3648SH5WL	Wood Shelves, Laminate Wall	1863	10½	35¹⁵⁄₁₆	48⅜	—	—	69 lbs.	4.5
11N4248SH5W	Wood	$ 1866	10½	41¹⁵⁄₁₆	48⅜	—	—	81 lbs.	5.2
11N4248SH5LW	Laminate Shelves, Wood Wall	1866	10½	41¹⁵⁄₁₆	48⅜	—	—	81 lbs.	5.2
11N4248SH5L	Laminate	1285	10½	41¹⁵⁄₁₆	48⅜	—	—	81 lbs.	5.2
11N4248SH5WL	Wood Shelves, Laminate Wall	1866	10½	41¹⁵⁄₁₆	48⅜	—	—	81 lbs.	5.2
11N4848SH5W	Wood	$ 2071	10½	47¹⁵⁄₁₆	48⅜	—	—	92 lbs.	5.9
11N4848SH5LW	Laminate Shelves, Wood Wall	2071	10½	47¹⁵⁄₁₆	48⅜	—	—	92 lbs.	5.9
11N4848SH5L	Laminate	1428	10½	47¹⁵⁄₁₆	48⅜	—	—	92 lbs.	5.9
11N4848SH5WL	Wood Shelves, Laminate Wall	2071	10½	47¹⁵⁄₁₆	48⅜	—	—	92 lbs.	5.9
11N5448SH5W	Wood	$ 2279	10½	53⅞	48⅜	—	—	104 lbs.	6.5
11N5448SH5LW	Laminate Shelves, Wood Wall	2279	10½	53⅞	48⅜	—	—	104 lbs.	6.5
11N5448SH5L	Laminate	1571	10½	53⅞	48⅜	—	—	104 lbs.	6.5
11N5448SH5WL	Wood Shelves, Laminate Wall	2279	10½	53⅞	48⅜	—	—	104 lbs.	6.5
11N6048SH5W	Wood	$ 2507	10½	59¹⁵⁄₁₆	48⅜	—	—	115 lbs.	7.2
11N6048SH5LW	Laminate Shelves, Wood Wall	2507	10½	59¹⁵⁄₁₆	48⅜	—	—	115 lbs.	7.2
11N6048SH5L	Laminate	1728	10½	59¹⁵⁄₁₆	48⅜	—	—	115 lbs.	7.2
11N6048SH5WL	Wood Shelves, Laminate Wall	2507	10½	59¹⁵⁄₁₆	48⅜	—	—	115 lbs.	7.2



- Some assembly required
- "SH5" models have three shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3648SH6W	MH	A	
11N3648SH6WL	MH	405	B
11N3648SH6L	405	478	C

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH6W	Wood	$ 1759	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH6LW	Laminate Shelves, Wood Wall	1759	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH6L	Laminate	1212	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH6WL	Wood Shelves, Laminate Wall	1759	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N4248SH6W	Wood	$ 1762	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH6LW	Laminate Shelves, Wood Wall	1762	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH6L	Laminate	1214	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH6WL	Wood Shelves, Laminate Wall	1762	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4848SH6W	Wood	$ 1956	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH6LW	Laminate Shelves, Wood Wall	1956	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH6L	Laminate	1349	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH6WL	Wood Shelves, Laminate Wall	1956	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N5448SH6W	Wood	$ 2154	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH6LW	Laminate Shelves, Wood Wall	2154	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH6L	Laminate	1484	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH6WL	Wood Shelves, Laminate Wall	2154	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N6048SH6W	Wood	$ 2367	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH6LW	Laminate Shelves, Wood Wall	2367	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH6L	Laminate	1633	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH6WL	Wood Shelves, Laminate Wall	2367	10½	59 15/16	48⅜	—	—	86 lbs.	7.2

- Some assembly required
- "SH6" 48"/49" high models have one shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3648SH7W	Wood	$ 1800	10½	35¹⁵⁄₁₆	48⅜	—	—	60 lbs.	4.5
11N3648SH7LW	Laminate Shelves, Wood Wall	1800	10½	35¹⁵⁄₁₆	48⅜	—	—	60 lbs.	4.5
11N3648SH7L	Laminate	1241	10½	35¹⁵⁄₁₆	48⅜	—	—	60 lbs.	4.5
11N3648SH7WL	Wood Shelves, Laminate Wall	1800	10½	35¹⁵⁄₁₆	48⅜	—	—	60 lbs.	4.5
11N4248SH7W	Wood	$ 1804	10½	41¹⁵⁄₁₆	48⅜	—	—	71 lbs.	5.2
11N4248SH7LW	Laminate Shelves, Wood Wall	1804	10½	41¹⁵⁄₁₆	48⅜	—	—	71 lbs.	5.2
11N4248SH7L	Laminate	1243	10½	41¹⁵⁄₁₆	48⅜	—	—	71 lbs.	5.2
11N4248SH7WL	Wood Shelves, Laminate Wall	1804	10½	41¹⁵⁄₁₆	48⅜	—	—	71 lbs.	5.2
11N4848SH7W	Wood	$ 2002	10½	47¹⁵⁄₁₆	48⅜	—	—	81 lbs.	5.9
11N4848SH7LW	Laminate Shelves, Wood Wall	2002	10½	47¹⁵⁄₁₆	48⅜	—	—	81 lbs.	5.9
11N4848SH7L	Laminate	1381	10½	47¹⁵⁄₁₆	48⅜	—	—	81 lbs.	5.9
11N4848SH7WL	Wood Shelves, Laminate Wall	2002	10½	47¹⁵⁄₁₆	48⅜	—	—	81 lbs.	5.9
11N5448SH7W	Wood	$ 2204	10½	53⅞	48⅜	—	—	90 lbs.	6.5
11N5448SH7LW	Laminate Shelves, Wood Wall	2204	10½	53⅞	48⅜	—	—	90 lbs.	6.5
11N5448SH7L	Laminate	1519	10½	53⅞	48⅜	—	—	90 lbs.	6.5
11N5448SH7WL	Wood Shelves, Laminate Wall	2204	10½	53⅞	48⅜	—	—	90 lbs.	6.5
11N6048SH7W	Wood	$ 2424	10½	59¹⁵⁄₁₆	48⅜	—	—	100 lbs.	7.2
11N6048SH7LW	Laminate Shelves, Wood Wall	2424	10½	59¹⁵⁄₁₆	48⅜	—	—	100 lbs.	7.2
11N6048SH7L	Laminate	1671	10½	59¹⁵⁄₁₆	48⅜	—	—	100 lbs.	7.2
11N6048SH7WL	Wood Shelves, Laminate Wall	2424	10½	59¹⁵⁄₁₆	48⅜	—	—	100 lbs.	7.2



- Some assembly required
- "SH7" models have two shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3649SH1W	MH	
11N3649SH1WL	MH	405
11N3649SH1L	405	478

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS									
11N3649SH1W	Wood	$ 2070	10½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	69 lbs.	5.0
11N3649SH1LW	Laminate Shelves, Wood Wall	2070	10½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	69 lbs.	5.0
11N3649SH1L	Laminate	1427	10½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	69 lbs.	5.0
11N3649SH1WL	Wood Shelves, Laminate Wall	2070	10½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	69 lbs.	5.0
11N4249SH1W	Wood	$ 2073	10½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	77 lbs.	5.2
11N4249SH1LW	Laminate Shelves, Wood Wall	2073	10½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	77 lbs.	5.2
11N4249SH1L	Laminate	1429	10½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	77 lbs.	5.2
11N4249SH1WL	Wood Shelves, Laminate Wall	2073	10½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	77 lbs.	5.2
11N4849SH1W	Wood	$ 2301	10½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	85 lbs.	5.5
11N4849SH1LW	Laminate Shelves, Wood Wall	2301	10½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	85 lbs.	5.5
11N4849SH1L	Laminate	1587	10½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	85 lbs.	5.5
11N4849SH1WL	Wood Shelves, Laminate Wall	2301	10½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	85 lbs.	5.5
11N5449SH1W	Wood	$ 2534	10½	53⅞	48¹³⁄₁₆	—	—	93 lbs.	5.8
11N5449SH1LW	Laminate Shelves, Wood Wall	2534	10½	53⅞	48¹³⁄₁₆	—	—	93 lbs.	5.8
11N5449SH1L	Laminate	1746	10½	53⅞	48¹³⁄₁₆	—	—	93 lbs.	5.8
11N5449SH1WL	Wood Shelves, Laminate Wall	2534	10½	53⅞	48¹³⁄₁₆	—	—	93 lbs.	5.8
11N6049SH1W	Wood	$ 2785	10½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	101 lbs.	6.1
11N6049SH1LW	Laminate Shelves, Wood Wall	2785	10½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	101 lbs.	6.1
11N6049SH1L	Laminate	1920	10½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	101 lbs.	6.1
11N6049SH1WL	Wood Shelves, Laminate Wall	2785	10½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	101 lbs.	6.1

- Some assembly required
- 48" and 49" high shelf inserts have five shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3649SH2W	Wood	$ 2070	10½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	69 lbs.	5.0
11N3649SH2LW	Laminate Shelves, Wood Wall	2070	10½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	69 lbs.	5.0
11N3649SH2L	Laminate	1427	10½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	69 lbs.	5.0
11N3649SH2WL	Wood Shelves, Laminate Wall	2070	10½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	69 lbs.	5.0
11N4249SH2W	Wood	$ 2073	10½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	77 lbs.	5.2
11N4249SH2LW	Laminate Shelves, Wood Wall	2073	10½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	77 lbs.	5.2
11N4249SH2L	Laminate	1429	10½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	77 lbs.	5.2
11N4249SH2WL	Wood Shelves, Laminate Wall	2073	10½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	77 lbs.	5.2
11N4849SH2W	Wood	$ 2301	10½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	85 lbs.	5.5
11N4849SH2LW	Laminate Shelves, Wood Wall	2301	10½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	85 lbs.	5.5
11N4849SH2L	Laminate	1587	10½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	85 lbs.	5.5
11N4849SH2WL	Wood Shelves, Laminate Wall	2301	10½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	85 lbs.	5.5
11N5449SH2W	Wood	$ 2534	10½	53⅞	48¹³⁄₁₆	—	—	93 lbs.	5.8
11N5449SH2LW	Laminate Shelves, Wood Wall	2534	10½	53⅞	48¹³⁄₁₆	—	—	93 lbs.	5.8
11N5449SH2L	Laminate	1746	10½	53⅞	48¹³⁄₁₆	—	—	93 lbs.	5.8
11N5449SH2WL	Wood Shelves, Laminate Wall	2534	10½	53⅞	48¹³⁄₁₆	—	—	93 lbs.	5.8
11N6049SH2W	Wood	$ 2785	10½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	101 lbs.	6.1
11N6049SH2LW	Laminate Shelves, Wood Wall	2785	10½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	101 lbs.	6.1
11N6049SH2L	Laminate	1920	10½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	101 lbs.	6.1
11N6049SH2WL	Wood Shelves, Laminate Wall	2785	10½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	101 lbs.	6.1



- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3649SH3W	MH	
11N3649SH3WL	MH	405
11N3649SH3L	405	478

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH3W	Wood	$ 1759	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N3649SH3LW	Laminate Shelves, Wood Wall	1759	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N3649SH3L	Laminate	1212	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N3649SH3WL	Wood Shelves, Laminate Wall	1759	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N4249SH3W	Wood	$ 1762	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4249SH3LW	Laminate Shelves, Wood Wall	1762	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4249SH3L	Laminate	1214	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4249SH3WL	Wood Shelves, Laminate Wall	1762	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4849SH3W	Wood	$ 1956	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N4849SH3LW	Laminate Shelves, Wood Wall	1956	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N4849SH3L	Laminate	1349	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N4849SH3WL	Wood Shelves, Laminate Wall	1956	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N5449SH3W	Wood	$ 2154	10½	53⅞	48 13/16	—	—	78 lbs.	6.6
11N5449SH3LW	Laminate Shelves, Wood Wall	2154	10½	53⅞	48 13/16	—	—	78 lbs.	6.6
11N5449SH3L	Laminate	1484	10½	53⅞	48 13/16	—	—	78 lbs.	6.6
11N5449SH3WL	Wood Shelves, Laminate Wall	2154	10½	53⅞	48 13/16	—	—	78 lbs.	6.6
11N6049SH3W	Wood	$ 2367	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2
11N6049SH3LW	Laminate Shelves, Wood Wall	2367	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2
11N6049SH3L	Laminate	1633	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2
11N6049SH3WL	Wood Shelves, Laminate Wall	2367	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2

- Some assembly required
- "SH3" models have one shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH4W	Wood	$ 1800	10½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	61 lbs.	4.6
11N3649SH4LW	Laminate Shelves, Wood Wall	1800	10½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	61 lbs.	4.6
11N3649SH4L	Laminate	1241	10½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	61 lbs.	4.6
11N3649SH4WL	Wood Shelves, Laminate Wall	1800	10½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	61 lbs.	4.6
11N4249SH4W	Wood	$ 1804	10½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	71 lbs.	5.2
11N4249SH4LW	Laminate Shelves, Wood Wall	1804	10½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	71 lbs.	5.2
11N4249SH4L	Laminate	1243	10½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	71 lbs.	5.2
11N4249SH4WL	Wood Shelves, Laminate Wall	1804	10½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	71 lbs.	5.2
11N4849SH4W	Wood	$ 2002	10½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	81 lbs.	5.9
11N4849SH4LW	Laminate Shelves, Wood Wall	2002	10½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	81 lbs.	5.9
11N4849SH4L	Laminate	1381	10½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	81 lbs.	5.9
11N4849SH4WL	Wood Shelves, Laminate Wall	2002	10½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	81 lbs.	5.9
11N5449SH4W	Wood	$ 2204	10½	53⅞	48¹³⁄₁₆	—	—	91 lbs.	6.6
11N5449SH4LW	Laminate Shelves, Wood Wall	2204	10½	53⅞	48¹³⁄₁₆	—	—	91 lbs.	6.6
11N5449SH4L	Laminate	1519	10½	53⅞	48¹³⁄₁₆	—	—	91 lbs.	6.6
11N5449SH4WL	Wood Shelves, Laminate Wall	2204	10½	53⅞	48¹³⁄₁₆	—	—	91 lbs.	6.6
11N6049SH4W	Wood	$ 2424	10½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	100 lbs.	7.2
11N6049SH4LW	Laminate Shelves, Wood Wall	2424	10½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	100 lbs.	7.2
11N6049SH4L	Laminate	1671	10½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	100 lbs.	7.2
11N6049SH4WL	Wood Shelves, Laminate Wall	2424	10½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	100 lbs.	7.2

- Some assembly required
- "SH4" models have two shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3649SH5W	MH	
11N3649SH5WL	MH	405
11N3649SH5L	405	478

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH5W	Wood	$ 1863	10½	35 15/16	48 13/16	—	—	69 lbs.	4.6
11N3649SH5LW	Laminate Shelves, Wood Wall	1863	10½	35 15/16	48 13/16	—	—	69 lbs.	4.6
11N3649SH5L	Laminate	1284	10½	35 15/16	48 13/16	—	—	69 lbs.	4.6
11N3649SH5WL	Wood Shelves, Laminate Wall	1863	10½	35 15/16	48 13/16	—	—	69 lbs.	4.6
11N4249SH5W	Wood	$ 1866	10½	41 15/16	48 13/16	—	—	81 lbs.	5.2
11N4249SH5LW	Laminate Shelves, Wood Wall	1866	10½	41 15/16	48 13/16	—	—	81 lbs.	5.2
11N4249SH5L	Laminate	1285	10½	41 15/16	48 13/16	—	—	81 lbs.	5.2
11N4249SH5WL	Wood Shelves, Laminate Wall	1866	10½	41 15/16	48 13/16	—	—	81 lbs.	5.2
11N4849SH5W	Wood	$ 2071	10½	47 15/16	48 13/16	—	—	93 lbs.	5.9
11N4849SH5LW	Laminate Shelves, Wood Wall	2071	10½	47 15/16	48 13/16	—	—	93 lbs.	5.9
11N4849SH5L	Laminate	1428	10½	47 15/16	48 13/16	—	—	93 lbs.	5.9
11N4849SH5WL	Wood Shelves, Laminate Wall	2071	10½	47 15/16	48 13/16	—	—	93 lbs.	5.9
11N5449SH5W	Wood	$ 2279	10½	53⅞	48 13/16	—	—	104 lbs.	6.6
11N5449SH5LW	Laminate Shelves, Wood Wall	2279	10½	53⅞	48 13/16	—	—	104 lbs.	6.6
11N5449SH5L	Laminate	1571	10½	53⅞	48 13/16	—	—	104 lbs.	6.6
11N5449SH5WL	Wood Shelves, Laminate Wall	2279	10½	53⅞	48 13/16	—	—	104 lbs.	6.6
11N6049SH5W	Wood	$ 2507	10½	59 15/16	48 13/16	—	—	116 lbs.	7.2
11N6049SH5LW	Laminate Shelves, Wood Wall	2507	10½	59 15/16	48 13/16	—	—	116 lbs.	7.2
11N6049SH5L	Laminate	1728	10½	59 15/16	48 13/16	—	—	116 lbs.	7.2
11N6049SH5WL	Wood Shelves, Laminate Wall	2507	10½	59 15/16	48 13/16	—	—	116 lbs.	7.2

- Some assembly required
- "SH5" models have three shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH6W	Wood	$ 1759	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N3649SH6LW	Laminate Shelves, Wood Wall	1759	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N3649SH6L	Laminate	1212	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N3649SH6WL	Wood Shelves, Laminate Wall	1759	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
11N4249SH6W	Wood	$ 1762	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4249SH6LW	Laminate Shelves, Wood Wall	1762	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4249SH6L	Laminate	1214	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4249SH6WL	Wood Shelves, Laminate Wall	1762	10½	41 15/16	48 13/16	—	—	61 lbs.	5.2
11N4849SH6W	Wood	$ 1956	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N4849SH6LW	Laminate Shelves, Wood Wall	1956	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N4849SH6L	Laminate	1349	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N4849SH6WL	Wood Shelves, Laminate Wall	1956	10½	47 15/16	48 13/16	—	—	69 lbs.	5.9
11N5449SH6W	Wood	$ 2154	10½	53⅞	48 13/16	—	—	78 lbs.	6.6
11N5449SH6LW	Laminate Shelves, Wood Wall	2154	10½	53⅞	48 13/16	—	—	78 lbs.	6.6
11N5449SH6L	Laminate	1484	10½	53⅞	48 13/16	—	—	78 lbs.	6.6
11N5449SH6WL	Wood Shelves, Laminate Wall	2154	10½	53⅞	48 13/16	—	—	78 lbs.	6.6
11N6049SH6W	Wood	$ 2367	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2
11N6049SH6LW	Laminate Shelves, Wood Wall	2367	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2
11N6049SH6L	Laminate	1633	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2
11N6049SH6WL	Wood Shelves, Laminate Wall	2367	10½	59 15/16	48 13/16	—	—	86 lbs.	7.2

- Some assembly required
- "SH6" 48"/49" high models have one shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish
3. Shelf Height (SH6 models only)

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color
4. Shelf Height (SH6 models only)

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color
4. Shelf Height (SH6 models only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3649SH7W MH
11N3649SH7WL MH 405
11N3649SH7L 405 478

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH7W	Wood	$ 1800	10½	35 15/16	48 13/16	—	—	61 lbs.	4.6
11N3649SH7LW	Laminate Shelves, Wood Wall	1800	10½	35 15/16	48 13/16	—	—	61 lbs.	4.6
11N3649SH7L	Laminate	1241	10½	35 15/16	48 13/16	—	—	61 lbs.	4.6
11N3649SH7WL	Wood Shelves, Laminate Wall	1800	10½	35 15/16	48 13/16	—	—	61 lbs.	4.6
11N4249SH7W	Wood	$ 1804	10½	41 15/16	48 13/16	—	—	71 lbs.	5.2
11N4249SH7LW	Laminate Shelves, Wood Wall	1804	10½	41 15/16	48 13/16	—	—	71 lbs.	5.2
11N4249SH7L	Laminate	1243	10½	41 15/16	48 13/16	—	—	71 lbs.	5.2
11N4249SH7WL	Wood Shelves, Laminate Wall	1804	10½	41 15/16	48 13/16	—	—	71 lbs.	5.2
11N4849SH7W	Wood	$ 2002	10½	47 15/16	48 13/16	—	—	81 lbs.	5.9
11N4849SH7LW	Laminate Shelves, Wood Wall	2002	10½	47 15/16	48 13/16	—	—	81 lbs.	5.9
11N4849SH7L	Laminate	1381	10½	47 15/16	48 13/16	—	—	81 lbs.	5.9
11N4849SH7WL	Wood Shelves, Laminate Wall	2002	10½	47 15/16	48 13/16	—	—	81 lbs.	5.9
11N5449SH7W	Wood	$ 2204	10½	53⅞	48 13/16	—	—	91 lbs.	6.6
11N5449SH7LW	Laminate Shelves, Wood Wall	2204	10½	53⅞	48 13/16	—	—	91 lbs.	6.6
11N5449SH7L	Laminate	1519	10½	53⅞	48 13/16	—	—	91 lbs.	6.6
11N5449SH7WL	Wood Shelves, Laminate Wall	2204	10½	53⅞	48 13/16	—	—	91 lbs.	6.6
11N6049SH7W	Wood	$ 2424	10½	59 15/16	48 13/16	—	—	100 lbs.	7.2
11N6049SH7LW	Laminate Shelves, Wood Wall	2424	10½	59 15/16	48 13/16	—	—	100 lbs.	7.2
11N6049SH7L	Laminate	1671	10½	59 15/16	48 13/16	—	—	100 lbs.	7.2
11N6049SH7WL	Wood Shelves, Laminate Wall	2424	10½	59 15/16	48 13/16	—	—	100 lbs.	7.2

- Some assembly required
- "SH7" models have two shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- Fabric Inserts are not tackable
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 476
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

FABRIC TV MOUNT EXHIBIT INSERTS





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H FABRIC TV MOUNT EXHIBIT INSERTS										
11N3634TVFA	Railroad	$ 1321	$ 1366	½	35⅝	34⅛	—	—	47 lbs.	3.1
11N3634TVF	Standard	1317	1355	½	35⅝	34⅛	—	—	47 lbs.	3.1
11N4234TVFA	Railroad	$ 1323	$ 1368	½	41⅝	34⅛	—	—	53 lbs.	3.3
11N4234TVF	Standard	1318	1356	½	41⅝	34⅛	—	—	53 lbs.	3.3
11N4834TVFA	Railroad	$ 1451	$ 1504	½	47⅝	34⅛	—	—	58 lbs.	3.5
11N4834TVF	Standard	1447	1485	½	47⅝	34⅛	—	—	58 lbs.	3.5
11N5434TVFA	Railroad	$ 1581	$ 1641	½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434TVF	Standard	1577	1615	½	53⅞	34⅛	—	—	64 lbs.	3.5
11N6034TVFA	Railroad	$ 1723	$ 1783	½	59⅝	34⅛	—	—	71 lbs.	3.9
11N6034TVF	Standard	1719	1757	½	59⅝	34⅛	—	—	71 lbs.	3.9
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H FABRIC TV MOUNT EXHIBIT INSERTS										
11N3636TVFA	Railroad	$ 1338	$ 1383	½	35⅝	36⅜	—	—	51 lbs.	3.4
11N3636TVF	Standard	1334	1372	½	35⅝	36⅜	—	—	51 lbs.	3.4
11N4236TVFA	Railroad	$ 1340	$ 1385	½	41⅝	36⅜	—	—	57 lbs.	3.6
11N4236TVF	Standard	1336	1374	½	41⅝	36⅜	—	—	57 lbs.	3.6
11N4836TVFA	Railroad	$ 1471	$ 1524	½	47⅝	36⅜	—	—	62 lbs.	3.9
11N4836TVF	Standard	1466	1504	½	47⅝	36⅜	—	—	62 lbs.	3.9
11N5436TVFA	Railroad	$ 1601	$ 1661	½	53⅞	36⅜	—	—	68 lbs.	4.1
11N5436TVF	Standard	1597	1635	½	53⅞	36⅜	—	—	68 lbs.	4.1
11N6036TVFA	Railroad	$ 1745	$ 1805	½	59⅝	36⅜	—	—	74 lbs.	4.3
11N6036TVF	Standard	1741	1779	½	59⅝	36⅜	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Fabric Grade
4. Fabric Color

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBER:

11N3637TVFA B 25413
11N6037TVF TS B 25413



Shaded rectangle portrays a railroaded insert.

FABRIC TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H FABRIC TV MOUNT EXHIBIT INSERTS										
11N3637TVFA	Railroad	$ 1338	$ 1383	½	35 15/16	37	—	—	51 lbs.	3.4
11N3637TVF	Standard	1334	1372	½	35 15/16	37	—	—	51 lbs.	3.4
11N4237TVFA	Railroad	$ 1340	$ 1385	½	41 15/16	37	—	—	57 lbs.	3.6
11N4237TVF	Standard	1336	1374	½	41 15/16	37	—	—	57 lbs.	3.6
11N4837TVFA	Railroad	$ 1471	$ 1524	½	47 15/16	37	—	—	62 lbs.	3.9
11N4837TVF	Standard	1466	1504	½	47 15/16	37	—	—	62 lbs.	3.9
11N5437TVFA	Railroad	$ 1601	$ 1661	½	53⅞	37	—	—	68 lbs.	4.1
11N5437TVF	Standard	1597	1635	½	53⅞	37	—	—	68 lbs.	4.1
11N6037TVFA	Railroad	$ 1745	$ 1805	½	59 15/16	37	—	—	74 lbs.	4.3
11N6037TVF	Standard	1741	1779	½	59 15/16	37	—	—	74 lbs.	4.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H FABRIC TV MOUNT EXHIBIT INSERTS										
11N3648TVFA	Railroad	$ 1550	$ 1595	½	35 15/16	48⅜	—	—	69 lbs.	5.0
11N3648TVF	Standard	1546	1591	½	35 15/16	48⅜	—	—	69 lbs.	5.0
11N4248TVFA	Railroad	$ 1552	$ 1597	½	41 15/16	48⅜	—	—	77 lbs.	5.2
11N4248TVF	Standard	1548	1593	½	41 15/16	48⅜	—	—	77 lbs.	5.2
11N4848TVFA	Railroad	$ 1705	$ 1758	½	47 15/16	48⅜	—	—	85 lbs.	5.5
11N4848TVF	Standard	1701	1746	½	47 15/16	48⅜	—	—	85 lbs.	5.5
11N5448TVFA	Railroad	$ 1860	$ 1920	½	53⅞	48⅜	—	—	93 lbs.	5.8
11N5448TVF	Standard	1855	1900	½	53⅞	48⅜	—	—	93 lbs.	5.8
11N6048TVFA	Railroad	$ 2028	$ 2088	½	59 15/16	48⅜	—	—	101 lbs.	6.1
11N6048TVF	Standard	2024	2069	½	59 15/16	48⅜	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- Fabric Inserts are not tackable
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 476
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

FABRIC TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS
49"H FABRIC TV MOUNT EXHIBIT INSERTS

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3649TVFA	Railroad	$ 1550	$ 1595	½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	69 lbs.	5.0
11N3649TVF	Standard	1546	1591	½	35¹⁵⁄₁₆	48¹³⁄₁₆	—	—	69 lbs.	5.0
11N4249TVFA	Railroad	$ 1552	$ 1597	½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	77 lbs.	5.2
11N4249TVF	Standard	1548	1593	½	41¹⁵⁄₁₆	48¹³⁄₁₆	—	—	77 lbs.	5.2
11N4849TVFA	Railroad	$ 1705	$ 1758	½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	85 lbs.	5.5
11N4849TVF	Standard	1701	1746	½	47¹⁵⁄₁₆	48¹³⁄₁₆	—	—	85 lbs.	5.5
11N5449TVFA	Railroad	$ 1860	$ 1920	½	53⅞	48¹³⁄₁₆	—	—	93 lbs.	5.8
11N5449TVF	Standard	1855	1900	½	53⅞	48¹³⁄₁₆	—	—	93 lbs.	5.8
11N6049TVFA	Railroad	$ 2028	$ 2088	½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	101 lbs.	6.1
11N6049TVF	Standard	2024	2069	½	59¹⁵⁄₁₆	48¹³⁄₁₆	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Fabric inserts that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered
- Two trim channels included with each fabric insert in the same fabric
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color (veneer/laminate insert only)
4. Fabric Grade (fabric insert only)
5. Fabric Color (fabric insert only)

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3649TVFA	B	25413
11N6034TVW	TD	MC
11N6034TVL	TS	462





Shaded rectangle portrays a railroaded insert.

TV MOUNT EXHIBIT INSERTS





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H TV MOUNT EXHIBIT INSERTS									
11N3634TVW	Wood	$ 1838	½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N3634TVL	Laminate	1316	½	35 15/16	34 1/8	—	—	47 lbs.	3.1
11N4234TVW	Wood	$ 1839	½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4234TVL	Laminate	1317	½	41 15/16	34 1/8	—	—	53 lbs.	3.3
11N4834TVW	Wood	$ 2025	½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N4834TVL	Laminate	1446	½	47 15/16	34 1/8	—	—	58 lbs.	3.5
11N5434TVW	Wood	$ 2212	½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N5434TVL	Laminate	1576	½	53 7/8	34 1/8	—	—	64 lbs.	3.5
11N6034TVW	Wood	$ 2417	½	59 15/16	34 1/8	—	—	71 lbs.	3.9
11N6034TVL	Laminate	1718	½	59 15/16	34 1/8	—	—	71 lbs.	3.9
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TV MOUNT EXHIBIT INSERTS									
11N3636TVW	Wood	$ 1861	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636TVL	Laminate	1333	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N4236TVW	Wood	$ 1864	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236TVL	Laminate	1335	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4836TVW	Wood	$ 2053	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836TVL	Laminate	1465	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N5436TVW	Wood	$ 2241	½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N5436TVL	Laminate	1595	½	53 7/8	36 9/16	—	—	68 lbs.	4.1
11N6036TVW	Wood	$ 2450	½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036TVL	Laminate	1740	½	59 15/16	36 9/16	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the five heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 476
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use one of these inserts with an existing rail, please contact customer service for more information

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H TV MOUNT EXHIBIT INSERTS									
11N3637TVW	Wood	$ 1861	½	35⅛	37	—	—	51 lbs.	3.4
11N3637TVL	Laminate	1333	½	35⅛	37	—	—	51 lbs.	3.4
11N4237TVW	Wood	$ 1864	½	41⅛	37	—	—	57 lbs.	3.6
11N4237TVL	Laminate	1335	½	41⅛	37	—	—	57 lbs.	3.6
11N4837TVW	Wood	$ 2053	½	47⅛	37	—	—	62 lbs.	3.9
11N4837TVL	Laminate	1465	½	47⅛	37	—	—	62 lbs.	3.9
11N5437TVW	Wood	$ 2241	½	53⅞	37	—	—	68 lbs.	4.1
11N5437TVL	Laminate	1595	½	53⅞	37	—	—	68 lbs.	4.1
11N6037TVW	Wood	$ 2450	½	59⅛	37	—	—	74 lbs.	4.3
11N6037TVL	Laminate	1740	½	59⅛	37	—	—	74 lbs.	4.3
Compatible with WaveWorks 79" High WW Models 48"H TV Mount Exhibit Inserts									
11N3648TVW	Wood	$ 2168	½	35⅛	48⅜	—	—	69 lbs.	5.0
11N3648TVL	Laminate	1545	½	35⅛	48⅜	—	—	69 lbs.	5.0
11N4248TVW	Wood	$ 2171	½	41⅛	48⅜	—	—	77 lbs.	5.2
11N4248TVL	Laminate	1547	½	41⅛	48⅜	—	—	77 lbs.	5.2
11N4848TVW	Wood	$ 2394	½	47⅛	48⅜	—	—	85 lbs.	5.5
11N4848TVL	Laminate	1700	½	47⅛	48⅜	—	—	85 lbs.	5.5
11N5448TVW	Wood	$ 2618	½	53⅞	48⅜	—	—	93 lbs.	5.8
11N5448TVL	Laminate	1854	½	53⅞	48⅜	—	—	93 lbs.	5.8
11N6048TVW	Wood	$ 2863	½	59⅛	48⅜	—	—	101 lbs.	6.1
11N6048TVL	Laminate	2023	½	59⅛	48⅜	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N3637TVL 462
11N3637TVW MC

TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H TV MOUNT EXHIBIT INSERTS									
11N3649TVW	Wood	$ 2168	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649TVL	Laminate	1545	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N4249TVW	Wood	$ 2171	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249TVL	Laminate	1547	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4849TVW	Wood	$ 2394	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849TVL	Laminate	1700	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N5449TVW	Wood	$ 2618	½	53⅞	48 13/16	—	—	93 lbs.	5.8
11N5449TVL	Laminate	1854	½	53⅞	48 13/16	—	—	93 lbs.	5.8
11N6049TVW	Wood	$ 2863	½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049TVL	Laminate	2023	½	59 15/16	48 13/16	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Palisander Horizontal (791H) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

EXHIBIT TV MOUNT VERTICAL WIRE MANAGER

		GRADE A	GRADE B/COM						
11N0615WMVW	Wood	$ 318		1½	5⅜	15 7/16	—	—	8 lbs.	0.6
11N0615WMVL	Laminate	212		1½	5⅜	15 7/16	—	—	8 lbs.	0.6
11N0615WMVFA	Fabric, Railroad	318	$ 326	1½	5⅜	15 7/16	—	—	8 lbs.	0.6
11N0615WMVF	Fabric, Standard	318	326	1½	5⅜	15 7/16	—	—	8 lbs.	0.6

- Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables
- When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

FULL END TRIM

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FOR USE WITH 34"H INSERTS									
11N37ETP	Powder Coated	$ 70	1/16	1½	37⅛	—	—	1 lbs.	0.2
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS FOR USE WITH 36"H INSERTS									
11N39ETP	Powder Coated	$ 74	1/16	1½	39⅞	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS FOR USE WITH 37"H INSERTS									
11N40ETP	Powder Coated	$ 74	1/16	1½	39⅞	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS FOR USE WITH 48"H INSERTS									
11N51ETP	Powder Coated	$ 84	1/16	1½	51¼	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS FOR USE WITH 49"H INSERTS									
11N52ETP	Powder Coated	$ 84	1/16	1½	51 1/16	—	—	1 lbs.	0.4

- Specify Full End Trim for finish detail when end of Exhibit rail and tack/marker board insert are exposed
- Full End Trim is attached to top wall rail and extends down to and attaches to bottom rail
- Available in Cinder (462), Platinum Metallic (501) or Satin Nickel Metallic (503)

VERTICAL CABLE MANAGER

		GRADE A	GRADE B/COM						
11N20WMV	Black Plastic	$ 27		1	1	20	—	—	1 lbs.	0.5
11N20WMVFA	Fabric, Railroad	37	$ 45	1	1	20	—	—	1 lbs.	0.5
11N20WMVF	Fabric, Standard	35	38	1	1	20	—	—	1 lbs.	0.5

- For use with 34", 36" or 37" inserts when a single height overhead cabinet is attached; or 48" and 49" inserts when a double height overhead cabinet is attached
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

		GRADE A	GRADE B/COM						
11N31WMV	Black Plastic	$ 36		1	1	31	—	—	2 lbs.	0.6
11N31WMVFA	Fabric, Railroad	45	$ 53	1	1	31	—	—	2 lbs.	0.6
11N31WMVF	Fabric, Standard	43	46	1	1	31	—	—	2 lbs.	0.6

- For use with 48" or 49" inserts when a single height cabinet is attached
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBERS:

11N37ETP 501
11N34TCF B 25413



Shaded rectangle portrays a railroaded cable manager.

	MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE END CAP	11N01ETP		$ 33		⅛	1⅜	1⅜	—	—	1 lbs.	0.3



- Specify end caps for finish detail when end of Exhibit rail is exposed, does not work with faceplate on wall rail
- End caps are sold individually
- End caps available in Cinder (462), Platinum Metallic (501) or Satin Nickel Metallic (503)
- Exhibit end caps can also be used behind overheads or when used with a worksurface

FABRIC WRAPPED TRIM CHANNELS

		GRADE A	GRADE B/COM						
34"H TRIM CHANNELS									
11N34TCFA	Fabric, Railroad	$ 43	$ 51	½	¾	34⅛	—	—	1 lbs.	0.3
11N34TCF	Fabric, Standard	41	44	½	¾	34⅛	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TRIM CHANNELS									
11N36TCFA	Fabric, Railroad	$ 44	$ 52	½	¾	36⅜	—	—	1 lbs.	0.3
11N36TCF	Fabric, Standard	42	45	½	¾	36⅜	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS 37"H TRIM CHANNELS									
11N37TCFA	Fabric, Railroad	$ 44	$ 52	½	¾	37	—	—	1 lbs.	0.3
11N37TCF	Fabric, Standard	42	45	½	¾	37	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H TRIM CHANNELS									
11N48TCFA	Fabric, Railroad	$ 50	$ 58	½	¾	48⅜	—	—	1 lbs.	0.3
11N48TCF	Fabric, Standard	48	53	½	¾	48⅜	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS 49"H TRIM CHANNELS									
11N49TCFA	Fabric, Railroad	$ 50	$ 58	½	¾	48⅞	—	—	1 lbs.	0.3
11N49TCF	Fabric, Standard	48	53	½	¾	48⅞	—	—	1 lbs.	0.3

- Two trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered
- Tack boards that are 50" or wider cannot use 54" wide COM on standard model; railroad model must be ordered

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

PAINTED TRIM CHANNELS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H TRIM CHANNELS									
11N34TCP	Powder Coated	$ 36	½	¾	34⅛	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TRIM CHANNELS									
11N36TCP	Powder Coated	$ 38	½	¾	36⅝	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS 37"H TRIM CHANNELS									
11N37TCP	Powder Coated	$ 38	½	¾	37	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H TRIM CHANNELS									
11N48TCP	Powder Coated	$ 45	½	¾	48⅜	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS 49"H TRIM CHANNELS									
11N49TCP	Powder Coated	$ 45	½	¾	48⅞	—	—	1 lbs.	0.3

- Available in White (401), Cinder (462), Platinum Metallic (501) or Satin Nickel Metallic (503)
- Two trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered

TO ORDER, SPECIFY:

1. Model Number
2. Wood/Laminate Finish

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBER:

11N34TCP 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WORKSURFACE MOUNTING BRACKET	11NBRS	Single Bracket	$ 12	2	3	½	—	—	1 lbs.	0.3



- For use when attaching a WaveWorks or Epic worksurface to Exhibit wall rail
- Standard in anodized aluminum
- Specify model number only

Reference this chart for worksurface bracket requirements

Worksurface Width/Depth	Number of Brackets per edge
Less than or equal to 48"	2
Less than or equal to 72"	3
Greater than 72"	4

FILLER STRIP KIT EXHIBIT MOUNT	11NCPFSW	Wood	$ 47	1	3	27¼	—	—	3 lbs.	1.0
	11NCPFSL	Laminate	25	1	3	27¼	—	—	3 lbs.	1.0



- For use with Exhibit mounted overheads when an insert is not used behind the overhead
- Must be field scribed for 18" and 13" high overhead models
- Specify laminate or wood finish; **Laminates** (AC2) Autumn 2, (AD) Almond, (CL) Caramel, (CW) Cordovan, (DW) Judicial, (HN2) Honey 2, (IM) Brighton, (MC) Amber, (MH) Mocha, (NM) Natural, (PB) Portobello, (PT) Portico, (SK) Skyline, (SM) Sonoma, (TF) Truffle, (405) Designer White, (417) Mojave, (418) Mouse, (419) Wallaby, (425) Shadow, (440) Cloud, (461) Graphite, (462) Cinder, (478) Platinum Grey, (488) Frosty White, (491) Designer White Linear, (492) Cinder Linear, (791) Palisander, (792) Sable, or (793) Acorn; **Wood Finishes** (AC) Autumn, (AD) Almond, (CL) Caramel, (CW) Cordovan, (DW) Judicial, (HN) Honey, (IM) Brighton, (MC) Amber, (MH) Mocha, (NM) Natural, (PB) Portobello, (TF) Truffle, or (792) Sable

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

METAL WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SHELF 	NAC0924SHM	Powder Coated	$ 96	9⅛	24	2¼	—	—	5 lbs.	0.9
	NAC0930SHM	Powder Coated	107	9⅛	30	2¼	—	—	6 lbs.	1.1
	NAC0936SHM	Powder Coated	118	9⅛	36	2¼	—	—	7 lbs.	1.2
	NAC0942SHM	Powder Coated	133	9⅛	42	2¼	—	—	8 lbs.	1.3
	NAC0948SHM	Powder Coated	144	9⅛	48	2¼	—	—	9 lbs.	1.4
SINGLE SIDE TRAY 	NAC1217SPTM	Single Tray	$ 85	11⅝	17	2⅜	—	—	5 lbs.	0.7
DOUBLE SIDE TRAY 	NAC1217DPTM	Double Tray	$ 118	11⅝	17	5	—	—	9 lbs.	1.0
POCKET ORGANIZER 	NAC16POM	Single Pocket	$ 73	1⅛	15⅝	7¼	—	—	4 lbs.	1.1
SLANT SORTER	NAC1212SSM	Polished Aluminum Dividers	$ 85	11¾	12	7¾	—	—	4 lbs.	1.1
	• Not recommended for use under Epicenter mounted overhead storage cabinets									
MARKER HOLDER 	NACMRHM		$ 83	2¹⁵⁄₁₆	6¹⁵⁄₁₆	4	—	—	1 lbs.	0.1

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

• See page 425 for all options available in Exhibit

SAMPLE MODEL NUMBER:

NAC0924SHM 462

METAL WORK TOOLS

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BINDER SHELF	NAC0905SHBM	$ 54	9⅛	5	8⅛	—	—	3 lbs.	0.5

• Not recommended for use under Epicenter mounted overhead storage cabinets

PENCIL TRAY	NAC0510PTB	$ 63	5	10	1	—	—	1 lbs.	0.1



• Available in Black only
• Specify model number only

METAL TOOLS OPERATING LOAD CAPACITIES

Component:	Operating Load Capacity (Functional Loads):
Metal shelves:	10 lbs. per 6" of shelf width
Single side tray:	40 lbs. t.w.
Double side tray:	47 lbs. t.w.
Pocket organizer:	4 lbs. t.w.
Slant Sorter:	19 lbs. t.w.
Binder shelf:	10 lbs. t.w.
Pencil tray:	5 lbs. t.w.

PRODUCT SPECIFICATIONS

- For use with WaveWorks slat walls, Exhibit and Epicenter slat wall inserts
- Available in black and clear plastic
- These products have been designed to be used safely when filled under normal circumstances

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

PLASTIC WORK TOOLS

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PENCIL CUP	NACCP	Black Plastic	$ 36	½	4	4	—	—	1 lbs.	0.4
	NACCPC	Clear Plastic	36	½	4	4	—	—	1 lbs.	0.4
	• Holds pencils, pens, rulers, etc.									
LEGAL PAPER TRAY	NAC1115SPT	Black Plastic	$ 54	10½	15	2	—	—	1 lbs.	0.1
	NAC1115SPTC	Clear Plastic	54	10½	15	2	—	—	1 lbs.	0.1
	• Holds letter or legal width papers, folders, etc.									
ACCESSORY TRAY	NAC1010AT	Black Plastic	$ 47	10	9½	2	—	—	1 lbs.	0.2
	NAC1010ATC	Clear Plastic	47	10	9½	2	—	—	1 lbs.	0.2
	• Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.									
PHONE HOLDER	NACPH	Black Plastic	$ 47	9½	8½	2	—	—	1 lbs.	0.1
	NACPHC	Clear Plastic	47	9½	8½	2	—	—	1 lbs.	0.1
	• Holds telephone									
BINDER SHELF	NACBS	Black Plastic	$ 39	10½	5	9	—	—	1 lbs.	0.3
	• Holds binders and folders • Not recommended for use under Epicenter mounted overhead storage cabinets									
SLANT SORTER	NACSS	Black Plastic	$ 56	12½	7	7½	—	—	1 lbs.	0.2
	NACSSC	Clear Plastic	56	12½	7	7½	—	—	1 lbs.	0.2
	• Holds folders, papers, etc. • Not recommended for use under Epicenter mounted overhead storage cabinets									

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACCP

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTUITIVE MONITOR ARM SLAT WALL MOUNT	NACMAPSMB	Black	$ 535	29½	2½	13¹¹⁄₁₆	–	–	12 lbs.	2.7
	NACMAPSMS	Silver	535	29½	2½	13¹¹⁄₁₆	–	–	12 lbs.	2.7



- Weight capacity: 13 pounds
- One monitor arm every 24" on slat wall and only one monitor arm recommended for a slat/tack combo insert
- Must properly install slat wall and Epicenter supports when using a monitor arm
- Recommended to not use monitor arm on the upper four slats of a full slat wall and slat wall combo insert

MONITOR ARM INFORMATION

National Model:	NACMAPSMB/S
Description:	slat wall mount black/silver
Monitor Rotation:	port/landscape 30° each side
Monitor Extension:	12"
Monitor Tilt Adjustment:	25° + or –
Arm Height Adjustment:	10" dynamic
Monitor Weight Capacity (maximum approved weight):	arm: 20 lbs., slat rail: 13 lbs.
Mounting Option:	slat wall mount
Pole Height:	N/A
Maximum Width Per Monitor:	no maximum width
Worksurface Requirements—Desk Clamp:	N/A
Worksurface Requirements—Grommet Mount:	N/A

OCCASIONAL TABLES

ARROWOOD OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color

SAMPLE MODEL NUMBER:

31N2040MGLW HN

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ARROWOOD MAGAZINE TABLE PANEL LEGS 	31N2040MGLW	HPL Top	$ 711	19¾	39½	16	¼	—	67 lbs.	12.2
	• Reference Arrowood for detailed product information, finishes and entire Arrowood offering starting on page 39 in the Casegoods Book 1 Price List									
ARROWOOD END TABLE PANEL LEGS 	31N2424ENLW	HPL Top	$ 647	23¾	23½	19	¼	—	63 lbs.	11.0
	• Reference Arrowood for detailed product information, finishes and entire Arrowood offering starting on page 39 in the Casegoods Book 1 Price List									
ARROWOOD MAGAZINE TABLE TURNED LEGS 	Q31N2040MGPLW	HPL Top	$ 1030	19 25/32	39 25/32	17 3/16	—	—	42 lbs.	3.0
	31N2040MGPLW	HPL Top	1030	19 25/32	39 25/32	17 3/16	—	—	42 lbs.	3.0
	• Some assembly required • Reference Arrowood for detailed product information, finishes and entire Arrowood offering starting on page 39 in the Casegoods Book 1 Price List									
ARROWOOD END TABLE TURNED LEGS	Q31N2424ENPLW	HPL Top	$ 964	23 25/32	23 25/32	20 7/16	—	—	33 lbs.	2.2
	31N2424ENPLW	HPL Top	964	23 25/32	23 25/32	20 7/16	—	—	33 lbs.	2.2
	• Some assembly required • Reference Arrowood for detailed product information, finishes and entire Arrowood offering starting on page 39 in the Casegoods Book 1 Price List									

TO ORDER, SPECIFY:

1. Model Number
2. Sheen (wood tops only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

50N2040MGW R DW
50N2040MGQW N MH

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BARRINGTON MAGAZINE TABLE	Q50N2040MGW	Wood Top	$ 993	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0
	50N2040MGW	Wood Top	993	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0
	50N2040MGLW	HPL Top	862	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0

- Some assembly required
- HPL top tables have veneer legs/bases
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63 in the Casegoods Book 1 Price List

BARRINGTON END TABLE	Q50N2424ENW	Wood Top	$ 874	23¾	23¾	22⁵⁄₁₆	—	—	38 lbs.	2.8
	50N2424ENW	Wood Top	874	23¾	23¾	22⁵⁄₁₆	—	—	38 lbs.	2.8
	50N2424ENLW	HPL Top	767	23¾	23¾	22⁵⁄₁₆	—	—	38 lbs.	2.8

- Some assembly required
- HPL top tables have veneer legs/bases
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63 in the Casegoods Book 1 Price List

BARRINGTON QUEEN ANNE MAGAZINE TABLE	50N2040MGQW	Wood Top	$ 1370	19¾	39¾	18⁵⁄₁₆	—	—	36 lbs.	3.0
										

- Some assembly required
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63 in the Casegoods Book 1 Price List

BARRINGTON QUEEN ANNE END TABLE	50N2424ENQW	Wood Top	$ 1289	23¾	23¾	22⁵⁄₁₆	—	—	32 lbs.	3.3

- Some assembly required
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 63 in the Casegoods Book 1 Price List

CAPTIVATE OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Sheen
4. Finish

SAMPLE MODEL NUMBER:

36N2448MGW TA R CL

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CAPTIVATE MAGAZINE TABLE	36N2448MGW	Wood Top	$ 1572	24	48	16	—	—	57 lbs.	5.5



- Features a functional, non-locking center drawer without a pull
- Some assembly required
- Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 87 in the Casegoods Book 1 Price List

CAPTIVATE END TABLE	36N2424ENW	Wood Top	$ 1440	24	24	20½	—	—	38 lbs.	3.5

- Some assembly required
- Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 87 in the Casegoods Book 1 Price List

CAPTIVATE CONSOLE TABLE	36N2048CSW	Wood Top	$ 1888	20	48	28¾	—	—	66 lbs.	5.6



- Features a functional, non-locking center drawer without a pull
- Some assembly required
- Reference Captivate for detailed product information, finishes and entire Captivate offering starting on page 87 in the Casegoods Book 1 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Façade Profile (wood only)
3. Sheen
4. Finish
5. Paint Color (painted only)

SAMPLE MODEL NUMBERS:

38N2448MGW FL R CL
38N2448MGWP R CL 503

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CASBAH MAGAZINE TABLE	38N2448MGW	Wood Façade	$ 1553	24	48⅛	16⅝	—	—	77 lbs.	19.1
	38N2448MGWP	Painted Façade	1553	24	48⅛	16⅝	—	—	77 lbs.	19.1

- Some assembly required
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 109 in the Casegoods Book 1 Price List

CASBAH END TABLE	38N2424ENW	Wood Façade	$ 1410	24	24	21	—	—	55 lbs.	12.6
	38N2424ENWP	Painted Façade	1410	24	24	21	—	—	55 lbs.	12.6

- Some assembly required
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 109 in the Casegoods Book 1 Price List

CASBAH CONSOLE TABLE	38N1848CSW	Wood Façade	$ 1964	18⅛	48⅛	29¾	—	—	74 lbs.	24.1
	38N1848CSWP	Painted Façade	1964	18⅛	48⅛	29¾	—	—	74 lbs.	24.1

- Some assembly required
- Reference Casbah for detailed product information, finishes and entire Casbah offering starting on page 109 in the Casegoods Book 1 Price List

CLEVER OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Sheen
3. Finish

SAMPLE MODEL NUMBER:

CLN2040MGW R TF

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CLEVER MAGAZINE TABLE	QCLN2040MGW	Wood Top	$ 1092	20	40	17 1/16	–	–	40 lbs.	2.4
	CLN2040MGW	Wood Top	1092	20	40	17 1/16	–	–	40 lbs.	2.4

- Some assembly required
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 147 in the Casegoods Book 1 Price List

CLEVER END TABLE	QCLN2424ENW	Wood Top	$ 1025	24	24	20 5/16	–	–	29 lbs.	1.9
	CLN2424ENW	Wood Top	1025	24	24	20 5/16	–	–	29 lbs.	1.9

- Some assembly required
- Reference Clever for detailed product information, finishes and entire Clever offering starting on page 147 in the Casegoods Book 1 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color
3. Metal Color

SAMPLE MODEL NUMBER:

N78SNW MC 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CONFIDE END TABLE	N78SNW	Wood	$ 1044	21¼	22	16⁹⁄₁₆	—	—	15 lbs.	6.8
	N78SNL	Laminate	1044	21¼	22	16⁹⁄₁₆	—	—	15 lbs.	6.8

- Soft glide option available for a $26 list upcharge
- Reference Confide for detailed product information, finishes and entire Confide offering starting on page 75 in the Seating Price List

CONFIDE MAGAZINE TABLE	N78SMW	Wood	$ 1623	21¼	44	16⁹⁄₁₆	—	—	24 lbs.	14.2
	N78SML	Laminate	1623	21¼	44	16⁹⁄₁₆	—	—	24 lbs.	14.2

- Soft glide option available for a $26 list upcharge
- Reference Confide for detailed product information, finishes and entire Confide offering starting on page 75 in the Seating Price List

ELOQUENCE OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color

SAMPLE MODEL NUMBER:

85N2024EN CL

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ELOQUENCE END TABLE	85N2024EN	Wood Top	$ 844	24⁹⁄₁₆	21¹⁄₃₂	20⅛	—	—	19 lbs.	1.4
	85N2024ENLW	Laminate Top	844	24⁹⁄₁₆	21¹⁄₃₂	20⅛	—	—	19 lbs.	1.4



- Some assembly required
- Reference Eloquence for detailed product information, finishes and entire Eloquence offering starting on page 113 in the Seating Price List

ELOQUENCE MAGAZINE TABLE	85N2040MG	Wood Top	$ 971	19²¹⁄₃₂	39⅞	18⁵⁄₃₂	—	—	26 lbs.	2.2
	85N2040MGLW	Laminate Top	971	19²¹⁄₃₂	39⅞	18⁵⁄₃₂	—	—	26 lbs.	2.2



- Some assembly required
- Reference Eloquence for detailed product information, finishes and entire Eloquence offering starting on page 113 in the Seating Price List

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Paint
5. Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N2424ENW X X 462 MC

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EPIC END TABLE	25N2424ENW	Wood	$ 1477	24	24	18⅝	—	—	55 lbs.	12.6
	25N2424ENL	Laminate	1282	24	24	18⅝	—	—	55 lbs.	12.6



Optional Surface and Side Grommet Locations

- Features metal base and feet in three color options
- Wood tables feature matte/satin sheen
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G12 cutout (+$25 list)
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Optional glass and solid surface kits available; reference page 516
- Reference Epic for detailed product information, finishes and entire Epic offering starting on page 57 in the Casegoods Book 2 Price List

EPIC MAGAZINE TABLE	25N2448MGW	Wood	$ 1582	24	48	14¾	—	—	77 lbs.	19.1
	25N2448MGL	Laminate	1393	24	48	14¾	—	—	77 lbs.	19.1



Optional Surface and Side Grommet Locations

- Features metal base and feet in three color options
- Wood tables feature matte/satin sheen
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G12 cutout (+$25 list)
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Optional glass and solid surface kits available; reference page 516
- Reference Epic for detailed product information, finishes and entire Epic offering starting on page 57 in the Casegoods Book 2 Price List

EPIC COFFEE TABLE	25N3636MGW	Wood	$ 1646	36	36	14¹⁵⁄₁₆	—	—	65 lbs.	15.0
	25N3636MGL	Laminate	1458	36	36	14¹⁵⁄₁₆	—	—	65 lbs.	15.0



Optional Surface and Side Grommet Locations

- Features metal base and feet in three color options
- Wood tables feature matte/satin sheen
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G12 cutout (+$25 list)
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Optional glass and solid surface kits available; reference page 516
- Reference Epic for detailed product information, finishes and entire Epic offering starting on page 57 in the Casegoods Book 2 Price List

ESCALADE OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Sheen
3. Finish

SAMPLE MODEL NUMBER:

ECN2040MGW R MC

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ESCALADE MAGAZINE TABLE	QECN2040MGW	$ 1397	19¾	39¾	18	—	—	70 lbs.	4.3
	ECN2040MGW	1397	19¾	39¾	18	—	—	70 lbs.	4.3
	• Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 167 in the Casegoods Book 1 Price List								
ESCALADE END TABLE	QECN2424ENW	$ 1311	23⅜	23⅜	24	—	—	40 lbs.	3.9
	ECN2424ENW	1311	23⅜	23⅜	24	—	—	40 lbs.	3.9
	• Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 167 in the Casegoods Book 1 Price List								
ESCALADE CONSOLE TABLE	ECN1948CSW	$ 1561	18⅝	48	28½	—	—	85 lbs.	4.9
	• Rim detail on three sides of unit • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 167 in the Casegoods Book 1 Price List								

TO ORDER, SPECIFY:

1. Model Number
2. Wood/Laminate Finish (when applicable)
3. Corian Sheen (when applicable)
4. Corian Grade/Color (when applicable)
5. Frame Color (when applicable)
6. Glides (when applicable)

SAMPLE MODEL NUMBER:

N71T2525ENL CW 462 STD
N71T2525ENS N C 7302 462 STD

FARRAH END TABLE



MODEL NO./DESCRIPTION		GRADE A	GRADE C	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
N71T2525ENL	Laminate	$ 1339			25	25	14	—	—	64 lbs.	10.4
N71T2525ENDLW	Laminate - Exposed Plywood Rim	1494			25	25	14	—	—	64 lbs.	10.4
N71T2525ENW	Veneer	1597			25	25	14	—	—	64 lbs.	10.4
N71T2525ENDW	Veneer - Exposed Plywood Rim	1751			25	25	14	—	—	64 lbs.	10.4
N71T2525ENS	Corian Solid Surface	2240	2492		25	25	14	—	—	71 lbs.	10.4

• Reference Farrah for detailed product information, finishes and entire Farrah offering starting on page 137 in the Seating Price List

FARRAH MAGAZINE TABLE



		GRADE A	GRADE C							
N71T2552MGL	Laminate	$ 1751		51½	24½	14	—	—	112 lbs.	19.7
N71T2552MGDLW	Laminate - Exposed Plywood Rim	1906		51½	24½	14	—	—	112 lbs.	19.7
N71T2552MGW	Veneer	2009		51½	24½	14	—	—	112 lbs.	19.7
N71T2552MGDW	Veneer - Exposed Plywood Rim	2163		51½	24½	14	—	—	112 lbs.	19.7
N71T2552MGS	Corian Solid Surface	2987	3506	51½	24½	14	—	—	126 lbs.	19.7

• Reference Farrah for detailed product information, finishes and entire Farrah offering starting on page 137 in the Seating Price List

FARRAH GANGING CENTER TABLE



		GRADE A	GRADE C							
N71TCL	Laminate	$ 412		25	25	14	—	—	24.5 lbs.	1.5
N71TCDLW	Laminate - Exposed Plywood Rim	464		25	25	14	—	—	24.5 lbs.	1.5
N71TCW	Veneer	670		25	25	14	—	—	24.5 lbs.	1.5
N71TCDW	Veneer - Exposed Plywood Rim	721		25	25	14	—	—	24.5 lbs.	1.5
N71TCS	Corian Solid Surface	1236	1488	25	25	14	—	—	31.5 lbs.	1.5

• Two metal attachment brackets and hardware included
• Reference Farrah for detailed product information, finishes and entire Farrah offering starting on page 137 in the Seating Price List

FOOTINGS OCCASIONAL BASES

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FOOTINGS X BASE OCCASIONAL HEIGHT	CBV2115XBP	$ 361	20⁹⁄₁₆	20⁹⁄₁₆	14¹⁄₁₆	—	—	26 lbs.	4.2
	CBV2715XBP	407	27¼	27¼	14¹⁄₁₆	—	—	28 lbs.	6.3
	CBV3215XBP	453	31⁹⁄₁₆	31⁹⁄₁₆	14¹⁄₁₆	—	—	28 lbs.	7.9



- 1⅛" diameter glide
- Reference Footings for detailed product information, finishes and entire Footings offering starting on page 182

FOOTINGS X BASE END TABLE HEIGHT	CBV2119XBP	$ 386	20⁹⁄₁₆	20⁹⁄₁₆	18	—	—	28 lbs.	5.1
	CBV2719XBP	412	27¼	27¼	18	—	—	29 lbs.	7.8



- Reference Footings for detailed product information, finishes and entire Footings offering starting on page 182

FOOTINGS Y BASES WITH RAIL OCCASIONAL HEIGHT	CBV183115YBKP	$ 567	30⅞	18¹⁄₁₆	14¹⁄₁₆	—	—	49 lbs.	7.1
	CBV183515YBKP	592	34⅞	18¹⁄₁₆	14¹⁄₁₆	—	—	49 lbs.	7.2
	CBV243815YBKP	618	38⅜	24	14¹⁄₁₆	—	—	51 lbs.	9.8
	CBV244415YBKP	644	44⅜	24	14¹⁄₁₆	—	—	52 lbs.	9.8
	CBV245015YBKP	670	50⅜	24	14¹⁄₁₆	—	—	52 lbs.	9.8



- 1⅛" diameter glide
- Reference Footings for detailed product information, finishes and entire Footings offering starting on page 182

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Paint
5. Finish/Laminate Color

SAMPLE MODEL NUMBER:

91NB2424ENW X X 501 MH

MYRIAD BOX



End Table



Optional Surface and Side Grommet Locations



Console Table



Magazine Table



Optional Surface and Side Grommet Locations



Coffee Table



Optional Surface and Side Grommet Locations

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
91NB2424ENW	End Table	$ 1395	24	24	20½	—	—	55 lbs.	12.6
91NB1850CSW	Console Table	1899	18	50	31½	—	—	75 lbs.	20.2
91NB2448MGW	Magazine Table	1491	24	48	16½	—	—	77 lbs.	19.1
91NB3636MGW	Coffee Table	1553	36	36	16½	—	—	65 lbs.	15.0
LAMINATE									
91NB2424ENL	End Table	$ 1166	24	24	20½	—	—	55 lbs.	12.6
91NB1850CSL	Console Table	1676	18	50	31½	—	—	75 lbs.	20.2
91NB2448MGL	Magazine Table	1267	24	48	16½	—	—	77 lbs.	19.1
91NB3636MGL	Coffee Table	1325	36	36	16½	—	—	65 lbs.	15.0

- Optional glass and solid surface kits available; reference page 516
- Features an aluminum base in three color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Grommet option not available on console table
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Wood tables feature matte/satin sheen
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 413 in the Casegoods Book 1 Price List

MYRIAD OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet (Cubes Only)
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

91NA2424CUW X X MH
91NA2424CYW X NM

MYRIAD CYLINDER

End Table



Coffee Table

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD			**DI**		**H**				
91NA2424CYW	End Table	$ 1015	24	—	20½	—	—	35 lbs.	11.0
91NA3636MGYW	Coffee Table	1367	36 1⁄16	—	16½	—	—	55 lbs.	18.6
LAMINATE									
91NA2424CYL	End Table	$ 627	24	—	20½	—	—	35 lbs.	11.0
91NA3636MGYL	Coffee Table	936	36 1⁄16	—	16½	—	—	55 lbs.	18.6

- Optional glass and solid surface kits available; reference page 516
- Optional surface center grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Wood tables feature matte/satin sheen
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 413 in the Casegoods Book 1 Price List

MYRIAD CUBE



End Table



Optional Surface and Side Grommet Locations

WOOD									
91NA2424CUW	End Table	$ 1015	24	24	20½	—	—	33 lbs.	11.1
91NA2448MGTW	Magazine Table	1283	24	48	16½	—	—	66 lbs.	17.2
91NA3636MGUW	Coffee Table	1283	36	36	16½	—	—	55 lbs.	18.9
LAMINATE									
91NA2424CUL	End Table	$ 627	24	24	20½	—	—	33 lbs.	11.1
91NA2448MGTL	Magazine Table	864	24	48	16½	—	—	66 lbs.	17.2
91NA3636MGUL	Coffee Table	864	36	36	16½	—	—	55 lbs.	18.9

- Optional glass and solid surface kits available; reference page 516
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Wood tables feature matte/satin sheen
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 413 in the Casegoods Book 1 Price List



Magazine Table



Optional Surface and Side Grommet Locations



Coffee Table



Optional Surface and Side Grommet Locations

TO ORDER, SPECIFY:

1. Model Number
2. Glass
3. Metal Color

SAMPLE MODEL NUMBER:

91NC2424ENG 3 462

MYRIAD FLOATING TOP



End Table



Console Table



Magazine Table



Coffee Table

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
GLASS TOPS									
91NC2424ENG	End Table	$ 1659	24	24	20½	—	—	30 lbs.	2.2
91NC1850CSG	Console Table	2147	18	50	28½	—	—	53 lbs.	5.2
91NC2448MGG	Magazine Table	1929	24	48	16½	—	—	57 lbs.	5.5
91NC3636MGG	Coffee Table	1929	36	36	16½	—	—	50 lbs.	3.5

- Some assembly required – glass must be attached to base
- Glass is clear with beveled rim
- Features an aluminum base in four color options
- Glass is ⅜" thick
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 413 in the Casegoods Book 1 Price List

MYRIAD OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color
3. Metal Color

SAMPLE MODEL NUMBER:

91NC2424ENW MH 501

MYRIAD FLOATING TOP



End Table



Console Table



Magazine Table



Coffee Table

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
VENEER TOPS									
91NC2424ENW	End Table	$ 1368	24	24	20½	—	—	30 lbs.	2.2
91NC1850CSW	Console Table	1731	18	50	28½	—	—	53 lbs.	5.2
91NC2448MGW	Magazine Table	1553	24	48	16½	—	—	57 lbs.	5.5
91NC3636MGW	Coffee Table	1553	36	36	16½	—	—	50 lbs.	3.5
LAMINATE TOPS									
91NC2424ENL	End Table	$ 1138	24	24	20½	—	—	30 lbs.	2.2
91NC1850CSL	Console Table	1507	18	50	28½	—	—	53 lbs.	5.2
91NC2448MGL	Magazine Table	1325	24	48	16½	—	—	57 lbs.	5.5
91NC3636MGL	Coffee Table	1325	36	36	16½	—	—	50 lbs.	3.5

- Floating top style with laminate tops are available in a CSL; reference page 8 for program details
- Features an aluminum base in four color options
- Grommet not available on floating top styles
- Floating top is ⅜" thick
- Veneer tables feature matte/satin sheen
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 413 in the Casegoods Book 1 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Sheen (wood tops only)
3. Finish/Laminate Color
4. Paint Color

SAMPLE MODEL NUMBER:

81N3636MGW R MH 501

PEGOS MAGAZINE TABLE





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND									
81N3636MGW	Wood Top	$ 1388	36	36	18	—	—	33 lbs.	4.3
81N3636MGLW	Laminate Top	1273	36	36	18	—	—	33 lbs.	4.3
SQUARE									
81N2040MGSQW	Wood Top	$ 1388	20	40	18	—	—	33 lbs.	4.3
81N2040MGSQLW	Laminate Top	1273	20	40	18	—	—	33 lbs.	4.3

- Wood veneer or laminate top options
- Wood legs with metal accent piece available in 3 paint colors: Cinder, Platinum Metallic, Satin Nickel Metallic
- Grommet options not available
- 1⅛" tops with knife edge
- Some assembly required
- Reference Pegos for detailed product information, finishes and entire Pegos offering starting on page 419 in the Casegoods Book 1 Price List

PEGOS END TABLE





ROUND									
81N2424ENW	Wood Top	$ 1305	24	24	20	—	—	17 lbs.	3.9
81N2424ENLW	Laminate Top	1190	24	24	20	—	—	17 lbs.	3.9
SQUARE									
81N2424ENSQW	Wood Top	$ 1305	24	24	20	—	—	17 lbs.	3.9
81N2424ENSQLW	Laminate Top	1190	24	24	20	—	—	17 lbs.	3.9

- Wood veneer or laminate top options
- Wood legs with metal accent piece available in 3 paint colors: Cinder, Platinum Metallic, Satin Nickel Metallic
- Grommet options not available
- 1⅛" tops with knife edge
- Some assembly required
- Reference Pegos for detailed product information, finishes and entire Pegos offering starting on page 419 in the Casegoods Book 1 Price List

PEGOS CONSOLE TABLE



81N1842CSW	Wood Top	$ 1614	18	42	30	—	—	35 lbs.	4.9
81N1842CSLW	Laminate Top	1498	18	42	30	—	—	35 lbs.	4.9

- Wood veneer or laminate top options
- Wood legs with metal accent piece available in 3 paint colors: Cinder, Platinum Metallic, Satin Nickel Metallic
- Grommet options not available
- Bottom shelf standard in veneer
- 1⅛" tops with knife edge
- Some assembly required
- Reference Pegos for detailed product information, finishes and entire Pegos offering starting on page 419 in the Casegoods Book 1 Price List

RENO OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet (Square Only)
4. Paint
5. Finish/Laminate Color

SAMPLE MODEL NUMBER:

N32T24ENW X 462 MH

RENO END TABLE



Optional Surface Grommet Location



Optional Surface and Side Grommet Locations

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND			**DI**		**H**				
N32T24ENW	Wood	$ 1350	24	—	20 15/16	—	—	35 lbs.	11.0
N32T24ENL	Laminate	1137	24	—	20 15/16	—	—	35 lbs.	11.0

- Side grommet not available on round models
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)

SQUARE			**D**	**W**	**H**				
N32T2424ENW	Wood	$ 1350	24	24	20 15/16	—	—	55 lbs.	12.6
N32T2424ENL	Laminate	1137	24	24	20 15/16	—	—	55 lbs.	12.6

- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout on square table available in G23 cutout (+$25 list)

- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Optional glass and solid surface kits available; reference page 516
- Reference Reno for detailed product information, finishes and entire Reno offering starting on page 367 in the Seating Price List

RENO MAGAZINE TABLE





Optional Surface and Side Grommet Locations

N32T2448MGW	Wood	$ 1447	24	48	16 15/16	—	—	77 lbs.	19.1
N32T2448MGL	Laminate	1238	24	48	16 15/16	—	—	77 lbs.	19.1

- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Optional glass and solid surface kits available; reference page 516
- Reference Reno for detailed product information, finishes and entire Reno offering starting on page 367 in the Seating Price List

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet (Square Only)
4. Paint
5. Finish/Laminate Color

SAMPLE MODEL NUMBER:

N32T36MGW X 462 MH

RENO COFFEE TABLE





Optional Surface Grommet Location





Optional Surface and Side Grommet Locations

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND			**DI**		**H**				
N32T36MGW	Wood	$ 1505	36 1/16	–	16 5/16	–	–	55 lbs.	18.6
N32T36MGL	Laminate	1299	36 1/16	–	16 5/16	–	–	55 lbs.	18.6

- Side grommet not available on round models
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)

SQUARE			**D**	**W**	**H**				
N32T3636MGW	Wood	$ 1505	36	36	16 5/16	–	–	65 lbs.	15
N32T3636MGL	Laminate	1299	36	36	16 5/16	–	–	65 lbs.	15

- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)

- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Optional glass and solid surface kits available; reference page 516
- Reference Reno for detailed product information, finishes and entire Reno offering starting on page 367 in the Seating Price List

ROOSEVELT OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Sheen (wood tops only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBER:

51N2040MGW R MH

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROOSEVELT MAGAZINE TABLE	51N2040MGW	Wood Top	$ 972	19¾	39¾	18⅝	—	—	42 lbs.	3.0
	Q51N2040MGLW	Laminate Top	836	19¾	39¾	18⅝	—	—	42 lbs.	3.0
	51N2040MGLW	Laminate Top	836	19¾	39¾	18⅝	—	—	46 lbs.	3.0

- Some assembly required
- Laminate top tables have veneer legs/base
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 257 in the Casegoods Book 1 Price List

ROOSEVELT END TABLE	51N2424ENW	Wood Top	$ 836	23¾	23¾	22⅝	—	—	38 lbs.	2.8
	Q51N2424ENLW	Laminate Top	743	23¾	23¾	22⅝	—	—	38 lbs.	2.8
	51N2424ENLW	Laminate Top	743	23¾	23¾	22⅝	—	—	38 lbs.	2.8

- Some assembly required
- Laminate top tables have veneer legs/base
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 257 in the Casegoods Book 1 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

82N3636MGRDW MH 462 405

STACCATO COFFEE TABLE





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND			**DI**		**H**				
82N3636MGRDW	Wood	$ 1929	36 11/16	–	17 15/16	–	–	97 lbs.	9.6
82N3636MGRDL	Laminate	1682	36 11/16	–	17 15/16	–	–	97 lbs.	9.6
SOFT SQUARE			**D**	**W**	**H**				
82N3636MGSQW	Wood	$ 2041	36	36	17 15/16	–	–	97 lbs.	9.6
82N3636MGSQL	Laminate	1794	36	36	17 15/16	–	–	97 lbs.	9.6

- Reference Staccato for detailed product information, finishes and entire Staccato offering starting on page 423 in the Casegoods Book 1 Price List

STACCATO END TABLE





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND			**DI**		**H**				
82N2424MGRDW	Wood	$ 1659	23 3/8	–	20 13/16	–	–	64 lbs.	7.3
82N2424MGRDL	Laminate	1412	23 3/8	–	20 13/16	–	–	64 lbs.	7.3
SOFT SQUARE			**D**	**W**	**H**				
82N2424MGSQW	Wood	$ 1772	24	24	20 13/16	–	–	64 lbs.	7.3
82N2424MGSQL	Laminate	1524	24	24	20 13/16	–	–	64 lbs.	7.3

- Some assembly required
- No grommet cutouts available
- Optional glass and solid surface kits available; reference page 516
- 3" column base
- Glide adjustment of +/– 1/8"
- 4 1/8" height top
- Column available in paint colors (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Foot available in paint colors (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Reference Staccato for detailed product information, finishes and entire Staccato offering starting on page 423 in the Casegoods Book 1 Price List

STACCATO OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

82N363635RDTW MH 462 405

STACCATO COUNTER HEIGHT TABLE









MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND			**DI**		**H**				
82N363635RDTW	Wood	$ 2031	36 1/16	—	35 9/16	—	—	112 lbs.	11.1
82N363635RDTL	Laminate	1784	36 1/16	—	35 9/16	—	—	112 lbs.	11.1
82N242435RDTW	Wood	$ 1902	23 3/8	—	35 9/16	—	—	80 lbs.	8.8
82N242435RDTL	Laminate	1655	23 3/8	—	35 9/16	—	—	80 lbs.	8.8
SOFT SQUARE			**D**	**W**	**H**				
82N363635SQTW	Wood	$ 2144	36	36	35 9/16	—	—	112 lbs.	11.1
82N363635SQTL	Laminate	1897	36	36	35 9/16	—	—	112 lbs.	11.1
82N242435SQTW	Wood	$ 2015	24	24	35 9/16	—	—	80 lbs.	8.8
82N242435SQTL	Laminate	1767	24	24	35 9/16	—	—	80 lbs.	8.8

- Some assembly required
- No grommet cutouts available
- Optional glass and solid surface kits available; reference page 516
- 3" column base
- Glide adjustment of +/– 1/8"
- 4 1/8" height top
- Column available in paint colors (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Foot available in paint colors (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Reference Staccato for detailed product information, finishes and entire Staccato offering starting on page 423 in the Casegoods Book 1 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

82N363640RDTW MH 462 405

STACCATO BAR HEIGHT TABLE









MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND			**DI**		**H**				
82N363640RDTW	Wood	$ 2086	36 11/16	–	41 9/16	–	–	112 lbs.	11.5
82N363640RDTL	Laminate	1839	36 11/16	–	41 9/16	–	–	112 lbs.	11.5
82N242440RDTW	Wood	$ 1956	23 5/8	–	41 9/16	–	–	80 lbs.	9.2
82N242440RDTL	Laminate	1709	23 5/8	–	41 9/16	–	–	80 lbs.	9.2
SOFT SQUARE			**D**	**W**	**H**				
82N363640SQTW	Wood	$ 2198	36	36	41 9/16	–	–	112 lbs.	11.5
82N363640SQTL	Laminate	1951	36	36	41 9/16	–	–	112 lbs.	11.5
82N242440SQTW	Wood	$ 2070	24	24	41 9/16	–	–	80 lbs.	9.2
82N242440SQTL	Laminate	1823	24	24	41 9/16	–	–	80 lbs.	9.2

- Some assembly required
- No grommet cutouts available
- Optional glass and solid surface kits available; reference page 516
- 3" column base
- Glide adjustment of +/– 1/8"
- 4 1/8" height top
- Column available in paint colors (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Foot available in paint colors (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Reference Staccato for detailed product information, finishes and entire Staccato offering starting on page 423 in the Casegoods Book 1 Price List

SWIFT OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Finish/Laminate Color
5. Frame Color

SAMPLE MODEL NUMBERS:

N95PPW X X CL 497
N95PPL X X MC 501

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SWIFT SMALL END TABLE	N95PPW	Wood	$ 1236	28	14	16½	—	—	31.8 lbs.	7.5
	N95PPL	Laminate	1145	28	14	16½	—	—	31.8 lbs.	7.5





Optional Surface and Side Grommet Locations

- Wood table features matte/satin sheen
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Reference Swift for detailed product information, finishes and entire Swift offering starting on page 395 in the Seating Price List

SWIFT COFFEE TABLE	N95RRW	Wood	$ 1929	36	36	13¼	—	—	70 lbs.	16.8
	N95RRL	Laminate	1839	36	36	13¼	—	—	70 lbs.	16.8



- Power grommet option not available
- Wood table features matte/satin sheen
- Frosted ⅜" thick tempered glass insert
- Reference Swift for detailed product information, finishes and entire Swift offering starting on page 395 in the Seating Price List

SWIFT CONSOLE TABLE	N95SSW	Wood	$ 2061	18	50	33½	—	—	74.2 lbs.	26.4
	N95SSL	Laminate	1971	18	50	33½	—	—	74.2 lbs.	26.4



- Power grommet option not available
- Wood table features matte/satin sheen
- Frosted ⅜" thick tempered glass insert
- Reference Swift for detailed product information, finishes and entire Swift offering starting on page 395 in the Seating Price List

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Finish/Laminate Color
5. Frame Color

SAMPLE MODEL NUMBERS:

N95KKW X X CW 462
N95KKL X X 462 501

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SWIFT 30° TABLE	N95KKW	Wood	$ 1477	30¼	25	16½	—	—	40 lbs.	12.6
	N95KKL	Laminate	1386	30¼	25	16½	—	—	40 lbs.	12.6



Optional Surface and Side Grommet Locations

- Wood table features matte/satin sheen
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Reference Swift for detailed product information, finishes and entire Swift offering starting on page 395 in the Seating Price List

SWIFT 45° TABLE	N95LLW	Wood	$ 1598	32¼	31½	16½	—	—	45.2 lbs.	16.3
	N95LLL	Laminate	1507	32¼	31½	16½	—	—	45.2 lbs.	16.3



Optional Surface and Side Grommet Locations

- Wood table features matte/satin sheen
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Reference Swift for detailed product information, finishes and entire Swift offering starting on page 395 in the Seating Price List

SWIFT 90° TABLE	N95NNW	Wood	$ 1658	28	28	16½	—	—	47.8 lbs.	13.1
	N95NNL	Laminate	1568	28	28	16½	—	—	47.8 lbs.	13.1



Optional Surface and Side Grommet Locations

- Wood table features matte/satin sheen
- Power grommet sold separately; reference pages 524-525, 528-529, and 532 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$25 list)
- Optional side grommet cutout available in G23 cutout (+$25 list)
- Reference Swift for detailed product information, finishes and entire Swift offering starting on page 395 in the Seating Price List

TAG OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color
3. Frame Color

SAMPLE MODEL NUMBER:

N60SGW MC 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
TAG END TABLE	N60SGW	Wood Top	$ 551	18	20	17¾	—	—	15 lbs.	6.1
	N60SGL	Laminate Top	464	18	20	17¾	—	—	15 lbs.	6.1

- Platinum Metallic option available for a $33 list upcharge
- Reference Tag for detailed product information, finishes and entire Tag offering starting on page 413 in the Seating Price List

TAG CORNER TABLE	N60SHW	Wood Top	$ 777	28	28	17¾	—	—	24 lbs.	11.5
	N60SHL	Laminate Top	690	28	28	17¾	—	—	24 lbs.	11.5

- Platinum Metallic option available for a $33 list upcharge
- Reference Tag for detailed product information, finishes and entire Tag offering starting on page 413 in the Seating Price List

TAG MAGAZINE TABLE	N60SKW	Wood Top	$ 754	19⅝	39⅞	16	—	—	24 lbs.	10.7
	N60SKL	Laminate Top	666	19⅝	39⅞	16	—	—	24 lbs.	10.7

- Platinum Metallic option available for a $33 list upcharge
- Reference Tag for detailed product information, finishes and entire Tag offering starting on page 413 in the Seating Price List

TO ORDER, SPECIFY:

1. Model Number
2. Leg Color
3. Sheen (wood tops only)
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N24ENRDW 501 R MH
59N24ENRDLW 501 MH

	MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
TESSERA END TABLE	**ROUND**									
	59N24ENRDW	Wood	$ 1611	24	24	23¾	—	—	83 lbs.	14.2
	59N24ENRDLW	Laminate	1371	24	24	23¾	—	—	83 lbs.	14.2
	SQUARE									
	59N2424ENSQW	Wood	$ 1720	24	24	23¾	—	—	55 lbs.	14.2
	59N2424ENSQLW	Laminate	1480	24	24	23¾	—	—	55 lbs.	14.2

- No grommet cutouts available
- 1⅜" thick top
- Reference Tessera for detailed product information, finishes and entire Tessera offering starting on page 271 in the Casegoods Book 1 Price List

TESSERA COFFEE TABLE	**ROUND**									
	59N36MGRDW	Wood	$ 1873	36⅛	36⅛	16¾	—	—	55 lbs.	21.6
	59N36MGRDLW	Laminate	1633	36⅛	36⅛	16¾	—	—	55 lbs.	21.6
	SQUARE									
	59N3636MGSQW	Wood	$ 1982	36⅛	36⅛	16¾	—	—	65 lbs.	21.6
	59N3636MGSQLW	Laminate	1742	36⅛	36⅛	16¾	—	—	65 lbs.	21.6

- No grommet cutouts available
- 1⅜" thick top
- Reference Tessera for detailed product information, finishes and entire Tessera offering starting on page 271 in the Casegoods Book 1 Price List

TESSERA MAGAZINE TABLE	59N2448MGW	Wood	$ 1873	24	48	16¾	—	—	77 lbs.	19.7
	59N2448MGLW	Laminate	1633	24	48	16¾	—	—	77 lbs.	19.7

- No grommet cutouts available
- 1⅜" thick top
- Reference Tessera for detailed product information, finishes and entire Tessera offering starting on page 271 in the Casegoods Book 1 Price List

UNIVERSAL

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

10N3636RDBPG

UNIVERSAL GLASS TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND			DI		H				
10N3636RDBPG	White Back Painted Glass	$ 1941	36⅞	—	1½	—	—	65 lbs.	4.7
10N2424RDBPG	White Back Painted Glass	1421	23⅞	—	1½	—	—	31 lbs.	1.9
SOFT SQUARE			D	W	H				
10N3636SQBPG	White Back Painted Glass	$ 1941	35⅝	35⅝	1½	—	—	69 lbs.	4.7
10N2424SQBPG	White Back Painted Glass	1421	23⅝	23⅝	1½	—	—	28 lbs.	1.9

- 24" top for use with 22" disc or soft square base on pages 513-515
- 36" top for use with 27" disc or soft square base on pages 513-515
- 1½" thickness includes the glass and substrate
- Features writable surface

UNIVERSAL CORIAN® ROUND TOP



		GRADE A	GRADE C	DI		H				
10N36RDS	Corian Solid Surface	$ 2413	$ 2935	36	—	1½	—	—	59 lbs.	2.7
10N24RDS	Corian Solid Surface	1515	1747	24	—	1½	—	—	26 lbs.	1.3
SOFT SQUARE		**GRADE A**	**GRADE C**	**D**	**W**	**H**				
10N3636SSQS	Corian Solid Surface	$ 2413	$ 2935	36	36	1½	—	—	79 lbs.	2.7
10N2424SSQS	Corian Solid Surface	1515	1747	24	24	1½	—	—	38 lbs.	1.3

- Grommet cutout not available on Corian solid surface tops
- Available in 7101 Bisque (Grade A), 7201 Glacier White (Grade A), 7301 Concrete (Grade C), or 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen
- Not intended for use with adjustable height bases
- 24" top for use with 22" disc or soft square base on pages 513-515
- 36" top for use with 27" disc or soft square base on pages 513-515

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color
3. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV2715DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE OCCASIONAL TABLE HEIGHT	CBV2715DRNBP	$ 687	3	27 3/16	16	—	—	60 lbs.	1.9
	CBV2215DRNBP	519	3	22	16	—	—	43 lbs.	1.9



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

SOFT SQUARE BASE OCCASIONAL TABLE HEIGHT	CBV2715DSQBP	$ 800	3	27 3/16	16	—	—	60 lbs.	1.9
	CBV2215DSQBP	631	3	22	16	—	—	50 lbs.	1.9



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

DISC BASE WORKSURFACE HEIGHT	CBV2728DRNBP	$ 732	3	27 3/16	27 7/16	—	—	73 lbs.	2.8
	CBV2228DRNBP	547	3	22	27 7/16	—	—	56 lbs.	2.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

SOFT SQUARE BASE WORKSURFACE HEIGHT	CBV2728DSQBP	$ 845	3	27 3/16	27 7/16	—	—	84 lbs.	2.8
	CBV2228DSQBP	660	3	22	27 7/16	—	—	63 lbs.	2.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE COUNTER HEIGHT	CBV2735DRNBP	$ 790	3	27 3/16	35	—	—	75 lbs.	3.4
	CBV2235DRNBP	762	3	22	35	—	—	58 lbs.	3.4



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

SOFT SQUARE BASE COUNTER HEIGHT	CBV2735DSQBP	$ 903	3	27 3/16	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	874	3	22	35	—	—	65 lbs.	3.4



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color
3. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV2740DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE BAR HEIGHT	CBV2740DRNBP	$ 845	3	27 3/16	40 3/4	—	—	76 lbs.	3.8
	CBV2240DRNBP	816	3	22	40 3/4	—	—	59 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

SOFT SQUARE BASE BAR HEIGHT	CBV2740DSQBP	$ 957	3	27 3/16	40 3/4	—	—	87 lbs.	3.8
	CBV2240DSQBP	929	3	22	40 3/4	—	—	66 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 540-541 in the Casegoods Book 2 Price List
- Glide adjustment of +/– 1/8"
- Optional column paint color available in (265) Polished, (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

UNIVERSAL CORIAN® SOLID SURFACE KITS







MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SQUARE/RECTANGULAR		**GRADE A** **GRADE C**							
10N2424SQSK	End Table Kit	$ 1102 $ 1334	24	24	⅜	—	—	25 lbs.	1.05
10N2448RTSK	Magazine Table Kit	1623 2087	24	48	⅜	—	—	47 lbs.	2.0
10N3636SQSK	Coffee Table Kit	1623 2145	36	36	⅜	—	—	52 lbs.	2.2
10N1850RTSK	Console Table Kit	1682 2045	18	50	⅜	—	—	38 lbs.	1.6
SOFT SQUARE									
10N2424SSQSK	End Table Kit	$ 1086 $ 1318	24	24	⅜	—	—	25 lbs.	1.1
10N3636SSQSK	Coffee Table Kit	1682 2204	36	36	⅜	—	—	52 lbs.	2.2
ROUND			**DI**		**H**				
10N2424RDSK	End Table Kit	$ 1623 $ 1855	24	—	⅜	—	—	23 lbs.	1.1
10N3636RDSK	Coffee Table Kit	1086 1608	36	—	⅜	—	—	49 lbs.	2.2

- For use on box, cylinder, soft square and cube styles on pages 493, 497-498, 502-503, and 505-507
- Solid surface is available with a beveled rim in four different colors: 7101 Bisque (Grade A), 7201 Glacier White (Grade A), 7301 Concrete (Grade C), and 7302 Deep Night Sky (Grade C); also available in standard (R) or matte/satin (N) sheen
- When pairing a Corian kit with another occasional table, the Corian top may be sized smaller than the occasional table

UNIVERSAL GLASS KITS







SQUARE/RECTANGULAR									
10N2424SQGK	End Table Kit	$ 604	24	24	⅜	—	—	55 lbs.	12.6
10N2448RTGK	Magazine Table Kit	845	24	48	⅜	—	—	77 lbs.	19.1
10N3636SQGK	Coffee Table Kit	845	36	36	⅜	—	—	75 lbs.	20.2
10N1850RTGK	Console Table Kit	845	18	50	⅜	—	—	65 lbs.	15.0
SOFT SQUARE									
10N2424SSQGK	End Table Kit	$ 845	24	—	24	—	—	22 lbs.	1.0
10N3636SSQGK	Coffee Table Kit	1267	24	—	36	—	—	49 lbs.	2.1
ROUND			**DI**		**H**				
10N2424RDGK	End Table Kit	$ 845	24	—	⅜	—	—	18 lbs.	1.0
10N3636RDGK	Coffee Table Kit	1267	36	—	⅜	—	—	37 lbs.	2.1

- For use on box, cylinder, soft square and cube styles on pages 493, 497-498, 502-503, and 505-507
- Specify model number only
- Glass is clear with beveled rim
- Glass comes with stanchions for easy attachment to table
- Square kits feature square stanchions and soft square/round kits feature round stanchions

TO ORDER, SPECIFY:

1. Model Number
2. Sheen
3. Solid Surface Grade
4. Solid Surface Color

SAMPLE MODEL NUMBER:

10N2424SQSK N A 7101

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PERSONAL PULL-UP TABLE	10N1622RTPUW	Wood	$ 984	13¾	22	28½	—	—	32 lbs.	9.25
	10N1622RTPUL	Laminate	984	13¾	22	28½	—	—	32 lbs.	9.25

- 50 lb. weight limit
- Specify metal finish (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Veneer species is maple
- Specify laminate or wood finish; **Laminates** (AC2) Autumn 2, (AD) Almond, (CL) Caramel, (CW) Cordovan, (DW) Judicial, (HN2) Honey 2, (IM) Brighton, (MC) Amber, (MH) Mocha, (NM) Natural, (PB) Portobello, (PT) Portico, (SK) Skyline, (SM) Sonoma, (TF) Truffle, (405) Designer White, (417) Mojave, (418) Mouse, (419) Wallaby, (425) Shadow, (440) Cloud, (461) Graphite, (462) Cinder, (478) Platinum Grey, (488) Frosty White, (491) Designer White Linear, (492) Cinder Linear, (791) Palisander, (792) Sable, or (793) Acorn; **Wood Finishes** (AC) Autumn, (AD) Almond, (CL) Caramel, (CW) Cordovan, (DW) Judicial, (HN) Honey, (IM) Brighton, (MC) Amber, (MH) Mocha, (NM) Natural, (PB) Portobello, (PT) Portico, (SK) Skyline, (SM) Sonoma, (TF) Truffle, (405) Designer White, (462) Cinder, (792) Sable, or (793) Acorn

ACCESSORIES

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 Amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- Eight adapter plates are provided

ONE TOUCH PIVOTING POWER GROMMET (G12 AND G122)

- Field installable
- One touch door remains open during use
- Clear or black anodized aluminum
- (G12) Two power outlets and two blank ports can accommodate one of eight provided adapter plates
- (G122) Two power outlets, one port with two charging USB, and one blank port that can accommodate one of eight provided adapter plates
- Hardwire solution must be ordered separately and installed in the field – top should be ordered with CUT-G12C option
- Specify model number only
- Standard units have 10 ft. cords and hardwire cords have 6 ft. cords
- UL Listed

ONE TOUCH DOUBLE PIVOTING POWER GROMMET (G15 AND G152)

- UL Listed
- To be ordered with G15 cutouts
- Must be inserted and installed into cutouts in field
- Fits into CUT-G15C, CUT-G15E, CUT-G15LR, CUT-G15A, and CUT-G15CE options
- One touch door remains open during use
- Clear or black anodized aluminum available
- (G15) Two power outlets (110 volts each) and three blank ports per side can accommodate one of eight provided adapter plates
- (G152) SIDE 1: Two power outlets (110 volts each), one 2-port USB, one HDMI, one blank data port; SIDE 2: Two power outlets (110 volts each), one 2-port USB, one VGA, one blank data port
- Corded units have two 72" long power cords (one each side) rated at 15 Amps 120 volts
- Hardwire units have two 72" long power cords (one each side) rated at 15 Amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Cord is 6 ft. long
- Field installable
- For more specification information: www.byrne-electrical.com

POWER/DATA OASIS (G162)

- To be ordered with G16 cutout options
- Must be inserted and installed into cutouts in field
- Fits into CUT-G16C, CUT-G16E, CUT-G16LR, CUT-G16A, and CUT-G16CE options
- Silver or black powder coat available
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit
- Power/Data Oasis (G162) unit will feature six power receptacles with two 108" power cords and molded plugs rated at 12 Amps 120 volts, two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Power/Data Oasis hardwire unit (G162) will feature six power receptacles with one 72" long hardwire conduit covered pigtail cable on one end which carries two 20 Amp 120 volt circuits to power two sides of the Power/Data Oasis, two charging USB (2.1); one HDMI; one VGA with mini stereo, and one RJ45 data jack
- Standard units have cords that are 9 ft. long rated at 15 Amps 120 volts and molded plug. Hardwire units have cords that are 6 ft. long rated at 20 Amps 120 volts and molded plug
- Cannot be field scribed for cutout
- For more specification information: www.electri-cable.com

ONE TOUCH PIVOTING POWER GROMMET (G17, G172, G173)

- Field installable
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- (G17) Includes one power outlet and one blank voice/data port
- (G172) Includes two power outlets
- (G173) Includes one power outlet and two charging USB (2.1)
- 10 foot, 15 Amp cord
- Includes a voice/adapter kit to accept couplers and jacks when required
- UL Listed

BYRNE INTERLINK IQ SYSTEM (G17)

- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system can be used with Epic, Renegade, and WaveWorks
- Interlink IQ system must begin with NACELIQ1, NACG17ELIQ_1 or NACG172ELIQ_1 unit
- Can add a daisy chain for a total of eight NACG17ELIQ, NACG172ELIQ, or NACELIQJ units in any combination
- G17EL includes a Voice/Adapter kit to accept couplers and jacks when required
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat

POWER GROMMET (G23)

- Field installable in tables when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes two power outlets and two power USB ports
- 9 foot, 15 Amp cord
- ETL listed to UL962A Standard

DAISY LINK (G23)

- Field installable in tables when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes two 15 Amp power receptacles (no data) and two USB (3.0 power) power ports
- Thumbscrew version with two backerplates and two ¼"-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48⅜" conduit and 24" power cord with 20 Amp molded plug
- 72⅜" multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60" jumper; jumper cable is 60⅜" metal conduit with female to female ends for connecting two daisy link power grommets
- ETL listed to UL962A Standard

DAISY LINK JUMPER

- 80" jumper cable is metal conduit with female to female ends to connect two daisy link power grommets when the power is jumped between tables

MARINA™ HDMI COLLABORATIVE MEETING TECHNOLOGY SOLUTION (G26)

- ETL Listed
- Must be inserted and installed into CUT-G26C cutout in field
- HDMI switcher
- Four HDMI Show Me cables, 6 ft.
- 15 ft. HDMI video output cord
- Four 15 Amp power receptacles
- Four 3.0, 2.1 Amp USB ports
- Two blank telecom plates
- 108" power cord
- Graphite Gray powder coat interior
- Powder coat bezel with sliding doors; available in silver or black
- For more specification information: www.electri-cable.com

GETAWAY™ PORTABLE MEETING TECHNOLOGY SOLUTION (G26 MOBILE)

- ETL Listed
- Freestanding portable unit
- HDMI 4 power switcher
- Four 6 ft. Show Me cables
- 15 ft. HDMI video output cord
- Four 15 Amp power receptacles
- Four 2.1 Amp USB ports
- 108" power cord
- Carrying case
- Powder coat finish; available in silver or black
- For more specification information: www.electri-cable.com

POWER TOWER

- Available in gloss black or silver with black faceplates, or gloss white with white faceplates
- Unit comes with (9) 15 amp 120 volt, tamper resistant receptacles and (6) USB 3.0 power charging ports that provide 2.1 amps. Data ports are not provided
- 108" 15 amp power cord included
- Circuit breaker located in the bottom of the tower for overload protection

UNDERSURFACE POWER/DATA

- Contains 1 electrical outlet and 2 USB ports
- Mounts under surface
- 72" power cord included

NODE POWER GROMMET (G33)

- For use with select Maneuver tables
- Available in black or silver
- Contains 1 electrical outlet and 2 USB ports
- 72" 15 amp power cord included
- Maximum worksurface thickness is 1½"
- UL approved

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBER:

15NTVMAS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNIVERSAL MOBILE MEDIA CART	10N3661MMCM	Gun Metal Grey	$ 4668	26	36¼	61	—	—	80 lbs.	9.1



- Some assembly required
- Supports one plasma or LCD screen 37" to 70"; includes mounting bracket, one adjustable height shelf, wire management in rear, adjustable camera platform, and six port power module
- Gun Metal Grey powder coat
- 5" dual wheel casters; 2 locking

FLAT PANEL WALL MOUNT KIT	15NTVMAS	Black	$ 318	15¾-47¼		15¾-31¼		—	25 lbs.	2.0



- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel
- Must mount onto an architectural wall
- Black powder coat
- VESA mounting compliant

UNIVERSAL MOBILE MARKER BOARD FLIP CHART HOLDER	10N3372MBFCHB	Cinder	$ 1683	23⅜	32⅝	71¼	—	—	50 lbs.	8.6
	10N3372MBFCHS	Platinum Metallic	1683	23⅜	32⅝	71¼	—	—	50 lbs.	8.6
	10N3372MBFCHN	Satin Nickel Metallic	1683	23⅜	32⅝	71¼	—	—	50 lbs.	8.6

- Some assembly required
- High gloss, white laminate marker board
- 4 locking casters
- Adjustable brackets to hang flip chart
- Casters are black on the Cinder and Satin Nickel Metallic models; Platinum Metallic model has black casters with silver hubcaps

TO ORDER, SPECIFY:

1. Model Number

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CAMERA SHELF	NAC0711SHM	Powder Coated	$ 266	7	11	1¼	–	–	10 lbs.	1.5

- Available in four paint colors: (405) Designer White, (462) Cinder, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- 20 lb. maximum weight capacity
- Only intended for use with the Mio Wall or Exhibit TV mount insert

LED DESKTOP LIGHT	NAC18TLDBPUS	Task Light w/Desktop Base, Plug/USB, Silver	$ 911	14	–	14	–	–		



- Available in silver
- MCX LED freestanding light
- Working height 18" and maximum reach 28"
- 360° swivel from base, 135° front-to-back head tilt, 90° side-to-side head rotation
- 1 120VAC 3 prong receptacle electrical outlet
- 7 levels of light adjustment
- 2 USB charging ports providing 1 Amp 5VDC of power

LINEAR LED DESKTOP LIGHT	NAC18TLDBUH	Task Light w/Desktop Base, USB, White	$ 510	11½	7½	18¼	–	–		

- Available in white
- LED freestanding light
- Three color temps, dimming
- 1 USB charging port that provides 5 volts and 1 Amp of charging power
- 4'11" white cord plus a 3' cord extender
- ETL listed, compliant to UL153, FCC Part 15

POWER TOWER	NAC25ELPTB	Black	$ 2060	16¼	16⅝	25½	–	–	68 lbs.	6.5
	NAC25ELPTH	White	2060	16¼	16⅝	25½	–	–	68 lbs.	6.5
	NAC25ELPTS	Silver	2060	16¼	16⅝	25½	–	–	68 lbs.	6.5



DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBER:

NACG10EL

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND GROMMET (G10)	NACG10EL	Electrical Grommet	$ 417	4¼	4¼	5	—	—	2 lbs.	0.12
	NACG10	Grommet	67	4¼	4¼	1⅞	—	—	1 lbs.	0.12
ONE TOUCH PIVOTING POWER GROMMET (G12)	NACG12ELS	Clear Anodized Aluminum	$ 434	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12ELB	Black	434	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12ELHS	Hardwire, Clear Anodized Aluminum	434	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12ELHB	Hardwire, Black	434	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG122ELS	Clear Anodized Aluminum	$ 541	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG122ELB	Black	541	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG122ELHS	Hardwire, Clear Anodized Aluminum	541	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG122ELHB	Hardwire, Black	541	4⅜	8⅜	1½	—	—	2 lbs.	0.2

NACG10EL NACG10



NACG12EL



NACG122ELS

TO ORDER, SPECIFY:

1. Model Number

BYRNE TRAINING TABLE INTERLINK IQ SYSTEM (G12)



NACELIQPPG18



NACELIQ2PPG18

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACELIQPPG18	Full Set 1-8	$ 3740	4⅜	8¼	1½	—	—	25 lbs.	4.0
NACELIQPPG1	Interlink Starter	610	4⅜	8¼	1½	—	—	3 lbs.	3.0
NACELIQPPG	Interlink Add-on	470	4⅜	8¼	1½	—	—	3 lbs.	3.0
NACELIQJ	Interlink IQ Jumper	78	—	60	—	—	—	3 lbs.	0.15

- Each power grommet includes two power outlets and two blank ports that can accommodate one of eight provided adapter plates

NACELIQ2PPG18	Full Set 1-8	$ 4661	4⅜	8¼	1½	—	—	25 lbs.	4.0
NACELIQ2PPG1	Interlink Starter	973	4⅜	8¼	1½	—	—	3 lbs.	3.0
NACELIQ2PPG	Interlink Add-on	527	4⅜	8¼	1½	—	—	3 lbs.	3.0

- Each power grommet includes two power outlets, one port with two charging USB, and one blank port that can accommodate one of eight provided adapter plates

- Non-sequential "Daisy chain" solution for flip/nest training tables
- When Interlink solution is ordered, flip/nest training table must specify CUT-G12C grommet
- When Interlink solution is ordered, use table ganging brackets shown below
- Specify model number only
- Interlink cord with plug is 120" in length
- Length of cord from coupler to unit on all units is 14"
- Length from coupler to coupler is 60"
- Only available in clear anodized aluminum

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBER:

NACG15EL

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ONE TOUCH DOUBLE PIVOTING POWER GROMMET (G15 AND G152)	NACG15EL	Clear Anodized Aluminum	$ 868	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15ELB	Black	868	8	9¾	1½	—	—	4 lbs.	0.4
	NACG15ELH	Clear Anodized Aluminum/Hardwire	868	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15ELHB	Black/Hardwire	868	8	9¾	1½	—	—	4 lbs.	0.4
	NACG152ELS	Clear Anodized Aluminum	$ 1258	8	9¾	1½	—	—	5 lbs.	0.4
	NACG152ELB	Black	1258	8	9¾	1½	—	—	4 lbs.	0.4
	NACG152ELHS	Clear Anodized Aluminum/Hardwire	1258	8	9¾	1½	—	—	5 lbs.	0.4
	NACG152ELHB	Black/Hardwire	1258	8	9¾	1½	—	—	4 lbs.	0.4
POWER/DATA OASIS (G162)	NACG162ELS	Silver Powder Coat	$ 2295	9	15	4	—	—	8 lbs.	1.2
	NACG162ELB	Black Powder Coat	2295	9	15	4	—	—	8 lbs.	1.2
	NACG162ELHS	Silver Powder Coat/Hardwire	2678	9	15	4	—	—	8 lbs.	1.2
	NACG162ELHB	Black Powder Coat/Hardwire	2678	9	15	4	—	—	8 lbs.	1.2



NACG15EL



NACG152ELS

• See pages 520-521 for detailed specifications



• See pages 520-521 for detailed specifications
• The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. Model Number

HARDWIRE POWER/DATA OASIS DAISY CHAIN KITS (G16)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SILVER POWDER COAT	**BLACK POWDER COAT**								
NACG162ELHS120LR	NACG162ELHB120LR	$ 5464	9	15	4	—	—	41 lbs.	5.4
NACG162ELHS144LR	NACG162ELHB144LR	5464	9	15	4	—	—	42 lbs.	5.4
NACG162ELHS168LR	NACG162ELHB168LR	5464	9	15	4	—	—	42 lbs.	5.4
NACG162ELHS168A	NACG162ELHB168A	8495	9	15	4	—	—	50 lbs.	6.7
NACG162ELHS168CE	NACG162ELHB168CE	5464	9	15	4	—	—	41 lbs.	5.4
NACG162ELHS192LR	NACG162ELHB192LR	5464	9	15	4	—	—	43 lbs.	5.4
NACG162ELHS192A	NACG162ELHB192A	8495	9	15	4	—	—	50 lbs.	6.7
NACG162ELHS192CE	NACG162ELHB192CE	5464	9	15	4	—	—	41 lbs.	5.4
NACG162ELHS216LR	NACG162ELHB216LR	5464	9	15	4	—	—	43 lbs.	5.4
NACG162ELHS216A	NACG162ELHB216A	8495	9	15	4	—	—	50 lbs.	6.7
NACG162ELHS216CE	NACG162ELHB216CE	5464	9	15	4	—	—	41 lbs.	5.4
NACG162ELHS240LR	NACG162ELHB240LR	5464	9	15	4	—	—	43 lbs.	5.4
NACG162ELHS240A	NACG162ELHB240A	8495	9	15	4	—	—	50 lbs.	6.7
NACG162ELHS240CE	NACG162ELHB240CE	5464	9	15	4	—	—	41 lbs.	5.4

- Example Model: NACG162ELHS**120LR** (**120** - designates size of table top; **LR** - designates grommet locations); see pages 20-21 for details
- G16 Grommet CUTOUTS must be specified in the conference top in which the Power/Data Oasis units will be installed
- Kits include jumper cables and hardwire starter cable required to daisy chain the Power/Data Oasis units
- "LR" models include 2 Oasis units, "A" models include 3 Oasis units and "CE" models include 2 Oasis units

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBER:

NACG17ELB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ONE TOUCH PIVOTING POWER/DATA GROMMET (G17)	NACG17ELB	Black Powder Coat	$ 302	4¼	5¼	2½	—	—	1 lbs.	0.2
	NACG17ELS	Silver Powder Coat	302	4¼	5¼	2½	—	—	1 lbs.	0.2
	• Includes one power outlet and one blank voice/data port									
ONE TOUCH PIVOTING POWER GROMMET (G172)	NACG172ELB	Black Powder Coat	$ 307	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG172ELS	Silver Powder Coat	307	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes two power outlets									
ONE TOUCH PIVOTING POWER GROMMET (G173)	NACG173ELB	Black Powder Coat	$ 314	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG173ELS	Silver Powder Coat	314	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes one power outlet and two charging USB (2.1)									

TO ORDER, SPECIFY:

1. Model Number

BYRNE INTERLINK IQ SYSTEM (G17)



G17 Unit



G172 Unit

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF EIGHT UNITS									
NACG17ELIQB18	Black - G17	$ 2444	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17ELIQS18	Silver - G17	2444	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG172ELIQB18	Black - G172	2584	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG172ELIQS18	Silver - G172	2584	4¼	5¼	2½	—	—	19 lbs.	1.55
INTERLINK STARTER UNITS									
NACG17ELIQB1	Black - G17	$ 376	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17ELIQS1	Silver - G17	376	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG172ELIQB1	Black - G172	392	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG172ELIQS1	Silver - G172	392	4¼	5¼	2½	—	—	3 lbs.	0.15
INTERLINK ADD-ON UNITS									
NACG17ELIQB	Black - G17	$ 296	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17ELIQS	Silver - G17	296	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG172ELIQB	Black - G172	313	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG172ELIQS	Silver - G172	313	4¼	5¼	2½	—	—	3 lbs.	0.15
INTERLINK IQ STARTER AND JUMPER									
NACELIQ1	Interlink IQ starter plug	$ 187	—	120	—	—	—	3 lbs.	0.15
NACELIQJ	Interlink IQ Jumper	78	—	60	—	—	—	3 lbs.	0.15

- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system can be used with Epic, Renegade, and WaveWorks
- Interlink IQ system must begin with NACELIQ1, NACG17ELIQ_1 or NACG172ELIQ_1 unit
- Can add a daisy chain for a total of eight NACG17ELIQ, NACG172ELIQ, or NACELIQJ units in any combination
- G17EL includes a Voice/Adapter kit to accept couplers and jacks when required
- One touch door remains open during use
- Die-cast zinc in black or silver powder coat
- Jumper only used between the starter and add-on units when the span between grommet locations are greater than 60"
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired

Configuration of Byrne IQ System for 72" WaveWorks Training Tables - Max of 6 Byrne IQ Units per run

6 Power Units



Item	Qty
Starter	1
Add-on	5
Jumper	2

5 Power Units



Item	Qty
Starter	1
Add-on	4
Jumper	2

4 Power Units



Item	Qty
Starter	1
Add-on	3
Jumper	1

3 Power Units



Item	Qty
Starter	1
Add-on	2
Jumper	1

2 Power Units



Item	Qty
Starter	1
Add-on	1

Configuration of Byrne IQ System for 66" WaveWorks Training Tables - Max of 6 Byrne IQ Units per run

6 Power Units



Item	Qty
Starter	1
Add-on	5
Jumper	1

5 Power Units



Item	Qty
Starter	1
Add-on	4
Jumper	1

4 Power Units



Item	Qty
Starter	1
Add-on	3
Jumper	1

3 Power Units



Item	Qty
Starter	1
Add-on	2

2 Power Units



Item	Qty
Starter	1
Add-on	1

Configuration of Byrne IQ System for 60" WaveWorks Training Tables - Max of 8 Byrne IQ Units per run

8 Power Units



Item	Qty
Starter	1
Add-on	7

7 Power Units



Item	Qty
Starter	1
Add-on	6

6 Power Units



Item	Qty
Starter	1
Add-on	5

5 Power Units



Item	Qty
Starter	1
Add-on	4

4 Power Units



Item	Qty
Starter	1
Add-on	3

3 Power Units



Item	Qty
Starter	1
Add-on	2

2 Power Units



Item	Qty
Starter	1
Add-on	1

ACCESSORIES

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBER:

NACG23ELB

POWER GROMMET (G23)



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG23ELB	Black	$ 444	2½	4½	3¼	—	—	2.3 lbs.	0.2
NACG23ELS	Silver	444	2½	4½	3¼	—	—	2.3 lbs.	0.2

- Not intended for use on conference tables
- Includes two power outlets and two power USB ports

DAISY LINK (G23)



Plugged Starter Unit



Hardwire Starter Unit

DAISY LINK STARTER UNITS

NACG23ELDLB1	Black - G23, Plugged	$ 505	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLS1	Silver - G23, Plugged	505	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLHB1	Black - G23, Hardwire	505	2½	4½	3¼	—	—	3.7 lbs.	0.4
NACG23ELDLHS1	Silver - G23, Hardwire	505	2½	4½	3¼	—	—	3.7 lbs.	0.4

DAISY LINK ADD-ON UNITS/JUMPER KIT

NACG23ELDLB2	Black - G23	$ 530	2½	4½	3¼	—	—	2.3 lbs.	0.4
NACG23ELDLS2	Silver - G23	530	2½	4½	3¼	—	—	2.3 lbs.	0.4

- 60" jumper included with each daisy link add-on unit

DAISY LINK JUMPER (80")

NAC80ELDLJ	Daisy Chain Jumper	$ 185	¾	80	2	—	—	2.4 lbs.	0.4

- 80" jumper is needed when connecting power between tables

NODE POWER GROMMET (G33)



NACG33ELB	Black	$ 283	4	4	3½	—	—	1 lbs.	0.2
NACG33ELS	Silver	283	4	4	3½	—	—	1 lbs.	0.2

- For use with Maneuver gear, shield, and 120 degree tables when CUT-G33 option is specified

TO ORDER, SPECIFY:

1. Model Number

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MARINA™ HDMI COLLABORATIVE MEETING TECHNOLOGY SOLUTION	NACG26ELB	Black	$ 7426	8	14	7 15/16	—	—	20 lbs.	2.4
	NACG26ELS	Silver	7426	8	14	7 15/16	—	—	20 lbs.	2.4
	• See pages 520-521 for detailed specifications									
GETAWAY™ PORTABLE MEETING TECHNOLOGY SOLUTION	NACG26ELMB	Black	$ 7957	12	14 7/8	4	—	—	18 lbs.	1.2
	NACG26ELMS	Silver	7957	12	14 7/8	4	—	—	18 lbs.	1.2
	• See pages 520-521 for detailed specifications									
UNDERSURFACE WIRE MANAGER	NAC0403WM	Set of two	$ 41	4	2 5/8	1 3/4	—	—	1 lbs.	0.1
	• Specify model number only • Black • When one touch pivoting power grommet or CUT-G12C option is ordered with flip/nest table, two undersurface wire managers are installed on underside of surface									
VERTICAL WIRE MANAGER	NAC0318WMV	Cinder	$ 181	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVS	Platinum Metallic	181	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVN	Satin Nickel Metallic	181	—	3	18	—	—	2 lbs.	0.1
	• Applicable to all 2½" diameter C, T and X bases • Clamps to leg; no hardware required									
MESH WIRE MANAGER	NAC0318WMM	Black	$ 88	—	3	17½	—	—	2 lbs.	0.1
	• Applicable to all 2½" diameter C, T and X bases • Wraps around leg and is secured with Velcro®									

ACCESSORIES

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

SAMPLE MODEL NUMBER:

NAC7232PVMCP 1 1677 501

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
VERTICAL WIRE MANAGER	NAC30WMV		$ 203	1½	3¼	31	—	—	2 lbs.	0.2

- Graphite color
- Attaches to underside of worksurface; flexible; used to conceal power in-feed and data cables

HORIZONTAL WIRE MANAGER	NAC17WMH	Black Plastic	$ 49	2½	17	4¼	—	—	3 lbs.	0.5
	NAC24WMH	Black Plastic	58	2½	24	4¼	—	—	3 lbs.	0.5

- Attaches below worksurface; can be installed horizontally or vertically
- Used to conceal power in-feed and data cables

		GRADE 1							
EDGE MOUNTED PRIVACY/MODESTY SCREEN RECTANGULAR, RESIN	NAC7232PVMCP	$ 1234	3⁄16	72	32	—	—	46 lbs.	6.0
	NAC6632PVMCP	1173	3⁄16	66	32	—	—	34 lbs.	5.5
	NAC6032PVMCP	1114	3⁄16	60	32	—	—	32 lbs.	5.1
	NAC5432PVMCP	1054	3⁄16	54	32	—	—	30 lbs.	4.6
	NAC4832PVMCP	993	3⁄16	48	32	—	—	28 lbs.	4.1
	NAC4232PVMCP	933	3⁄16	42	32	—	—	26 lbs.	3.7
	NAC3632PVMCP	870	3⁄16	36	32	—	—	24 lbs.	3.2
	NAC3032PVMCP	810	3⁄16	30	32	—	—	22 lbs.	2.8
	NAC2732PVMCP	778	3⁄16	27	32	—	—	22 lbs.	2.5
	NAC2432PVMCP	745	3⁄16	24	32	—	—	20 lbs.	2.3
	NAC2132PVMCP	716	3⁄16	21	32	—	—	18 lbs.	2.1

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are 3⁄16" thick dual sided resin; the overall assembly thickness, including the holders, is 1⅛"
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1⅜" and 1⅞" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 12" below the surface

TO ORDER, SPECIFY:

1. Model Number
2. Fabric or Resin Grade/Color
3. Paint Color

• See page 425 for fabrics



Shaded rectangle portrays a railroaded privacy/modesty screen.

EDGE MOUNTED PRIVACY/MODESTY SCREEN RECTANGULAR, FABRIC



MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC7232PVMC2PFA	Railroad	$ 2182	$ 2310	1⅛	72	32	—	—	46 lbs.	6.0
NAC6632PVMC2PFA	Railroad	$ 2041	$ 2161	1⅛	66	32	—	—	34 lbs.	5.5
NAC6032PVMC2PFA	Railroad	$ 1906	$ 2014	1⅛	60	32	—	—	32 lbs.	5.1
NAC6032PVMC2PF	Standard	1900	1960	1⅛	60	32	—	—	32 lbs.	5.1
NAC5432PVMC2PFA	Railroad	$ 1765	$ 1863	1⅛	54	32	—	—	30 lbs.	4.6
NAC5432PVMC2PF	Standard	1760	1820	1⅛	54	32	—	—	30 lbs.	4.6
NAC4832PVMC2PFA	Railroad	$ 1625	$ 1715	1⅛	48	32	—	—	28 lbs.	4.1
NAC4832PVMC2PF	Standard	1619	1679	1⅛	48	32	—	—	28 lbs.	4.1
NAC4232PVMC2PFA	Railroad	$ 1490	$ 1568	1⅛	42	32	—	—	26 lbs.	3.7
NAC4232PVMC2PF	Standard	1485	1545	1⅛	42	32	—	—	26 lbs.	3.7
NAC3632PVMC2PFA	Railroad	$ 1346	$ 1414	1⅛	36	32	—	—	24 lbs.	3.2
NAC3632PVMC2PF	Standard	1341	1401	1⅛	36	32	—	—	24 lbs.	3.2
NAC3032PVMC2PFA	Railroad	$ 1206	$ 1266	1⅛	30	32	—	—	22 lbs.	2.8
NAC3032PVMC2PF	Standard	1201	1261	1⅛	30	32	—	—	22 lbs.	2.8
NAC2732PVMC2PFA	Railroad	$ 1136	$ 1189	1⅛	27	32	—	—	22 lbs.	2.5
NAC2732PVMC2PF	Standard	1131	1161	1⅛	27	32	—	—	22 lbs.	2.5
NAC2432PVMC2PFA	Railroad	$ 1066	$ 1119	1⅛	24	32	—	—	20 lbs.	2.3
NAC2432PVMC2PF	Standard	1061	1091	1⅛	24	32	—	—	20 lbs.	2.3
NAC2132PVMC2PFA	Railroad	$ 994	$ 1039	1⅛	21	32	—	—	18 lbs.	2.1
NAC2132PVMC2PF	Standard	989	1019	1⅛	21	32	—	—	18 lbs.	2.1

- Privacy screens are 1⅛" thick dual sided fabric; the overall assembly thickness
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- Specify tack fabric grade and color
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- For use on 1⅜" and 1⅜" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Privacy screens that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Screen extends 18" above the surface and 12" below the surface

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

SAMPLE MODEL NUMBER:

NAC7224PVCTP 1 1677 462

EDGE MOUNTED PRIVACY SCREEN RECTANGULAR, RESIN



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
NAC7224PVCP	$ 771	3/16	71 13/16	24	—	—	24 lbs.	4.7
NAC6624PVCP	734	3/16	65 13/16	24	—	—	22 lbs.	4.3
NAC6024PVCP	696	3/16	59 13/16	24	—	—	19 lbs.	4.0
NAC5424PVCP	659	3/16	53 13/16	24	—	—	17 lbs.	3.6
NAC4824PVCP	622	3/16	47 7/8	24	—	—	16 lbs.	3.3
NAC4224PVCP	584	3/16	41 7/8	24	—	—	14 lbs.	2.9
NAC3624PVCP	543	3/16	35 7/8	24	—	—	12 lbs.	2.5
NAC3024PVCP	505	3/16	29 15/16	24	—	—	10 lbs.	2.2
NAC2724PVCP	487	3/16	27	24	—	—	9 lbs.	2.0
NAC2424PVCP	466	3/16	23 13/16	24	—	—	8 lbs.	1.8
NAC2124PVCP	448	3/16	21	24	—	—	7 lbs.	1.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are 3/16" thick dual sided resin; the overall assembly thickness, including the holders, is 1 5/8"
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1 3/16" and 1 9/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 4" below the surface

EDGE MOUNTED PRIVACY SCREEN TAPERED, RESIN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
NAC7224PVCTP	$ 771	3/16	71 13/16	24	—	—	24 lbs.	4.7
NAC6624PVCTP	734	3/16	65 13/16	24	—	—	22 lbs.	4.3
NAC6024PVCTP	696	3/16	59 13/16	24	—	—	19 lbs.	4.0
NAC5424PVCTP	659	3/16	53 13/16	24	—	—	17 lbs.	3.6
NAC4824PVCTP	622	3/16	47 7/8	24	—	—	16 lbs.	3.3
NAC4224PVCTP	584	3/16	41 7/8	24	—	—	14 lbs.	2.9
NAC3624PVCTP	543	3/16	35 7/8	24	—	—	12 lbs.	2.5
NAC3024PVCTP	505	3/16	29 15/16	24	—	—	10 lbs.	2.2
NAC2724PVCTP	487	3/16	27	24	—	—	9 lbs.	2.0
NAC2424PVCTP	466	3/16	23 13/16	24	—	—	8 lbs.	1.8
NAC2124PVCTP	448	3/16	21	24	—	—	7 lbs.	1.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are 3/16" thick dual sided resin; the overall assembly thickness, including the holders, is 1 5/8"
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1 3/16" and 1 9/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 4" below the surface

TO ORDER, SPECIFY:

1. Model Number
2. Fabric or Resin Grade/Color
3. Paint Color

• See page 425 for fabrics



Shaded rectangle portrays a railroaded privacy/modesty screen.

EDGE MOUNTED PRIVACY SCREEN RECTANGULAR, FABRIC

MODEL NO./DESCRIPTION		GRADE A	GRADE B/ COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
		LIST PRICE	LIST PRICE							
NAC7224PVC2PFA	Railroad	$ 1367	$ 1435	1⅛	71¹³⁄₁₆	24	—	—	24 lbs.	4.7
NAC6624PVC2PFA	Railroad	$ 1280	$ 1340	1⅛	65¹³⁄₁₆	24	—	—	22 lbs.	4.3
NAC6024PVC2PFA	Railroad	$ 1190	$ 1250	1⅛	59¹³⁄₁₆	24	—	—	19 lbs.	4.0
NAC6024PVC2PF	Standard	1182	1235	1⅛	59¹³⁄₁₆	24	—	—	19 lbs.	4.0
NAC5424PVC2PFA	Railroad	$ 1103	$ 1156	1⅛	53¹³⁄₁₆	24	—	—	17 lbs.	3.6
NAC5424PVC2PF	Standard	1098	1151	1⅛	53¹³⁄₁₆	24	—	—	17 lbs.	3.6
NAC4824PVC2PFA	Railroad	$ 1019	$ 1064	1⅛	47⅞	24	—	—	16 lbs.	3.3
NAC4824PVC2PF	Standard	1014	1067	1⅛	47⅞	24	—	—	16 lbs.	3.3
NAC4224PVC2PFA	Railroad	$ 932	$ 977	1⅛	41⅞	24	—	—	14 lbs.	2.9
NAC4224PVC2PF	Standard	926	979	1⅛	41⅞	24	—	—	14 lbs.	2.9
NAC3624PVC2PFA	Railroad	$ 844	$ 882	1⅛	35⅞	24	—	—	12 lbs.	2.5
NAC3624PVC2PF	Standard	838	891	1⅛	35⅞	24	—	—	12 lbs.	2.5
NAC3024PVC2PFA	Railroad	$ 756	$ 786	1⅛	29¹⁵⁄₁₆	24	—	—	10 lbs.	2.2
NAC3024PVC2PF	Standard	751	804	1⅛	29¹⁵⁄₁₆	24	—	—	10 lbs.	2.2
NAC2724PVC2PFA	Railroad	$ 713	$ 743	1⅛	27	24	—	—	9 lbs.	2.0
NAC2724PVC2PF	Standard	707	737	1⅛	27	24	—	—	9 lbs.	2.0
NAC2424PVC2PFA	Railroad	$ 663	$ 693	1⅛	23¹³⁄₁₆	24	—	—	8 lbs.	1.8
NAC2424PVC2PF	Standard	658	688	1⅛	23¹³⁄₁₆	24	—	—	8 lbs.	1.8
NAC2124PVC2PFA	Railroad	$ 625	$ 648	1⅛	21	24	—	—	7 lbs.	1.6
NAC2124PVC2PF	Standard	620	650	1⅛	21	24	—	—	7 lbs.	1.6

- Privacy screens are 1⅛" thick dual sided fabric
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- Specify tack fabric grade and color
- Specify metal color for holders: Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503)
- For use on 1¾₆" and 1⅞₆" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Privacy screens that are 50" or wider cannot use 54" wide COM on standard model. Railroad model must be ordered
- Screen extends 18" above the surface and 4" below the surface

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

SAMPLE MODEL NUMBER:

NAC6012MPA 1 1677 462

To You In 10 DAYS ...or Less

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered within 10 days.

RECTANGULAR MODESTY PANEL
⅓ HEIGHT
RESIN

MODEL NO./DESCRIPTION	GRADE 1	GRADE 2	GRADE 3	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC6012MPA	$ 604	$ 896	$ 998		⅜	59 11⁄16	12⅝	—	—	5 lbs.	3.9
NAC5412MPA	542	807	900		⅜	53 11⁄16	12⅝	—	—	5 lbs.	3.8
NAC4812MPA	482	714	796		⅜	47 11⁄16	12⅝	—	—	4 lbs.	3.7
NAC4212MPA	422	627	699		⅜	41¾	12⅝	—	—	4 lbs.	3.7
NAC3612MPA	362	540	603		⅜	35¾	12⅝	—	—	4 lbs.	3.7
NAC3012MPA	302	448	499		⅜	29¾	12⅝	—	—	3 lbs.	3.6
NAC2412MPA	241	360	402		⅜	23 13⁄16	12⅝	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided ⅜" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

TAPERED MODESTY PANEL
⅓ HEIGHT
RESIN

MODEL NO./DESCRIPTION	GRADE 1	GRADE 2	GRADE 3	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC6012MPTA	$ 604	$ 896	$ 998		⅜	59 11⁄16	12⅝	—	—	5 lbs.	3.9
NAC5412MPTA	542	807	900		⅜	53 11⁄16	12⅝	—	—	5 lbs.	3.8
NAC4812MPTA	482	714	796		⅜	47 11⁄16	12⅝	—	—	4 lbs.	3.7
NAC4212MPTA	422	627	699		⅜	41¾	12⅝	—	—	4 lbs.	3.7
NAC3612MPTA	362	540	603		⅜	35¾	12⅝	—	—	4 lbs.	3.7
NAC3012MPTA	302	448	499		⅜	29¾	12⅝	—	—	3 lbs.	3.6
NAC2412MPTA	241	360	402		⅜	23 13⁄16	12⅝	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677), Grade 2 Ting Ting (2877) or Scribble Cloud (2977) or Grade 3 Wisp Silver (3377)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided ⅜" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Paint Color

• See page 425 for fabrics



Shaded rectangle portrays a railroaded privacy/modesty screen.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR MODESTY PANEL ⅓ HEIGHT METAL	NAC6012MP2M		$ 604	1/16	59 11/16	12 5/8	—	—	10 lbs.	3.9
	NAC5412MP2M		542	1/16	53 11/16	12 5/8	—	—	10 lbs.	3.8
	NAC4812MP2M		482	1/16	47 11/16	12 5/8	—	—	8 lbs.	3.7
	NAC4212MP2M		422	1/16	41 3/4	12 5/8	—	—	8 lbs.	3.7
	NAC3612MP2M		362	1/16	35 3/4	12 5/8	—	—	8 lbs.	3.7
	NAC3012MP2M		302	1/16	29 3/4	12 5/8	—	—	6 lbs.	3.6
	NAC2412MP2M		241	1/16	23 13/16	12 5/8	—	—	6 lbs.	3.6



- Specify Style E for embossed design
- Specify metal color: 462 Cinder, 501 Platinum Metallic, 503 Satin Nickel Metallic and 405 Designer White
- Metal modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Modesty comes with brackets that attach to the underside of the worksurface
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

GANGING BRACKET	NACGBT2	Table Ganging Bracket Kit	$ 79	—	—	—	—	—	1 lbs.	0.1

- Quantity of 6 (set of 3 pairs) hook and loop "dog bone" shaped brackets
- All hardware included
- Available in black only
- Specify model number only

COM YARDAGE REQUIREMENTS (54" OR 66" WIDTH – CUT UP THE ROLL)

For railroaded models, contact customer service 800-482-1717 for ydg requirements

TACKABLE	54" WIDE ROLL	66" WIDE ROLL
11N0615WMVF	1.00	1.00
11N0615WMVFA	1.00	1.00
11N1834TB	1.25	1.25
11N1834TBA	1.00	1.00
11N1836TB	1.25	1.25
11N1836TBA	1.00	1.00
11N1837TB	1.25	1.25
11N1837TBA	1.00	1.00
11N1848TB	1.50	1.50
11N1848TBA	1.00	1.00
11N1849TB	1.50	1.50
11N1849TBA	1.00	1.00
11N20WMVF	0.75	0.75
11N20WMVFA	0.25	0.25
11N2434SWTBF	1.10	1.10
11N2434SWTBFA	1.50	1.50
11N2434SWTBP	0.50	0.50
11N2434SWTBPA	0.80	0.80
11N2434TB	1.25	1.25
11N2434TBA	1.00	1.00
11N2436SWTBF	1.10	1.10
11N2436SWTBFA	1.30	1.30
11N2436SWTBP	0.50	0.50
11N2436SWTBPA	0.80	0.80
11N2436TB	1.25	1.25
11N2436TBA	1.00	1.00
11N2437SWTBF	1.20	1.20
11N2437SWTBFA	1.30	1.30
11N2437SWTBP	0.50	0.50
11N2437SWTBPA	0.80	0.80
11N2437TB	1.25	1.25
11N2437TBA	1.00	1.00
11N2448SWTBF	1.50	1.50
11N2448SWTBFA	1.10	1.10
11N2448SWTBP	0.90	0.90
11N2448SWTBPA	0.80	0.80
11N2448TB	1.50	1.50
11N2448TBA	1.00	1.00
11N2449SWTBF	1.50	1.50
11N2449SWTBFA	1.10	1.10
11N2449SWTBP	0.90	0.90
11N2449SWTBPA	0.80	0.80
11N2449TB	1.50	1.50
11N2449TBA	1.00	1.00
11N3034SWTBF	1.10	1.10
11N3034SWTBFA	1.60	1.60
11N3034SWTBP	0.50	0.50
11N3034SWTBPA	1.00	1.00
11N3034TB	1.25	1.25
11N3034TBA	1.25	1.25
11N3036SWTBF	1.10	1.10
11N3036SWTBFA	1.50	1.50
11N3036SWTBP	0.50	0.50

TACKABLE	54" WIDE ROLL	66" WIDE ROLL
11N3036SWTBPA	1.00	1.00
11N3036TB	1.25	1.25
11N3036TBA	1.25	1.25
11N3037SWTBF	1.20	1.20
11N3037SWTBFA	1.50	1.50
11N3037SWTBP	0.50	0.50
11N3037SWTBPA	1.00	1.00
11N3037TB	1.25	1.25
11N3037TBA	1.25	1.25
11N3048SWTBF	1.50	1.50
11N3048SWTBFA	1.30	1.30
11N3048SWTBP	0.90	0.90
11N3048SWTBPA	1.00	1.00
11N3048TB	1.50	1.50
11N3048TBA	1.25	1.25
11N3049SWTBF	1.50	1.50
11N3049SWTBFA	1.30	1.30
11N3049SWTBP	0.90	0.90
11N3049SWTBPA	1.00	1.00
11N3049TB	1.50	1.50
11N3049TBA	1.25	1.25
11N31WMVF	1.00	1.00
11N31WMVFA	0.25	0.25
11N34TCF	1.00	1.00
11N34TCFA	0.25	0.25
11N3634SWTBF	1.10	1.10
11N3634SWTBFA	1.80	1.80
11N3634SWTBP	0.50	0.50
11N3634SWTBPA	1.10	1.10
11N3634TB	1.25	1.25
11N3634TBA	1.50	1.50
11N3634TVF	1.25	1.25
11N3634TVFA	1.50	1.50
11N3636SWTBF	1.10	1.10
11N3636SWTBFA	1.60	1.60
11N3636SWTBP	0.50	0.50
11N3636SWTBPA	1.10	1.10
11N3636TB	1.25	1.25
11N3636TBA	1.50	1.50
11N3636TVF	1.25	1.25
11N3636TVFA	1.50	1.50
11N3637SWTBF	1.20	1.20
11N3637SWTBFA	1.60	1.60
11N3637SWTBP	0.50	0.50
11N3637SWTBPA	1.10	1.10
11N3637TB	1.25	1.25
11N3637TBA	1.50	1.50
11N3637TVF	1.25	1.25
11N3637TVFA	1.50	1.50
11N3648SWTBF	1.50	1.50
11N3648SWTBFA	1.50	1.50
11N3648SWTBP	0.90	0.90
11N3648SWTBPA	1.10	1.10

COM YARDAGE REQUIREMENTS

TACKABLE	54" WIDE ROLL	66" WIDE ROLL
11N3648TB	1.50	1.50
11N3648TBA	1.50	1.50
11N3648TVF	1.50	1.50
11N3648TVFA	1.50	1.50
11N3649SWTBF	1.50	1.50
11N3649SWTBFA	1.50	1.50
11N3649SWTBP	0.90	0.90
11N3649SWTBPA	1.10	1.10
11N3649TB	1.50	1.50
11N3649TBA	1.50	1.50
11N3649TVF	1.50	1.50
11N3649TVFA	1.50	1.50
11N36TCF	1.25	1.25
11N36TCFA	0.25	0.25
11N37TCF	1.25	1.25
11N37TCFA	0.25	0.25
11N4234SWTBF	1.10	1.10
11N4234SWTBFA	2.00	2.00
11N4234SWTBP	0.50	0.50
11N4234SWTBPA	1.30	1.30
11N4234TB	1.25	1.25
11N4234TBA	1.50	1.50
11N4234TVF	1.25	1.25
11N4234TVFA	1.50	1.50
11N4236SWTBF	1.10	1.10
11N4236SWTBFA	1.80	1.80
11N4236SWTBP	0.50	0.50
11N4236SWTBPA	1.30	1.30
11N4236TB	1.25	1.25
11N4236TBA	1.50	1.50
11N4236TVF	1.25	1.25
11N4236TVFA	1.50	1.50
11N4237SWTBF	1.20	1.20
11N4237SWTBFA	1.80	1.80
11N4237SWTBP	0.50	0.50
11N4237SWTBPA	1.30	1.30
11N4237TB	1.25	1.25
11N4237TBA	1.50	1.50
11N4237TVF	1.25	1.25
11N4237TVFA	1.50	1.50
11N4248SWTBF	1.50	1.50
11N4248SWTBFA	1.60	1.60
11N4248SWTBP	0.90	0.90
11N4248SWTBPA	1.30	1.30
11N4248TB	1.50	1.50
11N4248TBA	1.50	1.50
11N4248TVF	1.50	1.50
11N4248TVFA	1.50	1.50
11N4249SWTBF	1.50	1.50
11N4249SWTBFA	1.60	1.60
11N4249SWTBP	0.90	0.90
11N4249SWTBPA	1.30	1.30
11N4249TB	1.50	1.50
11N4249TBA	1.50	1.50
11N4249TVF	1.50	1.50
11N4249TVFA	1.50	1.50
11N4834SWTBF	1.10	1.10
11N4834SWTBFA	2.10	2.10
11N4834SWTBP	0.50	0.50
11N4834SWTBPA	1.50	1.50
11N4834TB	1.25	1.25
11N4834TBA	1.75	1.75
11N4834TVF	1.25	1.25
11N4834TVFA	1.75	1.75
11N4836SWTBF	1.10	1.10
11N4836SWTBFA	2.00	2.00
11N4836SWTBP	0.50	0.50
11N4836SWTBPA	1.50	1.50
11N4836TB	1.25	1.25
11N4836TBA	1.75	1.75
11N4836TVF	1.25	1.25
11N4836TVFA	1.75	1.75
11N4837SWTBF	1.20	1.20
11N4837SWTBFA	2.00	2.00
11N4837SWTBP	0.50	0.50
11N4837SWTBPA	1.50	1.50
11N4837TB	1.25	1.25
11N4837TBA	1.75	1.75
11N4837TVF	1.25	1.25
11N4837TVFA	1.75	1.75
11N4848SWTBF	1.50	1.50
11N4848SWTBFA	1.80	1.80
11N4848SWTBP	0.90	0.90
11N4848SWTBPA	1.50	1.50
11N4848TB	1.50	1.50
11N4848TBA	1.75	1.75
11N4848TVF	1.50	1.50
11N4848TVFA	1.75	1.75
11N4849SWTBF	1.50	1.50
11N4849SWTBFA	1.80	1.80
11N4849SWTBP	0.90	0.90
11N4849SWTBPA	1.50	1.50
11N4849TB	1.50	1.50
11N4849TBA	1.75	1.75
11N4849TVF	1.50	1.50
11N4849TVFA	1.75	1.75
11N48TCF	1.50	1.50
11N48TCFA	0.25	0.25
11N49TCF	1.50	1.50
11N49TCFA	0.25	0.25
11N5434TB	N/A	1.25
11N5434TBA	2.00	2.00
11N5434TVF	N/A	1.25
11N5434TVFA	2.00	2.00
11N5436TB	N/A	1.25
11N5436TBA	2.00	2.00
11N5436TVF	N/A	1.25
11N5436TVFA	2.00	2.00
11N5437TB	N/A	1.25
11N5437TBA	2.00	2.00
11N5437TVF	N/A	1.25
11N5437TVFA	2.00	2.00
11N5448TB	N/A	1.50
11N5448TBA	2.00	2.00

COM YARDAGE REQUIREMENTS

TACKABLE	54" WIDE ROLL	66" WIDE ROLL
11N5448TVF	N/A	1.50
11N5448TVFA	2.00	2.00
11N5449TB	N/A	1.50
11N5449TBA	2.00	2.00
11N5449TVF	N/A	1.50
11N5449TVFA	2.00	2.00
11N6034TB	N/A	1.25
11N6034TBA	2.00	2.00
11N6034TVF	N/A	1.25
11N6034TVFA	2.00	2.00
11N6036TB	N/A	1.25
11N6036TBA	2.00	2.00
11N6036TVF	N/A	1.25
11N6036TVFA	2.00	2.00
11N6037TB	N/A	1.25
11N6037TBA	2.00	2.00
11N6037TVF	N/A	1.25
11N6037TVFA	2.00	2.00
11N6048TB	N/A	1.50
11N6048TBA	2.00	2.00
11N6048TVF	N/A	1.50
11N6048TVFA	2.00	2.00
11N6049TB	N/A	1.50
11N6049TBA	2.00	2.00
11N6049TVF	N/A	1.50
11N6049TVFA	2.00	2.00
NAC2124PVC2PF	N/A	1.00
NAC2124PVC2PFA	0.75	0.75
NAC2132PVMC2PF	N/A	1.00
NAC2132PVMC2PFA	1.50	1.50
NAC2424PVC2PF	N/A	1.00
NAC2424PVC2PFA	1.00	1.00
NAC2432PVMC2PF	N/A	1.00
NAC2432PVMC2PFA	1.75	1.75
NAC2724PVC2PF	N/A	1.00
NAC2724PVC2PFA	1.00	1.00
NAC2732PVMC2PF	N/A	1.00
NAC2732PVMC2PFA	1.75	1.75
NAC3024PVC2PF	N/A	1.75
NAC3024PVC2PFA	1.00	1.00
NAC3032PVMC2PF	N/A	2.00
NAC3032PVMC2PFA	2.00	2.00
NAC3624PVC2PF	N/A	1.75
NAC3624PVC2PFA	1.25	1.25
NAC3632PVMC2PF	N/A	2.00
NAC3632PVMC2PFA	2.25	2.25
NAC4224PVC2PF	N/A	1.75
NAC4224PVC2PFA	1.50	1.50
NAC4232PVMC2PF	N/A	2.00
NAC4232PVMC2PFA	2.60	2.60
NAC4824PVC2PF	N/A	1.75
NAC4824PVC2PFA	1.50	1.50
NAC4832PVMC2PF	N/A	2.00
NAC4832PVMC2PFA	3.00	3.00
NAC5424PVC2PF	N/A	1.75
NAC5424PVC2PFA	1.75	1.75
NAC5432PVMC2PF	N/A	2.00
NAC5432PVMC2PFA	3.25	3.25
NAC6024PVC2PF	N/A	1.75
NAC6024PVC2PFA	2.00	2.00
NAC6032PVMC2PF	N/A	2.00
NAC6032PVMC2PFA	3.60	3.60
NAC6624PVC2PFA	2.00	2.00
NAC6632PVMC2PFA	4.00	4.00
NAC7224PVC2PFA	2.25	2.25
NAC7232PVMC2PFA	4.25	4.25

COM YARDAGE REQUIREMENTS

MODEL	PAGE
10N120PNKL	169
10N120PNKW	169
10N144PNKL	169
10N144PNKW	169
10N1622RTPUL	411, 517
10N1622RTPUW	411, 517
10N1628CYBL	162
10N1628CYBW	162
10N1628SQBL	164
10N1628SQBW	164
10N1628SQBXL	163
10N1628SQBXW	163
10N168PNKL	169
10N168PNKW	169
10N1828CYBL	162
10N1828CYBW	162
10N1828PNL	167
10N1828PNW	167
10N1828SQBL	164
10N1828SQBW	164
10N1828SQBXL	163
10N1828SQBXW	163
10N1848SHGW	410
10N1850RTGK	516
10N1850RTSK	516
10N1860SHGW	410
10N1872SHGW	410
10N192PNKL	169
10N192PNKW	169
10N2142LCML	412
10N216PNKL	169
10N216PNKW	169
10N240PNKL	169
10N240PNKW	169
10N2424RDBPG	512
10N2424RDGK	516
10N2424RDSK	516
10N2424SQBPG	512
10N2424SQGK	516
10N2424SQSK	516
10N2424SSQGK	516
10N2424SSQS	131, 512
10N2424SSQSK	516
10N2427MUCL	412
10N2427MUCW	412
10N2428CYBL	162
10N2428CYBW	162
10N2428PNL	167
10N2428PNW	167
10N2428SQBL	164
10N2428SQBW	164
10N2428SQBXL	163
10N2428SQBXW	163
10N2448RTGK	516
10N2448RTSK	516
10N24RDS	129, 512
10N2712LCL	412
10N2712LCW	412
10N2746LC2L	412
10N2746LC2W	412
10N2746LCL	412
10N2746LCW	412
10N3030SSQS	131
10N30RDS	129
10N3372MBFCHB	300, 411, 522
10N3372MBFCHN	300, 411, 522
10N3372MBFCHS	300, 411, 522
10N3636RDBPG	512
10N3636RDGK	516
10N3636RDSK	516
10N3636SQBPG	512
10N3636SQGK	516
10N3636SQSK	516
10N3636SSQGK	516
10N3636SSQS	131, 512
10N3636SSQSK	516
10N3661MMCM	300, 413, 522
10N36RDS	129, 512
10N4242SSQS	131
10N42RDS	129
10N4844MWSL	410
10N4844MWSW	410
10N4848SSQS	131
10N48RDS	129
10N5046MWML	410
10N5046MWMW	410
10N5454SSQS	131
10N54RDS	129
10N60144PNKL	171
10N60144PNKW	171
10N60168PNKL	171
10N60168PNKW	171
10N60192PNKL	171
10N60192PNKW	171
10N60216PNKL	171
10N60216PNKW	171
10N60240PNKL	171
10N60240PNKW	171
10N6044MWSL	410
10N6044MWSW	410
10N6060SSQS	131
10N60RDS	129
10N6246MWML	410
10N6246MWMW	410
10N7244MWSL	410
10N7244MWSW	410
10N72PNKL	169
10N72PNKW	169
10N7446MWML	410
10N7446MWMW	410
10N84PNKL	169
10N84PNKW	169
10N96PNKL	169
10N96PNKW	169
11N01ETP	477
11N0615WMVF	298, 475
11N0615WMVFA	298, 475
11N0615WMVL	298, 475
11N0615WMVW	298, 475
11N144EXFP1	298, 428
11N144EXFP2	298, 428
11N144EXP1	298, 428
11N1834TB	429
11N1834TBA	429
11N1836TB	430
11N1836TBA	430
11N1837TB	431
11N1837TBA	431
11N1848TB	432
11N1848TBA	432
11N1849TB	433
11N1849TBA	433
11N20WMV	476
11N20WMVF	476
11N20WMVFA	476
11N2434MB	434
11N2434MBP	434
11N2434SW	436
11N2434SWTBF	438
11N2434SWTBFA	438
11N2434SWTBP	438
11N2434SWTBPA	438
11N2434TB	429
11N2434TBA	429
11N2436MB	434
11N2436MBP	434
11N2436SW	436
11N2436SWTBF	438
11N2436SWTBFA	438
11N2436SWTBP	438
11N2436SWTBPA	438
11N2436TB	430
11N2436TBA	430
11N2437MB	434
11N2437MBP	434
11N2437SW	436
11N2437SWTBF	439
11N2437SWTBFA	439
11N2437SWTBP	439
11N2437SWTBPA	439
11N2437TB	431
11N2437TBA	431
11N2448MB	435
11N2448MBP	435
11N2448SW	436
11N2448SWTBF	439
11N2448SWTBFA	439
11N2448SWTBP	439
11N2448SWTBPA	439
11N2448TB	432
11N2448TBA	432
11N2449MB	435
11N2449MBP	435
11N2449SW	437
11N2449SWTBF	440
11N2449SWTBFA	440
11N2449SWTBP	440
11N2449SWTBPA	440
11N2449TB	433
11N2449TBA	433
11N3034MB	434
11N3034MBP	434
11N3034SW	436
11N3034SWTBF	438
11N3034SWTBFA	438
11N3034SWTBP	438
11N3034SWTBPA	438
11N3034TB	429
11N3034TBA	429
11N3036MB	434
11N3036MBP	434
11N3036SW	436
11N3036SWTBF	438
11N3036SWTBFA	438
11N3036SWTBP	438
11N3036SWTBPA	438
11N3036TB	430
11N3036TBA	430
11N3037MB	434
11N3037MBP	434
11N3037SW	436
11N3037SWTBF	439
11N3037SWTBFA	439
11N3037SWTBP	439
11N3037SWTBPA	439
11N3037TB	431
11N3037TBA	431
11N3048MB	435
11N3048MBP	435
11N3048SW	436
11N3048SWTBF	439
11N3048SWTBFA	439
11N3048SWTBP	439
11N3048SWTBPA	439
11N3048TB	432
11N3048TBA	432
11N3049MB	435
11N3049MBP	435
11N3049SW	437
11N3049SWTBF	440
11N3049SWTBFA	440
11N3049SWTBP	440
11N3049SWTBPA	440
11N3049TB	433
11N3049TBA	433
11N31WMV	476
11N31WMVF	476
11N31WMVFA	476
11N34TCF	477
11N34TCFA	477
11N34TCP	478
11N3634MB	434
11N3634MBP	434
11N3634SH1L	441
11N3634SH1LW	441
11N3634SH1W	441
11N3634SH1WL	441
11N3634SH2L	442
11N3634SH2LW	442
11N3634SH2W	442
11N3634SH2WL	442
11N3634SH3L	443
11N3634SH3LW	443
11N3634SH3W	443
11N3634SH3WL	443
11N3634SH4L	444
11N3634SH4LW	444
11N3634SH4W	444
11N3634SH4WL	444
11N3634SH6L	445
11N3634SH6LW	445
11N3634SH6W	445
11N3634SH6WL	445
11N3634SW	436
11N3634SWTBF	438
11N3634SWTBFA	438
11N3634SWTBP	438
11N3634SWTBPA	438
11N3634TB	429
11N3634TBA	429
11N3634TVF	260, 470
11N3634TVFA	260, 470
11N3634TVL	263, 473
11N3634TVW	263, 473
11N3636MB	434
11N3636MBP	434
11N3636SH1L	446
11N3636SH1LW	446
11N3636SH1W	446
11N3636SH1WL	446
11N3636SH2L	447
11N3636SH2LW	447
11N3636SH2W	447
11N3636SH2WL	447
11N3636SH3L	448
11N3636SH3LW	448
11N3636SH3W	448
11N3636SH3WL	448
11N3636SH4L	449
11N3636SH4LW	449
11N3636SH4W	449
11N3636SH4WL	449
11N3636SH6L	450
11N3636SH6LW	450
11N3636SH6W	450
11N3636SH6WL	450
11N3636SW	436
11N3636SWTBF	438
11N3636SWTBFA	438
11N3636SWTBP	438
11N3636SWTBPA	438
11N3636TB	430
11N3636TBA	430
11N3636TVF	260, 470
11N3636TVFA	260, 470
11N3636TVL	263, 473

INDEX

MODEL	PAGE
11N3636TVW	263, 473
11N3637MB	434
11N3637MBP	434
11N3637SH1L	451
11N3637SH1LW	451
11N3637SH1W	451
11N3637SH1WL	451
11N3637SH2L	452
11N3637SH2LW	452
11N3637SH2W	452
11N3637SH2WL	452
11N3637SH3L	453
11N3637SH3LW	453
11N3637SH3W	453
11N3637SH3WL	453
11N3637SH4L	454
11N3637SH4LW	454
11N3637SH4W	454
11N3637SH4WL	454
11N3637SH6L	455
11N3637SH6LW	455
11N3637SH6W	455
11N3637SH6WL	455
11N3637SW	436
11N3637SWTBF	439
11N3637SWTBFA	439
11N3637SWTBP	439
11N3637SWTBPA	439
11N3637TB	431
11N3637TBA	431
11N3637TVF	261, 471
11N3637TVFA	261, 471
11N3637TVL	264, 474
11N3637TVW	264, 474
11N3648MB	435
11N3648MBP	435
11N3648SH1L	456
11N3648SH1LW	456
11N3648SH1W	456
11N3648SH1WL	456
11N3648SH2L	457
11N3648SH2LW	457
11N3648SH2W	457
11N3648SH2WL	457
11N3648SH3L	458
11N3648SH3LW	458
11N3648SH3W	458
11N3648SH3WL	458
11N3648SH4L	459
11N3648SH4LW	459
11N3648SH4W	459
11N3648SH4WL	459
11N3648SH5L	460
11N3648SH5LW	460
11N3648SH5W	460
11N3648SH5WL	460
11N3648SH6L	461
11N3648SH6LW	461
11N3648SH6W	461
11N3648SH6WL	461
11N3648SH7L	462
11N3648SH7LW	462
11N3648SH7W	462
11N3648SH7WL	462
11N3648SW	436
11N3648SWTBF	439
11N3648SWTBFA	439
11N3648SWTBP	439
11N3648SWTBPA	439
11N3648TB	432
11N3648TBA	432
11N3648TVF	261, 471
11N3648TVFA	261, 471
11N3648TVL	264, 474
11N3648TVW	264, 474
11N3649MB	435
11N3649MBP	435
11N3649SH1L	463
11N3649SH1LW	463
11N3649SH1W	463
11N3649SH1WL	463
11N3649SH2L	464
11N3649SH2LW	464
11N3649SH2W	464
11N3649SH2WL	464
11N3649SH3L	465
11N3649SH3LW	465
11N3649SH3W	465
11N3649SH3WL	465
11N3649SH4L	466
11N3649SH4LW	466
11N3649SH4W	466
11N3649SH4WL	466
11N3649SH5L	467
11N3649SH5LW	467
11N3649SH5W	467
11N3649SH5WL	467
11N3649SH6L	468
11N3649SH6LW	468
11N3649SH6W	468
11N3649SH6WL	468
11N3649SH7L	469
11N3649SH7LW	469
11N3649SH7W	469
11N3649SH7WL	469
11N3649SW	437
11N3649SWTBF	440
11N3649SWTBFA	440
11N3649SWTBP	440
11N3649SWTBPA	440
11N3649TB	433
11N3649TBA	433
11N3649TVF	262, 472
11N3649TVFA	262, 472
11N3649TVL	265, 475
11N3649TVW	265, 475
11N36TCF	477
11N36TCFA	477
11N36TCP	478
11N37ETP	476
11N37TCF	477
11N37TCFA	477
11N37TCP	478
11N39ETP	476
11N40ETP	476
11N4234MB	434
11N4234MBP	434
11N4234SH1L	441
11N4234SH1LW	441
11N4234SH1W	441
11N4234SH1WL	441
11N4234SH2L	442
11N4234SH2LW	442
11N4234SH2W	442
11N4234SH2WL	442
11N4234SH3L	443
11N4234SH3LW	443
11N4234SH3W	443
11N4234SH3WL	443
11N4234SH4L	444
11N4234SH4LW	444
11N4234SH4W	444
11N4234SH4WL	444
11N4234SH6L	445
11N4234SH6LW	445
11N4234SH6W	445
11N4234SH6WL	445
11N4234SW	436
11N4234SWTBF	438
11N4234SWTBFA	438
11N4234SWTBP	438
11N4234SWTBPA	438
11N4234TB	429
11N4234TBA	429
11N4234TVF	260, 470
11N4234TVFA	260, 470
11N4234TVL	263, 473
11N4234TVW	263, 473
11N4236MB	434
11N4236MBP	434
11N4236SH1L	446
11N4236SH1LW	446
11N4236SH1W	446
11N4236SH1WL	446
11N4236SH2L	447
11N4236SH2LW	447
11N4236SH2W	447
11N4236SH2WL	447
11N4236SH3L	448
11N4236SH3LW	448
11N4236SH3W	448
11N4236SH3WL	448
11N4236SH4L	449
11N4236SH4LW	449
11N4236SH4W	449
11N4236SH4WL	449
11N4236SH6L	450
11N4236SH6LW	450
11N4236SH6W	450
11N4236SH6WL	450
11N4236SW	436
11N4236SWTBF	438
11N4236SWTBFA	438
11N4236SWTBP	438
11N4236SWTBPA	438
11N4236TB	430
11N4236TBA	430
11N4236TVF	260, 470
11N4236TVFA	260, 470
11N4236TVL	263, 473
11N4236TVW	263, 473
11N4237MB	434
11N4237MBP	434
11N4237SH1L	451
11N4237SH1LW	451
11N4237SH1W	451
11N4237SH1WL	451
11N4237SH2L	452
11N4237SH2LW	452
11N4237SH2W	452
11N4237SH2WL	452
11N4237SH3L	453
11N4237SH3LW	453
11N4237SH3W	453
11N4237SH3WL	453
11N4237SH4L	454
11N4237SH4LW	454
11N4237SH4W	454
11N4237SH4WL	454
11N4237SH6L	455
11N4237SH6LW	455
11N4237SH6W	455
11N4237SH6WL	455
11N4237SW	436
11N4237SWTBF	439
11N4237SWTBFA	439
11N4237SWTBP	439
11N4237SWTBPA	439
11N4237TB	431
11N4237TBA	431
11N4237TVF	261, 471
11N4237TVFA	261, 471
11N4237TVL	264, 474
11N4237TVW	264, 474
11N4248MB	435
11N4248MBP	435
11N4248SH1L	456
11N4248SH1LW	456
11N4248SH1W	456
11N4248SH1WL	456
11N4248SH2L	457
11N4248SH2LW	457
11N4248SH2W	457
11N4248SH2WL	457
11N4248SH3L	458
11N4248SH3LW	458
11N4248SH3W	458
11N4248SH3WL	458
11N4248SH4L	459
11N4248SH4LW	459
11N4248SH4W	459
11N4248SH4WL	459
11N4248SH5L	460
11N4248SH5LW	460
11N4248SH5W	460
11N4248SH5WL	460
11N4248SH6L	461
11N4248SH6LW	461
11N4248SH6W	461
11N4248SH6WL	461
11N4248SH7L	462
11N4248SH7LW	462
11N4248SH7W	462
11N4248SH7WL	462
11N4248SW	436
11N4248SWTBF	439
11N4248SWTBFA	439
11N4248SWTBP	439
11N4248SWTBPA	439
11N4248TB	432
11N4248TBA	432
11N4248TVF	261, 471
11N4248TVFA	261, 471
11N4248TVL	264, 474
11N4248TVW	264, 474
11N4249MB	435
11N4249MBP	435
11N4249SH1L	463
11N4249SH1LW	463
11N4249SH1W	463
11N4249SH1WL	463
11N4249SH2L	464
11N4249SH2LW	464
11N4249SH2W	464
11N4249SH2WL	464
11N4249SH3L	465
11N4249SH3LW	465
11N4249SH3W	465
11N4249SH3WL	465
11N4249SH4L	466
11N4249SH4LW	466
11N4249SH4W	466
11N4249SH4WL	466
11N4249SH5L	467
11N4249SH5LW	467
11N4249SH5W	467
11N4249SH5WL	467
11N4249SH6L	468
11N4249SH6LW	468
11N4249SH6W	468
11N4249SH6WL	468
11N4249SH7L	469
11N4249SH7LW	469
11N4249SH7W	469
11N4249SH7WL	469
11N4249SW	437

MODEL	PAGE
11N4249SWTBF	440
11N4249SWTBFA	440
11N4249SWTBP	440
11N4249SWTBPA	440
11N4249TB	433
11N4249TBA	433
11N4249TVF	262, 472
11N4249TVFA	262, 472
11N4249TVL	265, 475
11N4249TVW	265, 475
11N4834MB	434
11N4834MBP	434
11N4834SH1L	441
11N4834SH1LW	441
11N4834SH1W	441
11N4834SH1WL	441
11N4834SH2L	442
11N4834SH2LW	442
11N4834SH2W	442
11N4834SH2WL	442
11N4834SH3L	443
11N4834SH3LW	443
11N4834SH3W	443
11N4834SH3WL	443
11N4834SH4L	444
11N4834SH4LW	444
11N4834SH4W	444
11N4834SH4WL	444
11N4834SH6L	445
11N4834SH6LW	445
11N4834SH6W	445
11N4834SH6WL	445
11N4834SW	436
11N4834SWTBF	438
11N4834SWTBFA	438
11N4834SWTBP	438
11N4834SWTBPA	438
11N4834TB	429
11N4834TBA	429
11N4834TVF	260, 470
11N4834TVFA	260, 470
11N4834TVL	263, 473
11N4834TVW	263, 473
11N4836MB	434
11N4836MBP	434
11N4836SH1L	446
11N4836SH1LW	446
11N4836SH1W	446
11N4836SH1WL	446
11N4836SH2L	447
11N4836SH2LW	447
11N4836SH2W	447
11N4836SH2WL	447
11N4836SH3L	448
11N4836SH3LW	448
11N4836SH3W	448
11N4836SH3WL	448
11N4836SH4L	449
11N4836SH4LW	449
11N4836SH4W	449
11N4836SH4WL	449
11N4836SH6L	450
11N4836SH6LW	450
11N4836SH6W	450
11N4836SH6WL	450
11N4836SW	436
11N4836SWTBF	438
11N4836SWTBFA	438
11N4836SWTBP	438
11N4836SWTBPA	438
11N4836TB	430
11N4836TBA	430
11N4836TVF	260, 470
11N4836TVFA	260, 470
11N4836TVL	263, 473
11N4836TVW	263, 473
11N4837MB	434
11N4837MBP	434
11N4837SH1L	451
11N4837SH1LW	451
11N4837SH1W	451
11N4837SH1WL	451
11N4837SH2L	452
11N4837SH2LW	452
11N4837SH2W	452
11N4837SH2WL	452
11N4837SH3L	453
11N4837SH3LW	453
11N4837SH3W	453
11N4837SH3WL	453
11N4837SH4L	454
11N4837SH4LW	454
11N4837SH4W	454
11N4837SH4WL	454
11N4837SH6L	455
11N4837SH6LW	455
11N4837SH6W	455
11N4837SH6WL	455
11N4837SW	436
11N4837SWTBF	439
11N4837SWTBFA	439
11N4837SWTBP	439
11N4837SWTBPA	439
11N4837TB	431
11N4837TBA	431
11N4837TVF	261, 471
11N4837TVFA	261, 471
11N4837TVL	264, 474
11N4837TVW	264, 474
11N4848MB	435
11N4848MBP	435
11N4848SH1L	456
11N4848SH1LW	456
11N4848SH1W	456
11N4848SH1WL	456
11N4848SH2L	457
11N4848SH2LW	457
11N4848SH2W	457
11N4848SH2WL	457
11N4848SH3L	458
11N4848SH3LW	458
11N4848SH3W	458
11N4848SH3WL	458
11N4848SH4L	459
11N4848SH4LW	459
11N4848SH4W	459
11N4848SH4WL	459
11N4848SH5L	460
11N4848SH5LW	460
11N4848SH5W	460
11N4848SH5WL	460
11N4848SH6L	461
11N4848SH6LW	461
11N4848SH6W	461
11N4848SH6WL	461
11N4848SH7L	462
11N4848SH7LW	462
11N4848SH7W	462
11N4848SH7WL	462
11N4848SW	436
11N4848SWTBF	439
11N4848SWTBFA	439
11N4848SWTBP	439
11N4848SWTBPA	439
11N4848TB	432
11N4848TBA	432
11N4848TVF	261, 471
11N4848TVFA	261, 471
11N4848TVL	264, 474
11N4848TVW	264, 474
11N4849MB	435
11N4849MBP	435
11N4849SH1L	463
11N4849SH1LW	463
11N4849SH1W	463
11N4849SH1WL	463
11N4849SH2L	464
11N4849SH2LW	464
11N4849SH2W	464
11N4849SH2WL	464
11N4849SH3L	465
11N4849SH3LW	465
11N4849SH3W	465
11N4849SH3WL	465
11N4849SH4L	466
11N4849SH4LW	466
11N4849SH4W	466
11N4849SH4WL	466
11N4849SH5L	467
11N4849SH5LW	467
11N4849SH5W	467
11N4849SH5WL	467
11N4849SH6L	468
11N4849SH6LW	468
11N4849SH6W	468
11N4849SH6WL	468
11N4849SH7L	469
11N4849SH7LW	469
11N4849SH7W	469
11N4849SH7WL	469
11N4849SW	437
11N4849SWTBF	440
11N4849SWTBFA	440
11N4849SWTBP	440
11N4849SWTBPA	440
11N4849TB	433
11N4849TBA	433
11N4849TVF	262, 472
11N4849TVFA	262, 472
11N4849TVL	265, 475
11N4849TVW	265, 475
11N48TCF	477
11N48TCFA	477
11N48TCP	478
11N49TCF	477
11N49TCFA	477
11N49TCP	478
11N51ETP	476
11N52ETP	476
11N5434MB	434
11N5434MBP	434
11N5434SH1L	441
11N5434SH1LW	441
11N5434SH1W	441
11N5434SH1WL	441
11N5434SH2L	442
11N5434SH2LW	442
11N5434SH2W	442
11N5434SH2WL	442
11N5434SH3L	443
11N5434SH3LW	443
11N5434SH3W	443
11N5434SH3WL	443
11N5434SH4L	444
11N5434SH4LW	444
11N5434SH4W	444
11N5434SH4WL	444
11N5434SH6L	445
11N5434SH6LW	445
11N5434SH6W	445
11N5434SH6WL	445
11N5434TB	429
11N5434TBA	429
11N5434TVF	260, 470
11N5434TVFA	260, 470
11N5434TVL	263, 473
11N5434TVW	263, 473
11N5436MB	434
11N5436MBP	434
11N5436SH1L	446
11N5436SH1LW	446
11N5436SH1W	446
11N5436SH1WL	446
11N5436SH2L	447
11N5436SH2LW	447
11N5436SH2W	447
11N5436SH2WL	447
11N5436SH3L	448
11N5436SH3LW	448
11N5436SH3W	448
11N5436SH3WL	448
11N5436SH4L	449
11N5436SH4LW	449
11N5436SH4W	449
11N5436SH4WL	449
11N5436SH6L	450
11N5436SH6LW	450
11N5436SH6W	450
11N5436SH6WL	450
11N5436TB	430
11N5436TBA	430
11N5436TVF	260, 470
11N5436TVFA	260, 470
11N5436TVL	263, 473
11N5436TVW	263, 473
11N5437MB	434
11N5437MBP	434
11N5437SH1L	451
11N5437SH1LW	451
11N5437SH1W	451
11N5437SH1WL	451
11N5437SH2L	452
11N5437SH2LW	452
11N5437SH2W	452
11N5437SH2WL	452
11N5437SH3L	453
11N5437SH3LW	453
11N5437SH3W	453
11N5437SH3WL	453
11N5437SH4L	454
11N5437SH4LW	454
11N5437SH4W	454
11N5437SH4WL	454
11N5437SH6L	455
11N5437SH6LW	455
11N5437SH6W	455
11N5437SH6WL	455
11N5437TB	431
11N5437TBA	431
11N5437TVF	261, 471
11N5437TVFA	261, 471
11N5437TVL	264, 474
11N5437TVW	264, 474
11N5448MB	435
11N5448MBP	435
11N5448SH1L	456
11N5448SH1LW	456
11N5448SH1W	456
11N5448SH1WL	456
11N5448SH2L	457
11N5448SH2LW	457
11N5448SH2W	457
11N5448SH2WL	457
11N5448SH3L	458
11N5448SH3LW	458
11N5448SH3W	458

INDEX

MODEL	PAGE
11N5448SH3WL	458
11N5448SH4L	459
11N5448SH4LW	459
11N5448SH4W	459
11N5448SH4WL	459
11N5448SH5L	460
11N5448SH5LW	460
11N5448SH5W	460
11N5448SH5WL	460
11N5448SH6L	461
11N5448SH6LW	461
11N5448SH6W	461
11N5448SH6WL	461
11N5448SH7L	462
11N5448SH7LW	462
11N5448SH7W	462
11N5448SH7WL	462
11N5448TB	432
11N5448TBA	432
11N5448TVF	261, 471
11N5448TVFA	261, 471
11N5448TVL	264, 474
11N5448TVW	264, 474
11N5449MB	435
11N5449MBP	435
11N5449SH1L	463
11N5449SH1LW	463
11N5449SH1W	463
11N5449SH1WL	463
11N5449SH2L	464
11N5449SH2LW	464
11N5449SH2W	464
11N5449SH2WL	464
11N5449SH3L	465
11N5449SH3LW	465
11N5449SH3W	465
11N5449SH3WL	465
11N5449SH4L	466
11N5449SH4LW	466
11N5449SH4W	466
11N5449SH4WL	466
11N5449SH5L	467
11N5449SH5LW	467
11N5449SH5W	467
11N5449SH5WL	467
11N5449SH6L	468
11N5449SH6LW	468
11N5449SH6W	468
11N5449SH6WL	468
11N5449SH7L	469
11N5449SH7LW	469
11N5449SH7W	469
11N5449SH7WL	469
11N5449TB	433
11N5449TBA	433
11N5449TVF	262, 472
11N5449TVFA	262, 472
11N5449TVL	265, 475
11N5449TVW	265, 475
11N6034MB	434
11N6034MBP	434
11N6034SH1L	441
11N6034SH1LW	441
11N6034SH1W	441
11N6034SH1WL	441
11N6034SH2L	442
11N6034SH2LW	442
11N6034SH2W	442
11N6034SH2WL	442
11N6034SH3L	443
11N6034SH3LW	443
11N6034SH3W	443
11N6034SH3WL	443
11N6034SH4L	444
11N6034SH4LW	444
11N6034SH4W	444
11N6034SH4WL	444
11N6034SH6L	445
11N6034SH6LW	445
11N6034SH6W	445
11N6034SH6WL	445
11N6034TB	429
11N6034TBA	429
11N6034TVF	260, 470
11N6034TVFA	260, 470
11N6034TVL	263, 473
11N6034TVW	263, 473
11N6036MB	434
11N6036MBP	434
11N6036SH1L	446
11N6036SH1LW	446
11N6036SH1W	446
11N6036SH1WL	446
11N6036SH2L	447
11N6036SH2LW	447
11N6036SH2W	447
11N6036SH2WL	447
11N6036SH3L	448
11N6036SH3LW	448
11N6036SH3W	448
11N6036SH3WL	448
11N6036SH4L	449
11N6036SH4LW	449
11N6036SH4W	449
11N6036SH4WL	449
11N6036SH6L	450
11N6036SH6LW	450
11N6036SH6W	450
11N6036SH6WL	450
11N6036TB	430
11N6036TBA	430
11N6036TVF	260, 470
11N6036TVFA	260, 470
11N6036TVL	263, 473
11N6036TVW	263, 473
11N6037MB	434
11N6037MBP	434
11N6037SH1L	451
11N6037SH1LW	451
11N6037SH1W	451
11N6037SH1WL	451
11N6037SH2L	452
11N6037SH2LW	452
11N6037SH2W	452
11N6037SH2WL	452
11N6037SH3L	453
11N6037SH3LW	453
11N6037SH3W	453
11N6037SH3WL	453
11N6037SH4L	454
11N6037SH4LW	454
11N6037SH4W	454
11N6037SH4WL	454
11N6037SH6L	455
11N6037SH6LW	455
11N6037SH6W	455
11N6037SH6WL	455
11N6037TB	431
11N6037TBA	431
11N6037TVF	261, 471
11N6037TVFA	261, 471
11N6037TVL	264, 474
11N6037TVW	264, 474
11N6048MB	435
11N6048MBP	435
11N6048SH1L	456
11N6048SH1LW	456
11N6048SH1W	456
11N6048SH1WL	456
11N6048SH2L	457
11N6048SH2LW	457
11N6048SH2W	457
11N6048SH2WL	457
11N6048SH3L	458
11N6048SH3LW	458
11N6048SH3W	458
11N6048SH3WL	458
11N6048SH4L	459
11N6048SH4LW	459
11N6048SH4W	459
11N6048SH4WL	459
11N6048SH5L	460
11N6048SH5LW	460
11N6048SH5W	460
11N6048SH5WL	460
11N6048SH6L	461
11N6048SH6LW	461
11N6048SH6W	461
11N6048SH6WL	461
11N6048SH7L	462
11N6048SH7LW	462
11N6048SH7W	462
11N6048SH7WL	462
11N6048TB	432
11N6048TBA	432
11N6048TVF	261, 471
11N6048TVFA	261, 471
11N6048TVL	264, 474
11N6048TVW	264, 474
11N6049MB	435
11N6049MBP	435
11N6049SH1L	463
11N6049SH1LW	463
11N6049SH1W	463
11N6049SH1WL	463
11N6049SH2L	464
11N6049SH2LW	464
11N6049SH2W	464
11N6049SH2WL	464
11N6049SH3L	465
11N6049SH3LW	465
11N6049SH3W	465
11N6049SH3WL	465
11N6049SH4L	466
11N6049SH4LW	466
11N6049SH4W	466
11N6049SH4WL	466
11N6049SH5L	467
11N6049SH5LW	467
11N6049SH5W	467
11N6049SH5WL	467
11N6049SH6L	468
11N6049SH6LW	468
11N6049SH6W	468
11N6049SH6WL	468
11N6049SH7L	469
11N6049SH7LW	469
11N6049SH7W	469
11N6049SH7WL	469
11N6049TB	433
11N6049TBA	433
11N6049TVF	262, 472
11N6049TVFA	262, 472
11N6049TVL	235, 265, 475
11N6049TVW	265, 475
11N72EXFP1	298, 428
11N72EXFP2	298, 428
11N72EXP1	298, 428
11NBRS	479
11NCPFSL	479
11NCPFSW	479
15N3648RTDL	267
15N3648RTDLK	271
15N3648RTDW	267
15N3648RTDWK	271
15N3648RTL	239
15N3648RTLK	240
15N3648RTW	239
15N3648RTWK	240
15N3648UDL	285
15N3648UDLK	290
15N3648UDW	285
15N3648UDWK	290
15N3648UL	252
15N3648ULK	255
15N3648UW	252
15N3648UWK	255
15N3648WGDL	275
15N3648WGDLK	280
15N3648WGDW	275
15N3648WGDWK	280
15N3648WGL	242
15N3648WGLK	247
15N3648WGW	242
15N3648WGWK	247
15N3654RTDL	267
15N3654RTDLK	271
15N3654RTDW	267
15N3654RTDWK	271
15N3654RTL	239
15N3654RTLK	240
15N3654RTW	239
15N3654RTWK	240
15N3654UDL	285
15N3654UDLK	290
15N3654UDW	285
15N3654UDWK	290
15N3654UL	252
15N3654ULK	255
15N3654UW	252
15N3654UWK	255
15N3654WGDL	275
15N3654WGDLK	280
15N3654WGDW	275
15N3654WGDWK	280
15N3654WGL	242
15N3654WGLK	247
15N3654WGW	242
15N3654WGWK	247
15N3660RTDL	267
15N3660RTDLK	271
15N3660RTDW	267
15N3660RTDWK	271
15N3660RTL	239
15N3660RTLK	240
15N3660RTW	239
15N3660RTWK	240
15N3660UDL	285
15N3660UDLK	290
15N3660UDW	285
15N3660UDWK	290
15N3660UL	252
15N3660ULK	255
15N3660UW	252
15N3660UWK	255
15N3660WGDL	275
15N3660WGDLK	280
15N3660WGDW	275
15N3660WGDWK	280
15N3660WGL	242
15N3660WGLK	247
15N3660WGW	242
15N3660WGWK	247
15N3666RTDL	267
15N3666RTDLK	271
15N3666RTDW	267

MODEL	PAGE
15N3666RTDWK	271
15N3666UDL	285
15N3666UDLK	290
15N3666UDW	285
15N3666UDWK	290
15N3666UL	252
15N3666ULK	255
15N3666UW	252
15N3666UWK	255
15N3666WGDL	275
15N3666WGDLK	280
15N3666WGDW	275
15N3666WGDWK	280
15N3666WGL	242
15N3666WGLK	247
15N3666WGW	242
15N3666WGWK	247
15N3672RTDL	267
15N3672RTDLK	271
15N3672RTDW	267
15N3672RTDWK	271
15N3672UDL	285
15N3672UDLK	290
15N3672UDW	285
15N3672UDWK	290
15N3672UL	252
15N3672ULK	255
15N3672UW	252
15N3672UWK	255
15N3672WGDL	275
15N3672WGDLK	280
15N3672WGDW	275
15N3672WGDWK	280
15N3672WGL	242
15N3672WGLK	247
15N3672WGW	242
15N3672WGWK	247
15N3678RTDL	267
15N3678RTDLK	271
15N3678RTDW	267
15N3678RTDWK	271
15N3678UDL	285
15N3678UDLK	290
15N3678UDW	285
15N3678UDWK	290
15N3678WGDL	275
15N3678WGDLK	280
15N3678WGDW	275
15N3678WGDWK	280
15N3678WGL	242
15N3678WGLK	247
15N3678WGW	242
15N3678WGWK	247
15N3684RTDL	267
15N3684RTDLK	271
15N3684RTDW	267
15N3684RTDWK	271
15N3684UDL	285
15N3684UDLK	290
15N3684UDW	285
15N3684UDWK	290
15N3684WGDL	275
15N3684WGDLK	280
15N3684WGDW	275
15N3684WGDWK	280
15N3684WGL	242
15N3684WGLK	247
15N3684WGW	242
15N3684WGWK	247
15N4248RTDL	267
15N4248RTDLK	271
15N4248RTDW	267
15N4248RTDWK	271
15N4248RTL	239
15N4248RTLK	241
15N4248RTW	239
15N4248RTWK	241
15N4248UDL	285
15N4248UDLK	290
15N4248UDW	285
15N4248UDWK	290
15N4248UL	252
15N4248ULK	255
15N4248UW	252
15N4248UWK	255
15N4248WGDL	276
15N4248WGDLK	281
15N4248WGDW	276
15N4248WGDWK	281
15N4248WGL	242
15N4248WGLK	247
15N4248WGW	242
15N4248WGWK	247
15N4254RTDL	268
15N4254RTDLK	272
15N4254RTDW	268
15N4254RTDWK	272
15N4254RTL	239
15N4254RTLK	241
15N4254RTW	239
15N4254RTWK	241
15N4254UDL	286
15N4254UDLK	291
15N4254UDW	286
15N4254UDWK	291
15N4254UL	252
15N4254ULK	255
15N4254UW	252
15N4254UWK	255
15N4254WGDL	276
15N4254WGDLK	281
15N4254WGDW	276
15N4254WGDWK	281
15N4254WGL	243
15N4254WGLK	248
15N4254WGW	243
15N4254WGWK	248
15N4260RTDL	268
15N4260RTDLK	272
15N4260RTDW	268
15N4260RTDWK	272
15N4260RTL	239
15N4260RTLK	241
15N4260RTW	239
15N4260RTWK	241
15N4260UDL	286
15N4260UDLK	291
15N4260UDW	286
15N4260UDWK	291
15N4260UL	252
15N4260ULK	255
15N4260UW	252
15N4260UWK	255
15N4260WGDL	276
15N4260WGDLK	281
15N4260WGDW	276
15N4260WGDWK	281
15N4260WGL	243
15N4260WGLK	248
15N4260WGW	243
15N4260WGWK	248
15N4266RTDL	268
15N4266RTDLK	272
15N4266RTDW	268
15N4266RTDWK	272
15N4266UDL	286
15N4266UDLK	291
15N4266UDW	286
15N4266UDWK	291
15N4266UL	253
15N4266ULK	256
15N4266UW	253
15N4266UWK	256
15N4266WGDL	276
15N4266WGDLK	281
15N4266WGDW	276
15N4266WGDWK	281
15N4266WGL	243
15N4266WGLK	248
15N4266WGW	243
15N4266WGWK	248
15N4272RTDL	268
15N4272RTDLK	272
15N4272RTDW	268
15N4272RTDWK	272
15N4272UDL	286
15N4272UDLK	291
15N4272UDW	286
15N4272UDWK	291
15N4272UL	253
15N4272ULK	256
15N4272UW	253
15N4272UWK	256
15N4272WGDL	276
15N4272WGDLK	281
15N4272WGDW	276
15N4272WGDWK	281
15N4272WGL	243
15N4272WGLK	248
15N4272WGW	243
15N4272WGWK	248
15N4278RTDL	268
15N4278RTDLK	272
15N4278RTDW	268
15N4278RTDWK	272
15N4278UDL	286
15N4278UDLK	291
15N4278UDW	286
15N4278UDWK	291
15N4278WGDL	276
15N4278WGDLK	281
15N4278WGDW	276
15N4278WGDWK	281
15N4278WGL	243
15N4278WGLK	248
15N4278WGW	243
15N4278WGWK	248
15N4284RTDL	268
15N4284RTDLK	272
15N4284RTDW	268
15N4284RTDWK	272
15N4284UDL	286
15N4284UDLK	291
15N4284UDW	286
15N4284UDWK	291
15N4284WGDL	276
15N4284WGDLK	281
15N4284WGDW	276
15N4284WGDWK	281
15N4284WGL	243
15N4284WGLK	248
15N4284WGW	243
15N4284WGWK	248
15N4828TPBP	259
15N4828TPOBP	297
15N4840TPBP	258
15N4840TPOBP	296
15N4848SQDL	266
15N4848SQDLK	266
15N4848SQDW	266
15N4848SQDWK	266
15N4848SQL	238
15N4848SQLK	238
15N4848SQW	238
15N4848SQWK	238
15N4848UDL	286
15N4848UDLK	291
15N4848UDW	286
15N4848UDWK	291
15N4848UL	253
15N4848ULK	256
15N4848UW	253
15N4848UWK	256
15N4848WGDL	276
15N4848WGDLK	281
15N4848WGDW	276
15N4848WGDWK	281
15N4848WGL	243
15N4848WGLK	248
15N4848WGW	243
15N4848WGWK	248
15N4854RTDL	268
15N4854RTDLK	272
15N4854RTDW	268
15N4854RTDWK	272
15N4854RTL	239
15N4854RTLK	241
15N4854RTW	239
15N4854RTWK	241
15N4854UDL	286
15N4854UDLK	291
15N4854UDW	286
15N4854UDWK	291
15N4854UL	253
15N4854ULK	256
15N4854UW	253
15N4854UWK	256
15N4854WGDL	277
15N4854WGDLK	282
15N4854WGDW	277
15N4854WGDWK	282
15N4854WGL	243
15N4854WGLK	248
15N4854WGW	243
15N4854WGWK	248
15N4860RTDL	268
15N4860RTDLK	272
15N4860RTDW	268
15N4860RTDWK	272
15N4860RTL	234, 239
15N4860RTLK	241
15N4860RTW	239
15N4860RTWK	241
15N4860UDL	287
15N4860UDLK	292
15N4860UDW	287
15N4860UDWK	292
15N4860UL	253
15N4860ULK	256
15N4860UW	253
15N4860UWK	256
15N4860WGDL	277
15N4860WGDLK	282
15N4860WGDW	277
15N4860WGDWK	282
15N4860WGL	244
15N4860WGLK	249
15N4860WGW	244
15N4860WGWK	249
15N4866RTDL	269
15N4866RTDLK	273
15N4866RTDW	269
15N4866RTDWK	273
15N4866UDL	287
15N4866UDLK	292
15N4866UDW	287

INDEX

MODEL	PAGE
15N4866UDWK	292
15N4866UL	253
15N4866ULK	256
15N4866UW	253
15N4866UWK	256
15N4866WGDL	277
15N4866WGDLK	282
15N4866WGDW	277
15N4866WGDWK	282
15N4866WGL	244
15N4866WGLK	233, 249
15N4866WGW	244
15N4866WGWK	249
15N4867MW2L	237
15N4867MW2LMB	237
15N4867MW2MB	237
15N4867MW2MBL	237
15N4867MW2MBW	237
15N4867MW2W	237
15N4867MW2WMB	237
15N4872RTDL	269
15N4872RTDLK	273
15N4872RTDW	269
15N4872RTDWK	273
15N4872UDL	287
15N4872UDLK	292
15N4872UDW	287
15N4872UDWK	292
15N4872UL	253
15N4872ULK	256
15N4872UW	253
15N4872UWK	256
15N4872WGDL	277
15N4872WGDLK	282
15N4872WGDW	277
15N4872WGDWK	282
15N4872WGL	232, 244
15N4872WGLK	249
15N4872WGW	244
15N4872WGWK	249
15N4878RTDL	269
15N4878RTDLK	273
15N4878RTDW	269
15N4878RTDWK	273
15N4878UDL	287
15N4878UDLK	292
15N4878UDW	287
15N4878UDWK	292
15N4878WGDL	277
15N4878WGDLK	282
15N4878WGDW	277
15N4878WGDWK	282
15N4878WGL	244
15N4878WGLK	249
15N4878WGW	244
15N4878WGWK	249
15N4879MW2L	234, 236
15N4879MW2LMB	236
15N4879MW2MB	236
15N4879MW2MBL	236
15N4879MW2MBW	236
15N4879MW2W	233, 236
15N4879MW2WMB	232, 236
15N4884RTDL	269
15N4884RTDLK	273
15N4884RTDW	269
15N4884RTDWK	273
15N4884UDL	287
15N4884UDLK	292
15N4884UDW	287
15N4884UDWK	292
15N4884WGDL	277
15N4884WGDLK	282
15N4884WGDW	277
15N4884WGDWK	282
15N4884WGL	244
15N4884WGLK	249
15N4884WGW	244
15N4884WGWK	249
15N5428TPBP	259
15N5428TPOBP	297
15N5440TPBP	258
15N5440TPOBP	296
15N5448RTDL	269
15N5448RTDLK	273
15N5448RTDW	269
15N5448RTDWK	273
15N5448RTL	240
15N5448RTLK	241
15N5448RTW	240
15N5448RTWK	241
15N5448UDL	287
15N5448UDLK	292
15N5448UDW	287
15N5448UDWK	292
15N5448UL	253
15N5448ULK	256
15N5448UW	253
15N5448UWK	256
15N5448WGDL	277
15N5448WGDLK	282
15N5448WGDW	277
15N5448WGDWK	282
15N5448WGL	244
15N5448WGLK	249
15N5448WGW	244
15N5448WGWK	249
15N5454SQDL	266
15N5454SQDLK	266
15N5454SQDW	266
15N5454SQDWK	266
15N5454SQL	238
15N5454SQLK	238
15N5454SQW	238
15N5454SQWK	238
15N5454UDL	287
15N5454UDLK	292
15N5454UDW	287
15N5454UDWK	292
15N5454UL	254
15N5454ULK	257
15N5454UW	254
15N5454UWK	257
15N5454WGDL	277
15N5454WGDLK	282
15N5454WGDW	277
15N5454WGDWK	282
15N5454WGL	244
15N5454WGLK	249
15N5454WGW	244
15N5454WGWK	249
15N5460RTDL	269
15N5460RTDLK	273
15N5460RTDW	269
15N5460RTDWK	273
15N5460RTL	240
15N5460RTLK	241
15N5460RTW	240
15N5460RTWK	241
15N5460UDL	287
15N5460UDLK	292
15N5460UDW	287
15N5460UDWK	292
15N5460UL	254
15N5460ULK	257
15N5460UW	254
15N5460UWK	257
15N5460WGDL	278
15N5460WGDLK	283
15N5460WGDW	278
15N5460WGDWK	283
15N5460WGL	244
15N5460WGLK	249
15N5460WGW	244
15N5460WGWK	249
15N5466RTDL	269
15N5466RTDLK	273
15N5466RTDW	269
15N5466RTDWK	273
15N5466UDL	288
15N5466UDLK	293
15N5466UDW	288
15N5466UDWK	293
15N5466UL	254
15N5466ULK	257
15N5466UW	254
15N5466UWK	257
15N5466WGDL	278
15N5466WGDLK	283
15N5466WGDW	278
15N5466WGDWK	283
15N5466WGL	245
15N5466WGLK	250
15N5466WGW	245
15N5466WGWK	250
15N5472RTDL	269
15N5472RTDLK	273
15N5472RTDW	269
15N5472RTDWK	273
15N5472UDL	288
15N5472UDLK	293
15N5472UDW	288
15N5472UDWK	293
15N5472UL	254
15N5472ULK	257
15N5472UW	254
15N5472UWK	257
15N5472WGDL	278
15N5472WGDLK	283
15N5472WGDW	278
15N5472WGDWK	283
15N5472WGL	245
15N5472WGLK	250
15N5472WGW	245
15N5472WGWK	250
15N5478RTDL	270
15N5478RTDLK	274
15N5478RTDW	270
15N5478RTDWK	274
15N5478UDL	288
15N5478UDLK	293
15N5478UDW	288
15N5478UDWK	293
15N5478WGDL	278
15N5478WGDLK	283
15N5478WGDW	278
15N5478WGDWK	283
15N5478WGL	245
15N5478WGLK	250
15N5478WGW	245
15N5478WGWK	250
15N5484RTDL	270
15N5484RTDLK	274
15N5484RTDW	270
15N5484RTDWK	274
15N5484UDL	288
15N5484UDLK	293
15N5484UDW	288
15N5484UDWK	293
15N5484WGDL	278
15N5484WGDLK	283
15N5484WGDW	278
15N5484WGDWK	283
15N5484WGL	245
15N5484WGLK	250
15N5484WGW	245
15N5484WGWK	250
15N6028TPBP	259
15N6028TPOBP	235, 297
15N6040TPBP	234, 258
15N6040TPOBP	296
15N6048RTDL	270
15N6048RTDLK	274
15N6048RTDW	270
15N6048RTDWK	274
15N6048RTL	240
15N6048RTLK	241
15N6048RTW	240
15N6048RTWK	241
15N6048UDL	288
15N6048UDLK	293
15N6048UDW	288
15N6048UDWK	293
15N6048UL	254
15N6048ULK	257
15N6048UW	254
15N6048UWK	257
15N6048WGDL	278
15N6048WGDLK	283
15N6048WGDW	278
15N6048WGDWK	283
15N6048WGL	245
15N6048WGLK	250
15N6048WGW	245
15N6048WGWK	250
15N6054RTDL	270
15N6054RTDLK	274
15N6054RTDW	270
15N6054RTDWK	274
15N6054RTL	240
15N6054RTLK	241
15N6054RTW	240
15N6054RTWK	241
15N6054UDL	288
15N6054UDLK	293
15N6054UDW	288
15N6054UDWK	293
15N6054UL	254
15N6054ULK	257
15N6054UW	254
15N6054UWK	257
15N6054WGDL	278
15N6054WGDLK	283
15N6054WGDW	278
15N6054WGDWK	283
15N6054WGL	245
15N6054WGLK	250
15N6054WGW	245
15N6054WGWK	250
15N6060SQDL	266
15N6060SQDLK	266
15N6060SQDW	266
15N6060SQDWK	266
15N6060SQL	238
15N6060SQLK	238
15N6060SQW	238
15N6060SQWK	238
15N6060UDL	288
15N6060UDLK	293
15N6060UDW	288
15N6060UDWK	293
15N6060UL	254
15N6060ULK	257
15N6060UW	254
15N6060UWK	257
15N6060WGDL	278

MODEL	PAGE
15N6060WGDLK	235, 283
15N6060WGDW	278
15N6060WGDWK	283
15N6060WGL	245
15N6060WGLK	250
15N6060WGW	245
15N6060WGWK	250
15N6066RTDL	270
15N6066RTDLK	274
15N6066RTDW	270
15N6066RTDWK	274
15N6066UDL	288
15N6066UDLK	293, 294
15N6066UDW	288
15N6066UDWK	293, 294
15N6066UL	254
15N6066ULK	257
15N6066UW	254
15N6066UWK	257
15N6066WGDL	279
15N6066WGDLK	284
15N6066WGDW	279
15N6066WGDWK	284
15N6066WGL	245
15N6066WGLK	250
15N6066WGW	245
15N6066WGWK	250
15N6067MW2L	232, 237
15N6067MW2LMB	237
15N6067MW2MB	237
15N6067MW2MBL	237
15N6067MW2MBW	237
15N6067MW2W	237
15N6067MW2WMB	237
15N6072RTDL	270
15N6072RTDLK	274
15N6072RTDW	270
15N6072RTDWK	274
15N6072UDL	289
15N6072UDLK	294
15N6072UDW	289
15N6072UDWK	294
15N6072UL	254
15N6072ULK	257
15N6072UW	254
15N6072UWK	257
15N6072WGDL	279
15N6072WGDLK	284
15N6072WGDW	279
15N6072WGDWK	284
15N6072WGL	246
15N6072WGLK	232, 251
15N6072WGW	246
15N6072WGWK	251
15N6078RTDL	270
15N6078RTDLK	274
15N6078RTDW	270
15N6078RTDWK	274
15N6078UDL	289
15N6078UDLK	294
15N6078UDW	289
15N6078UDWK	294
15N6078WGDL	279
15N6078WGDLK	284
15N6078WGDW	279
15N6078WGDWK	284
15N6078WGL	246
15N6078WGLK	251
15N6078WGW	246
15N6078WGWK	251
15N6079MW2L	236
15N6079MW2LMB	236
15N6079MW2MB	236
15N6079MW2MBL	236
15N6079MW2MBW	236
15N6079MW2W	236
15N6079MW2WMB	236
15N6084RTDL	270
15N6084RTDLK	274
15N6084RTDW	270
15N6084RTDWK	274
15N6084UDL	289
15N6084UDLK	294
15N6084UDW	289
15N6084UDWK	294
15N6084WGDL	279
15N6084WGDLK	284
15N6084WGDW	279
15N6084WGDWK	284
15N6084WGL	246
15N6084WGLK	251
15N6084WGW	246
15N6084WGWK	251
15N6628TPBP	259
15N6628TPOBP	297
15N6640TPBP	233, 258
15N6640TPOBP	296
15N7228TPBP	232, 259
15N7228TPOBP	297
15N7240TPBP	232, 258
15N7240TPOBP	296
15N7828TPBP	259
15N7828TPOBP	297
15N7840TPOBP	296
15N8428TPBP	259
15N8428TPOBP	297
15N8440TPOBP	296
15N93ELC	232, 301
15NTVMAD	299
15NTVMAS	299, 522
19N2436PFHLW	406
19N2436PFHW	406
19N2467CSFLW2	406
19N2467CSFW2	406
19N2472CSFLW2	406
19N2472CSFW2	406
19N42RDLW	122
19N42RDW	122
21N2430PTL	394
21N3030SQL	59
21N3636SQL	59
21N4242SQL	59
21N4848SQL	59
25N120PNKL	168
25N120PNKW	168
25N144PNKL	168
25N144PNKW	168
25N1628SQBL	164
25N1628SQBW	164
25N1628SQBXL	163
25N1628SQBXW	163
25N168PNKL	168
25N168PNKW	168
25N1828PNL	166
25N1828PNW	166
25N1828SQBL	164
25N1828SQBW	164
25N1828SQBXL	163
25N1828SQBXW	163
25N192PNKL	168
25N192PNKW	168
25N216PNKL	168
25N216PNKW	168
25N240PNKL	168
25N240PNKW	168
25N2424ENL	493
25N2424ENW	493
25N2428PNL	166
25N2428PNW	166
25N2428SQBL	164
25N2428SQBW	164
25N2428SQBXL	163
25N2428SQBXW	163
25N2430WSSVL	391
25N2430WSSVW	391
25N2436WSSVL	391
25N2436WSSVW	391
25N2448MGL	493
25N2448MGW	493
25N2472CBL	402
25N2472CBVL	401
25N2472CBVW	401
25N2472CBW	402
25N2630WSSVLK1	391
25N2630WSSVWK1	391
25N2636WSSVLK1	391
25N2636WSSVWK1	391
25N2672CBLK1	402
25N2672CBVLK1	401
25N2672CBVWK1	401
25N2672CBWK1	402
25N3030SQL	97
25N3030SQLK	99
25N3030SQW	97
25N3030SQWK	99
25N30RDL	93
25N30RDLK	95
25N30RDW	93
25N30RDWK	95
25N3636MGL	493
25N3636MGW	493
25N3636SQL	97
25N3636SQLK	99
25N3636SQW	97
25N3636SQWK	99
25N3660WSCELL2	388
25N3660WSCELL2K1	388
25N3660WSCELW2	388
25N3660WSCELW2K1	388
25N3660WSCERL2	388
25N3660WSCERL2K1	388
25N3660WSCERW2	388
25N3660WSCERW2K1	388
25N3666WSCELL2	388
25N3666WSCELL2K1	388
25N3666WSCELW2	388
25N3666WSCELW2K1	388
25N3666WSCERL2	388
25N3666WSCERL2K1	388
25N3666WSCERW2	388
25N3666WSCERW2K1	388
25N3672WSCELL2	388
25N3672WSCELL2K1	388
25N3672WSCELW2	388
25N3672WSCELW2K1	388
25N3672WSCERL2	388
25N3672WSCERL2K1	388
25N3672WSCERW2	388
25N3672WSCERW2K1	388
25N36RDL	93
25N36RDLK	95
25N36RDW	93
25N36RDWK	95
25N3860WSCELL2K2	389
25N3860WSCELW2K2	389
25N3860WSCERL2K2	389
25N3860WSCERW2K2	389
25N3866WSCELL2K2	389
25N3866WSCELW2K2	389
25N3866WSCERL2K2	389
25N3866WSCERW2K2	389
25N3872WSCELL2K2	389
25N3872WSCELW2K2	389
25N3872WSCERL2K2	389
25N3872WSCERW2K2	389
25N4242SQL	97
25N4242SQLK	99
25N4242SQW	97
25N4242SQWK	99
25N42RDL	93
25N42RDLK	95
25N42RDW	93
25N42RDWK	95
25N4848SQL	97
25N4848SQLK	99
25N4848SQW	97
25N4848SQWK	99
25N48RDL	93
25N48RDLK	95
25N48RDW	93
25N48RDWK	95
25N60144PNKL	170
25N60144PNKW	170
25N60168PNKL	170
25N60168PNKW	170
25N60192PNKL	170
25N60192PNKW	170
25N60216PNKL	170
25N60216PNKW	170
25N60240PNKL	170
25N60240PNKW	170
25N72PNKL	168
25N72PNKW	168
25N84PNKL	168
25N84PNKW	168
25N96PNKL	168
25N96PNKW	168
25NN1880VSHLL	403
25NN1880VSHLW	403
25NN1880VSHRL	403
25NN1880VSHRW	403
25NN2448CVMSL	400
25NN2448CVMSW	400
25NN2460CVMSL	400
25NN2460CVMSW	400
25NN2472CBL	402
25NN2472CBVL	401
25NN2472CBVW	401
25NN2472CBW	402
25NN2472CVMSL	400
25NN2472CVMSW	400
25NN2648CVMSLK1	400
25NN2648CVMSWK1	400
25NN2660CVMSLK1	400
25NN2660CVMSWK1	400
25NN2672CBLK1	402
25NN2672CBVLK1	401
25NN2672CBVWK1	401
25NN2672CBWK1	402
25NN2672CVMSLK1	400
25NN2672CVMSWK1	400
25NN3030SQL	96
25NN3030SQLK	98
25NN3030SQW	96
25NN3030SQWK	98
25NN30RDL	92
25NN30RDLK	94
25NN30RDW	92
25NN30RDWK	94
25NN3636SQL	96
25NN3636SQLK	98
25NN3636SQW	96
25NN3636SQWK	98
25NN3672BTL	104
25NN3672BTLK	106
25NN3672BTW	104

INDEX

MODEL	PAGE
25NN3672BTWK	106
25NN3672RCL	108
25NN3672RCLK	110
25NN3672RCW	108
25NN3672RCWK	110
25NN3672RTL	100
25NN3672RTLK	102
25NN3672RTW	100
25NN3672RTWK	102
25NN36RDL	92
25NN36RDLK	94
25NN36RDW	92
25NN36RDWK	94
25NN4242SQL	96
25NN4242SQLK	98
25NN4242SQW	96
25NN4242SQWK	98
25NN4284BTL	104
25NN4284BTLK	106
25NN4284BTW	104
25NN4284BTWK	106
25NN4284RCL	108
25NN4284RCLK	110
25NN4284RCW	108
25NN4284RCWK	110
25NN4284RTL	100
25NN4284RTLK	102
25NN4284RTW	100
25NN4284RTWK	102
25NN42RDL	92
25NN42RDLK	94
25NN42RDW	92
25NN42RDWK	94
25NN48120BTL	104
25NN48120BTLK	106
25NN48120BTW	104
25NN48120BTWK	106
25NN48120RCL	108
25NN48120RCLK	110
25NN48120RCW	108
25NN48120RCWK	110
25NN48120RTL	100
25NN48120RTLK	102
25NN48120RTW	100
25NN48120RTWK	102
25NN48144BTL	104
25NN48144BTLK	106
25NN48144BTW	104
25NN48144BTWK	106
25NN48144RCL	108
25NN48144RCLK	110
25NN48144RCW	108
25NN48144RCWK	110
25NN48144RTL	100
25NN48144RTLK	102
25NN48144RTW	100
25NN48144RTWK	102
25NN48168BTL	104
25NN48168BTLK	106
25NN48168BTW	104
25NN48168BTWK	106
25NN48168RCL	108
25NN48168RCLK	110
25NN48168RCW	108
25NN48168RCWK	110
25NN48168RTL	100
25NN48168RTLK	102
25NN48168RTW	100
25NN48168RTWK	102
25NN48192BTL	104
25NN48192BTLK	106
25NN48192BTW	104
25NN48192BTWK	106
25NN48192RCL	108
25NN48192RCLK	110
25NN48192RCW	108
25NN48192RCWK	110
25NN48192RTL	100
25NN48192RTLK	102
25NN48192RTW	100
25NN48192RTWK	102
25NN48216BTL	105
25NN48216BTLK	107
25NN48216BTW	105
25NN48216BTWK	107
25NN48216RCL	109
25NN48216RCLK	111
25NN48216RCW	109
25NN48216RCWK	111
25NN48216RTL	101
25NN48216RTLK	103
25NN48216RTW	101
25NN48216RTWK	103
25NN48240BTL	105
25NN48240BTLK	107
25NN48240BTW	105
25NN48240BTWK	107
25NN48240RCL	109
25NN48240RCLK	111
25NN48240RCW	109
25NN48240RCWK	111
25NN48240RTL	101
25NN48240RTLK	103
25NN48240RTW	101
25NN48240RTWK	103
25NN4848SQL	96
25NN4848SQLK	98
25NN4848SQW	96
25NN4848SQWK	98
25NN4896BTL	104
25NN4896BTLK	106
25NN4896BTW	104
25NN4896BTWK	106
25NN4896RCL	108
25NN4896RCLK	110
25NN4896RCW	108
25NN4896RCWK	110
25NN4896RTL	100
25NN4896RTLK	102
25NN4896RTW	100
25NN4896RTWK	102
25NN48RDL	92
25NN48RDLK	94
25NN48RDW	92
25NN48RDWK	94
25NN5454SQL	96
25NN5454SQLK	98
25NN5454SQW	96
25NN5454SQWK	98
25NN54RDL	92
25NN54RDLK	94
25NN54RDW	92
25NN54RDWK	94
25NN60144BTL	105
25NN60144BTLK	107
25NN60144BTW	105
25NN60144BTWK	107
25NN60144RCL	109
25NN60144RCLK	111
25NN60144RCW	109
25NN60144RCWK	111
25NN60144RTL	101
25NN60144RTLK	103
25NN60144RTW	101
25NN60144RTWK	103
25NN60168BTL	105
25NN60168BTLK	107
25NN60168BTW	105
25NN60168BTWK	107
25NN60168RCL	109
25NN60168RCLK	111
25NN60168RCW	109
25NN60168RCWK	111
25NN60168RTL	101
25NN60168RTLK	103
25NN60168RTW	101
25NN60168RTWK	103
25NN60192BTL	105
25NN60192BTLK	107
25NN60192BTW	105
25NN60192BTWK	107
25NN60192RCL	109
25NN60192RCLK	111
25NN60192RCW	109
25NN60192RCWK	111
25NN60192RTL	101
25NN60192RTLK	103
25NN60192RTW	101
25NN60192RTWK	103
25NN60216BTL	105
25NN60216BTLK	107
25NN60216BTW	105
25NN60216BTWK	107
25NN60216RCL	109
25NN60216RCLK	111
25NN60216RCW	109
25NN60216RCWK	111
25NN60216RTL	101
25NN60216RTLK	103
25NN60216RTW	101
25NN60216RTWK	103
25NN60240BTL	105
25NN60240BTLK	107
25NN60240BTW	105
25NN60240BTWK	107
25NN60240RCL	109
25NN60240RCLK	111
25NN60240RCW	109
25NN60240RCWK	111
25NN60240RTL	101
25NN60240RTLK	103
25NN60240RTW	101
25NN60240RTWK	103
25NN6060SQL	96
25NN6060SQLK	98
25NN6060SQW	96
25NN6060SQWK	98
25NN60RDL	92
25NN60RDLK	94
25NN60RDW	92
25NN60RDWK	94
29N1818LCL	333
29N2418LCL	333
29N2448TRT1L	341
29N2448TRT1ML	341
29N2448TRT2L	342
29N2448TRT2ML	342
29N2448TTZ1L	339
29N2448TTZ1ML	339
29N2448TTZ2L	339
29N2448TTZ2ML	339
29N2460DTLM1L	332
29N2460DTLM1LL	332
29N2460DTLMHL	332
29N2460DTLMHLL	332
29N2460DTLMOL	333
29N2460DTLMOLL	333
29N2460DTRM1L	332
29N2460DTRM1LL	332
29N2460DTRMHL	332
29N2460DTRMHLL	332
29N2460DTRMOL	333
29N2460DTRMOLL	333
29N2460TRT1L	341
29N2460TRT1ML	341
29N2460TRT2L	342
29N2460TRT2ML	342
29N2472DTLM1L	332
29N2472DTLM1LL	332
29N2472DTLMHL	332
29N2472DTLMHLL	332
29N2472DTLMOL	333
29N2472DTLMOLL	333
29N2472DTRM1L	332
29N2472DTRM1LL	332
29N2472DTRMHL	332
29N2472DTRMHLL	332
29N2472DTRMOL	333
29N2472DTRMOLL	333
29N2472TRT1L	341
29N2472TRT1ML	341
29N2472TRT2L	342
29N2472TRT2ML	342
29N3048TRT1L	341
29N3048TRT1ML	341
29N3048TRT2L	342
29N3048TRT2ML	342
29N3060DTLM1L	332
29N3060DTLM1LL	332
29N3060DTLMHL	332
29N3060DTLMHLL	332
29N3060DTLMOL	333
29N3060DTLMOLL	333
29N3060DTRM1L	332
29N3060DTRM1LL	332
29N3060DTRMHL	332
29N3060DTRMHLL	332
29N3060DTRMOL	333
29N3060DTRMOLL	333
29N3060TKB1L	340
29N3060TKB1ML	340
29N3060TKB2L	340
29N3060TKB2ML	340
29N3060TRT1L	341
29N3060TRT1ML	341
29N3060TRT2L	342
29N3060TRT2ML	342
29N3072DTLM1L	332
29N3072DTLM1LL	332
29N3072DTLMHL	332
29N3072DTLMHLL	332
29N3072DTLMOL	333
29N3072DTLMOLL	333
29N3072DTRM1L	332
29N3072DTRM1LL	332
29N3072DTRMHL	332
29N3072DTRMHLL	332
29N3072DTRMOL	333
29N3072DTRMOLL	333
29N3072TRT1L	341
29N3072TRT1ML	341
29N3072TRT2L	342
29N3072TRT2ML	342
29N3348THDS1L	338
29N3348THDS1ML	338
29N3348THDS2L	338
29N3348THDS2ML	338
29N3630TKT2L	335
29N3630TKT2ML	335
29N3636TSQ2L	334
29N3636TSQ2ML	334
29N3648TFG1L	338
29N3648TFG1ML	338
29N3648TFG2L	339
29N3648TFG2ML	339
29N36TRD2L	334

MODEL	PAGE
29N36TRD2ML	334
29N4848TSQ2L	334
29N4848TSQ2ML	334
29N48TRD2L	334
29N48TRD2ML	334
29N60120TDEG1L	337
29N60120TDEG1ML	337
29N60120TDEG2L	337
29N60120TDEG2ML	337
29N6060TSQ2L	334
29N6060TSQ2ML	334
29N60TGR2L	335
29N60TGR2ML	335
29N60TRD2L	334
29N60TRD2ML	334
29N60TSD1L	336
29N60TSD1ML	336
29N60TSD2L	336
29N60TSD2ML	336
31N2040MGLW	486
31N2040MGPLW	486
31N2424ENLW	486
31N2424ENPLW	486
31N2430PTLW	394
31N2472CBVLW	394
31N2472CBVW	394
31N3030SQLW	59
31N3030SQW	59
31N3636SQLW	59
31N3636SQW	59
31N4242SQLW	59
31N4242SQW	59
31N4848SQLW	59
31N4848SQW	59
31NN3030SQLW	58
31NN3030SQW	58
31NN3636SQLW	58
31NN3636SQW	58
31NN3672RTLW	60
31NN3672RTW	60
31NN4242SQLW	58
31NN4242SQW	58
31NN4284RTLW	60
31NN4284RTW	60
31NN48120RTLW	60
31NN48120RTW	60
31NN48144RTLW	60
31NN48144RTW	60
31NN48168RTLW	60
31NN48168RTW	60
31NN48192RTLW	60
31NN48192RTW	60
31NN48216RTLW	60
31NN48216RTW	60
31NN48240RTLW	60
31NN48240RTW	60
31NN4848SQLW	58
31NN4848SQW	58
31NN4896RTLW	60
31NN4896RTW	60
31NN5454SQLW	58
31NN5454SQW	58
31NN60144RTLW	61
31NN60144RTW	61
31NN60168RTLW	61
31NN60168RTW	61
31NN60192RTLW	61
31NN60192RTW	61
31NN60216RTLW	61
31NN60216RTW	61
31NN60240RTLW	61
31NN60240RTW	61
31NN6060SQLW	58
31NN6060SQW	58
36N2048CSW	488
36N2424ENW	488
36N2448MGW	488
36N2473CBLW	397
36N2473CBVLW	397
36N2473CBVW	397
36N2473CBW	397
36N3030SQ2LW	72
36N3030SQ2W	72
36N3030SQLW	73
36N3030SQW	73
36N3636SQ2LW	72
36N3636SQ2W	72
36N3636SQLW	73
36N3636SQW	73
36N3672RTLW	74
36N3672RTW	74
36N3773VVHW	397
36N4242SQ2LW	72
36N4242SQ2W	72
36N4242SQLW	73
36N4242SQW	73
36N4284RTLW	74
36N4284RTW	74
36N48120RTLW	74
36N48120RTW	74
36N48144RTLW	74
36N48144RTW	74
36N48168RTLW	74
36N48168RTW	74
36N48192RTLW	74
36N48192RTW	74
36N48216RTLW	74
36N48216RTW	74
36N48240RTLW	74
36N48240RTW	74
36N4848SQ2LW	72
36N4848SQ2W	72
36N4848SQLW	73
36N4848SQW	73
36N4896RTLW	74
36N4896RTW	74
36N5454SQ2LW	72
36N5454SQ2W	72
36N60144RTLW	75
36N60144RTW	75
36N60168RTLW	75
36N60168RTW	75
36N60192RTLW	75
36N60192RTW	75
36N60216RTLW	75
36N60216RTW	75
36N60240RTLW	75
36N60240RTW	75
36N6060SQ2LW	72
36N6060SQ2W	72
38N1848CSW	489
38N1848CSWP	489
38N2424ENW	489
38N2424ENWP	489
38N2448MGW	489
38N2448MGWP	489
38N2472CBVW	398
38N2472CBVWP	398
38N2472CBW	398
38N2472CBWP	398
38N2490CBVW	398
38N2490CBVWP	398
38N2490CBW	398
38N2490CBWP	398
38N3668VVHW	398
38N3672RT2W	79
38N3672RT2WP	79
38N3680VVHW	398
38N4242SQW	78
38N4242SQWP	78
38N4284RT2W	79
38N4284RT2WP	79
38N48120RT2W	79
38N48120RT2WP	79
38N48144RT2W	79
38N48144RT2WP	79
38N48168RT2W	79
38N48168RT2WP	79
38N48192RT2W	79
38N48192RT2WP	79
38N48216RT2W	79
38N48216RT2WP	79
38N48240RT2W	79
38N48240RT2WP	79
38N4848SQW	78
38N4848SQWP	78
38N4896RT2W	79
38N4896RT2WP	79
50N2040MGLW	487
50N2040MGQW	487
50N2040MGW	487
50N2172CBLW	395
50N2172CBVLW	395
50N2172CBVW	395
50N2172CBW	395
50N2421PTHLW	395
50N2421PTHW	395
50N2424ENLW	487
50N2424ENQW	487
50N2424ENW	487
50N2430PTLW	396
50N2430PTW	396
50N4240VBW	396
50NN3030SQLW	65
50NN3030SQW	65
50NN30RDLW	64
50NN30RDW	64
50NN3636SQLW	65
50NN3636SQW	65
50NN3672BTLW	68
50NN3672BTW	68
50NN3672RTLW	66
50NN3672RTW	66
50NN36RDLW	64
50NN36RDW	64
50NN4242SQLW	65
50NN4242SQW	65
50NN4284BTLW	68
50NN4284BTW	68
50NN4284RTLW	66
50NN4284RTW	66
50NN42RDLW	64
50NN42RDW	64
50NN48120BTLW	68
50NN48120BTW	68
50NN48120RTLW	66
50NN48120RTW	66
50NN48144BTLW	68
50NN48144BTW	68
50NN48144RTLW	66
50NN48144RTW	66
50NN48168BTLW	68
50NN48168BTW	68
50NN48168RTLW	66
50NN48168RTW	66
50NN48192BTLW	68
50NN48192BTW	68
50NN48192RTLW	66
50NN48192RTW	66
50NN48216BTLW	68
50NN48216BTW	68
50NN48216RTLW	66
50NN48216RTW	66
50NN48240BTLW	68
50NN48240BTW	68
50NN48240RTLW	66
50NN48240RTW	66
50NN4848SQLW	65
50NN4848SQW	65
50NN4896BTLW	68
50NN4896BTW	68
50NN4896RTLW	66
50NN4896RTW	66
50NN48RDLW	64
50NN48RDW	64
50NN5454SQLW	65
50NN5454SQW	65
50NN54RDLW	64
50NN54RDW	64
50NN60144BTLW	69
50NN60144BTW	69
50NN60144RTLW	67
50NN60144RTW	67
50NN60168BTLW	69
50NN60168BTW	69
50NN60168RTLW	67
50NN60168RTW	67
50NN60192BTLW	69
50NN60192BTW	69
50NN60192RTLW	67
50NN60192RTW	67
50NN60216BTLW	69
50NN60216BTW	69
50NN60216RTLW	67
50NN60216RTW	67
50NN60240BTLW	69
50NN60240BTW	69
50NN60240RTLW	67
50NN60240RTW	67
50NN6060SQLW	65
50NN6060SQW	65
50NN60RDLW	64
50NN60RDW	64
51N2040MGLW	504
51N2040MGW	504
51N2172CSFLW2	407
51N2172CSFW2	407
51N2424ENLW	504
51N2424ENW	504
51N2430PTLW	407
51N2430PTW	407
59N2424ENSQLW	511
59N2424ENSQW	511
59N2448MGLW	511
59N2448MGW	511
59N24ENRDLW	511
59N24ENRDW	511
59N3636MGSQLW	511
59N3636MGSQW	511
59N36MGRDLW	511
59N36MGRDW	511
61N2430CCFMVL	324
61N2430CCFMYL	324
61N2460RTFMVL	325
61N2460RTFMYL	325
61NGB1	325
81N1842CSLW	501
81N1842CSW	501
81N2040MGSQLW	501
81N2040MGSQW	501
81N2424ENLW	501
81N2424ENSQLW	501
81N2424ENSQW	501
81N2424ENW	501
81N3636MGLW	501
81N3636MGW	501

INDEX

MODEL	PAGE
82N242435RDTL	506
82N242435RDTW	506
82N242435SQTL	506
82N242435SQTW	506
82N242440RDTL	507
82N242440RDTW	507
82N242440SQTL	507
82N242440SQTW	507
82N2424MGRDL	505
82N2424MGRDW	505
82N2424MGSQL	505
82N2424MGSQW	505
82N363635RDTL	506
82N363635RDTW	506
82N363635SQTL	506
82N363635SQTW	506
82N363640RDTL	507
82N363640RDTW	507
82N363640SQTL	507
82N363640SQTW	507
82N3636MGRDL	505
82N3636MGRDW	505
82N3636MGSQL	505
82N3636MGSQW	505
83N2424SSQL	202
83N2424SSQLK	203
83N2424SSQLL	202
83N2424SSQW	202
83N2424SSQWK	203
83N2448ARTL	210
83N2448ARTLK	212
83N2448ARTLL	210
83N2448ARTW	210
83N2448ARTWK	212
83N2448BTL	214
83N2448BTLK	216
83N2448BTLL	214
83N2448BTW	214
83N2448BTWK	216
83N2448OVL	204
83N2448OVLK	205
83N2448OVLL	204
83N2448OVW	204
83N2448OVWK	205
83N2448SRTL	206
83N2448SRTLK	208
83N2448SRTLL	206
83N2448SRTW	206
83N2448SRTWK	208
83N24RDL	200
83N24RDLK	201
83N24RDLL	200
83N24RDW	200
83N24RDWK	201
83N3030SSQL	202
83N3030SSQLK	203
83N3030SSQLL	202
83N3030SSQW	202
83N3030SSQWK	203
83N3060ARTL	210
83N3060ARTLK	212
83N3060ARTLL	210
83N3060ARTW	210
83N3060ARTWK	212
83N3060BTL	214
83N3060BTLK	216
83N3060BTLL	214
83N3060BTW	214
83N3060BTWK	216
83N3060OVL	204
83N3060OVLK	205
83N3060OVLL	204
83N3060OVW	204
83N3060OVWK	205
83N3060SRTL	206
83N3060SRTLK	208
83N3060SRTLL	206
83N3060SRTW	206
83N3060SRTWK	208
83N3072ARTL	210
83N3072ARTLK	212
83N3072ARTLL	210
83N3072ARTW	210
83N3072ARTWK	212
83N3072BTL	214
83N3072BTLK	216
83N3072BTLL	214
83N3072BTW	214
83N3072BTWK	216
83N3072SRTL	206
83N3072SRTLK	208
83N3072SRTLL	206
83N3072SRTW	206
83N3072SRTWK	208
83N30RDL	200
83N30RDLK	201
83N30RDLL	200
83N30RDW	200
83N30RDWK	201
83N3636SSQL	202
83N3636SSQLK	203
83N3636SSQLL	202
83N3636SSQW	202
83N3636SSQWK	203
83N3660ARTL	210
83N3660ARTLK	212
83N3660ARTLL	210
83N3660ARTW	210
83N3660ARTWK	212
83N3660BTL	214
83N3660BTLK	216
83N3660BTLL	214
83N3660BTW	214
83N3660BTWK	216
83N3660SRTL	206
83N3660SRTLK	208
83N3660SRTLL	206
83N3660SRTW	206
83N3660SRTWK	208
83N3672ARTL	210
83N3672ARTLK	212
83N3672ARTLL	210
83N3672ARTW	210
83N3672ARTWK	212
83N3672BTL	214
83N3672BTLK	216
83N3672BTLL	214
83N3672BTW	214
83N3672BTWK	216
83N3672OVL	204
83N3672OVLK	205
83N3672OVLL	204
83N3672OVW	204
83N3672OVWK	205
83N3672SRTL	206
83N3672SRTLK	208
83N3672SRTLL	206
83N3672SRTW	206
83N3672SRTWK	208
83N3672TPL	218
83N3672TPLK	219
83N3672TPLL	218
83N3672TPW	218
83N3672TPWK	219
83N3684ARTL	210
83N3684ARTLK	212
83N3684ARTLL	210
83N3684ARTW	210
83N3684ARTWK	212
83N3684BTL	214
83N3684BTLK	216
83N3684BTLL	214
83N3684BTW	214
83N3684BTWK	216
83N3684SRTL	206
83N3684SRTLK	208
83N3684SRTLL	206
83N3684SRTW	206
83N3684SRTWK	208
83N3696ARTL	210
83N3696ARTLK	212
83N3696ARTLL	210
83N3696ARTW	210
83N3696ARTWK	212
83N3696BTL	214
83N3696BTLK	216
83N3696BTLL	214
83N3696BTW	214
83N3696BTWK	216
83N3696SRTL	206
83N3696SRTLK	208
83N3696SRTLL	206
83N3696SRTW	206
83N3696SRTWK	208
83N36RDL	200
83N36RDLK	201
83N36RDLL	200
83N36RDW	200
83N36RDWK	201
83N4242SSQL	202
83N4242SSQLK	203
83N4242SSQLL	202
83N4242SSQW	202
83N4242SSQWK	203
83N4272ARTL	211
83N4272ARTLK	213
83N4272ARTLL	211
83N4272ARTW	211
83N4272ARTWK	213
83N4272BTL	215
83N4272BTLK	217
83N4272BTLL	215
83N4272BTW	215
83N4272BTWK	217
83N4272SRTL	207
83N4272SRTLK	209
83N4272SRTLL	207
83N4272SRTW	207
83N4272SRTWK	209
83N4284ARTL	211
83N4284ARTLK	213
83N4284ARTLL	211
83N4284ARTW	211
83N4284ARTWK	213
83N4284BTL	215
83N4284BTLK	217
83N4284BTLL	215
83N4284BTW	215
83N4284BTWK	217
83N4284OVL	204
83N4284OVLK	205
83N4284OVLL	204
83N4284OVW	204
83N4284OVWK	205
83N4284SRTL	207
83N4284SRTLK	209
83N4284SRTLL	207
83N4284SRTW	207
83N4284SRTWK	209
83N4284TPL	218
83N4284TPLK	219
83N4284TPLL	218
83N4284TPW	218
83N4284TPWK	219
83N4296ARTL	211
83N4296ARTLK	213
83N4296ARTLL	211
83N4296ARTW	211
83N4296ARTWK	213
83N4296BTL	215
83N4296BTLK	217
83N4296BTLL	215
83N4296BTW	215
83N4296BTWK	217
83N4296SRTL	207
83N4296SRTLK	209
83N4296SRTLL	207
83N4296SRTW	207
83N4296SRTWK	209
83N42RDL	200
83N42RDLK	201
83N42RDLL	200
83N42RDW	200
83N42RDWK	201
83N48120ARTL	211
83N48120ARTLK	213
83N48120ARTLL	211
83N48120ARTW	211
83N48120ARTWK	213
83N48120BTL	215
83N48120BTLK	217
83N48120BTLL	215
83N48120BTW	215
83N48120BTWK	217
83N48120SRTL	207
83N48120SRTLK	209
83N48120SRTLL	207
83N48120SRTW	207
83N48120SRTWK	209
83N48120TPL	218
83N48120TPLK	219
83N48120TPLL	218
83N48120TPW	218
83N48120TPWK	219
83N4848SSQL	202
83N4848SSQLK	203
83N4848SSQLL	202
83N4848SSQW	202
83N4848SSQWK	203
83N4872ARTL	211
83N4872ARTLK	213
83N4872ARTLL	211
83N4872ARTW	211
83N4872ARTWK	213
83N4872BTL	215
83N4872BTLK	217
83N4872BTLL	215
83N4872BTW	215
83N4872BTWK	217
83N4872SRTL	207
83N4872SRTLK	209
83N4872SRTLL	207
83N4872SRTW	207
83N4872SRTWK	209
83N4884ARTL	211
83N4884ARTLK	213
83N4884ARTLL	211
83N4884ARTW	211
83N4884ARTWK	213
83N4884BTL	215
83N4884BTLK	217
83N4884BTLL	215
83N4884BTW	215
83N4884BTWK	217
83N4884SRTL	207
83N4884SRTLK	209

MODEL	PAGE
83N4884SRTLL	207
83N4884SRTW	207
83N4884SRTWK	209
83N4896ARTL	211
83N4896ARTLK	213
83N4896ARTLL	211
83N4896ARTW	211
83N4896ARTWK	213
83N4896BTL	215
83N4896BTLK	217
83N4896BTLL	215
83N4896BTW	215
83N4896BTWK	217
83N4896OVL	204
83N4896OVLK	205
83N4896OVLL	204
83N4896OVW	204
83N4896OVWK	205
83N4896SRTL	207
83N4896SRTLK	209
83N4896SRTLL	207
83N4896SRTW	207
83N4896SRTWK	209
83N4896TPL	218
83N4896TPLK	219
83N4896TPLL	218
83N4896TPW	218
83N4896TPWK	219
83N48RDL	200
83N48RDLK	201
83N48RDLL	200
83N48RDW	200
83N48RDWK	201
83N5454SSQL	202
83N5454SSQLK	203
83N5454SSQLL	202
83N5454SSQW	202
83N5454SSQWK	203
83N54RDL	200
83N54RDLK	201
83N54RDLL	200
83N54RDW	200
83N54RDWK	201
83N6060SSQL	202
83N6060SSQLK	203
83N6060SSQLL	202
83N6060SSQW	202
83N6060SSQWK	203
83N60RDL	200
83N60RDLK	201
83N60RDLL	200
83N60RDW	200
83N60RDWK	201
85N2024EN	492
85N2024ENLW	492
85N2040MG	492
85N2040MGLW	492
86N3610829WKF2L	312
86N3610829WKF2LL	312
86N3610829WKF2LW	312
86N3610829WKF2W	312
86N3610835WKF2L	315
86N3610835WKF2LL	315
86N3610835WKF2LW	315
86N3610835WKF2W	315
86N3610841WKF2L	318
86N3610841WKF2LL	318
86N3610841WKF2LW	318
86N3610841WKF2W	318
86N3612029WKF2L	312
86N3612029WKF2LL	312
86N3612029WKF2LW	312
86N3612029WKF2W	312
86N3612035WKF2L	315
86N3612035WKF2LL	315
86N3612035WKF2LW	315
86N3612035WKF2W	315
86N3612041WKF2L	318
86N3612041WKF2LL	318
86N3612041WKF2LW	318
86N3612041WKF2W	318
86N364829WKF2L	312
86N364829WKF2LL	312
86N364829WKF2LW	312
86N364829WKF2W	312
86N364835WKF2L	315
86N364835WKF2LL	315
86N364835WKF2LW	315
86N364835WKF2W	315
86N364841WKF2L	318
86N364841WKF2LL	318
86N364841WKF2LW	318
86N364841WKF2W	318
86N366029WKF2L	312
86N366029WKF2LL	312
86N366029WKF2LW	312
86N366029WKF2W	312
86N366035WKF2L	315
86N366035WKF2LL	315
86N366035WKF2LW	315
86N366035WKF2W	315
86N366041WKF2L	318
86N366041WKF2LL	318
86N366041WKF2LW	318
86N366041WKF2W	318
86N367229WKF2L	312
86N367229WKF2LL	312
86N367229WKF2LW	312
86N367229WKF2W	312
86N367235WKF2L	315
86N367235WKF2LL	315
86N367235WKF2LW	315
86N367235WKF2W	315
86N367241WKF2L	318
86N367241WKF2LL	318
86N367241WKF2LW	318
86N367241WKF2W	318
86N368429WKF2L	312
86N368429WKF2LL	312
86N368429WKF2LW	312
86N368429WKF2W	312
86N368435WKF2L	315
86N368435WKF2LL	315
86N368435WKF2LW	315
86N368435WKF2W	315
86N368441WKF2L	318
86N368441WKF2LL	318
86N368441WKF2LW	318
86N368441WKF2W	318
86N369629WKF2L	312
86N369629WKF2LL	312
86N369629WKF2LW	312
86N369629WKF2W	312
86N369635WKF2L	315
86N369635WKF2LL	315
86N369635WKF2LW	315
86N369635WKF2W	315
86N369641WKF2L	318
86N369641WKF2LL	318
86N369641WKF2LW	318
86N369641WKF2W	318
86N4210829WKF2L	313
86N4210829WKF2LL	313
86N4210829WKF2LW	313
86N4210829WKF2W	313
86N4210835WKF2L	316
86N4210835WKF2LL	316
86N4210835WKF2LW	316
86N4210835WKF2W	316
86N4210841WKF2L	319
86N4210841WKF2LL	319
86N4210841WKF2LW	319
86N4210841WKF2W	319
86N4212029WKF2L	313
86N4212029WKF2LL	313
86N4212029WKF2LW	313
86N4212029WKF2W	313
86N4212035WKF2L	316
86N4212035WKF2LL	316
86N4212035WKF2LW	316
86N4212035WKF2W	316
86N4212041WKF2L	319
86N4212041WKF2LL	319
86N4212041WKF2LW	319
86N4212041WKF2W	319
86N424829WKF2L	313
86N424829WKF2LL	313
86N424829WKF2LW	313
86N424829WKF2W	313
86N424835WKF2L	316
86N424835WKF2LL	316
86N424835WKF2LW	316
86N424835WKF2W	316
86N424841WKF2L	319
86N424841WKF2LL	319
86N424841WKF2LW	319
86N424841WKF2W	319
86N426029WKF2L	313
86N426029WKF2LL	313
86N426029WKF2LW	313
86N426029WKF2W	313
86N426035WKF2L	316
86N426035WKF2LL	316
86N426035WKF2LW	316
86N426035WKF2W	316
86N426041WKF2L	319
86N426041WKF2LL	319
86N426041WKF2LW	319
86N426041WKF2W	319
86N427229WKF2L	313
86N427229WKF2LL	313
86N427229WKF2LW	313
86N427229WKF2W	313
86N427235WKF2L	316
86N427235WKF2LL	316
86N427235WKF2LW	316
86N427235WKF2W	316
86N427241WKF2L	319
86N427241WKF2LL	319
86N427241WKF2LW	319
86N427241WKF2W	319
86N428429WKF2L	313
86N428429WKF2LL	313
86N428429WKF2LW	313
86N428429WKF2W	313
86N428435WKF2L	316
86N428435WKF2LL	316
86N428435WKF2LW	316
86N428435WKF2W	316
86N428441WKF2L	319
86N428441WKF2LL	319
86N428441WKF2LW	319
86N428441WKF2W	319
86N429629WKF2L	313
86N429629WKF2LL	313
86N429629WKF2LW	313
86N429629WKF2W	313
86N429635WKF2L	316
86N429635WKF2LL	316
86N429635WKF2LW	316
86N429635WKF2W	316
86N429641WKF2L	319
86N429641WKF2LL	319
86N429641WKF2LW	319
86N429641WKF2W	319
86N4810829WKF2L	314
86N4810829WKF2LL	314
86N4810829WKF2LW	314
86N4810829WKF2W	314
86N4810835WKF2L	317
86N4810835WKF2LL	317
86N4810835WKF2LW	317
86N4810835WKF2W	317
86N4810841WKF2L	320
86N4810841WKF2LL	320
86N4810841WKF2LW	320
86N4810841WKF2W	320
86N4812029WKF2L	314
86N4812029WKF2LL	314
86N4812029WKF2LW	314
86N4812029WKF2W	314
86N4812035WKF2L	317
86N4812035WKF2LL	317
86N4812035WKF2LW	317
86N4812035WKF2W	317
86N4812041WKF2L	320
86N4812041WKF2LL	320
86N4812041WKF2LW	320
86N4812041WKF2W	320
86N484829WKF2L	314
86N484829WKF2LL	314
86N484829WKF2LW	314
86N484829WKF2W	314
86N484835WKF2L	317
86N484835WKF2LL	317
86N484835WKF2LW	317
86N484835WKF2W	317
86N484841WKF2L	320
86N484841WKF2LL	320
86N484841WKF2LW	320
86N484841WKF2W	320
86N486029WKF2L	314
86N486029WKF2LL	314
86N486029WKF2LW	314
86N486029WKF2W	314
86N486035WKF2L	317
86N486035WKF2LL	317
86N486035WKF2LW	317
86N486035WKF2W	317
86N486041WKF2L	320
86N486041WKF2LL	320
86N486041WKF2LW	320
86N486041WKF2W	320
86N487229WKF2L	314
86N487229WKF2LL	314
86N487229WKF2LW	314
86N487229WKF2W	314
86N487235WKF2L	317
86N487235WKF2LL	317
86N487235WKF2LW	317
86N487235WKF2W	317
86N487241WKF2L	320
86N487241WKF2LL	320
86N487241WKF2LW	320
86N487241WKF2W	320
86N488429WKF2L	314
86N488429WKF2LL	314
86N488429WKF2LW	314
86N488429WKF2W	314
86N488435WKF2L	317
86N488435WKF2LL	317
86N488435WKF2LW	317
86N488435WKF2W	317
86N488441WKF2L	320
86N488441WKF2LL	320
86N488441WKF2LW	320

INDEX

MODEL	PAGE
86N488441WKF2W	320
86N489629WKF2L	314
86N489629WKF2LL	314
86N489629WKF2LW	314
86N489629WKF2W	314
86N489635WKF2L	317
86N489635WKF2LL	317
86N489635WKF2LW	317
86N489635WKF2W	317
86N489641WKF2L	320
86N489641WKF2LL	320
86N489641WKF2LW	320
86N489641WKF2W	320
91NA2424CUL	498
91NA2424CUW	498
91NA2424CYL	498
91NA2424CYW	498
91NA2448MGTL	498
91NA2448MGTW	498
91NA3636MGUL	498
91NA3636MGUW	498
91NA3636MGYL	498
91NA3636MGYW	498
91NB1850CSL	497
91NB1850CSW	497
91NB2424ENL	497
91NB2424ENW	497
91NB2448MGL	497
91NB2448MGW	497
91NB3636MGL	497
91NB3636MGW	497
91NC1850CSG	499
91NC1850CSL	500
91NC1850CSW	500
91NC2424ENG	499
91NC2424ENL	500
91NC2424ENW	500
91NC2448MGG	499
91NC2448MGL	500
91NC2448MGW	500
91NC3636MGG	499
91NC3636MGL	500
91NC3636MGW	500
BP-16	162
BP-18	162
BP-24	162
BP-2427C	165
BP-2427S	165
BW-16	162
BW-1616	162
BW-18	162
BW-24	162
BW-2427S	165
BW-4	173
CBV0228COA2BMP	370
CBV0228COA2BP	370
CBV0228COBMP	172, 370
CBV0228COBP	172, 370
CBV183115YBKP	222, 496
CBV183515YBKP	222, 496
CBV2115XBP	220, 496
CBV2119XBP	220, 496
CBV2128CL1	371
CBV2128CL1S	371
CBV2128CL2BMP	371
CBV2128CL2BP	371
CBV2128CLA2B	372
CBV2128CLA2N	372
CBV2128CLA2S	372
CBV2128CLM1	372
CBV2128CLM1S	372
CBV2128T1	373
CBV2128T1S	373
CBV2128TF	373
CBV2128TL2BMP	372
CBV2128TL2BP	372
CBV2128TM1	373
CBV2128TM1S	373
CBV2128XBP	220
CBV2135XBP	220
CBV2141XBP	221
CBV2215DRNBP	177, 513
CBV2215DSQBP	177, 513
CBV2228DRNBP	177, 513
CBV2228DSQBP	178, 513
CBV2235DRNBP	178, 514
CBV2235DSQBP	178, 514
CBV2240DRNBP	179, 515
CBV2240DSQBP	179, 515
CBV243815YBKP	222, 496
CBV243828YBKP	222
CBV243835YBKP	223
CBV243841YBKP	223
CBV244415YBKP	222, 496
CBV244428YBKP	222
CBV244435YBKP	223
CBV244441YBKP	223
CBV2448ABCB	375
CBV2448ABCN	375
CBV2448ABCS	375
CBV2448ABEB	374
CBV2448ABEN	374
CBV2448ABES	374
CBV245015YBKP	222, 496
CBV245028YBKP	222
CBV245035YBKP	223
CBV245041YBKP	223
CBV245628YBKP	222
CBV245635YBKP	223
CBV245641YBKP	223
CBV2460ABCB	375
CBV2460ABCN	375
CBV2460ABCS	375
CBV2460ABEB	374
CBV2460ABEN	374
CBV2460ABES	374
CBV246228YBKP	222
CBV246235YBKP	223
CBV246241YBKP	223
CBV2466ABCB	375
CBV2466ABCN	375
CBV2466ABCS	375
CBV2466ABEB	374
CBV2466ABEN	374
CBV2466ABES	374
CBV2472ABCB	375
CBV2472ABCN	375
CBV2472ABCS	375
CBV2472ABEB	374
CBV2472ABEN	374
CBV2472ABES	374
CBV2628CLA2B	372
CBV2628CLA2N	372
CBV2628CLA2S	372
CBV2715DRNBP	177, 513
CBV2715DSQBP	177, 513
CBV2715XBP	220, 496
CBV2719XBP	220, 496
CBV2728CL1	371
CBV2728CL1S	371
CBV2728CL2BMP	371
CBV2728CL2BP	371
CBV2728CLM1	372
CBV2728CLM1S	372
CBV2728DRNBP	177, 513
CBV2728DSQBP	178, 513
CBV2728U4MB	176
CBV2728U4MN	176
CBV2728U4MS	176
CBV2728U4SB	176
CBV2728U4SN	176
CBV2728U4SS	176
CBV2728XBMP	174, 220
CBV2728XBP	173, 220
CBV2735DRNBP	178, 514
CBV2735DSQBP	178, 514
CBV2735XBP	174, 220
CBV2740DRNBP	179, 515
CBV2740DSQBP	179, 515
CBV2741XBP	175, 221
CBV2742U4AMB	176
CBV2742U4AMN	176
CBV2742U4AMS	176
CBV2810028YBKP	222
CBV2828P4BP	173
CBV285228YBKP	222
CBV285235YBKP	223
CBV285241YBKP	223
CBV285828YBKP	222
CBV285835YBKP	223
CBV285841YBKP	223
CBV286428YBKP	222
CBV286435YBKP	223
CBV286441YBKP	223
CBV2928P2BP	172
CBV3028QXBP	221
CBV3035QXBP	221
CBV3041QXBP	221
CBV3048ABCB	375
CBV3048ABCN	375
CBV3048ABCS	375
CBV3048ABEB	374
CBV3048ABEN	374
CBV3048ABES	374
CBV3060ABCB	375
CBV3060ABCN	375
CBV3060ABCS	375
CBV3060ABEB	374
CBV3060ABEN	374
CBV3060ABES	374
CBV3066ABCB	375
CBV3066ABCN	375
CBV3066ABCS	375
CBV3066ABEB	374
CBV3066ABEN	374
CBV3066ABES	374
CBV3072ABCB	375
CBV3072ABCN	375
CBV3072ABCS	375
CBV3072ABEB	374
CBV3072ABEN	374
CBV3072ABES	374
CBV3215XBP	220, 496
CBV3226XBAB	175
CBV3226XBAN	175
CBV3226XBAS	175
CBV3228XBMP	174, 220
CBV3228XBP	173, 220
CBV3235XBP	174, 220
CBV3241XBP	175, 221
CBV3428P4BP	173
CBV3528QXBP	221
CBV3535QXBP	221
CBV3541QXBP	221
CBV4028XBMP	174, 220
CBV4028XBP	173, 220
CBV4035XBP	220
CBV4041XBP	221
CBV4728XB	174
CBV4728XN	174
CBV4728XS	174
CBV6066ALBCB	381
CBV6066ALBCN	381
CBV6066ALBCS	381
CBV6066ALBEB	380
CBV6066ALBEN	380
CBV6066ALBES	380
CBV6072ALBCB	381
CBV6072ALBCN	381
CBV6072ALBCS	381
CBV6072ALBEB	380
CBV6072ALBEN	380
CBV6072ALBES	380
CBV6666ALBCB	381
CBV6666ALBCN	381
CBV6666ALBCS	381
CBV6666ALBEB	380
CBV6666ALBEN	380
CBV6666ALBES	380
CBV7266ALBCB	381
CBV7266ALBCN	381
CBV7266ALBCS	381
CBV7266ALBEB	380
CBV7266ALBEN	380
CBV7266ALBES	380
CBV7272ALBCB	381
CBV7272ALBCN	381
CBV7272ALBCS	381
CBV7272ALBEB	380
CBV7272ALBEN	380
CBV7272ALBES	380
CBW3428H	172
CBW3428TT	172
CCW2472CBLW	409
CCW2472CBVLW	409
CCW2472CBVW	409
CCW2472CBW	409
CCW3030SQLW	130
CCW3030SQW	130
CCW3030WSSQW	131
CCW30RD2LW	128
CCW30RD2W	128
CCW30WSRNW	129
CCW3636SQLW	130
CCW3636SQW	130
CCW3636WSSQW	131
CCW3672BTLW	136
CCW3672BTW	136
CCW3672RC2LW	140
CCW3672RC2W	140
CCW3672RT2LW	132
CCW3672RT2W	132
CCW36RD2LW	128
CCW36RD2W	128
CCW36WSRNW	129
CCW4242SQLW	130
CCW4242SQW	130
CCW4242WSSQW	131
CCW4284BTLW	136
CCW4284BTW	136
CCW4284RC2LW	140
CCW4284RC2W	140
CCW4284RT2LW	132
CCW4284RT2W	132
CCW42RD2LW	128
CCW42RD2W	128
CCW42WSRNW	129
CCW48120BTLW	136
CCW48120BTW	136
CCW48120RC2LW	140
CCW48120RC2W	140
CCW48120RT2LW	132
CCW48120RT2W	132
CCW48144BTLW	136
CCW48144BTW	136
CCW48144RC2LW	140

MODEL	PAGE
CCW48144RC2W	140
CCW48144RT2LW	132
CCW48144RT2W	132
CCW48168BTLW	137
CCW48168BTW	137
CCW48168RC2LW	141
CCW48168RC2W	141
CCW48168RT2LW	133
CCW48168RT2W	133
CCW48192BTLW	137
CCW48192BTW	137
CCW48192RC2LW	141
CCW48192RC2W	141
CCW48192RT2LW	133
CCW48192RT2W	133
CCW48216BTLW	137
CCW48216BTW	137
CCW48216RC2LW	141
CCW48216RC2W	141
CCW48216RT2LW	133
CCW48216RT2W	133
CCW48240BTLW	137
CCW48240BTW	137
CCW48240RC2LW	141
CCW48240RC2W	141
CCW48240RT2LW	133
CCW48240RT2W	133
CCW4848SQLW	130
CCW4848SQW	130
CCW4848WSSQW	131
CCW4896BTLW	136
CCW4896BTW	136
CCW4896RC2LW	140
CCW4896RC2W	140
CCW4896RT2LW	132
CCW4896RT2W	132
CCW48RD2LW	128
CCW48RD2W	128
CCW48WSRNW	129
CCW5454SQLW	130
CCW5454SQW	130
CCW54RD2LW	128
CCW54RD2W	128
CCW60144BTLW	138
CCW60144BTW	138
CCW60144RC2LW	142
CCW60144RC2W	142
CCW60144RT2LW	134
CCW60144RT2W	134
CCW60168BTLW	138
CCW60168BTW	138
CCW60168RC2LW	142
CCW60168RC2W	142
CCW60168RT2LW	134
CCW60168RT2W	134
CCW60192BTLW	138
CCW60192BTW	138
CCW60192RC2LW	142
CCW60192RC2W	142
CCW60192RT2LW	134
CCW60192RT2W	134
CCW60216BTLW	138
CCW60216BTW	138
CCW60216RC2LW	142
CCW60216RC2W	142
CCW60216RT2LW	134
CCW60216RT2W	134
CCW60240BTLW	138
CCW60240BTW	138
CCW60240RC2LW	142
CCW60240RC2W	142
CCW60240RT2LW	134
CCW60240RT2W	134
CCW6060SQLW	130
CCW6060SQW	130
CCW60RD2LW	128
CCW60RD2W	128
CLN2040MGW	490
CLN2424ENW	490
CLN2424SQLW	399
CLN2424SQW	399
CLN2472CBVLW	399
CLN2472CBVW	399
CLN30RDLW	82
CLN30RDW	82
CLN36RDLW	82
CLN36RDW	82
CLN42RDLW	82
CLN42RDW	82
CLN48RDLW	82
CLN48RDW	82
CLNN3030SQW	83
CLNN30RDW	82
CLNN3636SQW	83
CLNN3672BTW	86
CLNN3672RCW	88
CLNN3672RTW	84
CLNN36RDW	82
CLNN4242SQW	83
CLNN4284BTW	86
CLNN4284RCW	88
CLNN4284RTW	84
CLNN42RDW	82
CLNN48120BTW	86
CLNN48120RCW	88
CLNN48120RTW	84
CLNN48144BTW	86
CLNN48144RCW	88
CLNN48144RTW	84
CLNN48168BTW	86
CLNN48168RCW	88
CLNN48168RTW	84
CLNN48192BTW	86
CLNN48192RCW	88
CLNN48192RTW	84
CLNN48216BTW	86
CLNN48216RCW	88
CLNN48216RTW	84
CLNN48240BTW	86
CLNN48240RCW	88
CLNN48240RTW	84
CLNN4848SQW	83
CLNN4896BTW	86
CLNN4896RCW	88
CLNN4896RTW	84
CLNN48RDW	82
CLNN5454SQW	83
CLNN54RDW	82
CLNN60144BTW	87
CLNN60144RCW	89
CLNN60144RTW	85
CLNN60168BTW	87
CLNN60168RCW	89
CLNN60168RTW	85
CLNN60192BTW	87
CLNN60192RCW	89
CLNN60192RTW	85
CLNN60216BTW	87
CLNN60216RCW	89
CLNN60216RTW	85
CLNN60240BTW	87
CLNN60240RCW	89
CLNN60240RTW	85
CLNN6060SQW	83
CLNN60RDW	82
CP-30E	128
CP-36E	128
CP-42E	128
CP-48E	128
CP-54E	128
CP-60E	128
CP-B120E	136
CP-B144E	136
CP-B168E	137
CP-B192E	137
CP-B216E	137
CP-B240E	137
CP-B60144E	138
CP-B60168E	138
CP-B60192E	138
CP-B60216E	138
CP-B60240E	138
CP-B72E	136
CP-B84E	136
CP-B96E	136
CP-R120E	140
CP-R144E	140
CP-R168E	141
CP-R192E	141
CP-R216E	141
CP-R240E	141
CP-R60144E	142
CP-R60168E	142
CP-R60192E	142
CP-R60216E	142
CP-R60240E	142
CP-R72E	140
CP-R84E	140
CP-R96E	140
CP-S120E	132
CP-S144E	132
CP-S168E	133
CP-S192E	133
CP-S216E	133
CP-S240E	133
CP-S60144E	134
CP-S60168E	134
CP-S60192E	134
CP-S60216E	134
CP-S60240E	134
CP-S72E	132
CP-S84E	132
CP-S96E	132
CP-SQ30E	130
CP-SQ36E	130
CP-SQ42E	130
CP-SQ48E	130
CP-SQ54E	130
CP-SQ60E	130
CP-WS30E	129
CP-WS36E	129
CP-WS42E	129
CP-WS48E	129
CP-WSSQ30E	131
CP-WSSQ36E	131
CP-WSSQ42E	131
CP-WSSQ48E	131
CUT-G12C	327, 345
CUT-G17C	327, 345
CUT-G23C	184, 304, 327
CUT-G33C	327
ECN0637CPCFW	405
ECN0643CPCFW	405
ECN1948CSW	494
ECN2040MGW	494
ECN2238MUCW	404
ECN2273CBVW	404
ECN2273CBW	404
ECN2424ENW	494
ECN3030SQW	115
ECN30RDW	114
ECN3636SQW	115
ECN3672BTW	118
ECN3672RTW	116
ECN36RDW	114
ECN3879VVHW	404
ECN4242SQW	115
ECN4284BTW	118
ECN4284RTW	116
ECN42RDW	114
ECN48120BTW	118
ECN48120RTW	116
ECN48144BTW	118
ECN48144RTW	116
ECN48168BTW	118
ECN48168RTW	116
ECN48192BTW	118
ECN48192RTW	116
ECN48216BTW	118
ECN48216RTW	116
ECN48240BTW	118
ECN48240RTW	116
ECN4848SQW	115
ECN4896BTW	118
ECN4896RTW	116
ECN48RDW	114
ECN5454SQW	115
ECN60144BTW	119
ECN60144RTW	117
ECN60168BTW	119
ECN60168RTW	117
ECN60192BTW	119
ECN60192RTW	117
ECN60216BTW	119
ECN60216RTW	117
ECN60240BTW	119
ECN60240RTW	117
ECN6060SQW	115
G1C	323, 345
MPK-4	394, 396, 407
N32T2424ENL	502
N32T2424ENW	502
N32T2448MGL	502
N32T2448MGW	502
N32T24ENL	502
N32T24ENW	502
N32T3636MGL	503
N32T3636MGW	503
N32T36MGL	503
N32T36MGW	503
N60SGL	510
N60SGW	510
N60SHL	510
N60SHW	510
N60SKL	510
N60SKW	510
N71T2525ENDLW	495
N71T2525ENDW	495
N71T2525ENL	495
N71T2525ENS	495
N71T2525ENW	495
N71T2552MGDLW	495
N71T2552MGDW	495
N71T2552MGL	495
N71T2552MGS	495
N71T2552MGW	495
N71TCDLW	495
N71TCDW	495
N71TCL	495
N71TCS	495
N71TCW	495
N78SML	491
N78SMW	491
N78SNL	491
N78SNW	491
N95KKL	509

INDEX

MODEL	PAGE
N95KKW	509
N95LLL	509
N95LLW	509
N95NNL	509
N95NNW	509
N95PPL	508
N95PPW	508
N95RRL	508
N95RRW	508
N95SSL	508
N95SSW	508
NAC01WMFM	299
NAC0228SFSQB	369
NAC0236SUR	376
NAC0248SUR	376
NAC0318WMM	376, 533
NAC0318WMV	376, 533
NAC0318WMVN	376, 533
NAC0318WMVS	376, 533
NAC0328SFRNB	368
NAC0328SFSQB	369
NAC0334SFRNB	368
NAC0334SFSQB	369
NAC0340SFRNB	368
NAC0340SFSQB	369
NAC03ELUPDC	343
NAC0403WM	376, 533
NAC0428SFRNB	368
NAC0510PTB	481
NAC0711SHM	300, 523
NAC0905SHBM	481
NAC0924SHM	480
NAC0930SHM	480
NAC0936SHM	480
NAC0942SHM	480
NAC0948SHM	480
NAC1010AT	482
NAC1010ATC	482
NAC1115SPT	482
NAC1115SPTC	482
NAC1212SSM	480
NAC1217DPTM	480
NAC1217SPTM	480
NAC16POM	480
NAC17WMH	534
NAC18LGB	350
NAC18TLDBPUS	523
NAC18TLDBUH	523
NAC2124PVC2PF	537
NAC2124PVC2PFA	537
NAC2124PVCP	536
NAC2124PVCTP	536
NAC2132PVMC2PF	535
NAC2132PVMC2PFA	535
NAC2132PVMCP	534
NAC2412MP2M	349, 539
NAC2412MPA	348, 538
NAC2412MPTA	348, 538
NAC2424PVC2PF	537
NAC2424PVC2PFA	537
NAC2424PVCP	536
NAC2424PVCTP	536
NAC2432PVMC2PF	535
NAC2432PVMC2PFA	535
NAC2432PVMCP	534
NAC24LGB	350
NAC24WMH	534
NAC25ELPTB	523
NAC25ELPTH	523
NAC25ELPTS	523
NAC2724PVC2PF	537
NAC2724PVC2PFA	537
NAC2724PVCP	536
NAC2724PVCTP	536
NAC2732PVMC2PF	535
NAC2732PVMC2PFA	535
NAC2732PVMCP	534
NAC2804SFBW	368
NAC3012MP2M	343, 349, 539
NAC3012MPA	343, 348, 538
NAC3012MPTA	348, 538
NAC3024PVC2PF	537
NAC3024PVC2PFA	537
NAC3024PVCP	536
NAC3024PVCTP	536
NAC3032PVMC2PF	535
NAC3032PVMC2PFA	535
NAC3032PVMCP	534
NAC3048MBW	411
NAC30WMV	534
NAC3612MP2M	349, 539
NAC3612MPA	348, 538
NAC3612MPTA	348, 538
NAC3624PVC2PF	537
NAC3624PVC2PFA	537
NAC3624PVCP	536
NAC3624PVCTP	536
NAC3632PVMC2PF	535
NAC3632PVMC2PFA	535
NAC3632PVMCP	534
NAC3639VBL	405, 411
NAC3639VBW	405, 411
NAC4208MPM	377
NAC4212MP2M	343, 349, 539
NAC4212MPA	343, 348, 538
NAC4212MPTA	348, 538
NAC4224PVC2PF	537
NAC4224PVC2PFA	537
NAC4224PVCP	536
NAC4224PVCTP	536
NAC4232PVMC2PF	535
NAC4232PVMC2PFA	535
NAC4232PVMCP	534
NAC4239VBL	405, 411
NAC4239VBW	405, 411
NAC4808MPM	377
NAC4812MP2M	349, 539
NAC4812MPA	348, 538
NAC4812MPTA	348, 538
NAC4824PVC2PF	537
NAC4824PVC2PFA	537
NAC4824PVCP	536
NAC4824PVCTP	536
NAC4832PVMC2PF	535
NAC4832PVMC2PFA	535
NAC4832PVMCP	534
NAC5408MPM	377
NAC5412MP2M	349, 539
NAC5412MPA	348, 538
NAC5412MPTA	348, 538
NAC5424PVC2PF	537
NAC5424PVC2PFA	537
NAC5424PVCP	536
NAC5424PVCTP	536
NAC5432PVMC2PF	535
NAC5432PVMC2PFA	535
NAC5432PVMCP	534
NAC6012MP2M	349, 539
NAC6012MPA	348, 538
NAC6012MPTA	348, 538
NAC6024PVC2PF	537
NAC6024PVC2PFA	537
NAC6024PVCP	536
NAC6024PVCTP	536
NAC6032PVMC2PF	535
NAC6032PVMC2PFA	535
NAC6032PVMCP	534
NAC6624PVC2PFA	537
NAC6624PVCP	536
NAC6624PVCTP	536
NAC6632PVMC2PFA	535
NAC6632PVMCP	534
NAC7224PVC2PFA	537
NAC7224PVCP	536
NAC7224PVCTP	536
NAC7232PVMC2PFA	535
NAC7232PVMCP	534
NAC80ELDLJ	532
NACBS	482
NACCP	482
NACCPC	482
NACELIQ1	529
NACELIQ2PPG	525
NACELIQ2PPG1	525
NACELIQ2PPG18	525
NACELIQJ	525, 529
NACELIQPPG	525
NACELIQPPG1	525
NACELIQPPG18	525
NACG10	524
NACG10EL	524
NACG122ELB	524
NACG122ELHB	524
NACG122ELHS	524
NACG122ELS	524
NACG12ELB	524
NACG12ELHB	524
NACG12ELHS	524
NACG12ELS	524
NACG152ELB	526
NACG152ELHB	526
NACG152ELHS	526
NACG152ELS	526
NACG15EL	526
NACG15ELB	526
NACG15ELH	526
NACG15ELHB	526
NACG162ELB	526
NACG162ELHB	526
NACG162ELHB120LR	527
NACG162ELHB144LR	527
NACG162ELHB168A	527
NACG162ELHB168CE	527
NACG162ELHB168LR	527
NACG162ELHB192A	527
NACG162ELHB192CE	527
NACG162ELHB192LR	527
NACG162ELHB216A	527
NACG162ELHB216CE	527
NACG162ELHB216LR	527
NACG162ELHB240A	527
NACG162ELHB240CE	527
NACG162ELHB240LR	527
NACG162ELHS	526
NACG162ELHS120LR	527
NACG162ELHS144LR	527
NACG162ELHS168A	527
NACG162ELHS168CE	527
NACG162ELHS168LR	527
NACG162ELHS192A	527
NACG162ELHS192CE	527
NACG162ELHS192LR	527
NACG162ELHS216A	527
NACG162ELHS216CE	527
NACG162ELHS216LR	527
NACG162ELHS240A	527
NACG162ELHS240CE	527
NACG162ELHS240LR	527
NACG162ELS	526
NACG172ELB	528
NACG172ELIQB	529
NACG172ELIQB1	529
NACG172ELIQB18	529
NACG172ELIQS	529
NACG172ELIQS1	529
NACG172ELIQS18	529
NACG172ELS	528
NACG173ELB	528
NACG173ELS	528
NACG17ELB	528
NACG17ELIQB	529
NACG17ELIQB1	529
NACG17ELIQB18	529
NACG17ELIQS	529
NACG17ELIQS1	529
NACG17ELIQS18	529
NACG17ELS	528
NACG23ELB	532
NACG23ELDLB1	532
NACG23ELDLB2	532
NACG23ELDLHB1	532
NACG23ELDLHS1	532
NACG23ELDLS1	532
NACG23ELDLS2	532
NACG23ELS	532
NACG26ELB	533
NACG26ELMB	533
NACG26ELMS	533
NACG26ELS	533
NACG33ELB	532
NACG33ELS	532
NACGBT2	350, 539
NACMAPSMB	483
NACMAPSMS	483
NACMRHM	480
NACPH	482
NACPHC	482
NACSS	482
NACSSC	482
Q19N2472CSFW2	406
Q31N2040MGPLW	486
Q31N2424ENPLW	486
Q50N2040MGW	487
Q50N2424ENW	487
Q51N2040MGLW	504
Q51N2172CSFLW2	407
Q51N2424ENLW	504
QBP-18	162
QBP-2427S	165
QBW-18	162
QBW-2427S	165
QCCW42RD2W	128
QCCW4896RC2W	140
QCLN2040MGW	490
QCLN2424ENW	490
QCP-42E	128
QCP-R96E	140
QECN2040MGW	494
QECN2424ENW	494
TB-4P	165
TBW-4	165
WW1830WSSDL	356
WW1830WSSDLL	356
WW1830WSSDLW	356
WW1830WSSDW	356
WW1836WSSDL	356
WW1836WSSDLL	356
WW1836WSSDLW	356
WW1836WSSDW	356
WW1842WSSDL	356
WW1842WSSDLL	356
WW1842WSSDLW	356
WW1842WSSDW	356
WW1848RTFML	346
WW1848RTFMLL	347
WW1848RTFMW	346

MODEL	PAGE
WW1848WSSDL	355
WW1848WSSDLL	355
WW1848WSSDLW	355
WW1848WSSDW	355
WW1854WSSDL	355
WW1854WSSDLL	355
WW1854WSSDLW	355
WW1854WSSDW	355
WW1860RTFML	346
WW1860RTFMLL	347
WW1860RTFMW	346
WW1860WSSDL	355
WW1860WSSDLL	355
WW1860WSSDLW	355
WW1860WSSDW	355
WW1866WSSDL	355
WW1866WSSDLL	355
WW1866WSSDLW	355
WW1866WSSDW	355
WW1872RTFML	346
WW1872RTFMLL	347
WW1872RTFMW	346
WW1872WSSDL	355
WW1872WSSDLL	355
WW1872WSSDLW	355
WW1872WSSDW	355
WW2424WSQRL	365
WW2424WSQRLL	365
WW2424WSQRLW	365
WW2424WSQRW	365
WW2430WSQRL	365
WW2430WSQRLL	365
WW2430WSQRLW	365
WW2430WSQRW	365
WW2430WSSDL	359
WW2430WSSDLL	359
WW2430WSSDLW	359
WW2430WSSDW	359
WW2430WSSVDL	390
WW2430WSSVDLL	390
WW2430WSSVDLW	390
WW2430WSSVDW	390
WW2436MCCL	420
WW2436MCCW	420
WW2436MUCL	420
WW2436MUCLL	420
WW2436MUCLW	420
WW2436MUCLWL	420
WW2436MUCW	420
WW2436MUCWWL	420
WW2436PFHL	421
WW2436PFHLL	421
WW2436PFHLW	421
WW2436PFHW	421
WW2436WSSDL	359
WW2436WSSDLL	359
WW2436WSSDLW	359
WW2436WSSDW	359
WW2436WSSVDL	390
WW2436WSSVDLL	390
WW2436WSSVDLW	390
WW2436WSSVDW	390
WW2442WSSDL	359
WW2442WSSDLL	359
WW2442WSSDLW	359
WW2442WSSDW	359
WW2448RTFML	346
WW2448RTFMLL	347
WW2448RTFMW	346
WW2448WSSDL	358
WW2448WSSDLL	358
WW2448WSSDLW	358
WW2448WSSDW	358
WW2454WSSDL	358
WW2454WSSDLL	358
WW2454WSSDLW	358
WW2454WSSDW	358
WW2460RTFML	346
WW2460RTFMLL	347
WW2460RTFMW	346
WW2460WSCCRDL	362
WW2460WSCCRDLL	362
WW2460WSCCRDLW	362
WW2460WSCCRDW	362
WW2460WSSDL	358
WW2460WSSDLL	358
WW2460WSSDLW	358
WW2460WSSDW	358
WW2466WSCCRDL	362
WW2466WSCCRDLL	362
WW2466WSCCRDLW	362
WW2466WSCCRDW	362
WW2466WSSDL	358
WW2466WSSDLL	358
WW2466WSSDLW	358
WW2466WSSDW	358
WW2472CBL	419
WW2472CBLL	419
WW2472CBLW	419
WW2472CBVL	418
WW2472CBVLL	418
WW2472CBVLW	418
WW2472CBVW	418
WW2472CBW	419
WW2472RTFML	346
WW2472RTFMLL	347
WW2472RTFMW	346
WW2472WSCCRDL	362
WW2472WSCCRDLL	362
WW2472WSCCRDLW	362
WW2472WSCCRDW	362
WW2472WSSDL	358
WW2472WSSDLL	358
WW2472WSSDLW	358
WW2472WSSDW	358
WW3024WSQRL	365
WW3024WSQRLL	365
WW3024WSQRLW	365
WW3024WSQRW	365
WW3030SQL	151
WW3030SQLW	151
WW3030SQW	151
WW3030WSQRL	365
WW3030WSQRLL	365
WW3030WSQRLW	365
WW3030WSQRW	365
WW3048RTFML	346
WW3048RTFMLL	347
WW3048RTFMW	346
WW3048WSSDL	361
WW3048WSSDLL	361
WW3048WSSDLW	361
WW3048WSSDW	361
WW3054WSSDL	361
WW3054WSSDLL	361
WW3054WSSDLW	361
WW3054WSSDW	361
WW3060RTFML	346
WW3060RTFMLL	347
WW3060RTFMW	346
WW3060WSSDL	361
WW3060WSSDLL	361
WW3060WSSDLW	361
WW3060WSSDW	361
WW3066WSSDL	361
WW3066WSSDLL	361
WW3066WSSDLW	361
WW3066WSSDW	361
WW3072RTFML	346
WW3072RTFMLL	347
WW3072RTFMW	346
WW3072WSSDL	361
WW3072WSSDLL	361
WW3072WSSDLW	361
WW3072WSSDW	361
WW30RDL	149
WW30RDLW	149
WW30RDW	149
WW3636SQL	151
WW3636SQLW	151
WW3636SQW	151
WW3638VOVHGL	421
WW3638VOVHGW	421
WW3638VOVHL	421
WW3638VOVHW	421
WW3638VOVHWL	421
WW3650VOVHGL	421
WW3650VOVHGW	421
WW3650VOVHL	421
WW3650VOVHW	421
WW3650VOVHWL	421
WW3660WSCEDLL2	387
WW3660WSCEDLLL2	387
WW3660WSCEDLLW2	387
WW3660WSCEDLW2	387
WW3660WSCEDRL2	387
WW3660WSCEDRLL2	387
WW3660WSCEDRLW2	387
WW3660WSCEDRW2	387
WW3666WSCEDLL2	387
WW3666WSCEDLLL2	387
WW3666WSCEDLLW2	387
WW3666WSCEDLW2	387
WW3666WSCEDRL2	387
WW3666WSCEDRLL2	387
WW3666WSCEDRLW2	387
WW3666WSCEDRW2	387
WW3672WSCEDLL2	387
WW3672WSCEDLLL2	387
WW3672WSCEDLLW2	387
WW3672WSCEDLW2	387
WW3672WSCEDRL2	387
WW3672WSCEDRLL2	387
WW3672WSCEDRLW2	387
WW3672WSCEDRW2	387
WW36RDL	149
WW36RDLW	149
WW36RDW	149
WW4011MPA9	348
WW4242SQL	151
WW4242SQLW	151
WW4242SQW	151
WW42RDL	149
WW42RDLW	149
WW42RDW	149
WW4848SQL	151
WW4848SQLW	151
WW4848SQW	151
WW48RDL	149
WW48RDLW	149
WW48RDW	149
WW48WSHRDL	363
WW48WSHRDLL	363
WW48WSHRDLW	363
WW48WSHRDW	363
WW5211MPA9	348
WW60WSHRDL	363
WW60WSHRDLL	363
WW60WSHRDLW	363
WW60WSHRDW	363
WW6411MPA9	348
WWN1830WSSDL	354
WWN1830WSSDLW	354
WWN1830WSSDW	354
WWN1836WSSDL	354
WWN1836WSSDLW	354
WWN1836WSSDW	354
WWN1842WSSDL	354
WWN1842WSSDLW	354
WWN1842WSSDW	354
WWN1848WSSDL	354
WWN1848WSSDLW	354
WWN1848WSSDW	354
WWN1854WSSDL	354
WWN1854WSSDLW	354
WWN1854WSSDW	354
WWN1860WSSDL	354
WWN1860WSSDLW	354
WWN1860WSSDW	354
WWN1866WSSDL	354
WWN1866WSSDLW	354
WWN1866WSSDW	354
WWN1872WSSDL	354
WWN1872WSSDLW	354
WWN1872WSSDW	354
WWN1880VSHLGL	419
WWN1880VSHLGW	419
WWN1880VSHLL	419
WWN1880VSHLW	419
WWN1880VSHRGL	419
WWN1880VSHRGW	419
WWN1880VSHRL	419
WWN1880VSHRW	419
WWN2424WSQRL	364
WWN2424WSQRLW	364
WWN2424WSQRW	364
WWN2430WSQRL	364
WWN2430WSQRLW	364
WWN2430WSQRW	364
WWN2430WSSDL	357
WWN2430WSSDLW	357
WWN2430WSSDW	357
WWN2430WSSVDL	390
WWN2430WSSVDLW	390
WWN2430WSSVDW	390
WWN2436MUCL	420
WWN2436MUCLW	420
WWN2436MUCLWL	420
WWN2436MUCW	420
WWN2436MUCWWL	420
WWN2436PFHL	421
WWN2436PFHLW	421
WWN2436PFHW	421
WWN2436WSSDL	357
WWN2436WSSDLW	357
WWN2436WSSDW	357
WWN2436WSSVDL	390
WWN2436WSSVDLW	390
WWN2436WSSVDW	390
WWN2442WSSDL	357
WWN2442WSSDLW	357
WWN2442WSSDW	357
WWN2448CVMSL	418
WWN2448CVMSLW	418
WWN2448CVMSW	418
WWN2448WSSDL	357
WWN2448WSSDLW	357
WWN2448WSSDW	357
WWN2454WSSDL	357
WWN2454WSSDLW	357
WWN2454WSSDW	357
WWN2460CVMSL	418
WWN2460CVMSLW	418
WWN2460CVMSW	418
WWN2460WSCCRDL	362
WWN2460WSCCRDLW	362
WWN2460WSCCRDW	362
WWN2460WSSDL	357
WWN2460WSSDLW	357
WWN2460WSSDW	357

INDEX

MODEL	PAGE
WWN2466WSCCRDL	362
WWN2466WSCCRDLW	362
WWN2466WSCCRDW	362
WWN2466WSSDL	357
WWN2466WSSDLW	357
WWN2466WSSDW	357
WWN2472CBL	419
WWN2472CBLW	419
WWN2472CBVL	418
WWN2472CBVLW	418
WWN2472CBVW	418
WWN2472CBW	419
WWN2472CVMSL	418
WWN2472CVMSLW	418
WWN2472CVMSW	418
WWN2472WSCCRDL	362
WWN2472WSCCRDLW	362
WWN2472WSCCRDW	362
WWN2472WSSDL	357
WWN2472WSSDLW	357
WWN2472WSSDW	357
WWN3024WSQRL	364
WWN3024WSQRLW	364
WWN3024WSQRW	364
WWN3030SQL	150
WWN3030SQLW	150
WWN3030SQW	150
WWN3030WSQRL	364
WWN3030WSQRLW	364
WWN3030WSQRW	364
WWN3048WSSDL	360
WWN3048WSSDLW	360
WWN3048WSSDW	360
WWN3054WSSDL	360
WWN3054WSSDLW	360
WWN3054WSSDW	360
WWN3060WSSDL	360
WWN3060WSSDLW	360
WWN3060WSSDW	360
WWN3066WSSDL	360
WWN3066WSSDLW	360
WWN3066WSSDW	360
WWN3072WSSDL	360
WWN3072WSSDLW	360
WWN3072WSSDW	360
WWN30RDL	148
WWN30RDLW	148
WWN30RDW	148
WWN3636SQL	150
WWN3636SQLW	150
WWN3636SQW	150
WWN3660WSCEDLL2	386
WWN3660WSCEDLLW2	386
WWN3660WSCEDLW2	386
WWN3660WSCEDRL2	386
WWN3660WSCEDRLW2	386
WWN3660WSCEDRW2	386
WWN3666WSCEDLL2	386
WWN3666WSCEDLLW2	386
WWN3666WSCEDLW2	386
WWN3666WSCEDRL2	386
WWN3666WSCEDRLW2	386
WWN3666WSCEDRW2	386
WWN3672BTL	154
WWN3672BTLW	154
WWN3672BTW	154
WWN3672RC2L	156
WWN3672RC2LW	156
WWN3672RC2W	156
WWN3672RT2L	152
WWN3672RT2LW	152
WWN3672RT2W	152
WWN3672WSCEDLL2	386
WWN3672WSCEDLLW2	386
WWN3672WSCEDLW2	386
WWN3672WSCEDRL2	386
WWN3672WSCEDRLW2	386
WWN3672WSCEDRW2	386
WWN36RDL	148
WWN36RDLW	148
WWN36RDW	148
WWN4242SQL	150
WWN4242SQLW	150
WWN4242SQW	150
WWN4284BTL	154
WWN4284BTLW	154
WWN4284BTW	154
WWN4284RC2L	156
WWN4284RC2LW	156
WWN4284RC2W	156
WWN4284RT2L	152
WWN4284RT2LW	152
WWN4284RT2W	152
WWN42RDL	148
WWN42RDLW	148
WWN42RDW	148
WWN48120BTL	154
WWN48120BTLW	154
WWN48120BTW	154
WWN48120RC2L	156
WWN48120RC2LW	156
WWN48120RC2W	156
WWN48120RT2L	152
WWN48120RT2LW	152
WWN48120RT2W	152
WWN48144BTL	154
WWN48144BTLW	154
WWN48144BTW	154
WWN48144RC2L	156
WWN48144RC2LW	156
WWN48144RC2W	156
WWN48144RT2L	152
WWN48144RT2LW	152
WWN48144RT2W	152
WWN48168BTL	154
WWN48168BTLW	154
WWN48168BTW	154
WWN48168RC2L	156
WWN48168RC2LW	156
WWN48168RC2W	156
WWN48168RT2L	152
WWN48168RT2LW	152
WWN48168RT2W	152
WWN48192BTL	154
WWN48192BTLW	154
WWN48192BTW	154
WWN48192RC2L	156
WWN48192RC2LW	156
WWN48192RC2W	156
WWN48192RT2L	152
WWN48192RT2LW	152
WWN48192RT2W	152
WWN48216BTL	155
WWN48216BTLW	155
WWN48216BTW	155
WWN48216RC2L	157
WWN48216RC2LW	157
WWN48216RC2W	157
WWN48216RT2L	153
WWN48216RT2LW	153
WWN48216RT2W	153
WWN48240BTL	155
WWN48240BTLW	155
WWN48240BTW	155
WWN48240RC2L	157
WWN48240RC2LW	157
WWN48240RC2W	157
WWN48240RT2L	153
WWN48240RT2LW	153
WWN48240RT2W	153
WWN4848SQL	150
WWN4848SQLW	150
WWN4848SQW	150
WWN4896BTL	154
WWN4896BTLW	154
WWN4896BTW	154
WWN4896RC2L	156
WWN4896RC2LW	156
WWN4896RC2W	156
WWN4896RT2L	152
WWN4896RT2LW	152
WWN4896RT2W	152
WWN48RDL	148
WWN48RDLW	148
WWN48RDW	148
WWN48WSHRDL	363
WWN48WSHRDLW	363
WWN48WSHRDW	363
WWN5454SQL	150
WWN5454SQLW	150
WWN5454SQW	150
WWN54RDL	148
WWN54RDLW	148
WWN54RDW	148
WWN60144BTL	155
WWN60144BTLW	155
WWN60144BTW	155
WWN60144RC2L	157
WWN60144RC2LW	157
WWN60144RC2W	157
WWN60144RT2L	153
WWN60144RT2LW	153
WWN60144RT2W	153
WWN60168BTL	155
WWN60168BTLW	155
WWN60168BTW	155
WWN60168RC2L	157
WWN60168RC2LW	157
WWN60168RC2W	157
WWN60168RT2L	153
WWN60168RT2LW	153
WWN60168RT2W	153
WWN60192BTL	155
WWN60192BTLW	155
WWN60192BTW	155
WWN60192RC2L	157
WWN60192RC2LW	157
WWN60192RC2W	157
WWN60192RT2L	153
WWN60192RT2LW	153
WWN60192RT2W	153
WWN60216BTL	155
WWN60216BTLW	155
WWN60216BTW	155
WWN60216RC2L	157
WWN60216RC2LW	157
WWN60216RC2W	157
WWN60216RT2L	153
WWN60216RT2LW	153
WWN60216RT2W	153
WWN60240BTL	155
WWN60240BTLW	155
WWN60240BTW	155
WWN60240RC2L	157
WWN60240RC2LW	157
WWN60240RC2W	157
WWN60240RT2L	153
WWN60240RT2LW	153
WWN60240RT2W	153
WWN6060SQL	150
WWN6060SQLW	150
WWN6060SQW	150
WWN60RDL	148
WWN60RDLW	148
WWN60RDW	148
WWN60WSHRDL	363
WWN60WSHRDLW	363
WWN60WSHRDW	363

Warranty

National warrants that each piece of furniture will be free from defects in workmanship given normal use and care for as long as you, the original customer, owns and uses the product.

Normal use is defined as the equivalent of a single shift, 40 hour work week. In the event that a product is used more than normal use, the applicable warranty period will be reduced to 12 years and items that fall under different warranty limitations, as listed below, will be reduced to one-third (ex: Wood chair frames will be 4 years instead of 12 years). National, at its option, will repair or replace with comparable product any product, part or component shipped after September 1, 2000, if the claim is eligible under the conditions of this warranty. This warranty is valid only if the product is given proper care and maintenance.

Limitations

Twelve Years	Wood Chair Frames
Ten Years	Seating Controls, Wood Veneers and Laminates
Five Years	Mechanical and High Wear Parts Such As: Electrical Components, Polymer Based Components, Pneumatic Cylinders, Swivel Arm Pads, Casters, Chair Glides, Textiles, Foam, Covering Materials and Decorative Trim

Exclusions

This warranty does not apply to:

- Damage caused by a carrier
- Normal wear and tear which is to be expected during the period of ownership
- Appearance, durability, quality, behavior, colorfastness or any other attribute of COM (Customer's Own Materials) or any other non-standard National material (including Arc-Com, CF Stinson, Maharam, Momentum, and Ultrafabrics) specified by the customer after application to a National product
- Color, grain or texture of wood, laminate and other covering materials
- Non-compliance with installation and maintenance instructions
- Electrical grommets where the box has been opened
- Damages or failures resulting from modifications, alterations, misuse, abuse or negligence or improper care and maintenance of our products

NOTE: A protective glass top is not recommended on tops greater than 72". A single piece of glass should cover a multi-piece top. A glass addition has the potential to accentuate deflection. If glass is applied, this will require a special quote to investigate the support needed.

Gotcha™ 24 Hour Use Seating

Warranty on Gotcha 24 Hour Use models is 5 years from date of purchase for seating controls and pneumatic cylinders and 2 years from date of purchase for casters, textiles and foam.

Finish Warranty

Minor variations in finish color may occur due to the unique texture and grain of wood.

Follow these procedures to process warranty issues:

1. Contact National Customer Service (800.482.1717) and provide them with the serial number from the product in question and the purchase order number or acknowledgement number and a detailed description of the warranty issue. **Serial numbers are mandatory before the claim can be processed.**
2. Customer Service will determine and pre-approve all resolutions to the claim such as replacement units, service parts, labor and repair charges. Upon approval, resolutions will be assigned an uthorization number.
3. The authorization number must be included on all invoices for reimbursement. Any unauthorized charges will not be the responsibility of National.

As the manufacturer of your furniture, we stand behind our craftsmanship and pledge to do everything we can to resolve any problems you may have within the terms of this warranty as quickly as possible.

There are no other warranties except as expressly set forth here, either expressed or implied including any warranty of merchantability or fitness for any particular purpose. We exclude and will not pay consequential or incidental damages under this warranty.

National Office Furniture
1610 Royal Street
Jasper, Indiana 47549
800.482.1717
Fax 812.482.8800
www.NationalOfficeFurniture.com

NATIONAL®

1610 ROYAL STREET, JASPER, IN 47549
TOLL FREE **800.482.1717**
WEB **NATIONALOFFICEFURNITURE.COM**

A UNIT OF KIMBALL INTERNATIONAL, ©2018

NPL418